AMENDMENT OF SOLICITATI	ON/MODIFICATI	ON OF CONTRACT	1. Contract I		Page 1 Of 4	
2. Amendment/Modification No.	3. Effective Date	4. Requisition/Purchase Req		5. Project No.	(If applicable)	
P00003	2013FEB11	SEE SCHEDULE				
6. Issued By	Code W56HZV	7. Administered By (If other	than Item 6)		Code S11	103A
U.S. ARMY CONTRACTING COMMAND GRETCHEN PERRY WARREN, MICHIGAN 48397-5000 HTTP://CONTRACTING.TACOM.ARMY.MIL		DCMA ATLANTA 2300 LAKE PARK DRIV SMYRNA GA 30080	E, SUITE 300			
EMAIL: GRETCHEN.E.PERRY@US.ARMY.MIL						
8. Name And Address Of Contractor (No., Stree	t, City, County, State and Z	Zip Code)	9A. Amendmen	t Of Solicitation	No.	
FN MANUFACTURING, LLC 797 OLD CLEMSON RD COLUMBIA, SC 29229-4203			9B. Dated (See	Item 11)		
		x	10A. Modificat	ion Of Contract/	Order No.	
			W56HZV-11-D-	0139		
			10B. Dated (See	e Item 13)		
Code 3s679 Facility Code			2011JUL11			
11. T	THIS ITEM ONLY APPLIE	ES TO AMENDMENTS OF S	OLICITATIONS	8		
A. This Change Order is Issued Pursuant The Contract/Order No. In Item 10A  B. The Above Numbered Contract/Order Forth In Item 14, Pursuant To The A  C. This Supplemental Agreement Is Ente  D. Other (Specify type of modification and	ng copies of elegram which includes a relative AT THE PLACE DESIGN OF YOUR OFFER. If by each telegram or letter mainired)  ITEM ONLY APPLIES T It Modifies The Contract To:  ITEM ONLY APPLIES T It Modified To Reflect The uthority of FAR 43.103(b).  ITEM ONLY APPLIES T It Modified To Reflect The uthority of FAR 43.103(b).	O MODIFICATIONS OF COntr/Order No. As Described In  The Administrative Changes (such order) of the Administrati	owledging receip amendment num OF OFFERS PR I desire to change and this amends  NTRACTS/ORE Item 14.  The Ch  ch as changes in	t of this amendmenters. FAILURI IOR TO THE He an offer alreadyment, and is rece DERS anges Set Forth paying office, app	tent on each copy of the EOF YOUR OUR AND DATE by submitted, such chancived prior to the opening the such that the such chancive in the opening that the such that the suc	nge ing
E. IMPORTANT: Contractor is not,  14. Description Of Amendment/Modification (O		his document and return		pies to the Issuin		
SEE SECOND PAGE FOR DESCRIPTION	iganized by OCF Section II	eaungs, including solicitation/	com act subject	matter where ter	SIMIC.)	
Except as provided herein, all terms and conditient effect.	ons of the document refere					nd
15A. Name And Title Of Signer (Type or print)		JENNIFER MCCALI	16A. Name And Title Of Contracting Officer (Type or print)  JENNIFER MCCALLUM  JENNIFER.N.MCCALLUM@US.ARMY.MIL (586)282-3526			
15B. Contractor/Offeror	15C. Date Signed	16B. United States Of		,	16C. Date Signed	
		By	/SIGNED/		2013FEB11	1
(Signature of person authorized to sign)			of Contracting O	Officer)	20134 6811	_
NCN 7540 01 152 2070		20 105 02		CTANDADD EC	DM 20 (DEV 10 92)	

# **CONTINUATION SHEET**

### Reference No. of Document Being Continued

PIIN/SIIN W56HZV-11-D-0139

MOD/AMD P00003

Page 2 of 4

Name of Offeror or Contractor: fn manufacturing, llc

SECTION A - SUPPLEMENTAL INFORMATION

Buyer Name: GRETCHEN PERRY

Buyer Office Symbol/Telephone Number: CCTA-ADS-A/(586)282-5013

Type of Business: Large Business Performing in U.S.

Surveillance Criticality Designator: B
Contract Expiration Date: 2016JUL14

Kind of Modification: Supplemental Agreement

\*\*\* End of Narrative A0000 \*\*\*

- 1. The purpose of Modification P00003 to Contract W56HZV-11-D-0139, is to update the QUANTITY PER UNIT PACKAGE in Clause 52.211-4500 PACKAGING REQUIREMENTS (SPECIFICATIONS/STANDARDS).
- 2. The QUANTITY PER UNIT PACKAGE is changed as follows:

Current - 001 Revised - 1000

- 3. This change is incorporated at no additional cost to the Government and with no delivery schedule impact.
- 4. There is no change in the total amount obligated as a result of this modification.
- 5. Except as specifically stated within, all other Contract terms and conditions remain unchanged and in full force and effect.
- 6. The contractor releases the Government from any and all liability under this contract, for any equitable adjustment attributable to or related to the facts or circumstances giving rise to the changes in this Modification P00003.

\*\*\* END OF NARRATIVE A0003 \*\*\*

## **CONTINUATION SHEET**

#### Reference No. of Document Being Continued

PIIN/SIIN W56HZV-11-D-0139

MOD/AMD P00003

Page 3 of 4

Name of Offeror or Contractor: FN MANUFACTURING, LLC

SECTION D - PACKAGING AND MARKING

Status	Regulatory Cite	Title	Date

D-1 CHANGED 52.211-4500

PACKAGING REQUIREMENTS (SPECIFICATIONS/STANDARDS)

DEC/2007

A. The preservation, packing, and marking requirements for the item identified above shall be accomplished in accordance with the requirements in the specification/standard defined below.

B. The following requirements shall apply:

FOR WASHER, CRUSH

PRESERVATION: MILITARY LEVEL OF PACKING: B

OUANTITY PER UNIT PACKAGE: 1000

SPECIFICATION/STANDARD: MIL-STD-2073-1D

- C. Marking: In addition to any special marking markings called out by the specification/standard above;
- C.1. All unit packages, intermediate packs, exterior shipping containers, and, as applicable, unitized loads shall be marked in accordance with MIL-STD-129, Revision P, Change Notice 4, dated 19 Sep 07 including bar coding and a MSL label. The contractor is responsible for application of special markings as discussed in the Military Standard regardless of whether specified in the contract or not. Special markings include, but are not limited to, Shelf-life markings, structural markings, and transportation special handling markings. The marking of pilferable and sensitive materiel will not identify the nature of the materiel. Passive RFID tagging is required in all contracts that contain DFARS clause 252.211-7006. Contractors must check the solicitation and/or contract for this clause. For details and most recent information, see http://www.acq.osd.mil/log/rfid/index.htm for the current DoD Suppliers Passive RFID Information Guide and Supplier Implementation Plan. If the item has Unique Item Identifier (UII) markings then the concatenated UII needs to be 2D bar coded and applied on the unit package, intermediate and exterior containers, and the palletized unit load.
- D. Heat Treatment and Marking of Wood Packaging Materials: All non-manufactured wood used in packaging shall be heat treated to a core temperature of 56 degrees Celsius for a minimum of 30 minutes. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall be affiliated with an inspection agency accredited by the board of review of the American Lumber Standard Committee. The box/pallet manufacturer and the manufacturer of wood used as inner packaging shall ensure tractability to the original source of heat treatment. Each box/pallet shall be marked to show the conformance to the International Plant Protection Convention Standard. Boxes/pallets and any wood used as inner packaging made of non-manufactured wood shall be heat-treated. The quality mark shall be placed on both ends of the outer packaging, between the end cleats or end battens; on two sides of the pallet. Foreign manufacturers shall have the heat treatment of non-manufactured wood products verified in accordance with their National Plant Protection Organizations compliance program. In addition, wood used as dunnage for blocking and bracing, to include ISO containers, shall be ordered with ALSC certified marking for dunnage or the markings may be applied locally at two foot intervals.
- E. The specification/standard cited is intended to give a clear and accurate description of the technical packaging requirements for the item being procured, including the procedure by which it can be determined that the requirements have been met. Specific instructions and/or tailoring of the specification/standard is detailed in the supplemental instructions in paragraph G below. Any design changes or changes in the method of preservation that provide a cost savings without degrading the method of preservation or packing and without affecting the serviceability of the item will be considered and responded to within 10 days of submission to PCO with copies to the ACO. The government reserves the right to require testing to validate alternate industrial preservation methods, materials, blocking, bracing, cushioning, and packing.
- F. Hazardous Materials (as applicable):
- F.1. Hazardous Materials is defined as a substance, or waste which has been determined by the Secretary of Transportation to be capable of posing an unreasonable risk to health, safety, and property when transported in commerce and which has been so designated. (This includes all items listed as hazardous in Titles 29, 40 and 49 CFR and other applicable modal regulations effective at the time of shipment.)
- F.2. When applicable, packaging and marking for hazardous material shall comply with the requirements for the mode of transport and the applicable performance packaging contained in the following documents:
- --International Air Transport Association (IATA) Dangerous Goods Regulations
- --International Maritime Dangerous Goods Code (IMDG)
- --Code of Federal Regulations (CFR) Title 29, Title 40 and Title 49
- --Joint Service Regulation AFJMAN24-204/TM38-250/NAVSUPPUB 505/MCO P4030.19/DLAM 4145.3 (for military air shipments).
- F.3. If the shipment originates from outside the continental United States, the shipment shall be prepared in accordance with the United Nations Recommendations on the Transport of Dangerous Goods in a manner acceptable to the Competent Authority of the nation of

# **CONTINUATION SHEET**

### Reference No. of Document Being Continued

PIIN/SIIN W56HZV-11-D-0139

MOD/AMD P00003

Page 4 of 4

Name of Offeror or Contractor: FN MANUFACTURING, LLC

origin and in accordance with regulations of all applicable carriers.

F.4. When applicable a Product Material Safety Data Sheets (MSDS) is required to be included with every unit pack and intermediate container and shall be included with the packing list inside the sealed pouch attached to the outside of the package.

SUPPLEMENTAL INSTRUCTIONS:

#### FOR WASHER, CRUSH:

Unitization: Shipments of identical items going to the same destination shall be palletized if they have a total cubic displacement of 50 cubic feet or more unless skids or other forklift handling features are included on the containers. Pallet loads must be stable, and to the greatest extent possible, provide a level top for ease of stacking. A palletized load shall be of a size to allow for placement of two loads high and wide in a conveyance. The weight capacity of the pallet must be adequate for the load. The pallet is a 40 x 48 inch, 4-way entry pallet although variations maybe permitted as dictated by the characteristics of the items being unitized. All variations must be approved by the Contracting Office prior to implementing. The load shall be contained in a manner that will permit safe handling during shipment and storage.

Packaging shall be in accordance will MIL-STD-2073-1 and have successfully passed test levels of ASTM D 4169, Distribution Cycle 18, Assurance Leve II, Acceptance Criterion 3, Military packing level B. The warehouse stacking height shall be 16ft. The shipping container shall be the unit pack. Marking shall be in accordance with MIL-STD-129. Testing shall be witnessed by the Government Quality Assurance Representative. Packaged Gross Weight and size shall be included on the test report as well as a detailed description of the packaging. The Contractor is exempted from testing if other data can be provided (see para. 5.6 of MIL-STD-2073-1D) and is acceptable to the Government. Similar items do not require retesting.

For packaging assistance, Contractor may notify Contracting Office with request to speak to a Packaging Specialist.

(DS6418) (End of Clause)