

Table 1. Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	10.08		19.66		5.87		7.92	
Northeast	10.67	(10.07 - 11.30)	23.25	(22.35 - 24.18)	6.21	(5.75 - 6.70)	8.59	(8.17 - 9.03)
Midwest	10.00	(9.55 - 10.48)	18.82	(18.19 - 19.46)	5.48	(5.12 - 5.85)	7.50	(7.18 - 7.83)
South	9.46	(9.03 - 9.92)	18.21	(17.60 - 18.83)	5.33	(4.99 - 5.70)	7.24	(6.93 - 7.56)
West	10.64	(10.01 - 11.31)	20.00	(19.11 - 20.91)	6.83	(6.28 - 7.42)	8.86	(8.37 - 9.37)
Alabama	10.46	(8.81 - 12.38)	17.50	(15.11 - 20.17)	5.09	(4.02 - 6.44)	6.94	(5.88 - 8.18)
Region 1	10.20	(7.70 - 13.38)	15.50	(11.95 - 19.86)	4.55	(3.15 - 6.53)	6.03	(4.58 - 7.89)
Region 2	11.19	(8.65 - 14.37)	19.37	(15.50 - 23.93)	5.61	(3.97 - 7.88)	7.70	(6.02 - 9.79)
Region 3	9.41	(6.91 - 12.68)	17.14	(13.09 - 22.12)	5.08	(3.41 - 7.51)	7.23	(5.46 - 9.51)
Region 4	10.67	(8.01 - 14.09)	17.38	(13.49 - 22.11)	5.05	(3.47 - 7.29)	6.78	(5.14 - 8.91)
Alaska	12.46	(10.26 - 15.06)	23.32	(20.50 - 26.39)	9.70	(7.86 - 11.92)	11.90	(10.21 - 13.82)
Gulf Coast	11.07	(7.72 - 15.63)	*	(* - *)	7.87	(5.08 - 11.98)	9.78	(6.95 - 13.58)
Rural	11.49	(7.96 - 16.30)	*	(* - *)	*	(* - *)	12.07	(8.59 - 16.70)
Southeast	13.01	(9.40 - 17.73)	*	(* - *)	9.13	(6.13 - 13.39)	11.36	(8.36 - 15.26)
Urban	12.83	(10.24 - 15.97)	24.05	(20.81 - 27.62)	10.03	(7.85 - 12.72)	12.35	(10.37 - 14.65)
Arizona	11.02	(9.13 - 13.25)	16.94	(14.54 - 19.65)	5.95	(4.70 - 7.51)	7.62	(6.42 - 9.02)
Maricopa	10.71	(8.47 - 13.45)	17.11	(14.26 - 20.39)	6.10	(4.57 - 8.10)	7.84	(6.39 - 9.58)
Pima	12.12	(8.71 - 16.62)	17.13	(12.66 - 22.76)	6.52	(4.39 - 9.58)	8.14	(5.97 - 11.00)
Rural North	12.43	(9.03 - 16.87)	18.69	(13.96 - 24.56)	5.91	(3.90 - 8.85)	7.65	(5.58 - 10.40)
Rural South	9.71	(6.77 - 13.72)	*	(* - *)	4.48	(2.88 - 6.92)	5.76	(4.04 - 8.15)
Arkansas	11.80	(9.96 - 13.93)	18.63	(16.19 - 21.35)	5.48	(4.33 - 6.92)	7.44	(6.32 - 8.75)
Areas 1 and 2	13.27	(9.76 - 17.80)	20.72	(16.06 - 26.30)	5.50	(3.69 - 8.12)	7.87	(5.96 - 10.33)
Areas 3 and 4	10.63	(7.78 - 14.37)	17.90	(13.71 - 23.02)	5.18	(3.42 - 7.77)	7.07	(5.23 - 9.49)
Areas 5 and 6	10.94	(7.93 - 14.92)	15.89	(12.15 - 20.52)	5.34	(3.64 - 7.78)	7.00	(5.28 - 9.22)
Areas 7, 12, and 13	10.97	(7.98 - 14.89)	15.70	(11.58 - 20.93)	5.28	(3.48 - 7.94)	6.87	(5.02 - 9.33)
Areas 8, 10, and 11	12.55	(9.31 - 16.70)	20.54	(16.15 - 25.76)	5.44	(3.66 - 8.02)	7.52	(5.70 - 9.86)
Area 9	12.34	(9.29 - 16.21)	20.60	(15.81 - 26.39)	6.03	(4.14 - 8.69)	8.14	(6.18 - 10.65)

See notes at end of table.

(continued)

Table 1. Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	10.52	(9.54 - 11.59)	19.75	(18.40 - 21.18)	7.13	(6.29 - 8.07)	9.09	(8.34 - 9.91)
Region 1	13.17	(9.84 - 17.40)	*	(* - *)	10.96	(7.67 - 15.43)	13.70	(10.40 - 17.82)
Region 2	12.29	(9.79 - 15.31)	24.25	(20.49 - 28.45)	9.23	(6.98 - 12.12)	11.44	(9.34 - 13.95)
Region 3	11.02	(8.25 - 14.57)	20.89	(16.34 - 26.31)	7.19	(5.11 - 10.04)	9.38	(7.26 - 12.02)
Region 4	12.19	(9.19 - 16.01)	26.72	(21.53 - 32.64)	10.15	(7.57 - 13.47)	12.14	(9.63 - 15.21)
Region 5	12.07	(9.35 - 15.45)	24.22	(19.76 - 29.31)	8.36	(6.22 - 11.15)	10.54	(8.45 - 13.09)
Region 6 (Santa Clara)	8.85	(6.53 - 11.91)	17.57	(13.55 - 22.48)	5.65	(3.95 - 8.01)	7.35	(5.59 - 9.60)
Region 7	10.51	(7.56 - 14.43)	19.22	(14.82 - 24.55)	7.67	(5.27 - 11.05)	9.64	(7.23 - 12.73)
Region 8	9.50	(7.17 - 12.50)	16.56	(12.82 - 21.11)	5.97	(4.08 - 8.66)	7.86	(6.00 - 10.24)
Region 9	10.31	(7.57 - 13.89)	21.71	(17.18 - 27.04)	6.55	(4.53 - 9.38)	9.18	(7.09 - 11.81)
Region 10	12.10	(9.05 - 16.00)	26.26	(21.07 - 32.21)	8.11	(5.71 - 11.40)	11.01	(8.57 - 14.05)
Region 11 (Los Angeles)	9.10	(7.55 - 10.93)	15.62	(13.54 - 17.96)	5.81	(4.55 - 7.39)	7.39	(6.22 - 8.76)
Region 12	9.96	(7.68 - 12.82)	19.08	(15.04 - 23.90)	6.32	(4.48 - 8.85)	8.52	(6.61 - 10.91)
Region 13 (Riverside)	10.60	(8.07 - 13.81)	18.34	(14.22 - 23.33)	5.67	(3.88 - 8.20)	7.59	(5.76 - 9.94)
Region 14 (Orange)	10.76	(8.31 - 13.83)	18.54	(15.05 - 22.62)	6.43	(4.70 - 8.74)	8.23	(6.52 - 10.34)
Region 15	11.43	(8.89 - 14.59)	20.73	(17.19 - 24.78)	7.76	(5.87 - 10.18)	9.95	(8.14 - 12.10)
Colorado	11.37	(9.54 - 13.49)	25.91	(22.80 - 29.29)	6.62	(5.33 - 8.21)	9.48	(8.20 - 10.94)
Region 1	10.25	(7.36 - 14.09)	25.96	(20.45 - 32.33)	5.50	(3.70 - 8.12)	9.10	(7.05 - 11.68)
Regions 2 and 7	12.17	(9.76 - 15.07)	26.82	(22.73 - 31.34)	6.97	(5.27 - 9.16)	9.82	(8.14 - 11.81)
Region 3	11.09	(7.96 - 15.25)	*	(* - *)	5.95	(3.98 - 8.81)	8.81	(6.71 - 11.49)
Region 4	9.88	(6.95 - 13.87)	*	(* - *)	5.73	(3.74 - 8.68)	7.60	(5.50 - 10.42)
Regions 5 and 6	10.12	(7.17 - 14.11)	*	(* - *)	7.43	(4.99 - 10.94)	10.01	(7.45 - 13.31)
Connecticut	10.41	(8.76 - 12.32)	26.08	(22.86 - 29.57)	6.01	(4.78 - 7.55)	8.67	(7.42 - 10.11)
Eastern	11.12	(8.00 - 15.27)	*	(* - *)	6.41	(4.22 - 9.62)	10.15	(7.70 - 13.27)
North Central	9.63	(7.26 - 12.67)	26.57	(21.59 - 32.22)	5.88	(4.10 - 8.37)	8.53	(6.66 - 10.86)
Northwestern	11.04	(8.29 - 14.55)	*	(* - *)	6.03	(4.14 - 8.71)	8.58	(6.57 - 11.14)
South Central	10.88	(8.26 - 14.20)	25.48	(20.61 - 31.04)	6.54	(4.63 - 9.17)	9.15	(7.20 - 11.56)
Southwest	9.86	(7.24 - 13.28)	*	(* - *)	5.33	(3.57 - 7.89)	7.47	(5.61 - 9.90)

See notes at end of table.

(continued)

Table 1. Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	10.28	(8.61 - 12.24)	23.27	(20.41 - 26.40)	5.15	(4.10 - 6.46)	7.80	(6.73 - 9.03)
Kent	8.93	(6.45 - 12.24)	17.96	(13.74 - 23.13)	5.47	(3.65 - 8.14)	7.45	(5.60 - 9.85)
New Castle (excluding Wilmington City)	10.22	(8.07 - 12.86)	24.81	(21.08 - 28.96)	4.53	(3.28 - 6.22)	7.68	(6.39 - 9.22)
Sussex	10.73	(7.91 - 14.40)	22.10	(17.33 - 27.73)	5.16	(3.52 - 7.52)	7.04	(5.30 - 9.29)
Wilmington City	12.18	(8.64 - 16.90)	*	(* - *)	8.07	(5.37 - 11.96)	10.81	(7.90 - 14.61)
District of Columbia	10.04	(8.28 - 12.13)	21.25	(18.46 - 24.34)	7.59	(6.18 - 9.28)	9.77	(8.43 - 11.29)
Ward 1	10.05	(6.90 - 14.43)	*	(* - *)	10.11	(6.86 - 14.66)	12.36	(9.14 - 16.50)
Ward 2	*	(* - *)	22.81	(18.48 - 27.81)	8.42	(5.75 - 12.16)	11.99	(9.44 - 15.12)
Ward 3	9.22	(6.41 - 13.09)	*	(* - *)	5.83	(3.83 - 8.78)	7.84	(5.75 - 10.61)
Ward 4	10.06	(7.15 - 13.97)	*	(* - *)	6.13	(3.98 - 9.32)	7.53	(5.30 - 10.58)
Ward 5	11.15	(8.02 - 15.29)	24.12	(18.84 - 30.33)	8.20	(5.76 - 11.54)	10.49	(8.05 - 13.56)
Ward 6	9.33	(6.48 - 13.26)	*	(* - *)	8.04	(5.37 - 11.88)	9.94	(7.23 - 13.53)
Ward 7	9.67	(7.05 - 13.13)	*	(* - *)	6.25	(4.15 - 9.32)	7.57	(5.46 - 10.39)
Ward 8	10.29	(7.70 - 13.63)	20.23	(15.38 - 26.13)	8.59	(5.94 - 12.27)	10.69	(8.11 - 13.96)

See notes at end of table.

(continued)

Table 1. Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	10.33	(9.40 - 11.35)	21.03	(19.64 - 22.48)	5.69	(5.03 - 6.44)	7.68	(7.06 - 8.35)
Region A	11.70	(9.69 - 14.07)	24.79	(21.36 - 28.57)	7.36	(5.78 - 9.33)	10.44	(8.82 - 12.31)
Circuit 1	11.61	(8.75 - 15.26)	23.88	(18.68 - 30.00)	7.53	(5.34 - 10.53)	10.07	(7.77 - 12.95)
Circuit 2	12.68	(9.41 - 16.87)	27.71	(22.68 - 33.38)	8.30	(5.65 - 12.02)	12.94	(10.22 - 16.26)
Circuit 14	10.39	(7.45 - 14.31)	20.32	(15.41 - 26.29)	5.81	(3.90 - 8.56)	7.85	(5.84 - 10.48)
Region B	11.61	(9.76 - 13.77)	24.16	(21.34 - 27.21)	6.79	(5.49 - 8.37)	9.50	(8.21 - 10.96)
Circuits 3 and 8	11.68	(8.60 - 15.68)	24.18	(19.58 - 29.46)	7.03	(4.91 - 9.99)	10.68	(8.47 - 13.39)
Circuit 4	11.41	(8.88 - 14.55)	23.72	(19.50 - 28.52)	8.10	(5.90 - 11.02)	10.52	(8.36 - 13.17)
Circuit 7	11.89	(8.93 - 15.66)	24.91	(19.98 - 30.58)	4.97	(3.40 - 7.20)	7.28	(5.64 - 9.36)
Region C	10.18	(8.81 - 11.72)	20.12	(17.98 - 22.45)	5.48	(4.56 - 6.56)	7.34	(6.44 - 8.35)
Circuit 5	10.02	(7.57 - 13.15)	20.66	(16.20 - 25.96)	4.14	(2.82 - 6.03)	5.65	(4.26 - 7.47)
Circuit 9	9.36	(7.18 - 12.12)	19.34	(15.97 - 23.22)	6.66	(4.83 - 9.11)	8.80	(7.04 - 10.94)
Circuit 10	10.59	(7.90 - 14.07)	16.70	(12.50 - 21.95)	4.96	(3.39 - 7.21)	6.48	(4.81 - 8.68)
Circuit 18	10.94	(8.42 - 14.10)	22.70	(18.54 - 27.48)	5.99	(4.37 - 8.15)	8.02	(6.36 - 10.06)
Circuit 19	10.66	(7.77 - 14.45)	22.36	(17.25 - 28.47)	5.07	(3.48 - 7.34)	6.81	(5.10 - 9.05)
Region D	9.50	(8.22 - 10.95)	18.31	(16.32 - 20.48)	5.26	(4.35 - 6.34)	6.88	(6.00 - 7.88)
Circuits 11 and 16	8.58	(6.80 - 10.77)	15.79	(13.04 - 19.00)	4.81	(3.57 - 6.44)	6.30	(5.11 - 7.76)
Circuit 15 (Palm Beach)	10.65	(8.24 - 13.65)	25.34	(21.09 - 30.13)	6.07	(4.48 - 8.17)	8.10	(6.50 - 10.05)
Circuit 17 (Broward)	10.15	(8.10 - 12.64)	18.00	(14.78 - 21.75)	5.31	(3.87 - 7.24)	6.84	(5.41 - 8.61)
Region E	10.27	(8.85 - 11.90)	21.78	(19.35 - 24.43)	5.41	(4.45 - 6.56)	7.23	(6.28 - 8.30)
Circuit 6	10.08	(7.74 - 13.03)	24.15	(19.63 - 29.34)	5.07	(3.68 - 6.96)	6.95	(5.51 - 8.74)
Circuit 12	11.91	(8.90 - 15.75)	*	(* - *)	4.84	(3.30 - 7.05)	6.46	(4.82 - 8.60)
Circuit 13 (Hillsborough)	10.15	(7.88 - 12.99)	20.42	(16.69 - 24.73)	6.38	(4.68 - 8.63)	8.49	(6.79 - 10.56)
Circuit 20	9.64	(7.28 - 12.66)	20.53	(16.28 - 25.54)	5.32	(3.76 - 7.50)	6.84	(5.22 - 8.91)
Georgia	8.51	(6.97 - 10.36)	17.80	(15.28 - 20.64)	6.30	(4.98 - 7.94)	8.06	(6.78 - 9.55)
Region 1	9.23	(6.68 - 12.61)	17.49	(13.11 - 22.95)	6.12	(4.05 - 9.16)	7.72	(5.61 - 10.54)
Region 2	8.13	(5.82 - 11.24)	16.96	(12.81 - 22.11)	5.39	(3.64 - 7.91)	7.19	(5.39 - 9.53)
Region 3	8.66	(6.52 - 11.41)	19.31	(15.77 - 23.43)	7.43	(5.46 - 10.03)	9.20	(7.30 - 11.54)
Region 4	7.76	(5.42 - 11.01)	14.55	(10.56 - 19.72)	4.70	(3.05 - 7.18)	6.20	(4.47 - 8.55)
Region 5	8.63	(6.16 - 11.97)	*	(* - *)	5.54	(3.69 - 8.25)	7.59	(5.58 - 10.25)

See notes at end of table.

(continued)

Table 1. Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	11.00	(9.07 - 13.28)	18.76	(16.00 - 21.87)	5.60	(4.24 - 7.36)	7.35	(6.04 - 8.91)
Hawaii Island	12.12	(8.64 - 16.74)	*	(* - *)	8.22	(5.31 - 12.52)	9.78	(6.88 - 13.71)
Honolulu	10.56	(8.35 - 13.27)	17.84	(14.84 - 21.28)	4.67	(3.25 - 6.66)	6.49	(5.13 - 8.20)
Kauai and Maui**	11.90	(8.99 - 15.60)	21.70	(16.69 - 27.73)	7.63	(5.29 - 10.89)	9.26	(6.91 - 12.31)
Maui	12.40	(8.84 - 17.12)	*	(* - *)	8.29	(5.49 - 12.34)	10.01	(7.20 - 13.74)
Idaho	8.75	(7.32 - 10.43)	15.98	(13.80 - 18.43)	4.99	(3.95 - 6.28)	6.82	(5.80 - 8.00)
Region 1	9.38	(6.75 - 12.89)	*	(* - *)	4.78	(3.13 - 7.22)	6.50	(4.74 - 8.84)
Region 2	8.88	(6.18 - 12.62)	*	(* - *)	5.27	(3.43 - 8.03)	7.72	(5.65 - 10.47)
Region 3	9.47	(6.90 - 12.86)	14.61	(10.88 - 19.35)	4.68	(3.13 - 6.93)	6.25	(4.64 - 8.39)
Region 4	9.58	(7.08 - 12.85)	17.35	(13.82 - 21.55)	5.95	(4.19 - 8.40)	7.82	(6.08 - 10.01)
Region 5	8.02	(5.69 - 11.19)	13.04	(9.18 - 18.20)	4.24	(2.68 - 6.62)	5.57	(3.88 - 7.92)
Region 6	8.39	(5.95 - 11.71)	16.43	(12.24 - 21.70)	4.69	(3.01 - 7.23)	6.93	(5.09 - 9.36)
Region 7	6.99	(5.00 - 9.68)	13.40	(9.80 - 18.07)	4.19	(2.72 - 6.42)	6.12	(4.51 - 8.25)
Illinois	9.46	(8.54 - 10.47)	18.47	(17.14 - 19.89)	5.26	(4.54 - 6.08)	7.26	(6.60 - 7.98)
Region I (Cook)	10.60	(9.08 - 12.35)	18.95	(16.90 - 21.18)	6.79	(5.59 - 8.21)	8.65	(7.54 - 9.90)
Region II	8.64	(7.27 - 10.25)	18.55	(16.29 - 21.03)	4.19	(3.27 - 5.35)	6.24	(5.33 - 7.30)
Region III	8.86	(6.98 - 11.18)	16.98	(14.04 - 20.39)	3.99	(2.87 - 5.52)	6.24	(5.07 - 7.65)
Region IV	9.45	(7.26 - 12.22)	17.50	(13.92 - 21.78)	4.07	(2.84 - 5.80)	6.01	(4.71 - 7.64)
Region V	7.87	(6.05 - 10.17)	18.84	(15.68 - 22.46)	4.12	(2.93 - 5.76)	6.32	(5.09 - 7.81)
Indiana	9.97	(8.42 - 11.76)	18.91	(16.53 - 21.54)	5.39	(4.31 - 6.72)	7.46	(6.39 - 8.69)
Central	10.75	(8.15 - 14.07)	20.60	(16.48 - 25.44)	6.97	(4.93 - 9.77)	8.91	(6.89 - 11.45)
East	9.68	(6.93 - 13.37)	16.20	(11.73 - 21.95)	4.68	(3.02 - 7.19)	6.46	(4.65 - 8.90)
North Central	9.44	(6.83 - 12.91)	18.77	(14.13 - 24.49)	5.36	(3.61 - 7.89)	7.36	(5.50 - 9.79)
Northeast	7.97	(5.67 - 11.10)	16.75	(12.45 - 22.16)	4.00	(2.55 - 6.21)	5.92	(4.33 - 8.05)
Northwest	9.52	(6.96 - 12.90)	19.42	(14.81 - 25.05)	5.74	(3.80 - 8.56)	7.67	(5.65 - 10.31)
Southeast	11.27	(8.10 - 15.47)	*	(* - *)	4.58	(2.99 - 6.95)	6.80	(5.00 - 9.18)
Southwest	10.03	(7.03 - 14.12)	*	(* - *)	4.77	(3.08 - 7.31)	6.92	(5.03 - 9.45)
West	10.30	(7.37 - 14.21)	17.62	(13.46 - 22.72)	4.48	(2.88 - 6.91)	7.36	(5.58 - 9.64)

See notes at end of table.

(continued)

Table 1. Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	9.49	(7.92 - 11.33)	14.89	(12.66 - 17.44)	4.00	(3.13 - 5.10)	5.69	(4.80 - 6.74)
Central	12.01	(8.89 - 16.03)	17.82	(13.44 - 23.24)	4.99	(3.32 - 7.42)	6.89	(5.13 - 9.20)
North Central	9.39	(6.69 - 13.01)	12.58	(9.06 - 17.21)	3.41	(2.15 - 5.37)	5.11	(3.70 - 7.02)
Northeast	9.19	(6.95 - 12.06)	16.54	(12.75 - 21.17)	4.11	(2.79 - 6.01)	6.05	(4.62 - 7.88)
Northwest	8.21	(5.81 - 11.48)	11.98	(8.69 - 16.29)	3.21	(2.06 - 4.96)	4.42	(3.18 - 6.13)
Southeast	8.83	(6.41 - 12.05)	14.88	(11.35 - 19.28)	4.02	(2.70 - 5.95)	5.82	(4.40 - 7.66)
Southwest	9.89	(7.02 - 13.76)	13.32	(9.51 - 18.33)	4.05	(2.62 - 6.19)	5.26	(3.76 - 7.34)
Kansas	9.85	(8.16 - 11.85)	16.13	(13.73 - 18.86)	5.11	(4.05 - 6.44)	6.89	(5.84 - 8.12)
Kansas City Metro	11.26	(8.47 - 14.82)	17.94	(14.46 - 22.05)	6.19	(4.37 - 8.69)	8.14	(6.36 - 10.36)
Northeast	8.45	(6.11 - 11.59)	14.42	(10.54 - 19.41)	4.14	(2.69 - 6.31)	5.92	(4.31 - 8.08)
South Central	8.46	(6.03 - 11.76)	14.21	(10.12 - 19.59)	3.73	(2.41 - 5.74)	5.29	(3.82 - 7.29)
Southeast	9.49	(6.58 - 13.50)	*	(* - *)	5.23	(3.29 - 8.24)	6.78	(4.71 - 9.67)
West	9.15	(6.49 - 12.75)	14.73	(10.52 - 20.25)	4.03	(2.55 - 6.30)	5.67	(4.04 - 7.91)
Wichita (Sedgwick)	10.68	(7.66 - 14.70)	17.42	(13.18 - 22.69)	6.03	(4.11 - 8.74)	7.83	(5.87 - 10.36)
Kentucky	10.90	(9.31 - 12.71)	18.40	(15.98 - 21.10)	5.76	(4.64 - 7.12)	7.56	(6.46 - 8.83)
Adanta, Cumberland River, and Lifeskills	9.24	(6.67 - 12.67)	15.89	(12.04 - 20.69)	4.27	(2.79 - 6.48)	5.92	(4.36 - 7.99)
Bluegrass, Comprehend, and North Key	10.54	(8.15 - 13.53)	18.89	(15.12 - 23.34)	6.69	(4.81 - 9.23)	8.58	(6.73 - 10.88)
Communicare and River Valley	10.26	(7.43 - 14.00)	*	(* - *)	5.39	(3.64 - 7.90)	7.36	(5.46 - 9.86)
Four Rivers and Pennyroyal	11.62	(8.48 - 15.72)	*	(* - *)	5.74	(3.82 - 8.54)	7.50	(5.48 - 10.19)
Kentucky River, Mountain, and Pathways	9.53	(6.91 - 13.01)	15.40	(11.47 - 20.38)	4.27	(2.86 - 6.33)	5.83	(4.32 - 7.84)
Seven Counties	13.53	(10.43 - 17.37)	21.11	(16.65 - 26.39)	6.71	(4.67 - 9.55)	8.56	(6.52 - 11.17)

See notes at end of table.

(continued)

Table 1. Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	9.11	(7.60 - 10.88)	18.84	(16.37 - 21.60)	6.01	(4.81 - 7.49)	8.14	(6.97 - 9.48)
Region 1	9.26	(6.39 - 13.23)	*	(* - *)	7.25	(4.72 - 10.98)	9.56	(6.93 - 13.06)
Regions 2 and 9	10.70	(8.16 - 13.90)	21.36	(17.25 - 26.13)	6.65	(4.72 - 9.30)	9.23	(7.33 - 11.55)
Region 3	8.70	(6.08 - 12.30)	18.55	(13.80 - 24.46)	6.30	(4.12 - 9.50)	8.29	(6.06 - 11.26)
Region 4	7.70	(5.42 - 10.82)	14.75	(10.64 - 20.08)	4.73	(2.99 - 7.41)	6.41	(4.59 - 8.90)
Regions 5 and 6	8.34	(5.94 - 11.59)	16.72	(12.52 - 21.97)	5.29	(3.56 - 7.81)	7.13	(5.30 - 9.53)
Regions 7 and 8	8.76	(6.43 - 11.83)	19.19	(15.09 - 24.08)	5.71	(3.99 - 8.11)	7.97	(6.21 - 10.18)
Region 10 (Jefferson)	8.83	(6.12 - 12.57)	*	(* - *)	5.77	(3.71 - 8.86)	7.39	(5.26 - 10.28)
Maine	14.49	(12.40 - 16.86)	27.43	(24.58 - 30.48)	6.50	(5.23 - 8.06)	9.25	(8.03 - 10.65)
Aroostook/Downeast	13.05	(9.52 - 17.65)	*	(* - *)	5.80	(3.77 - 8.83)	8.06	(5.89 - 10.94)
Central	14.61	(10.86 - 19.36)	29.66	(23.95 - 36.07)	6.99	(4.73 - 10.22)	9.97	(7.63 - 12.92)
Cumberland	15.82	(12.16 - 20.33)	27.21	(22.08 - 33.04)	7.25	(5.12 - 10.17)	9.91	(7.76 - 12.59)
Midcoast	12.97	(9.59 - 17.31)	*	(* - *)	5.77	(3.87 - 8.52)	7.77	(5.76 - 10.39)
Penquis	13.77	(10.15 - 18.43)	29.08	(23.53 - 35.34)	6.20	(4.11 - 9.26)	9.83	(7.66 - 12.53)
Western	15.62	(11.61 - 20.68)	27.43	(22.13 - 33.46)	6.99	(4.81 - 10.05)	9.82	(7.59 - 12.62)
York	14.35	(10.93 - 18.62)	29.43	(23.86 - 35.70)	5.98	(4.08 - 8.69)	8.81	(6.82 - 11.30)
Maryland	8.32	(6.87 - 10.04)	15.87	(13.55 - 18.51)	4.41	(3.41 - 5.67)	6.01	(5.02 - 7.19)
Anne Arundel	8.52	(5.93 - 12.09)	*	(* - *)	4.13	(2.60 - 6.51)	5.73	(4.05 - 8.03)
Baltimore City	9.62	(6.77 - 13.51)	17.93	(13.26 - 23.79)	7.78	(5.22 - 11.45)	9.44	(6.94 - 12.73)
Baltimore County	7.82	(5.52 - 10.97)	16.08	(12.22 - 20.87)	3.95	(2.51 - 6.16)	5.63	(4.10 - 7.69)
Montgomery	8.65	(6.09 - 12.16)	17.71	(13.30 - 23.17)	4.52	(2.92 - 6.92)	6.08	(4.43 - 8.31)
North Central	9.08	(6.38 - 12.77)	*	(* - *)	3.63	(2.29 - 5.69)	5.13	(3.63 - 7.20)
Northeast	8.65	(6.11 - 12.11)	*	(* - *)	4.01	(2.50 - 6.37)	5.80	(4.11 - 8.11)
Prince George's	7.09	(4.95 - 10.05)	13.72	(10.22 - 18.16)	3.81	(2.40 - 5.98)	5.39	(3.88 - 7.43)
South	8.19	(5.83 - 11.37)	14.07	(10.09 - 19.28)	3.95	(2.49 - 6.23)	5.42	(3.84 - 7.59)
West	7.92	(5.54 - 11.19)	14.18	(10.01 - 19.71)	3.50	(2.17 - 5.60)	5.00	(3.51 - 7.09)

See notes at end of table.

(continued)

Table 1. Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	12.54	(10.65 - 14.71)	28.69	(25.77 - 31.81)	6.62	(5.37 - 8.13)	9.73	(8.52 - 11.11)
Boston	11.88	(8.53 - 16.32)	25.61	(20.39 - 31.64)	8.69	(5.95 - 12.53)	12.17	(9.44 - 15.55)
Central	13.93	(10.32 - 18.56)	*	(* - *)	7.18	(4.87 - 10.47)	10.56	(8.10 - 13.67)
Metrowest	11.49	(8.67 - 15.07)	27.11	(22.03 - 32.88)	5.47	(3.78 - 7.85)	8.24	(6.44 - 10.48)
Northeast	11.29	(8.35 - 15.09)	28.00	(22.45 - 34.31)	6.01	(4.20 - 8.54)	8.81	(6.89 - 11.22)
Southeast	13.15	(10.02 - 17.09)	28.37	(22.71 - 34.81)	6.47	(4.44 - 9.33)	9.16	(7.05 - 11.83)
Western	14.06	(10.42 - 18.70)	33.33	(27.52 - 39.69)	7.58	(5.29 - 10.74)	11.67	(9.32 - 14.53)
Michigan	10.82	(9.89 - 11.82)	21.81	(20.45 - 23.24)	6.49	(5.76 - 7.31)	8.76	(8.08 - 9.50)
Bay	10.54	(7.98 - 13.80)	19.09	(14.82 - 24.25)	5.77	(4.02 - 8.22)	7.56	(5.76 - 9.85)
Detroit City	11.21	(8.82 - 14.14)	22.47	(18.60 - 26.89)	10.15	(7.71 - 13.24)	12.08	(9.80 - 14.81)
Genesee	12.65	(9.81 - 16.17)	25.49	(20.62 - 31.07)	8.15	(5.85 - 11.24)	10.65	(8.35 - 13.49)
Kalamazoo	10.51	(8.17 - 13.42)	21.11	(17.21 - 25.62)	5.38	(3.89 - 7.39)	7.94	(6.38 - 9.83)
Kent	9.68	(7.29 - 12.73)	21.77	(17.90 - 26.20)	5.31	(3.73 - 7.51)	8.12	(6.47 - 10.15)
Lakeshore	10.53	(8.26 - 13.34)	19.04	(15.40 - 23.31)	5.31	(3.85 - 7.27)	7.44	(5.94 - 9.28)
Macomb	9.65	(7.44 - 12.42)	22.99	(18.96 - 27.58)	6.85	(5.14 - 9.09)	8.98	(7.25 - 11.07)
Mid South	12.18	(9.73 - 15.14)	21.92	(18.35 - 25.95)	6.19	(4.53 - 8.40)	8.96	(7.31 - 10.94)
Northern	10.23	(8.06 - 12.89)	18.12	(14.69 - 22.15)	5.21	(3.75 - 7.20)	7.01	(5.54 - 8.84)
Oakland	10.93	(8.78 - 13.53)	25.31	(21.62 - 29.39)	7.06	(5.49 - 9.03)	9.32	(7.78 - 11.12)
Pathways	*	(* - *)	21.67	(16.62 - 27.75)	7.16	(4.83 - 10.49)	9.31	(6.92 - 12.42)
Saginaw	11.79	(8.62 - 15.94)	*	(* - *)	6.12	(4.09 - 9.06)	7.96	(5.81 - 10.83)
Southeast	11.38	(9.29 - 13.89)	22.92	(19.51 - 26.73)	6.34	(4.83 - 8.30)	8.55	(7.06 - 10.33)
St. Clair	9.80	(7.12 - 13.34)	18.60	(14.22 - 23.96)	5.06	(3.38 - 7.50)	6.87	(5.10 - 9.18)
Washtenaw	9.93	(7.58 - 12.91)	22.78	(18.45 - 27.78)	6.15	(4.45 - 8.45)	9.33	(7.50 - 11.55)
Western	*	(* - *)	16.69	(12.22 - 22.39)	5.32	(3.40 - 8.25)	7.01	(5.00 - 9.74)
Minnesota	9.78	(8.19 - 11.64)	18.50	(16.01 - 21.27)	5.87	(4.67 - 7.35)	7.81	(6.64 - 9.17)
Regions 1 and 2	11.19	(7.93 - 15.57)	18.68	(13.99 - 24.49)	6.76	(4.36 - 10.34)	8.49	(6.09 - 11.71)
Regions 3 and 4	8.81	(6.48 - 11.87)	18.02	(13.85 - 23.11)	4.83	(3.26 - 7.09)	6.99	(5.32 - 9.11)
Regions 5 and 6	8.76	(6.36 - 11.96)	16.09	(12.00 - 21.25)	4.31	(2.83 - 6.52)	6.16	(4.54 - 8.31)
Region 7A (Hennepin)	11.33	(8.29 - 15.29)	20.78	(16.51 - 25.82)	7.74	(5.47 - 10.85)	9.70	(7.47 - 12.51)
Region 7B (Ramsey)	9.11	(6.45 - 12.71)	*	(* - *)	6.49	(4.20 - 9.89)	8.69	(6.32 - 11.84)
Region 7C	9.77	(7.29 - 12.96)	18.06	(13.88 - 23.14)	5.27	(3.56 - 7.73)	7.09	(5.33 - 9.38)

See notes at end of table.

(continued)

Table 1. Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	8.15	(6.75 - 9.82)	15.23	(13.03 - 17.73)	5.07	(3.99 - 6.42)	6.72	(5.67 - 7.96)
Region 1	7.71	(5.50 - 10.71)	14.94	(11.19 - 19.67)	4.40	(2.95 - 6.53)	6.04	(4.49 - 8.08)
Region 2	8.90	(6.45 - 12.16)	16.62	(12.36 - 21.99)	6.14	(4.11 - 9.08)	7.90	(5.85 - 10.60)
Region 3	6.86	(4.76 - 9.78)	12.40	(9.04 - 16.78)	4.16	(2.64 - 6.50)	5.58	(4.01 - 7.74)
Region 4	8.08	(5.88 - 11.00)	16.18	(12.23 - 21.10)	4.84	(3.23 - 7.21)	6.70	(4.98 - 8.95)
Region 5	7.73	(5.32 - 11.11)	12.26	(8.55 - 17.29)	4.43	(2.75 - 7.06)	5.64	(3.90 - 8.10)
Region 6	8.72	(6.20 - 12.13)	14.71	(10.60 - 20.06)	5.04	(3.21 - 7.82)	6.76	(4.83 - 9.39)
Region 7	9.12	(6.53 - 12.60)	17.69	(13.76 - 22.46)	6.35	(4.34 - 9.21)	8.08	(6.07 - 10.67)
Missouri	10.53	(8.95 - 12.35)	18.35	(15.96 - 21.01)	5.63	(4.56 - 6.94)	7.55	(6.49 - 8.78)
Central	11.00	(8.16 - 14.68)	18.54	(14.22 - 23.81)	5.43	(3.67 - 7.97)	7.73	(5.87 - 10.13)
Eastern	11.03	(8.81 - 13.74)	20.34	(16.74 - 24.48)	6.22	(4.71 - 8.18)	8.25	(6.73 - 10.08)
Eastern (St. Louis City and County)	10.76	(8.16 - 14.07)	20.60	(16.20 - 25.82)	6.59	(4.71 - 9.14)	8.60	(6.70 - 10.97)
Eastern (excluding St. Louis)	11.51	(8.42 - 15.54)	19.82	(14.99 - 25.74)	5.49	(3.69 - 8.08)	7.55	(5.67 - 9.98)
Northwest	10.63	(8.30 - 13.51)	17.98	(14.23 - 22.46)	5.72	(4.18 - 7.76)	7.56	(5.96 - 9.54)
Northwest (Jackson)	11.11	(8.11 - 15.04)	*	(* - *)	6.73	(4.53 - 9.87)	8.54	(6.28 - 11.52)
Northwest (excluding Jackson)	10.21	(7.34 - 14.02)	17.10	(12.54 - 22.88)	4.80	(3.13 - 7.31)	6.68	(4.84 - 9.15)
Southeast	10.33	(7.50 - 14.06)	16.29	(12.24 - 21.34)	5.36	(3.61 - 7.90)	6.93	(5.14 - 9.28)
Southwest	8.86	(6.40 - 12.15)	16.00	(12.18 - 20.74)	4.54	(3.07 - 6.67)	6.29	(4.73 - 8.31)
Montana	13.14	(11.21 - 15.36)	23.54	(20.92 - 26.38)	7.58	(6.18 - 9.28)	10.01	(8.67 - 11.52)
Region 1	11.81	(8.54 - 16.09)	*	(* - *)	5.69	(3.69 - 8.67)	7.20	(5.13 - 10.02)
Region 2	12.05	(8.83 - 16.22)	16.60	(12.18 - 22.21)	6.00	(4.03 - 8.84)	7.59	(5.59 - 10.25)
Region 3	12.95	(9.90 - 16.78)	20.20	(15.88 - 25.34)	5.72	(3.88 - 8.36)	7.77	(5.90 - 10.18)
Region 4	11.50	(8.76 - 14.95)	23.00	(18.96 - 27.60)	7.12	(5.26 - 9.59)	9.77	(7.89 - 12.04)
Region 5	15.62	(11.98 - 20.11)	30.54	(25.71 - 35.85)	10.56	(7.77 - 14.19)	13.65	(11.01 - 16.80)
Nebraska	8.83	(7.30 - 10.64)	17.37	(14.86 - 20.20)	4.29	(3.27 - 5.60)	6.40	(5.36 - 7.64)
Regions 1 and 2	9.75	(6.77 - 13.84)	*	(* - *)	3.66	(2.24 - 5.90)	5.09	(3.54 - 7.29)
Region 3	9.93	(7.05 - 13.81)	*	(* - *)	3.49	(2.19 - 5.53)	5.55	(4.04 - 7.59)
Region 4	8.10	(5.84 - 11.15)	12.69	(8.94 - 17.71)	3.57	(2.23 - 5.68)	4.89	(3.43 - 6.92)
Region 5	8.24	(6.07 - 11.09)	15.79	(12.35 - 19.98)	4.11	(2.72 - 6.16)	6.29	(4.80 - 8.20)
Region 6	8.80	(6.65 - 11.57)	20.71	(16.75 - 25.32)	5.09	(3.56 - 7.23)	7.62	(6.04 - 9.58)

See notes at end of table.

(continued)

Table 1. Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	10.47	(8.60 - 12.70)	19.45	(16.71 - 22.51)	7.04	(5.54 - 8.90)	8.74	(7.31 - 10.41)
Clark	10.36	(8.17 - 13.05)	18.76	(15.67 - 22.30)	7.08	(5.34 - 9.33)	8.71	(7.06 - 10.70)
Rural	10.41	(7.67 - 13.98)	19.52	(14.79 - 25.31)	6.52	(4.41 - 9.54)	8.04	(5.91 - 10.87)
Washoe	11.02	(8.05 - 14.90)	22.45	(17.48 - 28.35)	7.28	(5.07 - 10.36)	9.45	(7.20 - 12.32)
New Hampshire	10.50	(8.79 - 12.49)	27.12	(24.15 - 30.31)	5.71	(4.57 - 7.11)	8.63	(7.47 - 9.96)
Central	11.52	(9.02 - 14.61)	27.67	(23.28 - 32.53)	6.27	(4.65 - 8.41)	9.42	(7.70 - 11.47)
Central 1	11.08	(8.07 - 15.02)	28.58	(22.87 - 35.07)	6.38	(4.35 - 9.26)	10.11	(7.89 - 12.86)
Central 2	11.97	(8.76 - 16.14)	*	(* - *)	6.17	(4.15 - 9.08)	8.75	(6.60 - 11.52)
Northern	10.46	(7.54 - 14.33)	*	(* - *)	6.01	(4.10 - 8.73)	8.86	(6.77 - 11.50)
Southern	10.02	(8.11 - 12.32)	27.01	(23.40 - 30.95)	5.38	(4.09 - 7.04)	8.21	(6.88 - 9.77)
Southern 1 (Rockingham)	10.78	(8.04 - 14.30)	27.46	(21.90 - 33.81)	4.82	(3.35 - 6.88)	7.44	(5.82 - 9.45)
Southern 2	9.56	(7.33 - 12.39)	26.79	(22.47 - 31.59)	5.73	(4.10 - 7.96)	8.68	(6.97 - 10.76)
New Jersey	9.56	(7.94 - 11.48)	19.52	(16.77 - 22.60)	4.89	(3.82 - 6.23)	6.78	(5.71 - 8.04)
Central	8.80	(6.36 - 12.06)	19.76	(15.24 - 25.23)	4.38	(2.91 - 6.55)	6.22	(4.65 - 8.29)
Metropolitan	10.17	(7.53 - 13.59)	19.97	(15.63 - 25.17)	5.36	(3.67 - 7.78)	7.43	(5.70 - 9.63)
Northern	8.77	(6.55 - 11.65)	17.73	(13.97 - 22.23)	4.11	(2.85 - 5.90)	5.82	(4.49 - 7.52)
Southern	10.75	(8.04 - 14.24)	21.40	(16.91 - 26.70)	6.15	(4.19 - 8.93)	8.18	(6.21 - 10.72)
New Mexico	13.37	(11.27 - 15.78)	21.98	(19.17 - 25.07)	6.28	(4.97 - 7.89)	8.79	(7.51 - 10.26)
Region 1	13.06	(9.88 - 17.06)	19.66	(15.23 - 24.99)	6.59	(4.45 - 9.66)	8.69	(6.54 - 11.46)
Region 2	16.21	(11.90 - 21.70)	*	(* - *)	7.69	(5.20 - 11.23)	10.03	(7.44 - 13.38)
Region 3 (Bernalillo)	12.94	(9.99 - 16.61)	24.59	(20.33 - 29.42)	6.78	(4.90 - 9.30)	9.69	(7.80 - 11.97)
Region 4	11.54	(8.24 - 15.94)	18.95	(14.21 - 24.81)	4.76	(3.09 - 7.27)	7.12	(5.28 - 9.54)
Region 5	13.49	(9.99 - 17.99)	20.14	(15.94 - 25.13)	4.96	(3.27 - 7.44)	7.56	(5.77 - 9.84)

See notes at end of table.

(continued)

Table 1. Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	10.92	(9.88 - 12.06)	23.18	(21.58 - 24.85)	7.04	(6.21 - 7.97)	9.37	(8.59 - 10.21)
Region A	10.14	(8.72 - 11.76)	20.55	(18.40 - 22.89)	7.52	(6.38 - 8.83)	9.50	(8.42 - 10.70)
Region 1	9.77	(7.35 - 12.88)	19.87	(15.46 - 25.16)	7.79	(5.58 - 10.78)	9.78	(7.57 - 12.54)
Region 2	10.36	(8.22 - 12.98)	22.38	(18.84 - 26.36)	7.32	(5.60 - 9.52)	9.67	(8.00 - 11.65)
Region 3	12.54	(9.40 - 16.55)	24.92	(20.47 - 29.98)	10.50	(8.05 - 13.60)	12.59	(10.22 - 15.40)
Region 4	8.86	(6.71 - 11.62)	15.40	(12.39 - 18.99)	5.45	(3.91 - 7.54)	6.89	(5.38 - 8.79)
Region B	10.52	(8.97 - 12.31)	22.65	(19.89 - 25.67)	6.45	(5.23 - 7.93)	8.50	(7.30 - 9.88)
Region 5	10.61	(8.58 - 13.06)	22.16	(18.54 - 26.27)	6.84	(5.21 - 8.92)	8.74	(7.14 - 10.65)
Region 6	10.39	(7.92 - 13.52)	22.08	(17.38 - 27.61)	5.61	(3.98 - 7.87)	7.61	(5.89 - 9.78)
Region 7	10.42	(7.83 - 13.75)	24.90	(19.86 - 30.73)	6.47	(4.54 - 9.16)	9.12	(7.09 - 11.66)
Region C	12.42	(10.82 - 14.22)	28.53	(26.01 - 31.18)	6.84	(5.74 - 8.15)	10.04	(8.97 - 11.23)
Region 8	14.51	(11.11 - 18.73)	29.93	(25.27 - 35.05)	7.32	(5.34 - 9.96)	10.56	(8.59 - 12.93)
Region 9	12.07	(9.39 - 15.39)	32.71	(27.49 - 38.40)	7.25	(5.21 - 10.02)	11.06	(8.95 - 13.61)
Region 10	10.98	(8.30 - 14.39)	25.51	(20.51 - 31.25)	6.59	(4.72 - 9.14)	10.06	(8.05 - 12.50)
Region 11	11.05	(8.44 - 14.35)	26.96	(22.40 - 32.06)	5.65	(4.03 - 7.88)	8.79	(7.07 - 10.87)
Region 12	12.89	(10.21 - 16.16)	26.65	(22.33 - 31.47)	7.26	(5.45 - 9.61)	9.90	(8.10 - 12.05)
Region D	11.35	(9.42 - 13.62)	23.30	(20.11 - 26.84)	7.02	(5.54 - 8.84)	9.49	(8.04 - 11.18)
Region 13	10.26	(7.49 - 13.91)	21.73	(16.71 - 27.76)	6.46	(4.37 - 9.46)	8.66	(6.50 - 11.44)
Region 14	10.03	(7.24 - 13.72)	20.95	(15.99 - 26.95)	7.30	(4.94 - 10.66)	9.55	(7.14 - 12.66)
Region 15	13.50	(10.10 - 17.82)	27.21	(21.94 - 33.22)	7.24	(5.05 - 10.29)	10.18	(7.94 - 12.97)
North Carolina	10.48	(8.81 - 12.42)	17.32	(15.04 - 19.88)	5.16	(4.07 - 6.53)	6.88	(5.81 - 8.13)
Eastern	9.45	(6.99 - 12.66)	16.74	(12.94 - 21.37)	4.75	(3.22 - 6.96)	6.59	(4.99 - 8.66)
North Central	10.49	(7.87 - 13.83)	16.96	(13.02 - 21.80)	5.47	(3.75 - 7.92)	7.10	(5.32 - 9.40)
South Central	9.24	(6.94 - 12.19)	15.43	(11.71 - 20.07)	4.79	(3.27 - 6.98)	6.36	(4.79 - 8.41)
Western	12.07	(9.33 - 15.46)	19.52	(16.11 - 23.44)	5.43	(3.89 - 7.51)	7.24	(5.72 - 9.12)
North Dakota	7.83	(6.38 - 9.57)	13.64	(11.67 - 15.88)	4.21	(3.15 - 5.60)	5.85	(4.83 - 7.07)
Badlands and West Central	8.38	(6.17 - 11.29)	13.54	(10.25 - 17.68)	4.21	(2.74 - 6.42)	5.56	(4.05 - 7.59)
Lake Region and South Central	7.33	(5.24 - 10.16)	10.21	(7.11 - 14.45)	3.81	(2.35 - 6.12)	4.63	(3.15 - 6.77)
North Central and Northwest	6.67	(4.67 - 9.45)	11.50	(8.39 - 15.57)	3.55	(2.23 - 5.62)	4.80	(3.42 - 6.68)
Northeast	7.33	(5.18 - 10.29)	13.13	(9.88 - 17.25)	4.66	(3.02 - 7.13)	6.60	(4.93 - 8.78)
Southeast	8.67	(6.32 - 11.79)	16.19	(12.93 - 20.08)	4.69	(3.19 - 6.84)	7.15	(5.65 - 9.01)

See notes at end of table.

(continued)

Table 1. Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	10.02	(9.11 - 11.02)	19.60	(18.32 - 20.94)	5.64	(4.94 - 6.43)	7.69	(7.04 - 8.39)
Boards 2, 46, 55, and 68	9.64	(7.15 - 12.87)	17.37	(13.52 - 22.04)	5.31	(3.67 - 7.64)	7.02	(5.35 - 9.16)
Boards 3, 52, and 85	9.08	(6.69 - 12.21)	17.78	(13.58 - 22.94)	4.04	(2.74 - 5.91)	6.05	(4.60 - 7.92)
Boards 4 and 78	9.44	(6.96 - 12.70)	18.28	(14.10 - 23.37)	5.60	(3.86 - 8.05)	7.20	(5.43 - 9.50)
Boards 5 and 60	8.49	(6.22 - 11.48)	19.01	(14.81 - 24.07)	5.09	(3.47 - 7.41)	7.64	(5.87 - 9.90)
Boards 7, 15, 41, 79, and 84	9.09	(6.71 - 12.20)	18.14	(13.84 - 23.41)	4.19	(2.83 - 6.17)	5.97	(4.47 - 7.92)
Boards 8, 13, and 83	9.24	(6.91 - 12.26)	17.88	(13.72 - 22.97)	5.22	(3.62 - 7.47)	6.97	(5.30 - 9.12)
Board 9 (Butler)	9.41	(6.89 - 12.73)	19.62	(15.27 - 24.83)	5.04	(3.44 - 7.32)	7.62	(5.85 - 9.85)
Board 12	9.91	(7.32 - 13.30)	19.05	(14.72 - 24.29)	5.30	(3.70 - 7.53)	7.49	(5.77 - 9.68)
Boards 18 and 47	10.12	(8.17 - 12.48)	21.73	(18.46 - 25.39)	6.18	(4.74 - 8.04)	8.23	(6.80 - 9.93)
Boards 20, 32, 54, and 69	8.03	(5.81 - 11.00)	14.66	(10.85 - 19.53)	3.77	(2.48 - 5.70)	5.32	(3.90 - 7.22)
Boards 21, 39, 51, 70, and 80	10.50	(7.98 - 13.69)	17.07	(13.29 - 21.66)	5.16	(3.58 - 7.37)	6.76	(5.16 - 8.82)
Boards 22, 74, and 87	9.26	(6.77 - 12.54)	18.46	(14.09 - 23.80)	4.67	(3.14 - 6.90)	6.89	(5.19 - 9.10)
Boards 23 and 45	9.08	(6.70 - 12.20)	18.34	(14.20 - 23.37)	3.94	(2.64 - 5.83)	5.98	(4.55 - 7.83)
Board 25 (Franklin)	11.75	(9.26 - 14.81)	19.36	(16.33 - 22.79)	6.52	(4.87 - 8.68)	8.82	(7.28 - 10.66)
Boards 27, 71, and 73	9.55	(7.23 - 12.50)	17.39	(13.54 - 22.06)	5.50	(3.81 - 7.87)	7.20	(5.47 - 9.43)
Boards 28, 43, and 67	10.59	(7.93 - 14.01)	22.21	(17.88 - 27.23)	5.36	(3.79 - 7.54)	7.79	(6.13 - 9.84)
Board 31 (Hamilton)	11.40	(8.94 - 14.44)	22.13	(18.13 - 26.72)	7.68	(5.58 - 10.47)	9.88	(7.83 - 12.40)
Board 48 (Lucas)	10.07	(7.60 - 13.23)	19.23	(15.49 - 23.62)	6.38	(4.53 - 8.92)	8.39	(6.54 - 10.70)
Boards 50 and 76	9.63	(7.36 - 12.49)	19.81	(15.80 - 24.54)	5.10	(3.57 - 7.24)	7.03	(5.43 - 9.04)
Board 57 (Montgomery)	11.11	(8.48 - 14.42)	22.89	(18.39 - 28.10)	6.90	(4.88 - 9.67)	9.29	(7.24 - 11.83)
Board 77 (Summit)	9.89	(7.59 - 12.79)	20.80	(16.40 - 26.02)	5.62	(3.92 - 7.99)	7.63	(5.87 - 9.87)
Oklahoma	10.70	(8.90 - 12.81)	17.23	(14.89 - 19.85)	6.12	(4.88 - 7.66)	7.90	(6.70 - 9.30)
Central	9.69	(6.83 - 13.57)	16.94	(12.75 - 22.16)	5.21	(3.45 - 7.80)	7.34	(5.47 - 9.78)
East Central	10.58	(7.58 - 14.58)	15.25	(11.15 - 20.51)	5.80	(3.69 - 9.02)	7.16	(5.02 - 10.10)
Northeast	9.97	(7.08 - 13.85)	17.15	(12.96 - 22.35)	5.67	(3.70 - 8.60)	7.50	(5.48 - 10.18)
Northwest and Southwest	9.97	(7.24 - 13.60)	15.60	(11.72 - 20.47)	5.29	(3.46 - 8.00)	6.97	(5.10 - 9.45)
Oklahoma County	11.49	(8.44 - 15.47)	19.43	(14.98 - 24.82)	6.83	(4.70 - 9.80)	8.95	(6.80 - 11.70)
Southeast	10.04	(7.21 - 13.81)	14.90	(10.89 - 20.06)	5.87	(3.85 - 8.86)	7.16	(5.13 - 9.93)
Tulsa County	12.50	(9.14 - 16.87)	19.40	(14.95 - 24.78)	7.50	(5.16 - 10.77)	9.40	(7.08 - 12.36)

See notes at end of table.

(continued)

Table 1. Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	11.66	(9.78 - 13.84)	22.14	(19.48 - 25.06)	6.87	(5.60 - 8.41)	9.05	(7.82 - 10.46)
Region 1 (Multnomah)	11.45	(8.22 - 15.73)	26.24	(21.04 - 32.20)	10.19	(7.38 - 13.91)	12.61	(9.86 - 15.99)
Region 2	11.15	(8.47 - 14.56)	23.56	(18.82 - 29.06)	6.01	(4.25 - 8.41)	8.46	(6.63 - 10.73)
Region 3	11.65	(8.93 - 15.08)	19.25	(15.78 - 23.28)	6.13	(4.45 - 8.40)	8.20	(6.55 - 10.23)
Region 4	12.68	(9.32 - 17.02)	*	(* - *)	6.12	(4.20 - 8.85)	8.00	(5.97 - 10.64)
Region 5	11.76	(8.48 - 16.10)	*	(* - *)	5.92	(3.92 - 8.83)	7.78	(5.66 - 10.61)
Pennsylvania	9.52	(8.62 - 10.50)	20.32	(19.01 - 21.70)	5.52	(4.81 - 6.33)	7.61	(6.95 - 8.32)
Region 1 (Allegheny)	10.31	(8.16 - 12.96)	23.93	(20.16 - 28.15)	6.95	(5.17 - 9.28)	9.20	(7.44 - 11.32)
Regions 2, 3, 8, and 9	8.14	(6.12 - 10.75)	18.48	(14.59 - 23.12)	4.26	(2.85 - 6.32)	6.29	(4.80 - 8.21)
Regions 4, 11, 37, and 49	9.87	(7.64 - 12.65)	18.96	(15.19 - 23.41)	5.19	(3.69 - 7.24)	6.99	(5.46 - 8.90)
Regions 5, 18, 23, 24, and 46	7.48	(5.61 - 9.92)	14.91	(11.77 - 18.70)	3.82	(2.63 - 5.52)	5.37	(4.12 - 6.97)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	9.55	(7.32 - 12.38)	18.74	(15.40 - 22.62)	4.07	(2.89 - 5.71)	6.78	(5.48 - 8.37)
Regions 7, 13, 20, and 33	10.65	(8.83 - 12.78)	23.34	(20.32 - 26.66)	5.23	(4.03 - 6.76)	7.58	(6.40 - 8.95)
Regions 10, 14, 15, 27, 32, 43, and 44	8.67	(6.41 - 11.64)	19.61	(15.44 - 24.57)	5.50	(3.83 - 7.84)	7.39	(5.67 - 9.58)
Regions 17 and 21	9.63	(7.08 - 12.97)	20.30	(15.76 - 25.75)	5.23	(3.55 - 7.63)	7.64	(5.81 - 9.97)
Regions 19, 26, 28, and 42	8.10	(6.31 - 10.33)	17.02	(14.18 - 20.30)	4.20	(3.09 - 5.69)	5.96	(4.84 - 7.33)
Regions 22, 38, 40, 41, and 48	9.10	(6.90 - 11.91)	19.22	(15.25 - 23.93)	4.91	(3.49 - 6.88)	6.64	(5.14 - 8.53)
Regions 25 and 30	9.21	(6.95 - 12.11)	23.22	(18.57 - 28.63)	5.40	(3.86 - 7.52)	7.72	(6.09 - 9.74)
Regions 29 and 34	8.49	(6.29 - 11.38)	18.85	(14.50 - 24.15)	4.94	(3.41 - 7.12)	6.82	(5.19 - 8.93)
Region 36 (Philadelphia)	10.71	(8.51 - 13.40)	21.31	(18.36 - 24.61)	9.20	(6.93 - 12.10)	11.25	(9.20 - 13.70)
Rhode Island	13.10	(11.02 - 15.51)	29.65	(26.70 - 32.79)	7.80	(6.34 - 9.57)	11.18	(9.78 - 12.75)
Bristol and Newport	15.68	(11.71 - 20.68)	*	(* - *)	7.59	(5.10 - 11.17)	11.01	(8.35 - 14.38)
Kent	13.75	(10.17 - 18.34)	*	(* - *)	6.32	(4.30 - 9.19)	8.99	(6.85 - 11.72)
Providence	12.21	(9.72 - 15.23)	28.23	(24.74 - 32.01)	8.36	(6.48 - 10.71)	11.65	(9.85 - 13.72)
Washington	14.10	(10.42 - 18.82)	*	(* - *)	7.42	(5.13 - 10.62)	11.97	(9.57 - 14.88)
South Carolina	9.58	(8.04 - 11.36)	17.93	(15.40 - 20.76)	5.05	(4.00 - 6.35)	6.95	(5.89 - 8.18)
Region 1	9.72	(7.29 - 12.84)	19.11	(15.01 - 24.01)	5.11	(3.55 - 7.29)	7.11	(5.49 - 9.17)
Region 2	10.13	(7.75 - 13.14)	18.52	(14.76 - 22.97)	5.47	(3.90 - 7.62)	7.43	(5.82 - 9.44)
Region 3	8.73	(6.38 - 11.84)	*	(* - *)	4.48	(2.97 - 6.73)	6.27	(4.60 - 8.49)
Region 4	9.38	(7.07 - 12.32)	16.65	(13.07 - 20.96)	4.90	(3.38 - 7.03)	6.71	(5.12 - 8.74)

See notes at end of table.

(continued)

Table 1. *Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	9.39	(7.77 - 11.30)	15.30	(13.23 - 17.63)	4.38	(3.35 - 5.70)	6.16	(5.14 - 7.35)
Region 1	9.81	(7.15 - 13.31)	15.97	(12.03 - 20.88)	4.53	(2.97 - 6.85)	6.40	(4.74 - 8.58)
Region 2	9.19	(6.75 - 12.38)	15.55	(12.32 - 19.44)	3.82	(2.55 - 5.69)	5.82	(4.48 - 7.53)
Region 3	8.63	(6.29 - 11.73)	14.69	(11.29 - 18.90)	3.99	(2.59 - 6.12)	5.95	(4.47 - 7.88)
Region 4	11.15	(7.73 - 15.81)	*	(* - *)	5.40	(3.41 - 8.46)	7.29	(5.17 - 10.17)
Region 5	9.15	(6.41 - 12.92)	15.35	(11.09 - 20.85)	4.24	(2.66 - 6.69)	5.72	(4.02 - 8.07)
Region 6	8.72	(6.09 - 12.33)	12.50	(8.84 - 17.39)	4.96	(3.01 - 8.06)	5.94	(3.99 - 8.76)
Region 7	9.43	(6.78 - 12.96)	15.30	(11.47 - 20.13)	4.68	(3.04 - 7.15)	6.40	(4.69 - 8.66)
Tennessee	9.82	(8.24 - 11.66)	20.21	(17.70 - 22.99)	6.21	(5.05 - 7.61)	8.19	(7.06 - 9.48)
Region 1	11.07	(7.80 - 15.48)	*	(* - *)	5.91	(3.92 - 8.81)	8.01	(5.87 - 10.84)
Region 2	10.26	(7.58 - 13.76)	21.39	(16.85 - 26.76)	5.49	(3.79 - 7.89)	7.68	(5.91 - 9.92)
Region 3	9.41	(6.85 - 12.79)	20.75	(16.19 - 26.19)	6.13	(4.24 - 8.77)	8.13	(6.20 - 10.60)
Region 4 (Davidson)	11.00	(7.77 - 15.36)	*	(* - *)	8.98	(6.21 - 12.80)	11.04	(8.26 - 14.61)
Region 5	9.79	(7.31 - 13.00)	17.46	(13.45 - 22.34)	5.62	(3.90 - 8.02)	7.31	(5.57 - 9.54)
Region 6	8.35	(5.82 - 11.85)	*	(* - *)	5.59	(3.67 - 8.41)	7.08	(5.08 - 9.79)
Region 7 (Shelby)	9.54	(6.85 - 13.14)	*	(* - *)	6.85	(4.57 - 10.15)	9.14	(6.77 - 12.21)

See notes at end of table.

(continued)

Table 1. Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	8.51	(7.66 - 9.44)	16.64	(15.38 - 17.98)	4.54	(3.94 - 5.23)	6.53	(5.96 - 7.15)
Region 1	9.15	(6.85 - 12.13)	19.06	(14.93 - 24.01)	4.55	(3.11 - 6.60)	7.11	(5.52 - 9.11)
Region 2	8.58	(6.16 - 11.83)	18.03	(13.40 - 23.81)	4.20	(2.84 - 6.16)	6.37	(4.79 - 8.42)
Region 3	8.81	(7.45 - 10.39)	16.50	(14.42 - 18.82)	4.90	(3.96 - 6.04)	6.75	(5.84 - 7.80)
Region 3a	9.39	(7.64 - 11.50)	16.08	(13.46 - 19.10)	4.91	(3.77 - 6.36)	6.73	(5.60 - 8.08)
Region 3bc	7.79	(5.96 - 10.13)	17.29	(14.15 - 20.96)	4.88	(3.56 - 6.65)	6.79	(5.46 - 8.41)
Region 4	9.06	(6.79 - 12.00)	17.89	(13.95 - 22.64)	4.18	(2.92 - 5.97)	6.05	(4.68 - 7.80)
Region 5	9.51	(6.87 - 13.02)	20.21	(15.46 - 25.97)	4.84	(3.27 - 7.12)	7.11	(5.37 - 9.35)
Region 6	7.90	(6.58 - 9.45)	14.60	(12.58 - 16.89)	4.64	(3.61 - 5.94)	6.24	(5.26 - 7.40)
Region 6a	7.67	(6.27 - 9.35)	14.01	(11.87 - 16.46)	4.58	(3.48 - 6.02)	6.12	(5.06 - 7.39)
Region 6bc	9.87	(7.23 - 13.33)	20.32	(15.47 - 26.23)	5.08	(3.50 - 7.32)	7.22	(5.48 - 9.45)
Region 7	9.20	(7.48 - 11.28)	19.91	(16.99 - 23.19)	5.66	(4.43 - 7.21)	8.47	(7.21 - 9.93)
Region 7a	10.18	(7.80 - 13.17)	21.66	(17.73 - 26.19)	6.66	(4.94 - 8.91)	9.45	(7.69 - 11.57)
Region 7bcd	7.90	(5.83 - 10.62)	17.54	(13.81 - 22.02)	4.07	(2.76 - 5.94)	6.95	(5.47 - 8.79)
Region 8	8.32	(6.33 - 10.86)	18.61	(15.09 - 22.74)	3.62	(2.51 - 5.18)	5.92	(4.71 - 7.41)
Region 9	8.68	(6.30 - 11.85)	16.17	(11.77 - 21.80)	4.08	(2.71 - 6.10)	5.97	(4.40 - 8.05)
Region 10	8.65	(6.31 - 11.76)	13.44	(9.91 - 17.97)	3.43	(2.23 - 5.25)	5.15	(3.78 - 6.97)
Region 11	7.65	(6.01 - 9.68)	13.01	(10.35 - 16.22)	3.47	(2.51 - 4.77)	5.16	(4.13 - 6.45)
Region 11abd	7.49	(5.45 - 10.21)	13.63	(10.14 - 18.09)	3.57	(2.41 - 5.25)	5.29	(3.99 - 6.99)
Region 11c (Hidalgo)	7.93	(5.75 - 10.84)	11.89	(8.72 - 16.00)	3.26	(2.10 - 5.03)	4.91	(3.62 - 6.63)
Utah	7.65	(6.21 - 9.40)	12.94	(10.97 - 15.20)	5.37	(4.17 - 6.88)	6.99	(5.89 - 8.27)
Bear River, Northeastern, Summit, Tooele, and Wasatch	7.43	(5.19 - 10.52)	11.78	(8.27 - 16.52)	4.16	(2.65 - 6.47)	5.82	(4.17 - 8.07)
Central, Four Corners, San Juan, and Southwest	7.06	(5.00 - 9.89)	10.22	(7.07 - 14.57)	4.00	(2.57 - 6.18)	5.14	(3.63 - 7.23)
Davis County	8.87	(6.15 - 12.62)	*	(* - *)	5.11	(3.38 - 7.66)	7.04	(5.17 - 9.52)
Salt Lake County	8.00	(5.94 - 10.68)	15.52	(12.39 - 19.27)	6.86	(4.86 - 9.59)	8.56	(6.69 - 10.88)
Utah County	6.48	(4.44 - 9.37)	10.03	(7.32 - 13.59)	3.80	(2.41 - 5.94)	5.69	(4.21 - 7.65)
Weber, Morgan	8.25	(5.72 - 11.74)	12.29	(8.76 - 16.98)	4.76	(3.07 - 7.30)	6.19	(4.43 - 8.59)

See notes at end of table.

(continued)

Table 1. Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	12.96	(11.12 - 15.06)	30.80	(27.77 - 34.01)	7.54	(6.15 - 9.23)	10.92	(9.58 - 12.43)
Champlain Valley	12.81	(10.26 - 15.88)	35.00	(30.62 - 39.65)	8.36	(6.36 - 10.90)	12.99	(11.02 - 15.24)
Rural Northeast	13.26	(10.24 - 17.01)	27.15	(22.18 - 32.75)	6.73	(4.74 - 9.46)	9.54	(7.55 - 11.99)
Rural Southeast	11.78	(8.89 - 15.45)	27.06	(21.88 - 32.96)	7.41	(5.14 - 10.58)	9.67	(7.41 - 12.52)
Rural Southwest	14.44	(10.96 - 18.81)	27.50	(21.85 - 33.98)	7.08	(4.86 - 10.20)	9.71	(7.44 - 12.58)
Virginia	8.87	(7.37 - 10.64)	18.53	(16.07 - 21.26)	4.95	(3.91 - 6.24)	6.87	(5.83 - 8.07)
Region 1	9.42	(6.84 - 12.84)	19.46	(15.14 - 24.65)	4.64	(3.11 - 6.89)	6.83	(5.17 - 8.97)
Region 2	8.26	(6.08 - 11.13)	16.72	(12.76 - 21.61)	4.87	(3.32 - 7.07)	6.39	(4.80 - 8.46)
Region 3	9.70	(7.01 - 13.29)	22.28	(17.41 - 28.04)	4.87	(3.22 - 7.29)	7.28	(5.48 - 9.60)
Region 4	9.51	(6.92 - 12.94)	17.06	(13.18 - 21.79)	5.62	(3.88 - 8.07)	7.15	(5.41 - 9.40)
Region 5	8.12	(5.95 - 11.01)	17.93	(13.84 - 22.90)	4.81	(3.30 - 6.96)	6.90	(5.29 - 8.95)
Washington	10.27	(8.61 - 12.21)	22.35	(19.63 - 25.33)	6.96	(5.61 - 8.61)	9.20	(7.89 - 10.69)
Region 1	9.84	(7.08 - 13.53)	22.34	(17.19 - 28.50)	6.66	(4.48 - 9.78)	9.16	(6.92 - 12.03)
Region 2	9.36	(6.74 - 12.85)	*	(* - *)	5.54	(3.61 - 8.43)	7.66	(5.57 - 10.43)
Region 3	11.01	(8.12 - 14.77)	*	(* - *)	6.98	(4.77 - 10.10)	9.37	(7.07 - 12.31)
Region 4 (King)	11.29	(8.44 - 14.95)	24.89	(20.41 - 29.98)	8.12	(5.86 - 11.14)	10.46	(8.24 - 13.18)
Region 5	9.18	(6.54 - 12.75)	17.71	(13.35 - 23.11)	5.61	(3.83 - 8.14)	7.44	(5.60 - 9.81)
Region 6	10.00	(7.34 - 13.50)	23.62	(18.58 - 29.52)	7.03	(4.85 - 10.08)	9.21	(7.02 - 12.00)
West Virginia	10.23	(8.57 - 12.18)	23.26	(20.67 - 26.06)	5.37	(4.31 - 6.67)	7.77	(6.72 - 8.96)
Eastern Highland	10.28	(7.77 - 13.49)	21.03	(16.78 - 26.01)	5.16	(3.52 - 7.50)	7.16	(5.47 - 9.32)
Northern	9.98	(7.60 - 13.00)	27.60	(23.37 - 32.27)	6.00	(4.44 - 8.07)	9.25	(7.65 - 11.15)
Northern A and B	9.02	(6.29 - 12.76)	*	(* - *)	4.57	(2.91 - 7.13)	6.25	(4.45 - 8.72)
Northern C and D	10.43	(7.45 - 14.40)	30.89	(25.59 - 36.75)	6.78	(4.73 - 9.62)	10.78	(8.66 - 13.34)
South Central	10.68	(8.58 - 13.21)	22.44	(18.97 - 26.33)	5.10	(3.85 - 6.72)	7.35	(6.06 - 8.89)
South Central I	10.92	(7.85 - 15.00)	*	(* - *)	4.43	(2.88 - 6.77)	6.29	(4.61 - 8.54)
South Central II	10.93	(7.84 - 15.06)	*	(* - *)	5.38	(3.55 - 8.07)	8.45	(6.45 - 11.01)
South Central III	10.34	(7.56 - 13.98)	21.15	(16.41 - 26.81)	5.31	(3.64 - 7.68)	7.25	(5.48 - 9.53)
Southern	9.64	(7.32 - 12.61)	20.35	(16.26 - 25.16)	5.28	(3.78 - 7.33)	7.22	(5.66 - 9.16)
Southern I and III	9.26	(6.60 - 12.84)	*	(* - *)	5.10	(3.34 - 7.70)	7.06	(5.20 - 9.52)
Southern II	10.41	(7.34 - 14.57)	*	(* - *)	5.64	(3.70 - 8.49)	7.53	(5.50 - 10.23)

See notes at end of table.

(continued)

Table 1. Illicit Drug Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	10.40	(8.80 - 12.26)	18.72	(16.26 - 21.46)	5.01	(3.97 - 6.29)	7.08	(6.04 - 8.28)
Milwaukee	10.26	(7.51 - 13.87)	20.12	(15.63 - 25.51)	6.38	(4.31 - 9.35)	8.60	(6.46 - 11.35)
Northeastern	9.23	(6.75 - 12.49)	17.81	(13.80 - 22.68)	4.56	(3.08 - 6.70)	6.46	(4.90 - 8.48)
Northern	9.39	(6.64 - 13.11)	17.70	(13.38 - 23.03)	4.88	(3.09 - 7.62)	6.61	(4.74 - 9.14)
Southeastern	12.01	(9.07 - 15.74)	17.35	(13.16 - 22.52)	4.40	(2.92 - 6.58)	6.14	(4.57 - 8.21)
Southern	10.86	(8.27 - 14.13)	20.29	(15.55 - 26.04)	5.59	(3.94 - 7.87)	8.01	(6.21 - 10.27)
Western	10.08	(7.28 - 13.79)	18.34	(13.64 - 24.21)	4.24	(2.71 - 6.58)	6.63	(4.90 - 8.93)
Wyoming	10.08	(8.51 - 11.90)	19.70	(17.15 - 22.54)	6.04	(4.87 - 7.48)	8.21	(7.08 - 9.50)
Judicial District 1 (Laramie)	10.34	(7.62 - 13.89)	18.38	(13.83 - 24.00)	5.74	(3.83 - 8.53)	7.68	(5.69 - 10.30)
Judicial District 2	10.31	(7.32 - 14.33)	20.53	(16.02 - 25.92)	7.54	(5.00 - 11.21)	11.08	(8.53 - 14.28)
Judicial District 3	10.71	(7.94 - 14.29)	18.39	(14.00 - 23.79)	5.82	(3.98 - 8.44)	7.82	(5.92 - 10.26)
Judicial District 4	10.72	(7.53 - 15.03)	*	(* - *)	5.83	(3.81 - 8.82)	7.80	(5.65 - 10.68)
Judicial District 5	8.99	(6.39 - 12.50)	*	(* - *)	4.11	(2.68 - 6.25)	5.85	(4.28 - 7.96)
Judicial District 6	9.16	(6.57 - 12.62)	*	(* - *)	4.95	(3.20 - 7.57)	7.30	(5.35 - 9.89)
Judicial District 7 (Natrona)	10.80	(7.94 - 14.55)	21.60	(16.78 - 27.34)	6.22	(4.20 - 9.12)	8.65	(6.58 - 11.29)
Judicial District 8	9.34	(6.59 - 13.08)	*	(* - *)	4.62	(2.97 - 7.10)	6.04	(4.31 - 8.41)
Judicial District 9	9.73	(6.88 - 13.58)	*	(* - *)	8.76	(5.93 - 12.76)	10.56	(7.72 - 14.27)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

NOTE: Illicit drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 2. *Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	5.03		8.53		2.65		3.52	
Northeast	4.73	(4.36 - 5.14)	8.82	(8.22 - 9.45)	2.57	(2.28 - 2.88)	3.44	(3.17 - 3.73)
Midwest	5.00	(4.67 - 5.34)	8.06	(7.61 - 8.53)	2.44	(2.23 - 2.67)	3.29	(3.09 - 3.51)
South	5.14	(4.83 - 5.47)	8.83	(8.39 - 9.30)	2.73	(2.51 - 2.97)	3.63	(3.43 - 3.85)
West	5.12	(4.69 - 5.59)	8.34	(7.76 - 8.95)	2.78	(2.48 - 3.13)	3.64	(3.36 - 3.95)
Alabama	5.93	(4.76 - 7.35)	9.66	(7.84 - 11.84)	2.77	(2.08 - 3.69)	3.80	(3.09 - 4.66)
Region 1	5.30	(3.70 - 7.55)	8.58	(6.10 - 11.94)	2.47	(1.56 - 3.88)	3.29	(2.35 - 4.59)
Region 2	6.91	(4.95 - 9.57)	10.82	(8.08 - 14.33)	3.30	(2.16 - 5.02)	4.44	(3.27 - 6.01)
Region 3	4.90	(3.31 - 7.20)	8.41	(5.90 - 11.87)	2.40	(1.46 - 3.90)	3.47	(2.46 - 4.87)
Region 4	6.18	(4.37 - 8.68)	10.44	(7.45 - 14.43)	2.69	(1.69 - 4.26)	3.78	(2.71 - 5.25)
Alaska	5.24	(4.08 - 6.71)	8.40	(6.78 - 10.36)	3.25	(2.40 - 4.37)	4.08	(3.28 - 5.07)
Gulf Coast	4.66	(3.07 - 7.02)	7.52	(4.83 - 11.52)	2.48	(1.46 - 4.17)	3.16	(2.09 - 4.74)
Rural	5.02	(3.22 - 7.74)	5.42	(3.35 - 8.64)	2.41	(1.36 - 4.25)	2.99	(1.91 - 4.65)
Southeast	5.07	(3.30 - 7.70)	8.33	(5.48 - 12.46)	2.95	(1.75 - 4.94)	3.69	(2.45 - 5.53)
Urban	5.42	(3.99 - 7.33)	9.10	(7.14 - 11.52)	3.58	(2.52 - 5.05)	4.49	(3.49 - 5.76)
Arizona	5.54	(4.35 - 7.03)	8.10	(6.41 - 10.19)	3.37	(2.49 - 4.54)	4.08	(3.23 - 5.14)
Maricopa	5.39	(3.97 - 7.28)	8.16	(6.24 - 10.61)	3.49	(2.42 - 5.03)	4.23	(3.19 - 5.58)
Pima	5.67	(3.76 - 8.47)	8.28	(5.42 - 12.45)	3.65	(2.24 - 5.91)	4.36	(2.92 - 6.45)
Rural North	6.69	(4.43 - 9.99)	9.04	(5.92 - 13.56)	3.17	(1.88 - 5.31)	3.97	(2.61 - 6.00)
Rural South	4.92	(3.14 - 7.65)	6.50	(3.98 - 10.42)	2.53	(1.47 - 4.33)	3.07	(1.95 - 4.80)
Arkansas	6.80	(5.47 - 8.42)	10.88	(8.94 - 13.18)	2.88	(2.15 - 3.84)	4.07	(3.32 - 4.99)
Areas 1 and 2	7.52	(5.09 - 10.97)	13.02	(9.17 - 18.16)	3.07	(1.89 - 4.93)	4.62	(3.28 - 6.47)
Areas 3 and 4	6.37	(4.38 - 9.18)	11.83	(8.43 - 16.36)	2.70	(1.67 - 4.35)	4.06	(2.90 - 5.66)
Areas 5 and 6	6.51	(4.40 - 9.53)	9.30	(6.52 - 13.10)	2.70	(1.64 - 4.42)	3.74	(2.60 - 5.34)
Areas 7, 12, and 13	6.15	(4.16 - 9.01)	8.17	(5.54 - 11.88)	2.99	(1.81 - 4.90)	3.78	(2.56 - 5.55)
Areas 8, 10, and 11	7.33	(5.01 - 10.61)	11.06	(8.00 - 15.10)	2.71	(1.67 - 4.39)	3.86	(2.73 - 5.45)
Area 9	6.83	(4.79 - 9.64)	11.14	(7.84 - 15.58)	3.08	(1.93 - 4.88)	4.25	(3.00 - 5.98)

See notes at end of table.

(continued)

Table 2. Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	5.05	(4.40 - 5.79)	7.90	(7.02 - 8.88)	2.74	(2.27 - 3.30)	3.54	(3.11 - 4.04)
Region 1	5.82	(3.95 - 8.50)	11.47	(7.99 - 16.20)	3.23	(2.03 - 5.08)	4.44	(3.14 - 6.26)
Region 2	5.77	(4.22 - 7.84)	9.02	(6.87 - 11.76)	3.37	(2.26 - 4.98)	4.20	(3.11 - 5.64)
Region 3	5.95	(4.11 - 8.53)	8.47	(5.90 - 12.02)	2.95	(1.85 - 4.66)	3.83	(2.69 - 5.41)
Region 4	4.97	(3.37 - 7.26)	8.28	(5.75 - 11.80)	3.03	(1.94 - 4.69)	3.66	(2.54 - 5.24)
Region 5	5.70	(4.10 - 7.88)	7.92	(5.68 - 10.94)	2.88	(1.90 - 4.35)	3.57	(2.57 - 4.94)
Region 6 (Santa Clara)	4.47	(3.12 - 6.37)	7.20	(4.97 - 10.31)	2.34	(1.49 - 3.66)	3.03	(2.13 - 4.30)
Region 7	4.84	(3.21 - 7.23)	8.43	(5.70 - 12.30)	2.86	(1.78 - 4.58)	3.81	(2.63 - 5.48)
Region 8	4.95	(3.49 - 6.98)	7.89	(5.56 - 11.09)	2.54	(1.62 - 3.99)	3.50	(2.51 - 4.87)
Region 9	5.03	(3.35 - 7.47)	8.82	(6.12 - 12.55)	2.68	(1.67 - 4.26)	3.75	(2.65 - 5.27)
Region 10	5.94	(4.09 - 8.54)	10.97	(7.89 - 15.05)	3.17	(1.99 - 5.01)	4.42	(3.16 - 6.15)
Region 11 (Los Angeles)	4.23	(3.27 - 5.47)	6.46	(5.21 - 7.99)	2.35	(1.68 - 3.29)	3.02	(2.38 - 3.81)
Region 12	5.09	(3.57 - 7.21)	8.22	(5.90 - 11.35)	2.98	(1.97 - 4.48)	3.88	(2.84 - 5.28)
Region 13 (Riverside)	5.38	(3.78 - 7.59)	7.74	(5.55 - 10.70)	2.51	(1.58 - 3.95)	3.30	(2.36 - 4.61)
Region 14 (Orange)	4.87	(3.40 - 6.93)	7.54	(5.43 - 10.37)	2.48	(1.58 - 3.88)	3.23	(2.29 - 4.54)
Region 15	5.81	(4.19 - 8.01)	8.85	(6.66 - 11.65)	3.16	(2.12 - 4.69)	4.12	(3.07 - 5.52)
Colorado	5.33	(4.22 - 6.71)	10.19	(8.26 - 12.50)	3.10	(2.31 - 4.14)	4.15	(3.36 - 5.11)
Region 1	4.75	(3.12 - 7.17)	9.90	(6.71 - 14.37)	2.63	(1.58 - 4.35)	3.91	(2.70 - 5.63)
Regions 2 and 7	5.47	(4.02 - 7.41)	10.00	(7.56 - 13.10)	3.12	(2.15 - 4.51)	4.11	(3.12 - 5.39)
Region 3	5.56	(3.71 - 8.24)	11.20	(7.82 - 15.81)	3.14	(1.90 - 5.14)	4.32	(3.00 - 6.17)
Region 4	5.08	(3.28 - 7.79)	8.98	(5.85 - 13.56)	2.90	(1.73 - 4.85)	3.73	(2.46 - 5.60)
Regions 5 and 6	5.21	(3.36 - 7.98)	*	(* - *)	3.57	(2.12 - 5.94)	4.63	(3.09 - 6.88)
Connecticut	4.59	(3.65 - 5.76)	10.52	(8.46 - 13.00)	2.56	(1.89 - 3.48)	3.62	(2.91 - 4.50)
Eastern	5.58	(3.74 - 8.23)	*	(* - *)	2.71	(1.62 - 4.51)	4.40	(3.05 - 6.32)
North Central	4.04	(2.71 - 6.00)	8.90	(6.30 - 12.42)	2.68	(1.63 - 4.36)	3.47	(2.40 - 5.01)
Northwestern	4.87	(3.33 - 7.06)	12.06	(8.68 - 16.52)	2.51	(1.52 - 4.12)	3.67	(2.58 - 5.20)
South Central	4.22	(2.88 - 6.15)	10.25	(7.21 - 14.37)	2.35	(1.45 - 3.77)	3.43	(2.44 - 4.80)
Southwest	4.89	(3.37 - 7.04)	10.19	(7.06 - 14.48)	2.63	(1.57 - 4.35)	3.53	(2.40 - 5.16)

See notes at end of table.

(continued)

Table 2. *Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	4.79	(3.81 - 6.01)	9.38	(7.51 - 11.65)	2.53	(1.89 - 3.40)	3.54	(2.86 - 4.37)
Kent	4.78	(3.25 - 6.98)	8.03	(5.58 - 11.43)	2.91	(1.80 - 4.67)	3.72	(2.59 - 5.32)
New Castle (excluding Wilmington City)	4.64	(3.35 - 6.40)	10.50	(8.02 - 13.62)	2.24	(1.48 - 3.38)	3.52	(2.70 - 4.60)
Sussex	4.60	(3.12 - 6.72)	7.58	(5.08 - 11.18)	2.60	(1.57 - 4.28)	3.15	(2.10 - 4.71)
Wilmington City	5.92	(3.85 - 9.01)	8.33	(5.27 - 12.91)	3.42	(2.00 - 5.78)	4.20	(2.71 - 6.44)
District of Columbia	4.29	(3.35 - 5.48)	6.70	(5.24 - 8.53)	3.26	(2.44 - 4.33)	3.81	(3.03 - 4.77)
Ward 1	4.66	(2.97 - 7.24)	6.47	(4.14 - 9.97)	4.26	(2.58 - 6.94)	4.66	(3.05 - 7.04)
Ward 2	*	(* - *)	9.36	(6.68 - 12.98)	3.65	(2.23 - 5.91)	5.07	(3.62 - 7.06)
Ward 3	3.79	(2.38 - 6.00)	6.84	(4.37 - 10.53)	2.66	(1.55 - 4.51)	3.32	(2.17 - 5.05)
Ward 4	4.45	(2.85 - 6.88)	5.85	(3.69 - 9.18)	2.86	(1.69 - 4.80)	3.16	(2.01 - 4.94)
Ward 5	4.59	(2.96 - 7.05)	5.87	(3.79 - 8.99)	3.67	(2.21 - 6.03)	3.99	(2.60 - 6.07)
Ward 6	3.85	(2.41 - 6.10)	6.47	(4.11 - 10.04)	3.36	(2.02 - 5.54)	3.77	(2.44 - 5.78)
Ward 7	3.91	(2.58 - 5.87)	3.83	(2.32 - 6.24)	2.43	(1.40 - 4.18)	2.60	(1.61 - 4.17)
Ward 8	4.25	(2.86 - 6.28)	4.89	(3.09 - 7.65)	3.36	(2.00 - 5.58)	3.64	(2.37 - 5.54)

See notes at end of table.

(continued)

Table 2. Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	5.55	(4.87 - 6.33)	9.37	(8.40 - 10.44)	2.95	(2.48 - 3.51)	3.79	(3.34 - 4.29)
Region A	6.34	(4.97 - 8.05)	11.06	(8.89 - 13.67)	3.57	(2.62 - 4.84)	4.89	(3.93 - 6.07)
Circuit 1	6.74	(4.74 - 9.50)	11.93	(8.57 - 16.36)	4.06	(2.63 - 6.21)	5.28	(3.81 - 7.27)
Circuit 2	5.96	(4.09 - 8.61)	10.39	(7.53 - 14.17)	3.22	(2.00 - 5.15)	4.94	(3.59 - 6.76)
Circuit 14	5.89	(3.92 - 8.75)	10.35	(7.19 - 14.69)	2.85	(1.76 - 4.59)	3.91	(2.73 - 5.56)
Region B	5.86	(4.71 - 7.26)	10.45	(8.63 - 12.61)	3.11	(2.34 - 4.11)	4.25	(3.48 - 5.19)
Circuits 3 and 8	6.32	(4.33 - 9.13)	11.32	(8.30 - 15.24)	3.53	(2.26 - 5.46)	5.19	(3.81 - 7.04)
Circuit 4	5.88	(4.30 - 8.00)	10.50	(7.91 - 13.83)	3.54	(2.38 - 5.21)	4.62	(3.44 - 6.16)
Circuit 7	5.40	(3.75 - 7.74)	9.22	(6.46 - 12.99)	2.30	(1.41 - 3.71)	3.10	(2.15 - 4.44)
Region C	5.68	(4.67 - 6.88)	9.08	(7.64 - 10.76)	2.83	(2.23 - 3.60)	3.63	(3.02 - 4.34)
Circuit 5	5.41	(3.80 - 7.65)	9.59	(6.88 - 13.20)	2.30	(1.45 - 3.62)	2.97	(2.07 - 4.22)
Circuit 9	5.09	(3.59 - 7.17)	8.02	(5.87 - 10.87)	3.33	(2.23 - 4.95)	4.12	(3.04 - 5.58)
Circuit 10	6.80	(4.67 - 9.80)	9.14	(6.30 - 13.08)	2.95	(1.83 - 4.74)	3.75	(2.58 - 5.42)
Circuit 18	5.68	(4.00 - 8.00)	9.33	(6.77 - 12.72)	2.62	(1.68 - 4.05)	3.43	(2.45 - 4.78)
Circuit 19	6.12	(4.17 - 8.91)	11.68	(8.25 - 16.29)	2.91	(1.83 - 4.61)	3.79	(2.64 - 5.42)
Region D	5.33	(4.40 - 6.45)	8.16	(6.86 - 9.69)	2.98	(2.33 - 3.79)	3.62	(3.01 - 4.35)
Circuits 11 and 16	5.26	(3.91 - 7.06)	7.98	(6.13 - 10.33)	3.07	(2.14 - 4.39)	3.74	(2.84 - 4.92)
Circuit 15 (Palm Beach)	5.62	(4.06 - 7.73)	10.41	(7.86 - 13.67)	3.09	(2.09 - 4.54)	3.86	(2.84 - 5.22)
Circuit 17 (Broward)	5.24	(3.90 - 7.01)	7.04	(5.19 - 9.48)	2.75	(1.86 - 4.05)	3.27	(2.40 - 4.45)
Region E	5.20	(4.25 - 6.33)	9.79	(8.19 - 11.68)	2.79	(2.18 - 3.57)	3.57	(2.95 - 4.31)
Circuit 6	4.69	(3.30 - 6.64)	9.63	(6.98 - 13.14)	2.41	(1.54 - 3.73)	3.12	(2.22 - 4.36)
Circuit 12	5.89	(4.11 - 8.38)	10.20	(7.11 - 14.43)	2.58	(1.62 - 4.10)	3.29	(2.26 - 4.75)
Circuit 13 (Hillsborough)	5.18	(3.70 - 7.20)	9.22	(6.84 - 12.32)	3.33	(2.28 - 4.86)	4.22	(3.14 - 5.65)
Circuit 20	5.42	(3.83 - 7.62)	10.63	(7.80 - 14.31)	2.92	(1.93 - 4.40)	3.69	(2.66 - 5.09)
Georgia	4.36	(3.37 - 5.61)	6.94	(5.45 - 8.80)	2.57	(1.90 - 3.47)	3.24	(2.57 - 4.07)
Region 1	5.52	(3.67 - 8.22)	9.00	(6.12 - 13.04)	3.09	(1.87 - 5.06)	3.92	(2.65 - 5.76)
Region 2	4.63	(3.04 - 6.98)	8.03	(5.57 - 11.46)	2.60	(1.57 - 4.26)	3.44	(2.37 - 4.98)
Region 3	3.93	(2.66 - 5.76)	6.08	(4.29 - 8.55)	2.49	(1.62 - 3.79)	3.02	(2.16 - 4.21)
Region 4	4.26	(2.80 - 6.42)	6.60	(4.34 - 9.94)	2.34	(1.40 - 3.88)	2.99	(2.00 - 4.44)
Region 5	4.34	(2.83 - 6.58)	6.74	(4.37 - 10.26)	2.52	(1.51 - 4.17)	3.24	(2.16 - 4.82)

See notes at end of table.

(continued)

Table 2. Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	4.95	(3.81 - 6.41)	6.81	(5.15 - 8.95)	2.03	(1.38 - 2.96)	2.66	(2.01 - 3.52)
Hawaii Island	4.81	(3.07 - 7.45)	6.26	(4.00 - 9.68)	2.24	(1.30 - 3.83)	2.72	(1.75 - 4.20)
Honolulu	4.92	(3.59 - 6.70)	6.80	(4.96 - 9.25)	1.96	(1.23 - 3.13)	2.63	(1.89 - 3.67)
Kauai and Maui**	5.23	(3.69 - 7.37)	7.31	(4.93 - 10.72)	2.13	(1.34 - 3.36)	2.73	(1.89 - 3.92)
Maui	5.36	(3.53 - 8.05)	7.74	(4.93 - 11.95)	2.14	(1.25 - 3.64)	2.80	(1.84 - 4.24)
Idaho	4.64	(3.68 - 5.83)	7.12	(5.69 - 8.88)	2.43	(1.81 - 3.26)	3.21	(2.58 - 3.99)
Region 1	4.99	(3.31 - 7.44)	7.89	(5.15 - 11.92)	2.23	(1.33 - 3.72)	2.96	(1.97 - 4.42)
Region 2	4.61	(2.92 - 7.19)	7.32	(4.78 - 11.04)	2.21	(1.30 - 3.74)	3.16	(2.13 - 4.67)
Region 3	4.74	(3.19 - 6.99)	6.32	(4.24 - 9.33)	2.26	(1.38 - 3.67)	2.91	(1.98 - 4.24)
Region 4	5.10	(3.44 - 7.49)	7.74	(5.47 - 10.85)	3.04	(1.94 - 4.73)	3.81	(2.71 - 5.34)
Region 5	3.97	(2.56 - 6.11)	5.95	(3.73 - 9.38)	2.01	(1.16 - 3.44)	2.60	(1.69 - 3.99)
Region 6	4.82	(3.15 - 7.31)	7.34	(4.89 - 10.87)	2.23	(1.31 - 3.77)	3.21	(2.17 - 4.72)
Region 7	3.90	(2.50 - 6.03)	6.72	(4.43 - 10.08)	2.23	(1.30 - 3.78)	3.17	(2.14 - 4.67)
Illinois	4.61	(3.98 - 5.34)	6.71	(5.89 - 7.63)	2.55	(2.11 - 3.08)	3.18	(2.77 - 3.65)
Region I (Cook)	4.44	(3.50 - 5.63)	5.81	(4.68 - 7.19)	3.15	(2.39 - 4.14)	3.56	(2.86 - 4.42)
Region II	4.88	(3.89 - 6.11)	7.81	(6.36 - 9.57)	2.21	(1.60 - 3.05)	3.02	(2.41 - 3.77)
Region III	4.20	(3.01 - 5.84)	6.20	(4.60 - 8.31)	1.78	(1.13 - 2.79)	2.54	(1.87 - 3.46)
Region IV	5.17	(3.68 - 7.22)	7.24	(5.26 - 9.90)	2.12	(1.35 - 3.31)	2.86	(2.06 - 3.96)
Region V	4.53	(3.31 - 6.18)	7.92	(6.01 - 10.37)	2.14	(1.38 - 3.31)	3.01	(2.22 - 4.05)
Indiana	5.29	(4.32 - 6.46)	10.00	(8.26 - 12.06)	2.66	(2.03 - 3.48)	3.78	(3.13 - 4.57)
Central	5.35	(3.73 - 7.63)	10.39	(7.59 - 14.06)	3.31	(2.16 - 5.05)	4.32	(3.13 - 5.93)
East	5.65	(3.79 - 8.35)	9.29	(6.22 - 13.66)	2.61	(1.55 - 4.37)	3.65	(2.46 - 5.37)
North Central	5.05	(3.39 - 7.45)	10.28	(7.16 - 14.55)	2.58	(1.59 - 4.14)	3.73	(2.63 - 5.26)
Northeast	4.38	(2.84 - 6.70)	8.75	(5.90 - 12.79)	2.05	(1.20 - 3.51)	3.06	(2.07 - 4.51)
Northwest	5.32	(3.60 - 7.77)	9.69	(6.56 - 14.07)	2.51	(1.53 - 4.10)	3.52	(2.41 - 5.12)
Southeast	6.20	(4.12 - 9.24)	11.02	(7.61 - 15.68)	2.47	(1.46 - 4.16)	3.64	(2.50 - 5.27)
Southwest	5.82	(3.82 - 8.76)	*	(* - *)	2.57	(1.52 - 4.31)	3.86	(2.62 - 5.64)
West	4.84	(3.21 - 7.26)	9.28	(6.50 - 13.09)	2.23	(1.31 - 3.79)	3.78	(2.67 - 5.32)

See notes at end of table.

(continued)

Table 2. Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	4.98	(3.92 - 6.31)	6.40	(4.97 - 8.21)	2.01	(1.46 - 2.76)	2.69	(2.11 - 3.41)
Central	6.13	(4.08 - 9.11)	7.83	(5.22 - 11.59)	2.78	(1.63 - 4.68)	3.53	(2.33 - 5.31)
North Central	4.75	(3.05 - 7.34)	5.56	(3.52 - 8.69)	1.72	(0.96 - 3.05)	2.43	(1.59 - 3.70)
Northeast	4.98	(3.49 - 7.06)	6.99	(4.80 - 10.07)	1.90	(1.17 - 3.08)	2.70	(1.88 - 3.84)
Northwest	4.14	(2.63 - 6.44)	5.50	(3.55 - 8.43)	1.71	(0.99 - 2.93)	2.23	(1.47 - 3.38)
Southeast	4.68	(3.09 - 7.05)	5.91	(3.93 - 8.80)	1.81	(1.08 - 3.01)	2.49	(1.70 - 3.63)
Southwest	5.51	(3.62 - 8.30)	6.25	(4.05 - 9.54)	2.18	(1.29 - 3.64)	2.71	(1.79 - 4.09)
Kansas	4.91	(3.89 - 6.19)	7.21	(5.66 - 9.15)	2.57	(1.91 - 3.46)	3.32	(2.65 - 4.16)
Kansas City Metro	5.05	(3.52 - 7.19)	7.38	(5.26 - 10.26)	3.09	(1.98 - 4.80)	3.80	(2.71 - 5.31)
Northeast	4.06	(2.68 - 6.11)	6.49	(4.23 - 9.84)	2.01	(1.18 - 3.41)	2.79	(1.88 - 4.12)
South Central	4.47	(2.98 - 6.65)	6.56	(4.24 - 10.00)	1.92	(1.12 - 3.25)	2.61	(1.73 - 3.92)
Southeast	4.99	(3.18 - 7.75)	7.55	(4.78 - 11.73)	*	(* - *)	3.08	(1.98 - 4.74)
West	5.17	(3.44 - 7.70)	7.30	(4.74 - 11.08)	2.17	(1.28 - 3.67)	2.96	(1.97 - 4.42)
Wichita (Sedgwick)	5.80	(3.80 - 8.76)	8.09	(5.49 - 11.77)	3.19	(1.95 - 5.18)	3.96	(2.69 - 5.81)
Kentucky	5.86	(4.78 - 7.18)	8.70	(7.06 - 10.68)	2.76	(2.10 - 3.61)	3.60	(2.93 - 4.43)
Adanta, Cumberland River, and Lifeskills	5.72	(3.85 - 8.40)	9.01	(6.19 - 12.94)	2.39	(1.45 - 3.90)	3.33	(2.30 - 4.79)
Bluegrass, Comprehend, and North Key	5.41	(3.84 - 7.58)	8.37	(6.05 - 11.48)	3.18	(2.05 - 4.90)	3.98	(2.84 - 5.57)
Communicare and River Valley	6.14	(4.10 - 9.10)	9.07	(6.08 - 13.31)	2.69	(1.65 - 4.37)	3.57	(2.45 - 5.18)
Four Rivers and Pennyroyal	5.74	(3.82 - 8.54)	7.76	(5.06 - 11.72)	2.61	(1.56 - 4.32)	3.34	(2.22 - 5.01)
Kentucky River, Mountain, and Pathways	6.31	(4.37 - 9.02)	9.52	(6.75 - 13.28)	2.48	(1.53 - 4.00)	3.47	(2.43 - 4.93)
Seven Counties	6.24	(4.40 - 8.79)	8.76	(6.12 - 12.39)	2.75	(1.78 - 4.24)	3.53	(2.49 - 4.96)

See notes at end of table.

(continued)

Table 2. Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	5.21	(4.21 - 6.44)	9.32	(7.60 - 11.38)	3.07	(2.35 - 4.00)	4.11	(3.38 - 4.97)
Region 1	4.52	(2.86 - 7.06)	7.36	(4.77 - 11.20)	2.89	(1.71 - 4.84)	3.64	(2.39 - 5.50)
Regions 2 and 9	6.12	(4.34 - 8.57)	10.96	(8.22 - 14.47)	3.71	(2.43 - 5.63)	4.98	(3.69 - 6.69)
Region 3	5.32	(3.53 - 7.94)	9.66	(6.49 - 14.14)	2.90	(1.72 - 4.86)	4.00	(2.72 - 5.86)
Region 4	4.28	(2.78 - 6.52)	8.11	(5.39 - 12.01)	2.50	(1.48 - 4.18)	3.44	(2.33 - 5.06)
Regions 5 and 6	5.45	(3.61 - 8.14)	9.34	(6.39 - 13.45)	2.99	(1.87 - 4.74)	4.01	(2.80 - 5.71)
Regions 7 and 8	5.11	(3.53 - 7.34)	9.50	(6.80 - 13.14)	2.99	(1.90 - 4.68)	4.08	(2.93 - 5.66)
Region 10 (Jefferson)	4.82	(3.11 - 7.37)	8.39	(5.42 - 12.77)	2.85	(1.69 - 4.78)	3.66	(2.43 - 5.49)
Maine	5.32	(4.27 - 6.60)	8.86	(7.25 - 10.78)	2.06	(1.51 - 2.82)	2.96	(2.38 - 3.67)
Aroostook/Downeast	5.39	(3.56 - 8.07)	8.93	(5.84 - 13.41)	2.06	(1.20 - 3.53)	2.91	(1.93 - 4.38)
Central	5.03	(3.34 - 7.52)	9.29	(6.43 - 13.25)	2.00	(1.18 - 3.36)	2.95	(2.03 - 4.28)
Cumberland	5.59	(3.84 - 8.06)	8.48	(5.96 - 11.94)	2.10	(1.26 - 3.47)	2.95	(2.03 - 4.26)
Midcoast	4.99	(3.32 - 7.43)	8.91	(6.04 - 12.96)	2.03	(1.20 - 3.41)	2.80	(1.89 - 4.13)
Penquis	4.64	(3.02 - 7.07)	8.72	(6.02 - 12.47)	1.89	(1.10 - 3.23)	2.98	(2.05 - 4.30)
Western	5.28	(3.52 - 7.85)	8.59	(5.95 - 12.26)	1.91	(1.13 - 3.21)	2.83	(1.96 - 4.09)
York	6.00	(4.05 - 8.82)	9.38	(6.51 - 13.33)	2.37	(1.42 - 3.94)	3.22	(2.19 - 4.70)
Maryland	4.21	(3.37 - 5.25)	6.72	(5.27 - 8.54)	2.21	(1.63 - 2.99)	2.84	(2.24 - 3.60)
Anne Arundel	4.32	(2.79 - 6.63)	6.90	(4.37 - 10.72)	2.19	(1.26 - 3.77)	2.85	(1.84 - 4.40)
Baltimore City	4.64	(2.99 - 7.13)	6.58	(4.25 - 10.06)	3.12	(1.87 - 5.16)	3.69	(2.43 - 5.57)
Baltimore County	4.04	(2.65 - 6.10)	6.70	(4.47 - 9.92)	2.09	(1.24 - 3.48)	2.73	(1.84 - 4.02)
Montgomery	4.17	(2.76 - 6.26)	6.88	(4.53 - 10.31)	2.08	(1.23 - 3.51)	2.65	(1.74 - 4.01)
North Central	4.68	(3.02 - 7.20)	7.44	(4.65 - 11.69)	2.14	(1.24 - 3.68)	2.80	(1.81 - 4.33)
Northeast	4.63	(2.99 - 7.11)	8.98	(5.93 - 13.38)	2.24	(1.34 - 3.72)	3.10	(2.08 - 4.59)
Prince George's	3.32	(2.11 - 5.18)	4.92	(3.15 - 7.60)	1.93	(1.10 - 3.38)	2.41	(1.53 - 3.77)
South	4.15	(2.79 - 6.13)	6.80	(4.45 - 10.25)	2.12	(1.25 - 3.58)	2.80	(1.85 - 4.21)
West	4.71	(3.10 - 7.09)	7.54	(4.78 - 11.71)	2.12	(1.25 - 3.59)	2.89	(1.91 - 4.34)

See notes at end of table.

(continued)

Table 2. Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	5.30	(4.26 - 6.58)	11.88	(9.92 - 14.17)	2.90	(2.18 - 3.84)	4.17	(3.43 - 5.05)
Boston	5.28	(3.52 - 7.86)	11.68	(8.34 - 16.12)	3.72	(2.32 - 5.91)	5.36	(3.86 - 7.41)
Central	5.94	(3.98 - 8.78)	12.89	(9.06 - 18.02)	3.24	(1.97 - 5.27)	4.55	(3.17 - 6.49)
Metrowest	4.52	(3.09 - 6.56)	10.65	(7.54 - 14.84)	2.20	(1.35 - 3.59)	3.28	(2.32 - 4.63)
Northeast	4.50	(2.98 - 6.75)	10.46	(7.39 - 14.60)	2.66	(1.67 - 4.22)	3.65	(2.58 - 5.14)
Southeast	5.71	(3.97 - 8.14)	12.52	(9.04 - 17.07)	3.00	(1.89 - 4.74)	4.17	(2.98 - 5.82)
Western	6.32	(4.22 - 9.35)	14.15	(10.41 - 18.94)	3.38	(2.08 - 5.42)	5.09	(3.66 - 7.03)
Michigan	5.31	(4.70 - 6.01)	9.33	(8.40 - 10.36)	2.79	(2.36 - 3.30)	3.76	(3.34 - 4.22)
Bay	5.24	(3.71 - 7.36)	9.22	(6.54 - 12.83)	2.44	(1.53 - 3.88)	3.35	(2.35 - 4.74)
Detroit City	4.43	(3.20 - 6.10)	5.37	(3.77 - 7.58)	3.07	(2.02 - 4.64)	3.43	(2.43 - 4.82)
Genesee	6.87	(4.92 - 9.51)	11.36	(8.30 - 15.35)	3.44	(2.24 - 5.24)	4.58	(3.32 - 6.28)
Kalamazoo	5.11	(3.72 - 6.99)	8.54	(6.37 - 11.36)	2.38	(1.55 - 3.63)	3.38	(2.52 - 4.52)
Kent	4.79	(3.39 - 6.73)	9.33	(6.97 - 12.38)	2.52	(1.60 - 3.95)	3.68	(2.69 - 5.02)
Lakeshore	5.15	(3.69 - 7.16)	9.44	(7.05 - 12.52)	2.78	(1.86 - 4.13)	3.81	(2.85 - 5.08)
Macomb	4.98	(3.51 - 7.03)	9.63	(7.18 - 12.81)	3.36	(2.25 - 5.01)	4.19	(3.07 - 5.69)
Mid South	5.89	(4.35 - 7.92)	8.92	(6.77 - 11.66)	2.57	(1.73 - 3.81)	3.69	(2.82 - 4.82)
Northern	4.74	(3.40 - 6.58)	7.48	(5.43 - 10.22)	2.18	(1.41 - 3.36)	2.92	(2.11 - 4.02)
Oakland	5.41	(4.06 - 7.18)	10.88	(8.41 - 13.97)	2.77	(1.97 - 3.89)	3.78	(2.95 - 4.83)
Pathways	*	(* - *)	9.51	(6.65 - 13.42)	2.49	(1.52 - 4.06)	3.53	(2.45 - 5.08)
Saginaw	5.21	(3.49 - 7.70)	8.61	(5.81 - 12.58)	2.66	(1.61 - 4.36)	3.50	(2.37 - 5.16)
Southeast	6.18	(4.73 - 8.03)	12.31	(9.85 - 15.27)	3.18	(2.24 - 4.48)	4.39	(3.45 - 5.58)
St. Clair	5.49	(3.72 - 8.04)	9.08	(6.25 - 13.02)	2.51	(1.54 - 4.08)	3.39	(2.34 - 4.89)
Washtenaw	5.29	(3.77 - 7.36)	10.02	(7.34 - 13.55)	2.92	(1.95 - 4.36)	4.28	(3.20 - 5.71)
Western	*	(* - *)	8.30	(5.66 - 12.02)	*	(* - *)	3.14	(2.14 - 4.59)
Minnesota	4.70	(3.72 - 5.91)	7.57	(6.02 - 9.47)	2.18	(1.60 - 2.96)	3.00	(2.39 - 3.76)
Regions 1 and 2	6.07	(4.01 - 9.08)	9.22	(6.17 - 13.54)	2.47	(1.44 - 4.21)	3.45	(2.32 - 5.10)
Regions 3 and 4	3.81	(2.48 - 5.83)	6.78	(4.57 - 9.93)	1.69	(0.99 - 2.89)	2.52	(1.72 - 3.69)
Regions 5 and 6	4.81	(3.22 - 7.12)	7.95	(5.39 - 11.55)	1.89	(1.14 - 3.12)	2.84	(1.98 - 4.06)
Region 7A (Hennepin)	4.72	(3.16 - 6.99)	7.76	(5.34 - 11.16)	2.83	(1.72 - 4.63)	3.57	(2.42 - 5.24)
Region 7B (Ramsey)	4.21	(2.69 - 6.53)	7.61	(4.92 - 11.58)	*	(* - *)	3.07	(2.06 - 4.55)
Region 7C	4.86	(3.29 - 7.14)	6.78	(4.55 - 9.99)	1.95	(1.17 - 3.21)	2.64	(1.79 - 3.87)

See notes at end of table.

(continued)

Table 2. Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	4.58	(3.69 - 5.67)	7.56	(6.05 - 9.40)	2.36	(1.76 - 3.18)	3.21	(2.59 - 3.97)
Region 1	4.39	(2.94 - 6.50)	7.15	(4.81 - 10.52)	2.10	(1.24 - 3.56)	2.89	(1.94 - 4.28)
Region 2	4.97	(3.38 - 7.25)	7.53	(5.05 - 11.09)	2.63	(1.58 - 4.33)	3.45	(2.36 - 5.02)
Region 3	4.12	(2.72 - 6.21)	6.69	(4.53 - 9.77)	2.12	(1.26 - 3.54)	2.91	(1.97 - 4.28)
Region 4	4.10	(2.74 - 6.10)	7.31	(4.91 - 10.73)	2.12	(1.26 - 3.54)	2.97	(2.04 - 4.31)
Region 5	4.69	(3.07 - 7.10)	6.58	(4.24 - 10.05)	2.20	(1.28 - 3.75)	2.88	(1.90 - 4.33)
Region 6	5.14	(3.37 - 7.78)	8.36	(5.61 - 12.29)	2.43	(1.43 - 4.10)	3.49	(2.37 - 5.10)
Region 7	5.01	(3.33 - 7.48)	9.17	(6.43 - 12.90)	2.99	(1.82 - 4.87)	3.93	(2.72 - 5.65)
Missouri	5.45	(4.41 - 6.72)	8.90	(7.27 - 10.85)	2.54	(1.95 - 3.32)	3.50	(2.89 - 4.24)
Central	5.92	(4.07 - 8.51)	9.41	(6.61 - 13.23)	2.76	(1.75 - 4.31)	3.92	(2.82 - 5.43)
Eastern	5.47	(4.09 - 7.28)	8.83	(6.64 - 11.64)	2.49	(1.73 - 3.57)	3.40	(2.59 - 4.45)
Eastern (St. Louis City and County)	5.19	(3.59 - 7.45)	8.44	(5.96 - 11.81)	2.48	(1.57 - 3.88)	3.33	(2.37 - 4.66)
Eastern (excluding St. Louis)	5.97	(4.05 - 8.70)	9.61	(6.52 - 13.96)	2.52	(1.57 - 4.02)	3.54	(2.47 - 5.05)
Northwest	5.45	(3.97 - 7.46)	8.67	(6.35 - 11.74)	2.67	(1.82 - 3.90)	3.57	(2.66 - 4.78)
Northwest (Jackson)	5.39	(3.63 - 7.94)	8.41	(5.64 - 12.36)	2.91	(1.83 - 4.59)	3.72	(2.57 - 5.36)
Northwest (excluding Jackson)	5.51	(3.61 - 8.32)	8.90	(5.95 - 13.11)	2.45	(1.47 - 4.05)	3.43	(2.34 - 5.01)
Southeast	5.66	(3.79 - 8.37)	9.22	(6.47 - 12.96)	2.49	(1.55 - 3.98)	3.45	(2.44 - 4.86)
Southwest	4.78	(3.20 - 7.08)	8.63	(6.06 - 12.16)	2.33	(1.45 - 3.74)	3.29	(2.34 - 4.63)
Montana	6.13	(4.94 - 7.59)	8.31	(6.72 - 10.23)	2.53	(1.88 - 3.40)	3.41	(2.74 - 4.23)
Region 1	5.19	(3.39 - 7.86)	7.80	(5.02 - 11.94)	2.17	(1.25 - 3.75)	2.85	(1.86 - 4.35)
Region 2	6.43	(4.35 - 9.42)	7.39	(4.91 - 10.98)	2.79	(1.73 - 4.47)	3.49	(2.40 - 5.05)
Region 3	6.27	(4.33 - 8.99)	7.85	(5.45 - 11.17)	2.34	(1.46 - 3.74)	3.12	(2.19 - 4.43)
Region 4	5.42	(3.79 - 7.70)	6.77	(4.80 - 9.48)	2.23	(1.37 - 3.60)	2.98	(2.10 - 4.23)
Region 5	6.74	(4.79 - 9.42)	10.53	(7.86 - 13.98)	2.90	(1.86 - 4.50)	4.08	(2.98 - 5.56)
Nebraska	5.25	(4.14 - 6.64)	7.23	(5.68 - 9.16)	2.08	(1.47 - 2.95)	2.92	(2.27 - 3.74)
Regions 1 and 2	5.86	(3.83 - 8.86)	6.59	(4.14 - 10.32)	1.94	(1.08 - 3.47)	2.57	(1.63 - 4.02)
Region 3	5.28	(3.42 - 8.08)	6.78	(4.43 - 10.24)	1.84	(1.06 - 3.17)	2.60	(1.72 - 3.89)
Region 4	5.30	(3.55 - 7.84)	6.54	(4.23 - 9.97)	1.89	(1.08 - 3.29)	2.56	(1.67 - 3.92)
Region 5	4.49	(3.01 - 6.65)	6.02	(4.16 - 8.66)	1.91	(1.14 - 3.18)	2.68	(1.85 - 3.85)
Region 6	5.51	(3.92 - 7.71)	8.60	(6.19 - 11.85)	2.38	(1.50 - 3.77)	3.39	(2.44 - 4.71)

See notes at end of table.

(continued)

Table 2. Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	4.92	(3.78 - 6.38)	9.55	(7.61 - 11.91)	2.93	(2.10 - 4.07)	3.84	(3.01 - 4.88)
Clark	4.90	(3.54 - 6.73)	9.01	(6.87 - 11.73)	2.95	(1.98 - 4.38)	3.79	(2.83 - 5.07)
Rural	4.91	(3.29 - 7.27)	10.82	(7.42 - 15.52)	2.87	(1.76 - 4.64)	3.80	(2.61 - 5.49)
Washoe	5.02	(3.35 - 7.46)	11.03	(7.75 - 15.48)	2.90	(1.81 - 4.63)	4.07	(2.85 - 5.77)
New Hampshire	4.67	(3.71 - 5.86)	8.80	(7.05 - 10.94)	2.03	(1.49 - 2.76)	2.96	(2.37 - 3.68)
Central	6.06	(4.41 - 8.27)	10.74	(8.06 - 14.19)	2.54	(1.69 - 3.79)	3.74	(2.80 - 4.99)
Central 1	5.70	(3.84 - 8.37)	10.56	(7.37 - 14.91)	2.39	(1.45 - 3.91)	3.76	(2.65 - 5.31)
Central 2	6.42	(4.25 - 9.57)	10.98	(7.51 - 15.78)	2.67	(1.63 - 4.37)	3.73	(2.56 - 5.41)
Northern	4.40	(2.88 - 6.67)	7.92	(5.19 - 11.91)	1.83	(1.08 - 3.10)	2.68	(1.81 - 3.96)
Southern	4.07	(3.04 - 5.44)	7.97	(6.01 - 10.50)	1.84	(1.24 - 2.70)	2.64	(1.99 - 3.49)
Southern 1 (Rockingham)	4.53	(3.09 - 6.59)	8.42	(5.74 - 12.19)	1.91	(1.18 - 3.08)	2.66	(1.85 - 3.81)
Southern 2	3.80	(2.63 - 5.45)	7.74	(5.53 - 10.74)	1.79	(1.10 - 2.91)	2.63	(1.87 - 3.68)
New Jersey	4.62	(3.61 - 5.89)	7.99	(6.36 - 10.00)	2.42	(1.77 - 3.30)	3.14	(2.48 - 3.97)
Central	4.37	(2.92 - 6.50)	8.69	(6.01 - 12.40)	2.28	(1.39 - 3.72)	3.05	(2.10 - 4.41)
Metropolitan	4.95	(3.36 - 7.25)	8.45	(5.98 - 11.81)	2.83	(1.76 - 4.52)	3.63	(2.52 - 5.19)
Northern	4.48	(3.10 - 6.43)	7.13	(4.96 - 10.15)	2.27	(1.44 - 3.55)	2.88	(2.02 - 4.08)
Southern	4.69	(3.20 - 6.81)	8.00	(5.49 - 11.52)	2.33	(1.43 - 3.78)	3.09	(2.13 - 4.46)
New Mexico	6.22	(4.96 - 7.78)	9.63	(7.81 - 11.83)	2.76	(2.04 - 3.72)	3.86	(3.11 - 4.77)
Region 1	5.96	(4.09 - 8.61)	9.08	(6.20 - 13.11)	2.61	(1.60 - 4.22)	3.65	(2.55 - 5.21)
Region 2	6.47	(4.41 - 9.39)	10.64	(7.24 - 15.38)	2.76	(1.65 - 4.56)	3.81	(2.62 - 5.52)
Region 3 (Bernalillo)	5.99	(4.26 - 8.37)	10.32	(7.66 - 13.77)	3.06	(2.00 - 4.65)	4.25	(3.14 - 5.72)
Region 4	5.59	(3.67 - 8.41)	8.76	(5.92 - 12.76)	2.53	(1.51 - 4.20)	3.56	(2.44 - 5.17)
Region 5	7.01	(4.74 - 10.25)	9.02	(6.37 - 12.63)	2.58	(1.56 - 4.21)	3.68	(2.58 - 5.23)

See notes at end of table.

(continued)

Table 2. Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	4.62	(3.99 - 5.34)	7.84	(6.87 - 8.93)	2.84	(2.33 - 3.44)	3.56	(3.09 - 4.10)
Region A	4.18	(3.39 - 5.15)	6.16	(5.03 - 7.54)	2.83	(2.19 - 3.64)	3.33	(2.73 - 4.06)
Region 1	4.15	(2.82 - 6.08)	5.55	(3.75 - 8.14)	3.09	(1.96 - 4.84)	3.50	(2.41 - 5.04)
Region 2	4.09	(2.95 - 5.65)	6.44	(4.75 - 8.68)	2.72	(1.84 - 4.01)	3.30	(2.44 - 4.44)
Region 3	5.06	(3.51 - 7.26)	7.89	(5.62 - 10.97)	3.55	(2.37 - 5.30)	4.18	(3.00 - 5.78)
Region 4	3.88	(2.69 - 5.59)	4.94	(3.48 - 6.97)	2.29	(1.44 - 3.62)	2.68	(1.86 - 3.84)
Region B	4.51	(3.60 - 5.63)	8.35	(6.81 - 10.20)	2.99	(2.22 - 4.02)	3.67	(2.93 - 4.59)
Region 5	4.69	(3.41 - 6.42)	9.13	(6.93 - 11.93)	3.54	(2.39 - 5.22)	4.24	(3.12 - 5.73)
Region 6	4.24	(2.95 - 6.04)	7.19	(4.95 - 10.33)	2.29	(1.41 - 3.69)	2.88	(1.99 - 4.15)
Region 7	4.33	(2.94 - 6.33)	7.63	(5.33 - 10.80)	2.22	(1.32 - 3.70)	2.99	(2.05 - 4.36)
Region C	5.34	(4.40 - 6.46)	10.25	(8.71 - 12.04)	2.75	(2.14 - 3.53)	3.86	(3.26 - 4.56)
Region 8	5.16	(3.59 - 7.36)	9.19	(6.83 - 12.27)	2.45	(1.58 - 3.78)	3.42	(2.51 - 4.64)
Region 9	4.88	(3.43 - 6.89)	11.05	(8.26 - 14.64)	2.88	(1.82 - 4.52)	4.10	(3.01 - 5.57)
Region 10	4.81	(3.27 - 7.00)	8.93	(6.29 - 12.51)	2.48	(1.52 - 4.01)	3.66	(2.62 - 5.09)
Region 11	5.05	(3.58 - 7.07)	9.21	(6.72 - 12.48)	2.53	(1.64 - 3.88)	3.51	(2.57 - 4.78)
Region 12	6.39	(4.65 - 8.73)	12.16	(9.13 - 16.02)	3.19	(2.09 - 4.83)	4.41	(3.27 - 5.92)
Region D	4.89	(3.81 - 6.27)	8.52	(6.76 - 10.69)	2.63	(1.93 - 3.58)	3.53	(2.81 - 4.42)
Region 13	4.43	(2.97 - 6.57)	7.94	(5.35 - 11.63)	2.35	(1.44 - 3.82)	3.15	(2.16 - 4.58)
Region 14	4.20	(2.73 - 6.41)	7.12	(4.72 - 10.59)	2.46	(1.47 - 4.11)	3.23	(2.19 - 4.74)
Region 15	5.93	(4.08 - 8.54)	10.54	(7.59 - 14.44)	3.04	(1.92 - 4.79)	4.15	(2.96 - 5.78)
North Carolina	5.50	(4.41 - 6.85)	8.62	(7.00 - 10.56)	2.79	(2.07 - 3.76)	3.61	(2.89 - 4.51)
Eastern	4.22	(2.81 - 6.29)	7.66	(5.32 - 10.92)	2.25	(1.33 - 3.79)	3.08	(2.09 - 4.52)
North Central	5.77	(4.00 - 8.27)	8.23	(5.75 - 11.66)	2.96	(1.84 - 4.73)	3.70	(2.56 - 5.33)
South Central	4.50	(3.09 - 6.51)	7.14	(4.90 - 10.30)	2.30	(1.41 - 3.73)	3.01	(2.08 - 4.35)
Western	6.86	(4.92 - 9.49)	10.75	(8.12 - 14.10)	3.31	(2.19 - 4.98)	4.27	(3.14 - 5.78)
North Dakota	4.11	(3.15 - 5.35)	5.18	(3.92 - 6.81)	1.77	(1.20 - 2.60)	2.37	(1.78 - 3.14)
Badlands and West Central Lake Region and South Central	4.11	(2.77 - 6.07)	5.16	(3.36 - 7.84)	1.72	(1.00 - 2.93)	2.21	(1.46 - 3.34)
North Central and Northwest	4.53	(2.98 - 6.84)	5.23	(3.30 - 8.18)	1.76	(0.98 - 3.13)	2.20	(1.38 - 3.50)
Northeast	3.96	(2.54 - 6.11)	5.43	(3.53 - 8.26)	1.78	(1.00 - 3.15)	2.35	(1.52 - 3.62)
Southeast	4.03	(2.61 - 6.18)	5.53	(3.60 - 8.40)	2.01	(1.16 - 3.46)	2.81	(1.88 - 4.19)
Southeast	3.97	(2.62 - 5.99)	4.86	(3.27 - 7.16)	1.72	(0.99 - 2.97)	2.39	(1.62 - 3.52)

See notes at end of table.

(continued)

Table 2. Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	4.86	(4.26 - 5.53)	8.29	(7.43 - 9.23)	2.29	(1.91 - 2.75)	3.17	(2.80 - 3.59)
Boards 2, 46, 55, and 68	4.89	(3.38 - 7.02)	8.29	(5.95 - 11.45)	2.19	(1.41 - 3.38)	3.05	(2.19 - 4.23)
Boards 3, 52, and 85	4.58	(3.10 - 6.71)	8.00	(5.52 - 11.48)	1.96	(1.19 - 3.23)	2.85	(1.97 - 4.10)
Boards 4 and 78	4.88	(3.33 - 7.10)	7.36	(5.01 - 10.67)	2.02	(1.22 - 3.32)	2.69	(1.83 - 3.94)
Boards 5 and 60	4.45	(2.97 - 6.60)	8.00	(5.61 - 11.29)	2.17	(1.34 - 3.50)	3.24	(2.30 - 4.56)
Boards 7, 15, 41, 79, and 84	4.87	(3.34 - 7.03)	7.98	(5.54 - 11.38)	1.92	(1.19 - 3.11)	2.70	(1.88 - 3.85)
Boards 8, 13, and 83	4.23	(2.84 - 6.26)	8.09	(5.62 - 11.52)	2.16	(1.35 - 3.44)	2.98	(2.09 - 4.25)
Board 9 (Butler)	4.78	(3.23 - 7.01)	8.32	(5.83 - 11.73)	2.15	(1.34 - 3.45)	3.25	(2.30 - 4.56)
Board 12	4.76	(3.23 - 6.96)	8.40	(5.89 - 11.84)	2.20	(1.37 - 3.50)	3.19	(2.25 - 4.49)
Boards 18 and 47	4.63	(3.49 - 6.11)	7.63	(5.89 - 9.84)	2.17	(1.49 - 3.13)	2.88	(2.20 - 3.77)
Boards 20, 32, 54, and 69	4.44	(2.98 - 6.58)	7.83	(5.37 - 11.27)	2.05	(1.24 - 3.38)	2.87	(1.98 - 4.15)
Boards 21, 39, 51, 70, and 80	5.32	(3.75 - 7.49)	8.14	(5.82 - 11.27)	2.40	(1.53 - 3.74)	3.17	(2.25 - 4.44)
Boards 22, 74, and 87	4.93	(3.35 - 7.22)	8.27	(5.76 - 11.76)	2.15	(1.34 - 3.46)	3.14	(2.21 - 4.44)
Boards 23 and 45	4.51	(3.02 - 6.67)	7.62	(5.19 - 11.05)	1.98	(1.20 - 3.27)	2.78	(1.92 - 4.02)
Board 25 (Franklin)	5.05	(3.66 - 6.93)	7.60	(5.83 - 9.86)	2.48	(1.66 - 3.69)	3.40	(2.56 - 4.50)
Boards 27, 71, and 73	5.77	(4.03 - 8.21)	9.49	(6.79 - 13.12)	2.67	(1.71 - 4.16)	3.65	(2.61 - 5.08)
Boards 28, 43, and 67	5.82	(4.09 - 8.22)	10.83	(7.88 - 14.72)	2.53	(1.60 - 3.97)	3.72	(2.69 - 5.14)
Board 31 (Hamilton)	5.37	(3.84 - 7.47)	8.83	(6.54 - 11.83)	3.02	(2.01 - 4.52)	3.91	(2.89 - 5.27)
Board 48 (Lucas)	4.42	(3.04 - 6.39)	7.31	(5.20 - 10.17)	2.18	(1.36 - 3.47)	2.98	(2.11 - 4.20)
Boards 50 and 76	4.99	(3.47 - 7.12)	9.48	(6.94 - 12.83)	2.26	(1.44 - 3.52)	3.20	(2.32 - 4.40)
Board 57 (Montgomery)	4.49	(3.08 - 6.51)	9.23	(6.67 - 12.63)	2.41	(1.51 - 3.82)	3.42	(2.44 - 4.80)
Board 77 (Summit)	4.33	(3.01 - 6.19)	8.35	(5.91 - 11.66)	2.15	(1.38 - 3.33)	2.97	(2.14 - 4.10)
Oklahoma	5.83	(4.68 - 7.25)	8.58	(6.94 - 10.56)	2.88	(2.17 - 3.80)	3.79	(3.06 - 4.68)
Central	5.16	(3.38 - 7.80)	8.10	(5.45 - 11.89)	2.62	(1.59 - 4.27)	3.61	(2.48 - 5.22)
East Central	5.91	(3.95 - 8.74)	8.39	(5.57 - 12.44)	2.71	(1.61 - 4.53)	3.52	(2.35 - 5.25)
Northeast	5.45	(3.57 - 8.23)	8.25	(5.62 - 11.95)	2.69	(1.65 - 4.37)	3.58	(2.46 - 5.17)
Northwest and Southwest	5.43	(3.63 - 8.03)	8.27	(5.62 - 12.01)	2.65	(1.62 - 4.32)	3.57	(2.45 - 5.18)
Oklahoma County	5.21	(3.47 - 7.75)	8.80	(6.06 - 12.61)	2.69	(1.64 - 4.38)	3.72	(2.57 - 5.36)
Southeast	6.21	(4.14 - 9.21)	8.96	(5.94 - 13.30)	2.99	(1.83 - 4.85)	3.84	(2.58 - 5.68)
Tulsa County	7.39	(4.95 - 10.90)	9.05	(6.21 - 13.01)	3.63	(2.22 - 5.89)	4.50	(3.05 - 6.59)

See notes at end of table.

(continued)

Table 2. Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	4.91	(3.91 - 6.16)	9.31	(7.57 - 11.39)	2.37	(1.76 - 3.20)	3.36	(2.73 - 4.14)
Region 1 (Multnomah)	4.86	(3.25 - 7.22)	10.74	(7.68 - 14.81)	2.81	(1.76 - 4.46)	4.00	(2.85 - 5.60)
Region 2	4.66	(3.22 - 6.70)	10.21	(7.23 - 14.22)	2.18	(1.34 - 3.54)	3.30	(2.37 - 4.59)
Region 3	4.68	(3.23 - 6.74)	7.54	(5.51 - 10.25)	2.15	(1.37 - 3.37)	3.00	(2.18 - 4.12)
Region 4	6.06	(4.00 - 9.06)	10.89	(7.34 - 15.86)	2.63	(1.61 - 4.29)	3.60	(2.47 - 5.20)
Region 5	4.78	(3.11 - 7.27)	8.48	(5.51 - 12.84)	2.26	(1.34 - 3.78)	3.06	(2.04 - 4.58)
Pennsylvania	4.61	(4.01 - 5.29)	8.37	(7.44 - 9.40)	2.18	(1.79 - 2.65)	3.05	(2.67 - 3.48)
Region 1 (Allegheny)	4.26	(3.07 - 5.90)	8.94	(6.70 - 11.83)	2.39	(1.55 - 3.67)	3.26	(2.39 - 4.43)
Regions 2, 3, 8, and 9	4.26	(2.97 - 6.07)	8.18	(5.77 - 11.49)	1.89	(1.16 - 3.08)	2.79	(1.98 - 3.92)
Regions 4, 11, 37, and 49	4.51	(3.20 - 6.32)	7.76	(5.65 - 10.57)	1.96	(1.24 - 3.10)	2.72	(1.95 - 3.78)
Regions 5, 18, 23, 24, and 46	4.08	(2.78 - 5.95)	7.11	(5.12 - 9.79)	1.70	(1.07 - 2.70)	2.46	(1.76 - 3.41)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	4.56	(3.22 - 6.41)	7.50	(5.55 - 10.06)	1.80	(1.15 - 2.81)	2.85	(2.12 - 3.82)
Regions 7, 13, 20, and 33	5.15	(3.98 - 6.64)	9.91	(7.91 - 12.34)	2.24	(1.57 - 3.20)	3.24	(2.55 - 4.11)
Regions 10, 14, 15, 27, 32, 43, and 44	4.68	(3.21 - 6.77)	9.70	(6.96 - 13.37)	2.58	(1.62 - 4.09)	3.53	(2.50 - 4.98)
Regions 17 and 21	4.74	(3.23 - 6.90)	8.67	(6.10 - 12.17)	2.10	(1.29 - 3.42)	3.15	(2.24 - 4.42)
Regions 19, 26, 28, and 42	3.79	(2.70 - 5.29)	6.30	(4.69 - 8.41)	1.68	(1.06 - 2.65)	2.31	(1.67 - 3.19)
Regions 22, 38, 40, 41, and 48	4.98	(3.55 - 6.94)	9.37	(6.79 - 12.79)	2.03	(1.30 - 3.17)	2.92	(2.11 - 4.01)
Regions 25 and 30	4.48	(3.06 - 6.52)	9.93	(7.21 - 13.51)	2.24	(1.42 - 3.52)	3.24	(2.33 - 4.49)
Regions 29 and 34	3.81	(2.51 - 5.74)	7.32	(5.05 - 10.50)	1.90	(1.15 - 3.11)	2.63	(1.81 - 3.81)
Region 36 (Philadelphia)	5.32	(3.93 - 7.16)	7.90	(6.04 - 10.26)	3.09	(2.09 - 4.55)	3.91	(2.92 - 5.22)
Rhode Island	5.48	(4.29 - 6.99)	11.82	(9.80 - 14.19)	2.91	(2.19 - 3.87)	4.29	(3.54 - 5.18)
Bristol and Newport	6.31	(4.15 - 9.46)	*	(* - *)	3.00	(1.81 - 4.93)	4.29	(2.94 - 6.23)
Kent	5.54	(3.70 - 8.23)	11.23	(7.88 - 15.77)	2.58	(1.59 - 4.16)	3.64	(2.55 - 5.17)
Providence	5.13	(3.71 - 7.06)	11.00	(8.65 - 13.90)	2.98	(2.06 - 4.30)	4.31	(3.35 - 5.52)
Washington	6.29	(4.23 - 9.25)	*	(* - *)	2.95	(1.84 - 4.69)	5.03	(3.69 - 6.82)
South Carolina	5.07	(4.09 - 6.27)	8.51	(6.85 - 10.53)	2.43	(1.82 - 3.25)	3.33	(2.70 - 4.11)
Region 1	5.36	(3.76 - 7.59)	9.56	(6.87 - 13.16)	2.62	(1.67 - 4.07)	3.61	(2.60 - 4.98)
Region 2	5.72	(4.05 - 8.04)	9.43	(6.88 - 12.79)	2.75	(1.78 - 4.22)	3.75	(2.74 - 5.12)
Region 3	4.26	(2.87 - 6.27)	7.01	(4.65 - 10.44)	1.89	(1.14 - 3.12)	2.61	(1.79 - 3.80)
Region 4	4.61	(3.23 - 6.54)	7.42	(5.27 - 10.35)	2.25	(1.40 - 3.60)	3.05	(2.16 - 4.30)

See notes at end of table.

(continued)

Table 2. *Illicit Drug Use Other Than Marijuana in Past Month* among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	4.93	(3.81 - 6.36)	5.14	(3.87 - 6.80)	1.78	(1.22 - 2.58)	2.33	(1.77 - 3.07)
Region 1	5.07	(3.35 - 7.61)	5.17	(3.31 - 7.98)	1.84	(1.06 - 3.18)	2.39	(1.56 - 3.64)
Region 2	4.80	(3.23 - 7.07)	5.01	(3.34 - 7.45)	1.75	(1.04 - 2.93)	2.30	(1.56 - 3.39)
Region 3	4.18	(2.75 - 6.31)	5.33	(3.50 - 8.05)	1.58	(0.88 - 2.83)	2.27	(1.50 - 3.42)
Region 4	6.52	(4.10 - 10.22)	5.96	(3.67 - 9.53)	2.13	(1.16 - 3.89)	2.79	(1.74 - 4.43)
Region 5	4.92	(3.10 - 7.74)	5.13	(3.20 - 8.12)	1.66	(0.91 - 3.01)	2.12	(1.33 - 3.37)
Region 6	4.42	(2.79 - 6.93)	4.21	(2.59 - 6.79)	1.68	(0.91 - 3.09)	2.01	(1.22 - 3.29)
Region 7	5.04	(3.27 - 7.69)	4.94	(3.16 - 7.63)	1.91	(1.10 - 3.30)	2.40	(1.56 - 3.68)
Tennessee	5.65	(4.56 - 6.97)	10.53	(8.71 - 12.68)	3.21	(2.44 - 4.20)	4.24	(3.48 - 5.17)
Region 1	6.64	(4.38 - 9.94)	*	(* - *)	3.44	(2.10 - 5.61)	4.66	(3.18 - 6.78)
Region 2	6.32	(4.38 - 9.04)	11.63	(8.42 - 15.86)	3.26	(2.11 - 5.01)	4.41	(3.19 - 6.08)
Region 3	5.95	(4.10 - 8.57)	11.78	(8.47 - 16.14)	3.17	(2.02 - 4.95)	4.35	(3.12 - 6.04)
Region 4 (Davidson)	5.81	(3.77 - 8.84)	11.05	(7.63 - 15.74)	4.37	(2.67 - 7.08)	5.42	(3.68 - 7.90)
Region 5	5.64	(3.96 - 7.99)	10.59	(7.68 - 14.45)	3.12	(1.99 - 4.88)	4.19	(3.01 - 5.81)
Region 6	4.90	(3.19 - 7.45)	8.77	(5.81 - 13.04)	2.59	(1.53 - 4.36)	3.45	(2.31 - 5.14)
Region 7 (Shelby)	4.62	(3.08 - 6.87)	7.41	(4.95 - 10.97)	2.81	(1.66 - 4.72)	3.50	(2.33 - 5.24)

See notes at end of table.

(continued)

Table 2. *Illicit Drug Use Other Than Marijuana in Past Month* among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	4.80	(4.19 - 5.50)	8.89	(7.95 - 9.92)	2.67	(2.23 - 3.19)	3.69	(3.28 - 4.16)
Region 1	4.90	(3.32 - 7.17)	10.07	(7.26 - 13.81)	2.61	(1.66 - 4.09)	3.93	(2.87 - 5.37)
Region 2	5.08	(3.43 - 7.45)	10.21	(7.09 - 14.49)	2.83	(1.74 - 4.58)	3.99	(2.76 - 5.72)
Region 3	5.00	(4.02 - 6.20)	8.08	(6.65 - 9.80)	2.84	(2.17 - 3.71)	3.68	(3.03 - 4.47)
Region 3a	5.49	(4.21 - 7.12)	8.26	(6.48 - 10.46)	2.99	(2.16 - 4.13)	3.85	(3.03 - 4.89)
Region 3bc	4.15	(2.96 - 5.79)	7.76	(5.77 - 10.35)	2.59	(1.73 - 3.85)	3.38	(2.52 - 4.53)
Region 4	5.63	(3.93 - 7.99)	11.07	(8.20 - 14.77)	2.75	(1.79 - 4.20)	3.88	(2.87 - 5.25)
Region 5	5.34	(3.58 - 7.88)	11.50	(8.13 - 16.01)	2.74	(1.75 - 4.26)	4.03	(2.91 - 5.55)
Region 6	4.27	(3.30 - 5.51)	7.87	(6.43 - 9.59)	2.54	(1.87 - 3.44)	3.40	(2.74 - 4.20)
Region 6a	4.14	(3.11 - 5.51)	7.52	(6.01 - 9.38)	2.49	(1.77 - 3.49)	3.31	(2.61 - 4.20)
Region 6bc	5.35	(3.61 - 7.88)	11.13	(7.81 - 15.62)	2.92	(1.86 - 4.55)	4.07	(2.89 - 5.70)
Region 7	5.10	(3.91 - 6.63)	10.50	(8.45 - 12.98)	3.12	(2.30 - 4.23)	4.58	(3.72 - 5.63)
Region 7a	5.89	(4.18 - 8.23)	12.30	(9.31 - 16.08)	3.61	(2.46 - 5.27)	5.23	(4.01 - 6.79)
Region 7bcd	4.04	(2.71 - 6.00)	8.07	(5.82 - 11.09)	2.35	(1.47 - 3.71)	3.58	(2.61 - 4.87)
Region 8	4.64	(3.32 - 6.46)	10.26	(7.70 - 13.54)	2.23	(1.41 - 3.51)	3.46	(2.58 - 4.64)
Region 9	5.43	(3.64 - 8.03)	9.03	(6.10 - 13.16)	2.74	(1.65 - 4.51)	3.73	(2.53 - 5.45)
Region 10	5.43	(3.69 - 7.91)	8.18	(5.55 - 11.92)	2.69	(1.64 - 4.37)	3.63	(2.51 - 5.22)
Region 11	4.33	(3.20 - 5.84)	7.27	(5.48 - 9.60)	2.28	(1.54 - 3.37)	3.17	(2.40 - 4.18)
Region 11abd	4.27	(2.89 - 6.26)	7.79	(5.47 - 10.99)	2.34	(1.44 - 3.78)	3.27	(2.31 - 4.62)
Region 11c (Hidalgo)	4.45	(2.98 - 6.62)	6.34	(4.28 - 9.30)	2.16	(1.28 - 3.62)	2.96	(2.02 - 4.33)
Utah	5.02	(4.00 - 6.28)	7.41	(5.92 - 9.24)	2.78	(2.07 - 3.71)	3.77	(3.07 - 4.63)
Bear River, Northeastern, Summit, Tooele, and Wasatch	5.11	(3.36 - 7.71)	7.50	(4.87 - 11.37)	2.59	(1.57 - 4.25)	3.67	(2.50 - 5.36)
Central, Four Corners, San Juan, and Southwest	5.15	(3.46 - 7.59)	7.09	(4.54 - 10.90)	2.48	(1.49 - 4.09)	3.33	(2.25 - 4.89)
Davis County	5.62	(3.68 - 8.49)	8.65	(5.77 - 12.79)	2.91	(1.76 - 4.77)	4.05	(2.78 - 5.88)
Salt Lake County	4.80	(3.41 - 6.72)	7.63	(5.57 - 10.36)	3.01	(2.00 - 4.52)	3.92	(2.90 - 5.28)
Utah County	4.62	(3.04 - 6.98)	6.63	(4.51 - 9.63)	2.48	(1.49 - 4.10)	3.74	(2.63 - 5.31)
Weber, Morgan	5.65	(3.73 - 8.49)	7.45	(4.92 - 11.14)	2.65	(1.57 - 4.44)	3.57	(2.41 - 5.26)

See notes at end of table.

(continued)

Table 2. Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	5.28	(4.22 - 6.60)	12.21	(10.29 - 14.44)	2.35	(1.73 - 3.19)	3.78	(3.13 - 4.56)
Champlain Valley	5.41	(3.91 - 7.45)	14.22	(11.34 - 17.68)	2.43	(1.58 - 3.72)	4.48	(3.53 - 5.67)
Rural Northeast	5.40	(3.78 - 7.65)	11.05	(8.06 - 14.97)	2.32	(1.49 - 3.59)	3.52	(2.61 - 4.74)
Rural Southeast	4.76	(3.20 - 7.02)	10.18	(7.18 - 14.25)	2.17	(1.30 - 3.62)	3.09	(2.13 - 4.46)
Rural Southwest	5.46	(3.69 - 8.02)	10.01	(6.96 - 14.21)	2.43	(1.43 - 4.10)	3.40	(2.32 - 4.96)
Virginia	4.61	(3.64 - 5.81)	8.85	(7.15 - 10.90)	2.33	(1.73 - 3.13)	3.25	(2.63 - 4.02)
Region 1	4.79	(3.24 - 7.03)	9.85	(6.86 - 13.95)	2.19	(1.31 - 3.63)	3.32	(2.33 - 4.71)
Region 2	3.96	(2.67 - 5.82)	7.41	(5.13 - 10.59)	2.18	(1.35 - 3.49)	2.85	(1.98 - 4.09)
Region 3	5.66	(3.86 - 8.25)	11.27	(7.98 - 15.69)	2.46	(1.53 - 3.95)	3.68	(2.62 - 5.14)
Region 4	5.00	(3.38 - 7.36)	8.75	(6.15 - 12.29)	2.76	(1.70 - 4.46)	3.56	(2.45 - 5.16)
Region 5	4.13	(2.78 - 6.10)	7.95	(5.57 - 11.22)	2.17	(1.31 - 3.57)	3.09	(2.16 - 4.41)
Washington	4.85	(3.85 - 6.08)	9.36	(7.58 - 11.50)	2.69	(1.99 - 3.63)	3.66	(2.95 - 4.53)
Region 1	4.77	(3.15 - 7.17)	9.05	(6.19 - 13.06)	2.41	(1.44 - 4.00)	3.47	(2.39 - 5.01)
Region 2	4.86	(3.23 - 7.26)	8.56	(5.59 - 12.89)	2.58	(1.54 - 4.29)	3.53	(2.38 - 5.19)
Region 3	5.20	(3.51 - 7.62)	10.31	(7.11 - 14.71)	2.75	(1.66 - 4.53)	3.86	(2.66 - 5.58)
Region 4 (King)	4.93	(3.37 - 7.16)	9.54	(6.94 - 12.97)	2.96	(1.90 - 4.59)	3.88	(2.79 - 5.36)
Region 5	4.60	(3.09 - 6.80)	8.70	(5.93 - 12.58)	2.61	(1.61 - 4.19)	3.53	(2.46 - 5.04)
Region 6	4.66	(3.18 - 6.78)	9.46	(6.50 - 13.58)	2.51	(1.52 - 4.10)	3.42	(2.36 - 4.93)
West Virginia	5.77	(4.70 - 7.07)	12.29	(10.36 - 14.52)	2.81	(2.13 - 3.72)	4.08	(3.38 - 4.93)
Eastern Highland	6.06	(4.26 - 8.55)	11.23	(8.14 - 15.29)	2.71	(1.68 - 4.36)	3.79	(2.67 - 5.33)
Northern	5.81	(4.21 - 7.98)	15.02	(11.76 - 18.98)	3.10	(2.10 - 4.58)	4.90	(3.79 - 6.31)
Northern A and B	5.10	(3.26 - 7.88)	10.60	(7.15 - 15.46)	2.57	(1.52 - 4.30)	3.53	(2.37 - 5.21)
Northern C and D	6.15	(4.10 - 9.12)	16.63	(12.63 - 21.59)	3.39	(2.13 - 5.37)	5.59	(4.18 - 7.45)
South Central	5.66	(4.33 - 7.35)	11.44	(9.00 - 14.42)	2.64	(1.86 - 3.73)	3.78	(2.95 - 4.84)
South Central I	5.83	(3.88 - 8.67)	10.82	(7.52 - 15.32)	2.48	(1.48 - 4.14)	3.48	(2.38 - 5.05)
South Central II	6.56	(4.38 - 9.73)	*	(* - *)	3.02	(1.84 - 4.93)	4.62	(3.26 - 6.51)
South Central III	4.91	(3.34 - 7.15)	10.00	(7.06 - 13.98)	2.49	(1.52 - 4.07)	3.41	(2.36 - 4.91)
Southern	5.59	(4.07 - 7.64)	10.76	(8.05 - 14.23)	2.87	(1.92 - 4.27)	3.89	(2.89 - 5.21)
Southern I and III	5.38	(3.63 - 7.92)	10.39	(7.22 - 14.72)	2.74	(1.67 - 4.46)	3.72	(2.58 - 5.33)
Southern II	6.01	(3.95 - 9.04)	11.48	(7.81 - 16.56)	3.15	(1.88 - 5.22)	4.22	(2.84 - 6.22)

See notes at end of table.

(continued)

Table 2. Illicit Drug Use Other Than Marijuana in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	5.11	(4.13 - 6.31)	8.22	(6.59 - 10.20)	2.23	(1.68 - 2.96)	3.14	(2.55 - 3.86)
Milwaukee	4.13	(2.68 - 6.33)	7.88	(5.36 - 11.42)	2.36	(1.43 - 3.86)	3.25	(2.24 - 4.68)
Northeastern	4.97	(3.36 - 7.29)	8.43	(5.90 - 11.92)	2.18	(1.34 - 3.51)	3.08	(2.16 - 4.36)
Northern	4.83	(3.14 - 7.36)	7.77	(5.34 - 11.19)	2.15	(1.26 - 3.65)	2.91	(1.94 - 4.32)
Southeastern	6.10	(4.28 - 8.61)	7.51	(5.09 - 10.96)	2.28	(1.40 - 3.70)	2.99	(2.05 - 4.34)
Southern	4.88	(3.36 - 7.04)	8.41	(5.74 - 12.17)	2.25	(1.42 - 3.54)	3.27	(2.33 - 4.56)
Western	5.57	(3.76 - 8.18)	9.13	(6.18 - 13.31)	2.13	(1.29 - 3.50)	3.32	(2.33 - 4.70)
Wyoming	5.28	(4.30 - 6.46)	9.25	(7.55 - 11.29)	2.71	(2.07 - 3.54)	3.75	(3.08 - 4.55)
Judicial District 1 (Laramie)	4.68	(3.13 - 6.93)	8.27	(5.65 - 11.95)	2.74	(1.67 - 4.44)	3.59	(2.45 - 5.21)
Judicial District 2	4.91	(3.25 - 7.36)	8.35	(5.75 - 11.96)	2.84	(1.71 - 4.70)	4.35	(3.07 - 6.13)
Judicial District 3	6.07	(4.16 - 8.77)	9.76	(6.85 - 13.72)	2.83	(1.78 - 4.48)	3.94	(2.81 - 5.50)
Judicial District 4	5.65	(3.67 - 8.61)	*	(* - *)	2.72	(1.58 - 4.64)	3.58	(2.36 - 5.42)
Judicial District 5	5.27	(3.51 - 7.83)	9.28	(6.14 - 13.79)	2.38	(1.40 - 4.00)	3.24	(2.16 - 4.82)
Judicial District 6	5.21	(3.42 - 7.88)	8.77	(5.70 - 13.26)	2.37	(1.41 - 3.96)	3.37	(2.26 - 4.99)
Judicial District 7 (Natrona)	4.96	(3.37 - 7.24)	10.24	(7.13 - 14.50)	2.59	(1.61 - 4.15)	3.80	(2.71 - 5.31)
Judicial District 8	5.26	(3.42 - 8.00)	8.49	(5.58 - 12.71)	2.62	(1.57 - 4.34)	3.35	(2.23 - 5.00)
Judicial District 9	5.45	(3.55 - 8.28)	*	(* - *)	3.13	(1.90 - 5.12)	4.20	(2.84 - 6.17)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

NOTE: Illicit Drugs Other Than Marijuana include cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	6.99		16.20		4.15		5.95	
Northeast	7.91	(7.39 - 8.47)	20.14	(19.29 - 21.01)	4.56	(4.16 - 4.99)	6.74	(6.37 - 7.12)
Midwest	6.97	(6.57 - 7.39)	15.72	(15.12 - 16.33)	3.95	(3.65 - 4.28)	5.74	(5.46 - 6.03)
South	6.17	(5.81 - 6.55)	14.40	(13.83 - 14.99)	3.56	(3.28 - 3.86)	5.16	(4.91 - 5.43)
West	7.57	(7.00 - 8.17)	16.45	(15.66 - 17.26)	4.96	(4.50 - 5.47)	6.74	(6.32 - 7.18)
Alabama	6.20	(4.90 - 7.80)	12.67	(10.67 - 14.99)	3.20	(2.40 - 4.25)	4.61	(3.79 - 5.61)
Region 1	6.23	(4.32 - 8.91)	10.91	(7.95 - 14.78)	2.60	(1.67 - 4.02)	3.72	(2.69 - 5.11)
Region 2	6.45	(4.49 - 9.18)	14.30	(11.15 - 18.15)	3.51	(2.36 - 5.18)	5.14	(3.92 - 6.72)
Region 3	5.44	(3.57 - 8.20)	12.02	(8.73 - 16.31)	3.36	(2.11 - 5.30)	4.90	(3.52 - 6.78)
Region 4	6.46	(4.52 - 9.16)	12.95	(9.68 - 17.13)	3.42	(2.23 - 5.22)	4.76	(3.49 - 6.47)
Alaska	9.68	(7.82 - 11.93)	21.08	(18.46 - 23.97)	7.76	(6.20 - 9.68)	9.91	(8.45 - 11.60)
Gulf Coast	8.56	(5.57 - 12.94)	*	(* - *)	6.32	(3.93 - 10.01)	8.18	(5.68 - 11.64)
Rural	7.29	(4.70 - 11.14)	*	(* - *)	6.73	(4.14 - 10.75)	9.01	(6.27 - 12.78)
Southeast	10.37	(6.97 - 15.16)	*	(* - *)	7.39	(4.80 - 11.21)	9.52	(6.85 - 13.09)
Urban	10.26	(7.97 - 13.12)	21.42	(18.41 - 24.76)	8.27	(6.41 - 10.60)	10.45	(8.73 - 12.46)
Arizona	7.60	(6.02 - 9.54)	13.89	(11.60 - 16.55)	3.41	(2.54 - 4.57)	5.00	(4.10 - 6.09)
Maricopa	7.42	(5.56 - 9.84)	14.09	(11.38 - 17.31)	3.46	(2.42 - 4.93)	5.13	(4.05 - 6.48)
Pima	8.68	(5.79 - 12.80)	13.16	(9.26 - 18.39)	3.83	(2.41 - 6.04)	5.25	(3.71 - 7.40)
Rural North	8.33	(5.54 - 12.33)	*	(* - *)	3.48	(2.14 - 5.61)	5.14	(3.61 - 7.27)
Rural South	6.35	(4.02 - 9.89)	*	(* - *)	2.55	(1.50 - 4.32)	3.84	(2.56 - 5.70)
Arkansas	7.92	(6.42 - 9.72)	14.01	(11.96 - 16.34)	3.74	(2.84 - 4.92)	5.28	(4.37 - 6.36)
Areas 1 and 2	9.01	(6.14 - 13.03)	13.40	(9.77 - 18.11)	3.39	(2.12 - 5.38)	4.95	(3.55 - 6.86)
Areas 3 and 4	6.87	(4.71 - 9.93)	12.26	(8.88 - 16.70)	3.33	(2.12 - 5.20)	4.66	(3.33 - 6.47)
Areas 5 and 6	7.22	(4.83 - 10.67)	12.15	(8.99 - 16.23)	3.64	(2.29 - 5.72)	4.97	(3.56 - 6.89)
Areas 7, 12, and 13	7.32	(4.94 - 10.71)	12.83	(9.24 - 17.54)	3.63	(2.26 - 5.77)	5.03	(3.56 - 7.06)
Areas 8, 10, and 11	8.64	(5.94 - 12.41)	17.12	(13.05 - 22.13)	3.91	(2.48 - 6.13)	5.73	(4.20 - 7.78)
Area 9	8.41	(5.92 - 11.80)	16.68	(12.37 - 22.12)	4.52	(3.01 - 6.74)	6.28	(4.67 - 8.41)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	7.40	(6.55 - 8.35)	16.24	(15.03 - 17.52)	5.22	(4.52 - 6.02)	6.93	(6.29 - 7.64)
Region 1	10.24	(7.16 - 14.42)	*	(* - *)	8.76	(5.90 - 12.81)	11.46	(8.58 - 15.14)
Region 2	8.59	(6.51 - 11.25)	21.08	(17.63 - 25.01)	7.43	(5.48 - 10.00)	9.44	(7.57 - 11.70)
Region 3	6.34	(4.35 - 9.15)	15.78	(11.85 - 20.70)	4.69	(3.13 - 6.97)	6.46	(4.78 - 8.67)
Region 4	9.49	(6.75 - 13.20)	23.52	(18.55 - 29.34)	8.23	(5.91 - 11.34)	10.07	(7.78 - 12.95)
Region 5	8.74	(6.42 - 11.79)	20.46	(16.41 - 25.21)	6.72	(4.88 - 9.20)	8.61	(6.77 - 10.89)
Region 6 (Santa Clara)	6.16	(4.10 - 9.14)	12.60	(9.18 - 17.06)	3.81	(2.54 - 5.67)	5.06	(3.71 - 6.88)
Region 7	7.47	(4.95 - 11.13)	15.77	(11.61 - 21.06)	5.97	(3.96 - 8.91)	7.64	(5.56 - 10.41)
Region 8	6.23	(4.40 - 8.75)	13.63	(10.06 - 18.20)	4.25	(2.80 - 6.38)	5.92	(4.38 - 7.96)
Region 9	7.37	(5.06 - 10.62)	18.01	(13.72 - 23.26)	5.02	(3.31 - 7.56)	7.28	(5.44 - 9.68)
Region 10	8.31	(5.77 - 11.83)	20.77	(15.93 - 26.62)	5.92	(3.91 - 8.85)	8.30	(6.20 - 11.02)
Region 11 (Los Angeles)	6.44	(5.16 - 8.01)	12.54	(10.62 - 14.76)	4.04	(3.11 - 5.24)	5.42	(4.52 - 6.47)
Region 12	6.64	(4.70 - 9.31)	14.66	(11.19 - 18.98)	4.38	(2.94 - 6.47)	6.15	(4.62 - 8.14)
Region 13 (Riverside)	7.57	(5.37 - 10.57)	15.21	(11.49 - 19.85)	3.92	(2.59 - 5.89)	5.63	(4.18 - 7.55)
Region 14 (Orange)	8.59	(6.31 - 11.59)	16.71	(13.27 - 20.82)	4.77	(3.30 - 6.84)	6.55	(5.02 - 8.49)
Region 15	7.49	(5.44 - 10.22)	16.13	(12.90 - 19.99)	4.90	(3.52 - 6.80)	6.80	(5.39 - 8.55)
Colorado	8.68	(7.04 - 10.66)	20.78	(17.97 - 23.90)	4.77	(3.66 - 6.18)	7.14	(6.03 - 8.42)
Region 1	7.49	(5.05 - 10.97)	*	(* - *)	4.07	(2.58 - 6.37)	7.01	(5.21 - 9.37)
Regions 2 and 7	9.87	(7.59 - 12.74)	22.21	(18.44 - 26.49)	5.21	(3.78 - 7.15)	7.66	(6.23 - 9.39)
Region 3	7.80	(5.24 - 11.45)	*	(* - *)	3.93	(2.44 - 6.28)	6.15	(4.46 - 8.43)
Region 4	6.36	(4.04 - 9.87)	*	(* - *)	3.31	(2.03 - 5.36)	4.85	(3.38 - 6.91)
Regions 5 and 6	6.96	(4.53 - 10.56)	*	(* - *)	5.08	(3.20 - 7.96)	7.09	(5.06 - 9.85)
Connecticut	8.39	(6.90 - 10.18)	23.34	(20.36 - 26.61)	4.75	(3.66 - 6.15)	7.22	(6.11 - 8.50)
Eastern	8.21	(5.64 - 11.80)	*	(* - *)	5.42	(3.42 - 8.48)	8.88	(6.56 - 11.91)
North Central	7.93	(5.66 - 11.01)	24.21	(19.54 - 29.58)	4.44	(3.02 - 6.48)	6.97	(5.45 - 8.88)
Northwestern	9.20	(6.57 - 12.74)	22.53	(17.51 - 28.49)	4.75	(3.09 - 7.23)	6.91	(5.13 - 9.24)
South Central	8.90	(6.48 - 12.12)	22.93	(18.13 - 28.55)	5.41	(3.62 - 8.02)	7.82	(5.95 - 10.22)
Southwest	7.79	(5.45 - 11.03)	*	(* - *)	4.04	(2.62 - 6.18)	6.09	(4.51 - 8.18)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	6.87	(5.49 - 8.57)	19.14	(16.46 - 22.13)	3.43	(2.59 - 4.54)	5.73	(4.83 - 6.79)
Kent	5.46	(3.52 - 8.36)	13.93	(10.15 - 18.82)	3.15	(1.95 - 5.05)	4.86	(3.51 - 6.68)
New Castle (excluding Wilmington City)	7.01	(5.23 - 9.34)	20.74	(17.17 - 24.82)	3.16	(2.18 - 4.56)	5.90	(4.78 - 7.26)
Sussex	8.02	(5.53 - 11.49)	18.59	(14.09 - 24.11)	3.36	(2.17 - 5.19)	5.05	(3.71 - 6.83)
Wilmington City	6.50	(4.18 - 9.96)	*	(* - *)	5.58	(3.48 - 8.83)	7.82	(5.52 - 10.98)
District of Columbia	6.23	(4.88 - 7.93)	18.29	(15.69 - 21.22)	5.32	(4.14 - 6.81)	7.39	(6.24 - 8.73)
Ward 1	5.62	(3.49 - 8.94)	*	(* - *)	6.82	(4.40 - 10.44)	8.95	(6.47 - 12.25)
Ward 2	*	(* - *)	19.12	(14.93 - 24.15)	6.25	(4.12 - 9.37)	9.44	(7.24 - 12.23)
Ward 3	6.60	(4.33 - 9.94)	*	(* - *)	4.21	(2.64 - 6.66)	5.99	(4.27 - 8.35)
Ward 4	6.02	(3.88 - 9.23)	*	(* - *)	4.07	(2.55 - 6.42)	5.34	(3.71 - 7.63)
Ward 5	6.63	(4.32 - 10.03)	*	(* - *)	5.55	(3.64 - 8.39)	7.93	(5.86 - 10.66)
Ward 6	5.84	(3.64 - 9.24)	*	(* - *)	5.59	(3.52 - 8.77)	7.33	(5.12 - 10.39)
Ward 7	6.25	(4.18 - 9.26)	*	(* - *)	4.70	(2.98 - 7.34)	6.10	(4.29 - 8.60)
Ward 8	6.53	(4.54 - 9.31)	*	(* - *)	5.95	(3.87 - 9.05)	8.28	(6.09 - 11.17)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	6.92	(6.14 - 7.78)	17.39	(16.12 - 18.74)	3.75	(3.22 - 4.36)	5.52	(5.01 - 6.08)
Region A	7.58	(5.93 - 9.65)	20.64	(17.49 - 24.20)	5.47	(4.15 - 7.19)	8.15	(6.77 - 9.79)
Circuit 1	7.21	(5.05 - 10.20)	19.09	(14.36 - 24.92)	5.11	(3.41 - 7.57)	7.28	(5.44 - 9.68)
Circuit 2	8.53	(5.71 - 12.54)	24.15	(19.26 - 29.83)	6.93	(4.55 - 10.44)	11.06	(8.53 - 14.21)
Circuit 14	7.04	(4.73 - 10.35)	*	(* - *)	4.56	(2.92 - 7.05)	6.24	(4.45 - 8.67)
Region B	7.86	(6.32 - 9.73)	20.58	(17.83 - 23.62)	4.81	(3.77 - 6.12)	7.27	(6.20 - 8.51)
Circuits 3 and 8	7.88	(5.36 - 11.44)	19.27	(14.98 - 24.43)	4.76	(3.21 - 6.99)	7.85	(6.06 - 10.09)
Circuit 4	7.70	(5.57 - 10.55)	20.69	(16.54 - 25.56)	5.74	(4.04 - 8.10)	8.06	(6.32 - 10.23)
Circuit 7	8.11	(5.77 - 11.30)	22.10	(17.16 - 27.98)	3.66	(2.42 - 5.52)	5.80	(4.39 - 7.63)
Region C	6.88	(5.73 - 8.23)	16.77	(14.70 - 19.06)	3.58	(2.86 - 4.47)	5.26	(4.51 - 6.12)
Circuit 5	6.63	(4.62 - 9.44)	16.46	(12.41 - 21.50)	2.56	(1.68 - 3.89)	3.84	(2.83 - 5.19)
Circuit 9	6.76	(4.91 - 9.24)	16.51	(13.20 - 20.46)	4.33	(3.00 - 6.21)	6.38	(4.98 - 8.14)
Circuit 10	6.35	(4.30 - 9.29)	13.37	(9.39 - 18.69)	2.73	(1.70 - 4.36)	4.11	(2.89 - 5.80)
Circuit 18	7.38	(5.21 - 10.36)	19.23	(15.11 - 24.15)	4.60	(3.18 - 6.61)	6.38	(4.86 - 8.32)
Circuit 19	7.33	(5.07 - 10.47)	*	(* - *)	3.09	(1.98 - 4.80)	4.65	(3.38 - 6.38)
Region D	6.28	(5.23 - 7.51)	14.58	(12.82 - 16.53)	3.25	(2.61 - 4.05)	4.66	(4.02 - 5.41)
Circuits 11 and 16	4.75	(3.45 - 6.51)	11.10	(8.86 - 13.81)	2.58	(1.79 - 3.70)	3.74	(2.92 - 4.78)
Circuit 15 (Palm Beach)	7.94	(5.78 - 10.80)	22.40	(18.43 - 26.94)	4.15	(2.88 - 5.94)	6.07	(4.75 - 7.73)
Circuit 17 (Broward)	7.51	(5.68 - 9.86)	15.35	(12.40 - 18.85)	3.56	(2.51 - 5.02)	4.98	(3.89 - 6.36)
Region E	6.97	(5.81 - 8.33)	18.19	(15.95 - 20.68)	3.50	(2.81 - 4.36)	5.13	(4.41 - 5.96)
Circuit 6	7.18	(5.24 - 9.77)	21.52	(17.23 - 26.53)	3.79	(2.62 - 5.45)	5.54	(4.28 - 7.14)
Circuit 12	8.11	(5.65 - 11.50)	19.17	(14.35 - 25.13)	2.95	(1.91 - 4.53)	4.46	(3.26 - 6.07)
Circuit 13 (Hillsborough)	6.61	(4.77 - 9.09)	16.77	(13.24 - 21.00)	4.18	(2.91 - 5.97)	6.07	(4.72 - 7.77)
Circuit 20	6.44	(4.50 - 9.12)	15.48	(11.75 - 20.13)	2.86	(1.91 - 4.27)	4.12	(3.06 - 5.51)
Georgia	5.81	(4.60 - 7.31)	14.76	(12.59 - 17.24)	4.65	(3.50 - 6.15)	6.19	(5.07 - 7.53)
Region 1	5.64	(3.77 - 8.37)	12.74	(9.16 - 17.44)	3.54	(2.23 - 5.57)	4.83	(3.41 - 6.81)
Region 2	5.20	(3.48 - 7.70)	13.54	(10.01 - 18.07)	3.69	(2.32 - 5.83)	5.23	(3.76 - 7.22)
Region 3	6.31	(4.48 - 8.82)	17.32	(13.93 - 21.34)	6.14	(4.29 - 8.72)	7.81	(6.00 - 10.11)
Region 4	5.02	(3.24 - 7.70)	10.75	(7.40 - 15.36)	3.17	(1.89 - 5.27)	4.33	(2.95 - 6.30)
Region 5	5.95	(3.97 - 8.80)	14.10	(10.06 - 19.41)	3.55	(2.14 - 5.83)	5.35	(3.76 - 7.56)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	7.85	(6.14 - 9.98)	15.60	(13.11 - 18.45)	4.14	(3.06 - 5.59)	5.67	(4.58 - 6.99)
Hawaii Island	8.47	(5.59 - 12.65)	*	(* - *)	6.96	(4.32 - 11.03)	8.59	(5.92 - 12.29)
Honolulu	7.60	(5.69 - 10.09)	14.39	(11.68 - 17.62)	3.15	(2.12 - 4.65)	4.71	(3.65 - 6.07)
Kauai and Maui**	8.35	(5.78 - 11.90)	18.05	(13.66 - 23.46)	6.29	(4.20 - 9.33)	7.66	(5.55 - 10.47)
Maui	8.85	(5.82 - 13.24)	*	(* - *)	6.91	(4.39 - 10.71)	8.33	(5.81 - 11.82)
Idaho	6.06	(4.82 - 7.58)	12.97	(11.09 - 15.12)	3.30	(2.48 - 4.37)	4.91	(4.08 - 5.89)
Region 1	6.92	(4.62 - 10.24)	15.93	(11.55 - 21.56)	3.52	(2.21 - 5.57)	5.11	(3.64 - 7.14)
Region 2	5.95	(3.82 - 9.15)	*	(* - *)	3.84	(2.38 - 6.15)	6.03	(4.30 - 8.39)
Region 3	6.98	(4.61 - 10.44)	11.44	(8.11 - 15.91)	2.76	(1.71 - 4.45)	4.14	(2.95 - 5.80)
Region 4	6.27	(4.36 - 8.94)	14.12	(11.00 - 17.94)	3.88	(2.58 - 5.81)	5.57	(4.23 - 7.29)
Region 5	5.91	(3.88 - 8.90)	10.99	(7.42 - 15.96)	2.84	(1.70 - 4.69)	4.07	(2.76 - 5.95)
Region 6	5.28	(3.41 - 8.09)	12.04	(8.50 - 16.77)	3.04	(1.85 - 4.94)	4.75	(3.36 - 6.68)
Region 7	4.86	(3.11 - 7.53)	10.74	(7.56 - 15.03)	2.61	(1.59 - 4.24)	4.31	(3.09 - 5.99)
Illinois	6.27	(5.51 - 7.13)	15.67	(14.42 - 17.01)	3.59	(3.02 - 4.26)	5.42	(4.88 - 6.01)
Region I (Cook)	6.96	(5.74 - 8.43)	16.65	(14.66 - 18.84)	4.43	(3.49 - 5.60)	6.30	(5.42 - 7.31)
Region II	5.36	(4.28 - 6.70)	14.62	(12.64 - 16.86)	2.91	(2.18 - 3.87)	4.59	(3.84 - 5.47)
Region III	6.79	(5.07 - 9.02)	14.86	(12.10 - 18.12)	3.18	(2.25 - 4.48)	5.20	(4.18 - 6.44)
Region IV	6.39	(4.52 - 8.95)	14.62	(11.37 - 18.60)	2.83	(1.89 - 4.21)	4.53	(3.47 - 5.88)
Region V	5.53	(4.00 - 7.61)	16.17	(13.31 - 19.51)	2.99	(2.05 - 4.34)	4.96	(3.95 - 6.20)
Indiana	6.75	(5.49 - 8.28)	14.91	(12.80 - 17.30)	3.64	(2.80 - 4.72)	5.37	(4.51 - 6.38)
Central	7.50	(5.36 - 10.41)	16.62	(12.99 - 21.02)	4.47	(2.96 - 6.70)	6.20	(4.66 - 8.21)
East	6.11	(4.04 - 9.16)	13.27	(9.34 - 18.52)	3.00	(1.87 - 4.78)	4.59	(3.27 - 6.40)
North Central	5.94	(3.86 - 9.04)	14.12	(10.17 - 19.29)	3.60	(2.26 - 5.71)	5.18	(3.67 - 7.25)
Northeast	5.34	(3.47 - 8.13)	12.76	(8.97 - 17.83)	2.92	(1.77 - 4.78)	4.40	(3.09 - 6.25)
Northwest	6.27	(4.17 - 9.32)	*	(* - *)	4.16	(2.65 - 6.49)	5.85	(4.18 - 8.14)
Southeast	7.67	(5.11 - 11.36)	*	(* - *)	3.16	(1.99 - 4.99)	4.81	(3.45 - 6.67)
Southwest	6.55	(4.23 - 10.01)	*	(* - *)	3.30	(2.01 - 5.37)	5.07	(3.53 - 7.23)
West	7.80	(5.26 - 11.42)	14.07	(10.45 - 18.68)	3.11	(1.95 - 4.91)	5.50	(4.08 - 7.39)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	6.18	(4.88 - 7.81)	12.25	(10.26 - 14.57)	2.70	(1.99 - 3.65)	4.18	(3.43 - 5.10)
Central	8.05	(5.42 - 11.80)	14.06	(10.22 - 19.04)	3.20	(1.96 - 5.17)	4.81	(3.40 - 6.76)
North Central	6.28	(4.07 - 9.56)	9.85	(6.67 - 14.33)	2.25	(1.33 - 3.78)	3.66	(2.53 - 5.25)
Northeast	5.67	(3.87 - 8.23)	14.45	(10.91 - 18.89)	2.86	(1.85 - 4.41)	4.67	(3.49 - 6.23)
Northwest	5.56	(3.65 - 8.38)	9.37	(6.44 - 13.43)	2.06	(1.24 - 3.42)	3.08	(2.11 - 4.46)
Southeast	5.55	(3.67 - 8.30)	12.33	(9.12 - 16.47)	2.92	(1.84 - 4.59)	4.48	(3.28 - 6.09)
Southwest	6.75	(4.46 - 10.11)	11.10	(7.84 - 15.48)	2.58	(1.58 - 4.19)	3.70	(2.58 - 5.28)
Kansas	7.09	(5.69 - 8.79)	13.61	(11.51 - 16.02)	3.61	(2.77 - 4.69)	5.23	(4.37 - 6.24)
Kansas City Metro	8.97	(6.46 - 12.34)	15.34	(12.12 - 19.24)	4.60	(3.16 - 6.66)	6.39	(4.93 - 8.24)
Northeast	6.31	(4.26 - 9.26)	12.26	(8.80 - 16.84)	3.06	(1.87 - 4.97)	4.65	(3.30 - 6.52)
South Central	6.02	(4.03 - 8.89)	11.74	(8.15 - 16.64)	2.62	(1.60 - 4.27)	3.98	(2.77 - 5.68)
Southeast	6.46	(4.11 - 10.00)	*	(* - *)	*	(* - *)	4.76	(3.12 - 7.18)
West	5.94	(3.85 - 9.08)	11.91	(8.23 - 16.94)	2.68	(1.61 - 4.44)	4.10	(2.83 - 5.91)
Wichita (Sedgwick)	6.47	(4.23 - 9.76)	14.82	(10.81 - 19.99)	3.95	(2.59 - 5.99)	5.67	(4.16 - 7.68)
Kentucky	7.61	(6.24 - 9.24)	14.92	(12.82 - 17.30)	4.06	(3.13 - 5.24)	5.60	(4.67 - 6.72)
Adanta, Cumberland River, and Lifeskills	6.02	(4.09 - 8.77)	12.04	(8.72 - 16.38)	2.83	(1.75 - 4.55)	4.14	(2.92 - 5.82)
Bluegrass, Comprehend, and North Key	7.60	(5.44 - 10.51)	16.04	(12.65 - 20.15)	4.66	(3.19 - 6.76)	6.43	(4.91 - 8.36)
Communicare and River Valley	6.62	(4.37 - 9.91)	*	(* - *)	3.57	(2.21 - 5.74)	5.19	(3.65 - 7.33)
Four Rivers and Pennyroyal	8.05	(5.43 - 11.77)	14.25	(10.12 - 19.70)	3.67	(2.28 - 5.85)	5.18	(3.63 - 7.34)
Kentucky River, Mountain, and Pathways	5.64	(3.74 - 8.44)	11.16	(7.93 - 15.48)	2.96	(1.83 - 4.78)	4.12	(2.88 - 5.85)
Seven Counties	10.38	(7.52 - 14.16)	18.07	(13.81 - 23.30)	5.26	(3.52 - 7.78)	6.91	(5.12 - 9.26)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	5.63	(4.45 - 7.11)	14.49	(12.34 - 16.94)	3.60	(2.72 - 4.76)	5.41	(4.50 - 6.50)
Region 1	5.50	(3.41 - 8.74)	*	(* - *)	4.63	(2.77 - 7.62)	6.68	(4.62 - 9.56)
Regions 2 and 9	6.73	(4.70 - 9.55)	16.95	(13.32 - 21.31)	3.67	(2.44 - 5.48)	5.99	(4.64 - 7.70)
Region 3	5.46	(3.55 - 8.31)	14.26	(10.21 - 19.57)	3.87	(2.39 - 6.21)	5.57	(3.95 - 7.78)
Region 4	5.04	(3.27 - 7.68)	11.20	(7.77 - 15.88)	2.84	(1.73 - 4.63)	4.24	(2.98 - 6.01)
Regions 5 and 6	4.82	(3.09 - 7.45)	11.84	(8.35 - 16.51)	2.87	(1.79 - 4.57)	4.31	(3.06 - 6.05)
Regions 7 and 8	5.32	(3.54 - 7.91)	14.40	(10.88 - 18.81)	3.59	(2.32 - 5.53)	5.41	(4.01 - 7.26)
Region 10 (Jefferson)	5.67	(3.65 - 8.70)	*	(* - *)	3.85	(2.32 - 6.33)	5.18	(3.50 - 7.59)
Maine	11.99	(9.97 - 14.37)	26.16	(23.39 - 29.14)	5.61	(4.35 - 7.21)	8.31	(7.10 - 9.71)
Aroostook/Downeast	10.05	(6.83 - 14.54)	*	(* - *)	4.77	(2.94 - 7.66)	6.91	(4.91 - 9.65)
Central	11.45	(8.01 - 16.10)	28.48	(22.79 - 34.95)	6.01	(3.95 - 9.04)	8.96	(6.79 - 11.73)
Cumberland	13.20	(9.67 - 17.76)	27.34	(22.02 - 33.40)	6.53	(4.49 - 9.41)	9.31	(7.20 - 11.96)
Midcoast	11.43	(7.95 - 16.17)	*	(* - *)	4.71	(2.99 - 7.35)	6.56	(4.72 - 9.04)
Penquis	11.61	(8.13 - 16.33)	28.84	(23.28 - 35.11)	5.51	(3.57 - 8.42)	9.21	(7.08 - 11.91)
Western	13.49	(9.55 - 18.72)	25.56	(20.38 - 31.54)	6.14	(4.14 - 9.02)	8.83	(6.76 - 11.45)
York	11.66	(8.39 - 15.97)	*	(* - *)	4.96	(3.24 - 7.52)	7.60	(5.75 - 10.00)
Maryland	5.90	(4.67 - 7.43)	13.19	(11.09 - 15.62)	3.14	(2.32 - 4.25)	4.55	(3.71 - 5.57)
Anne Arundel	5.90	(3.84 - 8.96)	*	(* - *)	2.92	(1.68 - 5.03)	4.35	(2.89 - 6.49)
Baltimore City	5.59	(3.59 - 8.61)	15.15	(10.90 - 20.68)	5.17	(3.27 - 8.10)	6.81	(4.83 - 9.53)
Baltimore County	5.52	(3.58 - 8.42)	13.91	(10.28 - 18.56)	2.92	(1.78 - 4.74)	4.45	(3.20 - 6.16)
Montgomery	6.36	(4.14 - 9.64)	14.45	(10.33 - 19.84)	3.37	(2.09 - 5.38)	4.68	(3.29 - 6.61)
North Central	7.28	(4.64 - 11.25)	*	(* - *)	2.67	(1.55 - 4.56)	4.00	(2.69 - 5.90)
Northeast	6.18	(3.95 - 9.53)	*	(* - *)	2.75	(1.64 - 4.57)	4.31	(3.00 - 6.17)
Prince George's	5.06	(3.23 - 7.83)	10.93	(7.72 - 15.24)	3.04	(1.83 - 5.01)	4.29	(2.99 - 6.14)
South	6.12	(4.04 - 9.17)	11.73	(8.13 - 16.64)	2.67	(1.60 - 4.42)	3.98	(2.75 - 5.73)
West	5.77	(3.66 - 8.97)	*	(* - *)	2.16	(1.26 - 3.69)	3.45	(2.32 - 5.10)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	9.59	(7.92 - 11.56)	25.01	(22.19 - 28.07)	5.08	(3.98 - 6.45)	7.89	(6.78 - 9.17)
Boston	8.29	(5.59 - 12.12)	23.06	(17.94 - 29.13)	6.42	(4.21 - 9.66)	9.84	(7.45 - 12.88)
Central	10.33	(7.13 - 14.75)	*	(* - *)	5.34	(3.47 - 8.12)	8.20	(6.13 - 10.90)
Metrowest	9.36	(6.81 - 12.74)	23.22	(18.12 - 29.25)	4.53	(3.05 - 6.69)	6.92	(5.28 - 9.03)
Northeast	8.72	(6.12 - 12.28)	*	(* - *)	4.88	(3.29 - 7.19)	7.21	(5.45 - 9.47)
Southeast	9.99	(7.14 - 13.82)	25.57	(20.12 - 31.91)	4.74	(3.19 - 7.01)	7.30	(5.59 - 9.49)
Western	10.85	(7.55 - 15.36)	30.62	(24.84 - 37.09)	5.49	(3.57 - 8.37)	9.49	(7.34 - 12.18)
Michigan	7.68	(6.89 - 8.55)	18.19	(16.96 - 19.48)	4.68	(4.06 - 5.40)	6.68	(6.09 - 7.33)
Bay	7.76	(5.52 - 10.81)	13.74	(10.09 - 18.44)	3.90	(2.60 - 5.81)	5.22	(3.83 - 7.07)
Detroit City	7.34	(5.43 - 9.87)	21.83	(17.90 - 26.35)	7.94	(5.87 - 10.66)	10.12	(8.12 - 12.55)
Genesee	8.07	(5.87 - 10.99)	21.35	(16.87 - 26.63)	5.41	(3.77 - 7.69)	7.71	(5.97 - 9.89)
Kalamazoo	7.61	(5.63 - 10.22)	18.16	(14.51 - 22.48)	3.88	(2.67 - 5.60)	6.20	(4.88 - 7.85)
Kent	6.33	(4.44 - 8.95)	18.34	(14.58 - 22.82)	3.64	(2.40 - 5.48)	6.15	(4.78 - 7.89)
Lakeshore	7.66	(5.68 - 10.25)	14.15	(11.03 - 17.97)	3.47	(2.41 - 4.98)	5.13	(3.99 - 6.56)
Macomb	6.50	(4.71 - 8.91)	18.16	(14.54 - 22.46)	4.43	(3.16 - 6.19)	6.24	(4.91 - 7.91)
Mid South	8.99	(6.87 - 11.69)	18.49	(15.27 - 22.21)	4.44	(3.17 - 6.19)	6.92	(5.60 - 8.52)
Northern	7.71	(5.73 - 10.30)	15.68	(12.33 - 19.74)	4.03	(2.79 - 5.77)	5.65	(4.35 - 7.32)
Oakland	8.27	(6.39 - 10.63)	21.75	(18.25 - 25.71)	5.93	(4.47 - 7.82)	7.89	(6.46 - 9.60)
Pathways	*	(* - *)	17.83	(13.21 - 23.62)	5.49	(3.52 - 8.46)	7.32	(5.27 - 10.08)
Saginaw	9.44	(6.30 - 13.90)	*	(* - *)	4.72	(3.01 - 7.32)	6.37	(4.53 - 8.90)
Southeast	7.81	(6.01 - 10.08)	17.62	(14.57 - 21.14)	3.87	(2.81 - 5.31)	5.70	(4.61 - 7.03)
St. Clair	6.68	(4.44 - 9.94)	15.32	(11.25 - 20.53)	3.58	(2.26 - 5.60)	5.14	(3.69 - 7.12)
Washtenaw	7.11	(5.12 - 9.79)	18.43	(14.44 - 23.21)	4.52	(3.12 - 6.50)	7.17	(5.61 - 9.13)
Western	*	(* - *)	13.70	(9.82 - 18.78)	3.71	(2.25 - 6.05)	5.19	(3.62 - 7.37)
Minnesota	7.36	(5.99 - 9.00)	16.50	(14.24 - 19.05)	5.03	(3.91 - 6.46)	6.79	(5.70 - 8.07)
Regions 1 and 2	7.30	(4.78 - 10.99)	*	(* - *)	5.31	(3.31 - 8.40)	6.91	(4.84 - 9.78)
Regions 3 and 4	7.12	(4.98 - 10.07)	16.12	(12.14 - 21.08)	4.01	(2.60 - 6.12)	5.99	(4.45 - 8.01)
Regions 5 and 6	6.16	(4.20 - 8.95)	14.21	(10.44 - 19.04)	3.46	(2.24 - 5.31)	5.14	(3.81 - 6.92)
Region 7A (Hennepin)	9.19	(6.41 - 13.03)	19.46	(15.23 - 24.52)	6.91	(4.72 - 10.00)	8.79	(6.64 - 11.56)
Region 7B (Ramsey)	6.92	(4.63 - 10.21)	*	(* - *)	5.71	(3.58 - 9.00)	7.61	(5.38 - 10.66)
Region 7C	7.26	(5.11 - 10.21)	15.54	(11.65 - 20.42)	4.70	(3.10 - 7.05)	6.24	(4.59 - 8.43)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	5.31	(4.18 - 6.72)	11.80	(9.81 - 14.13)	3.48	(2.63 - 4.61)	4.84	(3.97 - 5.88)
Region 1	5.22	(3.47 - 7.78)	11.79	(8.45 - 16.22)	3.15	(2.01 - 4.90)	4.49	(3.23 - 6.23)
Region 2	4.88	(3.19 - 7.39)	12.29	(8.67 - 17.14)	4.07	(2.59 - 6.33)	5.45	(3.86 - 7.63)
Region 3	4.33	(2.77 - 6.73)	9.32	(6.48 - 13.24)	2.63	(1.57 - 4.38)	3.79	(2.62 - 5.45)
Region 4	5.57	(3.74 - 8.21)	12.56	(9.00 - 17.26)	3.49	(2.22 - 5.44)	4.97	(3.58 - 6.87)
Region 5	4.54	(2.87 - 7.11)	8.92	(5.95 - 13.16)	2.95	(1.76 - 4.89)	3.87	(2.60 - 5.73)
Region 6	5.99	(3.88 - 9.14)	11.01	(7.58 - 15.74)	3.31	(1.97 - 5.52)	4.68	(3.18 - 6.85)
Region 7	6.37	(4.22 - 9.51)	14.78	(10.90 - 19.75)	4.49	(2.87 - 6.96)	6.06	(4.35 - 8.38)
Missouri	7.14	(5.83 - 8.71)	14.57	(12.49 - 16.93)	3.82	(2.93 - 4.96)	5.44	(4.54 - 6.51)
Central	7.84	(5.35 - 11.35)	13.56	(9.94 - 18.22)	3.15	(1.96 - 5.01)	4.97	(3.61 - 6.81)
Eastern	7.53	(5.75 - 9.81)	16.93	(13.62 - 20.84)	4.56	(3.23 - 6.40)	6.33	(4.95 - 8.07)
Eastern (St. Louis City and County)	6.99	(4.94 - 9.80)	18.12	(13.90 - 23.27)	5.01	(3.35 - 7.43)	6.89	(5.15 - 9.17)
Eastern (excluding St. Louis)	8.49	(5.77 - 12.33)	14.55	(10.56 - 19.71)	3.65	(2.28 - 5.78)	5.22	(3.72 - 7.27)
Northwest	7.15	(5.20 - 9.75)	14.01	(10.71 - 18.12)	3.81	(2.62 - 5.51)	5.34	(4.03 - 7.04)
Northwest (Jackson)	7.56	(5.07 - 11.13)	15.39	(11.07 - 21.00)	4.45	(2.81 - 6.99)	6.07	(4.27 - 8.54)
Northwest (excluding Jackson)	6.79	(4.49 - 10.15)	*	(* - *)	3.23	(1.97 - 5.27)	4.69	(3.25 - 6.74)
Southeast	6.41	(4.22 - 9.62)	12.65	(9.35 - 16.90)	3.40	(2.09 - 5.48)	4.73	(3.33 - 6.68)
Southwest	6.13	(4.11 - 9.05)	12.84	(9.52 - 17.10)	3.03	(1.94 - 4.71)	4.53	(3.32 - 6.15)
Montana	9.72	(8.02 - 11.74)	21.34	(18.82 - 24.09)	6.30	(4.98 - 7.93)	8.58	(7.34 - 10.01)
Region 1	9.34	(6.27 - 13.68)	*	(* - *)	4.42	(2.70 - 7.15)	5.99	(4.16 - 8.56)
Region 2	8.79	(6.07 - 12.58)	14.54	(10.38 - 20.00)	3.93	(2.49 - 6.16)	5.53	(3.96 - 7.67)
Region 3	9.35	(6.74 - 12.83)	17.84	(13.69 - 22.90)	4.55	(2.93 - 7.02)	6.44	(4.72 - 8.71)
Region 4	8.44	(5.97 - 11.80)	20.99	(17.21 - 25.33)	6.28	(4.41 - 8.86)	8.74	(6.90 - 11.00)
Region 5	11.64	(8.55 - 15.67)	27.90	(23.05 - 33.31)	9.20	(6.53 - 12.80)	12.09	(9.55 - 15.19)
Nebraska	5.33	(4.13 - 6.85)	14.51	(12.29 - 17.06)	3.01	(2.22 - 4.08)	4.87	(4.04 - 5.87)
Regions 1 and 2	5.49	(3.52 - 8.46)	*	(* - *)	2.42	(1.41 - 4.15)	3.66	(2.44 - 5.45)
Region 3	6.35	(4.06 - 9.80)	*	(* - *)	2.43	(1.44 - 4.07)	4.18	(2.91 - 5.97)
Region 4	4.69	(3.01 - 7.24)	9.63	(6.47 - 14.08)	2.11	(1.23 - 3.58)	3.19	(2.17 - 4.67)
Region 5	5.03	(3.36 - 7.46)	12.63	(9.66 - 16.35)	3.00	(1.92 - 4.67)	4.80	(3.60 - 6.36)
Region 6	5.35	(3.70 - 7.67)	18.18	(14.46 - 22.60)	3.69	(2.49 - 5.43)	6.04	(4.73 - 7.69)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	7.62	(6.00 - 9.64)	15.27	(12.93 - 17.95)	5.01	(3.81 - 6.57)	6.42	(5.25 - 7.82)
Clark	7.47	(5.58 - 9.95)	14.91	(12.22 - 18.07)	4.95	(3.58 - 6.81)	6.34	(5.00 - 8.00)
Rural	7.63	(5.21 - 11.06)	14.67	(10.66 - 19.85)	4.56	(2.94 - 7.01)	5.74	(4.08 - 8.04)
Washoe	8.24	(5.61 - 11.94)	17.29	(12.93 - 22.73)	5.68	(3.69 - 8.65)	7.34	(5.29 - 10.10)
New Hampshire	8.21	(6.68 - 10.06)	24.82	(21.92 - 27.97)	4.85	(3.80 - 6.18)	7.58	(6.52 - 8.80)
Central	8.48	(6.29 - 11.34)	23.77	(19.60 - 28.52)	4.99	(3.55 - 6.99)	7.75	(6.19 - 9.67)
Central 1	8.21	(5.54 - 12.02)	*	(* - *)	4.88	(3.19 - 7.40)	8.10	(6.16 - 10.59)
Central 2	8.75	(5.96 - 12.66)	*	(* - *)	5.09	(3.28 - 7.82)	7.42	(5.44 - 10.04)
Northern	7.90	(5.22 - 11.78)	*	(* - *)	5.20	(3.41 - 7.86)	8.00	(6.03 - 10.55)
Southern	8.15	(6.43 - 10.28)	25.28	(21.64 - 29.30)	4.71	(3.55 - 6.23)	7.40	(6.18 - 8.84)
Southern 1 (Rockingham)	9.20	(6.61 - 12.67)	*	(* - *)	4.29	(2.89 - 6.32)	6.63	(5.07 - 8.61)
Southern 2	7.52	(5.60 - 10.04)	25.66	(21.32 - 30.53)	4.98	(3.51 - 7.01)	7.88	(6.31 - 9.78)
New Jersey	6.36	(5.04 - 7.99)	15.41	(13.05 - 18.10)	3.11	(2.35 - 4.11)	4.71	(3.89 - 5.69)
Central	6.02	(4.10 - 8.74)	15.03	(11.05 - 20.12)	2.91	(1.85 - 4.57)	4.37	(3.14 - 6.03)
Metropolitan	6.07	(4.09 - 8.93)	14.92	(11.28 - 19.49)	2.88	(1.84 - 4.49)	4.59	(3.40 - 6.17)
Northern	5.87	(4.14 - 8.27)	14.48	(11.03 - 18.79)	2.57	(1.68 - 3.92)	4.07	(3.04 - 5.42)
Southern	7.66	(5.30 - 10.95)	17.80	(13.65 - 22.87)	4.49	(2.91 - 6.86)	6.26	(4.61 - 8.47)
New Mexico	9.44	(7.63 - 11.61)	18.83	(16.29 - 21.65)	4.41	(3.34 - 5.81)	6.72	(5.65 - 7.98)
Region 1	9.66	(6.85 - 13.46)	16.45	(12.07 - 22.02)	4.03	(2.54 - 6.34)	6.02	(4.37 - 8.26)
Region 2	12.11	(8.44 - 17.08)	*	(* - *)	6.07	(3.88 - 9.36)	8.12	(5.83 - 11.19)
Region 3 (Bernalillo)	8.80	(6.33 - 12.11)	20.81	(17.01 - 25.21)	4.85	(3.33 - 7.03)	7.46	(5.88 - 9.42)
Region 4	8.03	(5.25 - 12.07)	15.65	(11.42 - 21.09)	3.36	(2.07 - 5.42)	5.40	(3.90 - 7.44)
Region 5	9.14	(6.24 - 13.20)	18.43	(14.21 - 23.54)	3.41	(2.20 - 5.26)	5.99	(4.56 - 7.83)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	8.26	(7.34 - 9.27)	20.28	(18.85 - 21.80)	5.10	(4.41 - 5.89)	7.29	(6.65 - 8.00)
Region A	6.97	(5.81 - 8.33)	18.20	(16.21 - 20.37)	5.32	(4.40 - 6.40)	7.27	(6.38 - 8.27)
Region 1	6.37	(4.45 - 9.05)	16.96	(12.86 - 22.03)	5.09	(3.41 - 7.54)	7.04	(5.27 - 9.35)
Region 2	7.26	(5.53 - 9.48)	19.90	(16.49 - 23.80)	5.12	(3.81 - 6.84)	7.42	(6.08 - 9.03)
Region 3	8.76	(6.15 - 12.34)	22.83	(18.42 - 27.94)	8.11	(6.01 - 10.86)	10.23	(8.15 - 12.78)
Region 4	6.05	(4.26 - 8.53)	13.37	(10.52 - 16.86)	3.66	(2.55 - 5.23)	5.07	(3.93 - 6.51)
Region B	8.26	(6.85 - 9.92)	19.86	(17.38 - 22.59)	4.40	(3.47 - 5.56)	6.36	(5.42 - 7.44)
Region 5	8.40	(6.52 - 10.77)	18.83	(15.58 - 22.57)	4.21	(3.03 - 5.83)	6.03	(4.84 - 7.49)
Region 6	7.96	(5.78 - 10.86)	19.34	(14.89 - 24.74)	4.24	(2.89 - 6.19)	6.08	(4.59 - 8.01)
Region 7	8.23	(5.88 - 11.41)	23.62	(18.53 - 29.61)	5.33	(3.63 - 7.76)	7.95	(6.09 - 10.33)
Region C	10.01	(8.55 - 11.70)	24.60	(22.30 - 27.05)	5.37	(4.40 - 6.52)	8.20	(7.28 - 9.23)
Region 8	13.55	(9.92 - 18.22)	27.98	(23.42 - 33.04)	6.33	(4.44 - 8.94)	9.43	(7.55 - 11.72)
Region 9	9.48	(7.00 - 12.72)	27.39	(22.55 - 32.82)	5.72	(4.02 - 8.10)	8.97	(7.19 - 11.13)
Region 10	8.90	(6.38 - 12.26)	22.80	(17.99 - 28.43)	5.31	(3.66 - 7.63)	8.52	(6.70 - 10.76)
Region 11	7.94	(5.69 - 10.98)	23.86	(19.32 - 29.09)	4.29	(2.86 - 6.37)	7.16	(5.64 - 9.06)
Region 12	9.97	(7.62 - 12.94)	20.82	(16.99 - 25.24)	5.27	(3.78 - 7.29)	7.38	(5.86 - 9.27)
Region D	9.05	(7.15 - 11.40)	20.26	(17.22 - 23.68)	5.49	(4.20 - 7.14)	7.73	(6.41 - 9.31)
Region 13	7.90	(5.31 - 11.59)	19.17	(14.33 - 25.15)	5.27	(3.54 - 7.78)	7.27	(5.40 - 9.72)
Region 14	8.01	(5.38 - 11.76)	*	(* - *)	5.75	(3.76 - 8.72)	7.73	(5.61 - 10.56)
Region 15	10.99	(7.76 - 15.34)	23.91	(18.67 - 30.06)	5.43	(3.57 - 8.17)	8.15	(6.15 - 10.72)
North Carolina	7.23	(5.82 - 8.94)	14.46	(12.34 - 16.88)	3.46	(2.64 - 4.53)	5.01	(4.17 - 6.02)
Eastern	6.95	(4.85 - 9.86)	14.43	(10.91 - 18.85)	3.53	(2.28 - 5.43)	5.21	(3.85 - 7.01)
North Central	6.00	(4.09 - 8.72)	13.17	(9.77 - 17.52)	3.27	(2.11 - 5.03)	4.67	(3.41 - 6.37)
South Central	6.11	(4.24 - 8.75)	13.31	(9.86 - 17.73)	3.33	(2.17 - 5.07)	4.80	(3.53 - 6.49)
Western	9.15	(6.67 - 12.44)	16.42	(13.13 - 20.34)	3.66	(2.51 - 5.30)	5.30	(4.09 - 6.85)
North Dakota	5.52	(4.40 - 6.90)	11.79	(9.90 - 13.98)	3.10	(2.26 - 4.24)	4.62	(3.77 - 5.64)
Badlands and West Central	6.22	(4.36 - 8.80)	12.46	(9.25 - 16.58)	3.32	(2.10 - 5.21)	4.64	(3.35 - 6.39)
Lake Region and South Central	5.08	(3.43 - 7.45)	9.56	(6.47 - 13.92)	2.49	(1.49 - 4.13)	3.41	(2.30 - 5.03)
North Central and Northwest	4.38	(2.81 - 6.77)	8.95	(6.32 - 12.54)	2.24	(1.33 - 3.75)	3.29	(2.28 - 4.73)
Northeast	4.85	(3.15 - 7.41)	9.75	(6.97 - 13.48)	3.01	(1.86 - 4.85)	4.55	(3.28 - 6.28)
Southeast	6.23	(4.31 - 8.91)	14.60	(11.35 - 18.59)	3.91	(2.56 - 5.92)	6.20	(4.75 - 8.04)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	7.24	(6.46 - 8.10)	16.35	(15.15 - 17.63)	4.22	(3.64 - 4.89)	6.00	(5.45 - 6.61)
Boards 2, 46, 55, and 68	6.79	(4.71 - 9.70)	13.27	(9.98 - 17.45)	3.65	(2.42 - 5.49)	5.01	(3.69 - 6.77)
Boards 3, 52, and 85	6.64	(4.61 - 9.49)	15.28	(11.33 - 20.28)	3.05	(2.02 - 4.57)	4.83	(3.62 - 6.43)
Boards 4 and 78	6.89	(4.76 - 9.88)	15.12	(11.37 - 19.82)	4.27	(2.81 - 6.43)	5.65	(4.10 - 7.72)
Boards 5 and 60	6.00	(4.07 - 8.77)	15.92	(12.06 - 20.73)	3.35	(2.18 - 5.12)	5.66	(4.27 - 7.46)
Boards 7, 15, 41, 79, and 84	6.28	(4.32 - 9.03)	15.10	(11.34 - 19.83)	3.10	(2.02 - 4.73)	4.63	(3.43 - 6.23)
Boards 8, 13, and 83	7.20	(5.10 - 10.09)	14.29	(10.49 - 19.18)	3.92	(2.60 - 5.87)	5.36	(3.92 - 7.29)
Board 9 (Butler)	6.55	(4.36 - 9.73)	15.82	(11.76 - 20.96)	3.88	(2.54 - 5.89)	5.99	(4.44 - 8.03)
Board 12	7.00	(4.76 - 10.17)	15.93	(11.90 - 21.00)	4.02	(2.66 - 6.05)	5.92	(4.39 - 7.95)
Boards 18 and 47	7.31	(5.69 - 9.33)	19.22	(16.17 - 22.70)	4.82	(3.63 - 6.36)	6.71	(5.53 - 8.13)
Boards 20, 32, 54, and 69	5.46	(3.67 - 8.05)	11.58	(8.14 - 16.20)	2.73	(1.70 - 4.36)	3.99	(2.82 - 5.61)
Boards 21, 39, 51, 70, and 80	7.48	(5.34 - 10.38)	13.62	(10.32 - 17.76)	3.74	(2.49 - 5.58)	5.07	(3.74 - 6.84)
Boards 22, 74, and 87	6.14	(4.11 - 9.08)	13.80	(9.99 - 18.76)	3.30	(2.14 - 5.08)	5.00	(3.63 - 6.84)
Boards 23 and 45	6.19	(4.22 - 8.98)	15.45	(11.24 - 20.85)	3.05	(1.92 - 4.81)	4.81	(3.48 - 6.62)
Board 25 (Franklin)	9.15	(6.86 - 12.10)	16.26	(13.32 - 19.70)	4.71	(3.36 - 6.56)	6.78	(5.42 - 8.45)
Boards 27, 71, and 73	5.91	(4.07 - 8.50)	13.44	(10.05 - 17.76)	3.70	(2.51 - 5.42)	5.09	(3.83 - 6.75)
Boards 28, 43, and 67	7.23	(5.11 - 10.13)	18.32	(14.29 - 23.17)	3.95	(2.67 - 5.81)	6.02	(4.59 - 7.85)
Board 31 (Hamilton)	8.28	(6.11 - 11.11)	19.08	(15.34 - 23.48)	5.85	(4.14 - 8.21)	7.87	(6.16 - 10.01)
Board 48 (Lucas)	7.15	(5.10 - 9.95)	16.69	(13.08 - 21.05)	4.93	(3.39 - 7.12)	6.77	(5.18 - 8.80)
Boards 50 and 76	6.79	(4.87 - 9.40)	14.46	(11.00 - 18.78)	3.72	(2.50 - 5.52)	5.13	(3.83 - 6.82)
Board 57 (Montgomery)	8.40	(5.98 - 11.69)	20.81	(16.28 - 26.21)	5.45	(3.70 - 7.98)	7.75	(5.90 - 10.11)
Board 77 (Summit)	8.21	(5.92 - 11.28)	18.10	(13.88 - 23.27)	4.63	(3.15 - 6.77)	6.42	(4.84 - 8.47)
Oklahoma	6.42	(5.10 - 8.05)	13.03	(10.95 - 15.44)	3.50	(2.61 - 4.70)	5.03	(4.11 - 6.14)
Central	6.12	(3.94 - 9.38)	12.90	(9.19 - 17.82)	3.24	(1.97 - 5.31)	4.99	(3.55 - 6.99)
East Central	5.71	(3.71 - 8.68)	10.27	(7.01 - 14.81)	2.57	(1.54 - 4.27)	3.67	(2.50 - 5.37)
Northeast	5.90	(3.84 - 8.97)	12.11	(8.67 - 16.65)	2.88	(1.75 - 4.70)	4.34	(3.06 - 6.13)
Northwest and Southwest	5.99	(3.95 - 8.99)	11.51	(8.21 - 15.90)	3.00	(1.85 - 4.82)	4.39	(3.09 - 6.19)
Oklahoma County	7.69	(5.24 - 11.15)	15.70	(11.56 - 20.97)	4.62	(2.93 - 7.21)	6.49	(4.70 - 8.90)
Southeast	5.58	(3.63 - 8.50)	11.00	(7.63 - 15.61)	2.73	(1.67 - 4.44)	3.92	(2.72 - 5.60)
Tulsa County	7.33	(4.92 - 10.79)	15.35	(11.44 - 20.27)	4.72	(3.01 - 7.31)	6.41	(4.62 - 8.83)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	8.88	(7.20 - 10.91)	19.20	(16.72 - 21.95)	5.80	(4.61 - 7.28)	7.71	(6.56 - 9.05)
Region 1 (Multnomah)	8.06	(5.42 - 11.83)	23.29	(18.40 - 29.02)	9.00	(6.41 - 12.50)	11.15	(8.63 - 14.30)
Region 2	8.94	(6.47 - 12.23)	19.57	(15.13 - 24.92)	5.24	(3.60 - 7.55)	7.24	(5.53 - 9.41)
Region 3	9.10	(6.67 - 12.29)	17.28	(13.94 - 21.23)	5.22	(3.68 - 7.35)	7.12	(5.59 - 9.03)
Region 4	8.72	(5.92 - 12.67)	*	(* - *)	4.54	(2.95 - 6.92)	6.09	(4.38 - 8.41)
Region 5	9.52	(6.37 - 13.98)	*	(* - *)	4.69	(2.98 - 7.30)	6.42	(4.53 - 9.02)
Pennsylvania	6.74	(6.01 - 7.56)	17.38	(16.16 - 18.66)	4.02	(3.43 - 4.71)	5.90	(5.35 - 6.51)
Region 1 (Allegheny)	7.70	(5.76 - 10.23)	22.10	(18.26 - 26.48)	5.31	(3.90 - 7.19)	7.54	(6.08 - 9.30)
Regions 2, 3, 8, and 9	5.58	(3.91 - 7.90)	15.56	(11.94 - 20.04)	2.86	(1.83 - 4.44)	4.68	(3.50 - 6.21)
Regions 4, 11, 37, and 49	7.27	(5.24 - 10.01)	15.93	(12.49 - 20.09)	3.75	(2.57 - 5.45)	5.34	(4.11 - 6.92)
Regions 5, 18, 23, 24, and 46	5.17	(3.62 - 7.34)	11.60	(8.79 - 15.17)	2.87	(1.91 - 4.31)	4.10	(3.06 - 5.46)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	7.03	(5.10 - 9.62)	16.05	(12.96 - 19.72)	2.99	(2.01 - 4.43)	5.40	(4.27 - 6.81)
Regions 7, 13, 20, and 33	7.74	(6.19 - 9.64)	19.51	(16.60 - 22.80)	4.01	(3.02 - 5.30)	6.02	(5.02 - 7.20)
Regions 10, 14, 15, 27, 32, 43, and 44	6.32	(4.36 - 9.07)	17.24	(13.40 - 21.91)	3.94	(2.67 - 5.79)	5.72	(4.36 - 7.48)
Regions 17 and 21	7.01	(4.85 - 10.02)	17.75	(13.65 - 22.76)	4.01	(2.63 - 6.05)	6.20	(4.65 - 8.24)
Regions 19, 26, 28, and 42	5.79	(4.31 - 7.74)	14.60	(11.98 - 17.69)	3.26	(2.34 - 4.53)	4.82	(3.86 - 6.00)
Regions 22, 38, 40, 41, and 48	5.81	(4.13 - 8.10)	15.13	(11.62 - 19.46)	3.58	(2.40 - 5.30)	4.98	(3.71 - 6.64)
Regions 25 and 30	6.70	(4.68 - 9.52)	19.68	(15.24 - 25.02)	4.15	(2.83 - 6.03)	6.17	(4.72 - 8.02)
Regions 29 and 34	6.21	(4.34 - 8.81)	16.59	(12.55 - 21.60)	3.69	(2.47 - 5.47)	5.43	(4.07 - 7.21)
Region 36 (Philadelphia)	6.86	(5.15 - 9.08)	18.50	(15.56 - 21.85)	5.83	(4.27 - 7.90)	7.98	(6.49 - 9.78)
Rhode Island	10.44	(8.53 - 12.71)	26.68	(23.77 - 29.80)	6.20	(4.94 - 7.76)	9.36	(8.13 - 10.76)
Bristol and Newport	*	(* - *)	*	(* - *)	6.41	(4.15 - 9.78)	9.38	(6.91 - 12.62)
Kent	11.55	(8.08 - 16.25)	*	(* - *)	5.52	(3.68 - 8.22)	8.02	(6.07 - 10.53)
Providence	9.38	(7.13 - 12.25)	25.19	(21.81 - 28.91)	6.17	(4.64 - 8.14)	9.32	(7.84 - 11.03)
Washington	11.45	(8.05 - 16.03)	*	(* - *)	7.10	(4.80 - 10.36)	11.36	(8.88 - 14.42)
South Carolina	5.94	(4.72 - 7.46)	14.78	(12.58 - 17.30)	3.58	(2.72 - 4.70)	5.23	(4.36 - 6.27)
Region 1	6.08	(4.20 - 8.72)	15.96	(12.09 - 20.79)	3.41	(2.27 - 5.07)	5.20	(3.93 - 6.86)
Region 2	5.90	(4.10 - 8.44)	14.43	(11.28 - 18.27)	3.72	(2.49 - 5.51)	5.33	(4.05 - 6.98)
Region 3	5.60	(3.83 - 8.12)	14.59	(10.51 - 19.89)	3.61	(2.34 - 5.52)	5.16	(3.75 - 7.07)
Region 4	6.08	(4.31 - 8.52)	14.17	(10.79 - 18.39)	3.58	(2.32 - 5.47)	5.21	(3.86 - 7.01)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	6.40	(5.09 - 8.02)	13.48	(11.40 - 15.88)	3.16	(2.35 - 4.23)	4.84	(4.00 - 5.84)
Region 1	7.14	(4.76 - 10.58)	14.76	(10.81 - 19.82)	3.22	(2.03 - 5.08)	5.11	(3.73 - 6.96)
Region 2	6.21	(4.18 - 9.15)	13.74	(10.47 - 17.82)	2.96	(1.87 - 4.66)	4.80	(3.58 - 6.41)
Region 3	6.09	(4.19 - 8.77)	12.70	(9.38 - 16.97)	3.20	(1.99 - 5.13)	4.94	(3.60 - 6.73)
Region 4	6.95	(4.52 - 10.55)	*	(* - *)	3.55	(2.12 - 5.87)	5.32	(3.67 - 7.64)
Region 5	5.70	(3.67 - 8.76)	*	(* - *)	2.92	(1.76 - 4.80)	4.28	(2.95 - 6.17)
Region 6	6.06	(3.99 - 9.10)	11.66	(8.11 - 16.48)	3.07	(1.83 - 5.09)	4.19	(2.86 - 6.10)
Region 7	6.49	(4.33 - 9.60)	13.30	(9.60 - 18.12)	3.32	(2.06 - 5.30)	4.93	(3.53 - 6.86)
Tennessee	5.73	(4.49 - 7.27)	15.56	(13.32 - 18.11)	4.25	(3.29 - 5.46)	5.85	(4.89 - 6.98)
Region 1	6.55	(4.23 - 10.01)	*	(* - *)	3.92	(2.45 - 6.22)	5.59	(3.95 - 7.86)
Region 2	5.76	(3.83 - 8.57)	17.17	(13.16 - 22.08)	3.85	(2.52 - 5.85)	5.69	(4.25 - 7.57)
Region 3	5.26	(3.49 - 7.85)	15.13	(11.23 - 20.07)	4.25	(2.83 - 6.35)	5.75	(4.24 - 7.74)
Region 4 (Davidson)	6.41	(4.11 - 9.86)	*	(* - *)	5.65	(3.59 - 8.79)	7.49	(5.33 - 10.44)
Region 5	5.89	(3.99 - 8.61)	11.92	(8.74 - 16.06)	3.64	(2.37 - 5.55)	4.83	(3.50 - 6.61)
Region 6	4.85	(2.97 - 7.83)	12.32	(8.54 - 17.46)	3.90	(2.45 - 6.16)	5.07	(3.52 - 7.26)
Region 7 (Shelby)	5.75	(3.77 - 8.67)	*	(* - *)	5.13	(3.27 - 7.97)	7.24	(5.23 - 9.94)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	5.33	(4.65 - 6.11)	12.19	(11.07 - 13.40)	2.75	(2.29 - 3.29)	4.30	(3.85 - 4.80)
Region 1	6.24	(4.25 - 9.06)	13.59	(10.11 - 18.03)	2.80	(1.82 - 4.30)	4.71	(3.51 - 6.29)
Region 2	5.17	(3.45 - 7.67)	11.47	(8.00 - 16.17)	2.10	(1.29 - 3.41)	3.57	(2.53 - 5.01)
Region 3	5.42	(4.36 - 6.73)	13.11	(11.21 - 15.28)	3.03	(2.36 - 3.88)	4.64	(3.95 - 5.44)
Region 3a	5.78	(4.43 - 7.51)	12.53	(10.22 - 15.27)	2.94	(2.16 - 3.99)	4.51	(3.69 - 5.50)
Region 3bc	4.80	(3.38 - 6.78)	14.22	(11.25 - 17.81)	3.18	(2.21 - 4.55)	4.88	(3.82 - 6.20)
Region 4	5.64	(3.93 - 8.02)	12.19	(9.01 - 16.30)	2.29	(1.45 - 3.61)	3.64	(2.66 - 4.97)
Region 5	6.03	(4.04 - 8.90)	13.99	(10.23 - 18.84)	2.98	(1.94 - 4.56)	4.61	(3.39 - 6.23)
Region 6	5.12	(4.02 - 6.51)	10.74	(9.02 - 12.75)	2.82	(2.09 - 3.78)	4.09	(3.36 - 4.98)
Region 6a	4.86	(3.70 - 6.37)	10.18	(8.36 - 12.34)	2.74	(1.98 - 3.79)	3.96	(3.18 - 4.92)
Region 6bc	7.30	(4.81 - 10.93)	*	(* - *)	3.41	(2.14 - 5.40)	5.19	(3.72 - 7.19)
Region 7	6.15	(4.72 - 7.99)	14.42	(12.01 - 17.22)	3.69	(2.73 - 4.97)	5.80	(4.78 - 7.03)
Region 7a	6.66	(4.73 - 9.29)	15.07	(11.81 - 19.03)	4.44	(3.12 - 6.28)	6.42	(5.03 - 8.16)
Region 7bcd	5.47	(3.68 - 8.06)	13.55	(10.30 - 17.62)	2.48	(1.58 - 3.89)	4.85	(3.68 - 6.36)
Region 8	5.14	(3.65 - 7.20)	13.01	(10.18 - 16.48)	2.30	(1.53 - 3.45)	3.94	(3.04 - 5.10)
Region 9	4.71	(3.13 - 7.03)	10.62	(7.31 - 15.18)	2.03	(1.24 - 3.29)	3.37	(2.39 - 4.74)
Region 10	4.54	(2.96 - 6.90)	8.91	(6.17 - 12.71)	1.68	(1.01 - 2.78)	2.92	(2.05 - 4.14)
Region 11	4.68	(3.44 - 6.33)	9.32	(7.12 - 12.13)	1.86	(1.26 - 2.75)	3.19	(2.44 - 4.16)
Region 11abd	4.49	(3.02 - 6.64)	9.31	(6.56 - 13.04)	1.90	(1.17 - 3.07)	3.17	(2.25 - 4.44)
Region 11c (Hidalgo)	5.01	(3.39 - 7.35)	9.36	(6.56 - 13.18)	1.79	(1.06 - 2.99)	3.23	(2.29 - 4.55)
Utah	4.73	(3.61 - 6.17)	9.02	(7.36 - 11.02)	3.05	(2.20 - 4.21)	4.33	(3.49 - 5.36)
Bear River, Northeastern, Summit, Tooele, and Wasatch	4.81	(3.02 - 7.59)	7.35	(4.71 - 11.31)	2.23	(1.30 - 3.80)	3.34	(2.23 - 4.99)
Central, Four Corners, San Juan, and Southwest	4.03	(2.49 - 6.46)	6.76	(4.33 - 10.39)	2.00	(1.13 - 3.50)	2.87	(1.88 - 4.36)
Davis County	5.72	(3.59 - 8.98)	9.61	(6.41 - 14.18)	2.72	(1.61 - 4.56)	4.09	(2.79 - 5.95)
Salt Lake County	4.82	(3.32 - 6.95)	11.59	(8.94 - 14.91)	4.09	(2.72 - 6.09)	5.56	(4.20 - 7.31)
Utah County	4.27	(2.68 - 6.73)	6.44	(4.42 - 9.29)	2.21	(1.27 - 3.80)	3.48	(2.44 - 4.96)
Weber, Morgan	4.88	(3.02 - 7.78)	9.24	(6.19 - 13.58)	2.56	(1.45 - 4.47)	3.83	(2.55 - 5.71)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	10.20	(8.49 - 12.22)	28.05	(25.15 - 31.14)	6.45	(5.14 - 8.06)	9.59	(8.35 - 10.98)
Champlain Valley	9.61	(7.25 - 12.63)	31.76	(27.46 - 36.41)	7.30	(5.42 - 9.76)	11.55	(9.70 - 13.70)
Rural Northeast	10.66	(7.91 - 14.21)	24.87	(19.80 - 30.74)	5.73	(3.94 - 8.26)	8.37	(6.52 - 10.69)
Rural Southeast	9.73	(6.99 - 13.39)	25.14	(19.99 - 31.09)	6.36	(4.30 - 9.32)	8.51	(6.41 - 11.22)
Rural Southwest	11.66	(8.24 - 16.26)	24.60	(19.28 - 30.82)	5.71	(3.77 - 8.57)	8.14	(6.10 - 10.79)
Virginia	6.11	(4.90 - 7.58)	15.20	(13.01 - 17.68)	3.65	(2.79 - 4.74)	5.28	(4.41 - 6.30)
Region 1	7.02	(4.78 - 10.19)	15.81	(11.90 - 20.70)	3.46	(2.21 - 5.37)	5.28	(3.88 - 7.15)
Region 2	5.81	(4.04 - 8.30)	13.64	(10.18 - 18.03)	3.64	(2.43 - 5.42)	4.93	(3.64 - 6.64)
Region 3	6.60	(4.45 - 9.69)	19.23	(14.76 - 24.65)	3.66	(2.33 - 5.71)	5.82	(4.33 - 7.77)
Region 4	6.12	(4.12 - 9.01)	13.52	(9.97 - 18.08)	3.85	(2.49 - 5.90)	5.15	(3.73 - 7.07)
Region 5	5.46	(3.69 - 8.02)	14.49	(10.79 - 19.20)	3.60	(2.33 - 5.51)	5.34	(3.96 - 7.17)
Washington	7.37	(5.96 - 9.09)	18.61	(16.16 - 21.34)	5.53	(4.35 - 6.99)	7.43	(6.28 - 8.77)
Region 1	6.88	(4.57 - 10.25)	19.22	(14.40 - 25.19)	5.36	(3.47 - 8.19)	7.57	(5.55 - 10.25)
Region 2	6.35	(4.20 - 9.48)	15.40	(11.11 - 20.95)	3.89	(2.47 - 6.07)	5.71	(4.11 - 7.87)
Region 3	7.76	(5.34 - 11.14)	*	(* - *)	5.27	(3.42 - 8.02)	7.22	(5.26 - 9.83)
Region 4 (King)	8.34	(5.92 - 11.61)	21.32	(17.18 - 26.13)	6.76	(4.79 - 9.48)	8.80	(6.85 - 11.23)
Region 5	6.72	(4.51 - 9.89)	14.42	(10.47 - 19.54)	4.25	(2.72 - 6.57)	5.78	(4.16 - 8.00)
Region 6	7.26	(5.05 - 10.34)	19.39	(14.79 - 24.99)	5.68	(3.79 - 8.43)	7.48	(5.52 - 10.07)
West Virginia	6.53	(5.23 - 8.13)	19.05	(16.71 - 21.64)	3.90	(2.97 - 5.11)	5.93	(4.99 - 7.03)
Eastern Highland	6.26	(4.38 - 8.88)	16.85	(13.08 - 21.44)	3.78	(2.42 - 5.87)	5.43	(4.00 - 7.32)
Northern	6.45	(4.62 - 8.95)	24.34	(20.26 - 28.95)	4.43	(3.10 - 6.30)	7.43	(5.98 - 9.19)
Northern A and B	5.83	(3.67 - 9.13)	*	(* - *)	2.95	(1.77 - 4.88)	4.24	(2.88 - 6.20)
Northern C and D	6.74	(4.45 - 10.09)	28.24	(22.95 - 34.21)	5.23	(3.45 - 7.86)	9.05	(7.10 - 11.48)
South Central	7.06	(5.33 - 9.30)	17.47	(14.34 - 21.12)	3.75	(2.68 - 5.21)	5.53	(4.41 - 6.91)
South Central I	8.01	(5.23 - 12.06)	*	(* - *)	3.36	(2.04 - 5.48)	4.90	(3.44 - 6.94)
South Central II	6.18	(3.79 - 9.91)	*	(* - *)	3.87	(2.41 - 6.14)	6.32	(4.61 - 8.61)
South Central III	7.06	(4.74 - 10.38)	15.94	(11.80 - 21.19)	3.90	(2.49 - 6.07)	5.38	(3.86 - 7.45)
Southern	5.91	(4.18 - 8.30)	16.08	(12.49 - 20.46)	3.61	(2.42 - 5.35)	5.21	(3.93 - 6.88)
Southern I and III	5.84	(3.81 - 8.84)	16.24	(11.83 - 21.88)	3.61	(2.21 - 5.84)	5.23	(3.69 - 7.36)
Southern II	6.07	(3.86 - 9.42)	*	(* - *)	3.61	(2.22 - 5.83)	5.18	(3.64 - 7.31)

See notes at end of table.

(continued)

Table 3. Marijuana Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	7.53	(6.15 - 9.18)	15.85	(13.51 - 18.51)	3.72	(2.82 - 4.88)	5.55	(4.65 - 6.62)
Milwaukee	7.59	(5.17 - 11.01)	18.40	(13.99 - 23.83)	4.84	(3.15 - 7.35)	7.02	(5.24 - 9.34)
Northeastern	6.36	(4.44 - 9.03)	14.82	(11.06 - 19.56)	3.39	(2.17 - 5.25)	5.04	(3.71 - 6.80)
Northern	6.53	(4.26 - 9.90)	14.27	(10.57 - 18.99)	3.30	(2.01 - 5.37)	4.77	(3.39 - 6.69)
Southeastern	8.80	(6.35 - 12.09)	14.28	(10.52 - 19.09)	3.07	(1.91 - 4.91)	4.58	(3.30 - 6.33)
Southern	7.83	(5.50 - 11.02)	16.93	(12.56 - 22.43)	4.31	(2.87 - 6.42)	6.39	(4.80 - 8.44)
Western	7.62	(5.20 - 11.04)	15.52	(11.26 - 21.00)	3.32	(1.99 - 5.48)	5.39	(3.86 - 7.48)
Wyoming	7.29	(5.94 - 8.90)	16.82	(14.53 - 19.39)	4.20	(3.26 - 5.41)	6.20	(5.25 - 7.31)
Judicial District 1 (Laramie)	7.57	(5.18 - 10.92)	14.26	(10.23 - 19.52)	3.62	(2.27 - 5.74)	5.26	(3.76 - 7.30)
Judicial District 2	7.99	(5.35 - 11.76)	17.57	(13.37 - 22.75)	5.80	(3.73 - 8.91)	9.01	(6.81 - 11.83)
Judicial District 3	7.34	(5.02 - 10.62)	16.11	(11.89 - 21.45)	3.84	(2.45 - 5.95)	5.79	(4.25 - 7.85)
Judicial District 4	7.41	(4.73 - 11.41)	*	(* - *)	3.88	(2.39 - 6.25)	5.70	(3.99 - 8.08)
Judicial District 5	6.35	(4.11 - 9.68)	*	(* - *)	2.99	(1.80 - 4.92)	4.56	(3.17 - 6.50)
Judicial District 6	6.25	(4.07 - 9.47)	*	(* - *)	3.71	(2.31 - 5.90)	5.86	(4.23 - 8.06)
Judicial District 7 (Natrona)	8.49	(5.92 - 12.03)	19.13	(14.63 - 24.63)	4.69	(3.02 - 7.21)	6.98	(5.17 - 9.34)
Judicial District 8	6.29	(4.05 - 9.66)	12.56	(8.70 - 17.78)	2.73	(1.63 - 4.53)	3.96	(2.70 - 5.77)
Judicial District 9	7.21	(4.86 - 10.56)	*	(* - *)	6.13	(3.92 - 9.46)	7.96	(5.65 - 11.10)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 4. First Use of Marijuana, among Persons Aged 12 or Older, by Age Group and Substate Region: Average Annual Rates Based on 2004, 2005 and 2006 NSDUHs

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	5.77		6.09		0.15		0.93	
Northeast	6.12	(5.80 - 6.46)	6.91	(6.43 - 7.43)	0.15	(0.11 - 0.21)	0.95	(0.88 - 1.03)
Midwest	5.83	(5.58 - 6.09)	6.65	(6.28 - 7.05)	0.16	(0.12 - 0.22)	1.02	(0.96 - 1.09)
South	5.38	(5.13 - 5.63)	5.60	(5.26 - 5.95)	0.15	(0.11 - 0.19)	0.85	(0.80 - 0.91)
West	6.06	(5.69 - 6.45)	5.77	(5.30 - 6.27)	0.15	(0.11 - 0.21)	0.94	(0.86 - 1.02)
Alabama	4.94	(4.10 - 5.93)	5.01	(4.01 - 6.24)	0.13	(0.08 - 0.21)	0.75	(0.62 - 0.92)
Region 1	5.10	(3.73 - 6.95)	5.47	(3.74 - 7.95)	*	(* - *)	0.72	(0.52 - 1.00)
Region 2	5.26	(3.97 - 6.93)	5.08	(3.53 - 7.26)	0.14	(0.08 - 0.24)	0.77	(0.56 - 1.06)
Region 3	4.09	(2.82 - 5.88)	5.01	(3.41 - 7.30)	*	(* - *)	0.93	(0.65 - 1.33)
Region 4	5.05	(3.66 - 6.92)	4.37	(2.91 - 6.53)	*	(* - *)	0.64	(0.45 - 0.90)
Alaska	6.42	(5.31 - 7.75)	7.21	(5.71 - 9.06)	0.22	(0.12 - 0.38)	1.29	(1.03 - 1.62)
Gulf Coast	6.01	(3.98 - 8.98)	6.35	(3.68 - 10.73)	*	(* - *)	0.99	(0.62 - 1.59)
Rural	7.18	(4.55 - 11.16)	7.39	(4.03 - 13.17)	*	(* - *)	1.37	(0.78 - 2.38)
Southeast	7.80	(5.53 - 10.89)	8.40	(5.27 - 13.13)	*	(* - *)	1.28	(0.84 - 1.95)
Urban	6.13	(4.77 - 7.84)	7.14	(5.31 - 9.54)	0.23	(0.12 - 0.42)	1.34	(1.01 - 1.77)
Arizona	6.80	(5.74 - 8.04)	5.32	(4.17 - 6.76)	0.15	(0.10 - 0.25)	0.82	(0.66 - 1.02)
Maricopa	6.89	(5.52 - 8.57)	4.88	(3.57 - 6.64)	0.17	(0.10 - 0.29)	0.83	(0.63 - 1.09)
Pima	7.35	(5.24 - 10.22)	6.50	(4.15 - 10.06)	*	(* - *)	0.91	(0.62 - 1.34)
Rural North	6.55	(4.56 - 9.32)	6.51	(4.12 - 10.15)	*	(* - *)	0.82	(0.55 - 1.22)
Rural South	5.94	(4.05 - 8.63)	5.25	(3.19 - 8.55)	*	(* - *)	0.67	(0.44 - 1.03)
Arkansas	5.99	(5.05 - 7.09)	5.07	(4.05 - 6.33)	0.14	(0.09 - 0.22)	0.75	(0.62 - 0.92)
Areas 1 and 2	6.62	(4.77 - 9.12)	4.72	(2.97 - 7.43)	*	(* - *)	0.75	(0.51 - 1.10)
Areas 3 and 4	4.92	(3.42 - 7.03)	6.10	(4.01 - 9.18)	*	(* - *)	0.80	(0.56 - 1.15)
Areas 5 and 6	5.39	(3.72 - 7.74)	4.62	(3.08 - 6.87)	*	(* - *)	0.77	(0.54 - 1.09)
Areas 7, 12, and 13	5.60	(3.90 - 7.98)	4.51	(2.90 - 6.96)	*	(* - *)	0.73	(0.50 - 1.07)
Areas 8, 10, and 11	5.84	(4.15 - 8.15)	5.75	(3.84 - 8.53)	*	(* - *)	0.71	(0.50 - 1.00)
Area 9	7.47	(5.57 - 9.97)	4.95	(3.15 - 7.72)	*	(* - *)	0.76	(0.52 - 1.10)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	5.72	(5.19 - 6.30)	5.60	(4.94 - 6.35)	0.13	(0.09 - 0.19)	0.91	(0.80 - 1.03)
Region 1	6.01	(4.17 - 8.59)	8.23	(5.13 - 12.93)	*	(* - *)	1.08	(0.71 - 1.62)
Region 2	6.69	(5.19 - 8.59)	7.17	(5.26 - 9.71)	0.16	(0.09 - 0.29)	1.15	(0.86 - 1.54)
Region 3	5.16	(3.71 - 7.15)	4.82	(3.14 - 7.34)	*	(* - *)	0.82	(0.56 - 1.19)
Region 4	6.85	(4.89 - 9.52)	6.73	(4.39 - 10.18)	*	(* - *)	0.97	(0.67 - 1.40)
Region 5	7.39	(5.73 - 9.49)	5.97	(4.10 - 8.63)	0.15	(0.08 - 0.28)	0.87	(0.63 - 1.21)
Region 6 (Santa Clara)	5.84	(4.34 - 7.81)	4.82	(3.19 - 7.22)	*	(* - *)	0.77	(0.54 - 1.09)
Region 7	5.94	(4.05 - 8.65)	5.21	(3.42 - 7.88)	*	(* - *)	1.01	(0.69 - 1.48)
Region 8	5.34	(3.90 - 7.28)	4.04	(2.68 - 6.06)	*	(* - *)	0.74	(0.52 - 1.07)
Region 9	7.07	(5.11 - 9.71)	5.15	(3.32 - 7.89)	*	(* - *)	0.90	(0.62 - 1.32)
Region 10	6.93	(5.09 - 9.37)	5.87	(3.83 - 8.89)	*	(* - *)	1.02	(0.70 - 1.48)
Region 11 (Los Angeles)	4.64	(3.82 - 5.64)	5.41	(4.27 - 6.83)	0.10	(0.06 - 0.19)	0.87	(0.70 - 1.09)
Region 12	4.79	(3.49 - 6.54)	5.04	(3.46 - 7.29)	*	(* - *)	0.86	(0.62 - 1.21)
Region 13 (Riverside)	5.77	(4.30 - 7.69)	5.38	(3.64 - 7.90)	*	(* - *)	0.79	(0.56 - 1.12)
Region 14 (Orange)	6.28	(4.77 - 8.22)	5.55	(3.90 - 7.83)	*	(* - *)	0.90	(0.65 - 1.24)
Region 15	6.19	(4.77 - 8.00)	5.95	(4.34 - 8.10)	0.14	(0.08 - 0.24)	1.04	(0.78 - 1.39)
Colorado	7.60	(6.49 - 8.89)	6.55	(5.10 - 8.38)	0.20	(0.12 - 0.31)	0.97	(0.78 - 1.22)
Region 1	6.09	(4.26 - 8.64)	7.75	(4.88 - 12.08)	*	(* - *)	1.25	(0.84 - 1.88)
Regions 2 and 7	8.43	(6.85 - 10.33)	6.30	(4.40 - 8.94)	0.20	(0.12 - 0.36)	0.93	(0.68 - 1.26)
Region 3	6.70	(4.78 - 9.32)	6.08	(3.82 - 9.55)	*	(* - *)	0.96	(0.65 - 1.42)
Region 4	7.81	(5.39 - 11.19)	7.25	(4.42 - 11.69)	*	(* - *)	0.89	(0.58 - 1.38)
Regions 5 and 6	6.83	(4.81 - 9.62)	6.51	(4.00 - 10.42)	*	(* - *)	0.95	(0.63 - 1.42)
Connecticut	7.62	(6.60 - 8.77)	8.33	(6.73 - 10.27)	0.16	(0.10 - 0.26)	1.07	(0.88 - 1.32)
Eastern	7.80	(5.63 - 10.71)	10.40	(6.60 - 16.02)	*	(* - *)	1.51	(1.01 - 2.24)
North Central	6.85	(5.24 - 8.91)	7.75	(5.35 - 11.12)	*	(* - *)	0.95	(0.68 - 1.32)
Northwestern	8.69	(6.50 - 11.53)	9.18	(6.19 - 13.41)	*	(* - *)	1.13	(0.79 - 1.61)
South Central	8.96	(6.94 - 11.50)	7.75	(5.18 - 11.44)	*	(* - *)	1.07	(0.74 - 1.54)
Southwest	5.97	(4.37 - 8.11)	7.69	(5.13 - 11.38)	*	(* - *)	0.96	(0.67 - 1.38)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	6.22	(5.30 - 7.29)	8.07	(6.46 - 10.05)	0.15	(0.10 - 0.24)	1.08	(0.88 - 1.33)
Kent	5.70	(4.17 - 7.74)	5.39	(3.58 - 8.04)	*	(* - *)	0.88	(0.62 - 1.25)
New Castle (excluding Wilmington City)	6.30	(5.06 - 7.81)	10.02	(7.48 - 13.31)	0.16	(0.10 - 0.28)	1.32	(1.01 - 1.73)
Sussex	6.50	(4.77 - 8.81)	5.88	(3.85 - 8.87)	*	(* - *)	0.69	(0.48 - 1.00)
Wilmington City	6.26	(4.33 - 8.97)	7.36	(4.45 - 11.94)	*	(* - *)	1.05	(0.69 - 1.61)
District of Columbia	5.91	(4.95 - 7.05)	8.04	(6.56 - 9.83)	0.21	(0.14 - 0.33)	1.40	(1.15 - 1.69)
Ward 1	5.95	(3.85 - 9.08)	8.83	(5.47 - 13.93)	*	(* - *)	1.63	(1.06 - 2.50)
Ward 2	*	(* - *)	9.08	(6.37 - 12.78)	*	(* - *)	2.64	(1.86 - 3.74)
Ward 3	7.80	(5.54 - 10.88)	11.41	(7.56 - 16.87)	*	(* - *)	2.01	(1.39 - 2.91)
Ward 4	6.34	(4.46 - 8.92)	6.41	(3.95 - 10.23)	*	(* - *)	0.70	(0.46 - 1.06)
Ward 5	5.24	(3.50 - 7.78)	7.60	(4.94 - 11.51)	*	(* - *)	1.07	(0.73 - 1.56)
Ward 6	5.41	(3.58 - 8.09)	6.25	(3.77 - 10.19)	*	(* - *)	1.00	(0.65 - 1.53)
Ward 7	6.30	(4.66 - 8.48)	6.47	(4.11 - 10.04)	*	(* - *)	0.90	(0.59 - 1.35)
Ward 8	5.33	(3.86 - 7.32)	5.66	(3.58 - 8.82)	*	(* - *)	1.16	(0.78 - 1.74)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	5.85	(5.35 - 6.40)	5.70	(5.06 - 6.42)	0.12	(0.08 - 0.18)	0.73	(0.65 - 0.82)
Region A	6.07	(4.89 - 7.51)	7.78	(5.97 - 10.08)	*	(* - *)	1.32	(1.03 - 1.68)
Circuit 1	6.14	(4.44 - 8.42)	6.44	(4.18 - 9.79)	*	(* - *)	1.00	(0.69 - 1.46)
Circuit 2	6.26	(4.27 - 9.08)	10.14	(7.06 - 14.35)	*	(* - *)	2.32	(1.62 - 3.31)
Circuit 14	5.60	(3.86 - 8.04)	5.95	(3.76 - 9.30)	*	(* - *)	0.80	(0.54 - 1.17)
Region B	6.67	(5.61 - 7.91)	6.91	(5.53 - 8.61)	0.15	(0.10 - 0.24)	1.02	(0.83 - 1.25)
Circuits 3 and 8	6.10	(4.37 - 8.47)	7.07	(4.87 - 10.16)	*	(* - *)	1.34	(0.96 - 1.88)
Circuit 4	6.65	(5.17 - 8.53)	5.82	(4.04 - 8.32)	*	(* - *)	0.98	(0.71 - 1.35)
Circuit 7	7.19	(5.29 - 9.71)	8.92	(6.11 - 12.84)	*	(* - *)	0.85	(0.60 - 1.19)
Region C	5.84	(5.04 - 6.77)	5.80	(4.78 - 7.02)	0.13	(0.09 - 0.19)	0.72	(0.60 - 0.85)
Circuit 5	4.91	(3.59 - 6.70)	6.18	(4.08 - 9.26)	*	(* - *)	0.51	(0.36 - 0.72)
Circuit 9	5.69	(4.38 - 7.35)	5.54	(3.96 - 7.70)	*	(* - *)	0.91	(0.67 - 1.23)
Circuit 10	5.39	(3.77 - 7.64)	4.10	(2.57 - 6.48)	*	(* - *)	0.56	(0.38 - 0.82)
Circuit 18	6.75	(5.06 - 8.96)	7.06	(4.88 - 10.13)	*	(* - *)	0.85	(0.62 - 1.17)
Circuit 19	6.66	(4.63 - 9.49)	7.20	(4.50 - 11.32)	*	(* - *)	0.71	(0.48 - 1.06)
Region D	5.01	(4.31 - 5.82)	4.72	(3.88 - 5.73)	0.10	(0.06 - 0.16)	0.60	(0.50 - 0.73)
Circuits 11 and 16	4.17	(3.20 - 5.41)	3.36	(2.38 - 4.74)	0.07	(0.04 - 0.15)	0.46	(0.33 - 0.63)
Circuit 15 (Palm Beach)	6.95	(5.39 - 8.92)	7.49	(5.47 - 10.17)	*	(* - *)	0.77	(0.58 - 1.03)
Circuit 17 (Broward)	5.09	(4.02 - 6.42)	5.77	(4.23 - 7.81)	0.12	(0.07 - 0.21)	0.74	(0.56 - 0.98)
Region E	6.50	(5.60 - 7.54)	5.48	(4.39 - 6.81)	0.12	(0.08 - 0.19)	0.62	(0.51 - 0.75)
Circuit 6	6.53	(5.05 - 8.40)	5.97	(4.02 - 8.77)	*	(* - *)	0.60	(0.43 - 0.84)
Circuit 12	6.96	(5.05 - 9.51)	5.48	(3.47 - 8.57)	*	(* - *)	0.52	(0.36 - 0.76)
Circuit 13 (Hillsborough)	6.55	(4.98 - 8.57)	4.57	(3.12 - 6.66)	*	(* - *)	0.76	(0.55 - 1.05)
Circuit 20	6.11	(4.63 - 8.03)	6.34	(4.33 - 9.18)	*	(* - *)	0.58	(0.42 - 0.80)
Georgia	4.80	(3.98 - 5.76)	6.34	(5.08 - 7.89)	0.16	(0.11 - 0.26)	1.03	(0.84 - 1.27)
Region 1	5.08	(3.58 - 7.17)	5.41	(3.57 - 8.11)	*	(* - *)	0.81	(0.57 - 1.17)
Region 2	5.61	(4.03 - 7.77)	6.63	(4.53 - 9.62)	*	(* - *)	1.07	(0.75 - 1.53)
Region 3	4.20	(3.09 - 5.70)	7.05	(5.08 - 9.71)	0.18	(0.10 - 0.32)	1.18	(0.87 - 1.59)
Region 4	5.03	(3.55 - 7.08)	5.88	(3.89 - 8.80)	*	(* - *)	0.89	(0.62 - 1.28)
Region 5	5.14	(3.54 - 7.41)	5.31	(3.31 - 8.42)	*	(* - *)	0.95	(0.63 - 1.43)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	6.39	(5.22 - 7.80)	7.05	(5.41 - 9.14)	0.15	(0.06 - 0.33)	0.95	(0.72 - 1.25)
Hawaii Island	7.01	(4.78 - 10.16)	7.07	(4.23 - 11.57)	*	(* - *)	0.99	(0.61 - 1.58)
Honolulu	6.11	(4.83 - 7.71)	6.94	(5.13 - 9.33)	0.14	(0.06 - 0.34)	0.94	(0.69 - 1.27)
Kauai and Maui**	7.06	(5.02 - 9.83)	7.63	(5.03 - 11.41)	*	(* - *)	0.99	(0.67 - 1.47)
Maui	6.83	(4.63 - 9.98)	7.01	(4.37 - 11.04)	*	(* - *)	0.96	(0.62 - 1.50)
Idaho	5.25	(4.42 - 6.23)	5.92	(4.80 - 7.30)	0.19	(0.13 - 0.30)	1.10	(0.90 - 1.33)
Region 1	6.56	(4.53 - 9.40)	9.24	(5.74 - 14.54)	*	(* - *)	1.09	(0.72 - 1.65)
Region 2	5.03	(3.32 - 7.54)	7.19	(4.48 - 11.34)	*	(* - *)	1.24	(0.82 - 1.86)
Region 3	5.66	(3.95 - 8.04)	4.78	(3.08 - 7.34)	*	(* - *)	0.91	(0.62 - 1.34)
Region 4	5.61	(4.07 - 7.68)	7.93	(5.36 - 11.58)	*	(* - *)	1.42	(1.00 - 2.00)
Region 5	4.63	(3.16 - 6.72)	4.28	(2.58 - 7.02)	*	(* - *)	0.72	(0.48 - 1.09)
Region 6	4.57	(3.09 - 6.73)	4.84	(3.09 - 7.51)	*	(* - *)	1.04	(0.69 - 1.56)
Region 7	4.43	(2.95 - 6.61)	4.46	(2.75 - 7.15)	*	(* - *)	1.12	(0.72 - 1.74)
Illinois	5.76	(5.25 - 6.33)	6.30	(5.56 - 7.13)	0.15	(0.10 - 0.22)	0.96	(0.85 - 1.08)
Region I (Cook)	6.30	(5.43 - 7.30)	6.45	(5.30 - 7.83)	0.16	(0.09 - 0.27)	1.00	(0.83 - 1.20)
Region II	5.44	(4.65 - 6.36)	6.75	(5.47 - 8.30)	0.14	(0.09 - 0.24)	0.98	(0.81 - 1.20)
Region III	5.89	(4.64 - 7.45)	5.68	(4.18 - 7.68)	0.14	(0.08 - 0.24)	0.99	(0.75 - 1.32)
Region IV	6.14	(4.65 - 8.06)	4.81	(3.26 - 7.04)	*	(* - *)	0.70	(0.50 - 0.98)
Region V	4.11	(3.07 - 5.49)	6.30	(4.56 - 8.65)	0.14	(0.08 - 0.24)	0.88	(0.65 - 1.18)
Indiana	6.09	(5.27 - 7.03)	6.38	(5.19 - 7.81)	0.17	(0.11 - 0.25)	0.98	(0.81 - 1.18)
Central	6.83	(5.28 - 8.80)	6.61	(4.51 - 9.58)	*	(* - *)	0.97	(0.70 - 1.36)
East	5.58	(3.87 - 7.99)	5.43	(3.40 - 8.57)	*	(* - *)	0.90	(0.60 - 1.33)
North Central	5.86	(4.17 - 8.17)	6.27	(3.99 - 9.72)	*	(* - *)	0.94	(0.64 - 1.37)
Northeast	4.46	(2.90 - 6.80)	4.19	(2.42 - 7.19)	*	(* - *)	0.68	(0.43 - 1.08)
Northwest	6.42	(4.73 - 8.66)	6.37	(4.11 - 9.75)	*	(* - *)	0.89	(0.61 - 1.30)
Southeast	6.23	(4.36 - 8.83)	6.52	(4.02 - 10.42)	*	(* - *)	0.82	(0.55 - 1.21)
Southwest	6.16	(4.22 - 8.90)	6.49	(4.02 - 10.32)	*	(* - *)	0.87	(0.58 - 1.32)
West	6.31	(4.44 - 8.91)	8.06	(5.53 - 11.61)	*	(* - *)	1.73	(1.20 - 2.49)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	5.34	(4.50 - 6.32)	6.35	(5.14 - 7.82)	0.15	(0.09 - 0.26)	0.99	(0.82 - 1.21)
Central	7.87	(5.55 - 11.05)	8.86	(5.56 - 13.81)	*	(* - *)	1.33	(0.87 - 2.03)
North Central	4.67	(3.16 - 6.87)	5.25	(3.26 - 8.36)	*	(* - *)	1.00	(0.65 - 1.52)
Northeast	4.98	(3.72 - 6.63)	7.36	(5.23 - 10.26)	*	(* - *)	1.10	(0.81 - 1.50)
Northwest	4.77	(3.29 - 6.88)	5.05	(3.22 - 7.86)	*	(* - *)	0.74	(0.50 - 1.08)
Southeast	4.91	(3.53 - 6.81)	6.09	(4.18 - 8.80)	*	(* - *)	1.02	(0.73 - 1.43)
Southwest	5.01	(3.41 - 7.30)	4.72	(2.92 - 7.53)	*	(* - *)	0.66	(0.44 - 0.98)
Kansas	5.68	(4.80 - 6.72)	6.50	(5.29 - 7.96)	0.17	(0.11 - 0.26)	1.07	(0.89 - 1.29)
Kansas City Metro	7.21	(5.44 - 9.50)	8.47	(6.05 - 11.74)	0.22	(0.12 - 0.40)	1.48	(1.07 - 2.03)
Northeast	5.36	(3.85 - 7.41)	5.83	(3.79 - 8.87)	*	(* - *)	1.06	(0.73 - 1.53)
South Central	4.24	(2.85 - 6.26)	4.99	(3.01 - 8.16)	*	(* - *)	0.76	(0.49 - 1.16)
Southeast	5.77	(3.76 - 8.77)	6.22	(3.72 - 10.21)	*	(* - *)	0.94	(0.61 - 1.43)
West	5.53	(3.80 - 7.99)	7.01	(4.32 - 11.17)	*	(* - *)	0.97	(0.65 - 1.47)
Wichita (Sedgwick)	4.64	(3.13 - 6.83)	4.87	(3.11 - 7.54)	*	(* - *)	0.84	(0.58 - 1.22)
Kentucky	5.95	(5.10 - 6.93)	6.12	(4.95 - 7.55)	0.16	(0.10 - 0.24)	0.87	(0.71 - 1.05)
Adanta, Cumberland River, and Lifeskills	5.38	(3.86 - 7.46)	6.05	(4.05 - 8.94)	*	(* - *)	0.79	(0.56 - 1.12)
Bluegrass, Comprehend, and North Key	5.91	(4.45 - 7.80)	6.43	(4.51 - 9.10)	*	(* - *)	1.04	(0.76 - 1.43)
Communicare and River Valley	4.94	(3.34 - 7.25)	5.98	(3.73 - 9.45)	*	(* - *)	0.81	(0.55 - 1.21)
Four Rivers and Pennyroyal	5.81	(4.02 - 8.33)	6.36	(4.07 - 9.80)	*	(* - *)	0.83	(0.57 - 1.20)
Kentucky River, Mountain, and Pathways	4.96	(3.49 - 7.02)	5.30	(3.45 - 8.05)	*	(* - *)	0.71	(0.49 - 1.03)
Seven Counties	7.79	(5.94 - 10.15)	6.17	(4.06 - 9.25)	*	(* - *)	0.84	(0.59 - 1.21)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	5.33	(4.51 - 6.28)	5.53	(4.47 - 6.83)	0.15	(0.10 - 0.23)	0.95	(0.78 - 1.15)
Region 1	4.44	(2.86 - 6.83)	4.55	(2.74 - 7.46)	*	(* - *)	0.85	(0.54 - 1.31)
Regions 2 and 9	6.41	(4.82 - 8.47)	7.05	(4.96 - 9.93)	*	(* - *)	1.26	(0.91 - 1.74)
Region 3	6.23	(4.22 - 9.10)	5.34	(3.29 - 8.57)	*	(* - *)	0.85	(0.56 - 1.29)
Region 4	5.34	(3.79 - 7.46)	4.67	(2.99 - 7.22)	*	(* - *)	0.80	(0.54 - 1.19)
Regions 5 and 6	4.77	(3.26 - 6.93)	5.91	(3.81 - 9.05)	*	(* - *)	0.92	(0.63 - 1.34)
Regions 7 and 8	4.54	(3.29 - 6.24)	5.33	(3.60 - 7.83)	*	(* - *)	0.89	(0.62 - 1.26)
Region 10 (Jefferson)	5.28	(3.56 - 7.78)	4.35	(2.64 - 7.09)	*	(* - *)	0.80	(0.53 - 1.22)
Maine	7.46	(6.43 - 8.64)	9.61	(7.89 - 11.66)	0.17	(0.11 - 0.27)	1.11	(0.92 - 1.33)
Aroostook/Downeast	7.11	(5.00 - 10.02)	8.38	(5.24 - 13.16)	*	(* - *)	0.89	(0.60 - 1.32)
Central	7.06	(5.11 - 9.66)	10.36	(6.88 - 15.32)	*	(* - *)	1.15	(0.80 - 1.64)
Cumberland	8.19	(6.22 - 10.71)	9.45	(6.36 - 13.80)	*	(* - *)	1.21	(0.86 - 1.70)
Midcoast	8.32	(5.99 - 11.44)	11.58	(7.48 - 17.50)	*	(* - *)	1.13	(0.77 - 1.67)
Penquis	7.20	(5.14 - 9.98)	10.90	(7.37 - 15.84)	*	(* - *)	1.35	(0.95 - 1.92)
Western	8.34	(6.03 - 11.42)	10.09	(6.66 - 15.02)	*	(* - *)	1.15	(0.79 - 1.67)
York	5.90	(4.25 - 8.13)	7.41	(4.90 - 11.06)	*	(* - *)	0.87	(0.61 - 1.25)
Maryland	5.75	(4.92 - 6.72)	6.30	(5.14 - 7.70)	0.15	(0.10 - 0.23)	0.94	(0.78 - 1.13)
Anne Arundel	6.32	(4.41 - 8.97)	7.12	(4.35 - 11.45)	*	(* - *)	1.10	(0.72 - 1.68)
Baltimore City	5.77	(3.94 - 8.36)	6.06	(3.78 - 9.57)	*	(* - *)	1.10	(0.71 - 1.70)
Baltimore County	5.56	(3.94 - 7.81)	6.85	(4.65 - 9.99)	*	(* - *)	0.96	(0.68 - 1.35)
Montgomery	6.08	(4.28 - 8.58)	5.47	(3.56 - 8.33)	*	(* - *)	0.73	(0.50 - 1.06)
North Central	7.82	(5.31 - 11.38)	7.12	(4.22 - 11.75)	*	(* - *)	0.98	(0.63 - 1.51)
Northeast	5.58	(3.86 - 8.00)	8.29	(5.05 - 13.31)	*	(* - *)	1.03	(0.67 - 1.59)
Prince George's	4.85	(3.30 - 7.07)	5.86	(3.79 - 8.95)	*	(* - *)	0.96	(0.65 - 1.41)
South	5.24	(3.67 - 7.42)	5.53	(3.52 - 8.60)	*	(* - *)	0.88	(0.59 - 1.31)
West	5.37	(3.72 - 7.70)	6.15	(3.75 - 9.92)	*	(* - *)	0.91	(0.60 - 1.38)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	6.39	(5.42 - 7.50)	8.27	(6.80 - 10.03)	0.19	(0.13 - 0.29)	1.18	(0.99 - 1.42)
Boston	5.33	(3.61 - 7.82)	5.71	(3.75 - 8.61)	*	(* - *)	1.25	(0.86 - 1.82)
Central	6.97	(4.91 - 9.82)	8.14	(5.28 - 12.35)	*	(* - *)	1.06	(0.73 - 1.54)
Metrowest	6.34	(4.74 - 8.44)	10.47	(7.22 - 14.95)	0.22	(0.12 - 0.39)	1.36	(0.97 - 1.92)
Northeast	6.39	(4.68 - 8.67)	6.47	(4.29 - 9.64)	*	(* - *)	0.95	(0.67 - 1.36)
Southeast	6.02	(4.36 - 8.25)	8.97	(5.86 - 13.50)	*	(* - *)	1.01	(0.70 - 1.45)
Western	7.27	(5.18 - 10.12)	10.98	(7.58 - 15.64)	*	(* - *)	1.57	(1.11 - 2.22)
Michigan	6.11	(5.60 - 6.67)	7.60	(6.79 - 8.51)	0.17	(0.12 - 0.25)	1.12	(1.00 - 1.26)
Bay	6.47	(4.72 - 8.81)	4.95	(3.13 - 7.73)	*	(* - *)	0.73	(0.49 - 1.07)
Detroit City	5.91	(4.62 - 7.54)	6.15	(4.37 - 8.58)	*	(* - *)	1.02	(0.75 - 1.39)
Genesee	5.21	(3.80 - 7.11)	7.83	(5.34 - 11.36)	*	(* - *)	1.14	(0.81 - 1.59)
Kalamazoo	6.69	(5.19 - 8.60)	8.87	(6.34 - 12.28)	*	(* - *)	1.30	(0.96 - 1.77)
Kent	5.76	(4.35 - 7.58)	6.12	(4.34 - 8.57)	*	(* - *)	1.07	(0.78 - 1.46)
Lakeshore	6.31	(4.89 - 8.11)	5.77	(4.08 - 8.12)	*	(* - *)	0.97	(0.71 - 1.32)
Macomb	6.41	(5.00 - 8.18)	7.81	(5.43 - 11.11)	0.20	(0.12 - 0.33)	1.04	(0.76 - 1.42)
Mid South	6.42	(5.04 - 8.16)	9.29	(6.90 - 12.40)	0.19	(0.11 - 0.33)	1.46	(1.11 - 1.93)
Northern	6.01	(4.68 - 7.69)	8.18	(5.97 - 11.11)	0.14	(0.08 - 0.25)	1.11	(0.84 - 1.48)
Oakland	5.71	(4.58 - 7.12)	7.55	(5.61 - 10.08)	0.18	(0.11 - 0.30)	0.99	(0.76 - 1.30)
Pathways	*	(* - *)	10.02	(6.61 - 14.91)	*	(* - *)	1.38	(0.94 - 2.01)
Saginaw	7.28	(5.03 - 10.44)	7.41	(4.64 - 11.64)	*	(* - *)	1.01	(0.67 - 1.51)
Southeast	6.43	(5.24 - 7.86)	7.77	(5.85 - 10.25)	0.18	(0.11 - 0.29)	0.97	(0.75 - 1.26)
St. Clair	6.09	(4.27 - 8.62)	6.29	(4.05 - 9.62)	*	(* - *)	0.88	(0.60 - 1.28)
Washtenaw	5.84	(4.40 - 7.71)	9.96	(7.02 - 13.94)	*	(* - *)	2.11	(1.52 - 2.90)
Western	*	(* - *)	8.10	(5.27 - 12.24)	*	(* - *)	1.18	(0.79 - 1.77)
Minnesota	5.91	(4.99 - 6.99)	6.41	(5.17 - 7.93)	0.18	(0.12 - 0.28)	1.06	(0.87 - 1.29)
Regions 1 and 2	5.56	(3.79 - 8.08)	6.23	(3.99 - 9.61)	*	(* - *)	0.88	(0.60 - 1.28)
Regions 3 and 4	4.84	(3.41 - 6.83)	6.22	(4.03 - 9.49)	*	(* - *)	0.98	(0.67 - 1.44)
Regions 5 and 6	6.48	(4.82 - 8.66)	5.41	(3.49 - 8.28)	*	(* - *)	0.90	(0.62 - 1.31)
Region 7A (Hennepin)	6.75	(4.86 - 9.31)	7.50	(5.21 - 10.69)	*	(* - *)	1.29	(0.92 - 1.80)
Region 7B (Ramsey)	5.62	(3.90 - 8.03)	6.45	(4.15 - 9.89)	*	(* - *)	1.24	(0.84 - 1.82)
Region 7C	5.84	(4.35 - 7.79)	6.52	(4.29 - 9.80)	*	(* - *)	1.06	(0.73 - 1.53)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	4.57	(3.82 - 5.46)	4.89	(3.97 - 5.99)	0.14	(0.09 - 0.24)	0.85	(0.70 - 1.03)
Region 1	4.95	(3.52 - 6.91)	4.62	(2.99 - 7.06)	*	(* - *)	0.75	(0.52 - 1.09)
Region 2	4.69	(3.26 - 6.70)	5.86	(3.81 - 8.89)	*	(* - *)	1.01	(0.69 - 1.49)
Region 3	3.51	(2.31 - 5.32)	3.93	(2.52 - 6.06)	*	(* - *)	0.75	(0.51 - 1.11)
Region 4	4.79	(3.40 - 6.72)	4.70	(3.08 - 7.10)	*	(* - *)	0.89	(0.62 - 1.29)
Region 5	3.97	(2.58 - 6.07)	4.80	(3.10 - 7.37)	*	(* - *)	0.80	(0.53 - 1.18)
Region 6	4.39	(2.99 - 6.40)	4.57	(2.90 - 7.15)	*	(* - *)	0.84	(0.56 - 1.25)
Region 7	5.11	(3.61 - 7.19)	5.97	(4.03 - 8.76)	*	(* - *)	0.93	(0.66 - 1.30)
Missouri	5.54	(4.67 - 6.56)	6.63	(5.42 - 8.09)	0.17	(0.11 - 0.25)	1.01	(0.84 - 1.21)
Central	5.02	(3.54 - 7.07)	7.02	(4.74 - 10.28)	*	(* - *)	1.16	(0.82 - 1.64)
Eastern	5.73	(4.45 - 7.35)	7.22	(5.26 - 9.81)	0.19	(0.12 - 0.32)	1.11	(0.84 - 1.47)
Eastern (St. Louis City and County)	5.13	(3.70 - 7.07)	6.95	(4.65 - 10.27)	*	(* - *)	1.10	(0.77 - 1.56)
Eastern (excluding St. Louis)	6.84	(4.79 - 9.69)	7.80	(4.95 - 12.09)	*	(* - *)	1.15	(0.78 - 1.69)
Northwest	5.62	(4.28 - 7.35)	6.72	(4.77 - 9.39)	*	(* - *)	1.00	(0.75 - 1.33)
Northwest (Jackson)	5.68	(3.89 - 8.22)	5.82	(3.58 - 9.31)	*	(* - *)	0.85	(0.57 - 1.26)
Northwest (excluding Jackson)	5.58	(3.89 - 7.94)	7.49	(4.80 - 11.49)	*	(* - *)	1.14	(0.78 - 1.66)
Southeast	5.23	(3.59 - 7.57)	5.27	(3.41 - 8.07)	*	(* - *)	0.79	(0.54 - 1.17)
Southwest	5.69	(4.09 - 7.86)	6.05	(4.07 - 8.89)	*	(* - *)	0.88	(0.62 - 1.25)
Montana	7.09	(6.04 - 8.32)	8.08	(6.59 - 9.88)	0.17	(0.11 - 0.27)	1.18	(0.97 - 1.43)
Region 1	8.16	(5.77 - 11.42)	7.12	(4.42 - 11.27)	*	(* - *)	0.82	(0.54 - 1.24)
Region 2	5.58	(3.85 - 8.01)	5.22	(3.15 - 8.54)	*	(* - *)	0.79	(0.51 - 1.21)
Region 3	6.62	(4.87 - 8.93)	8.91	(6.12 - 12.81)	*	(* - *)	1.14	(0.82 - 1.59)
Region 4	6.75	(5.12 - 8.85)	7.98	(5.75 - 10.97)	*	(* - *)	1.34	(1.00 - 1.81)
Region 5	8.25	(6.23 - 10.84)	9.77	(6.81 - 13.83)	*	(* - *)	1.43	(1.02 - 2.01)
Nebraska	4.61	(3.84 - 5.54)	6.21	(5.02 - 7.66)	0.15	(0.09 - 0.25)	1.01	(0.83 - 1.23)
Regions 1 and 2	4.45	(2.97 - 6.62)	6.47	(4.16 - 9.92)	*	(* - *)	0.84	(0.57 - 1.23)
Region 3	5.61	(3.78 - 8.25)	6.12	(3.94 - 9.40)	*	(* - *)	0.91	(0.62 - 1.34)
Region 4	4.43	(3.16 - 6.19)	6.11	(3.93 - 9.38)	*	(* - *)	0.84	(0.57 - 1.24)
Region 5	4.90	(3.62 - 6.60)	6.66	(4.83 - 9.12)	*	(* - *)	1.27	(0.94 - 1.72)
Region 6	4.23	(3.13 - 5.69)	5.84	(4.14 - 8.19)	0.17	(0.10 - 0.31)	0.99	(0.73 - 1.34)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	6.35	(5.27 - 7.65)	4.35	(3.29 - 5.72)	0.16	(0.10 - 0.27)	0.70	(0.55 - 0.89)
Clark	5.93	(4.65 - 7.55)	3.65	(2.51 - 5.27)	0.16	(0.09 - 0.29)	0.63	(0.46 - 0.86)
Rural	7.31	(5.43 - 9.77)	6.33	(4.04 - 9.77)	*	(* - *)	0.81	(0.55 - 1.18)
Washoe	7.33	(5.29 - 10.09)	6.79	(4.43 - 10.27)	*	(* - *)	0.98	(0.67 - 1.41)
New Hampshire	5.66	(4.74 - 6.74)	10.54	(8.56 - 12.91)	0.19	(0.12 - 0.30)	1.34	(1.10 - 1.63)
Central	5.76	(4.41 - 7.47)	11.24	(8.29 - 15.07)	*	(* - *)	1.46	(1.11 - 1.93)
Central 1	5.33	(3.61 - 7.80)	12.22	(8.19 - 17.84)	*	(* - *)	1.76	(1.23 - 2.53)
Central 2	6.18	(4.46 - 8.50)	9.99	(6.62 - 14.82)	*	(* - *)	1.16	(0.81 - 1.68)
Northern	5.80	(3.94 - 8.46)	11.01	(7.04 - 16.83)	*	(* - *)	1.52	(1.02 - 2.27)
Southern	5.58	(4.53 - 6.86)	10.06	(7.74 - 12.98)	0.19	(0.11 - 0.31)	1.24	(0.97 - 1.58)
Southern 1 (Rockingham)	6.23	(4.65 - 8.30)	8.07	(5.32 - 12.06)	*	(* - *)	1.02	(0.71 - 1.44)
Southern 2	5.20	(3.94 - 6.84)	11.18	(8.06 - 15.30)	0.18	(0.10 - 0.33)	1.37	(1.01 - 1.85)
New Jersey	5.70	(4.80 - 6.77)	5.92	(4.78 - 7.32)	0.13	(0.09 - 0.21)	0.78	(0.63 - 0.95)
Central	5.84	(4.31 - 7.87)	5.60	(3.75 - 8.30)	*	(* - *)	0.70	(0.49 - 0.99)
Metropolitan	5.38	(3.96 - 7.29)	5.76	(3.95 - 8.33)	*	(* - *)	0.87	(0.62 - 1.21)
Northern	5.55	(4.16 - 7.38)	5.34	(3.71 - 7.62)	0.12	(0.07 - 0.22)	0.65	(0.47 - 0.91)
Southern	6.12	(4.50 - 8.25)	7.47	(5.08 - 10.85)	*	(* - *)	0.97	(0.69 - 1.36)
New Mexico	8.08	(6.79 - 9.60)	6.19	(4.79 - 7.97)	0.13	(0.07 - 0.24)	0.87	(0.68 - 1.11)
Region 1	8.97	(6.71 - 11.91)	5.59	(3.46 - 8.89)	*	(* - *)	0.87	(0.57 - 1.33)
Region 2	10.93	(7.74 - 15.22)	6.94	(4.17 - 11.33)	*	(* - *)	0.83	(0.53 - 1.29)
Region 3 (Bernalillo)	6.81	(5.06 - 9.10)	5.77	(3.87 - 8.51)	0.15	(0.07 - 0.30)	0.88	(0.62 - 1.26)
Region 4	5.92	(3.97 - 8.75)	5.50	(3.27 - 9.10)	*	(* - *)	0.80	(0.51 - 1.24)
Region 5	8.51	(6.15 - 11.67)	7.61	(5.00 - 11.41)	*	(* - *)	0.92	(0.63 - 1.35)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	5.82	(5.27 - 6.42)	6.39	(5.63 - 7.25)	0.15	(0.11 - 0.22)	0.92	(0.81 - 1.04)
Region A	4.50	(3.75 - 5.38)	4.58	(3.66 - 5.71)	0.14	(0.09 - 0.22)	0.73	(0.60 - 0.88)
Region 1	4.71	(3.42 - 6.46)	3.89	(2.54 - 5.93)	*	(* - *)	0.63	(0.44 - 0.91)
Region 2	4.36	(3.34 - 5.68)	4.63	(3.30 - 6.45)	0.13	(0.07 - 0.23)	0.73	(0.55 - 0.98)
Region 3	5.63	(3.81 - 8.24)	8.42	(5.69 - 12.28)	0.24	(0.12 - 0.45)	1.22	(0.85 - 1.76)
Region 4	3.98	(2.79 - 5.64)	3.14	(2.03 - 4.83)	0.12	(0.06 - 0.24)	0.52	(0.36 - 0.75)
Region B	5.61	(4.75 - 6.62)	7.10	(5.72 - 8.77)	0.17	(0.11 - 0.26)	0.95	(0.77 - 1.16)
Region 5	5.44	(4.31 - 6.84)	7.16	(5.30 - 9.61)	0.18	(0.11 - 0.31)	0.98	(0.74 - 1.30)
Region 6	5.67	(4.31 - 7.43)	6.43	(4.38 - 9.35)	*	(* - *)	0.81	(0.59 - 1.12)
Region 7	6.04	(4.43 - 8.19)	7.93	(5.39 - 11.51)	*	(* - *)	1.07	(0.76 - 1.50)
Region C	7.70	(6.61 - 8.95)	9.60	(7.96 - 11.54)	0.17	(0.11 - 0.27)	1.24	(1.04 - 1.48)
Region 8	9.54	(7.03 - 12.82)	9.46	(6.42 - 13.73)	*	(* - *)	1.21	(0.85 - 1.71)
Region 9	6.55	(5.02 - 8.50)	9.24	(6.62 - 12.76)	*	(* - *)	1.18	(0.87 - 1.60)
Region 10	6.26	(4.63 - 8.42)	10.12	(7.11 - 14.20)	*	(* - *)	1.68	(1.21 - 2.31)
Region 11	7.17	(5.44 - 9.39)	9.36	(6.67 - 12.98)	*	(* - *)	1.17	(0.86 - 1.59)
Region 12	8.37	(6.62 - 10.55)	9.98	(7.11 - 13.83)	0.17	(0.10 - 0.30)	1.20	(0.89 - 1.63)
Region D	7.40	(6.01 - 9.09)	8.42	(6.44 - 10.94)	0.16	(0.10 - 0.27)	1.15	(0.90 - 1.47)
Region 13	6.54	(4.65 - 9.12)	7.27	(4.65 - 11.20)	*	(* - *)	1.03	(0.70 - 1.51)
Region 14	7.13	(5.11 - 9.86)	7.10	(4.64 - 10.72)	*	(* - *)	1.10	(0.76 - 1.61)
Region 15	8.43	(6.05 - 11.63)	11.28	(7.38 - 16.86)	*	(* - *)	1.31	(0.90 - 1.90)
North Carolina	5.32	(4.49 - 6.30)	5.51	(4.40 - 6.87)	0.16	(0.10 - 0.25)	0.82	(0.67 - 1.00)
Eastern	4.91	(3.49 - 6.85)	5.80	(3.91 - 8.54)	*	(* - *)	0.89	(0.62 - 1.27)
North Central	5.11	(3.76 - 6.89)	5.54	(3.72 - 8.17)	*	(* - *)	0.84	(0.59 - 1.19)
South Central	4.76	(3.49 - 6.46)	6.11	(4.06 - 9.10)	*	(* - *)	0.87	(0.61 - 1.25)
Western	6.20	(4.74 - 8.06)	4.86	(3.46 - 6.79)	0.16	(0.10 - 0.28)	0.72	(0.53 - 0.97)
North Dakota	5.23	(4.37 - 6.24)	6.13	(4.95 - 7.57)	0.14	(0.08 - 0.23)	1.00	(0.82 - 1.22)
Badlands and West Central Lake Region and South Central	5.25	(3.88 - 7.06)	6.16	(4.07 - 9.21)	*	(* - *)	0.79	(0.55 - 1.13)
North Central and Northwest	4.82	(3.46 - 6.66)	5.10	(3.26 - 7.90)	*	(* - *)	0.66	(0.45 - 0.97)
Northeast	4.80	(3.39 - 6.75)	5.80	(3.88 - 8.58)	*	(* - *)	0.84	(0.59 - 1.20)
Southeast	5.06	(3.51 - 7.23)	5.67	(3.81 - 8.36)	*	(* - *)	1.29	(0.89 - 1.85)
Southeast	5.90	(4.36 - 7.93)	7.00	(5.01 - 9.72)	*	(* - *)	1.45	(1.06 - 1.97)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	5.77	(5.27 - 6.30)	6.61	(5.90 - 7.40)	0.16	(0.11 - 0.23)	0.98	(0.87 - 1.09)
Boards 2, 46, 55, and 68	5.06	(3.61 - 7.05)	5.59	(3.71 - 8.33)	*	(* - *)	0.75	(0.53 - 1.07)
Boards 3, 52, and 85	5.09	(3.60 - 7.15)	7.20	(4.89 - 10.49)	*	(* - *)	1.06	(0.75 - 1.51)
Boards 4 and 78	5.29	(3.85 - 7.23)	6.34	(4.27 - 9.32)	*	(* - *)	0.82	(0.58 - 1.16)
Boards 5 and 60	4.62	(3.22 - 6.59)	6.05	(4.09 - 8.85)	*	(* - *)	1.10	(0.78 - 1.55)
Boards 7, 15, 41, 79, and 84	4.74	(3.35 - 6.67)	7.72	(5.17 - 11.39)	*	(* - *)	0.91	(0.64 - 1.28)
Boards 8, 13, and 83	6.56	(4.84 - 8.84)	6.91	(4.60 - 10.25)	*	(* - *)	0.94	(0.67 - 1.33)
Board 9 (Butler)	5.32	(3.70 - 7.58)	9.78	(6.57 - 14.30)	*	(* - *)	1.63	(1.13 - 2.34)
Board 12	4.93	(3.40 - 7.09)	5.84	(3.91 - 8.63)	*	(* - *)	1.01	(0.70 - 1.45)
Boards 18 and 47	5.63	(4.52 - 6.99)	6.95	(5.15 - 9.31)	0.15	(0.09 - 0.25)	0.86	(0.66 - 1.11)
Boards 20, 32, 54, and 69	5.45	(3.96 - 7.45)	5.74	(3.70 - 8.79)	*	(* - *)	0.85	(0.59 - 1.24)
Boards 21, 39, 51, 70, and 80	5.29	(3.94 - 7.06)	6.85	(4.65 - 10.00)	*	(* - *)	0.90	(0.64 - 1.26)
Boards 22, 74, and 87	5.41	(3.79 - 7.66)	6.69	(4.37 - 10.12)	*	(* - *)	0.99	(0.69 - 1.43)
Boards 23 and 45	5.63	(4.05 - 7.79)	7.27	(4.93 - 10.60)	*	(* - *)	1.02	(0.72 - 1.45)
Board 25 (Franklin)	6.22	(4.87 - 7.91)	5.67	(4.27 - 7.49)	0.21	(0.12 - 0.35)	1.19	(0.92 - 1.55)
Boards 27, 71, and 73	5.60	(4.07 - 7.68)	4.34	(2.82 - 6.63)	*	(* - *)	0.67	(0.46 - 0.97)
Boards 28, 43, and 67	6.51	(4.85 - 8.68)	7.01	(4.73 - 10.26)	*	(* - *)	1.04	(0.73 - 1.46)
Board 31 (Hamilton)	7.83	(6.12 - 9.96)	7.39	(5.21 - 10.37)	*	(* - *)	1.14	(0.83 - 1.56)
Board 48 (Lucas)	6.48	(4.88 - 8.55)	6.46	(4.49 - 9.21)	*	(* - *)	1.05	(0.75 - 1.46)
Boards 50 and 76	4.51	(3.29 - 6.16)	7.51	(5.24 - 10.66)	*	(* - *)	0.93	(0.68 - 1.28)
Board 57 (Montgomery)	6.37	(4.70 - 8.60)	6.66	(4.54 - 9.66)	*	(* - *)	1.04	(0.75 - 1.45)
Board 77 (Summit)	6.17	(4.68 - 8.08)	6.40	(4.29 - 9.45)	*	(* - *)	0.88	(0.63 - 1.24)
Oklahoma	5.34	(4.43 - 6.42)	5.18	(4.13 - 6.47)	0.16	(0.10 - 0.24)	0.86	(0.71 - 1.05)
Central	4.21	(2.66 - 6.60)	5.87	(3.72 - 9.13)	*	(* - *)	1.03	(0.69 - 1.52)
East Central	5.61	(3.81 - 8.18)	6.08	(3.69 - 9.86)	*	(* - *)	0.85	(0.55 - 1.31)
Northeast	4.80	(3.17 - 7.19)	5.22	(3.34 - 8.06)	*	(* - *)	0.86	(0.59 - 1.25)
Northwest and Southwest	5.89	(4.09 - 8.40)	5.20	(3.34 - 8.00)	*	(* - *)	0.84	(0.57 - 1.24)
Oklahoma County	6.17	(4.37 - 8.66)	5.00	(3.24 - 7.64)	*	(* - *)	0.90	(0.62 - 1.30)
Southeast	4.92	(3.36 - 7.15)	4.56	(2.75 - 7.47)	*	(* - *)	0.72	(0.47 - 1.09)
Tulsa County	5.33	(3.77 - 7.50)	4.77	(3.08 - 7.32)	*	(* - *)	0.87	(0.60 - 1.27)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	7.44	(6.30 - 8.78)	6.88	(5.50 - 8.56)	0.22	(0.14 - 0.35)	1.07	(0.87 - 1.31)
Region 1 (Multnomah)	7.85	(5.60 - 10.92)	6.78	(4.51 - 10.07)	*	(* - *)	1.18	(0.82 - 1.70)
Region 2	6.15	(4.55 - 8.28)	6.50	(4.30 - 9.70)	0.27	(0.14 - 0.50)	1.05	(0.74 - 1.49)
Region 3	7.54	(5.79 - 9.76)	6.96	(4.95 - 9.70)	0.20	(0.11 - 0.35)	1.18	(0.86 - 1.60)
Region 4	7.13	(5.07 - 9.93)	7.75	(4.77 - 12.37)	*	(* - *)	0.84	(0.56 - 1.25)
Region 5	9.57	(6.67 - 13.55)	6.73	(4.01 - 11.07)	*	(* - *)	0.94	(0.62 - 1.44)
Pennsylvania	6.07	(5.55 - 6.63)	6.71	(5.95 - 7.56)	0.14	(0.10 - 0.21)	0.92	(0.82 - 1.04)
Region 1 (Allegheny)	6.31	(4.98 - 7.96)	8.16	(6.04 - 10.94)	0.16	(0.09 - 0.26)	1.07	(0.81 - 1.41)
Regions 2, 3, 8, and 9	6.06	(4.62 - 7.92)	7.65	(5.48 - 10.58)	*	(* - *)	0.98	(0.73 - 1.33)
Regions 4, 11, 37, and 49	6.21	(4.79 - 8.01)	6.51	(4.49 - 9.36)	*	(* - *)	0.80	(0.58 - 1.10)
Regions 5, 18, 23, 24, and 46	4.07	(2.93 - 5.64)	4.99	(3.44 - 7.18)	0.13	(0.07 - 0.25)	0.72	(0.52 - 1.00)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	5.87	(4.38 - 7.82)	9.14	(6.77 - 12.23)	*	(* - *)	1.52	(1.14 - 2.02)
Regions 7, 13, 20, and 33	7.09	(5.94 - 8.44)	6.49	(4.91 - 8.53)	0.17	(0.10 - 0.29)	0.88	(0.68 - 1.13)
Regions 10, 14, 15, 27, 32, 43, and 44	5.40	(3.95 - 7.34)	5.80	(3.90 - 8.55)	*	(* - *)	0.71	(0.51 - 1.01)
Regions 17 and 21	5.84	(4.15 - 8.14)	9.14	(6.17 - 13.32)	*	(* - *)	1.26	(0.88 - 1.78)
Regions 19, 26, 28, and 42	5.81	(4.61 - 7.31)	6.24	(4.73 - 8.19)	0.14	(0.09 - 0.23)	0.87	(0.67 - 1.12)
Regions 22, 38, 40, 41, and 48	5.01	(3.77 - 6.62)	6.23	(4.28 - 8.99)	*	(* - *)	0.73	(0.53 - 1.01)
Regions 25 and 30	6.05	(4.49 - 8.11)	6.68	(4.47 - 9.88)	*	(* - *)	0.76	(0.54 - 1.07)
Regions 29 and 34	5.34	(3.88 - 7.30)	5.87	(3.81 - 8.94)	*	(* - *)	0.74	(0.52 - 1.06)
Region 36 (Philadelphia)	6.62	(5.26 - 8.29)	5.73	(4.22 - 7.73)	0.16	(0.09 - 0.28)	1.02	(0.77 - 1.35)
Rhode Island	7.51	(6.35 - 8.86)	8.13	(6.44 - 10.21)	0.18	(0.11 - 0.31)	1.15	(0.92 - 1.42)
Bristol and Newport	10.52	(7.76 - 14.12)	11.37	(6.80 - 18.38)	*	(* - *)	1.43	(0.92 - 2.23)
Kent	8.30	(6.07 - 11.27)	9.08	(5.80 - 13.93)	*	(* - *)	0.95	(0.66 - 1.37)
Providence	6.76	(5.36 - 8.51)	6.93	(5.13 - 9.31)	0.17	(0.10 - 0.31)	1.06	(0.81 - 1.40)
Washington	7.49	(5.45 - 10.20)	11.53	(7.58 - 17.15)	*	(* - *)	1.63	(1.12 - 2.38)
South Carolina	5.86	(4.99 - 6.87)	6.34	(5.15 - 7.79)	0.15	(0.09 - 0.23)	0.93	(0.77 - 1.13)
Region 1	5.51	(4.10 - 7.38)	6.17	(4.23 - 8.91)	*	(* - *)	0.88	(0.63 - 1.22)
Region 2	6.44	(4.97 - 8.31)	7.47	(5.36 - 10.33)	0.16	(0.09 - 0.28)	1.05	(0.77 - 1.43)
Region 3	5.69	(4.16 - 7.73)	5.10	(3.24 - 7.93)	*	(* - *)	0.75	(0.51 - 1.10)
Region 4	5.64	(4.25 - 7.45)	6.17	(4.30 - 8.77)	*	(* - *)	0.99	(0.71 - 1.37)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	5.31	(4.48 - 6.29)	5.92	(4.84 - 7.23)	0.14	(0.09 - 0.23)	0.97	(0.80 - 1.17)
Region 1	4.91	(3.39 - 7.05)	6.50	(4.17 - 10.01)	*	(* - *)	0.93	(0.63 - 1.36)
Region 2	5.78	(4.24 - 7.84)	6.56	(4.67 - 9.14)	*	(* - *)	1.18	(0.85 - 1.62)
Region 3	4.49	(3.07 - 6.51)	4.76	(2.98 - 7.50)	*	(* - *)	0.89	(0.59 - 1.35)
Region 4	5.98	(4.05 - 8.76)	6.70	(4.21 - 10.49)	*	(* - *)	1.12	(0.74 - 1.68)
Region 5	5.85	(3.98 - 8.51)	7.52	(4.68 - 11.87)	*	(* - *)	0.90	(0.59 - 1.37)
Region 6	5.59	(3.80 - 8.17)	6.40	(4.04 - 10.00)	*	(* - *)	0.83	(0.55 - 1.24)
Region 7	5.07	(3.53 - 7.23)	4.58	(2.92 - 7.11)	*	(* - *)	0.84	(0.57 - 1.23)
Tennessee	6.04	(5.14 - 7.07)	5.92	(4.81 - 7.27)	0.16	(0.11 - 0.24)	0.85	(0.71 - 1.02)
Region 1	6.74	(4.61 - 9.77)	6.97	(4.21 - 11.31)	*	(* - *)	0.77	(0.51 - 1.15)
Region 2	5.92	(4.31 - 8.09)	6.40	(4.31 - 9.39)	*	(* - *)	0.82	(0.59 - 1.16)
Region 3	5.97	(4.40 - 8.06)	4.75	(3.06 - 7.32)	*	(* - *)	0.70	(0.49 - 1.01)
Region 4 (Davidson)	6.24	(4.19 - 9.20)	5.95	(3.75 - 9.34)	*	(* - *)	1.01	(0.68 - 1.50)
Region 5	6.34	(4.75 - 8.41)	6.18	(4.24 - 8.94)	*	(* - *)	0.91	(0.65 - 1.26)
Region 6	5.85	(4.11 - 8.26)	4.41	(2.76 - 6.99)	*	(* - *)	0.66	(0.45 - 0.98)
Region 7 (Shelby)	5.52	(3.94 - 7.68)	6.95	(4.57 - 10.43)	*	(* - *)	1.09	(0.76 - 1.57)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	4.99	(4.49 - 5.54)	4.87	(4.29 - 5.53)	0.14	(0.10 - 0.21)	0.84	(0.75 - 0.96)
Region 1	4.67	(3.32 - 6.53)	5.77	(3.91 - 8.44)	*	(* - *)	0.93	(0.66 - 1.32)
Region 2	5.23	(3.69 - 7.36)	5.71	(3.60 - 8.93)	*	(* - *)	0.85	(0.58 - 1.23)
Region 3	4.55	(3.80 - 5.44)	4.99	(3.96 - 6.26)	0.17	(0.11 - 0.28)	0.88	(0.72 - 1.09)
Region 3a	4.14	(3.27 - 5.22)	4.59	(3.37 - 6.21)	0.18	(0.10 - 0.30)	0.84	(0.65 - 1.10)
Region 3bc	5.27	(4.08 - 6.77)	5.80	(4.18 - 7.99)	0.17	(0.11 - 0.28)	0.96	(0.71 - 1.28)
Region 4	4.86	(3.50 - 6.71)	4.06	(2.57 - 6.34)	*	(* - *)	0.59	(0.41 - 0.86)
Region 5	4.50	(3.11 - 6.48)	5.29	(3.35 - 8.26)	*	(* - *)	0.79	(0.54 - 1.16)
Region 6	4.57	(3.74 - 5.58)	4.01	(3.18 - 5.05)	0.15	(0.09 - 0.25)	0.77	(0.62 - 0.95)
Region 6a	4.34	(3.46 - 5.44)	3.87	(3.00 - 4.98)	0.15	(0.09 - 0.26)	0.76	(0.60 - 0.96)
Region 6bc	6.60	(4.65 - 9.30)	5.69	(3.58 - 8.94)	*	(* - *)	0.86	(0.58 - 1.28)
Region 7	6.10	(4.89 - 7.58)	5.82	(4.48 - 7.52)	0.19	(0.12 - 0.29)	1.21	(0.96 - 1.53)
Region 7a	6.64	(5.00 - 8.77)	6.08	(4.25 - 8.64)	0.21	(0.12 - 0.36)	1.23	(0.90 - 1.68)
Region 7bcd	5.39	(3.85 - 7.50)	5.51	(3.81 - 7.90)	*	(* - *)	1.19	(0.85 - 1.66)
Region 8	5.66	(4.30 - 7.40)	5.92	(4.24 - 8.23)	0.11	(0.06 - 0.20)	0.82	(0.61 - 1.11)
Region 9	5.42	(3.83 - 7.63)	5.47	(3.42 - 8.62)	*	(* - *)	0.77	(0.51 - 1.16)
Region 10	5.07	(3.55 - 7.21)	5.31	(3.39 - 8.21)	*	(* - *)	0.84	(0.56 - 1.25)
Region 11	5.43	(4.24 - 6.94)	3.98	(2.88 - 5.49)	*	(* - *)	0.68	(0.50 - 0.91)
Region 11abd	5.98	(4.38 - 8.10)	4.29	(2.81 - 6.50)	*	(* - *)	0.70	(0.48 - 1.02)
Region 11c (Hidalgo)	4.48	(3.14 - 6.37)	3.48	(2.23 - 5.40)	*	(* - *)	0.64	(0.43 - 0.95)
Utah	3.94	(3.15 - 4.92)	3.91	(3.01 - 5.06)	0.20	(0.10 - 0.40)	1.01	(0.79 - 1.29)
Bear River, Northeastern, Summit, Tooele, and Wasatch	4.78	(3.16 - 7.17)	3.60	(2.14 - 6.02)	*	(* - *)	0.94	(0.60 - 1.47)
Central, Four Corners, San Juan, and Southwest	2.74	(1.68 - 4.42)	3.27	(1.87 - 5.66)	*	(* - *)	0.71	(0.44 - 1.16)
Davis County	3.86	(2.49 - 5.92)	5.02	(3.13 - 7.97)	*	(* - *)	1.12	(0.74 - 1.69)
Salt Lake County	4.44	(3.23 - 6.07)	4.06	(2.78 - 5.89)	0.22	(0.10 - 0.47)	0.98	(0.70 - 1.38)
Utah County	2.89	(1.77 - 4.68)	3.36	(2.07 - 5.42)	*	(* - *)	1.23	(0.78 - 1.91)
Weber, Morgan	4.74	(3.03 - 7.34)	5.41	(3.32 - 8.70)	*	(* - *)	1.10	(0.71 - 1.70)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	7.56	(6.51 - 8.75)	10.39	(8.54 - 12.59)	0.18	(0.11 - 0.30)	1.37	(1.13 - 1.65)
Champlain Valley	6.85	(5.44 - 8.58)	10.60	(7.98 - 13.95)	0.20	(0.11 - 0.35)	1.69	(1.30 - 2.20)
Rural Northeast	8.20	(6.35 - 10.52)	9.54	(6.64 - 13.52)	*	(* - *)	1.15	(0.83 - 1.60)
Rural Southeast	8.23	(6.20 - 10.84)	12.20	(8.40 - 17.41)	*	(* - *)	1.28	(0.90 - 1.81)
Rural Southwest	7.57	(5.56 - 10.22)	9.04	(6.02 - 13.34)	*	(* - *)	1.07	(0.75 - 1.53)
Virginia	5.38	(4.53 - 6.38)	6.32	(5.12 - 7.79)	0.15	(0.10 - 0.23)	0.90	(0.74 - 1.10)
Region 1	5.63	(4.02 - 7.83)	6.86	(4.57 - 10.16)	*	(* - *)	1.01	(0.71 - 1.45)
Region 2	4.49	(3.09 - 6.47)	5.05	(3.20 - 7.88)	0.15	(0.07 - 0.31)	0.73	(0.49 - 1.08)
Region 3	6.25	(4.45 - 8.73)	8.27	(5.46 - 12.33)	*	(* - *)	1.00	(0.69 - 1.44)
Region 4	5.69	(4.13 - 7.80)	4.88	(3.20 - 7.37)	*	(* - *)	0.73	(0.51 - 1.05)
Region 5	5.32	(3.91 - 7.20)	7.07	(4.87 - 10.15)	*	(* - *)	1.10	(0.78 - 1.54)
Washington	5.79	(4.89 - 6.85)	7.14	(5.77 - 8.80)	0.18	(0.12 - 0.27)	1.08	(0.89 - 1.32)
Region 1	6.09	(4.30 - 8.57)	7.81	(5.17 - 11.63)	*	(* - *)	1.22	(0.84 - 1.77)
Region 2	4.67	(3.21 - 6.74)	5.57	(3.44 - 8.88)	*	(* - *)	0.82	(0.54 - 1.23)
Region 3	6.01	(4.37 - 8.21)	6.58	(4.14 - 10.32)	*	(* - *)	0.99	(0.67 - 1.47)
Region 4 (King)	7.19	(5.32 - 9.64)	8.46	(5.87 - 12.03)	*	(* - *)	1.26	(0.90 - 1.76)
Region 5	4.69	(3.19 - 6.84)	5.88	(3.77 - 9.07)	*	(* - *)	1.04	(0.70 - 1.53)
Region 6	5.15	(3.69 - 7.14)	7.08	(4.67 - 10.59)	*	(* - *)	0.96	(0.67 - 1.37)
West Virginia	5.30	(4.47 - 6.27)	6.72	(5.47 - 8.24)	0.14	(0.09 - 0.21)	0.78	(0.64 - 0.94)
Eastern Highland	5.26	(3.85 - 7.14)	6.35	(4.27 - 9.34)	*	(* - *)	0.69	(0.49 - 0.96)
Northern	5.25	(3.93 - 6.99)	8.41	(6.15 - 11.40)	*	(* - *)	0.98	(0.74 - 1.31)
Northern A and B	5.09	(3.43 - 7.51)	7.19	(4.47 - 11.36)	*	(* - *)	0.77	(0.52 - 1.15)
Northern C and D	5.33	(3.71 - 7.59)	8.97	(6.11 - 13.00)	*	(* - *)	1.10	(0.78 - 1.55)
South Central	5.56	(4.42 - 6.96)	6.23	(4.70 - 8.21)	0.14	(0.08 - 0.23)	0.74	(0.57 - 0.96)
South Central I	5.56	(3.90 - 7.88)	6.75	(4.33 - 10.38)	*	(* - *)	0.75	(0.51 - 1.09)
South Central II	4.72	(3.11 - 7.10)	6.06	(3.80 - 9.53)	*	(* - *)	0.76	(0.51 - 1.13)
South Central III	6.15	(4.43 - 8.48)	6.05	(3.92 - 9.22)	*	(* - *)	0.73	(0.50 - 1.06)
Southern	4.88	(3.66 - 6.49)	5.84	(4.12 - 8.22)	*	(* - *)	0.68	(0.51 - 0.92)
Southern I and III	4.14	(2.78 - 6.13)	5.78	(3.63 - 9.09)	*	(* - *)	0.67	(0.46 - 0.99)
Southern II	6.41	(4.33 - 9.41)	5.96	(3.69 - 9.48)	*	(* - *)	0.70	(0.47 - 1.05)

See notes at end of table.

(continued)

Table 4. First Use of Marijuana among Persons Aged 12 or Older, by Age Group and Substate: Average Annual Rates Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	6.34	(5.43 - 7.40)	7.25	(5.91 - 8.87)	0.17	(0.12 - 0.26)	1.09	(0.91 - 1.32)
Milwaukee	7.25	(5.15 - 10.12)	8.65	(5.57 - 13.20)	*	(* - *)	1.47	(0.99 - 2.19)
Northeastern	5.26	(3.80 - 7.26)	6.08	(4.10 - 8.93)	*	(* - *)	0.89	(0.63 - 1.25)
Northern	6.37	(4.49 - 8.96)	7.12	(4.72 - 10.59)	*	(* - *)	0.96	(0.67 - 1.38)
Southeastern	7.47	(5.63 - 9.85)	7.59	(4.97 - 11.43)	*	(* - *)	1.00	(0.71 - 1.43)
Southern	6.25	(4.61 - 8.42)	7.92	(5.26 - 11.75)	*	(* - *)	1.23	(0.87 - 1.73)
Western	5.43	(3.78 - 7.73)	6.40	(4.10 - 9.86)	*	(* - *)	1.08	(0.72 - 1.60)
Wyoming	6.84	(5.89 - 7.94)	7.83	(6.42 - 9.52)	0.18	(0.12 - 0.27)	1.25	(1.04 - 1.50)
Judicial District 1 (Laramie)	8.53	(6.28 - 11.49)	6.63	(4.12 - 10.49)	*	(* - *)	1.00	(0.67 - 1.50)
Judicial District 2	6.40	(4.39 - 9.24)	10.70	(7.39 - 15.27)	*	(* - *)	2.77	(1.93 - 3.96)
Judicial District 3	7.00	(5.13 - 9.47)	6.07	(3.73 - 9.73)	*	(* - *)	1.14	(0.76 - 1.70)
Judicial District 4	6.32	(4.25 - 9.31)	8.62	(5.19 - 13.99)	*	(* - *)	1.02	(0.66 - 1.55)
Judicial District 5	5.24	(3.50 - 7.79)	7.05	(4.41 - 11.08)	*	(* - *)	0.88	(0.59 - 1.30)
Judicial District 6	5.38	(3.65 - 7.87)	7.93	(4.94 - 12.49)	*	(* - *)	1.17	(0.78 - 1.76)
Judicial District 7 (Natrona)	8.55	(6.22 - 11.65)	7.29	(4.63 - 11.30)	*	(* - *)	1.18	(0.80 - 1.74)
Judicial District 8	6.09	(4.18 - 8.80)	7.30	(4.61 - 11.36)	*	(* - *)	0.96	(0.64 - 1.45)
Judicial District 9	6.62	(4.53 - 9.56)	8.51	(5.22 - 13.58)	*	(* - *)	1.30	(0.85 - 1.97)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: $Average\ annual\ rate = 100 * \{ [X_1 \div (0.5 * X_1 + X_2)] \div 2 \}$, where X_1 is the number of marijuana initiates in past 24 months and X_2 is the number of persons who never used marijuana. Both of the computation components, X_1 and X_2 , are based on a survey-weighted hierarchical Bayes estimation approach. Note that the age group is based on a respondent's age at the time of the interview, not his or her age at first use.

NOTE: The prediction intervals presented above use a simultaneous solution for the First Use of Marijuana and Never Used Marijuana outcomes, which had age group-specific random effects that were allowed to be correlated across the two outcomes. The associated Markov Chain Monte Carlo chains were used to calculate the posterior variance.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	34.59		24.93		42.26		39.68	
Northeast	31.37	(30.40 - 32.35)	20.96	(20.02 - 21.93)	39.85	(38.79 - 40.91)	37.20	(36.28 - 38.14)
Midwest	34.87	(34.11 - 35.65)	23.05	(22.30 - 23.82)	40.58	(39.76 - 41.40)	37.92	(37.21 - 38.64)
South	37.00	(36.23 - 37.77)	28.05	(27.26 - 28.86)	46.61	(45.80 - 47.43)	43.87	(43.16 - 44.58)
West	33.12	(32.07 - 34.18)	25.01	(24.00 - 26.05)	38.99	(37.89 - 40.10)	36.83	(35.88 - 37.80)
Alabama	39.90	(36.80 - 43.08)	34.44	(31.28 - 37.75)	54.27	(50.88 - 57.61)	51.31	(48.33 - 54.29)
Region 1	41.30	(35.99 - 46.83)	35.20	(30.05 - 40.72)	52.16	(46.75 - 57.51)	49.87	(45.10 - 54.65)
Region 2	37.52	(32.61 - 42.71)	32.01	(27.42 - 36.97)	54.00	(48.71 - 59.20)	50.67	(46.04 - 55.28)
Region 3	40.08	(34.37 - 46.08)	33.85	(28.54 - 39.59)	55.34	(49.18 - 61.35)	51.52	(46.24 - 56.77)
Region 4	41.39	(36.12 - 46.86)	37.92	(32.33 - 43.85)	56.54	(50.77 - 62.14)	53.93	(48.83 - 58.94)
Alaska	29.38	(26.00 - 33.00)	19.19	(16.69 - 21.97)	28.61	(25.55 - 31.88)	27.09	(24.44 - 29.91)
Gulf Coast	*	(* - *)	16.31	(12.13 - 21.58)	*	(* - *)	28.26	(22.98 - 34.23)
Rural	*	(* - *)	*	(* - *)	*	(* - *)	38.50	(32.15 - 45.27)
Southeast	*	(* - *)	15.74	(11.70 - 20.86)	26.55	(21.37 - 32.45)	25.06	(20.43 - 30.35)
Urban	30.26	(26.28 - 34.55)	19.13	(16.27 - 22.35)	26.65	(23.18 - 30.43)	25.40	(22.43 - 28.62)
Arizona	32.37	(29.19 - 35.73)	26.91	(24.09 - 29.93)	42.55	(39.20 - 45.96)	40.18	(37.27 - 43.15)
Maricopa	32.44	(28.62 - 36.49)	27.93	(24.51 - 31.63)	42.40	(38.40 - 46.51)	40.12	(36.68 - 43.67)
Pima	*	(* - *)	20.83	(16.44 - 26.02)	39.38	(33.54 - 45.54)	36.55	(31.45 - 41.98)
Rural North	35.48	(29.34 - 42.14)	25.99	(20.88 - 31.84)	41.81	(35.47 - 48.44)	39.66	(34.02 - 45.58)
Rural South	*	(* - *)	*	(* - *)	*	(* - *)	45.93	(39.52 - 52.47)
Arkansas	36.26	(33.10 - 39.54)	27.07	(24.30 - 30.03)	49.84	(46.48 - 53.19)	46.43	(43.51 - 49.38)
Areas 1 and 2	32.49	(26.75 - 38.81)	24.28	(19.67 - 29.57)	48.01	(41.65 - 54.43)	44.31	(38.87 - 49.89)
Areas 3 and 4	39.97	(34.24 - 46.00)	27.81	(22.58 - 33.73)	52.74	(46.37 - 59.02)	49.04	(43.50 - 54.61)
Areas 5 and 6	35.82	(29.86 - 42.24)	25.00	(20.51 - 30.09)	47.31	(41.15 - 53.56)	43.81	(38.48 - 49.29)
Areas 7, 12, and 13	36.20	(30.10 - 42.78)	32.35	(26.48 - 38.82)	54.10	(47.64 - 60.42)	50.78	(45.11 - 56.44)
Areas 8, 10, and 11	39.75	(33.59 - 46.25)	29.16	(23.97 - 34.95)	52.21	(45.97 - 58.38)	49.04	(43.51 - 54.59)
Area 9	34.20	(28.98 - 39.83)	25.85	(20.93 - 31.48)	46.26	(40.48 - 52.13)	43.30	(38.19 - 48.55)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	33.72	(32.09 - 35.40)	26.75	(25.21 - 28.36)	41.36	(39.58 - 43.15)	39.09	(37.55 - 40.64)
Region 1	27.89	(22.59 - 33.90)	17.36	(13.34 - 22.27)	34.45	(28.70 - 40.71)	31.93	(26.89 - 37.44)
Region 2	31.34	(27.06 - 35.96)	20.52	(17.29 - 24.16)	33.34	(29.07 - 37.90)	31.45	(27.74 - 35.41)
Region 3	35.82	(30.29 - 41.76)	29.12	(24.05 - 34.77)	44.58	(38.64 - 50.67)	42.11	(36.94 - 47.47)
Region 4	25.68	(20.79 - 31.27)	19.41	(15.38 - 24.19)	30.90	(26.21 - 36.02)	29.51	(25.27 - 34.14)
Region 5	25.56	(21.49 - 30.11)	20.62	(16.90 - 24.90)	33.08	(28.67 - 37.81)	31.37	(27.46 - 35.55)
Region 6 (Santa Clara)	31.74	(26.39 - 37.62)	23.63	(19.08 - 28.87)	37.93	(32.79 - 43.35)	35.89	(31.33 - 40.71)
Region 7	*	(* - *)	26.69	(21.64 - 32.44)	34.79	(28.96 - 41.12)	33.42	(28.30 - 38.96)
Region 8	39.22	(33.87 - 44.85)	33.45	(28.20 - 39.13)	48.68	(42.64 - 54.76)	45.96	(40.81 - 51.20)
Region 9	34.87	(29.04 - 41.20)	26.87	(22.21 - 32.11)	43.02	(36.96 - 49.30)	40.21	(35.00 - 45.66)
Region 10	33.67	(28.11 - 39.73)	25.94	(21.17 - 31.37)	38.61	(33.05 - 44.49)	36.58	(31.70 - 41.76)
Region 11 (Los Angeles)	35.69	(32.66 - 38.84)	30.80	(27.97 - 33.79)	46.65	(43.34 - 49.99)	44.10	(41.28 - 46.95)
Region 12	35.74	(30.83 - 40.96)	28.87	(24.41 - 33.78)	51.18	(45.74 - 56.60)	47.34	(42.70 - 52.03)
Region 13 (Riverside)	32.88	(28.13 - 38.01)	28.77	(24.24 - 33.78)	45.75	(40.17 - 51.44)	43.17	(38.33 - 48.15)
Region 14 (Orange)	37.29	(32.42 - 42.43)	28.72	(24.41 - 33.45)	42.27	(37.25 - 47.46)	40.25	(35.83 - 44.84)
Region 15	33.50	(28.92 - 38.41)	23.90	(20.42 - 27.77)	40.26	(35.76 - 44.93)	37.50	(33.64 - 41.53)
Colorado	30.01	(27.04 - 33.17)	19.33	(16.89 - 22.03)	34.51	(31.47 - 37.67)	32.26	(29.61 - 35.03)
Region 1	32.56	(26.56 - 39.18)	18.62	(14.60 - 23.44)	35.24	(29.50 - 41.43)	32.31	(27.42 - 37.62)
Regions 2 and 7	26.49	(22.83 - 30.50)	18.15	(15.17 - 21.57)	33.23	(29.35 - 37.34)	31.06	(27.68 - 34.64)
Region 3	*	(* - *)	19.98	(15.63 - 25.19)	32.88	(27.12 - 39.21)	30.99	(25.89 - 36.60)
Region 4	*	(* - *)	*	(* - *)	*	(* - *)	43.67	(37.59 - 49.95)
Regions 5 and 6	*	(* - *)	21.50	(16.69 - 27.23)	*	(* - *)	33.98	(28.32 - 40.13)
Connecticut	29.67	(26.77 - 32.74)	20.58	(17.98 - 23.46)	36.62	(33.29 - 40.07)	34.49	(31.54 - 37.57)
Eastern	28.82	(23.13 - 35.28)	17.67	(13.36 - 23.00)	36.80	(30.62 - 43.44)	33.56	(28.24 - 39.32)
North Central	31.55	(26.80 - 36.72)	22.95	(18.84 - 27.66)	39.90	(34.47 - 45.60)	37.73	(32.90 - 42.81)
Northwestern	27.80	(23.07 - 33.07)	20.88	(16.51 - 26.05)	33.63	(27.96 - 39.82)	32.08	(26.96 - 37.67)
South Central	29.25	(24.53 - 34.46)	17.86	(14.17 - 22.27)	36.26	(31.04 - 41.82)	33.72	(29.12 - 38.65)
Southwest	29.76	(24.52 - 35.60)	22.96	(18.39 - 28.27)	34.87	(29.21 - 40.98)	33.44	(28.33 - 38.97)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	36.03	(32.98 - 39.20)	21.98	(19.38 - 24.82)	41.91	(38.67 - 45.21)	38.99	(36.17 - 41.89)
Kent	38.64	(32.89 - 44.74)	26.96	(22.15 - 32.38)	48.51	(41.93 - 55.15)	45.10	(39.46 - 50.87)
New Castle (excluding Wilmington City)	32.91	(29.04 - 37.02)	18.44	(15.44 - 21.87)	37.78	(33.73 - 42.00)	34.77	(31.29 - 38.42)
Sussex	41.29	(35.21 - 47.65)	27.16	(22.20 - 32.76)	45.49	(39.55 - 51.56)	43.46	(38.08 - 49.01)
Wilmington City	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
District of Columbia	29.98	(26.30 - 33.94)	17.45	(15.09 - 20.08)	34.31	(31.19 - 37.57)	31.61	(28.90 - 34.46)
Ward 1	*	(* - *)	18.07	(13.64 - 23.56)	31.84	(25.92 - 38.41)	29.37	(24.21 - 35.11)
Ward 2	*	(* - *)	13.26	(10.15 - 17.13)	26.08	(21.13 - 31.73)	22.90	(18.88 - 27.49)
Ward 3	*	(* - *)	11.26	(8.23 - 15.24)	18.94	(14.79 - 23.92)	17.72	(14.07 - 22.09)
Ward 4	*	(* - *)	*	(* - *)	*	(* - *)	38.75	(32.72 - 45.15)
Ward 5	*	(* - *)	16.54	(12.56 - 21.47)	41.55	(35.42 - 47.95)	37.96	(32.60 - 43.63)
Ward 6	*	(* - *)	16.91	(12.75 - 22.07)	30.82	(25.04 - 37.28)	28.99	(23.78 - 34.82)
Ward 7	32.47	(27.18 - 38.26)	24.58	(19.41 - 30.60)	*	(* - *)	45.52	(39.28 - 51.91)
Ward 8	34.69	(29.09 - 40.75)	25.94	(20.69 - 31.99)	45.53	(38.99 - 52.23)	42.00	(36.41 - 47.80)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	35.51	(33.98 - 37.07)	28.16	(26.61 - 29.76)	46.09	(44.32 - 47.87)	43.76	(42.20 - 45.33)
Region A	33.77	(30.19 - 37.54)	22.99	(20.10 - 26.15)	43.87	(39.89 - 47.93)	40.18	(36.81 - 43.64)
Circuit 1	35.34	(29.95 - 41.13)	23.70	(19.12 - 29.00)	44.76	(38.84 - 50.83)	41.49	(36.38 - 46.79)
Circuit 2	29.01	(23.43 - 35.31)	20.32	(16.32 - 25.02)	42.22	(35.91 - 48.79)	36.98	(31.93 - 42.33)
Circuit 14	*	(* - *)	27.37	(21.97 - 33.53)	*	(* - *)	41.49	(35.58 - 47.65)
Region B	34.98	(31.82 - 38.28)	23.64	(20.97 - 26.54)	42.45	(38.97 - 46.00)	39.51	(36.50 - 42.61)
Circuits 3 and 8	36.42	(30.53 - 42.73)	24.55	(20.21 - 29.47)	44.78	(38.83 - 50.89)	40.47	(35.54 - 45.61)
Circuit 4	35.01	(30.51 - 39.79)	23.88	(19.96 - 28.30)	40.78	(35.57 - 46.20)	38.16	(33.63 - 42.91)
Circuit 7	33.66	(28.36 - 39.40)	21.99	(17.65 - 27.06)	43.08	(37.23 - 49.13)	40.63	(35.37 - 46.11)
Region C	35.22	(32.63 - 37.90)	27.49	(25.20 - 29.90)	44.32	(41.52 - 47.16)	42.18	(39.69 - 44.71)
Circuit 5	35.28	(30.58 - 40.29)	26.55	(22.00 - 31.65)	47.98	(42.21 - 53.82)	46.02	(40.73 - 51.40)
Circuit 9	36.55	(31.92 - 41.45)	29.44	(25.62 - 33.57)	46.09	(41.03 - 51.23)	43.28	(38.96 - 47.70)
Circuit 10	36.72	(31.07 - 42.76)	32.99	(27.42 - 39.08)	47.19	(41.24 - 53.23)	45.36	(40.04 - 50.78)
Circuit 18	32.76	(27.98 - 37.94)	20.75	(17.06 - 24.98)	38.05	(32.99 - 43.39)	35.95	(31.42 - 40.75)
Circuit 19	34.02	(28.17 - 40.39)	26.66	(21.51 - 32.53)	41.36	(35.02 - 48.00)	39.88	(34.06 - 45.99)
Region D	36.43	(34.05 - 38.87)	32.83	(30.30 - 35.47)	51.13	(48.52 - 53.73)	48.85	(46.53 - 51.18)
Circuits 11 and 16	37.19	(33.43 - 41.10)	35.43	(31.63 - 39.42)	59.04	(55.05 - 62.92)	55.82	(52.30 - 59.28)
Circuit 15 (Palm Beach)	36.60	(31.93 - 41.53)	31.09	(26.77 - 35.76)	44.64	(39.83 - 49.54)	43.21	(38.83 - 47.69)
Circuit 17 (Broward)	35.17	(31.29 - 39.25)	29.68	(25.86 - 33.80)	44.62	(40.36 - 48.96)	42.81	(39.01 - 46.70)
Region E	35.59	(32.93 - 38.35)	28.04	(25.51 - 30.72)	43.80	(40.86 - 46.79)	42.05	(39.41 - 44.75)
Circuit 6	35.16	(30.42 - 40.21)	24.83	(20.77 - 29.39)	43.02	(38.17 - 48.00)	41.22	(36.81 - 45.79)
Circuit 12	36.62	(30.94 - 42.71)	29.51	(24.31 - 35.30)	45.08	(39.02 - 51.28)	43.63	(38.07 - 49.36)
Circuit 13 (Hillsborough)	35.74	(31.02 - 40.76)	29.98	(25.63 - 34.72)	44.51	(39.34 - 49.80)	42.32	(37.81 - 46.97)
Circuit 20	35.27	(30.40 - 40.46)	28.25	(23.66 - 33.35)	43.28	(38.05 - 48.66)	41.79	(37.03 - 46.70)
Georgia	38.00	(34.79 - 41.33)	31.66	(28.65 - 34.84)	46.60	(43.07 - 50.16)	44.32	(41.26 - 47.43)
Region 1	38.19	(32.37 - 44.36)	34.55	(28.77 - 40.82)	48.96	(42.56 - 55.39)	46.93	(41.25 - 52.70)
Region 2	42.68	(36.38 - 49.23)	31.20	(26.02 - 36.89)	48.36	(41.96 - 54.82)	45.69	(40.10 - 51.38)
Region 3	36.29	(31.48 - 41.39)	29.95	(25.86 - 34.39)	43.49	(38.64 - 48.47)	41.47	(37.29 - 45.77)
Region 4	*	(* - *)	33.77	(28.00 - 40.07)	49.66	(43.24 - 56.08)	47.24	(41.59 - 52.95)
Region 5	38.20	(32.13 - 44.66)	32.78	(26.80 - 39.38)	49.09	(42.66 - 55.56)	46.32	(40.69 - 52.04)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	34.14	(30.84 - 37.60)	28.81	(25.53 - 32.33)	39.93	(36.25 - 43.74)	38.46	(35.19 - 41.83)
Hawaii Island	*	(* - *)	26.28	(20.74 - 32.69)	*	(* - *)	38.36	(32.47 - 44.60)
Honolulu	35.37	(31.45 - 39.49)	29.72	(26.00 - 33.72)	40.98	(36.65 - 45.44)	39.41	(35.62 - 43.34)
Kauai and Maui**	30.63	(25.39 - 36.42)	25.98	(21.21 - 31.39)	35.31	(29.87 - 41.16)	34.23	(29.26 - 39.56)
Maui	*	(* - *)	25.72	(20.45 - 31.80)	*	(* - *)	32.46	(26.85 - 38.63)
Idaho	37.44	(34.35 - 40.64)	26.73	(24.00 - 29.66)	41.05	(37.94 - 44.24)	38.67	(35.99 - 41.42)
Region 1	33.69	(27.68 - 40.29)	21.90	(17.37 - 27.21)	35.87	(30.08 - 42.09)	34.07	(28.93 - 39.62)
Region 2	*	(* - *)	20.25	(15.55 - 25.93)	*	(* - *)	35.51	(29.84 - 41.61)
Region 3	33.49	(28.02 - 39.44)	30.29	(24.84 - 36.36)	43.32	(37.87 - 48.93)	41.25	(36.46 - 46.20)
Region 4	34.51	(29.54 - 39.84)	22.33	(18.41 - 26.82)	37.15	(31.95 - 42.65)	34.71	(30.24 - 39.47)
Region 5	42.24	(35.69 - 49.08)	32.45	(26.42 - 39.12)	45.97	(39.89 - 52.18)	43.93	(38.54 - 49.47)
Region 6	*	(* - *)	27.63	(22.42 - 33.53)	44.42	(38.02 - 51.00)	41.21	(35.73 - 46.92)
Region 7	*	(* - *)	34.07	(28.28 - 40.37)	*	(* - *)	44.87	(39.14 - 50.74)
Illinois	35.65	(34.02 - 37.32)	25.40	(23.87 - 27.00)	41.83	(40.08 - 43.60)	39.34	(37.82 - 40.88)
Region I (Cook)	34.04	(31.50 - 36.68)	26.65	(24.23 - 29.22)	41.90	(39.20 - 44.64)	39.56	(37.22 - 41.96)
Region II	34.27	(31.64 - 36.99)	23.54	(21.14 - 26.13)	38.09	(35.21 - 41.05)	36.00	(33.49 - 38.60)
Region III	37.55	(33.52 - 41.77)	23.39	(20.21 - 26.90)	45.14	(40.84 - 49.52)	41.38	(37.74 - 45.12)
Region IV	40.67	(35.75 - 45.79)	27.50	(23.34 - 32.10)	47.31	(42.23 - 52.45)	44.45	(40.03 - 48.97)
Region V	41.20	(36.74 - 45.82)	26.38	(22.83 - 30.28)	45.10	(40.19 - 50.11)	42.31	(38.09 - 46.65)
Indiana	34.94	(31.92 - 38.08)	24.17	(21.64 - 26.90)	41.89	(38.67 - 45.18)	39.17	(36.37 - 42.05)
Central	35.71	(30.67 - 41.09)	24.28	(20.02 - 29.12)	39.69	(34.41 - 45.22)	37.50	(32.86 - 42.38)
East	*	(* - *)	23.98	(18.99 - 29.78)	*	(* - *)	38.74	(32.98 - 44.84)
North Central	36.15	(30.28 - 42.46)	24.84	(19.84 - 30.62)	42.23	(35.94 - 48.79)	39.63	(34.08 - 45.47)
Northeast	37.40	(31.10 - 44.16)	28.62	(23.13 - 34.82)	46.04	(39.40 - 52.83)	43.42	(37.56 - 49.46)
Northwest	33.01	(27.32 - 39.24)	23.06	(18.52 - 28.31)	43.28	(37.35 - 49.41)	40.43	(35.21 - 45.88)
Southeast	*	(* - *)	24.47	(19.16 - 30.70)	44.32	(37.84 - 51.00)	41.61	(35.86 - 47.60)
Southwest	*	(* - *)	22.50	(17.47 - 28.49)	*	(* - *)	38.06	(32.14 - 44.36)
West	33.57	(27.70 - 39.98)	22.17	(17.88 - 27.16)	39.92	(33.73 - 46.45)	36.04	(30.92 - 41.49)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	36.29	(33.20 - 39.50)	23.91	(21.33 - 26.70)	42.56	(39.42 - 45.77)	39.67	(36.96 - 42.45)
Central	31.99	(26.41 - 38.14)	23.88	(19.13 - 29.37)	39.40	(33.41 - 45.72)	37.10	(31.85 - 42.67)
North Central	37.93	(31.62 - 44.69)	22.51	(17.75 - 28.10)	43.24	(36.91 - 49.80)	39.40	(34.07 - 45.00)
Northeast	35.93	(30.95 - 41.23)	22.76	(18.78 - 27.31)	42.94	(37.95 - 48.08)	39.78	(35.48 - 44.25)
Northwest	35.79	(29.99 - 42.03)	27.91	(22.51 - 34.03)	43.73	(37.81 - 49.84)	41.54	(36.29 - 46.99)
Southeast	38.57	(32.75 - 44.73)	22.49	(18.17 - 27.49)	41.99	(36.51 - 47.67)	38.75	(34.00 - 43.73)
Southwest	*	(* - *)	26.63	(21.50 - 32.48)	*	(* - *)	43.11	(37.15 - 49.27)
Kansas	37.90	(34.72 - 41.18)	24.10	(21.36 - 27.08)	43.57	(40.29 - 46.91)	40.42	(37.58 - 43.33)
Kansas City Metro	34.77	(30.02 - 39.84)	19.52	(15.82 - 23.83)	37.64	(32.80 - 42.74)	34.63	(30.48 - 39.03)
Northeast	36.48	(31.07 - 42.27)	22.99	(18.26 - 28.53)	43.89	(37.84 - 50.12)	40.26	(35.03 - 45.72)
South Central	40.88	(35.04 - 47.00)	27.75	(22.30 - 33.95)	49.53	(43.07 - 56.02)	46.29	(40.59 - 52.09)
Southeast	*	(* - *)	*	(* - *)	*	(* - *)	44.02	(37.42 - 50.84)
West	39.72	(33.30 - 46.51)	*	(* - *)	52.85	(46.18 - 59.42)	49.71	(43.85 - 55.58)
Wichita (Sedgwick)	*	(* - *)	24.45	(19.81 - 29.79)	41.58	(35.76 - 47.64)	38.87	(33.81 - 44.19)
Kentucky	37.44	(34.53 - 40.43)	28.67	(25.86 - 31.66)	46.58	(43.32 - 49.86)	44.03	(41.17 - 46.92)
Adanta, Cumberland River, and Lifeskills	39.77	(33.84 - 46.01)	30.39	(25.12 - 36.22)	49.13	(43.10 - 55.18)	46.47	(41.16 - 51.87)
Bluegrass, Comprehend, and North Key	33.84	(29.09 - 38.94)	26.00	(21.71 - 30.81)	44.03	(38.59 - 49.62)	41.23	(36.53 - 46.10)
Communicare and River Valley	38.95	(32.72 - 45.57)	29.49	(23.94 - 35.72)	49.18	(42.61 - 55.77)	46.45	(40.61 - 52.39)
Four Rivers and Pennyroyal	*	(* - *)	*	(* - *)	50.71	(43.99 - 57.40)	48.08	(42.11 - 54.11)
Kentucky River, Mountain, and Pathways	43.31	(37.44 - 49.37)	33.61	(28.25 - 39.42)	53.13	(46.77 - 59.40)	50.39	(44.76 - 56.01)
Seven Counties	34.29	(29.36 - 39.58)	26.15	(21.59 - 31.29)	41.11	(35.80 - 46.64)	39.18	(34.44 - 44.14)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	39.42	(36.30 - 42.62)	28.30	(25.53 - 31.24)	48.10	(44.79 - 51.42)	44.81	(41.98 - 47.67)
Region 1	*	(* - *)	*	(* - *)	*	(* - *)	43.66	(37.39 - 50.14)
Regions 2 and 9	37.21	(32.17 - 42.53)	27.92	(23.58 - 32.72)	45.03	(39.65 - 50.52)	42.03	(37.47 - 46.74)
Region 3	*	(* - *)	29.44	(23.73 - 35.86)	47.65	(41.16 - 54.23)	44.68	(39.00 - 50.51)
Region 4	41.65	(35.51 - 48.07)	29.97	(24.59 - 35.96)	49.60	(42.86 - 56.34)	46.30	(40.55 - 52.15)
Regions 5 and 6	*	(* - *)	28.51	(23.47 - 34.15)	49.54	(43.36 - 55.74)	46.16	(40.80 - 51.60)
Regions 7 and 8	40.43	(34.88 - 46.24)	28.50	(23.62 - 33.95)	54.07	(48.16 - 59.87)	49.78	(44.74 - 54.83)
Region 10 (Jefferson)	*	(* - *)	26.06	(20.65 - 32.32)	*	(* - *)	39.95	(34.01 - 46.19)
Maine	27.07	(24.30 - 30.03)	14.81	(12.72 - 17.18)	35.87	(32.59 - 39.29)	33.10	(30.21 - 36.12)
Aroostook/Downeast	27.47	(22.03 - 33.66)	16.56	(12.43 - 21.73)	*	(* - *)	33.00	(27.24 - 39.31)
Central	27.54	(22.22 - 33.58)	15.12	(11.56 - 19.52)	38.55	(32.20 - 45.31)	35.47	(29.89 - 41.48)
Cumberland	26.32	(21.49 - 31.79)	12.84	(9.82 - 16.62)	31.17	(26.35 - 36.43)	28.72	(24.49 - 33.36)
Midcoast	27.98	(22.50 - 34.20)	13.83	(10.25 - 18.40)	*	(* - *)	33.54	(27.85 - 39.75)
Penquis	27.63	(22.04 - 34.03)	14.49	(11.16 - 18.59)	*	(* - *)	35.94	(30.39 - 41.88)
Western	25.67	(20.47 - 31.67)	16.04	(12.43 - 20.44)	37.04	(31.05 - 43.46)	34.13	(28.88 - 39.81)
York	27.57	(22.46 - 33.34)	15.82	(12.08 - 20.44)	36.06	(30.32 - 42.22)	33.61	(28.50 - 39.14)
Maryland	34.53	(31.64 - 37.55)	25.93	(23.20 - 28.86)	43.64	(40.27 - 47.06)	41.15	(38.19 - 44.18)
Anne Arundel	*	(* - *)	*	(* - *)	*	(* - *)	38.48	(32.47 - 44.86)
Baltimore City	35.99	(29.82 - 42.67)	29.67	(24.08 - 35.93)	49.15	(42.44 - 55.89)	45.95	(40.18 - 51.84)
Baltimore County	35.34	(29.51 - 41.65)	25.08	(20.42 - 30.39)	*	(* - *)	41.48	(35.48 - 47.75)
Montgomery	31.46	(25.85 - 37.66)	24.13	(19.37 - 29.63)	39.52	(33.60 - 45.78)	37.70	(32.41 - 43.29)
North Central	*	(* - *)	*	(* - *)	*	(* - *)	34.14	(28.26 - 40.56)
Northeast	*	(* - *)	22.97	(17.96 - 28.89)	*	(* - *)	39.07	(32.78 - 45.74)
Prince George's	35.53	(29.55 - 42.00)	28.59	(23.59 - 34.17)	50.56	(44.22 - 56.88)	47.06	(41.53 - 52.65)
South	37.20	(31.06 - 43.79)	28.53	(23.00 - 34.78)	*	(* - *)	42.14	(36.20 - 48.32)
West	*	(* - *)	*	(* - *)	43.72	(37.28 - 50.38)	41.05	(35.37 - 46.99)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	26.76	(23.98 - 29.73)	17.22	(14.95 - 19.75)	32.27	(29.26 - 35.45)	30.15	(27.50 - 32.94)
Boston	*	(* - *)	19.84	(15.55 - 24.96)	33.41	(27.61 - 39.76)	30.62	(25.75 - 35.98)
Central	26.59	(21.30 - 32.65)	16.68	(12.76 - 21.51)	33.65	(27.99 - 39.82)	31.34	(26.32 - 36.83)
Metrowest	23.22	(18.84 - 28.26)	13.81	(10.67 - 17.70)	27.31	(22.69 - 32.47)	25.58	(21.45 - 30.20)
Northeast	26.19	(21.42 - 31.59)	20.29	(16.18 - 25.14)	34.56	(29.41 - 40.10)	32.74	(28.13 - 37.71)
Southeast	29.35	(24.30 - 34.97)	17.69	(13.78 - 22.40)	32.41	(27.23 - 38.06)	30.60	(25.98 - 35.65)
Western	27.01	(21.71 - 33.07)	15.12	(11.53 - 19.58)	*	(* - *)	32.29	(26.92 - 38.19)
Michigan	33.83	(32.25 - 35.45)	21.28	(19.96 - 22.67)	38.83	(37.11 - 40.58)	36.23	(34.75 - 37.75)
Bay	35.08	(29.85 - 40.69)	24.78	(20.13 - 30.10)	40.90	(35.52 - 46.51)	38.74	(33.95 - 43.76)
Detroit City	33.07	(28.81 - 37.62)	28.44	(24.37 - 32.91)	47.33	(42.50 - 52.22)	44.37	(40.19 - 48.62)
Genesee	30.39	(25.70 - 35.51)	21.60	(17.69 - 26.09)	36.45	(31.28 - 41.95)	34.31	(29.79 - 39.13)
Kalamazoo	35.15	(30.63 - 39.95)	21.42	(17.91 - 25.39)	39.35	(34.56 - 44.36)	36.43	(32.33 - 40.74)
Kent	31.96	(27.35 - 36.95)	21.17	(17.71 - 25.10)	38.61	(33.32 - 44.17)	35.63	(31.15 - 40.37)
Lakeshore	36.80	(32.12 - 41.75)	24.61	(20.75 - 28.94)	42.03	(37.06 - 47.16)	39.33	(35.04 - 43.78)
Macomb	32.18	(27.89 - 36.79)	20.86	(17.32 - 24.91)	34.66	(30.39 - 39.20)	32.84	(29.03 - 36.90)
Mid South	31.02	(27.06 - 35.28)	17.43	(14.54 - 20.74)	36.73	(32.47 - 41.20)	33.33	(29.74 - 37.12)
Northern	34.70	(30.33 - 39.35)	21.61	(18.05 - 25.66)	40.55	(35.81 - 45.47)	37.91	(33.76 - 42.24)
Oakland	33.02	(29.28 - 36.99)	19.35	(16.33 - 22.78)	32.81	(29.03 - 36.82)	31.14	(27.79 - 34.70)
Pathways	*	(* - *)	18.44	(14.34 - 23.39)	38.50	(32.22 - 45.19)	35.52	(30.05 - 41.41)
Saginaw	*	(* - *)	21.30	(16.57 - 26.93)	40.75	(34.44 - 47.37)	38.00	(32.43 - 43.89)
Southeast	36.81	(32.87 - 40.93)	20.52	(17.43 - 24.00)	42.76	(38.53 - 47.09)	39.79	(36.10 - 43.60)
St. Clair	*	(* - *)	24.53	(19.47 - 30.40)	40.07	(34.02 - 46.45)	38.00	(32.58 - 43.73)
Washtenaw	33.27	(28.66 - 38.22)	16.69	(13.35 - 20.66)	31.51	(26.86 - 36.56)	28.68	(24.77 - 32.93)
Western	*	(* - *)	19.19	(14.90 - 24.37)	*	(* - *)	37.96	(32.05 - 44.25)
Minnesota	32.31	(29.32 - 35.45)	18.72	(16.39 - 21.31)	33.67	(30.64 - 36.84)	31.38	(28.74 - 34.14)
Regions 1 and 2	*	(* - *)	17.94	(13.54 - 23.38)	*	(* - *)	33.15	(27.59 - 39.23)
Regions 3 and 4	35.95	(30.37 - 41.94)	21.20	(16.80 - 26.39)	39.26	(33.89 - 44.91)	36.31	(31.67 - 41.21)
Regions 5 and 6	31.83	(26.64 - 37.50)	19.24	(15.15 - 24.12)	36.65	(31.18 - 42.48)	33.92	(29.20 - 38.99)
Region 7A (Hennepin)	27.22	(22.18 - 32.92)	17.75	(14.09 - 22.11)	30.60	(25.56 - 36.15)	28.67	(24.23 - 33.56)
Region 7B (Ramsey)	29.74	(23.99 - 36.21)	19.93	(15.56 - 25.16)	*	(* - *)	30.26	(24.92 - 36.19)
Region 7C	35.27	(29.82 - 41.13)	16.81	(13.21 - 21.17)	29.70	(25.02 - 34.86)	27.87	(23.73 - 32.42)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	46.16	(42.87 - 49.49)	37.51	(34.33 - 40.80)	55.63	(52.17 - 59.03)	52.67	(49.67 - 55.66)
Region 1	46.75	(40.67 - 52.93)	38.20	(32.30 - 44.47)	55.37	(49.49 - 61.10)	52.70	(47.54 - 57.79)
Region 2	43.01	(37.06 - 49.17)	40.48	(34.32 - 46.95)	59.57	(53.13 - 65.70)	56.37	(50.80 - 61.78)
Region 3	49.18	(42.68 - 55.71)	41.13	(35.17 - 47.37)	59.50	(52.80 - 65.86)	56.32	(50.57 - 61.91)
Region 4	42.73	(36.83 - 48.84)	34.69	(28.97 - 40.88)	50.66	(44.26 - 57.04)	48.05	(42.48 - 53.67)
Region 5	*	(* - *)	*	(* - *)	*	(* - *)	57.99	(51.50 - 64.21)
Region 6	*	(* - *)	*	(* - *)	60.12	(53.46 - 66.42)	55.99	(50.24 - 61.58)
Region 7	46.76	(40.46 - 53.16)	32.09	(26.94 - 37.71)	49.54	(43.10 - 56.00)	46.88	(41.27 - 52.58)
Missouri	36.33	(33.35 - 39.41)	24.33	(21.78 - 27.08)	44.37	(41.04 - 47.75)	41.35	(38.45 - 44.31)
Central	36.65	(31.14 - 42.54)	25.01	(20.34 - 30.35)	43.94	(38.02 - 50.05)	40.62	(35.58 - 45.87)
Eastern	32.33	(28.13 - 36.84)	21.10	(17.62 - 25.05)	38.78	(34.23 - 43.53)	36.24	(32.22 - 40.46)
Eastern (St. Louis City and County)	30.52	(25.59 - 35.95)	20.29	(16.17 - 25.14)	38.17	(32.62 - 44.06)	35.61	(30.72 - 40.82)
Eastern (excluding St. Louis)	*	(* - *)	22.71	(18.10 - 28.10)	39.99	(33.83 - 46.49)	37.51	(32.07 - 43.28)
Northwest	38.56	(33.60 - 43.78)	25.29	(21.17 - 29.91)	48.23	(42.96 - 53.55)	44.79	(40.19 - 49.49)
Northwest (Jackson)	*	(* - *)	23.33	(18.35 - 29.19)	*	(* - *)	44.01	(38.04 - 50.16)
Northwest (excluding Jackson)	*	(* - *)	26.99	(21.51 - 33.27)	*	(* - *)	45.49	(39.52 - 51.59)
Southeast	38.46	(32.37 - 44.93)	28.01	(22.83 - 33.85)	*	(* - *)	46.63	(40.57 - 52.80)
Southwest	40.32	(34.59 - 46.32)	26.35	(21.55 - 31.80)	47.21	(41.10 - 53.41)	44.03	(38.68 - 49.51)
Montana	32.86	(29.89 - 35.99)	17.59	(15.33 - 20.09)	38.18	(34.88 - 41.60)	35.06	(32.18 - 38.05)
Region 1	35.57	(29.38 - 42.28)	23.55	(18.39 - 29.63)	*	(* - *)	42.25	(35.85 - 48.91)
Region 2	36.94	(30.74 - 43.59)	24.13	(19.02 - 30.11)	*	(* - *)	41.44	(35.65 - 47.49)
Region 3	33.14	(27.87 - 38.88)	19.03	(15.18 - 23.60)	38.27	(32.69 - 44.17)	35.55	(30.66 - 40.75)
Region 4	31.58	(26.76 - 36.83)	14.21	(11.33 - 17.67)	34.90	(29.82 - 40.34)	31.44	(27.12 - 36.11)
Region 5	30.75	(26.02 - 35.93)	15.38	(12.30 - 19.06)	35.86	(30.85 - 41.20)	32.69	(28.37 - 37.33)
Nebraska	36.00	(32.82 - 39.31)	26.22	(23.36 - 29.30)	43.36	(40.00 - 46.78)	40.58	(37.68 - 43.56)
Regions 1 and 2	*	(* - *)	*	(* - *)	*	(* - *)	43.70	(37.50 - 50.11)
Region 3	*	(* - *)	29.88	(24.02 - 36.47)	49.31	(42.70 - 55.95)	46.33	(40.53 - 52.23)
Region 4	40.51	(34.43 - 46.90)	32.48	(26.69 - 38.87)	50.06	(43.54 - 56.59)	47.53	(41.81 - 53.32)
Region 5	34.37	(29.30 - 39.83)	24.07	(20.14 - 28.49)	41.41	(36.01 - 47.03)	38.17	(33.65 - 42.92)
Region 6	33.50	(29.04 - 38.26)	24.82	(20.84 - 29.27)	39.46	(34.63 - 44.51)	37.09	(32.90 - 41.48)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	32.77	(29.53 - 36.18)	25.59	(22.67 - 28.75)	37.38	(34.03 - 40.85)	35.76	(32.81 - 38.83)
Clark	32.07	(28.19 - 36.22)	26.48	(23.08 - 30.18)	37.30	(33.32 - 41.46)	35.79	(32.30 - 39.44)
Rural	36.21	(30.50 - 42.34)	25.78	(20.59 - 31.75)	38.56	(32.82 - 44.63)	37.06	(31.88 - 42.56)
Washoe	32.54	(26.65 - 39.05)	21.54	(17.08 - 26.78)	36.70	(31.00 - 42.80)	34.54	(29.48 - 39.97)
New Hampshire	26.78	(23.93 - 29.84)	13.96	(11.82 - 16.42)	28.74	(25.80 - 31.87)	26.72	(24.12 - 29.50)
Central	26.77	(22.43 - 31.60)	14.20	(11.47 - 17.45)	30.05	(25.62 - 34.90)	27.72	(23.86 - 31.95)
Central 1	26.63	(21.08 - 33.03)	12.52	(9.34 - 16.59)	28.32	(22.77 - 34.61)	25.67	(20.92 - 31.07)
Central 2	*	(* - *)	16.34	(12.48 - 21.12)	31.65	(25.91 - 38.00)	29.70	(24.61 - 35.36)
Northern	22.78	(17.93 - 28.49)	11.86	(8.63 - 16.09)	28.03	(22.67 - 34.10)	25.77	(21.03 - 31.15)
Southern	27.65	(24.32 - 31.23)	14.33	(11.79 - 17.31)	28.28	(25.04 - 31.77)	26.46	(23.57 - 29.56)
Southern 1 (Rockingham)	28.10	(23.10 - 33.71)	13.46	(10.14 - 17.66)	26.99	(22.46 - 32.05)	25.42	(21.31 - 30.02)
Southern 2	27.37	(23.46 - 31.67)	14.77	(11.79 - 18.35)	29.10	(24.99 - 33.57)	27.09	(23.49 - 31.01)
New Jersey	30.49	(27.50 - 33.67)	21.95	(19.21 - 24.97)	42.48	(39.16 - 45.87)	39.82	(36.86 - 42.85)
Central	30.95	(25.79 - 36.62)	19.98	(15.81 - 24.93)	37.38	(31.74 - 43.38)	35.30	(30.26 - 40.68)
Metropolitan	30.59	(25.43 - 36.29)	26.12	(21.48 - 31.36)	45.09	(39.31 - 51.00)	42.41	(37.32 - 47.66)
Northern	30.11	(25.58 - 35.07)	22.44	(18.32 - 27.18)	43.50	(38.49 - 48.64)	40.85	(36.38 - 45.48)
Southern	30.44	(25.39 - 36.02)	17.92	(14.05 - 22.59)	43.58	(37.75 - 49.60)	40.16	(35.02 - 45.52)
New Mexico	28.19	(25.02 - 31.59)	25.24	(22.42 - 28.28)	43.93	(40.49 - 47.43)	40.94	(37.93 - 44.02)
Region 1	25.98	(21.01 - 31.65)	24.20	(19.56 - 29.55)	43.33	(37.23 - 49.65)	40.26	(34.95 - 45.81)
Region 2	*	(* - *)	24.98	(19.77 - 31.03)	42.29	(36.07 - 48.76)	39.98	(34.42 - 45.80)
Region 3 (Bernalillo)	27.66	(23.07 - 32.77)	23.40	(19.59 - 27.69)	38.05	(33.21 - 43.15)	35.66	(31.46 - 40.08)
Region 4	*	(* - *)	27.94	(22.47 - 34.16)	*	(* - *)	48.71	(42.72 - 54.73)
Region 5	29.66	(24.19 - 35.77)	27.44	(22.77 - 32.65)	49.49	(43.42 - 55.57)	45.71	(40.49 - 51.02)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	32.01	(30.36 - 33.70)	22.73	(21.14 - 24.41)	41.12	(39.32 - 42.95)	38.47	(36.88 - 40.08)
Region A	33.95	(31.38 - 36.62)	27.41	(25.09 - 29.87)	42.86	(40.30 - 45.46)	40.51	(38.27 - 42.80)
Region 1	34.51	(29.74 - 39.60)	32.84	(27.73 - 38.39)	49.22	(43.67 - 54.78)	46.52	(41.69 - 51.43)
Region 2	33.87	(29.81 - 38.19)	26.09	(22.44 - 30.11)	43.55	(39.37 - 47.82)	40.82	(37.20 - 44.55)
Region 3	28.85	(23.70 - 34.61)	18.68	(15.22 - 22.72)	34.56	(29.86 - 39.57)	32.27	(28.13 - 36.70)
Region 4	36.26	(31.49 - 41.32)	32.07	(27.82 - 36.64)	44.60	(39.73 - 49.57)	42.78	(38.49 - 47.18)
Region B	31.19	(28.61 - 33.89)	20.52	(18.15 - 23.12)	38.41	(35.48 - 41.44)	36.15	(33.53 - 38.85)
Region 5	30.49	(26.98 - 34.24)	20.67	(17.43 - 24.34)	38.55	(34.65 - 42.61)	36.33	(32.84 - 39.97)
Region 6	32.36	(27.77 - 37.33)	21.10	(17.10 - 25.75)	37.35	(32.42 - 42.56)	35.37	(30.92 - 40.10)
Region 7	31.62	(26.60 - 37.10)	19.30	(15.37 - 23.95)	39.71	(33.97 - 45.76)	36.78	(31.73 - 42.13)
Region C	29.30	(26.96 - 31.76)	17.14	(15.35 - 19.08)	40.12	(37.46 - 42.84)	36.73	(34.42 - 39.10)
Region 8	27.24	(22.54 - 32.51)	15.42	(12.41 - 19.00)	36.31	(31.06 - 41.91)	33.31	(28.73 - 38.24)
Region 9	30.48	(26.03 - 35.33)	17.56	(14.22 - 21.49)	42.51	(37.26 - 47.94)	38.77	(34.25 - 43.50)
Region 10	31.98	(26.84 - 37.61)	15.84	(12.55 - 19.78)	42.65	(36.79 - 48.73)	37.73	(32.83 - 42.89)
Region 11	28.56	(23.95 - 33.67)	18.73	(15.37 - 22.62)	41.83	(36.95 - 46.88)	38.43	(34.18 - 42.88)
Region 12	29.60	(25.41 - 34.16)	17.40	(14.24 - 21.08)	38.98	(34.37 - 43.80)	36.04	(31.98 - 40.31)
Region D	33.30	(29.61 - 37.20)	19.65	(16.92 - 22.70)	43.70	(39.85 - 47.62)	40.04	(36.67 - 43.50)
Region 13	*	(* - *)	20.69	(16.12 - 26.17)	42.94	(36.82 - 49.28)	39.74	(34.33 - 45.41)
Region 14	31.70	(25.88 - 38.15)	19.88	(15.76 - 24.76)	43.62	(37.41 - 50.04)	39.71	(34.36 - 45.31)
Region 15	31.87	(26.22 - 38.12)	18.50	(14.69 - 23.03)	44.44	(38.11 - 50.96)	40.62	(35.12 - 46.37)
North Carolina	32.84	(29.90 - 35.92)	26.55	(23.85 - 29.44)	44.23	(40.67 - 47.85)	41.74	(38.61 - 44.93)
Eastern	34.35	(29.04 - 40.09)	27.21	(22.59 - 32.39)	47.71	(41.33 - 54.16)	44.56	(39.02 - 50.24)
North Central	30.92	(26.03 - 36.27)	27.46	(22.89 - 32.56)	42.88	(36.79 - 49.19)	40.70	(35.35 - 46.28)
South Central	36.01	(30.79 - 41.58)	24.73	(20.18 - 29.92)	45.31	(39.58 - 51.18)	42.28	(37.26 - 47.45)
Western	30.88	(26.41 - 35.73)	26.87	(22.87 - 31.28)	42.55	(37.55 - 47.71)	40.53	(36.08 - 45.15)
North Dakota	37.18	(34.11 - 40.37)	23.67	(21.07 - 26.47)	42.98	(39.67 - 46.36)	39.61	(36.77 - 42.52)
Badlands and West Central	33.76	(28.92 - 38.97)	24.81	(20.20 - 30.08)	42.91	(37.21 - 48.82)	40.30	(35.27 - 45.55)
Lake Region and South Central	44.35	(38.19 - 50.70)	*	(* - *)	48.53	(42.20 - 54.92)	46.26	(40.58 - 52.05)
North Central and Northwest	41.20	(35.22 - 47.45)	24.94	(20.31 - 30.22)	46.33	(40.07 - 52.71)	42.99	(37.59 - 48.56)
Northeast	38.80	(32.64 - 45.34)	23.77	(19.36 - 28.81)	41.02	(35.17 - 47.14)	37.07	(32.24 - 42.18)
Southeast	32.28	(27.31 - 37.69)	19.71	(16.14 - 23.83)	38.12	(32.71 - 43.84)	34.17	(29.74 - 38.89)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	35.65	(34.08 - 37.24)	23.05	(21.63 - 24.54)	41.11	(39.39 - 42.84)	38.45	(36.98 - 39.95)
Boards 2, 46, 55, and 68	37.97	(32.52 - 43.74)	24.96	(20.66 - 29.82)	44.71	(39.21 - 50.34)	41.92	(37.08 - 46.92)
Boards 3, 52, and 85	40.72	(34.62 - 47.11)	28.73	(23.53 - 34.55)	41.36	(35.54 - 47.43)	39.51	(34.40 - 44.87)
Boards 4 and 78	35.64	(30.06 - 41.63)	23.86	(19.42 - 28.96)	42.96	(36.89 - 49.26)	40.54	(35.11 - 46.22)
Boards 5 and 60	45.23	(38.63 - 52.00)	26.21	(21.58 - 31.43)	45.59	(39.68 - 51.64)	42.04	(37.03 - 47.21)
Boards 7, 15, 41, 79, and 84	42.51	(36.57 - 48.68)	26.70	(21.72 - 32.35)	49.70	(43.92 - 55.48)	46.77	(41.63 - 51.98)
Boards 8, 13, and 83	37.91	(32.44 - 43.72)	22.67	(18.26 - 27.79)	37.72	(32.28 - 43.50)	35.63	(30.80 - 40.78)
Board 9 (Butler)	38.28	(32.27 - 44.66)	21.99	(17.72 - 26.95)	42.09	(36.18 - 48.23)	38.53	(33.51 - 43.81)
Board 12	40.47	(34.10 - 47.17)	26.70	(21.60 - 32.51)	45.64	(39.35 - 52.07)	42.62	(37.13 - 48.30)
Boards 18 and 47	33.80	(30.06 - 37.76)	19.72	(16.84 - 22.96)	39.44	(35.61 - 43.42)	36.85	(33.47 - 40.36)
Boards 20, 32, 54, and 69	41.83	(36.08 - 47.81)	29.11	(23.48 - 35.45)	43.98	(37.82 - 50.34)	41.87	(36.44 - 47.51)
Boards 21, 39, 51, 70, and 80	32.78	(27.88 - 38.09)	22.95	(19.02 - 27.41)	38.91	(33.41 - 44.72)	36.76	(31.90 - 41.91)
Boards 22, 74, and 87	30.05	(24.41 - 36.37)	20.08	(15.72 - 25.28)	40.98	(34.64 - 47.63)	37.61	(32.14 - 43.40)
Boards 23 and 45	36.54	(31.08 - 42.38)	25.41	(20.59 - 30.92)	43.98	(37.82 - 50.33)	41.34	(35.91 - 47.00)
Board 25 (Franklin)	29.98	(25.93 - 34.37)	20.06	(17.19 - 23.27)	36.77	(32.49 - 41.27)	33.77	(30.17 - 37.57)
Boards 27, 71, and 73	41.82	(36.45 - 47.40)	29.14	(24.22 - 34.59)	46.47	(40.90 - 52.12)	43.98	(39.05 - 49.03)
Boards 28, 43, and 67	34.67	(29.49 - 40.25)	22.83	(18.79 - 27.45)	41.67	(36.51 - 47.01)	38.96	(34.47 - 43.64)
Board 31 (Hamilton)	29.01	(24.73 - 33.69)	21.39	(17.78 - 25.51)	36.93	(32.21 - 41.90)	34.55	(30.47 - 38.88)
Board 48 (Lucas)	35.94	(30.84 - 41.37)	21.89	(18.04 - 26.29)	39.17	(33.79 - 44.82)	36.46	(31.78 - 41.41)
Boards 50 and 76	34.82	(30.11 - 39.85)	22.84	(18.99 - 27.22)	43.27	(37.99 - 48.70)	40.60	(35.93 - 45.45)
Board 57 (Montgomery)	36.89	(31.39 - 42.75)	22.17	(18.15 - 26.79)	39.66	(34.19 - 45.41)	37.05	(32.26 - 42.12)
Board 77 (Summit)	34.62	(29.82 - 39.76)	24.11	(19.76 - 29.08)	38.95	(33.58 - 44.60)	36.98	(32.21 - 42.01)
Oklahoma	36.56	(33.15 - 40.11)	28.61	(25.57 - 31.86)	45.29	(41.83 - 48.80)	42.62	(39.61 - 45.69)
Central	*	(* - *)	25.15	(20.01 - 31.10)	44.84	(38.19 - 51.68)	41.27	(35.53 - 47.26)
East Central	*	(* - *)	*	(* - *)	46.56	(40.01 - 53.23)	44.01	(38.20 - 49.99)
Northeast	*	(* - *)	27.33	(22.08 - 33.29)	42.57	(36.45 - 48.92)	40.15	(34.82 - 45.71)
Northwest and Southwest	37.86	(31.67 - 44.47)	29.46	(24.13 - 35.42)	*	(* - *)	44.98	(39.12 - 50.98)
Oklahoma County	33.09	(26.99 - 39.82)	28.83	(23.48 - 34.85)	48.63	(42.39 - 54.93)	45.29	(39.89 - 50.80)
Southeast	39.99	(34.00 - 46.30)	*	(* - *)	46.94	(40.41 - 53.56)	45.10	(39.30 - 51.05)
Tulsa County	32.32	(26.48 - 38.76)	26.72	(21.80 - 32.29)	39.05	(32.92 - 45.56)	37.09	(31.77 - 42.74)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	30.53	(27.46 - 33.78)	18.85	(16.45 - 21.52)	31.43	(28.51 - 34.51)	29.63	(27.05 - 32.35)
Region 1 (Multnomah)	*	(* - *)	16.94	(13.15 - 21.55)	27.03	(22.27 - 32.38)	25.51	(21.31 - 30.23)
Region 2	29.52	(24.82 - 34.69)	17.65	(13.88 - 22.18)	28.12	(23.77 - 32.92)	26.66	(22.76 - 30.95)
Region 3	32.88	(28.08 - 38.07)	20.12	(16.75 - 23.98)	33.60	(29.02 - 38.51)	31.48	(27.52 - 35.72)
Region 4	*	(* - *)	19.82	(15.22 - 25.39)	33.91	(28.12 - 40.22)	32.26	(27.05 - 37.95)
Region 5	28.63	(22.87 - 35.18)	*	(* - *)	*	(* - *)	34.35	(28.65 - 40.55)
Pennsylvania	35.03	(33.41 - 36.69)	21.64	(20.28 - 23.07)	43.37	(41.65 - 45.11)	40.31	(38.81 - 41.82)
Region 1 (Allegheny)	32.61	(28.53 - 36.97)	18.08	(14.96 - 21.68)	42.99	(38.46 - 47.63)	39.69	(35.68 - 43.84)
Regions 2, 3, 8, and 9	34.48	(29.31 - 40.05)	21.40	(17.39 - 26.06)	45.15	(39.78 - 50.63)	41.75	(37.04 - 46.62)
Regions 4, 11, 37, and 49	33.74	(29.22 - 38.57)	21.55	(17.90 - 25.72)	42.53	(37.45 - 47.77)	39.79	(35.30 - 44.46)
Regions 5, 18, 23, 24, and 46	40.63	(35.99 - 45.45)	28.18	(23.89 - 32.91)	48.92	(43.84 - 54.03)	46.02	(41.55 - 50.55)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	38.64	(33.86 - 43.64)	20.30	(17.05 - 23.99)	45.45	(40.17 - 50.84)	40.80	(36.40 - 45.36)
Regions 7, 13, 20, and 33	32.17	(28.97 - 35.54)	19.01	(16.41 - 21.91)	36.76	(33.21 - 40.46)	34.45	(31.33 - 37.72)
Regions 10, 14, 15, 27, 32, 43, and 44	37.99	(32.65 - 43.64)	25.34	(20.97 - 30.27)	47.17	(41.81 - 52.59)	44.24	(39.52 - 49.07)
Regions 17 and 21	33.24	(27.59 - 39.41)	19.42	(15.40 - 24.18)	41.75	(35.43 - 48.35)	38.18	(32.73 - 43.94)
Regions 19, 26, 28, and 42	37.89	(33.84 - 42.13)	24.46	(21.13 - 28.13)	45.14	(40.80 - 49.55)	42.29	(38.48 - 46.20)
Regions 22, 38, 40, 41, and 48	33.29	(28.83 - 38.06)	22.21	(18.37 - 26.59)	43.26	(38.23 - 48.42)	40.71	(36.20 - 45.38)
Regions 25 and 30	37.31	(32.00 - 42.96)	22.47	(18.35 - 27.21)	48.25	(42.77 - 53.77)	44.90	(40.07 - 49.82)
Regions 29 and 34	30.99	(25.89 - 36.60)	22.10	(17.86 - 27.02)	44.76	(39.01 - 50.64)	41.70	(36.61 - 46.96)
Region 36 (Philadelphia)	36.31	(32.14 - 40.71)	22.21	(19.22 - 25.51)	45.46	(40.72 - 50.28)	41.51	(37.51 - 45.62)
Rhode Island	30.72	(27.49 - 34.14)	17.40	(14.98 - 20.12)	35.27	(32.03 - 38.64)	32.51	(29.70 - 35.45)
Bristol and Newport	27.20	(21.83 - 33.32)	16.37	(12.25 - 21.53)	33.89	(27.81 - 40.54)	31.54	(26.14 - 37.50)
Kent	29.71	(24.27 - 35.81)	16.00	(12.12 - 20.82)	34.75	(28.88 - 41.13)	32.44	(27.18 - 38.20)
Providence	32.70	(28.41 - 37.29)	18.92	(15.88 - 22.39)	36.35	(32.21 - 40.70)	33.46	(29.93 - 37.19)
Washington	25.86	(20.61 - 31.92)	12.22	(9.14 - 16.15)	32.26	(26.67 - 38.41)	28.99	(24.19 - 34.31)
South Carolina	35.57	(32.61 - 38.64)	26.28	(23.43 - 29.34)	46.50	(43.22 - 49.81)	43.51	(40.66 - 46.41)
Region 1	35.10	(30.10 - 40.44)	25.02	(20.52 - 30.13)	48.60	(43.00 - 54.24)	45.23	(40.32 - 50.23)
Region 2	32.84	(28.11 - 37.93)	24.78	(20.80 - 29.25)	43.60	(38.41 - 48.94)	40.77	(36.28 - 45.43)
Region 3	36.36	(31.11 - 41.96)	28.82	(23.40 - 34.93)	48.47	(42.80 - 54.18)	45.69	(40.66 - 50.82)
Region 4	38.52	(33.49 - 43.81)	27.55	(23.01 - 32.60)	46.25	(40.72 - 51.87)	43.36	(38.54 - 48.31)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	37.40	(34.31 - 40.60)	25.76	(23.05 - 28.68)	42.91	(39.75 - 46.14)	40.12	(37.39 - 42.91)
Region 1	36.62	(30.53 - 43.17)	23.79	(18.79 - 29.64)	43.74	(37.96 - 49.69)	40.48	(35.47 - 45.70)
Region 2	37.73	(32.19 - 43.62)	27.71	(23.20 - 32.72)	39.93	(34.55 - 45.56)	37.85	(33.23 - 42.69)
Region 3	38.26	(32.69 - 44.15)	26.69	(21.97 - 31.99)	44.35	(38.41 - 50.46)	41.12	(36.10 - 46.34)
Region 4	*	(* - *)	24.40	(19.08 - 30.64)	*	(* - *)	41.07	(35.18 - 47.23)
Region 5	*	(* - *)	27.05	(21.49 - 33.44)	*	(* - *)	42.62	(36.50 - 48.98)
Region 6	*	(* - *)	*	(* - *)	*	(* - *)	46.33	(39.88 - 52.90)
Region 7	*	(* - *)	21.54	(16.83 - 27.13)	39.75	(33.91 - 45.90)	36.80	(31.73 - 42.18)
Tennessee	35.67	(32.76 - 38.69)	24.70	(22.06 - 27.55)	44.58	(41.24 - 47.97)	41.76	(38.84 - 44.75)
Region 1	*	(* - *)	*	(* - *)	*	(* - *)	43.36	(37.02 - 49.93)
Region 2	34.08	(28.61 - 40.02)	21.72	(17.59 - 26.52)	44.06	(37.96 - 50.34)	40.98	(35.64 - 46.54)
Region 3	37.15	(31.70 - 42.95)	26.47	(21.74 - 31.80)	44.85	(38.84 - 51.01)	42.33	(37.05 - 47.79)
Region 4 (Davidson)	*	(* - *)	23.57	(18.48 - 29.54)	*	(* - *)	39.38	(33.43 - 45.67)
Region 5	36.86	(31.73 - 42.31)	23.17	(18.79 - 28.21)	41.35	(36.03 - 46.88)	38.75	(34.06 - 43.65)
Region 6	38.59	(32.19 - 45.42)	*	(* - *)	*	(* - *)	48.99	(42.76 - 55.25)
Region 7 (Shelby)	34.47	(28.71 - 40.73)	24.94	(19.80 - 30.90)	45.04	(38.71 - 51.52)	42.03	(36.50 - 47.76)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	38.35	(36.67 - 40.05)	28.21	(26.66 - 29.81)	47.75	(45.99 - 49.50)	44.53	(43.04 - 46.03)
Region 1	37.80	(32.21 - 43.73)	25.60	(21.25 - 30.49)	50.21	(44.24 - 56.16)	45.86	(40.81 - 51.01)
Region 2	36.38	(30.48 - 42.71)	24.20	(19.40 - 29.76)	49.13	(42.64 - 55.66)	45.23	(39.61 - 50.97)
Region 3	37.57	(34.78 - 40.45)	26.62	(24.16 - 29.23)	44.22	(41.32 - 47.15)	41.40	(38.91 - 43.94)
Region 3a	36.64	(33.18 - 40.24)	26.66	(23.61 - 29.95)	44.49	(41.06 - 47.96)	41.57	(38.62 - 44.58)
Region 3bc	39.20	(34.70 - 43.89)	26.54	(22.84 - 30.59)	43.74	(39.05 - 48.55)	41.09	(37.05 - 45.27)
Region 4	41.68	(36.10 - 47.48)	28.41	(23.71 - 33.62)	46.13	(40.41 - 51.96)	43.72	(38.67 - 48.90)
Region 5	40.16	(34.28 - 46.33)	25.29	(20.48 - 30.80)	48.16	(42.43 - 53.94)	44.78	(39.71 - 49.96)
Region 6	39.89	(36.76 - 43.10)	29.79	(27.13 - 32.60)	45.92	(42.63 - 49.23)	43.32	(40.51 - 46.18)
Region 6a	40.06	(36.67 - 43.55)	30.29	(27.43 - 33.31)	45.85	(42.27 - 49.47)	43.30	(40.24 - 46.42)
Region 6bc	38.40	(32.23 - 44.96)	25.08	(20.01 - 30.93)	46.47	(40.42 - 52.62)	43.47	(38.13 - 48.96)
Region 7	34.45	(30.72 - 38.37)	21.81	(19.00 - 24.91)	40.16	(36.48 - 43.95)	36.54	(33.45 - 39.74)
Region 7a	32.96	(28.04 - 38.29)	20.70	(17.17 - 24.73)	36.05	(31.55 - 40.81)	33.19	(29.37 - 37.24)
Region 7bcd	36.44	(30.92 - 42.34)	23.31	(19.31 - 27.86)	46.76	(41.10 - 52.51)	41.73	(37.12 - 46.50)
Region 8	37.43	(33.11 - 41.96)	27.53	(23.65 - 31.77)	52.15	(47.70 - 56.57)	48.38	(44.51 - 52.26)
Region 9	37.50	(31.19 - 44.26)	29.85	(24.17 - 36.23)	55.02	(48.73 - 61.16)	51.08	(45.62 - 56.52)
Region 10	40.30	(34.38 - 46.52)	37.19	(31.07 - 43.76)	61.98	(55.97 - 67.65)	57.73	(52.49 - 62.81)
Region 11	40.07	(35.74 - 44.55)	39.13	(34.76 - 43.69)	61.44	(56.89 - 65.80)	57.47	(53.55 - 61.29)
Region 11abd	41.24	(35.59 - 47.13)	38.12	(32.54 - 44.04)	60.94	(55.18 - 66.41)	57.03	(52.03 - 61.88)
Region 11c (Hidalgo)	37.96	(32.35 - 43.91)	40.95	(35.07 - 47.10)	62.47	(56.57 - 68.01)	58.35	(53.32 - 63.21)
Utah	45.12	(41.69 - 48.60)	35.03	(31.75 - 38.46)	45.20	(41.66 - 48.79)	43.02	(40.07 - 46.02)
Bear River, Northeastern, Summit, Tooele, and Wasatch	*	(* - *)	*	(* - *)	50.51	(43.93 - 57.06)	47.52	(41.95 - 53.16)
Central, Four Corners, San Juan, and Southwest	49.40	(42.84 - 55.98)	*	(* - *)	*	(* - *)	48.08	(42.16 - 54.06)
Davis County	*	(* - *)	*	(* - *)	*	(* - *)	45.28	(39.34 - 51.35)
Salt Lake County	42.06	(37.15 - 47.13)	32.85	(28.57 - 37.44)	40.10	(35.40 - 44.98)	38.68	(34.73 - 42.78)
Utah County	*	(* - *)	37.03	(31.45 - 42.98)	47.79	(41.13 - 54.52)	44.52	(39.27 - 49.90)
Weber, Morgan	*	(* - *)	*	(* - *)	46.88	(40.17 - 53.71)	44.75	(38.98 - 50.67)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	26.55	(23.82 - 29.47)	13.92	(11.90 - 16.23)	30.87	(27.70 - 34.22)	28.40	(25.65 - 31.33)
Champlain Valley	25.84	(22.15 - 29.92)	11.69	(9.28 - 14.64)	26.82	(22.79 - 31.28)	24.19	(20.79 - 27.96)
Rural Northeast	28.11	(23.55 - 33.17)	17.16	(13.51 - 21.54)	35.37	(29.96 - 41.17)	32.85	(28.11 - 37.97)
Rural Southeast	26.66	(21.86 - 32.07)	14.55	(11.23 - 18.64)	31.64	(26.20 - 37.64)	29.68	(24.78 - 35.09)
Rural Southwest	25.88	(20.77 - 31.74)	15.27	(11.73 - 19.64)	32.41	(26.46 - 38.98)	30.20	(24.93 - 36.06)
Virginia	36.65	(33.49 - 39.93)	23.12	(20.47 - 26.00)	42.88	(39.55 - 46.27)	40.09	(37.16 - 43.09)
Region 1	34.03	(28.44 - 40.11)	21.91	(17.64 - 26.88)	41.95	(35.82 - 48.33)	38.99	(33.64 - 44.63)
Region 2	39.36	(33.80 - 45.20)	24.12	(19.79 - 29.05)	37.93	(32.88 - 43.25)	36.15	(31.65 - 40.91)
Region 3	35.37	(29.77 - 41.41)	22.61	(18.29 - 27.61)	47.17	(40.69 - 53.74)	43.77	(38.11 - 49.60)
Region 4	35.03	(29.36 - 41.15)	23.50	(19.06 - 28.62)	44.28	(38.22 - 50.52)	41.50	(36.11 - 47.09)
Region 5	37.65	(32.32 - 43.30)	23.03	(18.84 - 27.83)	44.82	(39.03 - 50.75)	41.34	(36.33 - 46.53)
Washington	29.38	(26.46 - 32.48)	16.24	(14.01 - 18.76)	28.14	(25.29 - 31.18)	26.41	(23.90 - 29.10)
Region 1	32.29	(26.39 - 38.80)	18.27	(14.22 - 23.16)	32.17	(26.56 - 38.35)	29.95	(25.09 - 35.32)
Region 2	34.24	(28.26 - 40.76)	22.38	(17.41 - 28.28)	38.67	(32.38 - 45.35)	36.09	(30.61 - 41.96)
Region 3	29.08	(23.94 - 34.82)	14.76	(11.31 - 19.05)	27.42	(22.33 - 33.17)	25.56	(21.09 - 30.62)
Region 4 (King)	23.71	(19.30 - 28.75)	14.00	(10.93 - 17.75)	23.25	(19.17 - 27.89)	21.96	(18.33 - 26.06)
Region 5	31.23	(25.46 - 37.66)	16.90	(13.06 - 21.59)	29.27	(24.31 - 34.78)	27.40	(23.03 - 32.26)
Region 6	30.75	(25.61 - 36.42)	15.71	(12.25 - 19.94)	28.28	(22.96 - 34.28)	26.62	(21.90 - 31.95)
West Virginia	38.00	(35.10 - 40.99)	26.15	(23.53 - 28.96)	48.88	(45.45 - 52.31)	45.83	(42.81 - 48.89)
Eastern Highland	37.95	(32.75 - 43.44)	26.77	(22.10 - 32.01)	49.26	(43.27 - 55.27)	46.42	(41.12 - 51.81)
Northern	36.67	(32.05 - 41.56)	21.93	(18.42 - 25.90)	48.04	(43.08 - 53.04)	44.11	(39.80 - 48.52)
Northern A and B	*	(* - *)	25.20	(19.83 - 31.46)	*	(* - *)	44.65	(38.19 - 51.29)
Northern C and D	37.51	(31.81 - 43.58)	20.73	(16.70 - 25.45)	48.45	(42.51 - 54.43)	43.84	(38.77 - 49.04)
South Central	37.55	(33.72 - 41.55)	27.11	(23.63 - 30.90)	47.12	(42.73 - 51.56)	44.52	(40.65 - 48.46)
South Central I	36.38	(30.48 - 42.73)	26.72	(21.54 - 32.62)	51.12	(44.50 - 57.70)	48.21	(42.30 - 54.18)
South Central II	*	(* - *)	28.74	(23.27 - 34.92)	*	(* - *)	48.44	(42.05 - 54.88)
South Central III	33.48	(28.00 - 39.44)	26.01	(21.06 - 31.65)	41.63	(35.24 - 48.32)	39.72	(34.03 - 45.70)
Southern	40.99	(35.84 - 46.34)	30.40	(25.83 - 35.40)	53.03	(47.46 - 58.53)	50.12	(45.13 - 55.10)
Southern I and III	41.42	(35.07 - 48.08)	31.59	(25.72 - 38.10)	*	(* - *)	50.61	(44.31 - 56.90)
Southern II	*	(* - *)	28.07	(22.52 - 34.38)	*	(* - *)	49.15	(42.89 - 55.43)

See notes at end of table.

(continued)

Table 5. Perceptions of Great Risk of Smoking Marijuana Once a Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	31.06	(28.10 - 34.18)	19.78	(17.27 - 22.55)	36.90	(33.93 - 39.97)	34.31	(31.71 - 37.00)
Milwaukee	32.00	(26.12 - 38.52)	21.46	(17.11 - 26.55)	36.84	(31.05 - 43.04)	34.36	(29.31 - 39.80)
Northeastern	28.34	(23.48 - 33.77)	19.30	(15.38 - 23.94)	35.02	(29.63 - 40.82)	32.76	(28.03 - 37.87)
Northern	*	(* - *)	21.30	(16.75 - 26.70)	*	(* - *)	38.28	(32.44 - 44.47)
Southeastern	31.77	(26.83 - 37.17)	20.01	(15.90 - 24.88)	35.10	(30.26 - 40.28)	33.07	(28.77 - 37.68)
Southern	29.86	(24.75 - 35.53)	18.31	(14.32 - 23.10)	36.06	(30.94 - 41.52)	33.14	(28.74 - 37.85)
Western	32.14	(26.65 - 38.16)	19.38	(15.01 - 24.64)	41.32	(34.86 - 48.08)	37.59	(32.09 - 43.43)
Wyoming	35.54	(32.41 - 38.79)	19.32	(16.87 - 22.03)	39.30	(36.15 - 42.55)	36.14	(33.40 - 38.96)
Judicial District 1 (Laramie)	35.74	(29.71 - 42.26)	22.18	(17.75 - 27.35)	39.95	(34.11 - 46.09)	37.22	(32.12 - 42.63)
Judicial District 2	*	(* - *)	15.39	(12.02 - 19.51)	*	(* - *)	31.38	(26.35 - 36.89)
Judicial District 3	38.66	(32.77 - 44.89)	21.06	(16.52 - 26.45)	39.81	(33.93 - 46.00)	36.82	(31.73 - 42.22)
Judicial District 4	*	(* - *)	*	(* - *)	*	(* - *)	35.70	(29.65 - 42.24)
Judicial District 5	*	(* - *)	21.16	(16.33 - 26.96)	*	(* - *)	41.69	(35.36 - 48.30)
Judicial District 6	*	(* - *)	19.35	(14.67 - 25.07)	*	(* - *)	39.15	(33.38 - 45.23)
Judicial District 7 (Natrona)	30.77	(25.15 - 37.03)	16.12	(12.41 - 20.67)	35.42	(29.56 - 41.76)	32.37	(27.31 - 37.88)
Judicial District 8	*	(* - *)	21.79	(16.76 - 27.82)	*	(* - *)	38.07	(31.93 - 44.61)
Judicial District 9	*	(* - *)	20.28	(15.47 - 26.12)	36.54	(30.71 - 42.78)	34.25	(29.04 - 39.86)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	13.64		27.79		7.01		10.10	
Northeast	14.84	(14.18 - 15.52)	32.80	(31.80 - 33.82)	7.77	(7.26 - 8.32)	11.27	(10.79 - 11.76)
Midwest	13.52	(12.99 - 14.06)	27.70	(26.95 - 28.46)	6.83	(6.43 - 7.24)	9.99	(9.63 - 10.37)
South	12.60	(12.10 - 13.11)	25.26	(24.57 - 25.97)	6.13	(5.77 - 6.51)	8.96	(8.63 - 9.31)
West	14.42	(13.68 - 15.18)	27.95	(27.03 - 28.88)	7.94	(7.37 - 8.56)	11.03	(10.51 - 11.57)
Alabama	11.73	(9.96 - 13.77)	22.47	(19.77 - 25.42)	5.45	(4.32 - 6.85)	7.99	(6.86 - 9.27)
Region 1	11.95	(9.18 - 15.42)	21.23	(16.67 - 26.63)	4.49	(3.12 - 6.42)	6.74	(5.24 - 8.64)
Region 2	12.10	(9.34 - 15.54)	24.74	(20.45 - 29.60)	5.91	(4.10 - 8.44)	8.76	(6.90 - 11.06)
Region 3	10.09	(7.44 - 13.55)	22.42	(17.53 - 28.20)	5.97	(4.06 - 8.70)	8.90	(6.87 - 11.44)
Region 4	12.39	(9.55 - 15.92)	20.48	(16.11 - 25.67)	5.64	(3.93 - 8.02)	7.72	(5.96 - 9.94)
Alaska	16.31	(13.99 - 18.94)	34.68	(31.49 - 38.00)	11.52	(9.64 - 13.71)	15.26	(13.52 - 17.19)
Gulf Coast	14.39	(10.38 - 19.61)	*	(* - *)	8.93	(5.82 - 13.48)	11.93	(8.69 - 16.15)
Rural	*	(* - *)	*	(* - *)	*	(* - *)	16.01	(11.84 - 21.30)
Southeast	16.99	(12.77 - 22.24)	*	(* - *)	11.13	(7.65 - 15.92)	14.49	(10.94 - 18.96)
Urban	16.81	(13.94 - 20.12)	35.29	(31.45 - 39.32)	12.03	(9.79 - 14.70)	15.89	(13.82 - 18.19)
Arizona	15.03	(12.86 - 17.49)	23.81	(21.06 - 26.80)	6.04	(4.78 - 7.61)	8.73	(7.49 - 10.16)
Maricopa	14.85	(12.22 - 17.93)	23.90	(20.59 - 27.55)	6.07	(4.53 - 8.09)	8.88	(7.38 - 10.66)
Pima	16.61	(12.45 - 21.81)	*	(* - *)	6.73	(4.66 - 9.62)	9.53	(7.31 - 12.34)
Rural North	16.50	(12.24 - 21.88)	*	(* - *)	6.63	(4.39 - 9.88)	9.39	(6.96 - 12.56)
Rural South	12.40	(8.85 - 17.10)	*	(* - *)	4.37	(2.76 - 6.87)	6.23	(4.38 - 8.79)
Arkansas	14.09	(12.20 - 16.21)	26.28	(23.49 - 29.28)	6.38	(5.18 - 7.83)	9.35	(8.16 - 10.70)
Areas 1 and 2	15.54	(11.81 - 20.16)	28.33	(22.72 - 34.70)	6.07	(4.14 - 8.82)	9.54	(7.42 - 12.20)
Areas 3 and 4	13.60	(10.43 - 17.55)	26.69	(21.27 - 32.91)	6.53	(4.55 - 9.29)	9.52	(7.39 - 12.20)
Areas 5 and 6	13.11	(9.79 - 17.34)	23.19	(18.44 - 28.73)	5.64	(3.85 - 8.20)	8.39	(6.48 - 10.81)
Areas 7, 12, and 13	12.52	(9.27 - 16.70)	*	(* - *)	6.88	(4.73 - 9.91)	9.15	(6.93 - 11.99)
Areas 8, 10, and 11	14.52	(10.97 - 18.97)	27.68	(22.49 - 33.55)	5.97	(4.04 - 8.74)	8.95	(6.93 - 11.49)
Area 9	14.95	(11.51 - 19.19)	29.05	(23.29 - 35.57)	7.17	(5.06 - 10.07)	10.34	(8.10 - 13.12)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	13.82	(12.72 - 15.01)	27.54	(26.07 - 29.05)	8.31	(7.40 - 9.31)	11.30	(10.47 - 12.18)
Region 1	17.19	(13.27 - 21.97)	*	(* - *)	11.69	(8.33 - 16.17)	15.47	(12.04 - 19.67)
Region 2	15.70	(12.76 - 19.16)	33.66	(29.37 - 38.24)	11.46	(8.85 - 14.72)	14.73	(12.29 - 17.56)
Region 3	13.37	(10.18 - 17.37)	*	(* - *)	7.17	(4.97 - 10.24)	10.08	(7.74 - 13.01)
Region 4	16.52	(12.85 - 20.97)	36.75	(30.71 - 43.23)	12.36	(9.30 - 16.25)	15.30	(12.31 - 18.87)
Region 5	17.48	(14.21 - 21.31)	33.63	(28.47 - 39.20)	10.47	(8.03 - 13.55)	13.66	(11.26 - 16.47)
Region 6 (Santa Clara)	13.39	(10.21 - 17.38)	25.25	(20.18 - 31.08)	6.19	(4.31 - 8.82)	8.91	(6.92 - 11.40)
Region 7	13.98	(10.44 - 18.48)	*	(* - *)	8.88	(6.23 - 12.52)	12.25	(9.48 - 15.68)
Region 8	11.92	(9.11 - 15.44)	20.22	(15.65 - 25.72)	5.98	(3.99 - 8.89)	8.53	(6.41 - 11.25)
Region 9	15.94	(12.06 - 20.76)	28.60	(23.03 - 34.91)	7.57	(5.15 - 10.99)	11.23	(8.67 - 14.43)
Region 10	15.61	(12.13 - 19.88)	32.32	(26.30 - 39.00)	9.00	(6.32 - 12.67)	12.74	(9.94 - 16.19)
Region 11 (Los Angeles)	11.81	(10.05 - 13.83)	23.38	(20.87 - 26.09)	7.55	(6.14 - 9.25)	10.11	(8.77 - 11.62)
Region 12	12.87	(10.05 - 16.33)	24.24	(19.76 - 29.37)	6.48	(4.55 - 9.16)	9.54	(7.54 - 12.01)
Region 13 (Riverside)	14.41	(11.28 - 18.23)	28.77	(23.30 - 34.94)	6.72	(4.75 - 9.43)	10.07	(7.97 - 12.64)
Region 14 (Orange)	13.91	(11.05 - 17.37)	27.00	(22.41 - 32.14)	6.85	(4.93 - 9.44)	9.85	(7.88 - 12.24)
Region 15	13.96	(11.08 - 17.42)	28.66	(24.45 - 33.29)	7.63	(5.69 - 10.15)	11.18	(9.28 - 13.41)
Colorado	16.69	(14.52 - 19.11)	33.99	(30.79 - 37.34)	8.19	(6.65 - 10.06)	12.01	(10.52 - 13.69)
Region 1	14.92	(11.10 - 19.77)	*	(* - *)	6.99	(4.75 - 10.17)	12.15	(9.69 - 15.15)
Regions 2 and 7	18.05	(15.11 - 21.41)	34.81	(30.47 - 39.42)	8.82	(6.78 - 11.39)	12.56	(10.57 - 14.86)
Region 3	15.39	(11.43 - 20.42)	*	(* - *)	7.14	(4.78 - 10.53)	10.73	(8.24 - 13.87)
Region 4	15.28	(11.17 - 20.56)	*	(* - *)	6.93	(4.56 - 10.38)	9.33	(6.77 - 12.74)
Regions 5 and 6	14.87	(10.99 - 19.82)	*	(* - *)	8.36	(5.67 - 12.16)	12.14	(9.28 - 15.73)
Connecticut	17.79	(15.66 - 20.13)	37.72	(34.12 - 41.46)	8.76	(7.17 - 10.67)	12.59	(11.06 - 14.30)
Eastern	18.12	(13.83 - 23.39)	*	(* - *)	9.23	(6.39 - 13.16)	14.86	(11.70 - 18.70)
North Central	17.04	(13.50 - 21.29)	37.48	(31.82 - 43.51)	8.78	(6.29 - 12.13)	12.45	(9.96 - 15.46)
Northwestern	19.10	(15.23 - 23.68)	*	(* - *)	8.91	(6.27 - 12.51)	12.63	(9.95 - 15.90)
South Central	18.91	(15.22 - 23.23)	37.25	(31.06 - 43.90)	9.76	(7.16 - 13.16)	13.54	(10.94 - 16.64)
Southwest	15.97	(12.37 - 20.38)	*	(* - *)	7.14	(4.89 - 10.31)	10.24	(7.87 - 13.22)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	13.43	(11.49 - 15.63)	31.37	(28.18 - 34.76)	6.48	(5.22 - 8.02)	10.12	(8.86 - 11.54)
Kent	12.04	(8.96 - 15.99)	22.76	(17.75 - 28.69)	6.27	(4.19 - 9.27)	8.88	(6.75 - 11.59)
New Castle (excluding Wilmington City)	13.71	(11.10 - 16.83)	34.17	(29.77 - 38.85)	5.67	(4.18 - 7.66)	10.11	(8.54 - 11.92)
Sussex	14.15	(10.85 - 18.24)	27.75	(22.34 - 33.90)	6.32	(4.35 - 9.09)	8.68	(6.63 - 11.30)
Wilmington City	13.05	(9.33 - 17.96)	*	(* - *)	*	(* - *)	15.55	(11.58 - 20.57)
District of Columbia	13.37	(11.33 - 15.71)	34.10	(30.81 - 37.54)	10.93	(9.22 - 12.90)	14.63	(13.01 - 16.41)
Ward 1	12.38	(8.82 - 17.12)	*	(* - *)	15.16	(10.95 - 20.62)	18.49	(14.33 - 23.53)
Ward 2	*	(* - *)	37.76	(32.08 - 43.78)	14.34	(10.58 - 19.15)	20.17	(16.64 - 24.23)
Ward 3	16.40	(12.20 - 21.70)	*	(* - *)	9.85	(6.95 - 13.80)	14.18	(11.17 - 17.83)
Ward 4	13.35	(9.76 - 18.00)	*	(* - *)	7.68	(5.24 - 11.12)	9.75	(7.16 - 13.15)
Ward 5	14.14	(10.49 - 18.80)	*	(* - *)	10.26	(7.41 - 14.04)	13.72	(10.83 - 17.23)
Ward 6	12.47	(8.84 - 17.31)	*	(* - *)	11.30	(7.88 - 15.95)	14.36	(10.87 - 18.72)
Ward 7	12.38	(9.33 - 16.24)	*	(* - *)	8.52	(5.95 - 12.07)	10.87	(8.23 - 14.23)
Ward 8	13.09	(10.01 - 16.94)	*	(* - *)	10.53	(7.45 - 14.68)	14.14	(11.01 - 17.98)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	13.83	(12.78 - 14.96)	28.58	(27.05 - 30.15)	6.32	(5.58 - 7.15)	9.21	(8.51 - 9.96)
Region A	14.98	(12.58 - 17.75)	34.47	(30.37 - 38.82)	8.23	(6.46 - 10.43)	12.87	(11.01 - 14.98)
Circuit 1	15.40	(11.94 - 19.64)	*	(* - *)	7.40	(5.20 - 10.42)	11.39	(8.94 - 14.40)
Circuit 2	15.31	(11.55 - 20.02)	38.69	(32.72 - 45.02)	10.93	(7.59 - 15.49)	17.58	(14.20 - 21.57)
Circuit 14	13.40	(10.03 - 17.68)	*	(* - *)	6.87	(4.66 - 10.02)	9.86	(7.45 - 12.95)
Region B	15.92	(13.66 - 18.46)	33.36	(29.97 - 36.93)	7.55	(6.07 - 9.35)	11.57	(10.06 - 13.28)
Circuits 3 and 8	14.05	(10.58 - 18.42)	31.85	(26.13 - 38.17)	6.80	(4.71 - 9.73)	12.14	(9.75 - 15.01)
Circuit 4	16.80	(13.46 - 20.77)	32.99	(27.88 - 38.54)	8.99	(6.62 - 12.10)	12.72	(10.34 - 15.54)
Circuit 7	16.12	(12.46 - 20.60)	*	(* - *)	6.18	(4.26 - 8.89)	9.64	(7.56 - 12.20)
Region C	13.64	(12.04 - 15.42)	28.08	(25.49 - 30.83)	5.91	(4.91 - 7.11)	8.73	(7.71 - 9.88)
Circuit 5	12.92	(10.09 - 16.40)	28.27	(22.86 - 34.40)	4.88	(3.39 - 6.98)	7.02	(5.43 - 9.04)
Circuit 9	13.32	(10.52 - 16.73)	26.95	(22.59 - 31.79)	6.60	(4.81 - 9.01)	10.04	(8.18 - 12.26)
Circuit 10	12.47	(9.34 - 16.47)	20.74	(15.75 - 26.80)	4.44	(2.98 - 6.57)	6.55	(4.87 - 8.74)
Circuit 18	15.42	(12.17 - 19.34)	34.47	(29.20 - 40.15)	7.26	(5.31 - 9.85)	10.56	(8.52 - 13.02)
Circuit 19	13.84	(10.43 - 18.13)	*	(* - *)	5.77	(3.84 - 8.58)	8.27	(6.16 - 11.02)
Region D	12.05	(10.57 - 13.69)	24.69	(22.39 - 27.14)	5.76	(4.81 - 6.88)	8.11	(7.17 - 9.16)
Circuits 11 and 16	9.79	(7.83 - 12.18)	19.78	(16.64 - 23.35)	4.66	(3.46 - 6.25)	6.72	(5.48 - 8.22)
Circuit 15 (Palm Beach)	16.15	(12.94 - 19.96)	36.28	(31.35 - 41.51)	7.74	(5.74 - 10.35)	10.74	(8.72 - 13.15)
Circuit 17 (Broward)	12.78	(10.49 - 15.49)	25.44	(21.59 - 29.71)	5.86	(4.43 - 7.72)	8.23	(6.77 - 9.96)
Region E	14.77	(13.01 - 16.72)	28.28	(25.51 - 31.22)	6.25	(5.16 - 7.55)	8.69	(7.61 - 9.90)
Circuit 6	15.01	(12.12 - 18.46)	29.82	(24.64 - 35.58)	5.84	(4.23 - 8.00)	8.20	(6.53 - 10.24)
Circuit 12	15.38	(11.99 - 19.51)	*	(* - *)	5.63	(3.80 - 8.26)	7.84	(5.86 - 10.42)
Circuit 13 (Hillsborough)	15.00	(11.95 - 18.67)	26.62	(22.05 - 31.76)	8.00	(5.86 - 10.83)	10.80	(8.67 - 13.36)
Circuit 20	13.74	(10.70 - 17.48)	28.04	(22.82 - 33.94)	5.55	(3.93 - 7.78)	7.78	(6.06 - 9.94)
Georgia	11.86	(10.07 - 13.91)	25.60	(22.82 - 28.60)	7.12	(5.79 - 8.73)	9.94	(8.64 - 11.41)
Region 1	11.55	(8.60 - 15.34)	20.75	(15.82 - 26.72)	5.46	(3.64 - 8.11)	7.61	(5.66 - 10.15)
Region 2	12.29	(9.27 - 16.12)	25.23	(20.07 - 31.19)	6.81	(4.61 - 9.94)	9.68	(7.37 - 12.61)
Region 3	11.70	(9.14 - 14.85)	28.63	(24.36 - 33.30)	8.52	(6.37 - 11.32)	11.53	(9.42 - 14.03)
Region 4	11.82	(8.74 - 15.80)	21.43	(16.41 - 27.47)	5.64	(3.78 - 8.34)	8.05	(6.03 - 10.67)
Region 5	12.13	(8.91 - 16.29)	*	(* - *)	6.08	(4.03 - 9.07)	9.33	(7.01 - 12.30)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	14.99	(12.70 - 17.62)	29.12	(25.87 - 32.60)	7.14	(5.60 - 9.07)	10.06	(8.56 - 11.78)
Hawaii Island	16.56	(12.18 - 22.13)	*	(* - *)	10.35	(7.03 - 14.98)	12.71	(9.39 - 16.99)
Honolulu	14.38	(11.80 - 17.41)	28.66	(25.07 - 32.54)	6.07	(4.48 - 8.18)	9.21	(7.64 - 11.06)
Kauai and Maui**	16.23	(12.66 - 20.57)	*	(* - *)	9.33	(6.66 - 12.93)	11.81	(9.13 - 15.16)
Maui	16.18	(12.06 - 21.36)	*	(* - *)	9.76	(6.59 - 14.21)	12.22	(9.08 - 16.27)
Idaho	12.42	(10.63 - 14.47)	25.45	(22.77 - 28.33)	5.56	(4.46 - 6.90)	8.87	(7.76 - 10.11)
Region 1	14.73	(10.93 - 19.55)	*	(* - *)	5.57	(3.73 - 8.25)	8.67	(6.60 - 11.29)
Region 2	13.55	(9.76 - 18.53)	*	(* - *)	5.72	(3.64 - 8.88)	10.42	(7.88 - 13.66)
Region 3	13.73	(10.36 - 17.96)	21.32	(16.39 - 27.26)	4.91	(3.30 - 7.27)	7.52	(5.71 - 9.86)
Region 4	13.76	(10.55 - 17.76)	31.17	(26.43 - 36.33)	7.30	(5.27 - 10.03)	11.22	(9.17 - 13.66)
Region 5	11.03	(8.08 - 14.89)	*	(* - *)	4.65	(3.01 - 7.10)	7.04	(5.10 - 9.64)
Region 6	10.37	(7.52 - 14.12)	21.70	(16.58 - 27.87)	4.66	(3.05 - 7.06)	7.91	(5.98 - 10.40)
Region 7	9.31	(6.68 - 12.85)	*	(* - *)	3.75	(2.39 - 5.83)	6.95	(5.19 - 9.24)
Illinois	12.89	(11.79 - 14.08)	26.67	(25.17 - 28.21)	6.24	(5.49 - 7.09)	9.33	(8.63 - 10.09)
Region I (Cook)	13.57	(11.90 - 15.43)	27.63	(25.21 - 30.20)	7.56	(6.31 - 9.02)	10.63	(9.46 - 11.92)
Region II	12.46	(10.77 - 14.37)	26.64	(24.02 - 29.45)	5.26	(4.22 - 6.53)	8.32	(7.29 - 9.48)
Region III	13.54	(10.92 - 16.67)	24.15	(20.59 - 28.12)	5.58	(4.17 - 7.43)	8.79	(7.36 - 10.47)
Region IV	12.78	(10.03 - 16.16)	24.40	(20.11 - 29.26)	5.02	(3.63 - 6.92)	7.82	(6.31 - 9.66)
Region V	10.66	(8.32 - 13.57)	27.44	(23.66 - 31.57)	5.07	(3.74 - 6.85)	8.41	(7.02 - 10.05)
Indiana	12.68	(10.95 - 14.64)	27.13	(24.33 - 30.13)	5.99	(4.83 - 7.41)	9.23	(8.06 - 10.55)
Central	14.16	(10.99 - 18.05)	28.61	(23.73 - 34.04)	7.29	(5.22 - 10.09)	10.32	(8.23 - 12.87)
East	11.57	(8.35 - 15.80)	*	(* - *)	4.88	(3.14 - 7.51)	7.83	(5.82 - 10.46)
North Central	12.04	(8.91 - 16.06)	*	(* - *)	5.87	(3.97 - 8.59)	8.81	(6.69 - 11.51)
Northeast	10.20	(7.29 - 14.11)	*	(* - *)	5.08	(3.33 - 7.66)	7.69	(5.75 - 10.22)
Northwest	13.21	(10.02 - 17.22)	*	(* - *)	6.79	(4.58 - 9.95)	9.84	(7.48 - 12.83)
Southeast	13.41	(9.82 - 18.06)	*	(* - *)	4.91	(3.21 - 7.44)	8.09	(6.10 - 10.67)
Southwest	11.55	(8.29 - 15.87)	*	(* - *)	5.28	(3.39 - 8.13)	8.21	(5.98 - 11.18)
West	13.11	(9.75 - 17.41)	30.37	(24.73 - 36.67)	5.64	(3.71 - 8.49)	11.06	(8.76 - 13.87)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	11.61	(9.83 - 13.66)	23.01	(20.38 - 25.86)	5.12	(4.04 - 6.47)	7.89	(6.82 - 9.12)
Central	15.72	(11.78 - 20.66)	*	(* - *)	6.90	(4.61 - 10.21)	10.13	(7.72 - 13.17)
North Central	10.49	(7.52 - 14.46)	*	(* - *)	3.96	(2.48 - 6.28)	6.69	(4.94 - 9.00)
Northeast	11.06	(8.45 - 14.36)	25.21	(20.47 - 30.62)	5.19	(3.59 - 7.44)	8.32	(6.60 - 10.44)
Northwest	9.32	(6.71 - 12.79)	16.07	(11.62 - 21.79)	3.62	(2.26 - 5.73)	5.34	(3.81 - 7.44)
Southeast	11.92	(8.88 - 15.83)	25.69	(20.71 - 31.40)	5.86	(4.03 - 8.46)	9.15	(7.19 - 11.59)
Southwest	10.86	(7.80 - 14.93)	*	(* - *)	4.13	(2.71 - 6.25)	5.87	(4.30 - 7.96)
Kansas	14.20	(12.20 - 16.47)	25.84	(22.95 - 28.97)	6.53	(5.31 - 8.02)	9.66	(8.44 - 11.03)
Kansas City Metro	17.72	(14.00 - 22.19)	30.59	(25.90 - 35.72)	8.22	(6.04 - 11.10)	11.94	(9.79 - 14.49)
Northeast	12.38	(9.40 - 16.14)	*	(* - *)	5.35	(3.63 - 7.82)	8.56	(6.59 - 11.06)
South Central	12.04	(8.92 - 16.06)	*	(* - *)	4.84	(3.19 - 7.28)	7.40	(5.53 - 9.84)
Southeast	13.71	(9.82 - 18.82)	*	(* - *)	5.90	(3.76 - 9.15)	8.51	(6.04 - 11.88)
West	12.06	(8.89 - 16.17)	*	(* - *)	5.26	(3.45 - 7.94)	7.89	(5.82 - 10.63)
Wichita (Sedgwick)	13.34	(9.81 - 17.90)	25.38	(19.96 - 31.68)	7.25	(5.01 - 10.36)	10.11	(7.76 - 13.09)
Kentucky	13.28	(11.56 - 15.21)	25.14	(22.32 - 28.19)	6.57	(5.36 - 8.02)	9.21	(8.02 - 10.55)
Adanta, Cumberland River, and Lifeskills	11.25	(8.40 - 14.90)	18.85	(14.31 - 24.42)	4.56	(2.98 - 6.91)	6.59	(4.88 - 8.83)
Bluegrass, Comprehend, and North Key	13.42	(10.62 - 16.83)	27.53	(22.86 - 32.75)	7.77	(5.63 - 10.63)	10.84	(8.70 - 13.42)
Communicare and River Valley	11.90	(8.70 - 16.07)	*	(* - *)	5.41	(3.60 - 8.05)	7.94	(5.90 - 10.61)
Four Rivers and Pennyroyal	13.00	(9.55 - 17.46)	*	(* - *)	6.12	(4.08 - 9.07)	8.71	(6.47 - 11.62)
Kentucky River, Mountain, and Pathways	11.33	(8.49 - 14.97)	21.31	(16.42 - 27.19)	5.21	(3.52 - 7.66)	7.47	(5.63 - 9.86)
Seven Counties	16.77	(13.34 - 20.86)	30.36	(24.64 - 36.76)	8.10	(5.80 - 11.19)	10.96	(8.61 - 13.85)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	11.42	(9.78 - 13.30)	23.92	(21.26 - 26.79)	6.36	(5.08 - 7.93)	9.28	(8.01 - 10.72)
Region 1	11.01	(7.78 - 15.37)	*	(* - *)	8.28	(5.37 - 12.53)	11.18	(8.09 - 15.26)
Regions 2 and 9	12.49	(9.69 - 15.94)	27.00	(22.38 - 32.17)	5.86	(4.10 - 8.30)	9.56	(7.70 - 11.81)
Region 3	13.12	(9.56 - 17.73)	*	(* - *)	7.24	(4.75 - 10.87)	9.97	(7.35 - 13.40)
Region 4	10.33	(7.59 - 13.92)	18.68	(13.94 - 24.57)	5.71	(3.75 - 8.61)	7.89	(5.76 - 10.70)
Regions 5 and 6	10.74	(7.74 - 14.70)	*	(* - *)	5.91	(4.04 - 8.56)	8.83	(6.75 - 11.47)
Regions 7 and 8	10.51	(7.97 - 13.74)	23.31	(18.58 - 28.82)	6.13	(4.23 - 8.79)	9.01	(7.01 - 11.51)
Region 10 (Jefferson)	11.90	(8.52 - 16.37)	*	(* - *)	6.25	(4.03 - 9.58)	8.46	(6.06 - 11.69)
Maine	17.80	(15.57 - 20.28)	38.21	(35.08 - 41.45)	8.28	(6.76 - 10.11)	12.21	(10.75 - 13.84)
Aroostook/Downeast	16.23	(12.11 - 21.40)	*	(* - *)	6.49	(4.29 - 9.72)	9.59	(7.16 - 12.72)
Central	18.30	(14.20 - 23.26)	*	(* - *)	8.43	(5.79 - 12.13)	12.44	(9.66 - 15.89)
Cumberland	19.32	(15.28 - 24.13)	42.75	(36.40 - 49.35)	10.33	(7.50 - 14.08)	14.66	(11.79 - 18.08)
Midcoast	17.47	(13.26 - 22.67)	*	(* - *)	7.76	(5.30 - 11.24)	10.83	(8.23 - 14.13)
Penquis	16.73	(12.65 - 21.81)	38.76	(32.45 - 45.47)	7.14	(4.82 - 10.45)	12.15	(9.67 - 15.17)
Western	18.79	(14.27 - 24.33)	37.80	(31.43 - 44.62)	9.41	(6.65 - 13.15)	13.34	(10.52 - 16.77)
York	16.75	(13.03 - 21.27)	*	(* - *)	7.00	(4.75 - 10.19)	10.74	(8.38 - 13.67)
Maryland	13.63	(11.79 - 15.71)	28.36	(25.40 - 31.51)	6.16	(4.98 - 7.60)	9.27	(8.09 - 10.60)
Anne Arundel	14.22	(10.51 - 18.96)	*	(* - *)	5.55	(3.59 - 8.47)	8.90	(6.61 - 11.89)
Baltimore City	14.03	(10.34 - 18.75)	*	(* - *)	9.99	(6.98 - 14.09)	13.22	(10.16 - 17.02)
Baltimore County	13.27	(9.90 - 17.55)	29.92	(24.27 - 36.27)	5.96	(4.03 - 8.73)	9.29	(7.22 - 11.88)
Montgomery	15.44	(11.62 - 20.24)	*	(* - *)	6.38	(4.32 - 9.34)	9.12	(6.91 - 11.95)
North Central	15.96	(11.70 - 21.40)	*	(* - *)	5.95	(3.86 - 9.06)	9.41	(6.97 - 12.59)
Northeast	13.91	(10.32 - 18.49)	*	(* - *)	5.91	(3.88 - 8.92)	9.24	(6.89 - 12.29)
Prince George's	11.54	(8.49 - 15.48)	25.37	(20.09 - 31.48)	5.43	(3.57 - 8.19)	8.61	(6.58 - 11.19)
South	12.85	(9.55 - 17.08)	*	(* - *)	4.98	(3.15 - 7.79)	7.59	(5.54 - 10.32)
West	12.03	(8.61 - 16.56)	*	(* - *)	4.66	(3.02 - 7.14)	7.49	(5.49 - 10.14)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	16.87	(14.70 - 19.28)	38.92	(35.68 - 42.25)	8.61	(7.12 - 10.39)	12.89	(11.45 - 14.49)
Boston	14.49	(10.64 - 19.44)	33.97	(27.93 - 40.58)	10.37	(7.24 - 14.64)	15.23	(12.07 - 19.04)
Central	18.34	(13.99 - 23.66)	*	(* - *)	9.80	(6.73 - 14.07)	14.16	(11.02 - 18.02)
Metrowest	16.25	(12.77 - 20.45)	42.18	(35.66 - 48.98)	7.95	(5.81 - 10.80)	12.33	(10.09 - 14.97)
Northeast	15.23	(11.70 - 19.60)	*	(* - *)	7.67	(5.44 - 10.70)	11.02	(8.69 - 13.88)
Southeast	18.51	(14.60 - 23.18)	*	(* - *)	8.18	(5.76 - 11.49)	11.86	(9.36 - 14.92)
Western	18.21	(13.90 - 23.49)	44.78	(38.12 - 51.62)	9.30	(6.55 - 13.04)	14.94	(12.11 - 18.30)
Michigan	14.38	(13.31 - 15.53)	32.43	(30.87 - 34.04)	8.21	(7.37 - 9.12)	11.80	(11.02 - 12.62)
Bay	14.40	(11.12 - 18.45)	*	(* - *)	6.96	(4.85 - 9.88)	9.31	(7.08 - 12.14)
Detroit City	12.99	(10.39 - 16.12)	34.37	(29.40 - 39.70)	12.02	(9.24 - 15.50)	15.53	(12.87 - 18.63)
Genesee	14.39	(11.28 - 18.19)	34.59	(28.86 - 40.79)	9.11	(6.72 - 12.25)	12.78	(10.30 - 15.76)
Kalamazoo	14.40	(11.53 - 17.84)	29.39	(24.86 - 34.36)	6.26	(4.55 - 8.54)	10.02	(8.22 - 12.16)
Kent	13.11	(10.24 - 16.64)	32.99	(28.14 - 38.23)	7.75	(5.55 - 10.70)	12.06	(9.87 - 14.66)
Lakeshore	14.47	(11.65 - 17.84)	25.29	(20.94 - 30.20)	5.87	(4.27 - 8.01)	8.88	(7.21 - 10.89)
Macomb	14.38	(11.50 - 17.83)	31.24	(26.45 - 36.46)	9.24	(7.00 - 12.11)	12.14	(9.94 - 14.74)
Mid South	17.07	(14.01 - 20.65)	34.45	(30.35 - 38.80)	8.29	(6.31 - 10.82)	12.90	(10.95 - 15.14)
Northern	14.22	(11.44 - 17.54)	30.71	(26.03 - 35.82)	6.55	(4.84 - 8.81)	9.92	(8.14 - 12.03)
Oakland	14.64	(12.03 - 17.70)	39.00	(34.47 - 43.72)	10.17	(8.17 - 12.61)	13.74	(11.78 - 15.97)
Pathways	*	(* - *)	*	(* - *)	7.81	(5.38 - 11.20)	11.72	(9.08 - 14.98)
Saginaw	15.77	(11.78 - 20.79)	*	(* - *)	8.38	(5.80 - 11.96)	11.31	(8.55 - 14.82)
Southeast	14.20	(11.73 - 17.09)	31.60	(27.78 - 35.70)	7.47	(5.82 - 9.53)	10.69	(9.05 - 12.58)
St. Clair	13.12	(9.77 - 17.40)	*	(* - *)	6.23	(4.22 - 9.12)	9.16	(6.95 - 12.00)
Washtenaw	14.24	(11.32 - 17.76)	37.54	(32.07 - 43.34)	8.04	(5.92 - 10.83)	13.68	(11.42 - 16.31)
Western	*	(* - *)	*	(* - *)	5.91	(3.78 - 9.13)	8.96	(6.61 - 12.03)
Minnesota	14.19	(12.24 - 16.39)	27.32	(24.49 - 30.35)	7.91	(6.37 - 9.79)	10.89	(9.43 - 12.55)
Regions 1 and 2	14.10	(10.43 - 18.79)	*	(* - *)	7.01	(4.67 - 10.39)	9.61	(7.16 - 12.78)
Regions 3 and 4	12.85	(9.65 - 16.91)	26.53	(21.29 - 32.54)	6.24	(4.24 - 9.10)	9.56	(7.40 - 12.26)
Regions 5 and 6	12.76	(9.66 - 16.67)	24.08	(18.85 - 30.23)	5.91	(4.08 - 8.48)	8.76	(6.77 - 11.26)
Region 7A (Hennepin)	18.05	(13.93 - 23.07)	32.95	(27.54 - 38.85)	11.51	(8.24 - 15.87)	14.73	(11.62 - 18.50)
Region 7B (Ramsey)	14.10	(10.48 - 18.72)	*	(* - *)	9.12	(6.05 - 13.52)	12.39	(9.24 - 16.43)
Region 7C	13.30	(10.21 - 17.16)	25.31	(20.22 - 31.17)	6.90	(4.79 - 9.84)	9.52	(7.37 - 12.21)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	10.55	(8.95 - 12.39)	20.26	(17.76 - 23.03)	5.59	(4.48 - 6.96)	7.98	(6.87 - 9.27)
Region 1	10.62	(7.89 - 14.14)	19.43	(14.86 - 24.98)	5.06	(3.46 - 7.34)	7.29	(5.52 - 9.58)
Region 2	10.71	(7.92 - 14.33)	*	(* - *)	6.93	(4.64 - 10.23)	9.09	(6.74 - 12.16)
Region 3	8.61	(6.13 - 11.96)	16.55	(12.30 - 21.90)	4.33	(2.77 - 6.69)	6.44	(4.70 - 8.76)
Region 4	10.94	(8.08 - 14.63)	22.20	(17.16 - 28.22)	6.01	(4.11 - 8.71)	8.66	(6.61 - 11.26)
Region 5	8.77	(6.12 - 12.41)	*	(* - *)	4.78	(2.99 - 7.55)	6.46	(4.53 - 9.13)
Region 6	11.14	(8.09 - 15.17)	*	(* - *)	5.48	(3.62 - 8.21)	8.03	(5.96 - 10.73)
Region 7	12.06	(8.92 - 16.12)	25.67	(20.57 - 31.54)	6.23	(4.21 - 9.14)	9.19	(7.03 - 11.93)
Missouri	13.96	(12.10 - 16.07)	26.17	(23.42 - 29.13)	7.14	(5.85 - 8.69)	10.01	(8.76 - 11.42)
Central	12.56	(9.46 - 16.49)	24.15	(18.89 - 30.32)	5.79	(3.93 - 8.45)	9.01	(6.98 - 11.56)
Eastern	14.73	(11.97 - 17.99)	29.42	(25.12 - 34.11)	8.40	(6.39 - 10.95)	11.41	(9.43 - 13.74)
Eastern (St. Louis City and County)	14.33	(11.12 - 18.28)	29.65	(24.39 - 35.51)	9.06	(6.56 - 12.40)	12.01	(9.53 - 15.03)
Eastern (excluding St. Louis)	15.43	(11.58 - 20.26)	*	(* - *)	7.05	(4.81 - 10.24)	10.20	(7.82 - 13.20)
Northwest	14.44	(11.60 - 17.82)	25.57	(20.93 - 30.85)	7.14	(5.33 - 9.49)	9.90	(7.99 - 12.22)
Northwest (Jackson)	14.85	(11.11 - 19.58)	*	(* - *)	7.91	(5.50 - 11.26)	10.61	(8.10 - 13.80)
Northwest (excluding Jackson)	14.07	(10.52 - 18.58)	*	(* - *)	6.43	(4.33 - 9.45)	9.27	(6.93 - 12.28)
Southeast	12.02	(8.83 - 16.15)	20.02	(15.36 - 25.66)	6.03	(4.06 - 8.85)	8.03	(5.99 - 10.69)
Southwest	14.27	(10.92 - 18.45)	26.79	(21.76 - 32.51)	6.31	(4.49 - 8.80)	9.43	(7.49 - 11.81)
Montana	17.43	(15.24 - 19.85)	35.53	(32.51 - 38.67)	9.08	(7.53 - 10.91)	13.09	(11.64 - 14.70)
Region 1	16.75	(12.55 - 22.01)	*	(* - *)	6.08	(3.91 - 9.32)	8.83	(6.49 - 11.92)
Region 2	14.81	(11.11 - 19.47)	*	(* - *)	5.71	(3.82 - 8.47)	8.43	(6.33 - 11.13)
Region 3	16.63	(13.02 - 21.01)	30.82	(25.51 - 36.68)	7.26	(5.14 - 10.17)	10.60	(8.42 - 13.25)
Region 4	16.29	(12.92 - 20.33)	37.01	(31.93 - 42.39)	9.22	(6.88 - 12.25)	13.86	(11.54 - 16.57)
Region 5	20.52	(16.61 - 25.07)	44.14	(38.70 - 49.72)	12.72	(9.60 - 16.66)	17.58	(14.62 - 20.99)
Nebraska	10.69	(8.97 - 12.70)	23.92	(21.08 - 27.00)	5.72	(4.53 - 7.21)	8.67	(7.48 - 10.02)
Regions 1 and 2	11.50	(8.19 - 15.92)	*	(* - *)	4.63	(2.92 - 7.26)	6.82	(4.89 - 9.44)
Region 3	11.56	(8.31 - 15.86)	*	(* - *)	4.73	(3.10 - 7.15)	7.45	(5.57 - 9.90)
Region 4	9.47	(6.84 - 12.96)	*	(* - *)	4.32	(2.80 - 6.61)	6.37	(4.64 - 8.68)
Region 5	10.43	(7.80 - 13.82)	23.76	(19.41 - 28.75)	6.23	(4.36 - 8.81)	9.50	(7.58 - 11.85)
Region 6	10.76	(8.34 - 13.77)	26.71	(22.21 - 31.74)	6.53	(4.72 - 8.96)	9.81	(7.96 - 12.03)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	14.58	(12.28 - 17.22)	26.29	(23.19 - 29.64)	7.83	(6.25 - 9.76)	10.36	(8.86 - 12.07)
Clark	13.98	(11.26 - 17.23)	24.92	(21.33 - 28.89)	7.54	(5.70 - 9.92)	9.96	(8.21 - 12.05)
Rural	15.70	(12.12 - 20.10)	*	(* - *)	8.16	(5.69 - 11.55)	10.40	(7.88 - 13.61)
Washoe	16.09	(12.22 - 20.90)	31.62	(25.68 - 38.23)	8.86	(6.18 - 12.54)	12.11	(9.43 - 15.42)
New Hampshire	14.50	(12.53 - 16.73)	37.74	(34.48 - 41.12)	8.37	(6.84 - 10.19)	12.38	(10.90 - 14.03)
Central	15.14	(12.25 - 18.56)	38.53	(33.40 - 43.92)	8.58	(6.45 - 11.33)	12.98	(10.78 - 15.55)
Central 1	15.20	(11.39 - 20.01)	*	(* - *)	8.60	(5.90 - 12.37)	13.83	(10.95 - 17.32)
Central 2	15.07	(11.50 - 19.50)	*	(* - *)	8.56	(5.94 - 12.18)	12.17	(9.41 - 15.60)
Northern	15.35	(11.52 - 20.17)	*	(* - *)	9.48	(6.57 - 13.49)	13.89	(10.87 - 17.59)
Southern	14.02	(11.78 - 16.61)	36.52	(32.48 - 40.77)	8.02	(6.33 - 10.11)	11.75	(10.08 - 13.66)
Southern 1 (Rockingham)	16.58	(13.03 - 20.86)	*	(* - *)	8.45	(6.13 - 11.55)	12.11	(9.72 - 15.00)
Southern 2	12.49	(9.90 - 15.65)	34.71	(29.75 - 40.04)	7.75	(5.68 - 10.48)	11.53	(9.45 - 13.99)
New Jersey	13.00	(11.21 - 15.04)	27.70	(24.59 - 31.05)	5.89	(4.69 - 7.37)	8.72	(7.51 - 10.10)
Central	13.14	(10.04 - 17.01)	27.11	(21.54 - 33.51)	5.36	(3.68 - 7.77)	7.96	(6.13 - 10.29)
Metropolitan	12.13	(9.14 - 15.92)	27.49	(22.26 - 33.43)	6.11	(4.24 - 8.74)	9.14	(7.17 - 11.58)
Northern	12.07	(9.43 - 15.31)	26.65	(22.06 - 31.80)	4.69	(3.25 - 6.73)	7.45	(5.91 - 9.34)
Southern	15.05	(11.72 - 19.12)	30.14	(24.54 - 36.41)	8.16	(5.75 - 11.46)	11.09	(8.65 - 14.13)
New Mexico	17.94	(15.59 - 20.55)	30.48	(27.32 - 33.85)	6.94	(5.53 - 8.68)	10.71	(9.34 - 12.26)
Region 1	19.08	(14.95 - 24.03)	*	(* - *)	6.27	(4.29 - 9.07)	10.13	(7.95 - 12.83)
Region 2	*	(* - *)	*	(* - *)	8.96	(6.13 - 12.90)	12.50	(9.53 - 16.23)
Region 3 (Bernalillo)	16.56	(13.13 - 20.66)	31.81	(27.07 - 36.95)	7.49	(5.43 - 10.24)	11.46	(9.39 - 13.93)
Region 4	13.88	(10.09 - 18.79)	*	(* - *)	5.33	(3.41 - 8.24)	8.28	(6.12 - 11.10)
Region 5	17.68	(13.59 - 22.67)	30.07	(24.81 - 35.91)	6.11	(4.17 - 8.87)	10.22	(8.17 - 12.71)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	14.62	(13.49 - 15.84)	32.25	(30.54 - 34.02)	8.39	(7.51 - 9.36)	11.84	(11.01 - 12.71)
Region A	12.61	(11.03 - 14.38)	28.30	(25.84 - 30.91)	8.99	(7.73 - 10.43)	11.92	(10.74 - 13.22)
Region 1	12.50	(9.67 - 16.02)	22.79	(18.01 - 28.40)	7.92	(5.67 - 10.94)	10.36	(8.06 - 13.23)
Region 2	12.92	(10.52 - 15.76)	31.13	(26.99 - 35.60)	8.72	(6.90 - 10.96)	12.21	(10.45 - 14.23)
Region 3	15.11	(11.55 - 19.53)	38.25	(32.76 - 44.06)	15.05	(11.80 - 19.01)	18.40	(15.31 - 21.95)
Region 4	10.95	(8.46 - 14.07)	20.82	(17.18 - 25.01)	5.52	(4.00 - 7.59)	7.75	(6.19 - 9.65)
Region B	14.36	(12.58 - 16.34)	32.35	(29.29 - 35.58)	7.07	(5.84 - 8.53)	10.27	(9.03 - 11.65)
Region 5	14.28	(11.90 - 17.05)	31.66	(27.58 - 36.03)	6.95	(5.33 - 9.01)	10.01	(8.39 - 11.90)
Region 6	14.15	(11.18 - 17.75)	30.57	(24.86 - 36.94)	6.52	(4.67 - 9.04)	9.44	(7.46 - 11.88)
Region 7	14.90	(11.58 - 18.96)	*	(* - *)	8.41	(6.04 - 11.59)	12.50	(9.99 - 15.52)
Region C	17.47	(15.54 - 19.57)	38.56	(35.85 - 41.34)	8.81	(7.47 - 10.37)	13.20	(11.92 - 14.59)
Region 8	21.34	(17.00 - 26.43)	43.77	(38.23 - 49.48)	9.95	(7.30 - 13.40)	14.80	(12.20 - 17.84)
Region 9	15.63	(12.42 - 19.49)	40.48	(34.96 - 46.26)	8.82	(6.54 - 11.80)	13.56	(11.25 - 16.27)
Region 10	16.14	(12.61 - 20.43)	38.19	(32.21 - 44.54)	8.84	(6.52 - 11.87)	14.23	(11.78 - 17.09)
Region 11	15.49	(12.33 - 19.29)	35.50	(30.00 - 41.41)	7.18	(5.26 - 9.73)	11.34	(9.31 - 13.76)
Region 12	18.27	(14.82 - 22.30)	35.42	(30.38 - 40.81)	9.29	(7.04 - 12.16)	12.84	(10.63 - 15.44)
Region D	16.33	(13.78 - 19.24)	35.03	(30.90 - 39.38)	8.33	(6.65 - 10.40)	12.39	(10.64 - 14.39)
Region 13	14.95	(11.28 - 19.54)	*	(* - *)	7.89	(5.51 - 11.18)	11.32	(8.75 - 14.52)
Region 14	15.06	(11.27 - 19.85)	*	(* - *)	8.18	(5.65 - 11.70)	12.13	(9.38 - 15.54)
Region 15	18.66	(14.53 - 23.65)	*	(* - *)	8.88	(6.30 - 12.37)	13.61	(10.92 - 16.84)
North Carolina	13.12	(11.29 - 15.19)	26.52	(23.71 - 29.52)	6.37	(5.12 - 7.91)	9.21	(7.98 - 10.61)
Eastern	12.82	(9.79 - 16.60)	26.01	(21.10 - 31.61)	6.71	(4.63 - 9.64)	9.68	(7.53 - 12.36)
North Central	12.86	(9.82 - 16.66)	26.03	(20.88 - 31.93)	6.11	(4.15 - 8.90)	8.93	(6.84 - 11.58)
South Central	12.19	(9.28 - 15.86)	28.92	(23.58 - 34.92)	6.26	(4.36 - 8.93)	9.61	(7.58 - 12.11)
Western	14.20	(11.31 - 17.68)	25.28	(21.29 - 29.75)	6.45	(4.77 - 8.68)	8.87	(7.19 - 10.90)
North Dakota	12.35	(10.57 - 14.37)	23.23	(20.50 - 26.20)	4.76	(3.71 - 6.09)	7.98	(6.91 - 9.21)
Badlands and West Central	13.09	(10.10 - 16.81)	23.90	(18.97 - 29.64)	4.53	(3.04 - 6.68)	7.32	(5.66 - 9.41)
Lake Region and South Central	11.00	(8.35 - 14.38)	*	(* - *)	3.87	(2.46 - 6.02)	5.72	(4.12 - 7.89)
North Central and Northwest	11.12	(8.23 - 14.86)	19.96	(15.26 - 25.67)	3.44	(2.20 - 5.35)	6.03	(4.55 - 7.95)
Northeast	11.20	(8.22 - 15.08)	21.36	(16.70 - 26.89)	4.70	(3.19 - 6.86)	8.51	(6.71 - 10.74)
Southeast	13.97	(10.79 - 17.89)	27.14	(22.71 - 32.08)	6.53	(4.58 - 9.23)	10.95	(8.94 - 13.35)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	13.60	(12.55 - 14.73)	28.07	(26.57 - 29.62)	7.08	(6.31 - 7.93)	10.16	(9.46 - 10.91)
Boards 2, 46, 55, and 68	12.86	(9.79 - 16.72)	25.12	(20.17 - 30.82)	5.72	(3.97 - 8.19)	8.47	(6.58 - 10.82)
Boards 3, 52, and 85	11.67	(8.75 - 15.41)	27.21	(21.66 - 33.56)	5.15	(3.57 - 7.38)	8.37	(6.55 - 10.64)
Boards 4 and 78	12.30	(9.36 - 15.99)	*	(* - *)	6.76	(4.64 - 9.73)	9.22	(6.97 - 12.09)
Boards 5 and 60	11.74	(8.91 - 15.33)	25.83	(20.70 - 31.72)	5.24	(3.55 - 7.68)	9.02	(7.07 - 11.44)
Boards 7, 15, 41, 79, and 84	11.86	(9.01 - 15.44)	26.74	(21.22 - 33.09)	5.23	(3.63 - 7.49)	7.97	(6.20 - 10.19)
Boards 8, 13, and 83	13.95	(10.72 - 17.97)	26.99	(21.49 - 33.29)	6.58	(4.66 - 9.22)	9.42	(7.35 - 11.99)
Board 9 (Butler)	12.75	(9.49 - 16.91)	28.38	(22.69 - 34.86)	6.17	(4.22 - 8.95)	10.11	(7.90 - 12.83)
Board 12	12.37	(9.21 - 16.42)	25.54	(20.13 - 31.84)	5.80	(3.99 - 8.36)	8.95	(6.91 - 11.51)
Boards 18 and 47	14.09	(11.73 - 16.84)	31.95	(28.07 - 36.10)	8.35	(6.59 - 10.53)	11.46	(9.73 - 13.44)
Boards 20, 32, 54, and 69	10.90	(8.03 - 14.64)	21.07	(16.01 - 27.22)	5.15	(3.43 - 7.66)	7.41	(5.54 - 9.85)
Boards 21, 39, 51, 70, and 80	12.25	(9.44 - 15.74)	26.60	(21.71 - 32.14)	6.10	(4.35 - 8.48)	8.85	(7.00 - 11.15)
Boards 22, 74, and 87	12.16	(8.93 - 16.36)	*	(* - *)	5.94	(3.94 - 8.86)	9.03	(6.79 - 11.90)
Boards 23 and 45	12.76	(9.70 - 16.60)	27.59	(22.00 - 33.98)	5.20	(3.55 - 7.55)	8.37	(6.51 - 10.70)
Board 25 (Franklin)	15.55	(12.61 - 19.03)	26.94	(23.35 - 30.86)	8.93	(6.88 - 11.51)	12.16	(10.23 - 14.40)
Boards 27, 71, and 73	13.24	(10.14 - 17.11)	22.51	(17.79 - 28.04)	5.66	(3.98 - 7.99)	8.07	(6.27 - 10.33)
Boards 28, 43, and 67	12.88	(9.96 - 16.49)	29.94	(24.61 - 35.87)	5.93	(4.15 - 8.39)	9.38	(7.46 - 11.73)
Board 31 (Hamilton)	16.66	(13.45 - 20.45)	33.86	(28.90 - 39.22)	9.73	(7.34 - 12.79)	13.42	(11.03 - 16.24)
Board 48 (Lucas)	15.12	(11.91 - 19.00)	27.05	(22.40 - 32.26)	8.24	(5.96 - 11.27)	11.18	(8.91 - 13.94)
Boards 50 and 76	12.22	(9.57 - 15.47)	25.63	(20.78 - 31.18)	5.59	(3.92 - 7.91)	8.21	(6.43 - 10.42)
Board 57 (Montgomery)	14.92	(11.62 - 18.96)	32.64	(27.35 - 38.41)	9.05	(6.54 - 12.40)	12.58	(10.03 - 15.66)
Board 77 (Summit)	14.97	(11.64 - 19.04)	30.75	(25.08 - 37.07)	8.07	(5.87 - 11.00)	11.08	(8.81 - 13.85)
Oklahoma	13.46	(11.44 - 15.77)	21.71	(19.06 - 24.62)	5.71	(4.57 - 7.12)	8.27	(7.11 - 9.61)
Central	11.98	(8.60 - 16.45)	*	(* - *)	4.74	(3.02 - 7.37)	8.06	(6.01 - 10.71)
East Central	13.14	(9.59 - 17.73)	*	(* - *)	4.50	(2.92 - 6.86)	6.59	(4.77 - 9.02)
Northeast	11.97	(8.57 - 16.49)	20.54	(15.60 - 26.55)	4.37	(2.89 - 6.57)	6.94	(5.21 - 9.19)
Northwest and Southwest	13.35	(9.89 - 17.80)	20.33	(15.60 - 26.05)	4.95	(3.25 - 7.45)	7.46	(5.60 - 9.87)
Oklahoma County	15.17	(11.41 - 19.89)	24.81	(19.48 - 31.04)	7.25	(5.01 - 10.39)	10.22	(7.85 - 13.21)
Southeast	12.54	(9.18 - 16.91)	*	(* - *)	4.64	(3.05 - 6.98)	6.39	(4.63 - 8.76)
Tulsa County	14.96	(11.24 - 19.65)	24.57	(19.43 - 30.56)	8.19	(5.61 - 11.79)	10.80	(8.17 - 14.15)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	18.03	(15.64 - 20.69)	33.39	(30.17 - 36.76)	9.23	(7.74 - 10.98)	12.68	(11.23 - 14.29)
Region 1 (Multnomah)	18.62	(14.14 - 24.12)	38.02	(31.91 - 44.53)	13.89	(10.46 - 18.22)	17.53	(14.25 - 21.39)
Region 2	16.93	(13.32 - 21.26)	34.55	(28.95 - 40.60)	8.39	(6.18 - 11.31)	12.04	(9.76 - 14.77)
Region 3	17.92	(14.40 - 22.09)	30.47	(26.01 - 35.34)	8.47	(6.41 - 11.12)	11.94	(9.91 - 14.32)
Region 4	19.17	(14.62 - 24.72)	*	(* - *)	7.29	(5.02 - 10.49)	10.42	(7.98 - 13.50)
Region 5	18.26	(13.77 - 23.82)	*	(* - *)	7.55	(5.15 - 10.93)	10.49	(7.89 - 13.82)
Pennsylvania	13.92	(12.84 - 15.07)	30.01	(28.47 - 31.59)	6.96	(6.16 - 7.86)	10.21	(9.47 - 11.00)
Region 1 (Allegheny)	14.94	(12.21 - 18.15)	34.74	(30.23 - 39.55)	8.24	(6.22 - 10.84)	11.75	(9.75 - 14.10)
Regions 2, 3, 8, and 9	13.03	(10.26 - 16.42)	29.36	(24.29 - 35.00)	5.10	(3.50 - 7.37)	8.57	(6.83 - 10.70)
Regions 4, 11, 37, and 49	13.85	(11.04 - 17.22)	27.08	(22.30 - 32.46)	5.88	(4.24 - 8.11)	8.65	(6.93 - 10.74)
Regions 5, 18, 23, 24, and 46	11.23	(8.80 - 14.22)	23.21	(18.88 - 28.17)	5.11	(3.70 - 7.01)	7.64	(6.13 - 9.49)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	13.78	(10.85 - 17.34)	32.02	(27.70 - 36.68)	4.86	(3.42 - 6.88)	9.89	(8.29 - 11.75)
Regions 7, 13, 20, and 33	16.13	(13.81 - 18.74)	34.81	(31.20 - 38.61)	7.99	(6.42 - 9.92)	11.47	(9.95 - 13.19)
Regions 10, 14, 15, 27, 32, 43, and 44	11.93	(9.05 - 15.58)	27.75	(22.53 - 33.65)	5.99	(4.25 - 8.38)	8.90	(7.00 - 11.26)
Regions 17 and 21	15.34	(11.81 - 19.69)	34.71	(28.64 - 41.32)	7.85	(5.51 - 11.06)	12.15	(9.65 - 15.18)
Regions 19, 26, 28, and 42	12.90	(10.52 - 15.71)	25.17	(21.68 - 29.02)	5.47	(4.09 - 7.29)	8.18	(6.79 - 9.83)
Regions 22, 38, 40, 41, and 48	12.25	(9.60 - 15.52)	27.21	(22.36 - 32.66)	5.83	(4.22 - 8.02)	8.42	(6.70 - 10.53)
Regions 25 and 30	13.16	(10.20 - 16.82)	33.29	(27.70 - 39.38)	7.04	(5.15 - 9.56)	10.45	(8.46 - 12.84)
Regions 29 and 34	12.28	(9.36 - 15.95)	25.17	(19.88 - 31.31)	5.47	(3.79 - 7.83)	8.13	(6.27 - 10.48)
Region 36 (Philadelphia)	14.42	(11.88 - 17.40)	29.01	(25.34 - 32.97)	10.55	(8.13 - 13.58)	13.69	(11.44 - 16.29)
Rhode Island	18.42	(15.94 - 21.18)	41.70	(38.30 - 45.19)	10.05	(8.33 - 12.10)	14.94	(13.30 - 16.74)
Bristol and Newport	*	(* - *)	*	(* - *)	10.08	(6.96 - 14.38)	15.09	(11.83 - 19.06)
Kent	19.25	(14.82 - 24.63)	*	(* - *)	9.34	(6.67 - 12.92)	13.19	(10.43 - 16.55)
Providence	17.00	(13.89 - 20.64)	39.76	(35.57 - 44.11)	10.38	(8.22 - 13.03)	15.25	(13.18 - 17.57)
Washington	20.19	(15.76 - 25.49)	*	(* - *)	9.44	(6.62 - 13.30)	15.61	(12.66 - 19.10)
South Carolina	12.54	(10.75 - 14.57)	24.08	(21.36 - 27.03)	6.20	(5.01 - 7.65)	8.84	(7.66 - 10.18)
Region 1	12.99	(10.11 - 16.55)	24.26	(19.46 - 29.81)	6.22	(4.43 - 8.66)	8.80	(6.93 - 11.11)
Region 2	12.81	(9.95 - 16.33)	26.25	(21.94 - 31.06)	6.53	(4.67 - 9.06)	9.50	(7.62 - 11.77)
Region 3	12.05	(9.22 - 15.60)	*	(* - *)	6.35	(4.47 - 8.94)	8.64	(6.62 - 11.19)
Region 4	12.14	(9.36 - 15.60)	22.45	(18.08 - 27.53)	5.68	(3.97 - 8.07)	8.27	(6.49 - 10.49)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	12.94	(11.09 - 15.05)	22.82	(20.23 - 25.64)	5.09	(4.01 - 6.43)	7.98	(6.90 - 9.22)
Region 1	12.65	(9.50 - 16.65)	24.11	(18.84 - 30.31)	5.44	(3.60 - 8.15)	8.49	(6.45 - 11.10)
Region 2	13.18	(10.07 - 17.06)	23.29	(19.04 - 28.15)	5.30	(3.68 - 7.58)	8.37	(6.65 - 10.49)
Region 3	11.02	(8.27 - 14.54)	19.54	(15.25 - 24.69)	4.49	(2.94 - 6.79)	7.24	(5.54 - 9.41)
Region 4	*	(* - *)	*	(* - *)	6.15	(3.99 - 9.38)	9.85	(7.35 - 13.09)
Region 5	12.15	(8.76 - 16.61)	*	(* - *)	4.48	(2.84 - 7.00)	7.05	(5.17 - 9.54)
Region 6	13.83	(10.10 - 18.65)	*	(* - *)	4.81	(3.08 - 7.43)	6.93	(4.99 - 9.54)
Region 7	13.33	(9.96 - 17.62)	21.74	(16.71 - 27.77)	4.95	(3.33 - 7.32)	7.67	(5.82 - 10.04)
Tennessee	13.15	(11.35 - 15.18)	26.46	(23.52 - 29.62)	7.01	(5.70 - 8.58)	9.76	(8.46 - 11.23)
Region 1	14.86	(11.02 - 19.75)	*	(* - *)	6.75	(4.43 - 10.16)	9.36	(6.83 - 12.70)
Region 2	12.68	(9.45 - 16.80)	28.06	(22.76 - 34.06)	5.57	(3.86 - 7.99)	8.67	(6.84 - 10.93)
Region 3	13.31	(10.21 - 17.16)	26.01	(20.84 - 31.94)	6.84	(4.80 - 9.65)	9.47	(7.34 - 12.13)
Region 4 (Davidson)	14.16	(10.17 - 19.38)	*	(* - *)	9.60	(6.40 - 14.15)	12.55	(9.27 - 16.77)
Region 5	13.41	(10.40 - 17.13)	24.91	(19.79 - 30.83)	6.50	(4.58 - 9.14)	9.13	(7.11 - 11.65)
Region 6	11.32	(8.25 - 15.33)	*	(* - *)	6.52	(4.37 - 9.64)	8.48	(6.22 - 11.47)
Region 7 (Shelby)	13.00	(9.75 - 17.13)	*	(* - *)	8.53	(5.92 - 12.16)	11.62	(8.86 - 15.09)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	11.56	(10.52 - 12.69)	22.14	(20.70 - 23.66)	5.33	(4.68 - 6.07)	8.10	(7.47 - 8.77)
Region 1	13.24	(10.07 - 17.23)	27.31	(22.32 - 32.95)	5.66	(3.88 - 8.20)	9.49	(7.50 - 11.94)
Region 2	12.20	(9.02 - 16.30)	*	(* - *)	4.88	(3.30 - 7.17)	7.71	(5.84 - 10.12)
Region 3	10.81	(9.23 - 12.62)	23.07	(20.48 - 25.87)	5.51	(4.54 - 6.67)	8.32	(7.34 - 9.42)
Region 3a	10.74	(8.87 - 12.95)	21.36	(18.24 - 24.84)	5.27	(4.10 - 6.75)	7.90	(6.71 - 9.29)
Region 3bc	10.92	(8.48 - 13.95)	26.28	(22.08 - 30.97)	5.92	(4.42 - 7.88)	9.05	(7.47 - 10.93)
Region 4	11.37	(8.63 - 14.85)	20.67	(16.26 - 25.90)	4.19	(2.86 - 6.11)	6.44	(4.95 - 8.33)
Region 5	12.08	(9.00 - 16.03)	*	(* - *)	5.42	(3.69 - 7.89)	8.26	(6.27 - 10.81)
Region 6	10.74	(9.02 - 12.75)	18.50	(16.21 - 21.04)	5.48	(4.25 - 7.03)	7.57	(6.41 - 8.93)
Region 6a	10.24	(8.40 - 12.44)	17.59	(15.16 - 20.31)	5.36	(4.05 - 7.07)	7.36	(6.11 - 8.85)
Region 6bc	14.93	(11.16 - 19.70)	*	(* - *)	6.38	(4.34 - 9.29)	9.30	(7.01 - 12.25)
Region 7	14.33	(11.86 - 17.22)	28.99	(25.51 - 32.73)	7.42	(5.86 - 9.35)	11.68	(10.12 - 13.44)
Region 7a	15.98	(12.45 - 20.29)	32.46	(27.41 - 37.95)	9.01	(6.73 - 11.97)	13.39	(11.10 - 16.07)
Region 7bcd	12.11	(9.21 - 15.75)	24.31	(19.91 - 29.33)	4.85	(3.27 - 7.14)	9.02	(7.21 - 11.25)
Region 8	12.03	(9.59 - 15.00)	22.70	(18.95 - 26.94)	4.36	(3.14 - 6.02)	7.17	(5.83 - 8.79)
Region 9	11.18	(8.18 - 15.11)	*	(* - *)	4.12	(2.71 - 6.21)	6.28	(4.60 - 8.50)
Region 10	10.81	(8.09 - 14.30)	17.81	(13.22 - 23.57)	3.83	(2.49 - 5.86)	6.23	(4.60 - 8.38)
Region 11	11.43	(9.20 - 14.11)	17.34	(13.97 - 21.32)	4.29	(3.08 - 5.97)	6.62	(5.28 - 8.27)
Region 11abd	12.31	(9.37 - 16.02)	18.87	(14.42 - 24.31)	4.63	(3.11 - 6.85)	7.07	(5.37 - 9.26)
Region 11c (Hidalgo)	9.85	(7.31 - 13.15)	14.59	(10.85 - 19.33)	3.60	(2.34 - 5.51)	5.70	(4.21 - 7.68)
Utah	9.89	(8.19 - 11.90)	17.57	(15.25 - 20.15)	5.06	(3.87 - 6.60)	7.75	(6.59 - 9.10)
Bear River, Northeastern, Summit, Tooele, and Wasatch	10.71	(7.60 - 14.89)	*	(* - *)	3.97	(2.44 - 6.41)	6.79	(4.91 - 9.33)
Central, Four Corners, San Juan, and Southwest	8.07	(5.62 - 11.46)	*	(* - *)	3.23	(1.99 - 5.22)	5.05	(3.56 - 7.14)
Davis County	10.86	(7.71 - 15.08)	*	(* - *)	4.47	(2.87 - 6.91)	7.46	(5.54 - 9.97)
Salt Lake County	10.52	(8.07 - 13.59)	21.23	(17.52 - 25.48)	6.77	(4.80 - 9.46)	9.61	(7.69 - 11.94)
Utah County	8.07	(5.60 - 11.48)	12.96	(9.46 - 17.51)	3.02	(1.82 - 4.98)	6.04	(4.46 - 8.14)
Weber, Morgan	11.17	(7.92 - 15.52)	*	(* - *)	5.07	(3.21 - 7.93)	7.60	(5.50 - 10.40)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	17.58	(15.41 - 19.98)	42.45	(39.17 - 45.79)	10.29	(8.58 - 12.29)	14.96	(13.36 - 16.71)
Champlain Valley	17.56	(14.43 - 21.20)	47.45	(42.74 - 52.20)	11.91	(9.36 - 15.04)	18.09	(15.69 - 20.76)
Rural Northeast	17.15	(13.63 - 21.37)	37.46	(31.73 - 43.55)	8.93	(6.53 - 12.10)	12.87	(10.46 - 15.72)
Rural Southeast	17.76	(13.96 - 22.33)	40.36	(34.26 - 46.76)	10.37	(7.40 - 14.34)	13.80	(10.86 - 17.39)
Rural Southwest	18.05	(13.94 - 23.05)	*	(* - *)	8.51	(5.99 - 11.95)	12.14	(9.56 - 15.31)
Virginia	12.90	(11.11 - 14.93)	27.83	(24.96 - 30.88)	5.74	(4.60 - 7.13)	8.86	(7.71 - 10.16)
Region 1	13.60	(10.23 - 17.86)	29.04	(23.40 - 35.40)	5.55	(3.74 - 8.16)	9.01	(6.98 - 11.55)
Region 2	11.39	(8.78 - 14.65)	25.86	(20.82 - 31.63)	5.13	(3.52 - 7.41)	7.79	(6.03 - 10.01)
Region 3	14.82	(11.28 - 19.24)	*	(* - *)	6.19	(4.21 - 9.02)	9.97	(7.78 - 12.68)
Region 4	13.47	(10.19 - 17.60)	25.32	(20.36 - 31.00)	6.39	(4.40 - 9.22)	8.93	(6.84 - 11.58)
Region 5	12.23	(9.28 - 15.95)	26.53	(21.49 - 32.27)	5.71	(3.94 - 8.21)	9.04	(7.11 - 11.42)
Washington	14.18	(12.15 - 16.48)	30.38	(27.42 - 33.52)	8.28	(6.79 - 10.05)	11.49	(10.05 - 13.11)
Region 1	14.10	(10.52 - 18.64)	*	(* - *)	7.93	(5.40 - 11.51)	11.65	(8.93 - 15.05)
Region 2	12.04	(8.93 - 16.03)	*	(* - *)	6.25	(4.22 - 9.19)	9.18	(6.89 - 12.13)
Region 3	14.99	(11.43 - 19.41)	*	(* - *)	7.21	(5.03 - 10.23)	10.31	(7.99 - 13.22)
Region 4 (King)	16.13	(12.52 - 20.53)	35.32	(29.96 - 41.07)	10.56	(7.88 - 14.02)	14.01	(11.39 - 17.13)
Region 5	12.36	(9.05 - 16.66)	*	(* - *)	6.36	(4.35 - 9.22)	9.16	(6.97 - 11.94)
Region 6	13.70	(10.35 - 17.91)	*	(* - *)	8.22	(5.75 - 11.62)	11.32	(8.78 - 14.49)
West Virginia	13.22	(11.43 - 15.24)	30.40	(27.54 - 33.42)	5.94	(4.78 - 7.35)	9.22	(8.08 - 10.50)
Eastern Highland	12.76	(9.85 - 16.36)	28.66	(23.51 - 34.43)	5.82	(3.99 - 8.43)	8.70	(6.76 - 11.12)
Northern	13.29	(10.48 - 16.70)	37.34	(32.78 - 42.14)	6.76	(5.06 - 8.98)	11.36	(9.60 - 13.39)
Northern A and B	11.75	(8.34 - 16.32)	*	(* - *)	4.66	(2.98 - 7.21)	6.93	(5.01 - 9.50)
Northern C and D	14.00	(10.42 - 18.55)	42.35	(36.56 - 48.37)	7.90	(5.60 - 11.02)	13.62	(11.27 - 16.38)
South Central	13.67	(11.32 - 16.41)	28.01	(23.90 - 32.53)	5.48	(4.14 - 7.23)	8.41	(6.98 - 10.10)
South Central I	13.27	(9.78 - 17.76)	*	(* - *)	4.75	(3.08 - 7.26)	7.23	(5.34 - 9.72)
South Central II	13.09	(9.67 - 17.47)	*	(* - *)	5.58	(3.65 - 8.44)	9.38	(7.17 - 12.18)
South Central III	14.33	(10.99 - 18.47)	27.20	(21.52 - 33.72)	5.85	(4.05 - 8.40)	8.47	(6.51 - 10.93)
Southern	12.79	(10.17 - 15.97)	25.85	(21.20 - 31.11)	5.86	(4.28 - 7.97)	8.43	(6.77 - 10.46)
Southern I and III	12.21	(9.03 - 16.30)	*	(* - *)	5.73	(3.86 - 8.44)	8.29	(6.29 - 10.86)
Southern II	13.95	(10.21 - 18.78)	*	(* - *)	6.12	(4.03 - 9.19)	8.71	(6.41 - 11.73)

See notes at end of table.

(continued)

Table 6. Marijuana Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	14.74	(12.78 - 16.94)	29.66	(26.70 - 32.79)	6.60	(5.38 - 8.08)	10.09	(8.87 - 11.47)
Milwaukee	16.73	(12.80 - 21.57)	*	(* - *)	9.46	(6.67 - 13.25)	13.64	(10.77 - 17.13)
Northeastern	13.30	(10.23 - 17.12)	27.15	(21.92 - 33.09)	5.74	(3.93 - 8.32)	8.82	(6.87 - 11.26)
Northern	12.73	(9.42 - 16.98)	25.18	(19.75 - 31.53)	5.39	(3.49 - 8.25)	8.06	(5.99 - 10.76)
Southeastern	16.64	(13.12 - 20.87)	28.91	(23.19 - 35.38)	5.91	(4.07 - 8.51)	9.00	(7.00 - 11.50)
Southern	14.59	(11.12 - 18.90)	31.23	(25.38 - 37.75)	7.44	(5.42 - 10.14)	11.36	(9.17 - 14.00)
Western	13.18	(9.79 - 17.53)	*	(* - *)	5.23	(3.44 - 7.88)	9.02	(6.92 - 11.67)
Wyoming	15.16	(13.22 - 17.33)	28.75	(25.78 - 31.91)	7.16	(5.86 - 8.72)	10.58	(9.30 - 12.01)
Judicial District 1 (Laramie)	17.15	(13.17 - 22.02)	*	(* - *)	6.77	(4.59 - 9.87)	9.79	(7.47 - 12.74)
Judicial District 2	15.60	(11.55 - 20.74)	34.15	(28.08 - 40.80)	10.52	(7.14 - 15.25)	16.99	(13.53 - 21.11)
Judicial District 3	13.98	(10.52 - 18.35)	*	(* - *)	5.81	(3.88 - 8.60)	8.66	(6.59 - 11.31)
Judicial District 4	*	(* - *)	*	(* - *)	7.24	(4.84 - 10.70)	10.53	(7.86 - 13.95)
Judicial District 5	12.49	(9.05 - 16.98)	*	(* - *)	5.48	(3.54 - 8.38)	7.99	(5.83 - 10.87)
Judicial District 6	13.19	(9.66 - 17.74)	*	(* - *)	5.90	(3.87 - 8.89)	9.54	(7.19 - 12.56)
Judicial District 7 (Natrona)	17.36	(13.22 - 22.48)	*	(* - *)	7.20	(5.10 - 10.09)	10.60	(8.33 - 13.40)
Judicial District 8	13.40	(9.91 - 17.87)	*	(* - *)	5.33	(3.47 - 8.12)	7.60	(5.54 - 10.33)
Judicial District 9	16.02	(11.90 - 21.22)	*	(* - *)	10.03	(6.79 - 14.57)	13.11	(9.70 - 17.48)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	1.64		6.75		1.71		2.46	
Northeast	1.52	(1.33 - 1.74)	7.56	(7.04 - 8.11)	1.87	(1.63 - 2.14)	2.66	(2.44 - 2.91)
Midwest	1.54	(1.37 - 1.72)	6.45	(6.07 - 6.86)	1.64	(1.46 - 1.85)	2.37	(2.20 - 2.56)
South	1.68	(1.50 - 1.89)	6.44	(6.06 - 6.83)	1.72	(1.54 - 1.93)	2.42	(2.25 - 2.60)
West	1.74	(1.51 - 2.02)	6.91	(6.37 - 7.48)	1.63	(1.40 - 1.89)	2.44	(2.22 - 2.68)
Alabama	1.52	(1.07 - 2.15)	5.85	(4.60 - 7.41)	1.59	(1.13 - 2.22)	2.22	(1.75 - 2.82)
Region 1	1.67	(0.94 - 2.93)	5.53	(3.66 - 8.29)	1.30	(0.79 - 2.12)	1.87	(1.29 - 2.70)
Region 2	1.61	(0.96 - 2.68)	5.82	(4.09 - 8.22)	1.69	(1.03 - 2.76)	2.31	(1.61 - 3.31)
Region 3	1.06	(0.59 - 1.89)	5.30	(3.48 - 7.99)	1.85	(1.08 - 3.15)	2.46	(1.65 - 3.66)
Region 4	1.62	(0.95 - 2.73)	6.83	(4.70 - 9.83)	1.62	(0.94 - 2.79)	2.35	(1.59 - 3.46)
Alaska	1.71	(1.14 - 2.56)	7.63	(6.13 - 9.47)	1.93	(1.29 - 2.86)	2.85	(2.21 - 3.66)
Gulf Coast	1.67	(0.92 - 2.99)	6.48	(4.07 - 10.17)	1.34	(0.69 - 2.59)	2.03	(1.26 - 3.27)
Rural	0.98	(0.49 - 1.95)	3.03	(1.81 - 5.05)	1.91	(1.01 - 3.61)	2.13	(1.27 - 3.54)
Southeast	1.81	(1.00 - 3.25)	6.85	(4.36 - 10.62)	1.63	(0.89 - 2.98)	2.35	(1.50 - 3.65)
Urban	1.85	(1.14 - 2.99)	8.78	(6.87 - 11.15)	2.10	(1.33 - 3.29)	3.20	(2.42 - 4.23)
Arizona	2.37	(1.63 - 3.42)	8.35	(6.67 - 10.40)	2.00	(1.42 - 2.82)	2.96	(2.34 - 3.75)
Maricopa	2.41	(1.54 - 3.77)	8.40	(6.44 - 10.89)	1.93	(1.26 - 2.96)	2.95	(2.23 - 3.90)
Pima	2.77	(1.50 - 5.08)	9.50	(6.38 - 13.92)	2.72	(1.63 - 4.53)	3.76	(2.54 - 5.54)
Rural North	2.11	(1.17 - 3.77)	7.65	(5.01 - 11.50)	1.83	(1.04 - 3.21)	2.62	(1.71 - 4.00)
Rural South	1.88	(1.02 - 3.46)	6.95	(4.33 - 10.96)	1.55	(0.87 - 2.72)	2.27	(1.46 - 3.52)
Arkansas	1.60	(1.12 - 2.29)	6.39	(5.04 - 8.06)	1.35	(0.95 - 1.91)	2.10	(1.66 - 2.66)
Areas 1 and 2	2.16	(1.22 - 3.81)	8.19	(5.56 - 11.91)	1.18	(0.67 - 2.08)	2.27	(1.57 - 3.28)
Areas 3 and 4	1.71	(0.96 - 3.00)	5.90	(3.89 - 8.85)	1.14	(0.67 - 1.94)	1.85	(1.26 - 2.69)
Areas 5 and 6	1.63	(0.88 - 2.99)	5.82	(3.86 - 8.67)	1.07	(0.61 - 1.89)	1.82	(1.22 - 2.69)
Areas 7, 12, and 13	1.12	(0.59 - 2.11)	5.63	(3.60 - 8.71)	2.20	(1.25 - 3.82)	2.72	(1.74 - 4.23)
Areas 8, 10, and 11	1.36	(0.76 - 2.43)	6.11	(4.19 - 8.82)	1.25	(0.71 - 2.21)	1.92	(1.29 - 2.85)
Area 9	1.48	(0.84 - 2.59)	6.30	(4.24 - 9.26)	1.45	(0.84 - 2.49)	2.15	(1.46 - 3.16)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	1.63	(1.29 - 2.05)	6.51	(5.69 - 7.44)	1.62	(1.28 - 2.05)	2.38	(2.05 - 2.77)
Region 1	2.30	(1.32 - 3.96)	8.88	(5.97 - 13.01)	1.57	(0.91 - 2.71)	2.65	(1.81 - 3.87)
Region 2	1.66	(0.98 - 2.81)	7.96	(5.96 - 10.56)	2.21	(1.38 - 3.52)	3.06	(2.19 - 4.25)
Region 3	1.66	(0.95 - 2.88)	5.39	(3.56 - 8.08)	1.26	(0.71 - 2.22)	1.91	(1.28 - 2.86)
Region 4	1.70	(0.98 - 2.92)	6.76	(4.60 - 9.83)	2.07	(1.27 - 3.36)	2.64	(1.79 - 3.87)
Region 5	1.88	(1.14 - 3.08)	6.78	(4.78 - 9.52)	1.74	(1.11 - 2.72)	2.43	(1.73 - 3.41)
Region 6 (Santa Clara)	1.58	(0.92 - 2.70)	5.50	(3.73 - 8.03)	1.43	(0.88 - 2.34)	2.01	(1.39 - 2.91)
Region 7	1.76	(1.01 - 3.04)	7.03	(4.79 - 10.21)	1.71	(1.01 - 2.88)	2.62	(1.80 - 3.78)
Region 8	1.72	(1.03 - 2.84)	6.82	(4.72 - 9.76)	1.66	(1.02 - 2.69)	2.58	(1.83 - 3.64)
Region 9	1.69	(0.96 - 2.95)	6.85	(4.62 - 10.04)	1.44	(0.85 - 2.45)	2.38	(1.64 - 3.46)
Region 10	1.78	(1.04 - 3.03)	8.53	(5.90 - 12.18)	1.49	(0.88 - 2.51)	2.62	(1.84 - 3.70)
Region 11 (Los Angeles)	1.23	(0.79 - 1.89)	5.50	(4.33 - 6.96)	1.53	(1.02 - 2.31)	2.17	(1.66 - 2.84)
Region 12	1.81	(1.09 - 3.00)	6.36	(4.46 - 9.01)	1.45	(0.87 - 2.40)	2.29	(1.61 - 3.26)
Region 13 (Riverside)	1.82	(1.10 - 2.99)	6.85	(4.80 - 9.70)	1.35	(0.80 - 2.27)	2.19	(1.54 - 3.11)
Region 14 (Orange)	2.09	(1.27 - 3.43)	6.60	(4.70 - 9.20)	1.45	(0.88 - 2.40)	2.22	(1.56 - 3.14)
Region 15	1.67	(1.02 - 2.72)	7.04	(5.16 - 9.53)	1.63	(1.04 - 2.54)	2.54	(1.88 - 3.43)
Colorado	1.84	(1.29 - 2.63)	8.26	(6.57 - 10.33)	1.98	(1.39 - 2.82)	2.91	(2.29 - 3.70)
Region 1	1.68	(0.97 - 2.90)	7.77	(5.20 - 11.46)	1.57	(0.91 - 2.70)	2.66	(1.82 - 3.88)
Regions 2 and 7	2.03	(1.27 - 3.22)	8.92	(6.74 - 11.71)	2.23	(1.44 - 3.43)	3.19	(2.36 - 4.31)
Region 3	1.63	(0.92 - 2.85)	7.44	(4.78 - 11.41)	1.61	(0.91 - 2.85)	2.46	(1.61 - 3.75)
Region 4	1.56	(0.86 - 2.81)	6.80	(4.28 - 10.63)	1.67	(0.94 - 2.98)	2.37	(1.51 - 3.68)
Regions 5 and 6	1.62	(0.91 - 2.86)	7.37	(4.75 - 11.27)	1.81	(1.04 - 3.15)	2.62	(1.72 - 3.98)
Connecticut	1.93	(1.39 - 2.65)	8.55	(6.93 - 10.51)	1.74	(1.23 - 2.45)	2.64	(2.10 - 3.31)
Eastern	1.92	(1.10 - 3.34)	8.55	(5.64 - 12.76)	1.61	(0.92 - 2.80)	2.79	(1.90 - 4.07)
North Central	1.98	(1.18 - 3.31)	7.97	(5.62 - 11.18)	1.71	(1.01 - 2.88)	2.51	(1.75 - 3.61)
Northwestern	2.03	(1.21 - 3.39)	8.89	(6.23 - 12.52)	1.49	(0.88 - 2.50)	2.39	(1.67 - 3.40)
South Central	1.69	(0.98 - 2.88)	8.46	(5.98 - 11.84)	1.90	(1.14 - 3.15)	2.80	(1.96 - 3.99)
Southwest	2.03	(1.21 - 3.41)	9.28	(6.31 - 13.44)	1.86	(1.09 - 3.16)	2.75	(1.88 - 4.02)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	1.38	(0.96 - 1.99)	6.87	(5.35 - 8.79)	1.79	(1.25 - 2.54)	2.53	(1.96 - 3.26)
Kent	1.33	(0.76 - 2.33)	6.06	(4.01 - 9.05)	1.90	(1.10 - 3.25)	2.55	(1.69 - 3.83)
New Castle (excluding Wilmington City)	1.50	(0.94 - 2.39)	7.65	(5.66 - 10.28)	1.57	(0.98 - 2.51)	2.52	(1.85 - 3.42)
Sussex	1.46	(0.82 - 2.58)	6.25	(4.09 - 9.44)	1.71	(0.98 - 2.98)	2.22	(1.42 - 3.44)
Wilmington City	*	(* - *)	4.92	(3.02 - 7.91)	3.00	(1.65 - 5.41)	3.30	(1.99 - 5.43)
District of Columbia	0.60	(0.39 - 0.91)	5.44	(4.21 - 7.01)	3.83	(2.78 - 5.27)	4.09	(3.14 - 5.31)
Ward 1	*	(* - *)	5.29	(3.39 - 8.16)	4.34	(2.50 - 7.42)	4.51	(2.84 - 7.08)
Ward 2	*	(* - *)	8.63	(6.18 - 11.95)	4.33	(2.58 - 7.17)	5.40	(3.80 - 7.61)
Ward 3	1.63	(0.88 - 2.97)	6.66	(4.22 - 10.35)	2.84	(1.54 - 5.19)	3.45	(2.14 - 5.50)
Ward 4	*	(* - *)	4.35	(2.70 - 6.93)	3.32	(1.86 - 5.85)	3.42	(2.04 - 5.70)
Ward 5	*	(* - *)	4.04	(2.51 - 6.45)	4.69	(2.83 - 7.66)	4.59	(2.91 - 7.18)
Ward 6	*	(* - *)	4.99	(3.06 - 8.06)	4.31	(2.47 - 7.44)	4.41	(2.69 - 7.13)
Ward 7	*	(* - *)	1.92	(1.11 - 3.32)	3.25	(1.80 - 5.80)	3.09	(1.77 - 5.33)
Ward 8	0.28	(0.13 - 0.60)	2.22	(1.34 - 3.67)	3.92	(2.25 - 6.75)	3.61	(2.18 - 5.94)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	1.79	(1.43 - 2.23)	7.88	(7.00 - 8.86)	1.95	(1.58 - 2.40)	2.72	(2.36 - 3.13)
Region A	2.09	(1.41 - 3.10)	9.21	(7.25 - 11.65)	2.44	(1.72 - 3.46)	3.64	(2.85 - 4.63)
Circuit 1	2.20	(1.29 - 3.73)	9.82	(6.85 - 13.90)	2.25	(1.40 - 3.59)	3.43	(2.44 - 4.80)
Circuit 2	1.92	(1.10 - 3.34)	7.95	(5.63 - 11.12)	2.77	(1.64 - 4.63)	4.01	(2.79 - 5.73)
Circuit 14	*	(* - *)	10.58	(7.25 - 15.20)	2.48	(1.48 - 4.13)	3.62	(2.46 - 5.29)
Region B	1.93	(1.37 - 2.71)	8.27	(6.77 - 10.08)	2.18	(1.59 - 3.00)	3.13	(2.51 - 3.90)
Circuits 3 and 8	2.34	(1.34 - 4.06)	8.44	(6.01 - 11.74)	2.09	(1.25 - 3.47)	3.44	(2.45 - 4.80)
Circuit 4	1.86	(1.12 - 3.06)	8.33	(6.12 - 11.25)	2.68	(1.70 - 4.22)	3.56	(2.54 - 4.96)
Circuit 7	1.68	(0.98 - 2.87)	7.95	(5.49 - 11.37)	1.61	(0.97 - 2.64)	2.34	(1.62 - 3.38)
Region C	1.99	(1.49 - 2.66)	7.91	(6.61 - 9.44)	1.70	(1.27 - 2.26)	2.49	(2.04 - 3.03)
Circuit 5	1.94	(1.14 - 3.29)	8.39	(5.84 - 11.90)	1.31	(0.79 - 2.15)	1.96	(1.35 - 2.82)
Circuit 9	1.86	(1.15 - 3.01)	6.16	(4.32 - 8.70)	2.00	(1.25 - 3.19)	2.70	(1.91 - 3.81)
Circuit 10	2.07	(1.22 - 3.48)	7.21	(4.88 - 10.51)	1.51	(0.90 - 2.52)	2.24	(1.53 - 3.28)
Circuit 18	2.18	(1.35 - 3.49)	10.32	(7.63 - 13.83)	1.86	(1.18 - 2.92)	2.89	(2.12 - 3.94)
Circuit 19	1.96	(1.17 - 3.29)	9.98	(7.01 - 14.01)	1.68	(1.00 - 2.80)	2.52	(1.73 - 3.64)
Region D	1.43	(1.02 - 2.01)	6.64	(5.47 - 8.05)	2.11	(1.59 - 2.79)	2.68	(2.17 - 3.30)
Circuits 11 and 16	1.31	(0.78 - 2.19)	6.22	(4.59 - 8.38)	2.19	(1.46 - 3.28)	2.74	(2.00 - 3.74)
Circuit 15 (Palm Beach)	1.64	(1.00 - 2.66)	8.16	(6.02 - 10.96)	2.00	(1.28 - 3.11)	2.65	(1.89 - 3.70)
Circuit 17 (Broward)	1.48	(0.93 - 2.34)	6.38	(4.71 - 8.59)	2.08	(1.37 - 3.15)	2.60	(1.89 - 3.58)
Region E	1.87	(1.38 - 2.54)	8.69	(7.21 - 10.44)	1.72	(1.27 - 2.31)	2.49	(2.02 - 3.06)
Circuit 6	1.76	(1.06 - 2.89)	8.69	(6.33 - 11.81)	1.68	(1.04 - 2.71)	2.37	(1.67 - 3.35)
Circuit 12	2.09	(1.22 - 3.54)	9.26	(6.24 - 13.53)	1.47	(0.87 - 2.47)	2.19	(1.48 - 3.24)
Circuit 13 (Hillsborough)	1.71	(1.03 - 2.83)	8.25	(6.08 - 11.10)	2.20	(1.41 - 3.40)	3.10	(2.28 - 4.22)
Circuit 20	2.10	(1.26 - 3.48)	9.00	(6.44 - 12.44)	1.49	(0.94 - 2.35)	2.24	(1.61 - 3.10)
Georgia	1.51	(1.03 - 2.19)	4.46	(3.38 - 5.86)	1.77	(1.22 - 2.58)	2.18	(1.63 - 2.91)
Region 1	2.23	(1.25 - 3.96)	5.17	(3.30 - 8.03)	1.39	(0.77 - 2.48)	1.92	(1.22 - 3.00)
Region 2	1.63	(0.92 - 2.87)	5.09	(3.33 - 7.69)	1.56	(0.88 - 2.75)	2.11	(1.38 - 3.22)
Region 3	1.38	(0.81 - 2.33)	4.34	(2.97 - 6.29)	2.08	(1.28 - 3.37)	2.42	(1.64 - 3.55)
Region 4	1.09	(0.60 - 1.97)	3.41	(2.08 - 5.55)	1.63	(0.90 - 2.95)	1.90	(1.17 - 3.09)
Region 5	1.49	(0.83 - 2.64)	4.41	(2.76 - 6.97)	1.56	(0.87 - 2.79)	2.05	(1.30 - 3.20)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	1.36	(0.88 - 2.08)	5.50	(4.12 - 7.32)	1.54	(1.03 - 2.30)	2.06	(1.53 - 2.78)
Hawaii Island	1.33	(0.70 - 2.50)	5.61	(3.53 - 8.82)	1.71	(0.98 - 2.95)	2.17	(1.39 - 3.38)
Honolulu	1.37	(0.82 - 2.27)	5.57	(4.01 - 7.69)	1.54	(0.96 - 2.49)	2.10	(1.49 - 2.97)
Kauai and Maui**	1.32	(0.79 - 2.19)	5.06	(3.40 - 7.49)	1.37	(0.82 - 2.29)	1.80	(1.20 - 2.70)
Maui	1.32	(0.71 - 2.43)	5.14	(3.27 - 7.98)	1.38	(0.76 - 2.49)	1.83	(1.15 - 2.89)
Idaho	1.68	(1.18 - 2.37)	6.20	(4.91 - 7.79)	1.15	(0.79 - 1.67)	1.99	(1.56 - 2.53)
Region 1	1.82	(1.02 - 3.21)	7.07	(4.58 - 10.77)	1.07	(0.60 - 1.91)	1.84	(1.22 - 2.78)
Region 2	*	(* - *)	6.45	(4.02 - 10.21)	*	(* - *)	2.20	(1.44 - 3.36)
Region 3	1.96	(1.09 - 3.50)	5.09	(3.26 - 7.85)	0.96	(0.52 - 1.76)	1.62	(1.06 - 2.46)
Region 4	1.60	(0.92 - 2.79)	7.16	(5.13 - 9.90)	1.41	(0.83 - 2.38)	2.35	(1.66 - 3.32)
Region 5	1.78	(0.98 - 3.19)	6.17	(3.96 - 9.49)	1.02	(0.56 - 1.86)	1.80	(1.18 - 2.73)
Region 6	1.49	(0.81 - 2.74)	5.56	(3.58 - 8.53)	1.07	(0.58 - 1.98)	1.93	(1.26 - 2.93)
Region 7	1.49	(0.85 - 2.60)	5.21	(3.41 - 7.87)	1.01	(0.57 - 1.76)	1.89	(1.28 - 2.77)
Illinois	1.44	(1.14 - 1.82)	6.14	(5.36 - 7.01)	1.98	(1.57 - 2.49)	2.61	(2.23 - 3.06)
Region I (Cook)	1.13	(0.76 - 1.66)	5.48	(4.43 - 6.76)	2.76	(2.01 - 3.77)	3.17	(2.49 - 4.04)
Region II	1.72	(1.20 - 2.46)	6.30	(5.04 - 7.86)	1.28	(0.87 - 1.89)	2.00	(1.56 - 2.56)
Region III	1.50	(0.92 - 2.42)	6.56	(4.89 - 8.75)	1.51	(0.97 - 2.35)	2.38	(1.78 - 3.18)
Region IV	1.61	(0.97 - 2.67)	7.77	(5.56 - 10.77)	1.50	(0.94 - 2.39)	2.40	(1.75 - 3.30)
Region V	1.71	(1.06 - 2.73)	6.88	(5.22 - 9.01)	1.57	(0.99 - 2.49)	2.36	(1.75 - 3.18)
Indiana	1.44	(1.02 - 2.04)	6.95	(5.59 - 8.62)	1.50	(1.06 - 2.12)	2.33	(1.85 - 2.94)
Central	1.25	(0.71 - 2.17)	6.64	(4.64 - 9.42)	1.83	(1.11 - 3.01)	2.51	(1.73 - 3.63)
East	1.47	(0.82 - 2.65)	6.50	(4.21 - 9.91)	1.27	(0.72 - 2.20)	2.07	(1.39 - 3.09)
North Central	1.44	(0.78 - 2.64)	7.06	(4.64 - 10.58)	1.51	(0.86 - 2.63)	2.34	(1.56 - 3.48)
Northeast	1.38	(0.76 - 2.48)	6.04	(3.89 - 9.26)	1.24	(0.67 - 2.31)	1.97	(1.26 - 3.06)
Northwest	1.26	(0.71 - 2.21)	6.18	(4.00 - 9.45)	1.59	(0.89 - 2.82)	2.24	(1.45 - 3.42)
Southeast	1.94	(1.08 - 3.47)	8.98	(5.89 - 13.46)	1.28	(0.72 - 2.27)	2.34	(1.56 - 3.47)
Southwest	*	(* - *)	7.64	(4.95 - 11.62)	*	(* - *)	2.21	(1.46 - 3.34)
West	1.58	(0.88 - 2.82)	7.11	(4.82 - 10.37)	1.39	(0.80 - 2.42)	2.64	(1.83 - 3.81)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	1.78	(1.25 - 2.54)	5.70	(4.43 - 7.32)	1.20	(0.82 - 1.75)	1.90	(1.47 - 2.46)
Central	2.29	(1.28 - 4.05)	7.06	(4.65 - 10.58)	1.54	(0.85 - 2.77)	2.35	(1.53 - 3.60)
North Central	1.77	(1.00 - 3.12)	5.39	(3.45 - 8.33)	1.12	(0.63 - 1.99)	1.91	(1.26 - 2.88)
Northeast	1.71	(0.99 - 2.92)	5.59	(3.83 - 8.09)	1.17	(0.67 - 2.04)	1.86	(1.27 - 2.73)
Northwest	1.54	(0.86 - 2.74)	4.90	(3.03 - 7.83)	0.99	(0.54 - 1.79)	1.53	(0.98 - 2.39)
Southeast	1.65	(0.93 - 2.91)	5.66	(3.76 - 8.45)	1.24	(0.71 - 2.15)	1.97	(1.33 - 2.92)
Southwest	1.84	(1.01 - 3.32)	5.44	(3.41 - 8.56)	1.09	(0.60 - 1.96)	1.66	(1.07 - 2.56)
Kansas	1.66	(1.18 - 2.35)	6.57	(5.11 - 8.42)	1.84	(1.29 - 2.61)	2.61	(2.04 - 3.33)
Kansas City Metro	1.66	(0.95 - 2.88)	6.94	(4.89 - 9.74)	2.47	(1.52 - 3.98)	3.21	(2.25 - 4.55)
Northeast	1.78	(1.01 - 3.10)	6.36	(4.15 - 9.63)	1.45	(0.82 - 2.54)	2.30	(1.53 - 3.43)
South Central	1.75	(0.99 - 3.08)	6.17	(3.91 - 9.60)	1.23	(0.69 - 2.18)	1.97	(1.28 - 3.00)
Southeast	*	(* - *)	6.37	(3.81 - 10.45)	*	(* - *)	2.21	(1.39 - 3.49)
West	1.67	(0.94 - 2.94)	6.25	(3.93 - 9.78)	*	(* - *)	2.02	(1.32 - 3.09)
Wichita (Sedgwick)	1.47	(0.81 - 2.65)	6.73	(4.44 - 10.07)	2.18	(1.27 - 3.74)	2.90	(1.94 - 4.33)
Kentucky	1.57	(1.14 - 2.17)	6.68	(5.32 - 8.35)	1.64	(1.18 - 2.29)	2.36	(1.87 - 2.98)
Adanta, Cumberland River, and Lifeskills	1.61	(0.91 - 2.84)	5.63	(3.67 - 8.54)	1.20	(0.69 - 2.10)	1.83	(1.22 - 2.75)
Bluegrass, Comprehend, and North Key	1.67	(0.98 - 2.83)	7.58	(5.43 - 10.49)	2.10	(1.30 - 3.39)	2.95	(2.09 - 4.16)
Communicare and River Valley	1.58	(0.90 - 2.77)	6.17	(3.97 - 9.48)	1.31	(0.74 - 2.30)	1.98	(1.30 - 3.02)
Four Rivers and Pennyroyal	1.61	(0.92 - 2.83)	5.68	(3.57 - 8.94)	1.31	(0.72 - 2.38)	1.94	(1.23 - 3.04)
Kentucky River, Mountain, and Pathways	1.48	(0.83 - 2.63)	6.10	(4.01 - 9.17)	1.36	(0.78 - 2.36)	2.02	(1.34 - 3.04)
Seven Counties	1.43	(0.85 - 2.41)	7.29	(4.96 - 10.59)	1.87	(1.15 - 3.03)	2.57	(1.78 - 3.70)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	1.18	(0.81 - 1.70)	5.32	(4.18 - 6.75)	1.63	(1.13 - 2.33)	2.24	(1.73 - 2.89)
Region 1	*	(* - *)	3.89	(2.41 - 6.23)	*	(* - *)	2.61	(1.58 - 4.28)
Regions 2 and 9	1.44	(0.83 - 2.48)	6.38	(4.38 - 9.19)	1.47	(0.88 - 2.45)	2.33	(1.63 - 3.32)
Region 3	1.32	(0.72 - 2.38)	5.77	(3.80 - 8.69)	1.53	(0.86 - 2.71)	2.22	(1.47 - 3.34)
Region 4	1.19	(0.65 - 2.18)	5.18	(3.40 - 7.81)	1.52	(0.84 - 2.74)	2.13	(1.38 - 3.28)
Regions 5 and 6	1.27	(0.70 - 2.29)	5.65	(3.70 - 8.54)	1.47	(0.85 - 2.52)	2.14	(1.42 - 3.20)
Regions 7 and 8	0.97	(0.54 - 1.74)	4.84	(3.25 - 7.14)	1.54	(0.86 - 2.74)	2.10	(1.38 - 3.18)
Region 10 (Jefferson)	1.26	(0.68 - 2.32)	4.73	(2.95 - 7.52)	1.68	(0.92 - 3.06)	2.13	(1.32 - 3.40)
Maine	1.76	(1.26 - 2.46)	8.73	(7.11 - 10.68)	1.47	(1.04 - 2.09)	2.43	(1.94 - 3.02)
Aroostook/Downeast	1.70	(0.97 - 2.96)	7.61	(4.93 - 11.57)	1.28	(0.73 - 2.24)	2.06	(1.38 - 3.08)
Central	1.68	(0.94 - 3.01)	8.48	(5.72 - 12.40)	1.34	(0.76 - 2.35)	2.28	(1.55 - 3.34)
Cumberland	1.99	(1.15 - 3.40)	10.66	(7.68 - 14.61)	1.86	(1.10 - 3.13)	3.04	(2.15 - 4.27)
Midcoast	1.66	(0.91 - 2.99)	8.01	(5.31 - 11.91)	1.38	(0.78 - 2.43)	2.12	(1.40 - 3.20)
Penquis	1.78	(1.01 - 3.11)	9.58	(6.65 - 13.61)	1.52	(0.87 - 2.66)	2.80	(1.95 - 3.99)
Western	1.76	(0.99 - 3.11)	8.50	(5.85 - 12.19)	1.54	(0.89 - 2.67)	2.50	(1.72 - 3.62)
York	1.66	(0.92 - 2.99)	6.79	(4.48 - 10.17)	1.16	(0.65 - 2.06)	1.84	(1.24 - 2.73)
Maryland	1.33	(0.95 - 1.87)	5.56	(4.39 - 7.02)	1.74	(1.24 - 2.45)	2.28	(1.76 - 2.94)
Anne Arundel	1.47	(0.80 - 2.70)	6.83	(4.23 - 10.87)	*	(* - *)	2.28	(1.44 - 3.58)
Baltimore City	*	(* - *)	4.01	(2.49 - 6.40)	3.77	(2.13 - 6.58)	3.81	(2.32 - 6.18)
Baltimore County	1.37	(0.77 - 2.42)	5.57	(3.67 - 8.38)	1.67	(0.94 - 2.93)	2.21	(1.43 - 3.40)
Montgomery	1.64	(0.92 - 2.92)	5.75	(3.83 - 8.54)	1.34	(0.75 - 2.38)	1.87	(1.22 - 2.86)
North Central	2.13	(1.18 - 3.82)	7.25	(4.60 - 11.24)	*	(* - *)	2.01	(1.31 - 3.08)
Northeast	1.77	(0.98 - 3.17)	*	(* - *)	1.54	(0.88 - 2.68)	2.52	(1.68 - 3.77)
Prince George's	0.65	(0.35 - 1.23)	3.06	(1.97 - 4.71)	1.70	(0.94 - 3.05)	1.91	(1.18 - 3.08)
South	1.40	(0.78 - 2.52)	5.96	(3.83 - 9.18)	1.48	(0.84 - 2.60)	2.13	(1.39 - 3.25)
West	1.52	(0.84 - 2.76)	6.28	(3.82 - 10.17)	1.27	(0.71 - 2.27)	1.98	(1.26 - 3.09)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	1.76	(1.25 - 2.47)	9.78	(8.03 - 11.86)	2.26	(1.66 - 3.07)	3.32	(2.69 - 4.08)
Boston	1.25	(0.69 - 2.26)	8.28	(5.74 - 11.80)	3.37	(2.04 - 5.53)	4.38	(3.02 - 6.31)
Central	1.93	(1.08 - 3.42)	10.16	(7.03 - 14.46)	2.11	(1.26 - 3.52)	3.21	(2.22 - 4.62)
Metrowest	1.79	(1.04 - 3.07)	10.24	(7.26 - 14.27)	2.05	(1.26 - 3.32)	3.10	(2.20 - 4.35)
Northeast	1.65	(0.95 - 2.87)	8.59	(5.95 - 12.24)	2.05	(1.25 - 3.35)	2.88	(2.01 - 4.12)
Southeast	2.06	(1.21 - 3.50)	11.71	(8.33 - 16.24)	2.33	(1.41 - 3.84)	3.49	(2.45 - 4.94)
Western	1.66	(0.93 - 2.96)	9.81	(6.97 - 13.65)	1.99	(1.17 - 3.38)	3.24	(2.27 - 4.60)
Michigan	1.42	(1.15 - 1.77)	6.63	(5.85 - 7.50)	1.60	(1.27 - 2.01)	2.35	(2.02 - 2.72)
Bay	1.75	(1.05 - 2.91)	6.61	(4.53 - 9.56)	1.17	(0.70 - 1.96)	1.90	(1.33 - 2.70)
Detroit City	0.35	(0.19 - 0.63)	2.52	(1.66 - 3.79)	2.80	(1.67 - 4.65)	2.75	(1.75 - 4.31)
Genesee	1.49	(0.88 - 2.51)	8.06	(5.67 - 11.33)	2.18	(1.33 - 3.54)	3.03	(2.11 - 4.31)
Kalamazoo	1.38	(0.84 - 2.25)	6.42	(4.63 - 8.84)	1.42	(0.87 - 2.31)	2.23	(1.61 - 3.09)
Kent	1.36	(0.80 - 2.29)	7.04	(5.09 - 9.65)	1.60	(0.97 - 2.62)	2.53	(1.81 - 3.52)
Lakeshore	1.48	(0.92 - 2.38)	6.47	(4.68 - 8.88)	1.28	(0.79 - 2.04)	2.08	(1.52 - 2.85)
Macomb	1.55	(0.94 - 2.55)	7.46	(5.37 - 10.28)	1.57	(0.98 - 2.52)	2.35	(1.68 - 3.27)
Mid South	1.73	(1.09 - 2.73)	6.91	(5.17 - 9.18)	1.36	(0.87 - 2.13)	2.34	(1.76 - 3.11)
Northern	1.39	(0.83 - 2.31)	6.01	(4.23 - 8.48)	1.12	(0.68 - 1.85)	1.80	(1.27 - 2.55)
Oakland	1.61	(1.05 - 2.47)	7.46	(5.62 - 9.84)	1.64	(1.08 - 2.46)	2.36	(1.76 - 3.14)
Pathways	*	(* - *)	7.78	(5.29 - 11.31)	*	(* - *)	2.34	(1.63 - 3.36)
Saginaw	*	(* - *)	6.22	(4.06 - 9.41)	1.62	(0.94 - 2.79)	2.27	(1.50 - 3.42)
Southeast	1.73	(1.11 - 2.66)	7.98	(6.13 - 10.32)	1.64	(1.08 - 2.49)	2.49	(1.88 - 3.29)
St. Clair	1.52	(0.86 - 2.66)	7.07	(4.75 - 10.41)	1.33	(0.79 - 2.24)	2.10	(1.43 - 3.07)
Washtenaw	1.57	(0.96 - 2.56)	6.69	(4.71 - 9.43)	1.63	(1.01 - 2.62)	2.60	(1.87 - 3.60)
Western	*	(* - *)	6.73	(4.57 - 9.80)	*	(* - *)	1.98	(1.36 - 2.89)
Minnesota	1.81	(1.30 - 2.52)	6.62	(5.28 - 8.27)	1.60	(1.12 - 2.27)	2.37	(1.85 - 3.01)
Regions 1 and 2	1.81	(1.01 - 3.22)	7.46	(4.96 - 11.06)	1.60	(0.89 - 2.86)	2.45	(1.61 - 3.72)
Regions 3 and 4	1.59	(0.90 - 2.78)	7.07	(4.78 - 10.32)	1.33	(0.78 - 2.27)	2.27	(1.57 - 3.26)
Regions 5 and 6	1.94	(1.16 - 3.24)	6.76	(4.49 - 10.05)	1.29	(0.76 - 2.20)	2.15	(1.47 - 3.14)
Region 7A (Hennepin)	1.74	(0.99 - 3.03)	6.18	(4.18 - 9.03)	2.16	(1.27 - 3.64)	2.76	(1.84 - 4.12)
Region 7B (Ramsey)	1.53	(0.86 - 2.72)	6.31	(4.05 - 9.69)	*	(* - *)	2.65	(1.69 - 4.16)
Region 7C	2.07	(1.23 - 3.48)	6.34	(4.28 - 9.29)	1.29	(0.74 - 2.26)	2.01	(1.35 - 2.99)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	1.28	(0.88 - 1.87)	4.19	(3.17 - 5.53)	1.54	(1.05 - 2.27)	1.98	(1.48 - 2.64)
Region 1	1.62	(0.90 - 2.88)	4.64	(2.96 - 7.21)	1.25	(0.71 - 2.21)	1.78	(1.17 - 2.71)
Region 2	0.86	(0.47 - 1.57)	3.15	(1.90 - 5.17)	2.06	(1.14 - 3.67)	2.24	(1.38 - 3.62)
Region 3	1.01	(0.54 - 1.86)	3.44	(2.11 - 5.56)	1.36	(0.71 - 2.59)	1.72	(1.03 - 2.84)
Region 4	1.16	(0.62 - 2.14)	4.28	(2.74 - 6.64)	1.59	(0.89 - 2.83)	2.03	(1.31 - 3.15)
Region 5	*	(* - *)	2.97	(1.78 - 4.91)	1.60	(0.85 - 2.98)	1.81	(1.09 - 3.00)
Region 6	1.67	(0.91 - 3.04)	4.40	(2.80 - 6.84)	1.57	(0.87 - 2.82)	2.07	(1.33 - 3.23)
Region 7	1.57	(0.89 - 2.78)	5.64	(3.75 - 8.39)	1.56	(0.88 - 2.75)	2.18	(1.44 - 3.30)
Missouri	1.71	(1.25 - 2.35)	7.34	(5.94 - 9.04)	1.61	(1.16 - 2.24)	2.48	(1.98 - 3.10)
Central	1.83	(1.05 - 3.16)	7.82	(5.41 - 11.16)	1.66	(0.98 - 2.80)	2.74	(1.90 - 3.92)
Eastern	1.58	(1.02 - 2.45)	7.30	(5.37 - 9.85)	1.91	(1.21 - 3.00)	2.68	(1.94 - 3.70)
Eastern (St. Louis City and County)	1.40	(0.82 - 2.37)	6.45	(4.39 - 9.38)	2.14	(1.25 - 3.62)	2.75	(1.85 - 4.09)
Eastern (excluding St. Louis)	1.91	(1.07 - 3.37)	8.99	(6.03 - 13.20)	1.45	(0.86 - 2.45)	2.54	(1.75 - 3.66)
Northwest	1.66	(1.05 - 2.61)	7.18	(5.23 - 9.78)	1.57	(1.02 - 2.41)	2.41	(1.78 - 3.27)
Northwest (Jackson)	1.33	(0.72 - 2.45)	7.03	(4.57 - 10.66)	1.88	(1.09 - 3.22)	2.64	(1.75 - 3.96)
Northwest (excluding Jackson)	1.95	(1.12 - 3.37)	7.31	(4.90 - 10.76)	1.29	(0.75 - 2.21)	2.21	(1.52 - 3.20)
Southeast	1.93	(1.11 - 3.33)	7.51	(5.17 - 10.79)	1.19	(0.68 - 2.08)	2.10	(1.45 - 3.03)
Southwest	1.82	(1.06 - 3.09)	7.07	(4.92 - 10.07)	1.30	(0.78 - 2.17)	2.18	(1.53 - 3.09)
Montana	1.53	(1.06 - 2.21)	8.01	(6.52 - 9.82)	1.49	(1.07 - 2.09)	2.48	(2.00 - 3.08)
Region 1	1.42	(0.78 - 2.56)	6.78	(4.36 - 10.39)	*	(* - *)	1.92	(1.24 - 2.95)
Region 2	1.28	(0.71 - 2.31)	5.95	(3.75 - 9.32)	1.35	(0.76 - 2.37)	2.04	(1.34 - 3.11)
Region 3	1.51	(0.85 - 2.66)	7.10	(4.86 - 10.26)	1.31	(0.78 - 2.20)	2.13	(1.48 - 3.07)
Region 4	1.76	(1.04 - 2.96)	7.38	(5.27 - 10.25)	1.42	(0.86 - 2.35)	2.42	(1.74 - 3.35)
Region 5	1.52	(0.85 - 2.72)	10.40	(7.72 - 13.88)	1.81	(1.12 - 2.93)	3.14	(2.31 - 4.26)
Nebraska	1.45	(1.01 - 2.09)	7.24	(5.77 - 9.05)	1.44	(0.99 - 2.08)	2.38	(1.87 - 3.01)
Regions 1 and 2	1.45	(0.79 - 2.67)	6.79	(4.37 - 10.39)	*	(* - *)	1.84	(1.20 - 2.79)
Region 3	1.56	(0.84 - 2.86)	6.00	(3.80 - 9.35)	1.04	(0.56 - 1.90)	1.80	(1.17 - 2.75)
Region 4	1.63	(0.91 - 2.91)	6.81	(4.40 - 10.40)	1.10	(0.61 - 1.98)	1.92	(1.27 - 2.90)
Region 5	1.37	(0.77 - 2.42)	6.31	(4.40 - 8.97)	1.43	(0.81 - 2.50)	2.34	(1.62 - 3.35)
Region 6	1.40	(0.83 - 2.36)	8.56	(6.25 - 11.62)	1.80	(1.09 - 2.94)	2.89	(2.09 - 4.00)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	1.74	(1.15 - 2.61)	6.43	(4.94 - 8.32)	1.28	(0.83 - 1.97)	1.99	(1.50 - 2.63)
Clark	1.62	(0.97 - 2.71)	6.24	(4.58 - 8.45)	1.31	(0.80 - 2.16)	2.00	(1.44 - 2.77)
Rural	1.92	(1.08 - 3.38)	6.73	(4.38 - 10.19)	1.07	(0.59 - 1.93)	1.73	(1.14 - 2.62)
Washoe	2.06	(1.19 - 3.56)	7.06	(4.59 - 10.70)	1.33	(0.73 - 2.40)	2.15	(1.42 - 3.24)
New Hampshire	1.82	(1.30 - 2.55)	9.74	(7.90 - 11.95)	1.44	(1.01 - 2.06)	2.57	(2.08 - 3.19)
Central	2.29	(1.46 - 3.57)	10.54	(7.91 - 13.89)	1.59	(1.00 - 2.52)	2.91	(2.18 - 3.86)
Central 1	2.60	(1.46 - 4.59)	10.68	(7.41 - 15.16)	1.70	(0.96 - 2.98)	3.21	(2.24 - 4.58)
Central 2	1.97	(1.12 - 3.45)	10.35	(7.14 - 14.76)	1.49	(0.85 - 2.62)	2.62	(1.81 - 3.77)
Northern	1.76	(1.03 - 3.01)	8.84	(5.96 - 12.92)	1.34	(0.76 - 2.33)	2.38	(1.65 - 3.44)
Southern	1.62	(1.06 - 2.46)	9.52	(7.34 - 12.27)	1.39	(0.91 - 2.12)	2.46	(1.89 - 3.20)
Southern 1 (Rockingham)	1.76	(1.02 - 3.04)	8.04	(5.33 - 11.94)	1.23	(0.71 - 2.12)	2.02	(1.37 - 2.95)
Southern 2	1.53	(0.90 - 2.59)	10.27	(7.60 - 13.74)	1.49	(0.90 - 2.47)	2.73	(2.00 - 3.70)
New Jersey	1.56	(1.09 - 2.22)	5.85	(4.48 - 7.60)	1.50	(1.04 - 2.16)	2.06	(1.57 - 2.71)
Central	1.73	(1.02 - 2.93)	6.79	(4.52 - 10.06)	1.40	(0.82 - 2.39)	2.05	(1.37 - 3.04)
Metropolitan	1.29	(0.72 - 2.28)	5.47	(3.60 - 8.22)	1.66	(0.95 - 2.89)	2.20	(1.43 - 3.38)
Northern	1.67	(0.98 - 2.82)	5.58	(3.79 - 8.15)	1.30	(0.76 - 2.22)	1.84	(1.23 - 2.74)
Southern	1.53	(0.90 - 2.58)	5.79	(3.88 - 8.55)	1.72	(1.02 - 2.89)	2.27	(1.53 - 3.35)
New Mexico	2.20	(1.56 - 3.10)	7.67	(6.09 - 9.61)	1.70	(1.19 - 2.41)	2.65	(2.10 - 3.35)
Region 1	2.44	(1.40 - 4.22)	7.76	(5.22 - 11.37)	1.76	(1.02 - 3.01)	2.73	(1.86 - 3.97)
Region 2	2.25	(1.25 - 4.01)	6.97	(4.52 - 10.60)	1.56	(0.89 - 2.72)	2.28	(1.50 - 3.46)
Region 3 (Bernalillo)	2.12	(1.30 - 3.42)	8.23	(5.92 - 11.33)	1.98	(1.22 - 3.18)	3.00	(2.16 - 4.15)
Region 4	2.09	(1.17 - 3.69)	7.53	(4.93 - 11.33)	1.47	(0.84 - 2.56)	2.48	(1.66 - 3.67)
Region 5	2.12	(1.24 - 3.60)	7.29	(4.98 - 10.54)	1.46	(0.84 - 2.51)	2.46	(1.70 - 3.53)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	1.39	(1.09 - 1.77)	7.22	(6.36 - 8.19)	2.06	(1.65 - 2.57)	2.80	(2.41 - 3.26)
Region A	1.07	(0.76 - 1.50)	5.64	(4.64 - 6.85)	2.34	(1.77 - 3.09)	2.84	(2.30 - 3.51)
Region 1	1.01	(0.56 - 1.83)	4.65	(3.00 - 7.15)	2.70	(1.62 - 4.47)	3.02	(1.99 - 4.55)
Region 2	0.97	(0.58 - 1.61)	5.71	(4.19 - 7.74)	2.21	(1.43 - 3.38)	2.75	(1.98 - 3.81)
Region 3	1.29	(0.73 - 2.25)	8.45	(6.07 - 11.64)	3.48	(2.27 - 5.31)	4.20	(3.01 - 5.84)
Region 4	1.16	(0.66 - 2.03)	4.16	(2.82 - 6.10)	1.48	(0.87 - 2.51)	1.87	(1.25 - 2.80)
Region B	1.48	(1.07 - 2.04)	8.03	(6.48 - 9.92)	1.72	(1.25 - 2.37)	2.52	(2.02 - 3.14)
Region 5	1.37	(0.88 - 2.13)	8.27	(6.23 - 10.89)	1.75	(1.15 - 2.64)	2.56	(1.92 - 3.40)
Region 6	1.57	(0.94 - 2.61)	7.65	(5.23 - 11.05)	1.65	(0.98 - 2.74)	2.37	(1.62 - 3.47)
Region 7	1.68	(1.02 - 2.77)	7.87	(5.44 - 11.27)	1.76	(1.06 - 2.90)	2.64	(1.84 - 3.77)
Region C	1.69	(1.24 - 2.30)	8.98	(7.63 - 10.53)	2.00	(1.49 - 2.68)	3.03	(2.51 - 3.65)
Region 8	1.95	(1.17 - 3.25)	9.95	(7.39 - 13.26)	1.96	(1.21 - 3.18)	3.11	(2.25 - 4.28)
Region 9	1.64	(1.00 - 2.68)	9.08	(6.74 - 12.13)	1.98	(1.21 - 3.21)	3.04	(2.20 - 4.18)
Region 10	1.68	(1.00 - 2.82)	7.97	(5.61 - 11.20)	1.66	(0.99 - 2.76)	2.82	(2.01 - 3.94)
Region 11	1.63	(0.98 - 2.70)	8.53	(6.17 - 11.67)	1.79	(1.11 - 2.87)	2.78	(2.02 - 3.83)
Region 12	1.57	(0.96 - 2.57)	8.98	(6.62 - 12.07)	2.36	(1.51 - 3.66)	3.26	(2.37 - 4.46)
Region D	1.70	(1.18 - 2.44)	8.44	(6.66 - 10.65)	1.84	(1.29 - 2.62)	2.85	(2.22 - 3.63)
Region 13	1.53	(0.88 - 2.65)	7.72	(5.27 - 11.16)	1.82	(1.09 - 3.03)	2.67	(1.84 - 3.86)
Region 14	1.47	(0.83 - 2.59)	7.09	(4.80 - 10.36)	1.73	(1.01 - 2.96)	2.61	(1.77 - 3.84)
Region 15	2.04	(1.18 - 3.51)	10.53	(7.38 - 14.82)	1.96	(1.17 - 3.28)	3.23	(2.26 - 4.58)
North Carolina	1.32	(0.92 - 1.89)	5.82	(4.57 - 7.38)	1.59	(1.13 - 2.24)	2.19	(1.71 - 2.80)
Eastern	1.11	(0.62 - 1.97)	5.89	(4.03 - 8.52)	1.58	(0.92 - 2.72)	2.25	(1.52 - 3.30)
North Central	1.29	(0.74 - 2.25)	5.13	(3.38 - 7.71)	1.69	(0.96 - 2.95)	2.18	(1.42 - 3.33)
South Central	1.18	(0.67 - 2.08)	5.41	(3.59 - 8.07)	1.52	(0.90 - 2.57)	2.09	(1.41 - 3.10)
Western	1.58	(0.94 - 2.63)	6.64	(4.77 - 9.17)	1.58	(0.98 - 2.52)	2.23	(1.58 - 3.13)
North Dakota	1.66	(1.13 - 2.42)	4.29	(3.15 - 5.82)	1.00	(0.63 - 1.60)	1.58	(1.15 - 2.15)
Badlands and West Central Lake Region and South Central	1.61	(0.93 - 2.76)	4.12	(2.58 - 6.50)	0.86	(0.46 - 1.61)	1.33	(0.85 - 2.08)
North Central and Northwest	1.58	(0.90 - 2.74)	3.96	(2.36 - 6.57)	0.96	(0.52 - 1.77)	1.35	(0.84 - 2.16)
Northeast	1.43	(0.77 - 2.62)	4.30	(2.69 - 6.82)	0.90	(0.47 - 1.71)	1.43	(0.91 - 2.25)
Southeast	1.62	(0.89 - 2.94)	4.54	(2.88 - 7.09)	1.17	(0.62 - 2.20)	1.94	(1.26 - 3.00)
	1.95	(1.11 - 3.39)	4.37	(2.85 - 6.65)	1.17	(0.62 - 2.20)	1.85	(1.20 - 2.84)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	1.34	(1.04 - 1.71)	6.15	(5.43 - 6.97)	1.72	(1.37 - 2.16)	2.37	(2.04 - 2.76)
Boards 2, 46, 55, and 68	1.36	(0.77 - 2.38)	6.38	(4.40 - 9.16)	1.45	(0.88 - 2.38)	2.15	(1.49 - 3.08)
Boards 3, 52, and 85	1.51	(0.86 - 2.63)	5.59	(3.71 - 8.34)	1.16	(0.68 - 1.97)	1.80	(1.23 - 2.65)
Boards 4 and 78	1.55	(0.89 - 2.67)	6.34	(4.29 - 9.29)	1.43	(0.85 - 2.39)	2.05	(1.40 - 3.01)
Boards 5 and 60	1.41	(0.83 - 2.38)	6.22	(4.25 - 9.00)	1.48	(0.89 - 2.44)	2.34	(1.64 - 3.33)
Boards 7, 15, 41, 79, and 84	1.35	(0.75 - 2.40)	6.36	(4.25 - 9.42)	1.29	(0.76 - 2.19)	1.94	(1.32 - 2.84)
Boards 8, 13, and 83	1.33	(0.75 - 2.36)	5.87	(3.96 - 8.62)	1.14	(0.67 - 1.96)	1.80	(1.23 - 2.63)
Board 9 (Butler)	1.77	(1.00 - 3.11)	6.49	(4.37 - 9.54)	1.38	(0.80 - 2.38)	2.28	(1.56 - 3.33)
Board 12	1.53	(0.88 - 2.65)	6.25	(4.34 - 8.92)	1.37	(0.80 - 2.34)	2.15	(1.48 - 3.12)
Boards 18 and 47	1.01	(0.60 - 1.69)	5.34	(3.98 - 7.13)	1.89	(1.22 - 2.91)	2.34	(1.68 - 3.26)
Boards 20, 32, 54, and 69	1.31	(0.74 - 2.31)	5.91	(3.89 - 8.87)	1.27	(0.74 - 2.17)	1.93	(1.29 - 2.87)
Boards 21, 39, 51, 70, and 80	1.44	(0.85 - 2.45)	6.81	(4.71 - 9.74)	1.48	(0.92 - 2.38)	2.20	(1.56 - 3.11)
Boards 22, 74, and 87	1.34	(0.76 - 2.35)	5.49	(3.65 - 8.19)	1.41	(0.82 - 2.41)	2.07	(1.39 - 3.05)
Boards 23 and 45	1.45	(0.82 - 2.54)	6.78	(4.59 - 9.91)	1.23	(0.74 - 2.05)	2.02	(1.40 - 2.90)
Board 25 (Franklin)	1.36	(0.81 - 2.28)	5.25	(3.83 - 7.15)	2.09	(1.34 - 3.27)	2.66	(1.91 - 3.70)
Boards 27, 71, and 73	1.35	(0.78 - 2.32)	5.55	(3.79 - 8.08)	1.26	(0.77 - 2.08)	1.88	(1.30 - 2.70)
Boards 28, 43, and 67	1.83	(1.05 - 3.17)	8.96	(6.29 - 12.62)	1.65	(0.98 - 2.77)	2.71	(1.90 - 3.83)
Board 31 (Hamilton)	1.17	(0.68 - 2.00)	6.28	(4.45 - 8.80)	2.71	(1.69 - 4.30)	3.25	(2.25 - 4.67)
Board 48 (Lucas)	1.11	(0.64 - 1.93)	5.41	(3.75 - 7.74)	2.02	(1.19 - 3.42)	2.55	(1.71 - 3.79)
Boards 50 and 76	1.51	(0.91 - 2.51)	7.12	(5.00 - 10.04)	1.77	(1.09 - 2.88)	2.47	(1.72 - 3.55)
Board 57 (Montgomery)	1.21	(0.70 - 2.10)	6.97	(4.87 - 9.89)	2.03	(1.26 - 3.27)	2.77	(1.94 - 3.94)
Board 77 (Summit)	1.30	(0.76 - 2.23)	6.87	(4.71 - 9.93)	2.18	(1.30 - 3.64)	2.80	(1.89 - 4.14)
Oklahoma	1.52	(1.08 - 2.14)	5.44	(4.20 - 7.02)	1.23	(0.84 - 1.78)	1.90	(1.46 - 2.47)
Central	1.63	(0.91 - 2.92)	6.09	(3.99 - 9.19)	1.18	(0.66 - 2.10)	2.07	(1.37 - 3.11)
East Central	1.25	(0.69 - 2.27)	4.44	(2.72 - 7.16)	0.93	(0.50 - 1.73)	1.43	(0.90 - 2.28)
Northeast	1.53	(0.83 - 2.81)	5.39	(3.47 - 8.28)	1.03	(0.59 - 1.79)	1.72	(1.16 - 2.56)
Northwest and Southwest	1.38	(0.77 - 2.49)	4.89	(3.17 - 7.48)	1.05	(0.59 - 1.87)	1.68	(1.11 - 2.53)
Oklahoma County	1.39	(0.78 - 2.44)	5.45	(3.57 - 8.23)	1.58	(0.91 - 2.75)	2.24	(1.48 - 3.37)
Southeast	1.36	(0.76 - 2.42)	4.97	(3.10 - 7.86)	0.96	(0.53 - 1.72)	1.53	(0.99 - 2.36)
Tulsa County	2.05	(1.12 - 3.71)	6.51	(4.27 - 9.80)	1.61	(0.88 - 2.91)	2.39	(1.55 - 3.67)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	1.83	(1.25 - 2.67)	5.67	(4.38 - 7.32)	1.22	(0.81 - 1.84)	1.86	(1.40 - 2.46)
Region 1 (Multnomah)	1.88	(1.01 - 3.48)	7.88	(5.31 - 11.52)	2.12	(1.19 - 3.75)	2.99	(1.98 - 4.48)
Region 2	1.88	(1.08 - 3.25)	5.19	(3.41 - 7.81)	1.05	(0.60 - 1.84)	1.63	(1.09 - 2.43)
Region 3	1.72	(0.98 - 3.02)	4.46	(3.01 - 6.55)	0.96	(0.52 - 1.74)	1.51	(1.00 - 2.27)
Region 4	1.67	(0.94 - 2.96)	5.77	(3.59 - 9.14)	0.95	(0.51 - 1.77)	1.51	(0.95 - 2.39)
Region 5	2.16	(1.18 - 3.91)	6.18	(3.86 - 9.77)	*	(* - *)	1.75	(1.10 - 2.79)
Pennsylvania	1.37	(1.09 - 1.72)	7.05	(6.28 - 7.90)	1.70	(1.35 - 2.13)	2.45	(2.12 - 2.84)
Region 1 (Allegheny)	1.27	(0.76 - 2.12)	7.91	(5.83 - 10.66)	1.95	(1.23 - 3.06)	2.74	(1.99 - 3.76)
Regions 2, 3, 8, and 9	1.47	(0.89 - 2.44)	7.98	(5.66 - 11.14)	1.31	(0.78 - 2.21)	2.26	(1.60 - 3.19)
Regions 4, 11, 37, and 49	1.48	(0.89 - 2.45)	6.63	(4.75 - 9.19)	1.25	(0.75 - 2.07)	1.95	(1.37 - 2.77)
Regions 5, 18, 23, 24, and 46	1.35	(0.78 - 2.34)	5.42	(3.63 - 8.02)	1.10	(0.64 - 1.87)	1.70	(1.17 - 2.48)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	1.79	(1.07 - 2.99)	6.58	(4.75 - 9.03)	1.26	(0.76 - 2.09)	2.24	(1.62 - 3.10)
Regions 7, 13, 20, and 33	1.28	(0.83 - 1.98)	8.00	(6.30 - 10.12)	1.62	(1.10 - 2.37)	2.45	(1.89 - 3.16)
Regions 10, 14, 15, 27, 32, 43, and 44	1.67	(0.98 - 2.84)	7.86	(5.60 - 10.93)	1.66	(1.00 - 2.73)	2.49	(1.74 - 3.55)
Regions 17 and 21	1.62	(0.95 - 2.73)	7.94	(5.60 - 11.15)	1.80	(1.07 - 3.00)	2.78	(1.95 - 3.94)
Regions 19, 26, 28, and 42	1.39	(0.87 - 2.22)	6.45	(4.93 - 8.40)	1.35	(0.86 - 2.12)	2.05	(1.52 - 2.78)
Regions 22, 38, 40, 41, and 48	1.58	(0.94 - 2.63)	7.87	(5.69 - 10.78)	1.56	(0.98 - 2.46)	2.32	(1.67 - 3.21)
Regions 25 and 30	1.60	(0.95 - 2.67)	8.61	(6.14 - 11.95)	1.91	(1.18 - 3.09)	2.78	(1.96 - 3.93)
Regions 29 and 34	1.38	(0.81 - 2.36)	6.16	(4.14 - 9.09)	1.23	(0.71 - 2.11)	1.89	(1.28 - 2.79)
Region 36 (Philadelphia)	0.89	(0.53 - 1.50)	5.48	(4.10 - 7.28)	3.15	(2.04 - 4.83)	3.54	(2.53 - 4.95)
Rhode Island	1.78	(1.22 - 2.60)	9.63	(7.87 - 11.73)	2.64	(1.85 - 3.75)	3.72	(2.93 - 4.72)
Bristol and Newport	2.15	(1.21 - 3.79)	*	(* - *)	2.52	(1.43 - 4.41)	3.71	(2.45 - 5.59)
Kent	2.16	(1.21 - 3.81)	11.03	(7.61 - 15.72)	1.95	(1.13 - 3.33)	3.06	(2.10 - 4.45)
Providence	1.54	(0.93 - 2.56)	8.62	(6.65 - 11.11)	2.99	(1.96 - 4.52)	3.92	(2.92 - 5.24)
Washington	2.15	(1.23 - 3.73)	11.61	(8.21 - 16.16)	2.09	(1.21 - 3.56)	3.64	(2.58 - 5.13)
South Carolina	1.54	(1.08 - 2.19)	5.94	(4.67 - 7.54)	1.75	(1.25 - 2.45)	2.37	(1.86 - 3.02)
Region 1	1.83	(1.08 - 3.10)	6.43	(4.42 - 9.24)	1.44	(0.86 - 2.39)	2.15	(1.49 - 3.10)
Region 2	1.46	(0.86 - 2.45)	5.76	(4.03 - 8.17)	1.74	(1.08 - 2.80)	2.34	(1.65 - 3.33)
Region 3	1.10	(0.61 - 1.99)	4.80	(3.08 - 7.40)	1.68	(0.96 - 2.93)	2.12	(1.37 - 3.26)
Region 4	1.65	(0.95 - 2.82)	6.41	(4.45 - 9.14)	2.14	(1.27 - 3.59)	2.80	(1.90 - 4.11)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	1.62	(1.13 - 2.32)	5.10	(3.91 - 6.62)	1.12	(0.75 - 1.65)	1.76	(1.35 - 2.30)
Region 1	1.74	(0.97 - 3.12)	4.89	(3.12 - 7.61)	1.07	(0.59 - 1.94)	1.69	(1.10 - 2.59)
Region 2	1.83	(1.06 - 3.13)	5.69	(3.91 - 8.22)	1.31	(0.76 - 2.23)	2.06	(1.41 - 2.98)
Region 3	1.73	(0.98 - 3.04)	4.68	(3.01 - 7.20)	0.98	(0.53 - 1.80)	1.65	(1.09 - 2.50)
Region 4	1.45	(0.77 - 2.70)	5.39	(3.29 - 8.71)	*	(* - *)	1.87	(1.17 - 2.96)
Region 5	1.47	(0.79 - 2.71)	4.53	(2.79 - 7.27)	0.98	(0.52 - 1.85)	1.45	(0.91 - 2.31)
Region 6	1.26	(0.69 - 2.30)	3.75	(2.31 - 6.03)	*	(* - *)	1.33	(0.82 - 2.16)
Region 7	1.47	(0.82 - 2.63)	5.51	(3.56 - 8.45)	1.18	(0.65 - 2.14)	1.88	(1.23 - 2.85)
Tennessee	1.49	(1.05 - 2.12)	6.92	(5.51 - 8.66)	1.87	(1.34 - 2.61)	2.58	(2.03 - 3.29)
Region 1	1.82	(0.99 - 3.30)	7.92	(5.10 - 12.09)	1.75	(0.99 - 3.06)	2.52	(1.63 - 3.88)
Region 2	1.67	(0.96 - 2.90)	7.66	(5.28 - 10.99)	1.67	(0.99 - 2.79)	2.49	(1.72 - 3.60)
Region 3	1.54	(0.87 - 2.70)	7.02	(4.75 - 10.26)	1.51	(0.87 - 2.61)	2.26	(1.53 - 3.34)
Region 4 (Davidson)	*	(* - *)	6.50	(4.27 - 9.77)	2.92	(1.70 - 4.97)	3.48	(2.26 - 5.32)
Region 5	1.82	(1.05 - 3.15)	8.57	(5.97 - 12.16)	1.77	(1.03 - 3.03)	2.74	(1.88 - 3.98)
Region 6	1.31	(0.70 - 2.42)	5.84	(3.73 - 9.04)	1.65	(0.94 - 2.89)	2.24	(1.45 - 3.43)
Region 7 (Shelby)	0.85	(0.46 - 1.57)	4.23	(2.66 - 6.67)	2.19	(1.20 - 3.97)	2.50	(1.52 - 4.07)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	2.30	(1.85 - 2.85)	6.72	(5.87 - 7.68)	1.65	(1.31 - 2.07)	2.48	(2.15 - 2.86)
Region 1	2.49	(1.48 - 4.18)	8.08	(5.71 - 11.31)	1.77	(1.07 - 2.92)	2.88	(2.05 - 4.04)
Region 2	2.10	(1.17 - 3.74)	7.46	(5.01 - 10.98)	1.48	(0.85 - 2.57)	2.42	(1.62 - 3.59)
Region 3	1.94	(1.35 - 2.77)	5.45	(4.26 - 6.96)	1.43	(0.99 - 2.05)	2.07	(1.61 - 2.65)
Region 3a	2.01	(1.32 - 3.04)	5.72	(4.25 - 7.64)	1.54	(1.02 - 2.32)	2.22	(1.67 - 2.95)
Region 3bc	1.81	(1.06 - 3.08)	4.96	(3.42 - 7.14)	1.23	(0.74 - 2.03)	1.80	(1.25 - 2.58)
Region 4	2.14	(1.26 - 3.59)	7.45	(5.20 - 10.56)	1.44	(0.87 - 2.36)	2.26	(1.58 - 3.20)
Region 5	1.94	(1.11 - 3.36)	7.67	(5.28 - 11.01)	1.76	(1.03 - 2.99)	2.63	(1.79 - 3.85)
Region 6	2.14	(1.50 - 3.05)	5.51	(4.34 - 6.97)	1.59	(1.10 - 2.28)	2.22	(1.73 - 2.85)
Region 6a	2.12	(1.44 - 3.11)	5.25	(4.03 - 6.83)	1.56	(1.04 - 2.33)	2.16	(1.63 - 2.86)
Region 6bc	2.34	(1.40 - 3.88)	7.95	(5.40 - 11.57)	1.83	(1.09 - 3.07)	2.69	(1.83 - 3.94)
Region 7	2.71	(1.83 - 4.00)	8.10	(6.35 - 10.28)	2.15	(1.48 - 3.11)	3.32	(2.61 - 4.23)
Region 7a	3.11	(1.88 - 5.09)	9.16	(6.70 - 12.41)	2.44	(1.54 - 3.85)	3.70	(2.70 - 5.04)
Region 7bcd	2.18	(1.31 - 3.59)	6.67	(4.71 - 9.37)	1.68	(1.03 - 2.72)	2.75	(1.98 - 3.80)
Region 8	2.61	(1.68 - 4.05)	9.09	(6.72 - 12.19)	1.69	(1.06 - 2.69)	2.83	(2.10 - 3.81)
Region 9	2.61	(1.55 - 4.37)	7.44	(4.82 - 11.31)	1.48	(0.86 - 2.51)	2.41	(1.61 - 3.58)
Region 10	2.41	(1.41 - 4.10)	7.17	(4.69 - 10.81)	1.78	(1.03 - 3.06)	2.70	(1.80 - 4.02)
Region 11	2.84	(1.86 - 4.31)	7.01	(5.19 - 9.42)	1.89	(1.23 - 2.90)	2.81	(2.08 - 3.77)
Region 11abd	2.94	(1.76 - 4.86)	7.30	(4.96 - 10.62)	1.89	(1.12 - 3.16)	2.82	(1.94 - 4.07)
Region 11c (Hidalgo)	2.66	(1.56 - 4.49)	6.50	(4.41 - 9.48)	1.91	(1.10 - 3.29)	2.79	(1.88 - 4.11)
Utah	1.70	(1.18 - 2.44)	5.04	(3.85 - 6.58)	1.53	(1.04 - 2.24)	2.28	(1.76 - 2.97)
Bear River, Northeastern, Summit, Tooele, and Wasatch	1.73	(0.97 - 3.07)	5.31	(3.26 - 8.53)	1.39	(0.77 - 2.52)	2.25	(1.44 - 3.50)
Central, Four Corners, San Juan, and Southwest	1.55	(0.84 - 2.82)	4.55	(2.80 - 7.33)	1.11	(0.61 - 2.01)	1.74	(1.12 - 2.70)
Davis County	2.24	(1.23 - 4.05)	5.35	(3.33 - 8.48)	1.51	(0.82 - 2.77)	2.27	(1.45 - 3.55)
Salt Lake County	1.51	(0.86 - 2.63)	5.07	(3.49 - 7.29)	1.76	(1.05 - 2.94)	2.41	(1.67 - 3.47)
Utah County	1.71	(0.94 - 3.10)	4.56	(2.93 - 7.04)	1.41	(0.78 - 2.52)	2.36	(1.59 - 3.49)
Weber, Morgan	1.94	(1.09 - 3.42)	6.17	(3.98 - 9.44)	1.45	(0.79 - 2.66)	2.35	(1.52 - 3.60)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	1.87	(1.31 - 2.67)	10.60	(8.82 - 12.69)	1.79	(1.29 - 2.48)	3.07	(2.52 - 3.74)
Champlain Valley	1.89	(1.15 - 3.10)	12.36	(9.75 - 15.56)	2.06	(1.32 - 3.19)	3.85	(3.00 - 4.92)
Rural Northeast	1.81	(1.05 - 3.10)	9.00	(6.33 - 12.64)	1.77	(1.10 - 2.83)	2.77	(1.98 - 3.86)
Rural Southeast	1.85	(1.08 - 3.16)	8.75	(6.15 - 12.31)	1.44	(0.83 - 2.48)	2.28	(1.56 - 3.31)
Rural Southwest	1.95	(1.10 - 3.44)	9.63	(6.71 - 13.63)	1.70	(0.98 - 2.92)	2.72	(1.87 - 3.94)
Virginia	1.35	(0.94 - 1.94)	7.68	(6.17 - 9.51)	1.79	(1.26 - 2.55)	2.62	(2.06 - 3.34)
Region 1	1.81	(1.03 - 3.16)	9.30	(6.42 - 13.29)	1.60	(0.92 - 2.76)	2.73	(1.90 - 3.93)
Region 2	1.30	(0.73 - 2.31)	6.19	(4.18 - 9.07)	1.45	(0.82 - 2.57)	2.06	(1.36 - 3.11)
Region 3	1.51	(0.86 - 2.65)	9.97	(6.95 - 14.09)	1.64	(0.94 - 2.86)	2.79	(1.93 - 4.04)
Region 4	1.27	(0.73 - 2.22)	7.49	(5.23 - 10.62)	2.26	(1.32 - 3.86)	2.96	(1.98 - 4.41)
Region 5	1.07	(0.58 - 1.94)	6.60	(4.55 - 9.48)	2.10	(1.25 - 3.52)	2.82	(1.93 - 4.10)
Washington	1.70	(1.22 - 2.37)	8.61	(6.95 - 10.62)	1.57	(1.09 - 2.25)	2.59	(2.06 - 3.26)
Region 1	1.86	(1.06 - 3.25)	7.88	(5.23 - 11.71)	1.32	(0.75 - 2.28)	2.36	(1.61 - 3.45)
Region 2	1.73	(0.98 - 3.03)	9.55	(6.30 - 14.21)	1.42	(0.80 - 2.51)	2.71	(1.84 - 3.96)
Region 3	1.80	(1.02 - 3.15)	9.03	(6.10 - 13.17)	1.40	(0.79 - 2.47)	2.52	(1.71 - 3.69)
Region 4 (King)	1.66	(0.97 - 2.83)	9.16	(6.65 - 12.50)	2.07	(1.25 - 3.41)	3.06	(2.15 - 4.33)
Region 5	1.58	(0.91 - 2.73)	7.30	(4.85 - 10.83)	1.32	(0.75 - 2.32)	2.23	(1.51 - 3.27)
Region 6	1.63	(0.92 - 2.85)	8.55	(5.86 - 12.30)	1.31	(0.74 - 2.32)	2.26	(1.54 - 3.30)
West Virginia	2.02	(1.48 - 2.76)	10.29	(8.57 - 12.30)	1.68	(1.20 - 2.35)	2.84	(2.31 - 3.48)
Eastern Highland	2.48	(1.49 - 4.09)	10.13	(7.35 - 13.81)	1.64	(0.95 - 2.81)	2.71	(1.91 - 3.83)
Northern	1.93	(1.22 - 3.05)	12.36	(9.58 - 15.81)	2.02	(1.31 - 3.12)	3.58	(2.73 - 4.67)
Northern A and B	*	(* - *)	8.41	(5.31 - 13.07)	1.50	(0.82 - 2.71)	2.33	(1.50 - 3.58)
Northern C and D	2.02	(1.14 - 3.55)	13.80	(10.31 - 18.25)	2.31	(1.38 - 3.82)	4.22	(3.09 - 5.72)
South Central	1.91	(1.30 - 2.80)	9.40	(7.27 - 12.08)	1.56	(1.02 - 2.36)	2.57	(1.96 - 3.38)
South Central I	1.85	(1.06 - 3.21)	9.46	(6.41 - 13.74)	1.38	(0.79 - 2.40)	2.34	(1.59 - 3.43)
South Central II	1.86	(1.05 - 3.30)	10.18	(6.94 - 14.70)	1.71	(0.97 - 2.99)	2.99	(2.04 - 4.34)
South Central III	1.98	(1.18 - 3.31)	8.73	(5.97 - 12.60)	1.56	(0.91 - 2.69)	2.44	(1.67 - 3.56)
Southern	1.80	(1.14 - 2.85)	8.86	(6.47 - 12.03)	1.52	(0.96 - 2.39)	2.46	(1.80 - 3.36)
Southern I and III	1.78	(1.00 - 3.14)	8.91	(6.05 - 12.94)	1.50	(0.85 - 2.62)	2.45	(1.66 - 3.61)
Southern II	1.85	(1.07 - 3.19)	8.77	(5.75 - 13.16)	*	(* - *)	2.49	(1.65 - 3.74)

See notes at end of table.

(continued)

Table 7. Cocaine Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	1.89	(1.37 - 2.61)	6.37	(4.98 - 8.11)	1.39	(0.97 - 2.00)	2.14	(1.67 - 2.75)
Milwaukee	1.15	(0.63 - 2.08)	4.98	(3.23 - 7.61)	1.89	(1.06 - 3.32)	2.38	(1.54 - 3.67)
Northeastern	2.12	(1.26 - 3.54)	7.75	(5.23 - 11.33)	1.48	(0.85 - 2.55)	2.38	(1.62 - 3.49)
Northern	1.70	(0.94 - 3.07)	6.12	(4.00 - 9.25)	*	(* - *)	1.79	(1.16 - 2.76)
Southeastern	2.50	(1.49 - 4.17)	7.06	(4.67 - 10.53)	1.19	(0.65 - 2.16)	1.98	(1.31 - 2.97)
Southern	1.67	(0.98 - 2.85)	5.87	(3.85 - 8.86)	1.32	(0.78 - 2.23)	2.07	(1.41 - 3.02)
Western	2.00	(1.15 - 3.44)	6.07	(3.94 - 9.25)	1.23	(0.70 - 2.17)	2.06	(1.37 - 3.08)
Wyoming	1.72	(1.25 - 2.37)	7.36	(5.89 - 9.18)	1.41	(1.00 - 1.99)	2.36	(1.89 - 2.94)
Judicial District 1 (Laramie)	1.58	(0.90 - 2.76)	7.77	(5.16 - 11.54)	1.41	(0.82 - 2.42)	2.38	(1.63 - 3.47)
Judicial District 2	1.72	(0.97 - 3.05)	6.71	(4.58 - 9.74)	1.75	(0.99 - 3.06)	3.10	(2.17 - 4.42)
Judicial District 3	1.68	(0.97 - 2.91)	6.52	(4.32 - 9.72)	1.07	(0.61 - 1.89)	1.94	(1.32 - 2.85)
Judicial District 4	*	(* - *)	8.45	(5.42 - 12.95)	*	(* - *)	2.13	(1.41 - 3.21)
Judicial District 5	1.76	(0.98 - 3.13)	6.76	(4.24 - 10.59)	1.08	(0.60 - 1.94)	1.79	(1.16 - 2.74)
Judicial District 6	1.86	(1.03 - 3.33)	8.06	(5.28 - 12.10)	1.33	(0.77 - 2.30)	2.39	(1.62 - 3.50)
Judicial District 7 (Natrona)	1.76	(1.01 - 3.06)	8.41	(5.78 - 12.11)	1.55	(0.92 - 2.59)	2.63	(1.85 - 3.73)
Judicial District 8	1.76	(0.95 - 3.23)	6.59	(4.21 - 10.17)	*	(* - *)	1.72	(1.12 - 2.62)
Judicial District 9	1.66	(0.91 - 3.03)	7.29	(4.81 - 10.92)	2.06	(1.15 - 3.66)	2.80	(1.79 - 4.33)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	7.14		12.19		3.31		4.63	
Northeast	6.22	(5.78 - 6.69)	11.78	(11.15 - 12.45)	3.02	(2.73 - 3.33)	4.24	(3.97 - 4.53)
Midwest	7.07	(6.70 - 7.46)	12.34	(11.82 - 12.88)	3.17	(2.93 - 3.43)	4.56	(4.33 - 4.80)
South	7.45	(7.07 - 7.84)	12.37	(11.86 - 12.89)	3.29	(3.06 - 3.54)	4.64	(4.42 - 4.86)
West	7.43	(6.91 - 7.98)	12.08	(11.41 - 12.77)	3.72	(3.36 - 4.11)	5.01	(4.68 - 5.36)
Alabama	9.10	(7.55 - 10.94)	14.09	(11.97 - 16.53)	3.22	(2.48 - 4.17)	4.84	(4.07 - 5.75)
Region 1	8.59	(6.31 - 11.58)	14.29	(10.80 - 18.67)	2.79	(1.86 - 4.15)	4.33	(3.29 - 5.69)
Region 2	9.93	(7.41 - 13.18)	15.54	(12.15 - 19.67)	3.79	(2.59 - 5.51)	5.57	(4.28 - 7.20)
Region 3	6.81	(4.80 - 9.57)	11.64	(8.53 - 15.69)	2.84	(1.84 - 4.35)	4.40	(3.25 - 5.95)
Region 4	10.53	(7.80 - 14.06)	14.09	(10.52 - 18.61)	3.28	(2.19 - 4.88)	4.80	(3.59 - 6.39)
Alaska	8.19	(6.63 - 10.06)	12.27	(10.29 - 14.57)	3.81	(2.87 - 5.05)	5.18	(4.26 - 6.28)
Gulf Coast	7.64	(5.17 - 11.16)	*	(* - *)	3.23	(1.98 - 5.22)	4.38	(3.02 - 6.31)
Rural	7.51	(4.90 - 11.34)	8.01	(5.26 - 12.01)	3.36	(2.03 - 5.53)	4.26	(2.88 - 6.25)
Southeast	8.33	(5.74 - 11.95)	13.38	(9.41 - 18.67)	3.84	(2.45 - 5.97)	5.15	(3.66 - 7.19)
Urban	8.40	(6.51 - 10.77)	12.98	(10.58 - 15.83)	3.98	(2.86 - 5.53)	5.47	(4.37 - 6.84)
Arizona	7.78	(6.30 - 9.58)	11.58	(9.67 - 13.83)	3.73	(2.85 - 4.86)	4.92	(4.05 - 5.96)
Maricopa	7.79	(5.97 - 10.11)	11.62	(9.32 - 14.41)	3.72	(2.67 - 5.17)	4.97	(3.92 - 6.28)
Pima	9.08	(6.26 - 13.00)	12.80	(9.01 - 17.89)	4.26	(2.72 - 6.61)	5.56	(3.94 - 7.80)
Rural North	7.49	(5.14 - 10.80)	11.72	(8.27 - 16.36)	3.67	(2.35 - 5.68)	4.76	(3.37 - 6.68)
Rural South	6.38	(4.23 - 9.53)	9.33	(6.14 - 13.91)	3.11	(1.88 - 5.08)	3.94	(2.63 - 5.86)
Arkansas	10.39	(8.65 - 12.43)	16.19	(14.05 - 18.60)	3.63	(2.80 - 4.71)	5.51	(4.66 - 6.50)
Areas 1 and 2	11.04	(7.86 - 15.29)	18.39	(14.06 - 23.69)	3.81	(2.52 - 5.71)	6.08	(4.63 - 7.95)
Areas 3 and 4	10.56	(7.73 - 14.28)	15.43	(11.56 - 20.29)	3.45	(2.26 - 5.22)	5.22	(3.90 - 6.97)
Areas 5 and 6	10.21	(7.25 - 14.19)	16.52	(12.55 - 21.44)	3.81	(2.53 - 5.71)	5.81	(4.38 - 7.67)
Areas 7, 12, and 13	9.27	(6.56 - 12.95)	13.01	(9.32 - 17.88)	3.40	(2.17 - 5.29)	4.86	(3.51 - 6.69)
Areas 8, 10, and 11	10.62	(7.66 - 14.55)	17.29	(13.34 - 22.11)	3.44	(2.22 - 5.28)	5.34	(4.01 - 7.09)
Area 9	10.45	(7.67 - 14.08)	15.83	(11.84 - 20.85)	3.80	(2.52 - 5.71)	5.55	(4.14 - 7.40)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	6.89	(6.13 - 7.75)	11.02	(10.04 - 12.09)	3.54	(3.02 - 4.14)	4.70	(4.22 - 5.24)
Region 1	10.17	(7.41 - 13.80)	16.53	(12.26 - 21.90)	3.77	(2.49 - 5.68)	5.65	(4.20 - 7.57)
Region 2	8.67	(6.67 - 11.20)	13.25	(10.47 - 16.63)	4.08	(2.86 - 5.79)	5.43	(4.20 - 6.98)
Region 3	7.62	(5.54 - 10.40)	12.08	(8.81 - 16.35)	3.71	(2.47 - 5.53)	5.04	(3.70 - 6.85)
Region 4	6.62	(4.67 - 9.28)	10.35	(7.42 - 14.27)	3.60	(2.45 - 5.26)	4.42	(3.23 - 6.01)
Region 5	7.28	(5.37 - 9.80)	10.81	(8.13 - 14.25)	3.55	(2.49 - 5.03)	4.55	(3.46 - 5.96)
Region 6 (Santa Clara)	5.72	(4.05 - 8.03)	10.81	(7.84 - 14.73)	3.09	(2.06 - 4.62)	4.19	(3.08 - 5.68)
Region 7	6.49	(4.47 - 9.35)	10.41	(7.36 - 14.52)	4.00	(2.59 - 6.14)	5.09	(3.61 - 7.13)
Region 8	5.66	(3.93 - 8.08)	9.79	(7.02 - 13.50)	3.21	(2.14 - 4.80)	4.39	(3.24 - 5.91)
Region 9	7.32	(5.16 - 10.27)	12.29	(8.98 - 16.60)	3.53	(2.33 - 5.34)	5.06	(3.74 - 6.81)
Region 10	7.60	(5.35 - 10.68)	15.63	(11.51 - 20.88)	3.93	(2.63 - 5.84)	5.81	(4.35 - 7.72)
Region 11 (Los Angeles)	5.68	(4.52 - 7.11)	9.09	(7.53 - 10.93)	3.36	(2.54 - 4.44)	4.29	(3.50 - 5.24)
Region 12	6.67	(4.85 - 9.12)	10.23	(7.56 - 13.69)	3.36	(2.25 - 4.99)	4.54	(3.39 - 6.06)
Region 13 (Riverside)	8.45	(6.12 - 11.57)	11.34	(8.38 - 15.16)	3.48	(2.33 - 5.17)	4.67	(3.46 - 6.28)
Region 14 (Orange)	6.22	(4.56 - 8.43)	10.52	(7.93 - 13.83)	3.15	(2.16 - 4.58)	4.25	(3.20 - 5.62)
Region 15	8.25	(6.22 - 10.85)	12.91	(10.20 - 16.21)	3.99	(2.87 - 5.53)	5.50	(4.35 - 6.93)
Colorado	7.99	(6.53 - 9.74)	13.35	(11.18 - 15.86)	3.97	(3.04 - 5.16)	5.36	(4.43 - 6.47)
Region 1	7.10	(4.88 - 10.21)	12.58	(9.03 - 17.27)	3.70	(2.37 - 5.72)	5.26	(3.80 - 7.24)
Regions 2 and 7	8.06	(6.16 - 10.48)	13.22	(10.39 - 16.69)	3.90	(2.77 - 5.46)	5.24	(4.09 - 6.68)
Region 3	8.18	(5.70 - 11.59)	13.47	(9.73 - 18.36)	3.79	(2.45 - 5.82)	5.21	(3.77 - 7.16)
Region 4	8.81	(5.96 - 12.85)	*	(* - *)	4.70	(2.91 - 7.50)	6.05	(4.18 - 8.69)
Regions 5 and 6	8.08	(5.49 - 11.72)	14.18	(10.08 - 19.59)	4.50	(2.91 - 6.89)	5.91	(4.22 - 8.24)
Connecticut	6.51	(5.30 - 7.98)	14.77	(12.51 - 17.36)	3.43	(2.63 - 4.45)	4.93	(4.11 - 5.90)
Eastern	6.83	(4.77 - 9.70)	*	(* - *)	3.54	(2.27 - 5.50)	5.63	(4.10 - 7.69)
North Central	6.36	(4.57 - 8.79)	13.61	(10.23 - 17.90)	3.21	(2.13 - 4.80)	4.54	(3.39 - 6.06)
Northwestern	7.82	(5.60 - 10.83)	17.81	(13.48 - 23.15)	4.05	(2.68 - 6.08)	5.72	(4.25 - 7.66)
South Central	5.85	(4.12 - 8.23)	13.89	(10.38 - 18.35)	3.02	(1.99 - 4.56)	4.51	(3.36 - 6.04)
Southwest	6.06	(4.19 - 8.70)	14.13	(10.24 - 19.19)	3.61	(2.30 - 5.61)	4.86	(3.48 - 6.77)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	7.70	(6.31 - 9.37)	13.19	(11.07 - 15.65)	3.30	(2.52 - 4.32)	4.75	(3.95 - 5.70)
Kent	7.87	(5.63 - 10.90)	11.34	(8.38 - 15.18)	3.59	(2.37 - 5.40)	4.82	(3.56 - 6.49)
New Castle (excluding Wilmington City)	7.58	(5.83 - 9.80)	14.86	(11.89 - 18.42)	3.22	(2.24 - 4.61)	5.03	(3.99 - 6.32)
Sussex	7.72	(5.45 - 10.81)	11.19	(8.01 - 15.43)	3.22	(2.07 - 4.98)	4.10	(2.90 - 5.77)
Wilmington City	8.00	(5.41 - 11.67)	*	(* - *)	3.49	(2.17 - 5.57)	4.57	(3.14 - 6.60)
District of Columbia	4.45	(3.45 - 5.71)	8.03	(6.50 - 9.89)	2.73	(2.04 - 3.65)	3.58	(2.89 - 4.43)
Ward 1	4.61	(2.93 - 7.16)	7.43	(4.93 - 11.04)	3.39	(2.06 - 5.52)	4.12	(2.77 - 6.08)
Ward 2	*	(* - *)	9.47	(6.87 - 12.92)	3.22	(2.00 - 5.15)	4.78	(3.48 - 6.53)
Ward 3	4.83	(3.18 - 7.27)	9.94	(6.82 - 14.27)	3.00	(1.89 - 4.74)	4.10	(2.89 - 5.79)
Ward 4	4.62	(3.03 - 6.98)	7.67	(4.96 - 11.68)	2.40	(1.47 - 3.90)	2.93	(1.94 - 4.40)
Ward 5	4.79	(3.13 - 7.27)	8.09	(5.52 - 11.71)	2.62	(1.63 - 4.19)	3.41	(2.35 - 4.92)
Ward 6	3.97	(2.55 - 6.13)	7.53	(4.89 - 11.42)	2.70	(1.64 - 4.41)	3.34	(2.21 - 5.00)
Ward 7	3.96	(2.69 - 5.80)	4.83	(3.11 - 7.43)	1.94	(1.16 - 3.22)	2.29	(1.50 - 3.49)
Ward 8	4.36	(2.95 - 6.40)	6.00	(4.00 - 8.90)	2.36	(1.45 - 3.83)	3.02	(2.06 - 4.39)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	7.30	(6.51 - 8.18)	12.64	(11.59 - 13.76)	3.60	(3.08 - 4.21)	4.78	(4.28 - 5.32)
Region A	9.11	(7.30 - 11.30)	16.05	(13.28 - 19.27)	4.75	(3.55 - 6.35)	6.75	(5.50 - 8.27)
Circuit 1	9.99	(7.29 - 13.54)	19.24	(14.49 - 25.09)	5.53	(3.71 - 8.18)	7.66	(5.71 - 10.20)
Circuit 2	7.80	(5.49 - 10.98)	12.41	(9.26 - 16.43)	4.00	(2.63 - 6.05)	6.02	(4.53 - 7.96)
Circuit 14	8.90	(6.32 - 12.41)	*	(* - *)	3.86	(2.53 - 5.83)	5.60	(4.08 - 7.65)
Region B	8.21	(6.74 - 9.96)	14.05	(11.93 - 16.49)	3.91	(3.07 - 4.97)	5.49	(4.63 - 6.51)
Circuits 3 and 8	8.31	(5.95 - 11.49)	12.84	(9.53 - 17.09)	3.58	(2.38 - 5.38)	5.56	(4.18 - 7.35)
Circuit 4	8.12	(6.12 - 10.69)	13.71	(10.71 - 17.40)	3.86	(2.70 - 5.49)	5.39	(4.16 - 6.94)
Circuit 7	8.28	(5.95 - 11.40)	16.26	(12.30 - 21.18)	4.19	(2.88 - 6.07)	5.59	(4.20 - 7.40)
Region C	7.76	(6.57 - 9.14)	14.04	(12.25 - 16.03)	3.76	(3.05 - 4.63)	5.06	(4.35 - 5.89)
Circuit 5	7.30	(5.28 - 10.00)	14.26	(10.59 - 18.93)	3.27	(2.20 - 4.81)	4.27	(3.14 - 5.79)
Circuit 9	6.93	(5.17 - 9.22)	12.06	(9.46 - 15.25)	4.11	(2.89 - 5.82)	5.45	(4.21 - 7.03)
Circuit 10	7.85	(5.66 - 10.79)	12.55	(9.01 - 17.22)	3.52	(2.35 - 5.24)	4.69	(3.43 - 6.38)
Circuit 18	8.91	(6.56 - 12.00)	17.65	(13.81 - 22.29)	4.05	(2.83 - 5.77)	5.70	(4.41 - 7.35)
Circuit 19	8.43	(6.03 - 11.69)	16.12	(11.77 - 21.69)	3.67	(2.42 - 5.52)	4.92	(3.58 - 6.73)
Region D	5.74	(4.75 - 6.92)	8.83	(7.43 - 10.45)	2.95	(2.31 - 3.77)	3.68	(3.06 - 4.44)
Circuits 11 and 16	4.92	(3.65 - 6.60)	7.61	(5.77 - 9.97)	2.79	(1.93 - 4.02)	3.45	(2.60 - 4.57)
Circuit 15 (Palm Beach)	7.42	(5.55 - 9.85)	12.41	(9.60 - 15.91)	3.30	(2.29 - 4.74)	4.26	(3.21 - 5.64)
Circuit 17 (Broward)	5.90	(4.40 - 7.86)	8.56	(6.42 - 11.32)	2.92	(2.03 - 4.20)	3.60	(2.70 - 4.80)
Region E	7.69	(6.45 - 9.15)	13.89	(11.99 - 16.03)	3.80	(3.04 - 4.75)	4.92	(4.17 - 5.80)
Circuit 6	6.80	(4.97 - 9.23)	13.17	(10.05 - 17.06)	3.23	(2.16 - 4.82)	4.21	(3.09 - 5.71)
Circuit 12	8.47	(6.08 - 11.69)	15.85	(11.56 - 21.33)	3.55	(2.34 - 5.36)	4.69	(3.39 - 6.45)
Circuit 13 (Hillsborough)	7.95	(5.92 - 10.60)	13.18	(10.18 - 16.90)	4.67	(3.30 - 6.56)	5.95	(4.59 - 7.67)
Circuit 20	7.97	(5.96 - 10.60)	14.64	(11.09 - 19.09)	3.90	(2.70 - 5.59)	4.96	(3.72 - 6.59)
Georgia	6.58	(5.33 - 8.10)	10.63	(8.93 - 12.62)	3.30	(2.54 - 4.28)	4.42	(3.67 - 5.31)
Region 1	9.57	(6.72 - 13.47)	15.02	(10.85 - 20.42)	4.65	(2.97 - 7.20)	6.11	(4.35 - 8.51)
Region 2	8.04	(5.76 - 11.13)	14.50	(10.89 - 19.04)	3.75	(2.47 - 5.65)	5.42	(4.04 - 7.24)
Region 3	5.41	(3.90 - 7.47)	8.15	(6.10 - 10.81)	2.82	(1.89 - 4.21)	3.62	(2.68 - 4.88)
Region 4	6.09	(4.20 - 8.75)	10.02	(7.04 - 14.07)	3.02	(1.92 - 4.72)	4.09	(2.90 - 5.73)
Region 5	6.05	(4.10 - 8.85)	10.25	(7.19 - 14.42)	3.19	(2.01 - 5.02)	4.39	(3.11 - 6.18)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	5.51	(4.30 - 7.03)	9.14	(7.31 - 11.38)	2.37	(1.71 - 3.29)	3.27	(2.58 - 4.14)
Hawaii Island	6.93	(4.73 - 10.04)	9.36	(6.32 - 13.65)	2.81	(1.74 - 4.49)	3.59	(2.45 - 5.22)
Honolulu	4.90	(3.60 - 6.64)	8.76	(6.69 - 11.39)	2.21	(1.48 - 3.29)	3.12	(2.36 - 4.13)
Kauai and Maui**	6.82	(4.84 - 9.54)	11.03	(7.99 - 15.03)	2.74	(1.82 - 4.10)	3.70	(2.69 - 5.08)
Maui	7.19	(4.82 - 10.61)	11.49	(7.92 - 16.38)	2.74	(1.70 - 4.39)	3.78	(2.62 - 5.43)
Idaho	7.79	(6.47 - 9.34)	14.18	(12.20 - 16.43)	3.73	(2.94 - 4.71)	5.47	(4.66 - 6.41)
Region 1	9.42	(6.77 - 12.98)	16.71	(12.37 - 22.19)	3.70	(2.45 - 5.55)	5.36	(3.99 - 7.17)
Region 2	7.75	(5.30 - 11.20)	*	(* - *)	3.54	(2.22 - 5.60)	5.56	(3.99 - 7.68)
Region 3	9.10	(6.61 - 12.40)	12.90	(9.29 - 17.63)	3.80	(2.48 - 5.77)	5.25	(3.82 - 7.17)
Region 4	7.58	(5.45 - 10.45)	14.93	(11.63 - 18.97)	4.13	(2.87 - 5.92)	5.91	(4.57 - 7.60)
Region 5	6.78	(4.59 - 9.90)	11.71	(8.01 - 16.81)	3.11	(1.98 - 4.84)	4.41	(3.11 - 6.22)
Region 6	7.86	(5.46 - 11.18)	16.42	(12.16 - 21.81)	3.89	(2.53 - 5.95)	6.29	(4.70 - 8.35)
Region 7	6.19	(4.28 - 8.89)	11.91	(8.58 - 16.31)	3.30	(2.15 - 5.03)	5.11	(3.77 - 6.89)
Illinois	5.85	(5.15 - 6.63)	9.88	(8.92 - 10.92)	2.97	(2.49 - 3.53)	4.01	(3.57 - 4.51)
Region I (Cook)	4.96	(4.02 - 6.12)	8.42	(7.08 - 9.99)	3.23	(2.50 - 4.17)	4.03	(3.33 - 4.86)
Region II	6.19	(5.06 - 7.56)	10.98	(9.28 - 12.96)	2.77	(2.13 - 3.60)	3.95	(3.30 - 4.72)
Region III	6.81	(5.14 - 8.97)	9.90	(7.80 - 12.50)	2.62	(1.84 - 3.73)	3.88	(3.07 - 4.90)
Region IV	7.19	(5.36 - 9.59)	11.63	(8.93 - 15.00)	2.70	(1.83 - 3.97)	3.99	(3.05 - 5.20)
Region V	6.39	(4.79 - 8.49)	12.01	(9.52 - 15.04)	3.01	(2.11 - 4.27)	4.35	(3.40 - 5.55)
Indiana	8.43	(7.03 - 10.07)	15.45	(13.35 - 17.80)	3.60	(2.83 - 4.56)	5.41	(4.63 - 6.32)
Central	8.60	(6.32 - 11.60)	16.05	(12.45 - 20.44)	4.26	(2.96 - 6.09)	5.94	(4.58 - 7.66)
East	8.21	(5.77 - 11.56)	*	(* - *)	3.47	(2.23 - 5.37)	5.39	(3.94 - 7.34)
North Central	8.62	(6.11 - 12.04)	16.31	(12.04 - 21.71)	3.81	(2.53 - 5.69)	5.68	(4.23 - 7.57)
Northeast	7.03	(4.80 - 10.19)	14.50	(10.49 - 19.70)	3.12	(1.98 - 4.88)	4.83	(3.49 - 6.66)
Northwest	7.94	(5.65 - 11.05)	13.24	(9.68 - 17.86)	3.12	(2.07 - 4.69)	4.55	(3.36 - 6.12)
Southeast	10.59	(7.47 - 14.82)	*	(* - *)	3.75	(2.43 - 5.75)	5.94	(4.40 - 7.98)
Southwest	8.25	(5.63 - 11.95)	*	(* - *)	3.11	(1.97 - 4.88)	5.00	(3.60 - 6.91)
West	7.95	(5.54 - 11.28)	12.66	(9.22 - 17.13)	3.00	(1.90 - 4.70)	5.12	(3.77 - 6.91)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	6.15	(4.98 - 7.57)	10.42	(8.72 - 12.40)	2.50	(1.85 - 3.37)	3.73	(3.06 - 4.54)
Central	7.29	(5.09 - 10.34)	11.01	(7.81 - 15.30)	3.12	(1.97 - 4.93)	4.29	(3.04 - 6.04)
North Central	5.73	(3.81 - 8.53)	9.00	(6.23 - 12.83)	2.29	(1.43 - 3.67)	3.53	(2.52 - 4.94)
Northeast	5.99	(4.32 - 8.26)	12.37	(9.30 - 16.27)	2.50	(1.61 - 3.85)	4.05	(3.04 - 5.36)
Northwest	5.22	(3.53 - 7.65)	8.66	(5.97 - 12.40)	2.26	(1.38 - 3.67)	3.14	(2.18 - 4.51)
Southeast	6.01	(4.17 - 8.59)	9.86	(7.14 - 13.47)	2.27	(1.43 - 3.59)	3.53	(2.57 - 4.83)
Southwest	7.15	(4.88 - 10.34)	10.50	(7.30 - 14.87)	2.57	(1.64 - 4.02)	3.61	(2.58 - 5.05)
Kansas	6.91	(5.61 - 8.48)	11.10	(9.31 - 13.18)	3.23	(2.49 - 4.17)	4.50	(3.76 - 5.38)
Kansas City Metro	6.23	(4.45 - 8.65)	10.52	(7.96 - 13.78)	3.36	(2.28 - 4.93)	4.55	(3.44 - 5.98)
Northeast	6.88	(4.85 - 9.68)	9.53	(6.64 - 13.49)	2.63	(1.66 - 4.13)	3.83	(2.73 - 5.33)
South Central	6.92	(4.87 - 9.77)	11.48	(7.94 - 16.31)	2.98	(1.93 - 4.56)	4.24	(3.02 - 5.92)
Southeast	7.53	(5.01 - 11.17)	*	(* - *)	*	(* - *)	4.36	(2.98 - 6.32)
West	6.73	(4.59 - 9.77)	10.17	(7.00 - 14.53)	2.83	(1.80 - 4.42)	3.96	(2.81 - 5.55)
Wichita (Sedgwick)	8.08	(5.58 - 11.58)	14.49	(10.53 - 19.61)	4.21	(2.72 - 6.46)	5.84	(4.23 - 8.00)
Kentucky	9.81	(8.23 - 11.67)	14.86	(12.76 - 17.23)	4.10	(3.24 - 5.17)	5.63	(4.78 - 6.61)
Adanta, Cumberland River, and Lifeskills	9.71	(7.01 - 13.31)	14.76	(10.94 - 19.64)	3.56	(2.37 - 5.33)	5.15	(3.83 - 6.90)
Bluegrass, Comprehend, and North Key	9.59	(7.26 - 12.57)	14.49	(11.18 - 18.58)	4.67	(3.21 - 6.74)	6.19	(4.73 - 8.06)
Communicare and River Valley	9.63	(6.93 - 13.22)	15.25	(11.18 - 20.45)	3.78	(2.50 - 5.69)	5.37	(3.96 - 7.25)
Four Rivers and Pennyroyal	10.49	(7.42 - 14.63)	*	(* - *)	4.08	(2.65 - 6.23)	5.56	(4.00 - 7.69)
Kentucky River, Mountain, and Pathways	8.67	(6.21 - 11.97)	14.57	(10.86 - 19.27)	3.43	(2.21 - 5.29)	4.99	(3.66 - 6.78)
Seven Counties	10.64	(7.95 - 14.09)	15.68	(11.83 - 20.49)	4.31	(2.97 - 6.23)	5.78	(4.38 - 7.59)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	8.35	(6.96 - 9.99)	13.14	(11.20 - 15.36)	3.47	(2.69 - 4.47)	5.08	(4.29 - 6.00)
Region 1	6.40	(4.23 - 9.58)	9.42	(6.36 - 13.75)	3.00	(1.85 - 4.83)	4.08	(2.81 - 5.88)
Regions 2 and 9	10.41	(7.81 - 13.75)	15.82	(12.28 - 20.14)	4.16	(2.81 - 6.14)	6.21	(4.79 - 8.01)
Region 3	7.54	(5.18 - 10.84)	13.68	(9.90 - 18.61)	3.14	(1.98 - 4.94)	4.86	(3.51 - 6.68)
Region 4	7.07	(4.90 - 10.09)	11.58	(8.25 - 16.03)	3.13	(1.99 - 4.89)	4.55	(3.27 - 6.29)
Regions 5 and 6	9.09	(6.44 - 12.69)	14.33	(10.41 - 19.41)	3.57	(2.33 - 5.44)	5.30	(3.91 - 7.16)
Regions 7 and 8	7.94	(5.80 - 10.79)	12.58	(9.36 - 16.71)	3.45	(2.29 - 5.17)	4.99	(3.73 - 6.63)
Region 10 (Jefferson)	7.81	(5.36 - 11.23)	12.00	(8.36 - 16.92)	3.07	(1.90 - 4.93)	4.37	(3.06 - 6.20)
Maine	7.74	(6.36 - 9.39)	13.31	(11.33 - 15.59)	3.01	(2.31 - 3.91)	4.36	(3.65 - 5.21)
Aroostook/Downeast	7.32	(5.03 - 10.54)	12.71	(8.85 - 17.91)	3.00	(1.88 - 4.77)	4.20	(2.95 - 5.96)
Central	7.88	(5.47 - 11.23)	14.04	(10.15 - 19.12)	3.46	(2.23 - 5.32)	4.85	(3.50 - 6.67)
Cumberland	6.71	(4.76 - 9.39)	11.47	(8.39 - 15.49)	2.68	(1.73 - 4.14)	3.85	(2.81 - 5.26)
Midcoast	8.18	(5.70 - 11.61)	14.20	(10.14 - 19.53)	3.04	(1.97 - 4.67)	4.29	(3.09 - 5.92)
Penquis	7.36	(5.04 - 10.62)	11.99	(8.71 - 16.28)	2.72	(1.68 - 4.38)	4.19	(3.00 - 5.82)
Western	8.87	(6.23 - 12.49)	13.74	(10.07 - 18.47)	3.02	(1.93 - 4.70)	4.50	(3.29 - 6.13)
York	8.21	(5.87 - 11.37)	16.33	(12.11 - 21.67)	3.28	(2.16 - 4.95)	4.85	(3.60 - 6.51)
Maryland	5.71	(4.62 - 7.03)	9.77	(8.11 - 11.72)	2.44	(1.83 - 3.26)	3.47	(2.83 - 4.25)
Anne Arundel	6.04	(4.05 - 8.91)	10.43	(7.01 - 15.24)	2.56	(1.56 - 4.19)	3.66	(2.52 - 5.30)
Baltimore City	5.94	(3.98 - 8.78)	9.64	(6.55 - 13.98)	2.63	(1.63 - 4.24)	3.78	(2.65 - 5.37)
Baltimore County	6.25	(4.24 - 9.12)	10.76	(7.78 - 14.71)	2.49	(1.56 - 3.96)	3.64	(2.61 - 5.07)
Montgomery	4.99	(3.41 - 7.27)	9.30	(6.53 - 13.07)	2.32	(1.46 - 3.69)	3.15	(2.20 - 4.49)
North Central	6.26	(4.20 - 9.22)	10.89	(7.33 - 15.87)	2.52	(1.56 - 4.04)	3.56	(2.46 - 5.13)
Northeast	6.91	(4.72 - 10.01)	*	(* - *)	3.01	(1.86 - 4.84)	4.44	(3.09 - 6.33)
Prince George's	3.98	(2.61 - 6.05)	6.03	(4.13 - 8.74)	1.93	(1.19 - 3.14)	2.59	(1.78 - 3.74)
South	6.58	(4.49 - 9.54)	10.56	(7.37 - 14.92)	2.53	(1.56 - 4.08)	3.69	(2.58 - 5.25)
West	5.90	(3.97 - 8.67)	10.22	(6.85 - 14.98)	2.38	(1.47 - 3.84)	3.49	(2.41 - 5.01)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	6.95	(5.64 - 8.54)	15.08	(13.00 - 17.42)	3.48	(2.70 - 4.48)	5.12	(4.33 - 6.04)
Boston	6.24	(4.25 - 9.07)	12.39	(9.05 - 16.74)	3.63	(2.32 - 5.63)	5.43	(3.99 - 7.35)
Central	6.97	(4.76 - 10.11)	14.87	(10.91 - 19.93)	3.52	(2.31 - 5.33)	5.07	(3.71 - 6.88)
Metrowest	6.53	(4.70 - 9.02)	15.98	(12.14 - 20.75)	3.26	(2.18 - 4.84)	4.89	(3.70 - 6.42)
Northeast	6.37	(4.46 - 9.03)	13.15	(9.60 - 17.76)	3.23	(2.13 - 4.86)	4.49	(3.30 - 6.08)
Southeast	8.03	(5.73 - 11.16)	17.06	(12.86 - 22.29)	3.76	(2.50 - 5.61)	5.39	(4.03 - 7.18)
Western	7.40	(5.10 - 10.62)	17.26	(13.05 - 22.47)	3.70	(2.40 - 5.66)	5.85	(4.40 - 7.75)
Michigan	8.25	(7.44 - 9.15)	13.85	(12.76 - 15.01)	3.74	(3.22 - 4.35)	5.24	(4.75 - 5.78)
Bay	8.86	(6.53 - 11.93)	15.63	(11.75 - 20.49)	3.50	(2.40 - 5.07)	5.12	(3.90 - 6.70)
Detroit City	6.04	(4.46 - 8.12)	7.64	(5.64 - 10.27)	3.37	(2.34 - 4.84)	4.05	(3.03 - 5.38)
Genesee	9.71	(7.33 - 12.76)	16.34	(12.55 - 21.01)	4.33	(2.99 - 6.22)	6.06	(4.65 - 7.86)
Kalamazoo	8.68	(6.58 - 11.37)	14.31	(11.17 - 18.16)	3.79	(2.64 - 5.42)	5.50	(4.26 - 7.08)
Kent	7.00	(5.14 - 9.47)	12.42	(9.50 - 16.08)	3.31	(2.22 - 4.92)	4.87	(3.72 - 6.36)
Lakeshore	9.73	(7.38 - 12.72)	12.88	(9.93 - 16.55)	3.62	(2.52 - 5.18)	5.06	(3.90 - 6.53)
Macomb	7.58	(5.67 - 10.06)	15.43	(12.08 - 19.49)	4.27	(3.05 - 5.93)	5.74	(4.49 - 7.31)
Mid South	10.11	(7.91 - 12.83)	13.25	(10.55 - 16.52)	4.17	(2.95 - 5.87)	5.77	(4.55 - 7.28)
Northern	8.01	(6.10 - 10.46)	12.93	(10.03 - 16.52)	3.24	(2.27 - 4.60)	4.59	(3.57 - 5.88)
Oakland	7.21	(5.59 - 9.25)	15.78	(12.83 - 19.26)	3.91	(2.88 - 5.29)	5.38	(4.31 - 6.70)
Pathways	*	(* - *)	14.34	(10.31 - 19.60)	3.48	(2.26 - 5.31)	5.09	(3.72 - 6.92)
Saginaw	7.16	(4.95 - 10.27)	11.90	(8.32 - 16.75)	3.29	(2.16 - 4.98)	4.51	(3.25 - 6.22)
Southeast	9.41	(7.48 - 11.76)	17.09	(14.18 - 20.45)	3.79	(2.79 - 5.15)	5.57	(4.55 - 6.80)
St. Clair	8.50	(5.96 - 11.98)	13.24	(9.41 - 18.31)	3.52	(2.35 - 5.26)	4.82	(3.51 - 6.59)
Washtenaw	7.61	(5.72 - 10.06)	14.40	(11.06 - 18.55)	3.86	(2.72 - 5.45)	5.88	(4.62 - 7.46)
Western	*	(* - *)	13.86	(10.09 - 18.74)	3.52	(2.26 - 5.45)	5.05	(3.66 - 6.94)
Minnesota	5.97	(4.80 - 7.41)	10.85	(9.04 - 12.97)	2.76	(2.06 - 3.68)	4.00	(3.29 - 4.86)
Regions 1 and 2	7.18	(4.88 - 10.45)	10.95	(7.52 - 15.68)	2.53	(1.55 - 4.10)	3.75	(2.62 - 5.34)
Regions 3 and 4	6.11	(4.34 - 8.54)	10.23	(7.38 - 14.01)	2.49	(1.56 - 3.97)	3.76	(2.71 - 5.19)
Regions 5 and 6	6.02	(4.19 - 8.57)	12.89	(9.21 - 17.76)	2.58	(1.63 - 4.07)	4.20	(3.07 - 5.71)
Region 7A (Hennepin)	5.57	(3.82 - 8.06)	10.33	(7.53 - 14.02)	3.15	(2.00 - 4.93)	4.23	(3.01 - 5.90)
Region 7B (Ramsey)	5.11	(3.39 - 7.65)	9.80	(6.65 - 14.23)	2.56	(1.56 - 4.20)	3.80	(2.62 - 5.48)
Region 7C	5.97	(4.19 - 8.43)	10.51	(7.56 - 14.42)	2.89	(1.90 - 4.36)	3.97	(2.90 - 5.41)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	6.68	(5.44 - 8.17)	9.75	(8.11 - 11.68)	2.50	(1.88 - 3.32)	3.68	(3.04 - 4.46)
Region 1	7.20	(5.05 - 10.18)	9.94	(7.08 - 13.77)	2.40	(1.49 - 3.82)	3.57	(2.56 - 4.96)
Region 2	6.14	(4.18 - 8.92)	8.60	(6.00 - 12.18)	2.59	(1.63 - 4.10)	3.60	(2.54 - 5.08)
Region 3	6.49	(4.52 - 9.23)	9.06	(6.35 - 12.77)	2.37	(1.49 - 3.76)	3.53	(2.52 - 4.92)
Region 4	5.93	(4.12 - 8.47)	10.23	(7.25 - 14.24)	2.35	(1.50 - 3.65)	3.64	(2.67 - 4.95)
Region 5	6.71	(4.48 - 9.94)	8.61	(5.83 - 12.53)	2.20	(1.35 - 3.57)	3.19	(2.20 - 4.59)
Region 6	6.81	(4.69 - 9.81)	9.99	(6.90 - 14.25)	2.71	(1.72 - 4.25)	4.01	(2.86 - 5.60)
Region 7	7.44	(5.18 - 10.59)	11.05	(8.07 - 14.96)	2.86	(1.81 - 4.48)	4.10	(2.98 - 5.63)
Missouri	7.48	(6.20 - 9.00)	12.89	(11.03 - 15.02)	3.20	(2.50 - 4.09)	4.66	(3.94 - 5.50)
Central	7.80	(5.59 - 10.79)	12.34	(9.09 - 16.55)	3.17	(2.05 - 4.86)	4.78	(3.53 - 6.44)
Eastern	7.23	(5.59 - 9.30)	12.76	(10.14 - 15.95)	3.31	(2.38 - 4.58)	4.67	(3.68 - 5.90)
Eastern (St. Louis City and County)	6.54	(4.67 - 9.10)	11.19	(8.21 - 15.07)	3.14	(2.08 - 4.70)	4.29	(3.16 - 5.80)
Eastern (excluding St. Louis)	8.44	(5.99 - 11.76)	15.92	(11.66 - 21.36)	3.66	(2.39 - 5.55)	5.42	(3.97 - 7.36)
Northwest	7.67	(5.81 - 10.05)	12.81	(9.87 - 16.48)	3.27	(2.31 - 4.62)	4.71	(3.65 - 6.06)
Northwest (Jackson)	8.43	(5.94 - 11.83)	12.84	(9.14 - 17.76)	3.69	(2.37 - 5.71)	5.04	(3.59 - 7.03)
Northwest (excluding Jackson)	7.01	(4.78 - 10.17)	12.79	(8.90 - 18.03)	2.90	(1.84 - 4.53)	4.41	(3.16 - 6.12)
Southeast	7.58	(5.24 - 10.85)	13.05	(9.55 - 17.59)	3.18	(2.07 - 4.85)	4.59	(3.37 - 6.23)
Southwest	7.41	(5.21 - 10.44)	13.73	(10.23 - 18.19)	2.88	(1.90 - 4.35)	4.54	(3.43 - 5.98)
Montana	9.84	(8.18 - 11.79)	13.28	(11.41 - 15.41)	3.39	(2.58 - 4.43)	4.89	(4.09 - 5.84)
Region 1	9.66	(6.67 - 13.81)	*	(* - *)	3.10	(1.94 - 4.92)	4.27	(2.97 - 6.09)
Region 2	9.89	(7.03 - 13.74)	11.52	(8.06 - 16.20)	3.25	(2.09 - 5.03)	4.50	(3.23 - 6.22)
Region 3	10.11	(7.44 - 13.59)	14.32	(10.89 - 18.62)	3.20	(2.03 - 4.99)	4.77	(3.51 - 6.45)
Region 4	8.27	(6.02 - 11.26)	10.18	(7.69 - 13.35)	2.71	(1.77 - 4.13)	3.96	(2.96 - 5.26)
Region 5	10.99	(8.28 - 14.43)	16.43	(13.01 - 20.53)	4.24	(2.91 - 6.13)	6.12	(4.76 - 7.85)
Nebraska	6.28	(5.03 - 7.81)	9.93	(8.13 - 12.08)	2.70	(2.01 - 3.61)	3.87	(3.16 - 4.74)
Regions 1 and 2	7.34	(4.99 - 10.65)	*	(* - *)	3.05	(1.92 - 4.83)	4.30	(3.01 - 6.09)
Region 3	6.36	(4.24 - 9.43)	10.77	(7.32 - 15.57)	2.52	(1.56 - 4.05)	3.79	(2.66 - 5.37)
Region 4	6.64	(4.54 - 9.62)	10.51	(7.22 - 15.03)	2.90	(1.80 - 4.63)	3.99	(2.78 - 5.71)
Region 5	5.65	(3.95 - 8.03)	9.35	(6.84 - 12.67)	2.67	(1.72 - 4.12)	3.92	(2.90 - 5.28)
Region 6	6.20	(4.54 - 8.41)	9.36	(6.92 - 12.55)	2.61	(1.74 - 3.92)	3.71	(2.75 - 4.98)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	8.01	(6.40 - 9.98)	14.98	(12.58 - 17.75)	4.23	(3.22 - 5.53)	5.70	(4.70 - 6.89)
Clark	7.73	(5.87 - 10.11)	14.49	(11.70 - 17.80)	4.31	(3.15 - 5.89)	5.73	(4.57 - 7.16)
Rural	9.48	(6.82 - 13.02)	16.89	(12.59 - 22.30)	4.31	(2.87 - 6.43)	5.78	(4.28 - 7.77)
Washoe	7.84	(5.42 - 11.23)	15.84	(11.92 - 20.76)	3.76	(2.45 - 5.75)	5.49	(4.07 - 7.37)
New Hampshire	7.12	(5.82 - 8.69)	12.77	(10.74 - 15.12)	3.02	(2.32 - 3.92)	4.35	(3.64 - 5.20)
Central	8.39	(6.35 - 11.02)	14.44	(11.40 - 18.12)	3.49	(2.44 - 4.95)	5.10	(3.98 - 6.51)
Central 1	8.13	(5.65 - 11.57)	12.73	(9.18 - 17.40)	3.34	(2.13 - 5.19)	4.92	(3.58 - 6.72)
Central 2	8.65	(5.98 - 12.37)	16.63	(12.25 - 22.16)	3.62	(2.34 - 5.57)	5.27	(3.86 - 7.17)
Northern	7.38	(5.14 - 10.50)	13.76	(9.79 - 18.99)	3.06	(1.94 - 4.79)	4.56	(3.29 - 6.28)
Southern	6.47	(5.03 - 8.28)	11.64	(9.31 - 14.47)	2.79	(2.03 - 3.83)	3.95	(3.15 - 4.94)
Southern 1 (Rockingham)	6.45	(4.56 - 9.05)	11.77	(8.46 - 16.16)	2.69	(1.79 - 4.03)	3.74	(2.75 - 5.08)
Southern 2	6.48	(4.77 - 8.73)	11.58	(8.79 - 15.10)	2.86	(1.94 - 4.19)	4.08	(3.11 - 5.34)
New Jersey	5.96	(4.81 - 7.36)	10.12	(8.31 - 12.26)	2.63	(1.96 - 3.52)	3.60	(2.91 - 4.45)
Central	6.36	(4.52 - 8.86)	12.76	(9.12 - 17.57)	2.60	(1.66 - 4.05)	3.81	(2.72 - 5.31)
Metropolitan	5.49	(3.84 - 7.79)	9.26	(6.71 - 12.64)	2.83	(1.82 - 4.37)	3.74	(2.67 - 5.20)
Northern	5.45	(3.86 - 7.65)	8.64	(6.30 - 11.74)	2.47	(1.62 - 3.75)	3.24	(2.35 - 4.45)
Southern	6.75	(4.78 - 9.43)	10.76	(7.79 - 14.69)	2.69	(1.76 - 4.10)	3.77	(2.76 - 5.14)
New Mexico	8.39	(6.75 - 10.39)	12.63	(10.58 - 15.00)	3.86	(2.94 - 5.07)	5.27	(4.36 - 6.36)
Region 1	8.02	(5.64 - 11.29)	10.88	(7.63 - 15.28)	3.71	(2.36 - 5.78)	4.86	(3.42 - 6.86)
Region 2	8.72	(6.00 - 12.52)	11.95	(8.17 - 17.16)	3.59	(2.31 - 5.54)	4.71	(3.32 - 6.64)
Region 3 (Bernalillo)	8.60	(6.17 - 11.87)	13.89	(10.80 - 17.70)	4.39	(3.04 - 6.29)	5.95	(4.61 - 7.64)
Region 4	8.34	(5.71 - 12.01)	13.38	(9.59 - 18.36)	3.72	(2.37 - 5.79)	5.33	(3.84 - 7.35)
Region 5	8.33	(5.92 - 11.58)	12.35	(9.14 - 16.49)	3.52	(2.28 - 5.38)	5.03	(3.72 - 6.78)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	5.94	(5.19 - 6.79)	10.27	(9.24 - 11.39)	3.12	(2.64 - 3.69)	4.15	(3.70 - 4.66)
Region A	4.68	(3.80 - 5.76)	7.28	(6.07 - 8.71)	2.84	(2.25 - 3.57)	3.51	(2.94 - 4.19)
Region 1	4.58	(3.23 - 6.47)	6.43	(4.47 - 9.15)	2.96	(1.91 - 4.54)	3.53	(2.49 - 4.97)
Region 2	4.48	(3.30 - 6.06)	7.30	(5.48 - 9.68)	2.64	(1.84 - 3.76)	3.36	(2.56 - 4.40)
Region 3	5.88	(4.08 - 8.40)	10.45	(7.76 - 13.94)	3.58	(2.48 - 5.15)	4.58	(3.44 - 6.06)
Region 4	4.46	(3.11 - 6.34)	5.51	(3.84 - 7.84)	2.48	(1.64 - 3.74)	2.92	(2.09 - 4.07)
Region B	5.72	(4.64 - 7.03)	11.44	(9.54 - 13.67)	3.56	(2.71 - 4.65)	4.55	(3.73 - 5.55)
Region 5	6.37	(4.81 - 8.39)	12.93	(10.14 - 16.35)	4.42	(3.10 - 6.25)	5.47	(4.18 - 7.12)
Region 6	4.49	(3.13 - 6.40)	9.33	(6.66 - 12.93)	2.34	(1.51 - 3.60)	3.19	(2.27 - 4.45)
Region 7	5.51	(3.87 - 7.78)	9.92	(7.08 - 13.74)	2.56	(1.68 - 3.89)	3.62	(2.63 - 4.95)
Region C	7.53	(6.30 - 8.98)	14.16	(12.31 - 16.24)	3.09	(2.43 - 3.93)	4.72	(4.06 - 5.49)
Region 8	7.24	(5.25 - 9.90)	13.44	(10.34 - 17.27)	2.82	(1.89 - 4.19)	4.35	(3.32 - 5.66)
Region 9	7.47	(5.52 - 10.04)	15.44	(11.92 - 19.77)	3.05	(2.03 - 4.55)	4.91	(3.79 - 6.33)
Region 10	5.82	(4.06 - 8.26)	11.91	(8.78 - 15.98)	2.77	(1.77 - 4.31)	4.45	(3.31 - 5.96)
Region 11	6.94	(5.06 - 9.44)	12.22	(9.22 - 16.03)	2.81	(1.88 - 4.19)	4.20	(3.16 - 5.55)
Region 12	9.14	(6.86 - 12.07)	16.69	(13.02 - 21.14)	3.70	(2.52 - 5.39)	5.46	(4.21 - 7.06)
Region D	7.65	(6.09 - 9.56)	11.91	(9.71 - 14.54)	3.29	(2.49 - 4.32)	4.60	(3.76 - 5.61)
Region 13	6.63	(4.58 - 9.50)	11.16	(7.84 - 15.65)	3.22	(2.10 - 4.89)	4.36	(3.14 - 6.01)
Region 14	6.48	(4.48 - 9.29)	9.37	(6.42 - 13.48)	2.66	(1.70 - 4.14)	3.77	(2.69 - 5.27)
Region 15	9.59	(6.78 - 13.41)	15.31	(11.41 - 20.24)	3.94	(2.61 - 5.91)	5.61	(4.17 - 7.52)
North Carolina	7.65	(6.30 - 9.26)	11.85	(10.09 - 13.87)	3.04	(2.29 - 4.02)	4.28	(3.54 - 5.17)
Eastern	7.45	(5.34 - 10.31)	12.16	(9.07 - 16.12)	3.23	(2.10 - 4.94)	4.60	(3.39 - 6.21)
North Central	7.67	(5.59 - 10.43)	11.55	(8.49 - 15.54)	2.96	(1.92 - 4.54)	4.17	(3.05 - 5.68)
South Central	7.01	(5.07 - 9.62)	11.14	(8.25 - 14.89)	3.07	(2.04 - 4.59)	4.26	(3.17 - 5.71)
Western	8.26	(6.19 - 10.96)	12.46	(9.74 - 15.80)	2.97	(1.98 - 4.42)	4.19	(3.16 - 5.54)
North Dakota	6.02	(4.87 - 7.44)	9.17	(7.60 - 11.03)	2.76	(2.07 - 3.68)	3.88	(3.18 - 4.72)
Badlands and West Central	7.05	(5.10 - 9.67)	10.46	(7.62 - 14.19)	2.78	(1.78 - 4.32)	3.89	(2.82 - 5.33)
Lake Region and South Central	5.87	(4.08 - 8.38)	8.90	(6.04 - 12.91)	2.56	(1.60 - 4.09)	3.38	(2.33 - 4.88)
North Central and Northwest	5.74	(3.99 - 8.20)	9.95	(7.11 - 13.75)	2.80	(1.78 - 4.39)	3.92	(2.82 - 5.42)
Northeast	5.99	(4.08 - 8.71)	9.23	(6.50 - 12.94)	2.97	(1.91 - 4.60)	4.41	(3.21 - 6.03)
Southeast	5.23	(3.67 - 7.40)	8.02	(5.92 - 10.78)	2.74	(1.80 - 4.14)	3.87	(2.89 - 5.17)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	7.45	(6.66 - 8.32)	14.21	(13.09 - 15.40)	3.19	(2.72 - 3.74)	4.81	(4.35 - 5.31)
Boards 2, 46, 55, and 68	7.65	(5.53 - 10.49)	14.37	(10.97 - 18.61)	3.22	(2.18 - 4.73)	4.79	(3.63 - 6.30)
Boards 3, 52, and 85	6.66	(4.72 - 9.33)	14.33	(10.43 - 19.38)	2.87	(1.88 - 4.38)	4.55	(3.37 - 6.11)
Boards 4 and 78	7.94	(5.72 - 10.92)	14.27	(10.56 - 19.00)	2.92	(1.90 - 4.46)	4.36	(3.20 - 5.91)
Boards 5 and 60	7.41	(5.28 - 10.30)	13.08	(9.67 - 17.46)	3.15	(2.09 - 4.71)	4.97	(3.74 - 6.58)
Boards 7, 15, 41, 79, and 84	7.99	(5.80 - 10.90)	15.27	(11.41 - 20.15)	3.04	(2.04 - 4.51)	4.59	(3.45 - 6.09)
Boards 8, 13, and 83	7.70	(5.63 - 10.45)	14.93	(11.09 - 19.79)	3.26	(2.21 - 4.78)	4.88	(3.67 - 6.46)
Board 9 (Butler)	7.82	(5.53 - 10.93)	13.39	(9.85 - 17.94)	3.37	(2.24 - 5.05)	5.15	(3.83 - 6.88)
Board 12	7.40	(5.22 - 10.40)	14.08	(10.32 - 18.92)	3.37	(2.24 - 5.03)	5.08	(3.79 - 6.78)
Boards 18 and 47	6.30	(4.87 - 8.12)	12.89	(10.39 - 15.87)	2.64	(1.87 - 3.71)	3.99	(3.17 - 5.00)
Boards 20, 32, 54, and 69	6.96	(5.01 - 9.60)	13.16	(9.42 - 18.09)	3.02	(2.01 - 4.50)	4.46	(3.27 - 6.04)
Boards 21, 39, 51, 70, and 80	7.22	(5.30 - 9.76)	13.00	(9.72 - 17.18)	3.03	(2.07 - 4.42)	4.37	(3.30 - 5.78)
Boards 22, 74, and 87	7.39	(5.22 - 10.36)	13.28	(9.60 - 18.08)	3.22	(2.15 - 4.80)	4.84	(3.59 - 6.51)
Boards 23 and 45	6.79	(4.90 - 9.33)	14.13	(10.34 - 19.00)	3.03	(2.05 - 4.46)	4.60	(3.45 - 6.13)
Board 25 (Franklin)	7.50	(5.69 - 9.82)	14.45	(11.84 - 17.52)	3.72	(2.60 - 5.28)	5.65	(4.50 - 7.06)
Boards 27, 71, and 73	9.13	(6.75 - 12.23)	15.73	(11.91 - 20.50)	3.81	(2.58 - 5.59)	5.52	(4.16 - 7.28)
Boards 28, 43, and 67	7.85	(5.72 - 10.68)	16.98	(13.22 - 21.55)	3.44	(2.38 - 4.96)	5.39	(4.19 - 6.91)
Board 31 (Hamilton)	7.88	(5.88 - 10.47)	15.04	(11.85 - 18.90)	3.31	(2.30 - 4.74)	5.10	(4.01 - 6.47)
Board 48 (Lucas)	7.44	(5.48 - 10.04)	11.15	(8.38 - 14.68)	3.19	(2.14 - 4.74)	4.44	(3.33 - 5.89)
Boards 50 and 76	7.98	(5.99 - 10.57)	16.35	(12.67 - 20.85)	3.49	(2.37 - 5.12)	5.17	(3.95 - 6.74)
Board 57 (Montgomery)	8.59	(6.27 - 11.66)	14.89	(11.25 - 19.46)	3.20	(2.14 - 4.75)	4.94	(3.73 - 6.53)
Board 77 (Summit)	6.69	(4.84 - 9.18)	14.22	(10.61 - 18.80)	3.15	(2.13 - 4.63)	4.62	(3.47 - 6.11)
Oklahoma	9.92	(8.17 - 12.01)	13.83	(11.74 - 16.22)	4.34	(3.40 - 5.53)	5.86	(4.94 - 6.95)
Central	8.22	(5.63 - 11.85)	13.30	(9.62 - 18.12)	3.79	(2.44 - 5.84)	5.52	(4.03 - 7.50)
East Central	9.51	(6.58 - 13.56)	13.58	(9.69 - 18.71)	4.08	(2.63 - 6.26)	5.44	(3.89 - 7.55)
Northeast	9.21	(6.40 - 13.09)	14.26	(10.41 - 19.23)	4.40	(2.88 - 6.65)	5.96	(4.35 - 8.13)
Northwest and Southwest	9.28	(6.51 - 13.06)	12.25	(8.89 - 16.65)	3.83	(2.54 - 5.76)	5.21	(3.82 - 7.07)
Oklahoma County	10.44	(7.46 - 14.44)	14.17	(10.43 - 18.98)	4.88	(3.20 - 7.37)	6.45	(4.71 - 8.77)
Southeast	10.27	(7.31 - 14.24)	*	(* - *)	4.18	(2.75 - 6.32)	5.71	(4.13 - 7.84)
Tulsa County	11.82	(8.52 - 16.16)	14.33	(10.62 - 19.05)	4.84	(3.20 - 7.25)	6.36	(4.68 - 8.58)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	8.56	(7.06 - 10.35)	13.34	(11.31 - 15.67)	3.71	(2.88 - 4.78)	5.09	(4.25 - 6.09)
Region 1 (Multnomah)	8.51	(5.96 - 12.02)	14.16	(10.65 - 18.59)	4.67	(3.13 - 6.91)	6.10	(4.53 - 8.16)
Region 2	7.89	(5.74 - 10.77)	15.80	(11.88 - 20.70)	3.75	(2.51 - 5.57)	5.43	(4.09 - 7.18)
Region 3	8.23	(6.05 - 11.10)	10.70	(8.14 - 13.93)	3.12	(2.11 - 4.60)	4.32	(3.27 - 5.68)
Region 4	10.57	(7.52 - 14.66)	*	(* - *)	3.75	(2.42 - 5.77)	5.11	(3.67 - 7.07)
Region 5	8.47	(5.92 - 11.97)	*	(* - *)	3.54	(2.23 - 5.58)	4.73	(3.30 - 6.75)
Pennsylvania	6.06	(5.37 - 6.84)	11.94	(10.91 - 13.05)	2.70	(2.24 - 3.25)	4.00	(3.57 - 4.49)
Region 1 (Allegheny)	5.64	(4.13 - 7.65)	13.86	(10.87 - 17.51)	2.99	(2.03 - 4.39)	4.43	(3.43 - 5.72)
Regions 2, 3, 8, and 9	6.24	(4.53 - 8.54)	11.86	(8.83 - 15.74)	2.53	(1.68 - 3.82)	3.87	(2.90 - 5.14)
Regions 4, 11, 37, and 49	6.61	(4.93 - 8.82)	12.83	(9.88 - 16.51)	2.81	(1.93 - 4.08)	4.12	(3.15 - 5.36)
Regions 5, 18, 23, 24, and 46	5.17	(3.71 - 7.15)	9.79	(7.31 - 12.99)	2.19	(1.47 - 3.24)	3.25	(2.46 - 4.29)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	6.32	(4.63 - 8.57)	9.63	(7.25 - 12.67)	2.30	(1.53 - 3.46)	3.66	(2.78 - 4.80)
Regions 7, 13, 20, and 33	6.43	(5.11 - 8.07)	13.05	(10.65 - 15.91)	2.60	(1.86 - 3.63)	3.96	(3.17 - 4.93)
Regions 10, 14, 15, 27, 32, 43, and 44	6.84	(4.94 - 9.41)	15.43	(11.84 - 19.88)	3.49	(2.32 - 5.20)	5.09	(3.83 - 6.73)
Regions 17 and 21	6.50	(4.57 - 9.16)	13.05	(9.70 - 17.35)	2.88	(1.88 - 4.40)	4.51	(3.36 - 6.03)
Regions 19, 26, 28, and 42	4.96	(3.66 - 6.68)	9.47	(7.40 - 12.03)	2.21	(1.50 - 3.25)	3.21	(2.46 - 4.18)
Regions 22, 38, 40, 41, and 48	7.22	(5.34 - 9.70)	14.22	(10.90 - 18.35)	2.78	(1.90 - 4.07)	4.17	(3.18 - 5.43)
Regions 25 and 30	7.35	(5.30 - 10.09)	13.98	(10.43 - 18.49)	2.93	(1.95 - 4.37)	4.36	(3.26 - 5.81)
Regions 29 and 34	4.89	(3.38 - 7.02)	10.09	(7.16 - 14.03)	2.48	(1.61 - 3.81)	3.51	(2.54 - 4.82)
Region 36 (Philadelphia)	5.71	(4.26 - 7.61)	10.53	(8.39 - 13.13)	3.12	(2.17 - 4.48)	4.38	(3.41 - 5.61)
Rhode Island	6.65	(5.32 - 8.28)	16.07	(13.75 - 18.71)	3.82	(2.94 - 4.93)	5.71	(4.83 - 6.74)
Bristol and Newport	7.74	(5.42 - 10.92)	*	(* - *)	4.05	(2.63 - 6.20)	5.72	(4.13 - 7.86)
Kent	7.68	(5.35 - 10.91)	*	(* - *)	3.66	(2.39 - 5.55)	5.58	(4.15 - 7.45)
Providence	5.93	(4.39 - 7.95)	15.13	(12.44 - 18.28)	3.92	(2.82 - 5.42)	5.78	(4.67 - 7.13)
Washington	7.85	(5.50 - 11.11)	17.15	(12.77 - 22.65)	3.28	(2.12 - 5.04)	5.55	(4.17 - 7.36)
South Carolina	7.15	(5.88 - 8.66)	13.00	(10.96 - 15.36)	3.15	(2.42 - 4.09)	4.60	(3.84 - 5.50)
Region 1	7.77	(5.70 - 10.51)	13.83	(10.40 - 18.16)	3.56	(2.42 - 5.21)	5.03	(3.80 - 6.64)
Region 2	7.58	(5.63 - 10.12)	14.17	(10.91 - 18.19)	3.27	(2.25 - 4.75)	4.91	(3.80 - 6.33)
Region 3	6.26	(4.40 - 8.82)	12.35	(8.75 - 17.16)	2.68	(1.71 - 4.20)	4.05	(2.91 - 5.61)
Region 4	6.68	(4.85 - 9.12)	11.31	(8.43 - 15.01)	2.89	(1.91 - 4.33)	4.19	(3.13 - 5.59)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	5.39	(4.16 - 6.95)	8.54	(6.95 - 10.44)	2.19	(1.54 - 3.12)	3.23	(2.55 - 4.08)
Region 1	5.35	(3.55 - 7.99)	9.50	(6.52 - 13.65)	2.44	(1.46 - 4.05)	3.59	(2.46 - 5.21)
Region 2	4.85	(3.19 - 7.29)	7.34	(5.17 - 10.31)	2.00	(1.21 - 3.28)	2.91	(2.06 - 4.11)
Region 3	4.91	(3.30 - 7.25)	7.80	(5.46 - 11.02)	1.94	(1.15 - 3.26)	3.02	(2.12 - 4.27)
Region 4	6.84	(4.42 - 10.44)	10.03	(6.77 - 14.60)	2.32	(1.36 - 3.95)	3.64	(2.49 - 5.29)
Region 5	5.86	(3.90 - 8.72)	10.36	(7.02 - 15.04)	2.33	(1.38 - 3.92)	3.40	(2.30 - 4.98)
Region 6	5.25	(3.45 - 7.91)	7.57	(5.04 - 11.24)	2.31	(1.36 - 3.92)	3.00	(1.97 - 4.53)
Region 7	5.56	(3.70 - 8.28)	8.81	(6.13 - 12.52)	2.27	(1.36 - 3.78)	3.33	(2.32 - 4.76)
Tennessee	9.04	(7.57 - 10.77)	15.18	(13.00 - 17.67)	3.97	(3.10 - 5.06)	5.55	(4.67 - 6.59)
Region 1	11.49	(7.99 - 16.25)	*	(* - *)	4.47	(2.87 - 6.88)	6.17	(4.43 - 8.54)
Region 2	10.25	(7.52 - 13.83)	17.21	(13.09 - 22.30)	4.23	(2.83 - 6.30)	6.02	(4.49 - 8.03)
Region 3	9.41	(6.89 - 12.74)	16.32	(12.16 - 21.55)	4.03	(2.73 - 5.90)	5.71	(4.28 - 7.60)
Region 4 (Davidson)	10.03	(6.86 - 14.44)	*	(* - *)	4.64	(2.99 - 7.12)	6.28	(4.48 - 8.72)
Region 5	9.32	(6.90 - 12.46)	17.41	(13.30 - 22.45)	3.97	(2.69 - 5.81)	5.89	(4.50 - 7.67)
Region 6	7.80	(5.32 - 11.29)	12.46	(8.65 - 17.62)	3.62	(2.33 - 5.57)	4.85	(3.44 - 6.81)
Region 7 (Shelby)	6.26	(4.27 - 9.09)	9.07	(6.19 - 13.10)	3.05	(1.91 - 4.84)	3.95	(2.74 - 5.68)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	6.59	(5.83 - 7.44)	11.36	(10.35 - 12.47)	3.04	(2.59 - 3.57)	4.41	(3.98 - 4.89)
Region 1	7.92	(5.73 - 10.86)	14.95	(11.28 - 19.54)	3.38	(2.27 - 5.00)	5.42	(4.14 - 7.07)
Region 2	7.29	(5.16 - 10.19)	13.58	(9.72 - 18.66)	2.96	(1.94 - 4.50)	4.62	(3.40 - 6.26)
Region 3	6.73	(5.53 - 8.16)	11.91	(10.13 - 13.97)	3.40	(2.70 - 4.28)	4.76	(4.06 - 5.59)
Region 3a	6.90	(5.42 - 8.75)	11.87	(9.69 - 14.46)	3.33	(2.49 - 4.42)	4.72	(3.88 - 5.74)
Region 3bc	6.42	(4.79 - 8.56)	12.00	(9.37 - 15.25)	3.53	(2.52 - 4.94)	4.83	(3.78 - 6.16)
Region 4	8.20	(5.97 - 11.17)	14.23	(10.67 - 18.73)	2.88	(1.96 - 4.22)	4.43	(3.36 - 5.82)
Region 5	7.45	(5.20 - 10.56)	15.03	(10.98 - 20.23)	2.94	(1.93 - 4.46)	4.72	(3.50 - 6.35)
Region 6	5.48	(4.35 - 6.89)	8.60	(7.14 - 10.33)	2.60	(1.92 - 3.50)	3.56	(2.90 - 4.36)
Region 6a	5.20	(4.01 - 6.72)	8.13	(6.60 - 9.97)	2.56	(1.83 - 3.56)	3.47	(2.76 - 4.35)
Region 6bc	7.84	(5.58 - 10.92)	13.17	(9.49 - 17.99)	2.90	(1.90 - 4.39)	4.34	(3.18 - 5.89)
Region 7	7.34	(5.75 - 9.32)	13.80	(11.52 - 16.46)	3.63	(2.73 - 4.81)	5.64	(4.68 - 6.78)
Region 7a	7.64	(5.57 - 10.40)	14.27	(11.24 - 17.97)	3.88	(2.72 - 5.51)	5.82	(4.58 - 7.38)
Region 7bcd	6.93	(5.01 - 9.51)	13.16	(10.10 - 16.97)	3.22	(2.18 - 4.74)	5.36	(4.15 - 6.89)
Region 8	7.26	(5.43 - 9.66)	11.68	(8.98 - 15.06)	2.67	(1.82 - 3.90)	4.05	(3.13 - 5.23)
Region 9	7.52	(5.27 - 10.64)	11.79	(8.32 - 16.45)	3.03	(1.96 - 4.66)	4.40	(3.17 - 6.08)
Region 10	5.85	(4.08 - 8.32)	8.98	(6.20 - 12.82)	2.89	(1.85 - 4.48)	3.93	(2.80 - 5.50)
Region 11	5.68	(4.32 - 7.44)	8.66	(6.64 - 11.21)	2.84	(2.02 - 3.98)	3.88	(3.01 - 4.98)
Region 11abd	5.96	(4.25 - 8.32)	9.63	(6.88 - 13.32)	2.91	(1.89 - 4.46)	4.06	(2.94 - 5.60)
Region 11c (Hidalgo)	5.17	(3.55 - 7.47)	6.91	(4.74 - 9.98)	2.70	(1.75 - 4.15)	3.51	(2.49 - 4.91)
Utah	7.60	(6.18 - 9.33)	12.88	(10.93 - 15.13)	4.23	(3.30 - 5.41)	6.09	(5.18 - 7.15)
Bear River, Northeastern, Summit, Tooele, and Wasatch	7.93	(5.45 - 11.42)	*	(* - *)	4.05	(2.61 - 6.24)	6.01	(4.34 - 8.27)
Central, Four Corners, San Juan, and Southwest	6.64	(4.54 - 9.63)	11.29	(7.88 - 15.91)	3.36	(2.17 - 5.15)	4.81	(3.48 - 6.62)
Davis County	7.91	(5.45 - 11.36)	13.11	(9.19 - 18.37)	4.26	(2.79 - 6.46)	6.02	(4.37 - 8.25)
Salt Lake County	7.90	(5.85 - 10.57)	13.37	(10.44 - 16.97)	4.68	(3.29 - 6.62)	6.39	(5.01 - 8.13)
Utah County	6.67	(4.60 - 9.58)	11.62	(8.62 - 15.48)	3.49	(2.23 - 5.41)	5.97	(4.50 - 7.89)
Weber, Morgan	8.77	(5.95 - 12.73)	*	(* - *)	4.67	(2.98 - 7.23)	6.79	(4.94 - 9.27)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	7.12	(5.82 - 8.69)	14.30	(12.21 - 16.69)	3.06	(2.30 - 4.07)	4.69	(3.91 - 5.63)
Champlain Valley	7.02	(5.26 - 9.33)	15.55	(12.53 - 19.14)	3.04	(2.08 - 4.43)	5.22	(4.17 - 6.52)
Rural Northeast	7.24	(5.25 - 9.92)	12.58	(9.29 - 16.81)	3.02	(1.94 - 4.68)	4.34	(3.17 - 5.92)
Rural Southeast	6.95	(4.92 - 9.72)	13.67	(10.12 - 18.22)	3.04	(1.95 - 4.70)	4.26	(3.08 - 5.85)
Rural Southwest	7.40	(5.16 - 10.51)	13.75	(10.06 - 18.51)	3.18	(1.98 - 5.08)	4.54	(3.23 - 6.35)
Virginia	6.77	(5.52 - 8.27)	12.21	(10.29 - 14.43)	2.84	(2.15 - 3.73)	4.16	(3.46 - 4.99)
Region 1	7.92	(5.60 - 11.10)	14.91	(11.03 - 19.85)	2.90	(1.86 - 4.49)	4.67	(3.47 - 6.26)
Region 2	5.04	(3.50 - 7.21)	10.24	(7.43 - 13.95)	2.72	(1.78 - 4.14)	3.69	(2.70 - 5.02)
Region 3	8.56	(6.10 - 11.89)	17.33	(13.02 - 22.68)	3.24	(2.09 - 5.00)	5.19	(3.89 - 6.89)
Region 4	7.30	(5.12 - 10.29)	9.72	(6.87 - 13.58)	2.79	(1.78 - 4.36)	3.72	(2.64 - 5.23)
Region 5	6.14	(4.37 - 8.57)	10.39	(7.48 - 14.24)	2.63	(1.71 - 4.01)	3.87	(2.84 - 5.25)
Washington	8.47	(7.00 - 10.23)	15.20	(12.99 - 17.71)	4.40	(3.43 - 5.62)	5.97	(5.01 - 7.09)
Region 1	8.73	(6.15 - 12.25)	15.45	(11.30 - 20.76)	4.17	(2.74 - 6.28)	5.97	(4.41 - 8.03)
Region 2	8.34	(5.95 - 11.58)	*	(* - *)	4.10	(2.71 - 6.17)	5.76	(4.21 - 7.83)
Region 3	8.61	(6.14 - 11.94)	16.31	(11.90 - 21.96)	4.36	(2.84 - 6.65)	6.12	(4.47 - 8.32)
Region 4 (King)	8.53	(6.25 - 11.53)	15.28	(11.89 - 19.42)	4.90	(3.39 - 7.04)	6.35	(4.83 - 8.31)
Region 5	8.05	(5.66 - 11.32)	14.39	(10.57 - 19.30)	4.20	(2.78 - 6.31)	5.74	(4.21 - 7.79)
Region 6	8.55	(6.14 - 11.80)	14.88	(11.13 - 19.62)	4.02	(2.65 - 6.07)	5.45	(4.01 - 7.37)
West Virginia	8.86	(7.41 - 10.56)	16.80	(14.63 - 19.21)	3.67	(2.85 - 4.70)	5.43	(4.61 - 6.38)
Eastern Highland	7.97	(5.85 - 10.78)	14.90	(11.23 - 19.51)	3.27	(2.13 - 4.96)	4.73	(3.52 - 6.33)
Northern	8.99	(6.85 - 11.72)	18.68	(15.26 - 22.67)	3.99	(2.86 - 5.53)	6.20	(4.98 - 7.70)
Northern A and B	7.96	(5.44 - 11.50)	*	(* - *)	3.14	(2.00 - 4.91)	4.57	(3.25 - 6.39)
Northern C and D	9.47	(6.85 - 12.97)	20.01	(15.84 - 24.94)	4.45	(3.01 - 6.53)	7.03	(5.46 - 9.02)
South Central	9.37	(7.46 - 11.70)	16.91	(13.88 - 20.45)	3.63	(2.66 - 4.94)	5.35	(4.32 - 6.62)
South Central I	7.99	(5.59 - 11.29)	*	(* - *)	3.11	(1.97 - 4.90)	4.46	(3.17 - 6.25)
South Central II	11.46	(7.92 - 16.31)	*	(* - *)	4.03	(2.51 - 6.40)	6.64	(4.86 - 9.02)
South Central III	8.81	(6.35 - 12.10)	14.71	(10.93 - 19.50)	3.69	(2.42 - 5.59)	5.04	(3.68 - 6.85)
Southern	8.74	(6.59 - 11.49)	15.63	(12.25 - 19.73)	3.77	(2.65 - 5.34)	5.29	(4.11 - 6.79)
Southern I and III	8.68	(6.17 - 12.08)	15.60	(11.39 - 20.99)	3.83	(2.49 - 5.85)	5.34	(3.89 - 7.29)
Southern II	8.85	(6.08 - 12.71)	*	(* - *)	3.65	(2.34 - 5.66)	5.20	(3.74 - 7.18)

See notes at end of table.

(continued)

Table 8. Nonmedical Use of Pain Relievers in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	7.01	(5.79 - 8.46)	12.37	(10.43 - 14.61)	3.05	(2.33 - 3.98)	4.46	(3.72 - 5.34)
Milwaukee	6.08	(4.19 - 8.76)	11.64	(8.33 - 16.05)	3.46	(2.18 - 5.44)	4.78	(3.39 - 6.70)
Northeastern	7.26	(5.28 - 9.91)	13.01	(9.70 - 17.22)	2.93	(1.89 - 4.53)	4.38	(3.25 - 5.90)
Northern	6.94	(4.76 - 10.02)	11.95	(8.64 - 16.31)	3.12	(2.00 - 4.84)	4.31	(3.12 - 5.93)
Southeastern	7.41	(5.37 - 10.15)	12.55	(9.04 - 17.16)	3.02	(1.96 - 4.61)	4.30	(3.12 - 5.90)
Southern	7.35	(5.29 - 10.12)	12.13	(8.74 - 16.61)	3.01	(2.00 - 4.51)	4.52	(3.36 - 6.05)
Western	6.78	(4.68 - 9.72)	12.66	(8.96 - 17.59)	2.78	(1.76 - 4.37)	4.46	(3.22 - 6.15)
Wyoming	8.16	(6.79 - 9.78)	12.42	(10.53 - 14.59)	3.57	(2.80 - 4.55)	4.97	(4.19 - 5.89)
Judicial District 1 (Laramie)	7.97	(5.66 - 11.10)	12.22	(8.67 - 16.96)	3.83	(2.52 - 5.78)	5.12	(3.72 - 7.01)
Judicial District 2	7.40	(5.13 - 10.57)	11.00	(7.99 - 14.97)	3.43	(2.22 - 5.27)	5.50	(4.09 - 7.37)
Judicial District 3	8.74	(6.23 - 12.13)	11.73	(8.38 - 16.18)	3.45	(2.27 - 5.21)	4.77	(3.50 - 6.47)
Judicial District 4	9.15	(6.27 - 13.18)	*	(* - *)	3.67	(2.35 - 5.69)	5.07	(3.58 - 7.14)
Judicial District 5	8.38	(5.86 - 11.87)	12.36	(8.53 - 17.60)	3.17	(2.02 - 4.93)	4.32	(3.07 - 6.03)
Judicial District 6	8.26	(5.73 - 11.76)	11.82	(8.08 - 16.98)	3.41	(2.21 - 5.22)	4.73	(3.39 - 6.57)
Judicial District 7 (Natrona)	8.46	(6.11 - 11.61)	15.09	(11.21 - 20.03)	3.61	(2.39 - 5.42)	5.43	(4.11 - 7.14)
Judicial District 8	7.24	(4.86 - 10.65)	11.35	(7.79 - 16.24)	3.19	(2.00 - 5.05)	4.21	(2.92 - 6.02)
Judicial District 9	7.57	(5.16 - 10.98)	12.30	(8.55 - 17.38)	4.00	(2.55 - 6.22)	5.17	(3.62 - 7.32)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	16.85		60.98		53.92		54.97	
Northeast	18.70	(17.94 - 19.48)	65.96	(64.90 - 67.00)	58.53	(57.35 - 59.70)	59.57	(58.52 - 60.61)
Midwest	17.69	(17.09 - 18.31)	66.94	(66.12 - 67.74)	56.62	(55.65 - 57.59)	58.19	(57.33 - 59.04)
South	15.70	(15.16 - 16.27)	56.73	(55.90 - 57.55)	49.24	(48.30 - 50.19)	50.35	(49.51 - 51.19)
West	16.38	(15.60 - 17.18)	57.92	(56.83 - 58.99)	54.85	(53.67 - 56.02)	55.32	(54.28 - 56.36)
Alabama	16.13	(14.02 - 18.50)	52.89	(49.64 - 56.12)	42.90	(39.47 - 46.40)	44.39	(41.35 - 47.48)
Region 1	15.30	(12.15 - 19.09)	47.40	(41.50 - 53.37)	36.92	(31.53 - 42.66)	38.33	(33.44 - 43.47)
Region 2	17.17	(13.82 - 21.13)	56.07	(50.70 - 61.30)	44.46	(38.95 - 50.11)	46.22	(41.32 - 51.20)
Region 3	14.19	(10.92 - 18.22)	54.74	(48.73 - 60.61)	*	(* - *)	47.44	(41.47 - 53.48)
Region 4	17.35	(13.82 - 21.56)	52.76	(46.56 - 58.87)	46.07	(39.99 - 52.27)	47.01	(41.55 - 52.54)
Alaska	15.55	(13.40 - 17.96)	57.64	(54.25 - 60.97)	56.56	(53.16 - 59.90)	56.74	(53.74 - 59.69)
Gulf Coast	13.55	(10.03 - 18.05)	*	(* - *)	*	(* - *)	*	(* - *)
Rural	9.92	(7.20 - 13.51)	*	(* - *)	*	(* - *)	*	(* - *)
Southeast	14.94	(11.29 - 19.51)	*	(* - *)	*	(* - *)	*	(* - *)
Urban	17.16	(14.31 - 20.44)	61.01	(57.01 - 64.86)	60.52	(56.48 - 64.43)	60.61	(57.10 - 64.00)
Arizona	17.91	(15.58 - 20.50)	59.24	(55.96 - 62.44)	57.47	(54.08 - 60.79)	57.74	(54.75 - 60.67)
Maricopa	18.21	(15.27 - 21.58)	59.22	(55.11 - 63.21)	60.73	(56.57 - 64.74)	60.50	(56.88 - 64.00)
Pima	19.29	(14.91 - 24.59)	66.42	(59.83 - 72.42)	59.70	(52.97 - 66.07)	60.72	(54.66 - 66.47)
Rural North	17.32	(13.27 - 22.30)	*	(* - *)	*	(* - *)	54.24	(47.48 - 60.84)
Rural South	15.26	(11.25 - 20.36)	*	(* - *)	*	(* - *)	*	(* - *)
Arkansas	17.30	(15.10 - 19.76)	53.73	(50.52 - 56.92)	42.14	(38.81 - 45.53)	43.87	(40.93 - 46.86)
Areas 1 and 2	20.23	(15.66 - 25.71)	60.59	(53.97 - 66.84)	*	(* - *)	49.55	(43.14 - 55.97)
Areas 3 and 4	17.00	(13.29 - 21.49)	52.68	(46.07 - 59.21)	38.67	(32.50 - 45.23)	40.75	(35.19 - 46.56)
Areas 5 and 6	15.72	(11.95 - 20.41)	50.51	(44.50 - 56.51)	40.62	(34.30 - 47.28)	42.18	(36.58 - 47.99)
Areas 7, 12, and 13	16.84	(12.95 - 21.61)	*	(* - *)	*	(* - *)	39.37	(33.28 - 45.81)
Areas 8, 10, and 11	18.21	(14.13 - 23.15)	57.21	(50.96 - 63.25)	*	(* - *)	42.38	(36.47 - 48.51)
Area 9	15.86	(12.42 - 20.04)	54.36	(47.79 - 60.77)	46.01	(40.20 - 51.94)	47.22	(41.93 - 52.58)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	15.77	(14.55 - 17.07)	56.58	(54.83 - 58.32)	54.26	(52.47 - 56.03)	54.62	(53.05 - 56.18)
Region 1	20.09	(15.87 - 25.09)	*	(* - *)	*	(* - *)	59.83	(53.49 - 65.85)
Region 2	16.88	(13.85 - 20.42)	61.51	(56.93 - 65.90)	63.13	(58.21 - 67.79)	62.89	(58.58 - 67.00)
Region 3	16.69	(13.19 - 20.89)	54.64	(47.79 - 61.31)	54.72	(48.02 - 61.25)	54.71	(48.70 - 60.58)
Region 4	17.66	(13.88 - 22.19)	63.85	(57.43 - 69.81)	60.73	(55.01 - 66.16)	61.10	(55.87 - 66.09)
Region 5	15.85	(12.92 - 19.29)	61.67	(56.22 - 66.84)	61.89	(56.50 - 66.99)	61.86	(57.04 - 66.45)
Region 6 (Santa Clara)	14.06	(11.02 - 17.78)	55.10	(48.50 - 61.53)	56.33	(50.58 - 61.91)	56.15	(50.93 - 61.24)
Region 7	16.94	(12.70 - 22.24)	*	(* - *)	*	(* - *)	60.71	(54.39 - 66.70)
Region 8	15.73	(12.50 - 19.61)	52.15	(45.91 - 58.32)	49.98	(43.59 - 56.37)	50.37	(44.76 - 55.97)
Region 9	18.72	(14.71 - 23.53)	56.64	(50.42 - 62.65)	*	(* - *)	54.48	(48.29 - 60.53)
Region 10	19.02	(15.15 - 23.60)	58.72	(51.92 - 65.21)	61.87	(55.17 - 68.15)	61.37	(55.40 - 67.01)
Region 11 (Los Angeles)	13.75	(11.86 - 15.89)	52.12	(48.92 - 55.31)	48.08	(44.79 - 51.39)	48.73	(45.89 - 51.58)
Region 12	15.54	(12.42 - 19.27)	51.46	(45.73 - 57.15)	43.54	(37.74 - 49.52)	44.91	(39.83 - 50.09)
Region 13 (Riverside)	16.88	(13.52 - 20.89)	55.80	(49.39 - 62.03)	51.77	(45.45 - 58.02)	52.38	(46.69 - 58.01)
Region 14 (Orange)	15.44	(12.43 - 19.02)	55.74	(50.51 - 60.85)	55.07	(49.59 - 60.43)	55.17	(50.34 - 59.90)
Region 15	16.52	(13.24 - 20.41)	62.85	(58.21 - 67.26)	54.44	(49.52 - 59.28)	55.87	(51.55 - 60.09)
Colorado	19.53	(17.11 - 22.21)	68.75	(65.48 - 71.84)	61.65	(58.29 - 64.90)	62.70	(59.72 - 65.59)
Region 1	21.57	(16.95 - 27.04)	72.79	(66.61 - 78.19)	66.41	(59.78 - 72.46)	67.54	(61.66 - 72.91)
Regions 2 and 7	19.85	(16.64 - 23.51)	67.60	(63.06 - 71.83)	61.91	(57.49 - 66.13)	62.73	(58.79 - 66.50)
Region 3	17.57	(13.50 - 22.56)	69.76	(63.40 - 75.44)	*	(* - *)	62.51	(56.08 - 68.52)
Region 4	20.72	(16.00 - 26.39)	*	(* - *)	*	(* - *)	*	(* - *)
Regions 5 and 6	17.25	(12.87 - 22.73)	*	(* - *)	*	(* - *)	*	(* - *)
Connecticut	20.70	(18.33 - 23.29)	72.54	(69.35 - 75.51)	65.07	(61.46 - 68.51)	66.05	(62.84 - 69.13)
Eastern	19.55	(15.32 - 24.60)	*	(* - *)	*	(* - *)	*	(* - *)
North Central	19.04	(15.36 - 23.37)	72.00	(66.86 - 76.62)	62.34	(56.31 - 68.00)	63.57	(58.17 - 68.65)
Northwestern	24.21	(19.44 - 29.73)	70.74	(64.33 - 76.42)	*	(* - *)	64.77	(58.03 - 70.97)
South Central	20.98	(17.12 - 25.44)	75.46	(69.93 - 80.26)	67.66	(61.59 - 73.18)	68.73	(63.29 - 73.69)
Southwest	20.26	(16.23 - 24.99)	68.96	(62.78 - 74.53)	67.72	(61.08 - 73.71)	67.86	(61.82 - 73.37)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	16.27	(14.15 - 18.64)	63.52	(60.28 - 66.65)	53.06	(49.67 - 56.42)	54.59	(51.61 - 57.54)
Kent	16.47	(12.96 - 20.71)	60.01	(53.73 - 65.98)	*	(* - *)	52.51	(46.41 - 58.53)
New Castle (excluding Wilmington City)	17.37	(14.53 - 20.64)	68.06	(63.84 - 72.00)	58.09	(53.57 - 62.49)	59.64	(55.69 - 63.48)
Sussex	14.62	(11.42 - 18.53)	54.05	(47.58 - 60.39)	44.73	(38.45 - 51.18)	45.76	(39.99 - 51.64)
Wilmington City	13.19	(9.79 - 17.53)	*	(* - *)	*	(* - *)	*	(* - *)
District of Columbia	13.28	(11.20 - 15.68)	71.03	(67.79 - 74.06)	62.33	(59.03 - 65.52)	63.72	(60.82 - 66.53)
Ward 1	14.01	(10.31 - 18.77)	*	(* - *)	*	(* - *)	64.57	(57.83 - 70.77)
Ward 2	*	(* - *)	83.87	(79.31 - 87.58)	76.87	(70.78 - 82.01)	78.62	(73.63 - 82.89)
Ward 3	20.98	(15.99 - 27.01)	85.18	(80.40 - 88.96)	79.53	(73.87 - 84.22)	80.43	(75.46 - 84.59)
Ward 4	13.33	(9.97 - 17.60)	*	(* - *)	*	(* - *)	*	(* - *)
Ward 5	12.79	(9.43 - 17.12)	*	(* - *)	50.61	(44.00 - 57.21)	52.30	(46.31 - 58.22)
Ward 6	12.60	(9.04 - 17.30)	*	(* - *)	*	(* - *)	*	(* - *)
Ward 7	10.81	(8.16 - 14.18)	*	(* - *)	*	(* - *)	48.74	(42.23 - 55.30)
Ward 8	10.90	(8.31 - 14.18)	*	(* - *)	*	(* - *)	49.67	(43.41 - 55.93)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	16.95	(15.79 - 18.18)	58.37	(56.69 - 60.04)	55.45	(53.63 - 57.27)	55.83	(54.21 - 57.44)
Region A	17.18	(14.61 - 20.09)	62.48	(58.57 - 66.25)	53.73	(49.06 - 58.33)	55.28	(51.21 - 59.28)
Circuit 1	17.59	(13.85 - 22.08)	*	(* - *)	54.10	(47.31 - 60.75)	54.97	(48.89 - 60.90)
Circuit 2	16.45	(12.57 - 21.24)	68.34	(62.90 - 73.33)	*	(* - *)	59.49	(53.08 - 65.58)
Circuit 14	17.28	(13.01 - 22.59)	*	(* - *)	*	(* - *)	*	(* - *)
Region B	17.77	(15.46 - 20.35)	60.25	(56.73 - 63.66)	52.42	(48.46 - 56.36)	53.64	(50.14 - 57.12)
Circuits 3 and 8	19.01	(14.83 - 24.05)	63.24	(57.45 - 68.67)	*	(* - *)	52.47	(46.30 - 58.57)
Circuit 4	16.04	(13.09 - 19.50)	58.23	(52.71 - 63.55)	53.28	(47.69 - 58.80)	54.05	(49.07 - 58.95)
Circuit 7	19.54	(15.62 - 24.16)	59.89	(53.67 - 65.81)	53.17	(46.70 - 59.53)	53.94	(48.01 - 59.77)
Region C	17.22	(15.44 - 19.15)	56.96	(54.03 - 59.83)	53.80	(50.72 - 56.85)	54.20	(51.43 - 56.94)
Circuit 5	16.19	(12.86 - 20.18)	56.68	(50.55 - 62.61)	52.80	(46.56 - 58.95)	53.15	(47.34 - 58.87)
Circuit 9	15.91	(12.91 - 19.44)	55.69	(50.75 - 60.52)	51.79	(46.17 - 57.37)	52.45	(47.59 - 57.27)
Circuit 10	18.23	(14.54 - 22.60)	*	(* - *)	*	(* - *)	47.50	(41.10 - 53.98)
Circuit 18	19.00	(15.50 - 23.07)	67.31	(61.85 - 72.33)	59.79	(54.07 - 65.26)	60.70	(55.53 - 65.65)
Circuit 19	17.60	(13.75 - 22.25)	53.97	(47.20 - 60.60)	*	(* - *)	*	(* - *)
Region D	15.47	(13.80 - 17.30)	55.96	(53.10 - 58.79)	55.57	(52.75 - 58.35)	55.61	(53.09 - 58.11)
Circuits 11 and 16	14.43	(12.01 - 17.23)	52.31	(48.09 - 56.49)	51.00	(46.61 - 55.37)	51.17	(47.28 - 55.05)
Circuit 15 (Palm Beach)	17.25	(14.07 - 20.96)	58.82	(53.63 - 63.82)	62.68	(57.55 - 67.55)	62.27	(57.59 - 66.74)
Circuit 17 (Broward)	15.88	(13.29 - 18.87)	60.16	(55.51 - 64.64)	56.84	(52.35 - 61.22)	57.24	(53.19 - 61.19)
Region E	18.17	(16.28 - 20.22)	60.05	(56.89 - 63.12)	58.96	(55.87 - 61.98)	59.08	(56.25 - 61.85)
Circuit 6	16.20	(13.16 - 19.77)	59.99	(54.26 - 65.47)	56.31	(50.98 - 61.50)	56.67	(51.74 - 61.47)
Circuit 12	20.46	(16.42 - 25.19)	61.77	(55.10 - 68.02)	62.81	(56.14 - 69.02)	62.71	(56.51 - 68.51)
Circuit 13 (Hillsborough)	16.56	(13.46 - 20.21)	57.75	(52.20 - 63.11)	51.58	(45.82 - 57.29)	52.50	(47.36 - 57.59)
Circuit 20	21.45	(17.48 - 26.04)	62.54	(56.65 - 68.08)	66.78	(61.06 - 72.05)	66.36	(61.08 - 71.26)
Georgia	14.47	(12.55 - 16.62)	51.95	(48.54 - 55.34)	46.81	(43.38 - 50.27)	47.59	(44.57 - 50.64)
Region 1	16.70	(12.97 - 21.25)	*	(* - *)	*	(* - *)	38.35	(32.54 - 44.52)
Region 2	15.23	(11.88 - 19.31)	53.03	(46.64 - 59.32)	*	(* - *)	45.47	(39.47 - 51.61)
Region 3	13.24	(10.56 - 16.48)	54.25	(49.26 - 59.16)	52.61	(47.59 - 57.58)	52.85	(48.43 - 57.24)
Region 4	14.58	(11.15 - 18.85)	*	(* - *)	*	(* - *)	47.57	(41.22 - 53.99)
Region 5	15.00	(11.58 - 19.20)	*	(* - *)	*	(* - *)	42.64	(36.61 - 48.91)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	13.97	(11.88 - 16.35)	59.40	(55.96 - 62.74)	49.04	(45.36 - 52.73)	50.41	(47.15 - 53.67)
Hawaii Island	15.84	(11.95 - 20.71)	*	(* - *)	*	(* - *)	51.74	(45.03 - 58.39)
Honolulu	13.42	(11.02 - 16.25)	60.44	(56.50 - 64.25)	47.71	(43.44 - 52.02)	49.48	(45.72 - 53.24)
Kauai and Maui**	14.65	(11.50 - 18.50)	54.17	(47.64 - 60.55)	53.49	(46.85 - 60.00)	53.56	(47.45 - 59.57)
Maui	13.92	(10.35 - 18.46)	*	(* - *)	*	(* - *)	*	(* - *)
Idaho	16.04	(13.94 - 18.39)	54.28	(51.13 - 57.41)	49.70	(46.48 - 52.93)	50.47	(47.64 - 53.29)
Region 1	18.47	(14.28 - 23.55)	*	(* - *)	*	(* - *)	56.25	(49.83 - 62.48)
Region 2	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
Region 3	16.91	(13.29 - 21.27)	*	(* - *)	39.12	(33.27 - 45.30)	40.16	(34.93 - 45.62)
Region 4	16.40	(12.73 - 20.88)	65.35	(59.90 - 70.41)	60.05	(53.82 - 65.97)	60.92	(55.51 - 66.08)
Region 5	16.79	(13.06 - 21.33)	*	(* - *)	*	(* - *)	48.80	(42.11 - 55.54)
Region 6	13.95	(10.43 - 18.43)	*	(* - *)	*	(* - *)	40.78	(34.44 - 47.44)
Region 7	12.43	(9.08 - 16.78)	*	(* - *)	*	(* - *)	*	(* - *)
Illinois	16.98	(15.75 - 18.28)	64.67	(63.00 - 66.31)	55.88	(54.02 - 57.72)	57.21	(55.60 - 58.80)
Region I (Cook)	17.62	(15.65 - 19.78)	63.76	(61.18 - 66.26)	55.96	(53.12 - 58.77)	57.16	(54.70 - 59.58)
Region II	16.23	(14.34 - 18.31)	66.18	(63.18 - 69.06)	60.45	(57.51 - 63.31)	61.27	(58.68 - 63.79)
Region III	17.15	(14.34 - 20.38)	65.35	(61.32 - 69.16)	52.74	(48.09 - 57.35)	54.93	(50.94 - 58.85)
Region IV	18.21	(14.87 - 22.09)	63.85	(58.55 - 68.83)	51.81	(46.35 - 57.22)	53.55	(48.68 - 58.35)
Region V	15.51	(12.76 - 18.72)	64.07	(59.67 - 68.25)	47.96	(42.90 - 53.06)	50.36	(45.91 - 54.82)
Indiana	15.48	(13.52 - 17.66)	61.23	(58.13 - 64.24)	52.41	(49.10 - 55.70)	53.76	(50.86 - 56.64)
Central	14.94	(11.84 - 18.69)	62.12	(56.40 - 67.53)	58.44	(52.49 - 64.15)	58.96	(53.66 - 64.06)
East	14.15	(10.65 - 18.55)	*	(* - *)	*	(* - *)	*	(* - *)
North Central	14.68	(11.20 - 19.00)	*	(* - *)	*	(* - *)	51.90	(45.60 - 58.15)
Northeast	14.40	(10.91 - 18.76)	*	(* - *)	*	(* - *)	50.80	(44.02 - 57.56)
Northwest	16.57	(12.83 - 21.13)	59.65	(52.84 - 66.11)	*	(* - *)	57.23	(50.88 - 63.36)
Southeast	17.88	(13.79 - 22.85)	*	(* - *)	*	(* - *)	*	(* - *)
Southwest	17.04	(12.96 - 22.07)	*	(* - *)	*	(* - *)	*	(* - *)
West	15.31	(11.61 - 19.93)	66.41	(60.12 - 72.16)	*	(* - *)	55.54	(49.26 - 61.65)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	18.59	(16.39 - 21.02)	69.07	(66.02 - 71.97)	54.87	(51.57 - 58.13)	57.08	(54.15 - 59.95)
Central	19.21	(15.08 - 24.14)	67.42	(60.81 - 73.41)	*	(* - *)	56.66	(50.49 - 62.64)
North Central	16.24	(12.21 - 21.27)	70.98	(64.49 - 76.71)	*	(* - *)	57.13	(50.46 - 63.56)
Northeast	20.78	(16.93 - 25.23)	76.65	(71.51 - 81.11)	62.12	(56.14 - 67.76)	64.40	(59.15 - 69.32)
Northwest	19.16	(15.15 - 23.93)	*	(* - *)	51.75	(45.30 - 58.15)	53.50	(47.64 - 59.26)
Southeast	16.77	(13.03 - 21.33)	65.71	(59.56 - 71.37)	51.47	(45.35 - 57.54)	53.83	(48.41 - 59.17)
Southwest	17.83	(13.87 - 22.62)	*	(* - *)	*	(* - *)	*	(* - *)
Kansas	20.12	(17.70 - 22.78)	66.86	(63.52 - 70.04)	53.61	(50.03 - 57.15)	55.76	(52.61 - 58.86)
Kansas City Metro	21.33	(17.48 - 25.77)	70.74	(65.84 - 75.20)	60.63	(54.92 - 66.06)	62.31	(57.36 - 67.02)
Northeast	20.16	(16.12 - 24.92)	69.93	(63.43 - 75.71)	53.92	(47.37 - 60.34)	56.71	(50.91 - 62.32)
South Central	18.12	(14.21 - 22.83)	*	(* - *)	*	(* - *)	46.26	(40.16 - 52.48)
Southeast	20.43	(15.62 - 26.25)	*	(* - *)	*	(* - *)	*	(* - *)
West	20.74	(16.33 - 25.97)	*	(* - *)	*	(* - *)	*	(* - *)
Wichita (Sedgwick)	18.89	(14.65 - 24.01)	67.14	(60.99 - 72.75)	54.83	(48.31 - 61.18)	56.77	(50.99 - 62.38)
Kentucky	17.10	(15.09 - 19.32)	56.16	(52.92 - 59.34)	43.00	(39.69 - 46.38)	44.87	(41.93 - 47.85)
Adanta, Cumberland River, and Lifeskills	17.24	(13.47 - 21.79)	48.05	(41.30 - 54.86)	*	(* - *)	37.83	(31.94 - 44.09)
Bluegrass, Comprehend, and North Key	18.44	(14.96 - 22.52)	59.62	(54.12 - 64.88)	46.95	(41.31 - 52.67)	48.91	(43.97 - 53.88)
Communicare and River Valley	15.67	(11.90 - 20.35)	*	(* - *)	*	(* - *)	41.53	(35.31 - 48.02)
Four Rivers and Pennyroyal	17.92	(13.81 - 22.92)	*	(* - *)	*	(* - *)	43.25	(36.66 - 50.09)
Kentucky River, Mountain, and Pathways	13.98	(10.82 - 17.87)	44.49	(38.02 - 51.16)	*	(* - *)	30.42	(25.16 - 36.24)
Seven Counties	17.36	(13.92 - 21.44)	64.33	(58.20 - 70.02)	54.23	(48.22 - 60.13)	55.53	(50.06 - 60.87)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	17.44	(15.39 - 19.70)	58.46	(55.18 - 61.66)	51.15	(47.69 - 54.60)	52.37	(49.36 - 55.36)
Region 1	13.49	(9.66 - 18.54)	*	(* - *)	*	(* - *)	*	(* - *)
Regions 2 and 9	19.60	(15.88 - 23.95)	60.07	(54.70 - 65.21)	56.95	(51.19 - 62.53)	57.50	(52.53 - 62.32)
Region 3	17.61	(13.61 - 22.48)	*	(* - *)	*	(* - *)	53.00	(46.29 - 59.60)
Region 4	17.71	(13.88 - 22.33)	*	(* - *)	*	(* - *)	50.52	(43.81 - 57.21)
Regions 5 and 6	19.89	(15.64 - 24.96)	*	(* - *)	*	(* - *)	50.32	(44.17 - 56.46)
Regions 7 and 8	14.56	(11.50 - 18.27)	54.80	(48.50 - 60.96)	42.26	(35.97 - 48.81)	44.37	(38.78 - 50.10)
Region 10 (Jefferson)	19.09	(14.69 - 24.43)	*	(* - *)	*	(* - *)	*	(* - *)
Maine	18.66	(16.45 - 21.08)	65.69	(62.70 - 68.56)	54.77	(51.42 - 58.07)	56.20	(53.22 - 59.14)
Aroostook/Downeast	18.44	(14.24 - 23.54)	*	(* - *)	*	(* - *)	*	(* - *)
Central	18.11	(14.18 - 22.84)	61.36	(54.76 - 67.57)	*	(* - *)	*	(* - *)
Cumberland	19.33	(15.31 - 24.10)	72.01	(66.45 - 76.97)	64.05	(58.06 - 69.63)	65.11	(59.73 - 70.13)
Midcoast	18.89	(14.68 - 23.96)	*	(* - *)	*	(* - *)	*	(* - *)
Penquis	19.05	(14.76 - 24.24)	67.31	(61.02 - 73.04)	*	(* - *)	56.86	(50.12 - 63.35)
Western	19.50	(15.27 - 24.56)	62.79	(56.44 - 68.73)	*	(* - *)	53.09	(46.78 - 59.30)
York	17.07	(13.36 - 21.55)	*	(* - *)	57.27	(50.46 - 63.82)	58.52	(52.27 - 64.52)
Maryland	15.73	(13.85 - 17.81)	62.80	(59.58 - 65.91)	56.41	(52.94 - 59.82)	57.31	(54.21 - 60.35)
Anne Arundel	17.46	(13.37 - 22.47)	*	(* - *)	*	(* - *)	*	(* - *)
Baltimore City	13.02	(9.82 - 17.07)	57.03	(50.19 - 63.61)	*	(* - *)	48.78	(42.37 - 55.22)
Baltimore County	16.59	(12.79 - 21.25)	67.10	(60.91 - 72.76)	*	(* - *)	*	(* - *)
Montgomery	17.16	(13.38 - 21.75)	*	(* - *)	*	(* - *)	61.56	(55.07 - 67.66)
North Central	19.31	(14.74 - 24.87)	*	(* - *)	*	(* - *)	*	(* - *)
Northeast	18.88	(14.49 - 24.23)	*	(* - *)	*	(* - *)	*	(* - *)
Prince George's	9.69	(7.09 - 13.10)	53.53	(46.78 - 60.16)	*	(* - *)	46.86	(40.59 - 53.23)
South	16.57	(12.81 - 21.18)	*	(* - *)	*	(* - *)	*	(* - *)
West	17.26	(13.29 - 22.12)	*	(* - *)	*	(* - *)	*	(* - *)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	19.18	(16.89 - 21.69)	71.06	(68.01 - 73.93)	62.40	(59.11 - 65.58)	63.62	(60.69 - 66.46)
Boston	16.48	(12.44 - 21.51)	67.92	(61.89 - 73.40)	58.14	(51.36 - 64.62)	60.16	(54.29 - 65.75)
Central	18.19	(13.90 - 23.45)	72.17	(65.64 - 77.87)	*	(* - *)	62.65	(56.10 - 68.77)
Metrowest	18.44	(14.78 - 22.78)	75.54	(69.82 - 80.47)	66.64	(60.67 - 72.13)	67.78	(62.37 - 72.75)
Northeast	19.95	(15.94 - 24.69)	67.40	(61.16 - 73.08)	59.77	(53.60 - 65.64)	60.74	(55.14 - 66.07)
Southeast	21.58	(17.28 - 26.60)	71.92	(65.76 - 77.35)	64.17	(57.82 - 70.05)	65.12	(59.36 - 70.46)
Western	19.00	(14.86 - 23.98)	70.88	(64.91 - 76.21)	*	(* - *)	62.33	(55.95 - 68.31)
Michigan	16.58	(15.48 - 17.75)	67.54	(65.97 - 69.07)	57.98	(56.20 - 59.73)	59.40	(57.84 - 60.93)
Bay	19.99	(16.09 - 24.55)	*	(* - *)	53.39	(46.88 - 59.79)	55.42	(49.49 - 61.20)
Detroit City	10.36	(8.26 - 12.90)	51.68	(46.64 - 56.69)	42.87	(37.74 - 48.16)	44.26	(39.72 - 48.90)
Genesee	15.63	(12.58 - 19.24)	66.34	(60.61 - 71.63)	55.47	(49.50 - 61.28)	57.03	(51.69 - 62.22)
Kalamazoo	17.01	(14.00 - 20.50)	68.07	(63.18 - 72.60)	55.59	(49.97 - 61.08)	57.63	(52.77 - 62.34)
Kent	16.62	(13.50 - 20.31)	69.12	(64.34 - 73.52)	58.33	(52.31 - 64.11)	60.18	(54.98 - 65.16)
Lakeshore	18.89	(15.58 - 22.71)	62.37	(57.25 - 67.23)	55.01	(49.48 - 60.42)	56.15	(51.28 - 60.91)
Macomb	18.99	(15.82 - 22.61)	71.58	(66.69 - 76.01)	61.94	(56.99 - 66.65)	63.21	(58.76 - 67.44)
Mid South	17.39	(14.44 - 20.78)	74.87	(70.85 - 78.51)	56.40	(51.48 - 61.19)	59.66	(55.43 - 63.75)
Northern	16.53	(13.62 - 19.93)	68.72	(63.83 - 73.22)	56.20	(50.89 - 61.36)	57.94	(53.25 - 62.49)
Oakland	16.96	(14.37 - 19.93)	69.15	(64.75 - 73.22)	65.96	(61.74 - 69.95)	66.35	(62.58 - 69.93)
Pathways	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
Saginaw	17.60	(13.56 - 22.53)	*	(* - *)	*	(* - *)	*	(* - *)
Southeast	16.19	(13.56 - 19.21)	66.45	(62.44 - 70.25)	59.65	(55.17 - 63.97)	60.55	(56.58 - 64.39)
St. Clair	17.90	(13.86 - 22.81)	*	(* - *)	*	(* - *)	63.19	(56.57 - 69.35)
Washtenaw	16.68	(13.67 - 20.18)	73.52	(68.57 - 77.95)	67.87	(62.36 - 72.92)	68.95	(64.21 - 73.33)
Western	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
Minnesota	18.42	(16.06 - 21.03)	70.87	(67.75 - 73.81)	64.44	(61.11 - 67.64)	65.43	(62.48 - 68.26)
Regions 1 and 2	21.19	(16.29 - 27.09)	*	(* - *)	*	(* - *)	*	(* - *)
Regions 3 and 4	18.54	(14.59 - 23.26)	68.69	(62.44 - 74.32)	62.06	(55.79 - 67.96)	63.15	(57.57 - 68.40)
Regions 5 and 6	21.97	(17.77 - 26.85)	69.14	(62.80 - 74.84)	63.18	(56.77 - 69.17)	64.12	(58.43 - 69.43)
Region 7A (Hennepin)	16.13	(12.53 - 20.53)	71.04	(65.34 - 76.14)	66.17	(60.04 - 71.80)	66.90	(61.47 - 71.91)
Region 7B (Ramsey)	15.58	(11.65 - 20.55)	*	(* - *)	*	(* - *)	*	(* - *)
Region 7C	17.00	(13.38 - 21.37)	73.90	(67.99 - 79.06)	70.73	(64.99 - 75.88)	71.18	(65.98 - 75.88)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	14.16	(12.27 - 16.29)	48.60	(45.39 - 51.82)	37.54	(34.36 - 40.82)	39.34	(36.55 - 42.21)
Region 1	13.65	(10.32 - 17.84)	48.55	(41.99 - 55.16)	33.71	(28.07 - 39.85)	36.02	(30.91 - 41.46)
Region 2	13.84	(10.72 - 17.69)	*	(* - *)	35.39	(29.17 - 42.15)	36.45	(30.85 - 42.45)
Region 3	13.48	(10.22 - 17.57)	47.94	(41.51 - 54.44)	*	(* - *)	35.90	(30.19 - 42.04)
Region 4	14.89	(11.54 - 19.01)	51.93	(45.33 - 58.45)	46.37	(39.73 - 53.15)	47.29	(41.35 - 53.30)
Region 5	12.98	(9.59 - 17.34)	*	(* - *)	*	(* - *)	*	(* - *)
Region 6	14.03	(10.65 - 18.26)	*	(* - *)	*	(* - *)	36.18	(30.24 - 42.56)
Region 7	15.55	(12.00 - 19.91)	55.57	(49.06 - 61.88)	43.31	(36.70 - 50.16)	45.18	(39.25 - 51.24)
Missouri	18.36	(16.24 - 20.69)	65.59	(62.39 - 68.65)	50.21	(46.72 - 53.69)	52.53	(49.47 - 55.57)
Central	17.27	(13.44 - 21.92)	67.28	(60.87 - 73.11)	*	(* - *)	48.27	(42.19 - 54.40)
Eastern	19.01	(15.95 - 22.50)	70.39	(65.81 - 74.60)	57.74	(52.66 - 62.66)	59.55	(55.03 - 63.92)
Eastern (St. Louis City and County)	16.94	(13.58 - 20.94)	70.62	(64.91 - 75.74)	57.64	(51.53 - 63.53)	59.50	(54.04 - 64.74)
Eastern (excluding St. Louis)	22.67	(17.80 - 28.42)	*	(* - *)	*	(* - *)	59.65	(53.00 - 65.97)
Northwest	18.01	(14.83 - 21.69)	66.62	(61.16 - 71.66)	52.79	(47.09 - 58.43)	54.87	(49.74 - 59.90)
Northwest (Jackson)	17.10	(13.08 - 22.04)	*	(* - *)	*	(* - *)	*	(* - *)
Northwest (excluding Jackson)	18.79	(14.60 - 23.85)	*	(* - *)	*	(* - *)	53.04	(46.20 - 59.75)
Southeast	20.35	(15.95 - 25.59)	*	(* - *)	*	(* - *)	*	(* - *)
Southwest	16.72	(13.03 - 21.21)	59.86	(53.51 - 65.89)	41.74	(35.46 - 48.31)	44.51	(38.88 - 50.27)
Montana	21.43	(19.02 - 24.06)	70.47	(67.45 - 73.32)	58.36	(54.84 - 61.80)	60.20	(57.12 - 63.20)
Region 1	22.73	(17.90 - 28.41)	*	(* - *)	*	(* - *)	*	(* - *)
Region 2	20.68	(16.43 - 25.71)	*	(* - *)	*	(* - *)	55.57	(48.93 - 62.02)
Region 3	22.32	(18.16 - 27.12)	70.38	(64.61 - 75.56)	56.46	(50.03 - 62.68)	58.43	(52.70 - 63.95)
Region 4	19.31	(15.63 - 23.63)	75.17	(70.59 - 79.24)	62.21	(56.37 - 67.71)	64.37	(59.32 - 69.13)
Region 5	22.59	(18.62 - 27.13)	70.30	(65.34 - 74.82)	59.81	(54.14 - 65.23)	61.43	(56.47 - 66.18)
Nebraska	18.55	(16.30 - 21.03)	71.52	(68.44 - 74.42)	56.21	(52.73 - 59.64)	58.69	(55.65 - 61.67)
Regions 1 and 2	19.85	(15.15 - 25.56)	*	(* - *)	*	(* - *)	*	(* - *)
Region 3	20.03	(15.32 - 25.75)	*	(* - *)	*	(* - *)	*	(* - *)
Region 4	19.17	(15.22 - 23.84)	*	(* - *)	*	(* - *)	50.06	(43.58 - 56.53)
Region 5	19.08	(15.47 - 23.30)	74.24	(69.48 - 78.48)	56.84	(50.86 - 62.63)	60.10	(54.95 - 65.03)
Region 6	17.11	(13.98 - 20.78)	74.00	(69.36 - 78.16)	58.48	(53.49 - 63.30)	61.00	(56.64 - 65.19)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	15.72	(13.50 - 18.22)	59.48	(55.86 - 63.00)	52.92	(49.37 - 56.43)	53.81	(50.66 - 56.94)
Clark	14.46	(11.86 - 17.53)	58.16	(53.82 - 62.37)	51.90	(47.61 - 56.16)	52.77	(48.97 - 56.54)
Rural	18.97	(15.01 - 23.68)	*	(* - *)	56.12	(49.45 - 62.58)	56.56	(50.42 - 62.51)
Washoe	18.07	(14.08 - 22.88)	65.05	(58.51 - 71.07)	*	(* - *)	56.23	(49.85 - 62.40)
New Hampshire	18.05	(15.79 - 20.55)	72.23	(69.16 - 75.10)	63.89	(60.66 - 67.00)	65.03	(62.14 - 67.81)
Central	18.71	(15.36 - 22.59)	73.72	(69.14 - 77.84)	61.36	(55.79 - 66.64)	63.17	(58.18 - 67.91)
Central 1	17.51	(13.40 - 22.55)	74.48	(68.45 - 79.70)	*	(* - *)	61.74	(55.11 - 67.95)
Central 2	19.90	(15.53 - 25.14)	72.75	(66.36 - 78.33)	*	(* - *)	*	(* - *)
Northern	20.57	(16.12 - 25.88)	*	(* - *)	*	(* - *)	66.57	(60.22 - 72.38)
Southern	17.20	(14.62 - 20.13)	70.40	(66.52 - 74.01)	64.85	(61.00 - 68.51)	65.57	(62.14 - 68.84)
Southern 1 (Rockingham)	17.99	(14.37 - 22.29)	73.39	(67.50 - 78.56)	68.05	(62.59 - 73.05)	68.66	(63.67 - 73.26)
Southern 2	16.72	(13.66 - 20.32)	68.90	(64.03 - 73.39)	62.84	(57.75 - 67.65)	63.69	(59.17 - 67.97)
New Jersey	19.66	(17.30 - 22.25)	64.71	(61.25 - 68.02)	58.47	(54.87 - 61.99)	59.28	(56.06 - 62.43)
Central	18.96	(15.04 - 23.62)	66.14	(59.47 - 72.23)	62.86	(56.34 - 68.94)	63.25	(57.30 - 68.82)
Metropolitan	18.11	(14.45 - 22.45)	62.79	(56.89 - 68.34)	57.41	(51.23 - 63.36)	58.17	(52.67 - 63.47)
Northern	19.30	(15.85 - 23.30)	63.95	(58.38 - 69.17)	57.48	(52.10 - 62.70)	58.29	(53.42 - 63.01)
Southern	22.50	(18.15 - 27.55)	66.86	(61.15 - 72.11)	56.32	(49.85 - 62.57)	57.72	(51.94 - 63.31)
New Mexico	17.99	(15.68 - 20.56)	58.01	(54.60 - 61.36)	48.59	(45.05 - 52.14)	50.10	(46.97 - 53.23)
Region 1	16.17	(12.74 - 20.30)	48.91	(42.15 - 55.71)	43.17	(37.00 - 49.57)	44.10	(38.54 - 49.81)
Region 2	19.92	(15.39 - 25.40)	*	(* - *)	*	(* - *)	53.04	(46.58 - 59.40)
Region 3 (Bernalillo)	18.24	(14.59 - 22.55)	61.66	(56.42 - 66.65)	54.39	(49.03 - 59.64)	55.58	(50.86 - 60.19)
Region 4	18.10	(13.87 - 23.28)	*	(* - *)	*	(* - *)	44.78	(38.52 - 51.21)
Region 5	18.18	(14.12 - 23.09)	62.76	(56.46 - 68.66)	*	(* - *)	48.57	(42.39 - 54.79)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	19.03	(17.77 - 20.35)	63.69	(61.90 - 65.45)	57.41	(55.45 - 59.34)	58.31	(56.60 - 60.01)
Region A	15.56	(13.81 - 17.49)	56.83	(54.12 - 59.51)	50.76	(47.88 - 53.63)	51.68	(49.15 - 54.21)
Region 1	15.26	(12.13 - 19.03)	46.31	(39.96 - 52.78)	45.68	(39.58 - 51.92)	45.79	(40.29 - 51.38)
Region 2	14.68	(12.13 - 17.67)	55.39	(50.73 - 59.95)	47.59	(43.15 - 52.08)	48.81	(44.91 - 52.73)
Region 3	18.49	(14.45 - 23.35)	74.07	(69.20 - 78.41)	62.64	(57.06 - 67.91)	64.29	(59.32 - 68.98)
Region 4	15.63	(12.61 - 19.21)	52.95	(47.88 - 57.97)	48.79	(43.63 - 53.97)	49.39	(44.81 - 53.98)
Region B	21.29	(19.10 - 23.64)	68.05	(64.77 - 71.17)	65.65	(62.49 - 68.67)	65.95	(63.11 - 68.68)
Region 5	22.21	(19.18 - 25.58)	68.71	(64.29 - 72.82)	68.37	(64.18 - 72.27)	68.41	(64.64 - 71.95)
Region 6	18.95	(15.52 - 22.93)	68.18	(61.71 - 74.02)	61.31	(55.67 - 66.67)	62.14	(57.00 - 67.03)
Region 7	21.80	(17.67 - 26.58)	65.91	(59.54 - 71.75)	*	(* - *)	63.68	(57.56 - 69.38)
Region C	21.29	(19.30 - 23.44)	71.23	(68.80 - 73.56)	60.90	(58.08 - 63.64)	62.42	(59.97 - 64.81)
Region 8	22.60	(18.50 - 27.30)	73.94	(69.09 - 78.26)	62.83	(57.09 - 68.22)	64.42	(59.34 - 69.19)
Region 9	19.73	(16.07 - 23.98)	73.58	(68.62 - 78.02)	58.61	(52.63 - 64.35)	60.85	(55.61 - 65.85)
Region 10	20.27	(16.31 - 24.90)	69.64	(63.89 - 74.83)	56.35	(49.61 - 62.87)	58.80	(52.98 - 64.38)
Region 11	18.09	(14.68 - 22.08)	66.91	(61.69 - 71.75)	57.65	(52.22 - 62.91)	59.01	(54.19 - 63.67)
Region 12	25.11	(21.13 - 29.56)	71.78	(66.76 - 76.30)	65.59	(60.50 - 70.34)	66.43	(61.89 - 70.68)
Region D	21.56	(18.81 - 24.59)	67.11	(62.97 - 71.00)	55.42	(50.92 - 59.85)	57.20	(53.17 - 61.14)
Region 13	20.52	(16.23 - 25.60)	*	(* - *)	*	(* - *)	59.52	(53.13 - 65.59)
Region 14	21.07	(16.70 - 26.22)	*	(* - *)	*	(* - *)	53.44	(46.93 - 59.84)
Region 15	22.89	(18.32 - 28.22)	69.83	(63.68 - 75.34)	*	(* - *)	58.78	(52.50 - 64.78)
North Carolina	14.31	(12.39 - 16.47)	54.28	(51.09 - 57.43)	44.91	(41.50 - 48.37)	46.23	(43.20 - 49.28)
Eastern	14.55	(11.28 - 18.57)	55.80	(49.78 - 61.65)	*	(* - *)	44.98	(39.06 - 51.04)
North Central	14.26	(11.16 - 18.04)	52.82	(46.95 - 58.61)	43.76	(37.57 - 50.16)	45.05	(39.50 - 50.72)
South Central	12.85	(10.11 - 16.21)	54.17	(48.10 - 60.13)	42.09	(36.20 - 48.21)	43.87	(38.56 - 49.32)
Western	15.34	(12.37 - 18.86)	54.51	(49.51 - 59.42)	48.67	(43.55 - 53.82)	49.42	(44.82 - 54.03)
North Dakota	20.60	(18.28 - 23.13)	74.70	(71.78 - 77.42)	60.77	(57.34 - 64.09)	63.20	(60.25 - 66.06)
Badlands and West Central	21.19	(17.43 - 25.51)	72.61	(66.85 - 77.70)	61.93	(56.05 - 67.48)	63.47	(58.21 - 68.42)
Lake Region and South Central	17.94	(14.36 - 22.17)	*	(* - *)	50.76	(44.26 - 57.23)	52.48	(46.54 - 58.34)
North Central and Northwest	19.24	(15.11 - 24.19)	72.94	(67.16 - 78.03)	55.58	(48.77 - 62.20)	58.30	(52.29 - 64.07)
Northeast	19.55	(15.17 - 24.83)	79.08	(73.81 - 83.53)	*	(* - *)	66.88	(61.11 - 72.18)
Southeast	23.33	(19.09 - 28.19)	78.20	(73.55 - 82.24)	68.37	(62.28 - 73.89)	70.49	(65.43 - 75.09)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	17.01	(15.85 - 18.23)	64.93	(63.31 - 66.51)	53.24	(51.46 - 55.01)	54.96	(53.39 - 56.51)
Boards 2, 46, 55, and 68	16.09	(12.57 - 20.35)	61.94	(55.81 - 67.71)	44.31	(37.98 - 50.83)	46.80	(41.05 - 52.64)
Boards 3, 52, and 85	16.00	(12.60 - 20.11)	*	(* - *)	*	(* - *)	55.07	(48.83 - 61.16)
Boards 4 and 78	18.46	(14.63 - 23.02)	63.02	(56.22 - 69.33)	*	(* - *)	54.08	(47.75 - 60.28)
Boards 5 and 60	15.77	(12.24 - 20.10)	61.89	(56.01 - 67.44)	44.33	(37.78 - 51.09)	47.56	(41.87 - 53.32)
Boards 7, 15, 41, 79, and 84	19.15	(15.24 - 23.78)	*	(* - *)	43.57	(37.49 - 49.86)	45.36	(39.72 - 51.12)
Boards 8, 13, and 83	17.69	(14.05 - 22.03)	61.30	(54.70 - 67.51)	54.84	(48.41 - 61.10)	55.73	(49.91 - 61.40)
Board 9 (Butler)	16.74	(13.02 - 21.26)	66.24	(59.83 - 72.10)	*	(* - *)	54.65	(48.39 - 60.76)
Board 12	15.15	(11.69 - 19.40)	*	(* - *)	*	(* - *)	49.34	(43.08 - 55.62)
Boards 18 and 47	15.87	(13.34 - 18.77)	67.44	(63.58 - 71.07)	57.17	(53.04 - 61.20)	58.51	(54.85 - 62.08)
Boards 20, 32, 54, and 69	20.01	(15.95 - 24.80)	67.38	(60.73 - 73.39)	*	(* - *)	58.12	(51.84 - 64.14)
Boards 21, 39, 51, 70, and 80	18.45	(15.01 - 22.47)	64.56	(58.87 - 69.88)	53.67	(47.01 - 60.20)	55.13	(49.14 - 60.98)
Boards 22, 74, and 87	19.18	(15.03 - 24.14)	73.04	(66.80 - 78.49)	*	(* - *)	*	(* - *)
Boards 23 and 45	17.42	(13.81 - 21.73)	64.21	(57.58 - 70.34)	*	(* - *)	52.32	(46.16 - 58.42)
Board 25 (Franklin)	16.13	(13.32 - 19.41)	68.47	(64.47 - 72.21)	58.43	(53.57 - 63.14)	60.24	(56.12 - 64.23)
Boards 27, 71, and 73	15.12	(11.99 - 18.89)	50.12	(43.72 - 56.52)	36.65	(30.84 - 42.88)	38.58	(33.28 - 44.17)
Boards 28, 43, and 67	19.34	(15.58 - 23.75)	72.87	(67.40 - 77.72)	58.84	(52.66 - 64.74)	60.85	(55.35 - 66.10)
Board 31 (Hamilton)	18.42	(15.23 - 22.10)	64.08	(58.83 - 69.01)	56.99	(51.46 - 62.34)	58.07	(53.24 - 62.75)
Board 48 (Lucas)	16.70	(13.43 - 20.57)	67.36	(61.88 - 72.40)	53.91	(47.39 - 60.31)	56.02	(50.25 - 61.63)
Boards 50 and 76	18.20	(14.86 - 22.09)	64.76	(59.14 - 69.99)	54.56	(48.53 - 60.46)	55.89	(50.43 - 61.21)
Board 57 (Montgomery)	14.72	(11.59 - 18.51)	64.28	(58.60 - 69.59)	52.88	(46.76 - 58.92)	54.59	(49.12 - 59.95)
Board 77 (Summit)	15.87	(12.56 - 19.85)	70.19	(64.40 - 75.40)	57.09	(50.84 - 63.12)	58.83	(53.15 - 64.28)
Oklahoma	16.55	(14.35 - 19.02)	53.97	(50.53 - 57.37)	42.56	(39.20 - 45.99)	44.39	(41.42 - 47.39)
Central	14.39	(10.75 - 19.00)	*	(* - *)	*	(* - *)	45.10	(38.58 - 51.80)
East Central	17.24	(13.12 - 22.32)	*	(* - *)	*	(* - *)	37.15	(31.00 - 43.74)
Northeast	16.05	(11.95 - 21.22)	*	(* - *)	*	(* - *)	45.85	(39.83 - 52.00)
Northwest and Southwest	18.47	(14.38 - 23.40)	*	(* - *)	*	(* - *)	45.10	(38.62 - 51.74)
Oklahoma County	15.64	(11.90 - 20.28)	53.45	(46.74 - 60.03)	43.75	(37.34 - 50.38)	45.39	(39.67 - 51.23)
Southeast	16.61	(12.89 - 21.13)	*	(* - *)	35.50	(29.31 - 42.20)	36.97	(31.31 - 43.00)
Tulsa County	17.18	(13.30 - 21.89)	59.03	(52.60 - 65.16)	*	(* - *)	52.58	(46.46 - 58.63)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	18.47	(16.26 - 20.90)	62.02	(58.57 - 65.35)	59.48	(56.10 - 62.77)	59.84	(56.84 - 62.77)
Region 1 (Multnomah)	17.84	(13.75 - 22.83)	63.59	(56.98 - 69.72)	63.28	(56.47 - 69.60)	63.33	(57.29 - 68.98)
Region 2	17.63	(14.31 - 21.53)	60.81	(54.45 - 66.82)	63.65	(58.06 - 68.89)	63.25	(58.24 - 68.00)
Region 3	17.22	(13.84 - 21.23)	63.19	(58.20 - 67.91)	56.67	(51.11 - 62.06)	57.70	(52.88 - 62.36)
Region 4	20.87	(16.32 - 26.30)	*	(* - *)	54.64	(47.85 - 61.26)	55.37	(49.10 - 61.48)
Region 5	21.53	(16.68 - 27.32)	*	(* - *)	*	(* - *)	*	(* - *)
Pennsylvania	16.62	(15.45 - 17.87)	64.27	(62.63 - 65.89)	55.66	(53.82 - 57.48)	56.87	(55.27 - 58.47)
Region 1 (Allegheny)	17.97	(14.94 - 21.47)	74.98	(70.49 - 78.99)	63.46	(58.56 - 68.11)	64.99	(60.58 - 69.15)
Regions 2, 3, 8, and 9	17.16	(13.81 - 21.14)	66.33	(60.78 - 71.47)	53.40	(47.30 - 59.41)	55.25	(49.80 - 60.58)
Regions 4, 11, 37, and 49	17.93	(14.65 - 21.76)	63.16	(57.95 - 68.08)	56.27	(50.73 - 61.65)	57.16	(52.19 - 62.00)
Regions 5, 18, 23, 24, and 46	15.14	(12.16 - 18.70)	56.46	(50.99 - 61.78)	44.29	(39.15 - 49.55)	45.99	(41.39 - 50.67)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	16.05	(12.98 - 19.67)	69.25	(64.76 - 73.40)	51.84	(46.39 - 57.24)	55.06	(50.43 - 59.61)
Regions 7, 13, 20, and 33	19.00	(16.52 - 21.77)	71.07	(67.41 - 74.48)	65.54	(61.89 - 69.00)	66.25	(63.01 - 69.35)
Regions 10, 14, 15, 27, 32, 43, and 44	15.02	(11.73 - 19.03)	60.46	(54.24 - 66.36)	49.80	(43.76 - 55.84)	51.22	(45.74 - 56.67)
Regions 17 and 21	18.10	(14.18 - 22.81)	67.35	(61.01 - 73.11)	*	(* - *)	59.93	(53.65 - 65.89)
Regions 19, 26, 28, and 42	15.60	(12.95 - 18.68)	58.79	(54.61 - 62.83)	51.70	(47.03 - 56.33)	52.67	(48.52 - 56.78)
Regions 22, 38, 40, 41, and 48	16.29	(13.14 - 20.01)	61.50	(55.79 - 66.91)	52.86	(47.41 - 58.23)	53.90	(48.95 - 58.77)
Regions 25 and 30	17.40	(13.91 - 21.53)	65.97	(59.97 - 71.50)	56.20	(50.15 - 62.07)	57.46	(51.97 - 62.78)
Regions 29 and 34	15.30	(11.94 - 19.39)	61.59	(54.90 - 67.86)	54.23	(47.54 - 60.76)	55.22	(49.18 - 61.11)
Region 36 (Philadelphia)	13.58	(11.07 - 16.55)	54.63	(50.66 - 58.54)	47.66	(42.58 - 52.78)	48.85	(44.50 - 53.21)
Rhode Island	20.05	(17.42 - 22.98)	73.74	(70.50 - 76.75)	63.70	(60.25 - 67.01)	65.25	(62.21 - 68.17)
Bristol and Newport	22.90	(17.80 - 28.95)	*	(* - *)	*	(* - *)	69.02	(62.57 - 74.80)
Kent	17.85	(13.59 - 23.08)	*	(* - *)	*	(* - *)	65.25	(58.83 - 71.16)
Providence	19.81	(16.49 - 23.61)	73.06	(68.82 - 76.93)	60.96	(56.44 - 65.30)	62.97	(59.04 - 66.73)
Washington	20.97	(16.48 - 26.30)	78.84	(73.42 - 83.41)	71.05	(64.50 - 76.82)	72.32	(66.56 - 77.43)
South Carolina	14.03	(12.15 - 16.15)	54.40	(51.07 - 57.70)	46.08	(42.72 - 49.47)	47.31	(44.34 - 50.30)
Region 1	13.28	(10.34 - 16.91)	50.58	(44.41 - 56.73)	41.10	(35.51 - 46.93)	42.46	(37.42 - 47.66)
Region 2	15.64	(12.49 - 19.41)	56.65	(51.39 - 61.77)	47.97	(42.32 - 53.68)	49.28	(44.26 - 54.31)
Region 3	12.22	(9.50 - 15.58)	*	(* - *)	42.69	(36.61 - 49.00)	43.49	(37.91 - 49.24)
Region 4	14.09	(11.07 - 17.77)	59.39	(53.81 - 64.74)	51.50	(45.45 - 57.51)	52.72	(47.39 - 57.99)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	20.88	(18.49 - 23.49)	72.89	(69.78 - 75.80)	61.81	(58.54 - 64.97)	63.62	(60.77 - 66.37)
Region 1	21.50	(16.94 - 26.89)	74.07	(67.98 - 79.35)	60.47	(53.97 - 66.61)	62.69	(56.95 - 68.09)
Region 2	19.32	(15.49 - 23.82)	77.43	(72.60 - 81.62)	66.15	(60.29 - 71.56)	68.08	(63.05 - 72.73)
Region 3	22.99	(18.66 - 27.98)	72.75	(66.80 - 77.98)	*	(* - *)	63.95	(57.95 - 69.53)
Region 4	22.54	(17.49 - 28.54)	*	(* - *)	*	(* - *)	*	(* - *)
Region 5	23.12	(18.04 - 29.12)	*	(* - *)	*	(* - *)	*	(* - *)
Region 6	19.26	(14.87 - 24.57)	*	(* - *)	*	(* - *)	*	(* - *)
Region 7	18.66	(14.63 - 23.51)	*	(* - *)	59.58	(53.08 - 65.76)	60.85	(55.00 - 66.40)
Tennessee	13.83	(11.94 - 15.95)	54.52	(51.30 - 57.70)	42.38	(39.01 - 45.81)	44.09	(41.09 - 47.14)
Region 1	15.78	(11.80 - 20.78)	*	(* - *)	*	(* - *)	*	(* - *)
Region 2	14.71	(11.25 - 19.02)	57.28	(51.05 - 63.28)	41.43	(35.18 - 47.97)	43.61	(37.97 - 49.42)
Region 3	13.97	(10.90 - 17.73)	50.68	(44.36 - 56.98)	40.44	(34.20 - 47.02)	41.85	(36.19 - 47.73)
Region 4 (Davidson)	12.76	(9.34 - 17.20)	*	(* - *)	*	(* - *)	*	(* - *)
Region 5	14.22	(11.20 - 17.90)	55.75	(49.81 - 61.53)	45.11	(39.31 - 51.03)	46.63	(41.42 - 51.91)
Region 6	14.05	(10.59 - 18.41)	*	(* - *)	*	(* - *)	36.63	(30.31 - 43.44)
Region 7 (Shelby)	11.76	(8.92 - 15.35)	*	(* - *)	*	(* - *)	48.15	(41.75 - 54.63)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	16.29	(15.14 - 17.51)	58.08	(56.43 - 59.72)	52.43	(50.63 - 54.21)	53.36	(51.80 - 54.91)
Region 1	19.07	(15.10 - 23.79)	63.40	(57.51 - 68.91)	*	(* - *)	51.28	(45.33 - 57.21)
Region 2	18.11	(14.23 - 22.76)	*	(* - *)	48.14	(41.43 - 54.91)	49.81	(43.78 - 55.85)
Region 3	14.07	(12.33 - 16.02)	58.50	(55.43 - 61.51)	53.17	(50.17 - 56.15)	54.02	(51.39 - 56.64)
Region 3a	13.48	(11.33 - 15.98)	58.00	(54.09 - 61.80)	55.06	(51.43 - 58.64)	55.54	(52.36 - 58.69)
Region 3bc	15.10	(12.43 - 18.22)	59.45	(54.63 - 64.10)	49.86	(45.13 - 54.59)	51.34	(47.17 - 55.48)
Region 4	16.39	(12.95 - 20.54)	51.28	(44.72 - 57.81)	45.60	(39.28 - 52.06)	46.37	(40.62 - 52.22)
Region 5	16.17	(12.55 - 20.60)	*	(* - *)	43.99	(37.81 - 50.35)	45.93	(40.27 - 51.70)
Region 6	15.28	(13.18 - 17.64)	56.74	(53.61 - 59.81)	57.37	(53.89 - 60.78)	57.27	(54.26 - 60.23)
Region 6a	15.21	(12.95 - 17.77)	56.03	(52.64 - 59.36)	57.60	(53.79 - 61.31)	57.34	(54.07 - 60.55)
Region 6bc	15.86	(12.00 - 20.68)	*	(* - *)	*	(* - *)	56.70	(50.36 - 62.84)
Region 7	18.41	(15.73 - 21.44)	62.91	(59.03 - 66.64)	58.24	(54.05 - 62.31)	59.17	(55.59 - 62.66)
Region 7a	17.77	(14.42 - 21.72)	64.43	(59.39 - 69.17)	60.63	(55.52 - 65.53)	61.35	(56.91 - 65.60)
Region 7bcd	19.27	(15.38 - 23.86)	60.86	(55.29 - 66.17)	54.39	(47.93 - 60.71)	55.79	(50.33 - 61.11)
Region 8	17.57	(14.62 - 20.98)	60.58	(55.75 - 65.21)	50.34	(45.75 - 54.93)	51.91	(47.82 - 55.98)
Region 9	17.72	(13.66 - 22.65)	*	(* - *)	*	(* - *)	46.10	(39.71 - 52.61)
Region 10	17.00	(13.33 - 21.44)	*	(* - *)	*	(* - *)	47.75	(41.63 - 53.95)
Region 11	18.62	(15.64 - 22.03)	54.13	(49.00 - 59.18)	45.60	(40.58 - 50.71)	47.13	(42.68 - 51.61)
Region 11abd	20.20	(16.20 - 24.89)	57.65	(50.97 - 64.05)	48.81	(42.40 - 55.27)	50.33	(44.62 - 56.04)
Region 11c (Hidalgo)	15.79	(12.32 - 20.02)	*	(* - *)	*	(* - *)	40.69	(34.89 - 46.76)
Utah	11.46	(9.38 - 13.93)	34.06	(30.89 - 37.37)	32.61	(29.09 - 36.34)	32.93	(30.03 - 35.97)
Bear River, Northeastern, Summit, Tooele, and Wasatch	11.52	(8.10 - 16.14)	*	(* - *)	*	(* - *)	31.93	(26.34 - 38.10)
Central, Four Corners, San Juan, and Southwest	10.64	(7.70 - 14.52)	*	(* - *)	*	(* - *)	24.80	(19.71 - 30.71)
Davis County	11.53	(8.11 - 16.13)	*	(* - *)	*	(* - *)	31.52	(25.74 - 37.94)
Salt Lake County	12.65	(9.92 - 15.99)	41.40	(36.59 - 46.38)	39.05	(33.88 - 44.47)	39.52	(35.14 - 44.07)
Utah County	8.42	(5.72 - 12.22)	23.80	(18.82 - 29.62)	*	(* - *)	22.95	(18.21 - 28.50)
Weber, Morgan	13.70	(9.81 - 18.81)	*	(* - *)	*	(* - *)	34.94	(28.84 - 41.57)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	19.16	(16.95 - 21.59)	71.94	(69.05 - 74.66)	62.23	(58.77 - 65.56)	63.64	(60.62 - 66.55)
Champlain Valley	18.34	(15.31 - 21.81)	76.12	(72.26 - 79.58)	65.58	(60.63 - 70.22)	67.42	(63.21 - 71.36)
Rural Northeast	19.80	(16.18 - 24.00)	66.43	(60.58 - 71.82)	54.18	(47.81 - 60.42)	55.87	(50.19 - 61.40)
Rural Southeast	19.46	(15.53 - 24.10)	70.04	(64.28 - 75.23)	65.34	(58.83 - 71.32)	65.87	(59.94 - 71.34)
Rural Southwest	19.90	(15.59 - 25.05)	69.45	(63.16 - 75.09)	*	(* - *)	63.02	(56.55 - 69.06)
Virginia	14.15	(12.24 - 16.30)	62.31	(59.15 - 65.37)	53.36	(49.87 - 56.82)	54.62	(51.54 - 57.67)
Region 1	15.95	(12.37 - 20.32)	64.44	(58.29 - 70.16)	*	(* - *)	55.99	(49.69 - 62.09)
Region 2	12.76	(9.93 - 16.24)	64.49	(58.81 - 69.79)	59.82	(54.10 - 65.29)	60.42	(55.28 - 65.34)
Region 3	15.62	(12.08 - 19.96)	58.51	(52.42 - 64.36)	*	(* - *)	45.74	(39.69 - 51.91)
Region 4	13.80	(10.69 - 17.64)	59.05	(52.97 - 64.86)	52.05	(45.46 - 58.58)	52.99	(47.03 - 58.87)
Region 5	13.62	(10.53 - 17.44)	63.68	(57.73 - 69.25)	53.85	(47.42 - 60.16)	55.43	(49.76 - 60.96)
Washington	16.63	(14.53 - 18.98)	63.90	(60.58 - 67.09)	59.32	(55.94 - 62.62)	59.98	(57.00 - 62.90)
Region 1	17.35	(13.46 - 22.07)	*	(* - *)	*	(* - *)	59.00	(52.31 - 65.38)
Region 2	15.51	(11.89 - 19.99)	*	(* - *)	*	(* - *)	47.22	(40.76 - 53.78)
Region 3	15.51	(11.98 - 19.83)	*	(* - *)	*	(* - *)	60.44	(54.20 - 66.36)
Region 4 (King)	16.08	(12.79 - 20.02)	66.90	(61.32 - 72.05)	63.23	(57.68 - 68.45)	63.74	(58.78 - 68.42)
Region 5	16.56	(12.86 - 21.07)	*	(* - *)	59.58	(53.04 - 65.79)	60.24	(54.34 - 65.85)
Region 6	18.77	(14.90 - 23.36)	61.50	(55.01 - 67.60)	59.76	(53.00 - 66.16)	59.98	(53.93 - 65.75)
West Virginia	15.72	(13.64 - 18.05)	55.01	(51.83 - 58.16)	35.44	(32.14 - 38.88)	38.06	(35.09 - 41.12)
Eastern Highland	16.05	(12.81 - 19.92)	53.97	(47.79 - 60.03)	37.87	(31.74 - 44.41)	39.89	(34.27 - 45.79)
Northern	15.99	(12.86 - 19.72)	65.62	(60.63 - 70.28)	40.09	(34.75 - 45.69)	43.93	(39.12 - 48.87)
Northern A and B	17.70	(13.30 - 23.16)	*	(* - *)	*	(* - *)	*	(* - *)
Northern C and D	15.20	(11.62 - 19.64)	66.37	(60.55 - 71.72)	39.15	(32.84 - 45.86)	43.68	(38.05 - 49.48)
South Central	16.13	(13.38 - 19.31)	52.21	(47.55 - 56.84)	35.19	(30.86 - 39.78)	37.40	(33.44 - 41.53)
South Central I	15.74	(12.03 - 20.33)	*	(* - *)	*	(* - *)	*	(* - *)
South Central II	15.29	(11.34 - 20.30)	*	(* - *)	*	(* - *)	35.15	(28.96 - 41.89)
South Central III	16.96	(13.10 - 21.68)	52.45	(45.62 - 59.18)	38.68	(32.42 - 45.34)	40.36	(34.61 - 46.40)
Southern	14.07	(11.04 - 17.76)	44.55	(38.84 - 50.41)	26.86	(21.98 - 32.38)	29.13	(24.57 - 34.16)
Southern I and III	14.08	(10.49 - 18.63)	*	(* - *)	*	(* - *)	30.34	(24.50 - 36.90)
Southern II	14.04	(10.19 - 19.04)	*	(* - *)	*	(* - *)	26.75	(21.16 - 33.18)

See notes at end of table.

(continued)

Table 9. Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	21.38	(19.01 - 23.96)	74.44	(71.33 - 77.32)	68.18	(65.00 - 71.19)	69.12	(66.32 - 71.80)
Milwaukee	16.54	(12.68 - 21.28)	71.65	(65.29 - 77.25)	66.77	(60.06 - 72.86)	67.56	(61.63 - 72.97)
Northeastern	23.70	(19.36 - 28.67)	76.83	(71.30 - 81.57)	70.72	(64.72 - 76.07)	71.59	(66.24 - 76.40)
Northern	21.92	(17.13 - 27.60)	70.49	(63.92 - 76.30)	*	(* - *)	*	(* - *)
Southeastern	24.68	(20.38 - 29.55)	76.35	(70.55 - 81.30)	74.38	(69.14 - 78.99)	74.64	(69.88 - 78.88)
Southern	18.33	(14.50 - 22.89)	74.33	(68.16 - 79.65)	64.61	(58.56 - 70.22)	66.21	(60.91 - 71.13)
Western	22.66	(17.89 - 28.26)	74.42	(68.07 - 79.88)	*	(* - *)	64.79	(58.07 - 70.97)
Wyoming	20.28	(18.11 - 22.63)	69.52	(66.42 - 72.46)	57.07	(53.68 - 60.39)	59.04	(56.06 - 61.96)
Judicial District 1 (Laramie)	21.48	(17.18 - 26.52)	70.67	(64.29 - 76.33)	*	(* - *)	62.12	(55.89 - 67.99)
Judicial District 2	19.67	(15.29 - 24.94)	72.01	(66.03 - 77.29)	*	(* - *)	59.66	(53.15 - 65.86)
Judicial District 3	19.87	(15.81 - 24.67)	*	(* - *)	*	(* - *)	56.10	(49.93 - 62.09)
Judicial District 4	*	(* - *)	*	(* - *)	*	(* - *)	*	(* - *)
Judicial District 5	20.55	(15.90 - 26.14)	*	(* - *)	*	(* - *)	*	(* - *)
Judicial District 6	19.85	(15.47 - 25.10)	*	(* - *)	*	(* - *)	*	(* - *)
Judicial District 7 (Natrona)	20.79	(16.57 - 25.76)	*	(* - *)	*	(* - *)	57.97	(51.78 - 63.91)
Judicial District 8	21.84	(17.10 - 27.47)	*	(* - *)	*	(* - *)	*	(* - *)
Judicial District 9	18.89	(14.74 - 23.86)	*	(* - *)	*	(* - *)	59.87	(53.32 - 66.09)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	10.36		41.58		21.26		24.28	
Northeast	11.31	(10.69 - 11.97)	46.05	(45.02 - 47.07)	21.90	(21.08 - 22.75)	25.28	(24.55 - 26.02)
Midwest	11.25	(10.76 - 11.75)	47.61	(46.78 - 48.44)	23.72	(23.04 - 24.41)	27.34	(26.74 - 27.94)
South	9.28	(8.85 - 9.72)	37.74	(36.92 - 38.56)	20.22	(19.60 - 20.86)	22.82	(22.26 - 23.38)
West	10.44	(9.78 - 11.14)	38.24	(37.20 - 39.29)	19.94	(19.10 - 20.82)	22.77	(22.03 - 23.53)
Alabama	9.77	(8.15 - 11.67)	33.43	(30.38 - 36.62)	17.43	(15.16 - 19.96)	19.82	(17.72 - 22.09)
Region 1	9.85	(7.47 - 12.88)	30.81	(25.63 - 36.54)	15.19	(12.21 - 18.75)	17.30	(14.42 - 20.60)
Region 2	10.18	(7.79 - 13.21)	33.48	(28.77 - 38.54)	17.82	(14.67 - 21.46)	20.19	(17.23 - 23.52)
Region 3	7.56	(5.46 - 10.38)	34.36	(28.59 - 40.63)	18.45	(14.61 - 23.03)	21.28	(17.62 - 25.48)
Region 4	11.00	(8.26 - 14.52)	35.57	(30.04 - 41.52)	18.98	(15.28 - 23.32)	21.31	(17.80 - 25.29)
Alaska	10.01	(8.22 - 12.14)	37.05	(33.91 - 40.30)	20.69	(18.20 - 23.42)	23.33	(21.09 - 25.73)
Gulf Coast	10.60	(7.51 - 14.77)	*	(* - *)	19.78	(15.45 - 24.97)	21.82	(17.56 - 26.79)
Rural	8.05	(5.58 - 11.48)	*	(* - *)	21.80	(16.89 - 27.67)	22.92	(18.23 - 28.41)
Southeast	10.83	(7.81 - 14.83)	*	(* - *)	20.01	(15.82 - 24.99)	22.68	(18.60 - 27.35)
Urban	10.16	(8.07 - 12.72)	38.76	(35.08 - 42.57)	20.81	(17.90 - 24.05)	23.79	(21.18 - 26.60)
Arizona	11.44	(9.58 - 13.60)	41.86	(38.56 - 45.23)	21.84	(19.35 - 24.55)	24.87	(22.64 - 27.25)
Maricopa	10.66	(8.47 - 13.34)	40.71	(36.77 - 44.77)	21.90	(18.91 - 25.22)	24.86	(22.19 - 27.75)
Pima	13.53	(10.01 - 18.03)	49.14	(42.44 - 55.88)	23.45	(19.12 - 28.42)	27.37	(23.24 - 31.94)
Rural North	12.22	(9.04 - 16.33)	*	(* - *)	20.36	(16.18 - 25.30)	23.24	(19.22 - 27.81)
Rural South	11.73	(8.44 - 16.08)	*	(* - *)	20.80	(16.18 - 26.31)	23.08	(18.54 - 28.35)
Arkansas	11.10	(9.40 - 13.05)	36.67	(33.63 - 39.82)	18.06	(15.78 - 20.59)	20.84	(18.74 - 23.11)
Areas 1 and 2	12.53	(9.48 - 16.39)	41.70	(35.36 - 48.33)	17.59	(13.86 - 22.06)	21.35	(17.72 - 25.48)
Areas 3 and 4	11.74	(8.93 - 15.30)	39.02	(32.90 - 45.51)	19.12	(15.15 - 23.84)	22.07	(18.27 - 26.40)
Areas 5 and 6	10.90	(8.11 - 14.51)	35.98	(30.42 - 41.96)	18.38	(14.73 - 22.70)	21.14	(17.66 - 25.09)
Areas 7, 12, and 13	9.66	(7.11 - 12.99)	*	(* - *)	19.00	(15.07 - 23.67)	20.69	(16.89 - 25.08)
Areas 8, 10, and 11	11.81	(8.88 - 15.54)	39.54	(33.73 - 45.66)	17.95	(14.21 - 22.43)	20.92	(17.35 - 25.01)
Area 9	9.78	(7.33 - 12.93)	32.49	(26.84 - 38.71)	16.66	(13.42 - 20.49)	18.95	(15.80 - 22.57)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	9.98	(8.98 - 11.07)	36.39	(34.79 - 38.02)	19.24	(17.92 - 20.63)	21.91	(20.74 - 23.12)
Region 1	13.93	(10.67 - 17.99)	*	(* - *)	20.67	(16.71 - 25.28)	24.08	(20.18 - 28.47)
Region 2	10.97	(8.70 - 13.74)	39.75	(35.43 - 44.23)	21.72	(18.52 - 25.30)	24.37	(21.41 - 27.59)
Region 3	10.45	(7.92 - 13.66)	34.20	(28.35 - 40.58)	19.29	(15.64 - 23.54)	21.66	(18.11 - 25.70)
Region 4	9.73	(7.25 - 12.93)	40.19	(33.92 - 46.79)	19.48	(16.07 - 23.42)	21.98	(18.62 - 25.75)
Region 5	9.44	(7.32 - 12.10)	37.46	(32.33 - 42.89)	19.94	(16.79 - 23.52)	22.35	(19.32 - 25.70)
Region 6 (Santa Clara)	7.48	(5.55 - 9.99)	34.31	(28.69 - 40.40)	16.25	(13.24 - 19.78)	18.82	(15.84 - 22.21)
Region 7	9.80	(7.21 - 13.18)	*	(* - *)	20.33	(16.50 - 24.78)	23.11	(19.34 - 27.36)
Region 8	10.28	(7.89 - 13.28)	34.08	(28.63 - 40.00)	20.74	(16.80 - 25.31)	23.12	(19.42 - 27.28)
Region 9	12.69	(9.69 - 16.44)	39.16	(32.96 - 45.72)	21.69	(17.51 - 26.55)	24.73	(20.77 - 29.18)
Region 10	12.02	(9.18 - 15.59)	38.61	(32.47 - 45.14)	20.92	(16.94 - 25.54)	23.75	(19.95 - 28.02)
Region 11 (Los Angeles)	8.64	(7.15 - 10.41)	32.16	(29.29 - 35.17)	17.19	(15.03 - 19.58)	19.61	(17.65 - 21.72)
Region 12	10.69	(8.35 - 13.60)	34.17	(28.98 - 39.77)	18.88	(15.50 - 22.80)	21.51	(18.31 - 25.10)
Region 13 (Riverside)	11.55	(8.81 - 15.01)	37.16	(31.46 - 43.24)	20.63	(16.90 - 24.93)	23.14	(19.57 - 27.15)
Region 14 (Orange)	10.01	(7.79 - 12.77)	36.30	(31.45 - 41.44)	18.87	(15.70 - 22.51)	21.46	(18.49 - 24.77)
Region 15	10.08	(7.72 - 13.06)	43.98	(39.19 - 48.89)	21.21	(18.08 - 24.72)	25.06	(22.11 - 28.27)
Colorado	12.20	(10.42 - 14.22)	46.97	(43.40 - 50.57)	22.15	(19.56 - 24.97)	25.82	(23.47 - 28.33)
Region 1	12.89	(9.53 - 17.20)	54.30	(47.63 - 60.81)	24.48	(19.88 - 29.74)	29.73	(25.40 - 34.45)
Regions 2 and 7	12.37	(10.07 - 15.11)	44.34	(39.53 - 49.25)	21.62	(18.48 - 25.12)	24.89	(21.97 - 28.05)
Region 3	11.22	(8.40 - 14.84)	*	(* - *)	21.36	(17.07 - 26.38)	25.09	(20.94 - 29.76)
Region 4	13.12	(9.62 - 17.65)	*	(* - *)	22.81	(17.95 - 28.52)	25.64	(20.87 - 31.08)
Regions 5 and 6	11.21	(8.10 - 15.31)	*	(* - *)	23.00	(18.28 - 28.52)	27.23	(22.64 - 32.36)
Connecticut	12.25	(10.42 - 14.34)	49.08	(45.53 - 52.64)	23.74	(21.00 - 26.72)	27.10	(24.56 - 29.79)
Eastern	11.44	(8.45 - 15.30)	*	(* - *)	21.81	(17.28 - 27.15)	26.58	(22.07 - 31.65)
North Central	11.40	(8.78 - 14.67)	46.67	(41.02 - 52.40)	22.91	(18.88 - 27.50)	25.95	(22.18 - 30.12)
Northwestern	13.99	(10.78 - 17.97)	53.85	(47.34 - 60.23)	24.64	(19.92 - 30.05)	28.18	(23.69 - 33.16)
South Central	12.92	(10.00 - 16.53)	50.92	(44.75 - 57.07)	24.57	(20.56 - 29.07)	28.20	(24.41 - 32.32)
Southwest	11.56	(8.70 - 15.21)	45.23	(38.73 - 51.90)	24.25	(19.72 - 29.43)	26.76	(22.44 - 31.56)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	9.30	(7.57 - 11.39)	43.28	(40.02 - 46.61)	18.88	(16.61 - 21.37)	22.45	(20.39 - 24.65)
Kent	9.53	(6.90 - 13.03)	37.61	(32.02 - 43.55)	18.63	(14.80 - 23.17)	21.63	(18.00 - 25.76)
New Castle (excluding Wilmington City)	9.60	(7.48 - 12.23)	48.52	(44.13 - 52.94)	19.30	(16.47 - 22.49)	23.85	(21.27 - 26.64)
Sussex	9.77	(7.14 - 13.23)	37.06	(31.21 - 43.31)	17.89	(14.35 - 22.09)	20.01	(16.59 - 23.94)
Wilmington City	6.51	(4.50 - 9.34)	*	(* - *)	19.29	(14.91 - 24.57)	21.57	(17.26 - 26.62)
District of Columbia	6.91	(5.35 - 8.89)	47.32	(43.91 - 50.75)	26.37	(23.69 - 29.23)	29.72	(27.29 - 32.27)
Ward 1	8.01	(5.45 - 11.63)	*	(* - *)	30.46	(25.23 - 36.25)	32.70	(27.67 - 38.16)
Ward 2	*	(* - *)	62.77	(56.85 - 68.33)	32.73	(27.73 - 38.15)	40.20	(35.75 - 44.83)
Ward 3	11.67	(8.33 - 16.10)	*	(* - *)	26.40	(21.92 - 31.43)	31.73	(27.45 - 36.34)
Ward 4	7.42	(5.18 - 10.54)	*	(* - *)	22.93	(18.27 - 28.36)	24.79	(20.20 - 30.03)
Ward 5	6.45	(4.42 - 9.31)	38.22	(31.90 - 44.96)	23.15	(18.90 - 28.03)	25.32	(21.28 - 29.83)
Ward 6	6.08	(4.08 - 8.97)	*	(* - *)	27.89	(22.72 - 33.72)	30.14	(25.11 - 35.69)
Ward 7	4.93	(3.35 - 7.19)	*	(* - *)	20.85	(16.71 - 25.70)	21.60	(17.64 - 26.16)
Ward 8	5.20	(3.60 - 7.46)	*	(* - *)	25.77	(20.89 - 31.34)	26.80	(22.30 - 31.84)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	9.43	(8.55 - 10.39)	38.18	(36.56 - 39.82)	20.91	(19.59 - 22.30)	23.16	(21.97 - 24.39)
Region A	10.06	(8.32 - 12.12)	43.48	(39.53 - 47.52)	22.18	(19.50 - 25.13)	25.95	(23.44 - 28.62)
Circuit 1	10.65	(8.09 - 13.90)	40.79	(34.58 - 47.30)	21.54	(17.87 - 25.73)	24.53	(20.99 - 28.46)
Circuit 2	8.97	(6.57 - 12.14)	47.06	(41.30 - 52.90)	23.55	(19.09 - 28.68)	29.18	(25.12 - 33.60)
Circuit 14	10.29	(7.64 - 13.71)	*	(* - *)	22.02	(17.64 - 27.13)	24.86	(20.58 - 29.69)
Region B	10.24	(8.67 - 12.06)	42.06	(38.53 - 45.66)	21.33	(18.98 - 23.89)	24.56	(22.36 - 26.90)
Circuits 3 and 8	10.33	(7.79 - 13.57)	44.92	(38.80 - 51.21)	21.58	(17.54 - 26.25)	26.55	(22.72 - 30.77)
Circuit 4	9.17	(7.13 - 11.72)	40.92	(36.02 - 46.02)	22.30	(18.86 - 26.17)	25.19	(21.99 - 28.68)
Circuit 7	11.92	(9.17 - 15.35)	40.29	(34.24 - 46.65)	19.93	(16.24 - 24.23)	22.30	(18.71 - 26.35)
Region C	9.63	(8.36 - 11.06)	37.64	(34.96 - 40.40)	20.72	(18.78 - 22.80)	22.87	(21.09 - 24.76)
Circuit 5	9.34	(7.10 - 12.19)	38.96	(33.07 - 45.18)	19.41	(15.88 - 23.51)	21.20	(17.78 - 25.08)
Circuit 9	8.48	(6.58 - 10.87)	35.09	(30.75 - 39.70)	21.12	(17.77 - 24.90)	23.47	(20.42 - 26.83)
Circuit 10	10.37	(7.75 - 13.74)	32.90	(26.96 - 39.44)	19.57	(15.87 - 23.89)	21.29	(17.73 - 25.35)
Circuit 18	10.77	(8.40 - 13.71)	45.06	(39.39 - 50.87)	22.60	(18.89 - 26.79)	25.33	(21.82 - 29.18)
Circuit 19	10.02	(7.55 - 13.17)	37.62	(31.31 - 44.38)	20.42	(16.41 - 25.11)	22.15	(18.26 - 26.60)
Region D	8.12	(6.98 - 9.42)	33.14	(30.71 - 35.67)	20.63	(18.76 - 22.65)	22.19	(20.46 - 24.02)
Circuits 11 and 16	7.18	(5.65 - 9.09)	29.54	(25.95 - 33.40)	20.14	(17.31 - 23.32)	21.43	(18.82 - 24.29)
Circuit 15 (Palm Beach)	10.26	(8.01 - 13.04)	38.89	(34.22 - 43.76)	23.07	(19.68 - 26.85)	24.73	(21.51 - 28.26)
Circuit 17 (Broward)	8.14	(6.47 - 10.19)	35.43	(31.19 - 39.90)	19.53	(16.63 - 22.80)	21.46	(18.70 - 24.49)
Region E	10.33	(8.95 - 11.90)	40.62	(37.53 - 43.78)	20.88	(18.85 - 23.07)	23.07	(21.15 - 25.11)
Circuit 6	9.98	(7.75 - 12.78)	40.47	(34.99 - 46.19)	20.14	(16.87 - 23.85)	22.14	(18.99 - 25.65)
Circuit 12	11.26	(8.56 - 14.68)	*	(* - *)	19.00	(15.20 - 23.49)	20.96	(17.19 - 25.30)
Circuit 13 (Hillsborough)	9.64	(7.49 - 12.33)	38.76	(33.64 - 44.14)	20.94	(17.54 - 24.81)	23.62	(20.42 - 27.15)
Circuit 20	11.13	(8.59 - 14.29)	43.99	(37.94 - 50.22)	23.08	(19.32 - 27.32)	25.15	(21.52 - 29.18)
Georgia	8.50	(7.10 - 10.14)	33.97	(30.88 - 37.21)	18.79	(16.44 - 21.39)	21.10	(18.96 - 23.43)
Region 1	9.77	(7.24 - 13.07)	31.34	(25.41 - 37.95)	17.13	(13.51 - 21.48)	19.13	(15.60 - 23.24)
Region 2	9.19	(6.82 - 12.27)	38.19	(32.05 - 44.73)	19.77	(15.81 - 24.43)	22.64	(18.84 - 26.95)
Region 3	7.50	(5.66 - 9.87)	33.88	(29.33 - 38.76)	18.63	(15.44 - 22.31)	20.91	(17.93 - 24.25)
Region 4	8.79	(6.55 - 11.71)	33.60	(27.66 - 40.10)	20.43	(16.33 - 25.24)	22.43	(18.54 - 26.87)
Region 5	9.14	(6.72 - 12.33)	*	(* - *)	18.17	(14.19 - 22.97)	20.53	(16.67 - 25.02)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	9.58	(7.82 - 11.69)	42.58	(38.94 - 46.31)	20.35	(17.65 - 23.35)	23.30	(20.82 - 25.97)
Hawaii Island	11.51	(8.36 - 15.64)	*	(* - *)	22.98	(18.25 - 28.50)	25.49	(20.89 - 30.71)
Honolulu	9.04	(7.09 - 11.47)	42.73	(38.53 - 47.03)	19.61	(16.61 - 23.02)	22.82	(20.07 - 25.83)
Kauai and Maui**	10.21	(7.77 - 13.31)	40.62	(34.42 - 47.12)	21.51	(17.46 - 26.20)	23.72	(19.80 - 28.15)
Maui	9.64	(6.96 - 13.20)	*	(* - *)	21.19	(16.63 - 26.61)	23.41	(18.98 - 28.50)
Idaho	10.66	(9.04 - 12.54)	39.45	(36.27 - 42.72)	20.18	(17.83 - 22.76)	23.39	(21.25 - 25.68)
Region 1	12.25	(9.07 - 16.34)	*	(* - *)	20.13	(16.01 - 24.99)	22.67	(18.64 - 27.28)
Region 2	12.96	(9.36 - 17.68)	*	(* - *)	22.65	(17.73 - 28.46)	27.74	(22.91 - 33.15)
Region 3	10.86	(8.21 - 14.22)	32.65	(26.90 - 38.97)	18.56	(15.01 - 22.73)	20.80	(17.42 - 24.65)
Region 4	9.65	(7.23 - 12.76)	48.88	(43.21 - 54.57)	21.95	(18.24 - 26.18)	26.38	(22.89 - 30.18)
Region 5	11.07	(8.23 - 14.72)	*	(* - *)	21.71	(17.36 - 26.78)	24.10	(19.87 - 28.90)
Region 6	10.71	(7.86 - 14.44)	*	(* - *)	18.36	(14.34 - 23.20)	21.54	(17.65 - 26.03)
Region 7	9.35	(6.74 - 12.84)	*	(* - *)	16.27	(12.52 - 20.87)	18.46	(14.81 - 22.76)
Illinois	10.33	(9.40 - 11.34)	46.60	(44.89 - 48.32)	24.55	(23.09 - 26.06)	27.89	(26.59 - 29.22)
Region I (Cook)	10.24	(8.83 - 11.85)	44.40	(41.74 - 47.09)	25.56	(23.37 - 27.90)	28.45	(26.51 - 30.47)
Region II	9.80	(8.37 - 11.45)	48.52	(45.46 - 51.59)	24.00	(21.62 - 26.55)	27.51	(25.34 - 29.79)
Region III	10.55	(8.47 - 13.07)	48.34	(44.05 - 52.65)	23.63	(20.55 - 27.02)	27.91	(25.08 - 30.92)
Region IV	11.97	(9.42 - 15.09)	48.00	(42.84 - 53.20)	24.29	(20.65 - 28.34)	27.71	(24.34 - 31.35)
Region V	10.97	(8.83 - 13.56)	47.67	(43.29 - 52.08)	22.93	(19.56 - 26.69)	26.62	(23.54 - 29.95)
Indiana	10.05	(8.53 - 11.80)	41.55	(38.43 - 44.73)	19.92	(17.64 - 22.42)	23.23	(21.17 - 25.44)
Central	9.07	(6.87 - 11.90)	37.67	(32.32 - 43.33)	20.09	(16.40 - 24.36)	22.59	(19.14 - 26.45)
East	9.96	(7.25 - 13.53)	*	(* - *)	18.38	(14.50 - 23.01)	21.53	(17.69 - 25.94)
North Central	9.37	(6.83 - 12.74)	*	(* - *)	18.81	(14.95 - 23.41)	22.10	(18.32 - 26.40)
Northeast	9.38	(6.94 - 12.56)	*	(* - *)	18.41	(14.61 - 22.93)	21.83	(18.06 - 26.12)
Northwest	9.92	(7.40 - 13.18)	39.21	(32.86 - 45.96)	20.79	(16.83 - 25.41)	23.39	(19.60 - 27.66)
Southeast	11.75	(8.56 - 15.93)	*	(* - *)	19.18	(15.10 - 24.05)	22.17	(18.13 - 26.82)
Southwest	11.66	(8.53 - 15.74)	*	(* - *)	21.92	(17.41 - 27.21)	25.35	(20.90 - 30.37)
West	11.17	(8.34 - 14.80)	49.60	(43.13 - 56.07)	22.12	(17.77 - 27.17)	28.14	(24.02 - 32.66)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	12.24	(10.45 - 14.28)	53.29	(49.94 - 56.60)	25.42	(22.91 - 28.11)	29.74	(27.47 - 32.13)
Central	12.33	(9.29 - 16.19)	53.26	(46.55 - 59.85)	26.57	(22.03 - 31.66)	30.52	(26.19 - 35.24)
North Central	11.70	(8.62 - 15.68)	*	(* - *)	25.49	(20.82 - 30.80)	30.82	(26.38 - 35.64)
Northeast	12.96	(10.12 - 16.46)	59.38	(53.87 - 64.67)	28.14	(23.90 - 32.81)	33.03	(29.14 - 37.16)
Northwest	12.99	(9.87 - 16.93)	*	(* - *)	23.20	(19.01 - 28.00)	26.66	(22.60 - 31.17)
Southeast	10.86	(8.14 - 14.35)	50.55	(44.31 - 56.77)	23.94	(20.01 - 28.37)	28.36	(24.63 - 32.40)
Southwest	12.56	(9.30 - 16.77)	*	(* - *)	23.66	(19.22 - 28.75)	27.14	(22.84 - 31.91)
Kansas	14.26	(12.19 - 16.60)	48.64	(45.12 - 52.18)	23.46	(20.94 - 26.19)	27.53	(25.23 - 29.96)
Kansas City Metro	14.56	(11.37 - 18.45)	49.86	(44.80 - 54.93)	24.08	(20.32 - 28.28)	28.36	(24.92 - 32.08)
Northeast	15.52	(12.03 - 19.80)	*	(* - *)	25.19	(20.81 - 30.13)	29.91	(25.74 - 34.44)
South Central	13.84	(10.56 - 17.92)	*	(* - *)	20.94	(16.85 - 25.72)	24.48	(20.48 - 28.96)
Southeast	15.08	(11.16 - 20.08)	*	(* - *)	21.80	(17.14 - 27.32)	25.59	(20.86 - 30.98)
West	13.99	(10.52 - 18.37)	*	(* - *)	22.87	(18.21 - 28.31)	26.67	(22.14 - 31.74)
Wichita (Sedgwick)	12.42	(9.26 - 16.46)	46.08	(39.46 - 52.84)	23.51	(19.28 - 28.35)	27.08	(23.02 - 31.57)
Kentucky	10.82	(9.22 - 12.66)	39.21	(36.13 - 42.39)	20.04	(17.81 - 22.49)	22.77	(20.73 - 24.96)
Adanta, Cumberland River, and Lifeskills	10.72	(8.02 - 14.18)	*	(* - *)	18.95	(15.25 - 23.30)	21.29	(17.69 - 25.39)
Bluegrass, Comprehend, and North Key	10.74	(8.32 - 13.77)	40.96	(35.66 - 46.48)	19.72	(16.31 - 23.63)	23.01	(19.81 - 26.56)
Communicare and River Valley	10.41	(7.62 - 14.05)	*	(* - *)	19.63	(15.70 - 24.26)	22.38	(18.48 - 26.83)
Four Rivers and Pennyroyal	10.82	(7.96 - 14.54)	*	(* - *)	19.84	(15.83 - 24.56)	22.30	(18.38 - 26.78)
Kentucky River, Mountain, and Pathways	9.43	(7.04 - 12.54)	32.43	(26.70 - 38.74)	16.51	(13.04 - 20.69)	18.75	(15.38 - 22.65)
Seven Counties	12.01	(9.18 - 15.54)	44.74	(38.93 - 50.71)	23.55	(19.40 - 28.27)	26.28	(22.36 - 30.61)

See notes at end of table.

(continued)

Table 10. *Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	10.58	(9.00 - 12.39)	38.14	(35.01 - 41.38)	23.49	(20.92 - 26.26)	25.92	(23.63 - 28.36)
Region 1	7.76	(5.50 - 10.83)	*	(* - *)	24.67	(19.46 - 30.73)	26.82	(21.83 - 32.48)
Regions 2 and 9	11.34	(8.84 - 14.44)	38.77	(33.78 - 44.01)	23.43	(19.51 - 27.86)	26.11	(22.53 - 30.04)
Region 3	11.52	(8.46 - 15.49)	*	(* - *)	25.94	(21.07 - 31.49)	28.67	(24.04 - 33.79)
Region 4	10.85	(8.17 - 14.27)	*	(* - *)	23.22	(18.72 - 28.42)	25.56	(21.28 - 30.37)
Regions 5 and 6	12.22	(9.22 - 16.04)	*	(* - *)	24.60	(20.17 - 29.64)	27.13	(22.98 - 31.73)
Regions 7 and 8	9.42	(7.13 - 12.35)	35.25	(29.96 - 40.94)	20.83	(16.98 - 25.30)	23.25	(19.66 - 27.29)
Region 10 (Jefferson)	11.12	(8.09 - 15.09)	*	(* - *)	24.09	(19.22 - 29.73)	26.08	(21.43 - 31.34)
Maine	11.21	(9.56 - 13.10)	44.67	(41.55 - 47.84)	19.88	(17.58 - 22.38)	23.13	(21.00 - 25.41)
Aroostook/Downeast	10.72	(7.83 - 14.52)	*	(* - *)	19.29	(15.10 - 24.30)	22.04	(17.87 - 26.86)
Central	11.63	(8.81 - 15.20)	40.22	(33.80 - 47.00)	18.31	(14.42 - 22.95)	21.18	(17.42 - 25.50)
Cumberland	10.88	(8.35 - 14.07)	49.62	(43.54 - 55.72)	21.30	(17.59 - 25.55)	25.08	(21.52 - 29.00)
Midcoast	10.27	(7.53 - 13.87)	*	(* - *)	18.49	(14.53 - 23.23)	21.21	(17.31 - 25.71)
Penquis	11.79	(8.85 - 15.54)	46.92	(40.42 - 53.53)	20.68	(16.65 - 25.38)	24.84	(20.97 - 29.16)
Western	12.16	(9.02 - 16.19)	41.71	(35.51 - 48.18)	20.56	(16.57 - 25.22)	23.49	(19.70 - 27.75)
York	10.89	(8.18 - 14.37)	46.01	(39.54 - 52.63)	19.51	(15.73 - 23.94)	22.71	(19.04 - 26.85)
Maryland	9.02	(7.60 - 10.69)	36.86	(33.81 - 40.01)	18.89	(16.61 - 21.39)	21.40	(19.30 - 23.67)
Anne Arundel	10.34	(7.59 - 13.92)	*	(* - *)	19.64	(15.34 - 24.81)	22.99	(18.68 - 27.95)
Baltimore City	6.46	(4.59 - 9.01)	31.12	(25.26 - 37.65)	20.86	(16.61 - 25.85)	22.54	(18.52 - 27.15)
Baltimore County	8.86	(6.49 - 11.98)	38.96	(33.05 - 45.22)	18.19	(14.39 - 22.72)	21.08	(17.43 - 25.26)
Montgomery	9.30	(6.87 - 12.49)	35.34	(29.39 - 41.77)	17.32	(13.71 - 21.64)	19.45	(15.96 - 23.50)
North Central	11.54	(8.50 - 15.47)	*	(* - *)	20.60	(16.20 - 25.83)	23.73	(19.31 - 28.80)
Northeast	12.68	(9.36 - 16.96)	*	(* - *)	21.26	(16.76 - 26.59)	24.15	(19.71 - 29.22)
Prince George's	5.24	(3.72 - 7.33)	27.58	(22.38 - 33.47)	16.77	(13.13 - 21.17)	18.49	(15.02 - 22.56)
South	10.26	(7.62 - 13.67)	*	(* - *)	20.26	(16.21 - 25.02)	23.06	(19.11 - 27.55)
West	10.43	(7.60 - 14.15)	*	(* - *)	18.25	(14.32 - 22.97)	21.31	(17.34 - 25.90)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	12.45	(10.57 - 14.61)	53.39	(50.06 - 56.70)	23.61	(21.07 - 26.34)	27.81	(25.47 - 30.29)
Boston	9.09	(6.54 - 12.50)	50.50	(44.12 - 56.85)	25.39	(20.84 - 30.55)	30.56	(26.28 - 35.20)
Central	12.61	(9.34 - 16.82)	*	(* - *)	25.70	(20.96 - 31.09)	29.97	(25.41 - 34.96)
Metrowest	12.58	(9.77 - 16.05)	56.52	(50.29 - 62.56)	22.28	(18.69 - 26.34)	26.66	(23.21 - 30.42)
Northeast	12.77	(9.73 - 16.57)	49.58	(42.98 - 56.20)	21.72	(18.01 - 25.95)	25.27	(21.65 - 29.27)
Southeast	12.98	(10.00 - 16.69)	51.59	(45.11 - 58.02)	23.04	(18.90 - 27.78)	26.55	(22.56 - 30.95)
Western	13.66	(10.29 - 17.92)	56.15	(49.71 - 62.38)	26.37	(21.53 - 31.85)	31.11	(26.62 - 35.97)
Michigan	10.07	(9.17 - 11.05)	46.92	(45.24 - 48.61)	23.50	(22.12 - 24.94)	26.97	(25.75 - 28.23)
Bay	12.68	(9.79 - 16.28)	50.53	(44.06 - 56.98)	23.65	(19.79 - 28.00)	27.25	(23.52 - 31.33)
Detroit City	5.01	(3.78 - 6.60)	30.97	(26.58 - 35.73)	23.08	(19.49 - 27.10)	24.32	(21.03 - 27.94)
Genesee	9.03	(6.95 - 11.65)	45.23	(39.43 - 51.16)	22.94	(19.05 - 27.34)	26.15	(22.45 - 30.22)
Kalamazoo	10.45	(8.22 - 13.19)	45.08	(40.08 - 50.17)	22.43	(19.02 - 26.25)	26.11	(22.95 - 29.55)
Kent	9.72	(7.51 - 12.48)	45.19	(40.00 - 50.49)	21.46	(17.83 - 25.61)	25.52	(22.14 - 29.23)
Lakeshore	11.95	(9.47 - 14.98)	44.30	(39.21 - 49.53)	22.41	(19.03 - 26.19)	25.80	(22.65 - 29.23)
Macomb	11.54	(9.11 - 14.51)	49.42	(44.25 - 54.59)	25.46	(21.98 - 29.29)	28.62	(25.33 - 32.15)
Mid South	10.28	(8.23 - 12.78)	51.46	(47.06 - 55.82)	23.93	(20.64 - 27.56)	28.78	(25.77 - 31.99)
Northern	11.03	(8.76 - 13.81)	51.60	(46.43 - 56.75)	24.00	(20.40 - 28.01)	27.84	(24.49 - 31.47)
Oakland	9.98	(8.11 - 12.23)	49.64	(45.22 - 54.07)	23.61	(20.65 - 26.85)	26.83	(24.07 - 29.79)
Pathways	*	(* - *)	*	(* - *)	28.34	(23.28 - 34.02)	32.65	(27.78 - 37.92)
Saginaw	10.06	(7.44 - 13.47)	*	(* - *)	21.67	(17.45 - 26.58)	24.45	(20.28 - 29.15)
Southeast	10.40	(8.44 - 12.76)	48.15	(44.07 - 52.26)	22.97	(20.03 - 26.21)	26.33	(23.60 - 29.26)
St. Clair	11.28	(8.40 - 14.97)	*	(* - *)	25.85	(21.14 - 31.18)	28.90	(24.37 - 33.89)
Washtenaw	9.76	(7.58 - 12.48)	49.06	(43.44 - 54.70)	23.11	(19.55 - 27.10)	28.07	(24.71 - 31.69)
Western	*	(* - *)	*	(* - *)	23.57	(19.11 - 28.71)	27.37	(23.07 - 32.14)
Minnesota	12.41	(10.68 - 14.36)	48.72	(45.41 - 52.04)	25.79	(23.06 - 28.72)	29.31	(26.84 - 31.92)
Regions 1 and 2	16.04	(12.04 - 21.06)	*	(* - *)	26.43	(21.21 - 32.40)	29.98	(24.99 - 35.49)
Regions 3 and 4	12.83	(9.87 - 16.52)	48.04	(41.64 - 54.50)	25.14	(20.76 - 30.08)	28.88	(24.78 - 33.36)
Regions 5 and 6	15.33	(11.92 - 19.50)	50.36	(43.66 - 57.04)	28.09	(23.51 - 33.18)	31.58	(27.32 - 36.17)
Region 7A (Hennepin)	9.48	(7.05 - 12.64)	48.66	(42.81 - 54.55)	25.56	(21.11 - 30.58)	29.03	(24.86 - 33.59)
Region 7B (Ramsey)	9.83	(7.18 - 13.32)	*	(* - *)	24.25	(19.37 - 29.90)	27.54	(22.82 - 32.82)
Region 7C	11.37	(8.80 - 14.57)	49.66	(43.20 - 56.13)	24.87	(20.81 - 29.42)	28.40	(24.55 - 32.58)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	8.02	(6.59 - 9.74)	32.57	(29.61 - 35.68)	17.18	(14.96 - 19.65)	19.68	(17.65 - 21.89)
Region 1	8.34	(6.11 - 11.30)	33.57	(27.85 - 39.81)	15.14	(11.84 - 19.16)	18.01	(14.77 - 21.79)
Region 2	7.38	(5.27 - 10.25)	26.06	(20.68 - 32.28)	18.00	(14.12 - 22.66)	19.35	(15.68 - 23.65)
Region 3	7.90	(5.74 - 10.77)	32.26	(26.73 - 38.32)	17.15	(13.51 - 21.53)	19.76	(16.28 - 23.78)
Region 4	7.72	(5.63 - 10.50)	33.11	(27.33 - 39.45)	19.74	(15.87 - 24.29)	21.93	(18.26 - 26.11)
Region 5	7.64	(5.39 - 10.72)	*	(* - *)	16.63	(12.66 - 21.53)	18.18	(14.34 - 22.77)
Region 6	8.02	(5.73 - 11.13)	*	(* - *)	16.39	(12.75 - 20.81)	19.25	(15.65 - 23.44)
Region 7	8.86	(6.43 - 12.09)	39.80	(33.72 - 46.22)	17.11	(13.53 - 21.40)	20.56	(17.08 - 24.55)
Missouri	11.81	(10.12 - 13.74)	46.93	(43.80 - 50.08)	22.10	(19.72 - 24.69)	25.85	(23.67 - 28.15)
Central	12.12	(9.25 - 15.71)	47.65	(41.44 - 53.92)	21.08	(16.92 - 25.94)	25.74	(21.80 - 30.12)
Eastern	11.89	(9.60 - 14.64)	50.77	(46.02 - 55.51)	24.40	(21.09 - 28.05)	28.18	(25.09 - 31.50)
Eastern (St. Louis City and County)	10.41	(7.95 - 13.52)	49.20	(43.33 - 55.10)	24.12	(20.05 - 28.72)	27.72	(23.87 - 31.92)
Eastern (excluding St. Louis)	14.52	(10.90 - 19.07)	*	(* - *)	24.96	(20.59 - 29.91)	29.12	(24.92 - 33.71)
Northwest	11.78	(9.32 - 14.79)	47.95	(42.48 - 53.48)	22.68	(19.23 - 26.56)	26.48	(23.18 - 30.06)
Northwest (Jackson)	10.40	(7.63 - 14.01)	*	(* - *)	22.61	(18.34 - 27.55)	26.11	(21.95 - 30.75)
Northwest (excluding Jackson)	12.98	(9.71 - 17.16)	*	(* - *)	22.75	(18.32 - 27.88)	26.81	(22.50 - 31.60)
Southeast	12.39	(9.23 - 16.42)	41.56	(35.25 - 48.16)	20.11	(15.99 - 24.98)	23.19	(19.22 - 27.70)
Southwest	10.89	(8.15 - 14.39)	40.39	(34.36 - 46.72)	18.37	(14.75 - 22.65)	21.73	(18.25 - 25.65)
Montana	15.65	(13.52 - 18.05)	54.19	(51.03 - 57.31)	25.45	(22.78 - 28.32)	29.81	(27.41 - 32.33)
Region 1	16.89	(12.82 - 21.93)	*	(* - *)	24.11	(19.16 - 29.86)	27.12	(22.32 - 32.53)
Region 2	15.28	(11.77 - 19.62)	*	(* - *)	23.91	(19.49 - 28.97)	27.41	(23.20 - 32.06)
Region 3	15.73	(12.39 - 19.76)	55.11	(49.01 - 61.06)	25.89	(21.56 - 30.76)	30.03	(25.95 - 34.46)
Region 4	14.63	(11.55 - 18.36)	57.98	(52.91 - 62.90)	26.20	(22.13 - 30.73)	31.51	(27.78 - 35.49)
Region 5	16.28	(12.89 - 20.35)	54.62	(49.13 - 60.00)	25.67	(21.66 - 30.13)	30.15	(26.46 - 34.11)
Nebraska	12.51	(10.63 - 14.67)	50.67	(47.42 - 53.92)	23.93	(21.36 - 26.70)	28.26	(25.93 - 30.70)
Regions 1 and 2	13.65	(10.05 - 18.28)	*	(* - *)	21.23	(16.83 - 26.41)	24.53	(20.18 - 29.48)
Region 3	12.60	(9.25 - 16.92)	*	(* - *)	23.02	(18.59 - 28.14)	26.67	(22.41 - 31.42)
Region 4	14.11	(10.80 - 18.23)	*	(* - *)	23.40	(18.84 - 28.68)	26.97	(22.57 - 31.88)
Region 5	13.09	(10.14 - 16.75)	52.28	(47.24 - 57.27)	25.08	(20.96 - 29.70)	30.16	(26.46 - 34.14)
Region 6	11.21	(8.79 - 14.18)	52.56	(47.41 - 57.66)	24.50	(20.90 - 28.49)	29.06	(25.73 - 32.62)

See notes at end of table.

(continued)

Table 10. *Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	10.19	(8.45 - 12.23)	40.35	(36.93 - 43.86)	22.77	(20.10 - 25.68)	25.18	(22.75 - 27.77)
Clark	8.81	(6.84 - 11.27)	38.55	(34.50 - 42.75)	22.48	(19.42 - 25.87)	24.72	(21.93 - 27.74)
Rural	13.77	(10.51 - 17.83)	*	(* - *)	22.62	(18.43 - 27.44)	25.13	(21.11 - 29.64)
Washoe	12.78	(9.62 - 16.79)	45.71	(39.16 - 52.42)	24.24	(19.77 - 29.37)	27.31	(23.06 - 32.02)
New Hampshire	11.40	(9.72 - 13.32)	51.42	(47.99 - 54.83)	22.09	(19.76 - 24.62)	26.10	(23.94 - 28.38)
Central	11.28	(8.95 - 14.12)	52.56	(47.41 - 57.66)	22.50	(19.11 - 26.30)	26.92	(23.70 - 30.40)
Central 1	11.14	(8.20 - 14.96)	53.66	(46.85 - 60.33)	22.23	(17.95 - 27.19)	27.51	(23.39 - 32.05)
Central 2	11.41	(8.57 - 15.05)	*	(* - *)	22.75	(18.31 - 27.89)	26.35	(22.07 - 31.14)
Northern	13.65	(10.29 - 17.88)	*	(* - *)	24.06	(19.54 - 29.23)	28.58	(24.19 - 33.41)
Southern	10.97	(9.08 - 13.21)	49.60	(45.24 - 53.97)	21.47	(18.77 - 24.43)	25.15	(22.63 - 27.85)
Southern 1 (Rockingham)	11.73	(8.94 - 15.25)	*	(* - *)	22.22	(18.54 - 26.40)	25.47	(21.86 - 29.45)
Southern 2	10.52	(8.29 - 13.25)	49.24	(44.02 - 54.48)	20.99	(17.67 - 24.76)	24.95	(21.84 - 28.35)
New Jersey	11.33	(9.54 - 13.41)	43.68	(40.27 - 47.15)	19.98	(17.50 - 22.72)	23.06	(20.77 - 25.52)
Central	11.72	(8.81 - 15.44)	46.48	(39.97 - 53.11)	18.65	(14.80 - 23.21)	21.97	(18.28 - 26.17)
Metropolitan	9.79	(7.37 - 12.89)	38.86	(33.41 - 44.61)	19.92	(16.22 - 24.21)	22.60	(19.11 - 26.51)
Northern	11.13	(8.69 - 14.16)	44.40	(39.02 - 49.91)	19.92	(16.48 - 23.87)	22.99	(19.71 - 26.63)
Southern	12.85	(9.79 - 16.68)	45.89	(39.82 - 52.09)	21.71	(17.77 - 26.25)	24.94	(21.20 - 29.10)
New Mexico	11.54	(9.70 - 13.67)	38.58	(35.30 - 41.96)	19.04	(16.72 - 21.60)	22.17	(20.06 - 24.43)
Region 1	11.28	(8.52 - 14.78)	*	(* - *)	17.70	(14.28 - 21.74)	20.39	(17.03 - 24.22)
Region 2	12.78	(9.51 - 16.96)	*	(* - *)	18.07	(14.18 - 22.74)	20.75	(16.89 - 25.23)
Region 3 (Bernalillo)	11.15	(8.57 - 14.39)	39.79	(34.84 - 44.95)	20.50	(17.21 - 24.23)	23.65	(20.63 - 26.97)
Region 4	11.22	(8.29 - 15.00)	*	(* - *)	18.38	(14.40 - 23.17)	21.59	(17.72 - 26.03)
Region 5	11.67	(8.82 - 15.27)	41.43	(35.61 - 47.51)	19.33	(15.36 - 24.05)	23.12	(19.46 - 27.24)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	11.47	(10.41 - 12.63)	43.03	(41.26 - 44.82)	21.56	(20.12 - 23.06)	24.66	(23.39 - 25.97)
Region A	8.57	(7.31 - 10.03)	35.97	(33.43 - 38.60)	19.99	(18.12 - 22.00)	22.42	(20.71 - 24.22)
Region 1	7.90	(5.90 - 10.50)	26.92	(21.99 - 32.51)	19.40	(15.67 - 23.77)	20.64	(17.15 - 24.63)
Region 2	8.33	(6.56 - 10.53)	33.83	(29.62 - 38.31)	18.86	(16.04 - 22.05)	21.19	(18.57 - 24.08)
Region 3	9.91	(7.38 - 13.19)	52.72	(46.86 - 58.51)	25.90	(21.97 - 30.24)	29.77	(26.05 - 33.77)
Region 4	8.76	(6.74 - 11.32)	32.48	(28.07 - 37.22)	17.43	(14.48 - 20.82)	19.61	(16.85 - 22.70)
Region B	12.94	(11.22 - 14.88)	46.44	(42.98 - 49.93)	22.84	(20.52 - 25.34)	25.83	(23.67 - 28.11)
Region 5	13.69	(11.35 - 16.42)	47.41	(42.76 - 52.11)	24.02	(20.93 - 27.41)	26.93	(24.05 - 30.01)
Region 6	11.25	(8.74 - 14.37)	44.91	(38.64 - 51.34)	20.92	(17.39 - 24.95)	23.83	(20.38 - 27.67)
Region 7	13.08	(10.24 - 16.56)	45.64	(39.13 - 52.31)	21.87	(17.85 - 26.51)	25.28	(21.39 - 29.62)
Region C	13.53	(11.96 - 15.26)	50.76	(48.08 - 53.44)	22.58	(20.61 - 24.67)	26.73	(24.95 - 28.59)
Region 8	15.17	(11.88 - 19.16)	54.36	(49.13 - 59.50)	23.76	(20.13 - 27.81)	28.15	(24.73 - 31.83)
Region 9	12.41	(9.89 - 15.46)	51.76	(46.13 - 57.35)	21.86	(18.21 - 26.02)	26.34	(22.90 - 30.10)
Region 10	13.55	(10.42 - 17.45)	45.26	(39.19 - 51.48)	20.72	(17.05 - 24.94)	25.23	(21.68 - 29.13)
Region 11	11.10	(8.64 - 14.16)	47.88	(42.49 - 53.32)	20.01	(16.76 - 23.70)	24.10	(21.03 - 27.48)
Region 12	15.46	(12.48 - 19.00)	52.30	(47.22 - 57.34)	25.09	(21.51 - 29.05)	28.79	(25.47 - 32.36)
Region D	14.36	(12.09 - 16.96)	49.47	(45.26 - 53.69)	22.66	(19.93 - 25.64)	26.74	(24.14 - 29.51)
Region 13	13.27	(10.08 - 17.27)	*	(* - *)	21.94	(17.90 - 26.60)	25.44	(21.48 - 29.84)
Region 14	14.85	(11.19 - 19.44)	*	(* - *)	23.89	(19.48 - 28.93)	28.58	(24.30 - 33.30)
Region 15	14.83	(11.38 - 19.09)	49.12	(42.48 - 55.79)	22.13	(18.03 - 26.85)	26.10	(22.13 - 30.52)
North Carolina	8.59	(7.14 - 10.30)	35.70	(32.66 - 38.85)	18.79	(16.44 - 21.39)	21.17	(19.04 - 23.47)
Eastern	8.62	(6.42 - 11.48)	37.06	(31.64 - 42.81)	19.26	(15.43 - 23.77)	21.99	(18.41 - 26.05)
North Central	8.49	(6.35 - 11.26)	33.12	(27.68 - 39.07)	17.80	(14.19 - 22.09)	19.97	(16.53 - 23.92)
South Central	7.97	(5.96 - 10.58)	33.31	(28.00 - 39.09)	17.81	(14.29 - 21.98)	20.10	(16.76 - 23.91)
Western	9.13	(6.97 - 11.88)	38.74	(34.01 - 43.70)	19.90	(16.66 - 23.60)	22.33	(19.32 - 25.66)
North Dakota	13.90	(11.88 - 16.19)	57.87	(54.61 - 61.07)	27.46	(24.63 - 30.48)	32.77	(30.27 - 35.37)
Badlands and West Central	14.43	(11.34 - 18.19)	54.77	(48.54 - 60.84)	26.71	(22.50 - 31.38)	30.75	(26.79 - 35.02)
Lake Region and South Central	13.59	(10.46 - 17.47)	*	(* - *)	27.43	(22.60 - 32.84)	30.37	(25.79 - 35.38)
North Central and Northwest	13.07	(9.94 - 16.99)	56.11	(49.80 - 62.22)	26.85	(22.32 - 31.91)	31.43	(27.24 - 35.94)
Northeast	12.45	(9.33 - 16.41)	61.04	(54.82 - 66.92)	27.53	(22.76 - 32.88)	35.21	(30.89 - 39.80)
Southeast	14.93	(11.58 - 19.03)	61.65	(56.42 - 66.62)	28.66	(24.30 - 33.46)	35.74	(31.87 - 39.81)

See notes at end of table.

(continued)

Table 10. *Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	10.70	(9.76 - 11.71)	45.76	(44.15 - 47.38)	21.79	(20.48 - 23.16)	25.31	(24.15 - 26.51)
Boards 2, 46, 55, and 68	10.94	(8.21 - 14.43)	41.96	(36.04 - 48.11)	19.23	(15.82 - 23.18)	22.45	(19.14 - 26.14)
Boards 3, 52, and 85	10.94	(8.24 - 14.39)	*	(* - *)	19.93	(16.35 - 24.06)	23.03	(19.52 - 26.96)
Boards 4 and 78	11.59	(8.87 - 15.01)	46.91	(40.25 - 53.69)	23.28	(19.07 - 28.09)	26.27	(22.21 - 30.78)
Boards 5 and 60	11.18	(8.48 - 14.61)	46.83	(40.67 - 53.09)	22.54	(18.68 - 26.93)	27.00	(23.34 - 31.00)
Boards 7, 15, 41, 79, and 84	12.62	(9.70 - 16.26)	41.87	(35.52 - 48.51)	20.64	(16.93 - 24.91)	23.34	(19.74 - 27.37)
Boards 8, 13, and 83	10.43	(7.99 - 13.51)	*	(* - *)	21.28	(17.66 - 25.40)	24.30	(20.73 - 28.25)
Board 9 (Butler)	11.62	(8.77 - 15.23)	46.90	(40.19 - 53.72)	22.39	(18.35 - 27.03)	26.73	(22.79 - 31.08)
Board 12	10.29	(7.58 - 13.84)	36.15	(29.99 - 42.80)	18.20	(14.56 - 22.51)	21.06	(17.51 - 25.12)
Boards 18 and 47	9.82	(8.00 - 12.01)	48.70	(44.55 - 52.86)	22.53	(19.61 - 25.74)	25.97	(23.27 - 28.87)
Boards 20, 32, 54, and 69	12.41	(9.55 - 15.98)	*	(* - *)	23.91	(19.69 - 28.71)	27.64	(23.50 - 32.20)
Boards 21, 39, 51, 70, and 80	10.82	(8.42 - 13.81)	47.36	(41.57 - 53.22)	21.28	(17.59 - 25.50)	24.79	(21.26 - 28.69)
Boards 22, 74, and 87	13.02	(9.85 - 17.01)	*	(* - *)	23.45	(19.09 - 28.47)	28.34	(24.15 - 32.94)
Boards 23 and 45	11.91	(9.20 - 15.28)	48.56	(41.89 - 55.28)	21.01	(17.21 - 25.39)	24.92	(21.21 - 29.04)
Board 25 (Franklin)	9.62	(7.57 - 12.15)	47.37	(43.28 - 51.49)	22.97	(20.00 - 26.24)	27.35	(24.65 - 30.24)
Boards 27, 71, and 73	9.95	(7.56 - 12.97)	36.15	(30.42 - 42.30)	17.63	(14.36 - 21.45)	20.28	(17.11 - 23.88)
Boards 28, 43, and 67	12.58	(9.76 - 16.07)	50.21	(44.07 - 56.35)	22.42	(18.64 - 26.71)	26.42	(22.79 - 30.40)
Board 31 (Hamilton)	10.34	(8.21 - 12.95)	43.86	(38.72 - 49.14)	22.24	(18.83 - 26.08)	25.55	(22.34 - 29.04)
Board 48 (Lucas)	9.72	(7.51 - 12.50)	47.55	(42.07 - 53.09)	23.96	(19.89 - 28.57)	27.65	(23.86 - 31.80)
Boards 50 and 76	11.44	(8.97 - 14.49)	45.13	(39.66 - 50.71)	22.70	(19.02 - 26.86)	25.63	(22.15 - 29.45)
Board 57 (Montgomery)	9.00	(6.84 - 11.77)	43.85	(38.15 - 49.71)	20.86	(17.29 - 24.96)	24.30	(20.85 - 28.11)
Board 77 (Summit)	9.74	(7.51 - 12.55)	46.06	(40.07 - 52.16)	21.87	(18.30 - 25.91)	25.08	(21.63 - 28.87)
Oklahoma	11.09	(9.31 - 13.17)	37.31	(34.15 - 40.58)	19.13	(16.74 - 21.76)	22.04	(19.88 - 24.36)
Central	10.07	(7.38 - 13.59)	*	(* - *)	18.26	(14.33 - 22.99)	22.06	(18.23 - 26.42)
East Central	11.75	(8.70 - 15.69)	*	(* - *)	17.39	(13.60 - 21.97)	19.42	(15.71 - 23.76)
Northeast	11.26	(8.08 - 15.47)	39.24	(33.07 - 45.77)	19.85	(15.87 - 24.53)	22.93	(19.14 - 27.22)
Northwest and Southwest	11.89	(8.78 - 15.91)	*	(* - *)	20.18	(15.87 - 25.30)	23.84	(19.73 - 28.49)
Oklahoma County	9.75	(7.20 - 13.07)	36.59	(30.55 - 43.08)	19.57	(15.87 - 23.88)	22.44	(18.91 - 26.42)
Southeast	12.14	(9.06 - 16.08)	*	(* - *)	17.75	(14.06 - 22.16)	19.84	(16.22 - 24.03)
Tulsa County	11.06	(8.27 - 14.64)	37.89	(31.68 - 44.52)	20.16	(16.15 - 24.86)	22.99	(19.21 - 27.27)

See notes at end of table.

(continued)

Table 10. *Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	11.50	(9.69 - 13.59)	38.97	(35.67 - 42.38)	18.82	(16.66 - 21.18)	21.70	(19.71 - 23.82)
Region 1 (Multnomah)	9.30	(6.80 - 12.60)	40.88	(34.84 - 47.20)	19.99	(16.17 - 24.44)	23.14	(19.45 - 27.30)
Region 2	11.18	(8.60 - 14.40)	35.57	(29.60 - 42.04)	17.76	(14.61 - 21.42)	20.25	(17.19 - 23.70)
Region 3	11.69	(9.09 - 14.92)	39.72	(34.83 - 44.81)	18.14	(15.00 - 21.78)	21.54	(18.63 - 24.78)
Region 4	12.27	(9.11 - 16.33)	*	(* - *)	18.16	(14.25 - 22.84)	20.44	(16.63 - 24.86)
Region 5	13.82	(10.11 - 18.61)	*	(* - *)	21.56	(17.05 - 26.88)	24.14	(19.70 - 29.21)
Pennsylvania	10.12	(9.18 - 11.14)	46.38	(44.71 - 48.05)	22.23	(20.90 - 23.61)	25.63	(24.47 - 26.83)
Region 1 (Allegheny)	9.86	(7.79 - 12.40)	54.59	(49.47 - 59.62)	26.05	(22.48 - 29.97)	29.84	(26.50 - 33.40)
Regions 2, 3, 8, and 9	11.17	(8.67 - 14.28)	48.59	(42.80 - 54.42)	22.77	(19.04 - 26.99)	26.46	(22.93 - 30.32)
Regions 4, 11, 37, and 49	11.52	(9.06 - 14.55)	43.46	(38.52 - 48.55)	22.56	(19.09 - 26.45)	25.29	(22.04 - 28.83)
Regions 5, 18, 23, 24, and 46	9.48	(7.28 - 12.24)	38.95	(34.06 - 44.08)	18.17	(15.13 - 21.65)	21.08	(18.17 - 24.32)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	10.82	(8.48 - 13.70)	54.68	(49.90 - 59.38)	21.95	(18.56 - 25.77)	28.01	(24.94 - 31.30)
Regions 7, 13, 20, and 33	11.61	(9.72 - 13.80)	51.52	(47.61 - 55.40)	23.06	(20.50 - 25.83)	26.75	(24.39 - 29.25)
Regions 10, 14, 15, 27, 32, 43, and 44	10.34	(7.94 - 13.36)	45.22	(39.15 - 51.44)	20.47	(16.92 - 24.55)	23.78	(20.36 - 27.58)
Regions 17 and 21	11.28	(8.63 - 14.62)	51.52	(44.93 - 58.06)	24.78	(20.54 - 29.57)	29.06	(24.98 - 33.51)
Regions 19, 26, 28, and 42	8.34	(6.51 - 10.62)	41.58	(37.47 - 45.80)	18.85	(16.10 - 21.93)	21.97	(19.42 - 24.76)
Regions 22, 38, 40, 41, and 48	10.34	(7.97 - 13.31)	45.75	(40.06 - 51.55)	20.20	(16.87 - 24.00)	23.29	(20.10 - 26.81)
Regions 25 and 30	11.25	(8.66 - 14.50)	49.43	(43.08 - 55.80)	24.16	(20.27 - 28.53)	27.45	(23.71 - 31.53)
Regions 29 and 34	9.65	(7.33 - 12.61)	42.57	(36.29 - 49.09)	21.00	(17.47 - 25.03)	23.91	(20.49 - 27.70)
Region 36 (Philadelphia)	7.68	(5.92 - 9.91)	36.43	(32.69 - 40.35)	23.39	(20.04 - 27.10)	25.60	(22.64 - 28.81)
Rhode Island	12.05	(10.17 - 14.21)	52.34	(48.85 - 55.80)	26.26	(23.50 - 29.21)	30.28	(27.79 - 32.90)
Bristol and Newport	15.71	(11.94 - 20.41)	*	(* - *)	26.27	(21.36 - 31.86)	29.91	(25.13 - 35.17)
Kent	11.02	(8.08 - 14.86)	*	(* - *)	24.58	(20.00 - 29.82)	28.02	(23.64 - 32.87)
Providence	11.23	(8.98 - 13.96)	51.44	(47.14 - 55.72)	26.80	(23.41 - 30.48)	30.88	(27.84 - 34.09)
Washington	13.52	(10.15 - 17.77)	*	(* - *)	25.94	(21.35 - 31.13)	30.78	(26.42 - 35.51)
South Carolina	8.25	(6.90 - 9.84)	36.38	(33.28 - 39.59)	19.73	(17.40 - 22.29)	22.19	(20.05 - 24.49)
Region 1	8.09	(6.06 - 10.72)	31.43	(26.22 - 37.15)	17.42	(14.15 - 21.25)	19.42	(16.30 - 22.98)
Region 2	9.29	(7.07 - 12.11)	38.36	(33.38 - 43.61)	20.70	(17.16 - 24.76)	23.36	(20.05 - 27.03)
Region 3	6.97	(5.13 - 9.41)	*	(* - *)	18.29	(14.74 - 22.48)	20.42	(16.95 - 24.38)
Region 4	8.08	(6.10 - 10.64)	40.83	(35.33 - 46.57)	22.05	(18.26 - 26.37)	24.95	(21.39 - 28.88)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	12.97	(11.11 - 15.09)	52.65	(49.44 - 55.83)	25.84	(23.21 - 28.65)	30.21	(27.86 - 32.68)
Region 1	14.38	(11.01 - 18.57)	*	(* - *)	26.57	(22.12 - 31.55)	31.57	(27.35 - 36.12)
Region 2	11.57	(8.79 - 15.09)	57.23	(51.71 - 62.57)	28.16	(23.87 - 32.90)	33.13	(29.19 - 37.32)
Region 3	13.96	(10.83 - 17.82)	47.97	(41.99 - 54.01)	24.35	(19.89 - 29.43)	28.67	(24.58 - 33.14)
Region 4	14.25	(10.58 - 18.92)	*	(* - *)	27.02	(21.67 - 33.13)	31.35	(26.24 - 36.95)
Region 5	14.31	(10.56 - 19.09)	*	(* - *)	25.45	(20.46 - 31.18)	29.41	(24.57 - 34.75)
Region 6	12.63	(9.25 - 17.01)	*	(* - *)	25.49	(20.47 - 31.27)	28.49	(23.64 - 33.90)
Region 7	11.01	(8.12 - 14.77)	*	(* - *)	22.78	(18.50 - 27.71)	26.59	(22.48 - 31.15)
Tennessee	7.53	(6.16 - 9.17)	36.21	(33.07 - 39.48)	16.88	(14.69 - 19.33)	19.62	(17.60 - 21.81)
Region 1	8.77	(6.26 - 12.16)	*	(* - *)	15.88	(12.25 - 20.35)	18.50	(14.84 - 22.81)
Region 2	7.69	(5.51 - 10.65)	37.74	(32.13 - 43.69)	15.83	(12.52 - 19.82)	18.84	(15.62 - 22.55)
Region 3	7.96	(5.86 - 10.73)	36.46	(30.33 - 43.07)	16.96	(13.53 - 21.04)	19.63	(16.28 - 23.48)
Region 4 (Davidson)	5.98	(4.15 - 8.54)	*	(* - *)	16.83	(13.18 - 21.25)	20.05	(16.42 - 24.25)
Region 5	8.24	(6.11 - 11.02)	38.81	(32.90 - 45.06)	17.30	(14.00 - 21.19)	20.38	(17.16 - 24.02)
Region 6	8.26	(5.90 - 11.46)	*	(* - *)	17.05	(13.32 - 21.57)	19.08	(15.40 - 23.39)
Region 7 (Shelby)	5.76	(4.10 - 8.03)	*	(* - *)	18.06	(14.12 - 22.82)	20.24	(16.42 - 24.69)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	9.61	(8.69 - 10.62)	39.69	(38.00 - 41.41)	23.14	(21.77 - 24.58)	25.87	(24.67 - 27.10)
Region 1	11.85	(9.10 - 15.28)	48.11	(41.95 - 54.33)	24.75	(20.60 - 29.44)	28.88	(24.92 - 33.19)
Region 2	10.90	(8.16 - 14.41)	*	(* - *)	21.26	(17.35 - 25.77)	24.27	(20.40 - 28.61)
Region 3	8.74	(7.35 - 10.36)	38.39	(35.38 - 41.48)	21.73	(19.71 - 23.89)	24.40	(22.57 - 26.31)
Region 3a	7.89	(6.32 - 9.80)	36.55	(32.87 - 40.38)	21.55	(19.06 - 24.26)	24.00	(21.73 - 26.42)
Region 3bc	10.23	(8.03 - 12.94)	41.85	(37.24 - 46.60)	22.05	(19.10 - 25.30)	25.09	(22.36 - 28.04)
Region 4	10.07	(7.71 - 13.05)	36.57	(31.07 - 42.43)	20.20	(16.51 - 24.48)	22.43	(18.89 - 26.42)
Region 5	9.23	(6.90 - 12.25)	37.26	(31.03 - 43.94)	20.45	(16.71 - 24.78)	22.93	(19.28 - 27.05)
Region 6	8.79	(7.36 - 10.48)	35.68	(32.80 - 38.67)	24.25	(21.64 - 27.05)	26.09	(23.77 - 28.54)
Region 6a	8.60	(7.05 - 10.45)	34.63	(31.59 - 37.79)	24.20	(21.38 - 27.27)	25.91	(23.41 - 28.57)
Region 6bc	10.47	(7.83 - 13.86)	*	(* - *)	24.59	(20.32 - 29.42)	27.56	(23.43 - 32.10)
Region 7	10.37	(8.46 - 12.65)	44.18	(40.38 - 48.05)	23.66	(20.95 - 26.60)	27.71	(25.23 - 30.33)
Region 7a	9.94	(7.59 - 12.92)	45.34	(40.15 - 50.64)	22.77	(19.41 - 26.52)	26.98	(23.86 - 30.34)
Region 7bcd	10.95	(8.26 - 14.36)	42.60	(37.19 - 48.20)	25.09	(20.89 - 29.82)	28.84	(25.06 - 32.94)
Region 8	9.76	(7.69 - 12.30)	45.53	(40.55 - 50.60)	23.71	(20.39 - 27.39)	27.06	(23.94 - 30.41)
Region 9	11.01	(8.28 - 14.51)	*	(* - *)	21.11	(16.93 - 26.00)	23.78	(19.68 - 28.44)
Region 10	10.06	(7.42 - 13.52)	*	(* - *)	25.48	(20.87 - 30.70)	27.63	(23.17 - 32.58)
Region 11	11.09	(8.92 - 13.71)	39.93	(35.28 - 44.77)	25.88	(22.41 - 29.68)	28.38	(25.22 - 31.78)
Region 11abd	11.98	(9.14 - 15.55)	43.27	(37.04 - 49.73)	26.93	(22.54 - 31.81)	29.73	(25.66 - 34.15)
Region 11c (Hidalgo)	9.50	(7.14 - 12.53)	33.93	(28.18 - 40.20)	23.73	(19.46 - 28.61)	25.68	(21.74 - 30.07)
Utah	7.84	(6.24 - 9.80)	25.20	(22.32 - 28.31)	14.60	(12.31 - 17.24)	16.88	(14.87 - 19.09)
Bear River, Northeastern, Summit, Tooele, and Wasatch	8.26	(5.76 - 11.71)	*	(* - *)	13.98	(10.50 - 18.37)	16.41	(12.95 - 20.58)
Central, Four Corners, San Juan, and Southwest	8.24	(5.83 - 11.54)	*	(* - *)	13.15	(9.87 - 17.30)	14.80	(11.60 - 18.71)
Davis County	8.57	(6.00 - 12.09)	*	(* - *)	13.94	(10.62 - 18.08)	16.41	(13.04 - 20.46)
Salt Lake County	7.75	(5.75 - 10.38)	28.39	(24.14 - 33.08)	16.29	(13.21 - 19.92)	18.66	(15.82 - 21.89)
Utah County	6.46	(4.41 - 9.36)	18.98	(14.71 - 24.13)	11.27	(8.32 - 15.09)	13.60	(10.85 - 16.92)
Weber, Morgan	8.93	(6.22 - 12.67)	*	(* - *)	15.72	(11.94 - 20.41)	18.59	(14.88 - 22.98)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	12.27	(10.47 - 14.35)	51.46	(48.23 - 54.67)	21.49	(19.05 - 24.14)	25.84	(23.64 - 28.17)
Champlain Valley	12.08	(9.63 - 15.03)	55.61	(50.93 - 60.19)	21.95	(18.65 - 25.64)	27.80	(24.81 - 31.00)
Rural Northeast	13.15	(10.24 - 16.73)	47.45	(41.46 - 53.51)	21.38	(17.59 - 25.73)	24.97	(21.35 - 28.98)
Rural Southeast	11.76	(8.89 - 15.41)	46.62	(40.33 - 53.02)	19.88	(16.07 - 24.34)	22.95	(19.28 - 27.08)
Rural Southwest	12.13	(9.08 - 16.03)	50.13	(43.53 - 56.72)	22.76	(18.33 - 27.89)	26.28	(22.07 - 30.98)
Virginia	8.73	(7.27 - 10.44)	42.06	(38.95 - 45.23)	20.57	(18.17 - 23.20)	23.61	(21.42 - 25.95)
Region 1	10.23	(7.60 - 13.64)	47.11	(40.64 - 53.68)	22.97	(18.69 - 27.89)	26.53	(22.52 - 30.96)
Region 2	7.60	(5.62 - 10.20)	43.86	(38.09 - 49.81)	18.79	(15.48 - 22.61)	22.01	(18.84 - 25.54)
Region 3	9.94	(7.42 - 13.19)	42.23	(36.13 - 48.57)	20.16	(16.16 - 24.85)	23.21	(19.39 - 27.53)
Region 4	8.78	(6.49 - 11.79)	39.96	(34.37 - 45.82)	20.49	(16.52 - 25.12)	23.10	(19.35 - 27.33)
Region 5	8.01	(5.93 - 10.74)	38.53	(33.09 - 44.27)	21.55	(17.54 - 26.20)	24.27	(20.51 - 28.46)
Washington	10.50	(8.88 - 12.37)	40.48	(37.35 - 43.70)	20.86	(18.41 - 23.54)	23.71	(21.49 - 26.09)
Region 1	11.22	(8.29 - 15.03)	*	(* - *)	20.90	(16.60 - 25.96)	24.34	(20.23 - 28.99)
Region 2	11.58	(8.70 - 15.26)	*	(* - *)	21.23	(16.96 - 26.25)	23.59	(19.45 - 28.30)
Region 3	10.71	(7.99 - 14.20)	*	(* - *)	22.22	(17.95 - 27.16)	25.54	(21.42 - 30.15)
Region 4 (King)	8.71	(6.56 - 11.48)	40.07	(34.75 - 45.63)	20.29	(16.76 - 24.35)	23.05	(19.70 - 26.78)
Region 5	10.31	(7.73 - 13.62)	39.04	(32.68 - 45.79)	20.21	(16.32 - 24.75)	23.05	(19.30 - 27.30)
Region 6	11.84	(9.07 - 15.31)	38.93	(32.93 - 45.29)	20.95	(16.90 - 25.67)	23.32	(19.47 - 27.67)
West Virginia	10.02	(8.41 - 11.89)	41.86	(38.81 - 44.98)	16.61	(14.43 - 19.05)	19.99	(17.98 - 22.17)
Eastern Highland	9.60	(7.33 - 12.48)	39.36	(33.56 - 45.47)	16.31	(13.02 - 20.24)	19.21	(16.01 - 22.89)
Northern	10.70	(8.31 - 13.68)	53.31	(47.91 - 58.63)	19.74	(16.29 - 23.70)	24.79	(21.53 - 28.36)
Northern A and B	11.54	(8.44 - 15.59)	*	(* - *)	18.24	(14.25 - 23.04)	21.71	(17.76 - 26.27)
Northern C and D	10.32	(7.53 - 13.97)	55.51	(49.05 - 61.78)	20.55	(16.42 - 25.40)	26.35	(22.43 - 30.69)
South Central	10.22	(8.20 - 12.67)	37.59	(33.45 - 41.92)	15.43	(12.88 - 18.38)	18.31	(15.86 - 21.04)
South Central I	10.14	(7.45 - 13.66)	*	(* - *)	15.14	(11.70 - 19.36)	17.82	(14.37 - 21.89)
South Central II	9.57	(6.86 - 13.20)	*	(* - *)	15.94	(12.39 - 20.27)	19.87	(16.30 - 23.99)
South Central III	10.72	(7.97 - 14.28)	33.98	(28.05 - 40.47)	15.28	(11.86 - 19.48)	17.57	(14.21 - 21.53)
Southern	9.09	(6.98 - 11.77)	34.59	(29.58 - 39.97)	15.04	(12.04 - 18.63)	17.56	(14.65 - 20.91)
Southern I and III	8.82	(6.42 - 12.01)	34.83	(28.64 - 41.57)	15.44	(11.84 - 19.90)	17.93	(14.40 - 22.11)
Southern II	9.63	(6.81 - 13.44)	*	(* - *)	14.26	(10.85 - 18.51)	16.82	(13.38 - 20.94)

See notes at end of table.

(continued)

Table 10. Binge Alcohol Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	13.55	(11.73 - 15.59)	54.31	(50.81 - 57.77)	28.55	(25.87 - 31.38)	32.45	(30.03 - 34.96)
Milwaukee	8.97	(6.60 - 12.08)	50.89	(44.44 - 57.30)	29.54	(24.59 - 35.02)	32.98	(28.38 - 37.93)
Northeastern	13.92	(10.79 - 17.77)	57.91	(51.53 - 64.04)	30.98	(26.29 - 36.10)	34.86	(30.50 - 39.48)
Northern	13.84	(10.32 - 18.32)	*	(* - *)	26.08	(21.06 - 31.81)	29.21	(24.43 - 34.48)
Southeastern	16.69	(13.28 - 20.77)	56.10	(49.33 - 62.65)	28.79	(24.40 - 33.61)	32.46	(28.29 - 36.93)
Southern	11.98	(9.11 - 15.61)	*	(* - *)	27.05	(22.95 - 31.58)	31.30	(27.42 - 35.45)
Western	15.90	(12.19 - 20.48)	*	(* - *)	26.72	(21.68 - 32.43)	31.67	(26.88 - 36.90)
Wyoming	13.31	(11.23 - 15.70)	48.99	(45.71 - 52.28)	22.47	(19.98 - 25.17)	26.67	(24.39 - 29.08)
Judicial District 1 (Laramie)	13.08	(9.76 - 17.30)	*	(* - *)	21.85	(17.78 - 26.55)	26.07	(22.10 - 30.47)
Judicial District 2	13.31	(9.80 - 17.83)	50.50	(43.87 - 57.10)	22.25	(17.88 - 27.33)	29.98	(25.75 - 34.58)
Judicial District 3	13.94	(10.56 - 18.19)	*	(* - *)	24.27	(19.86 - 29.31)	28.25	(24.04 - 32.88)
Judicial District 4	13.84	(10.08 - 18.71)	*	(* - *)	21.78	(17.12 - 27.29)	24.97	(20.36 - 30.23)
Judicial District 5	13.11	(9.63 - 17.60)	*	(* - *)	21.69	(17.14 - 27.05)	24.77	(20.30 - 29.86)
Judicial District 6	13.19	(9.76 - 17.58)	*	(* - *)	25.25	(20.18 - 31.10)	29.25	(24.31 - 34.74)
Judicial District 7 (Natrona)	13.24	(9.95 - 17.41)	47.32	(40.75 - 53.99)	21.57	(17.51 - 26.28)	25.64	(21.74 - 29.99)
Judicial District 8	13.74	(10.18 - 18.29)	*	(* - *)	21.01	(16.53 - 26.31)	24.51	(20.13 - 29.49)
Judicial District 9	12.43	(9.17 - 16.63)	*	(* - *)	22.38	(17.98 - 27.50)	26.12	(21.77 - 30.98)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	38.68		32.40		43.41		41.77	
Northeast	37.20	(36.20 - 38.21)	29.33	(28.38 - 30.31)	41.57	(40.53 - 42.62)	39.86	(38.95 - 40.77)
Midwest	36.38	(35.60 - 37.16)	27.44	(26.72 - 28.17)	39.13	(38.32 - 39.95)	37.36	(36.66 - 38.07)
South	40.81	(39.99 - 41.65)	35.25	(34.47 - 36.04)	46.38	(45.55 - 47.21)	44.73	(44.01 - 45.45)
West	38.74	(37.64 - 39.84)	35.17	(34.12 - 36.24)	44.43	(43.32 - 45.55)	43.00	(42.05 - 43.96)
Alabama	43.11	(39.99 - 46.28)	37.36	(34.33 - 40.49)	47.84	(44.53 - 51.17)	46.28	(43.40 - 49.19)
Region 1	41.73	(36.85 - 46.77)	36.13	(31.16 - 41.42)	45.62	(40.43 - 50.89)	44.34	(39.73 - 49.04)
Region 2	43.05	(38.33 - 47.90)	37.58	(32.95 - 42.44)	49.27	(44.39 - 54.17)	47.50	(43.22 - 51.82)
Region 3	45.88	(40.59 - 51.26)	38.42	(33.27 - 43.84)	49.67	(44.25 - 55.09)	47.67	(43.00 - 52.37)
Region 4	42.41	(37.60 - 47.37)	37.44	(32.32 - 42.87)	47.26	(41.98 - 52.59)	45.88	(41.19 - 50.63)
Alaska	35.86	(32.43 - 39.45)	29.89	(26.85 - 33.12)	40.03	(36.77 - 43.38)	38.39	(35.57 - 41.30)
Gulf Coast	33.68	(28.08 - 39.79)	*	(* - *)	37.36	(31.34 - 43.81)	36.19	(30.81 - 41.94)
Rural	39.49	(33.35 - 45.99)	*	(* - *)	41.28	(35.05 - 47.81)	40.07	(34.56 - 45.84)
Southeast	34.69	(29.18 - 40.65)	28.21	(22.79 - 34.36)	40.08	(34.34 - 46.10)	38.45	(33.31 - 43.87)
Urban	35.73	(31.71 - 39.96)	29.38	(25.91 - 33.10)	40.33	(36.55 - 44.23)	38.51	(35.26 - 41.88)
Arizona	36.02	(32.87 - 39.30)	31.36	(28.39 - 34.50)	43.69	(40.43 - 47.00)	41.82	(39.00 - 44.70)
Maricopa	36.03	(32.24 - 40.00)	31.82	(28.22 - 35.65)	43.91	(40.01 - 47.90)	42.01	(38.64 - 45.46)
Pima	33.83	(28.47 - 39.63)	27.62	(22.62 - 33.24)	43.69	(38.01 - 49.54)	41.24	(36.23 - 46.44)
Rural North	37.19	(31.79 - 42.92)	29.94	(24.55 - 35.95)	40.72	(34.88 - 46.83)	39.25	(34.04 - 44.71)
Rural South	37.64	(31.56 - 44.13)	*	(* - *)	45.50	(39.19 - 51.95)	44.21	(38.51 - 50.06)
Arkansas	37.99	(34.89 - 41.18)	32.84	(29.89 - 35.93)	45.38	(42.03 - 48.77)	43.51	(40.60 - 46.46)
Areas 1 and 2	35.62	(30.34 - 41.29)	30.76	(25.70 - 36.33)	43.96	(38.45 - 49.62)	41.90	(37.08 - 46.88)
Areas 3 and 4	37.27	(32.15 - 42.70)	29.51	(24.42 - 35.18)	44.10	(38.39 - 49.97)	41.94	(36.91 - 47.14)
Areas 5 and 6	34.11	(28.92 - 39.71)	28.34	(23.70 - 33.49)	42.13	(36.61 - 47.86)	39.97	(35.18 - 44.95)
Areas 7, 12, and 13	42.34	(36.82 - 48.06)	39.32	(33.44 - 45.52)	48.22	(42.52 - 53.96)	46.86	(41.81 - 51.98)
Areas 8, 10, and 11	38.61	(33.27 - 44.23)	36.00	(30.69 - 41.66)	47.70	(42.09 - 53.38)	46.09	(41.11 - 51.15)
Area 9	41.14	(36.07 - 46.40)	35.59	(30.30 - 41.25)	47.05	(41.90 - 52.28)	45.39	(40.81 - 50.05)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	40.09	(38.39 - 41.81)	38.54	(36.86 - 40.25)	46.71	(44.89 - 48.53)	45.44	(43.89 - 47.00)
Region 1	35.33	(30.39 - 40.60)	28.77	(23.55 - 34.63)	38.28	(32.82 - 44.06)	36.88	(31.98 - 42.07)
Region 2	38.90	(35.01 - 42.94)	35.34	(31.25 - 39.66)	43.30	(39.09 - 47.60)	42.13	(38.42 - 45.92)
Region 3	38.26	(33.45 - 43.32)	40.99	(35.43 - 46.79)	47.69	(42.43 - 53.00)	46.62	(41.96 - 51.34)
Region 4	39.35	(34.39 - 44.55)	34.91	(29.59 - 40.63)	42.32	(37.59 - 47.20)	41.42	(37.12 - 45.87)
Region 5	40.87	(36.53 - 45.36)	39.29	(34.47 - 44.34)	45.58	(41.34 - 49.88)	44.71	(40.89 - 48.60)
Region 6 (Santa Clara)	38.98	(34.15 - 44.03)	33.55	(28.29 - 39.25)	45.17	(40.41 - 50.02)	43.52	(39.27 - 47.86)
Region 7	40.34	(34.87 - 46.06)	39.50	(33.88 - 45.41)	46.05	(40.58 - 51.62)	44.94	(40.08 - 49.89)
Region 8	38.44	(33.86 - 43.23)	42.50	(37.33 - 47.84)	48.94	(44.02 - 53.88)	47.79	(43.46 - 52.15)
Region 9	37.82	(32.65 - 43.29)	36.14	(30.99 - 41.63)	45.33	(39.81 - 50.96)	43.73	(38.90 - 48.69)
Region 10	40.23	(35.19 - 45.50)	41.27	(35.71 - 47.06)	46.49	(40.99 - 52.07)	45.65	(40.79 - 50.60)
Region 11 (Los Angeles)	41.20	(38.24 - 44.23)	41.77	(38.90 - 44.71)	49.71	(46.66 - 52.76)	48.43	(45.82 - 51.04)
Region 12	42.05	(37.42 - 46.82)	39.34	(34.38 - 44.52)	52.00	(47.29 - 56.68)	49.82	(45.70 - 53.95)
Region 13 (Riverside)	40.61	(35.94 - 45.44)	38.30	(33.26 - 43.60)	47.14	(42.15 - 52.19)	45.80	(41.39 - 50.27)
Region 14 (Orange)	41.91	(37.39 - 46.57)	39.94	(35.29 - 44.79)	44.61	(40.19 - 49.12)	43.92	(40.02 - 47.89)
Region 15	38.75	(34.46 - 43.22)	32.98	(28.89 - 37.34)	46.48	(42.29 - 50.72)	44.20	(40.59 - 47.86)
Colorado	33.98	(30.97 - 37.12)	29.09	(26.10 - 32.27)	39.24	(36.09 - 42.48)	37.74	(34.98 - 40.57)
Region 1	32.60	(27.46 - 38.20)	28.07	(23.03 - 33.73)	40.20	(34.75 - 45.90)	38.06	(33.29 - 43.08)
Regions 2 and 7	34.11	(30.34 - 38.10)	28.86	(25.15 - 32.87)	39.03	(35.23 - 42.97)	37.56	(34.22 - 41.03)
Region 3	35.05	(29.59 - 40.92)	30.19	(24.97 - 35.97)	38.45	(32.94 - 44.27)	37.24	(32.32 - 42.43)
Region 4	34.11	(28.40 - 40.31)	32.02	(26.01 - 38.68)	42.76	(36.49 - 49.26)	41.30	(35.65 - 47.19)
Regions 5 and 6	33.58	(28.11 - 39.53)	28.81	(23.43 - 34.87)	38.41	(32.77 - 44.37)	37.00	(32.01 - 42.29)
Connecticut	35.35	(32.55 - 38.26)	30.37	(27.26 - 33.66)	40.91	(37.53 - 44.38)	39.52	(36.53 - 42.58)
Eastern	34.56	(29.40 - 40.10)	26.54	(21.18 - 32.71)	39.41	(33.76 - 45.37)	37.23	(32.31 - 42.43)
North Central	37.25	(32.53 - 42.23)	32.41	(27.69 - 37.50)	42.83	(37.62 - 48.21)	41.49	(36.85 - 46.30)
Northwestern	32.10	(27.59 - 36.98)	27.12	(22.43 - 32.39)	37.86	(32.42 - 43.63)	36.56	(31.66 - 41.75)
South Central	35.65	(31.22 - 40.34)	29.57	(24.77 - 34.86)	40.98	(35.99 - 46.16)	39.41	(35.01 - 43.99)
Southwest	35.84	(30.99 - 40.99)	34.52	(29.05 - 40.43)	41.63	(36.07 - 47.41)	40.78	(35.77 - 45.98)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	37.57	(34.48 - 40.78)	31.96	(28.78 - 35.31)	42.93	(39.79 - 46.13)	41.33	(38.57 - 44.14)
Kent	38.91	(33.74 - 44.35)	35.12	(30.04 - 40.55)	43.49	(37.96 - 49.19)	42.17	(37.37 - 47.12)
New Castle (excluding Wilmington City)	34.52	(30.66 - 38.59)	27.86	(24.17 - 31.88)	40.31	(36.48 - 44.26)	38.37	(35.04 - 41.82)
Sussex	39.94	(34.73 - 45.38)	36.97	(31.28 - 43.04)	45.76	(40.20 - 51.42)	44.79	(39.69 - 49.99)
Wilmington City	46.93	(40.83 - 53.12)	*	(* - *)	49.86	(43.39 - 56.33)	48.50	(42.71 - 54.33)
District of Columbia	43.54	(40.19 - 46.95)	31.84	(28.65 - 35.21)	44.91	(41.72 - 48.15)	42.82	(40.05 - 45.64)
Ward 1	43.00	(36.69 - 49.54)	*	(* - *)	44.84	(39.09 - 50.72)	43.13	(38.01 - 48.40)
Ward 2	*	(* - *)	22.81	(18.78 - 27.42)	37.96	(32.84 - 43.36)	34.19	(30.03 - 38.61)
Ward 3	34.10	(28.46 - 40.22)	19.55	(15.31 - 24.63)	35.60	(30.53 - 41.03)	33.06	(28.61 - 37.84)
Ward 4	41.78	(35.91 - 47.90)	*	(* - *)	48.28	(42.34 - 54.26)	47.26	(41.74 - 52.84)
Ward 5	43.28	(37.25 - 49.52)	36.98	(31.24 - 43.11)	50.40	(45.06 - 55.74)	48.47	(43.73 - 53.25)
Ward 6	45.33	(38.90 - 51.93)	33.83	(27.71 - 40.53)	43.95	(38.33 - 49.73)	42.62	(37.53 - 47.87)
Ward 7	46.70	(41.59 - 51.89)	*	(* - *)	51.99	(46.09 - 57.84)	50.94	(45.61 - 56.26)
Ward 8	46.74	(41.56 - 52.00)	44.91	(38.45 - 51.55)	51.92	(46.13 - 57.65)	50.65	(45.60 - 55.69)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	39.09	(37.49 - 40.72)	37.70	(36.09 - 39.35)	46.39	(44.62 - 48.16)	45.26	(43.69 - 46.83)
Region A	37.93	(34.64 - 41.33)	33.90	(30.61 - 37.35)	44.31	(40.83 - 47.84)	42.47	(39.46 - 45.54)
Circuit 1	37.87	(33.03 - 42.97)	33.75	(28.43 - 39.52)	44.09	(39.05 - 49.25)	42.49	(38.02 - 47.08)
Circuit 2	38.83	(33.75 - 44.17)	34.11	(29.44 - 39.10)	44.68	(39.21 - 50.28)	42.15	(37.64 - 46.80)
Circuit 14	36.64	(31.26 - 42.39)	33.79	(28.30 - 39.75)	44.36	(38.84 - 50.03)	42.87	(37.92 - 47.96)
Region B	38.86	(35.92 - 41.88)	33.53	(30.67 - 36.52)	44.45	(41.26 - 47.68)	42.75	(39.97 - 45.57)
Circuits 3 and 8	38.47	(33.31 - 43.91)	31.48	(26.77 - 36.60)	44.37	(39.01 - 49.87)	41.63	(37.11 - 46.30)
Circuit 4	41.15	(36.87 - 45.57)	34.99	(30.54 - 39.72)	45.39	(40.86 - 49.99)	43.77	(39.80 - 47.83)
Circuit 7	35.42	(30.87 - 40.25)	33.65	(28.88 - 38.78)	43.30	(38.02 - 48.73)	42.18	(37.39 - 47.12)
Region C	38.34	(35.90 - 40.84)	35.20	(32.71 - 37.77)	44.34	(41.84 - 46.87)	43.18	(40.94 - 45.45)
Circuit 5	36.54	(32.16 - 41.16)	33.47	(28.72 - 38.57)	45.07	(39.98 - 50.27)	44.00	(39.31 - 48.81)
Circuit 9	40.92	(36.61 - 45.37)	36.46	(32.34 - 40.79)	46.17	(41.50 - 50.91)	44.53	(40.50 - 48.65)
Circuit 10	37.91	(33.04 - 43.05)	37.80	(32.27 - 43.68)	45.36	(40.17 - 50.65)	44.38	(39.70 - 49.16)
Circuit 18	37.52	(32.96 - 42.31)	32.20	(27.73 - 37.03)	41.58	(36.91 - 46.40)	40.44	(36.25 - 44.78)
Circuit 19	36.08	(31.13 - 41.36)	35.07	(29.98 - 40.51)	42.68	(37.41 - 48.12)	41.91	(37.05 - 46.93)
Region D	40.86	(38.54 - 43.22)	42.99	(40.42 - 45.59)	50.72	(48.17 - 53.27)	49.76	(47.46 - 52.06)
Circuits 11 and 16	41.28	(37.78 - 44.87)	45.37	(41.45 - 49.35)	55.60	(51.70 - 59.43)	54.21	(50.74 - 57.63)
Circuit 15 (Palm Beach)	40.61	(36.38 - 44.99)	40.29	(35.83 - 44.92)	44.41	(40.04 - 48.87)	43.97	(39.96 - 48.07)
Circuit 17 (Broward)	40.39	(36.63 - 44.26)	40.77	(36.67 - 45.01)	48.41	(44.53 - 52.32)	47.49	(43.97 - 51.03)
Region E	37.98	(35.49 - 40.53)	37.83	(35.04 - 40.71)	44.36	(41.60 - 47.15)	43.63	(41.14 - 46.16)
Circuit 6	36.44	(32.49 - 40.57)	33.79	(29.25 - 38.66)	44.87	(40.31 - 49.51)	43.77	(39.59 - 48.04)
Circuit 12	34.97	(30.07 - 40.21)	36.71	(31.19 - 42.60)	41.64	(36.39 - 47.08)	41.18	(36.30 - 46.23)
Circuit 13 (Hillsborough)	41.33	(36.90 - 45.91)	41.44	(36.84 - 46.19)	48.00	(43.40 - 52.64)	47.02	(42.97 - 51.11)
Circuit 20	37.31	(32.69 - 42.18)	38.23	(33.28 - 43.43)	42.10	(37.16 - 47.20)	41.71	(37.16 - 46.41)
Georgia	44.58	(41.38 - 47.83)	38.68	(35.60 - 41.84)	48.64	(45.22 - 52.08)	47.12	(44.13 - 50.13)
Region 1	41.74	(36.64 - 47.03)	35.94	(30.47 - 41.81)	45.75	(40.07 - 51.54)	44.37	(39.33 - 49.53)
Region 2	44.17	(38.93 - 49.53)	36.53	(31.35 - 42.03)	48.74	(43.09 - 54.42)	46.84	(41.92 - 51.82)
Region 3	46.46	(41.81 - 51.18)	40.23	(35.78 - 44.84)	49.54	(44.89 - 54.20)	48.15	(44.05 - 52.27)
Region 4	43.99	(38.58 - 49.55)	39.94	(34.51 - 45.64)	48.48	(42.76 - 54.25)	47.18	(42.10 - 52.32)
Region 5	42.80	(37.31 - 48.47)	37.87	(31.92 - 44.21)	48.70	(42.89 - 54.55)	46.86	(41.78 - 52.00)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	40.74	(37.37 - 44.20)	32.14	(28.84 - 35.62)	40.92	(37.34 - 44.60)	39.76	(36.58 - 43.02)
Hawaii Island	38.27	(32.58 - 44.30)	30.83	(25.10 - 37.22)	42.79	(36.72 - 49.07)	41.36	(35.88 - 47.06)
Honolulu	41.08	(37.21 - 45.08)	32.08	(28.33 - 36.08)	40.23	(36.10 - 44.50)	39.10	(35.47 - 42.85)
Kauai and Maui**	41.39	(36.25 - 46.72)	33.51	(28.37 - 39.07)	42.50	(37.16 - 48.02)	41.46	(36.60 - 46.48)
Maui	42.23	(36.28 - 48.40)	33.45	(27.63 - 39.81)	42.06	(35.94 - 48.43)	41.04	(35.49 - 46.82)
Idaho	39.45	(36.39 - 42.61)	29.38	(26.60 - 32.32)	41.82	(38.62 - 45.09)	39.75	(37.01 - 42.55)
Region 1	36.25	(30.89 - 41.97)	26.08	(20.99 - 31.90)	39.98	(34.50 - 45.72)	38.20	(33.29 - 43.35)
Region 2	38.56	(32.60 - 44.88)	24.63	(19.67 - 30.37)	41.02	(34.90 - 47.43)	37.98	(32.73 - 43.51)
Region 3	37.23	(32.42 - 42.30)	31.69	(26.50 - 37.39)	41.38	(36.35 - 46.59)	39.84	(35.39 - 44.46)
Region 4	38.41	(33.45 - 43.62)	27.20	(23.10 - 31.74)	39.86	(35.05 - 44.86)	37.78	(33.61 - 42.14)
Region 5	41.15	(35.47 - 47.07)	31.27	(25.60 - 37.56)	43.44	(37.74 - 49.31)	41.60	(36.54 - 46.85)
Region 6	40.85	(35.06 - 46.91)	27.69	(22.79 - 33.20)	45.12	(39.17 - 51.21)	41.79	(36.74 - 47.02)
Region 7	43.98	(38.23 - 49.89)	36.63	(30.68 - 43.02)	45.54	(39.41 - 51.81)	43.68	(38.51 - 48.99)
Illinois	37.89	(36.28 - 39.53)	31.26	(29.65 - 32.92)	39.83	(38.13 - 41.55)	38.53	(37.08 - 40.01)
Region I (Cook)	41.67	(39.18 - 44.20)	35.09	(32.53 - 37.74)	42.68	(40.08 - 45.33)	41.52	(39.28 - 43.80)
Region II	34.14	(31.60 - 36.78)	28.96	(26.37 - 31.70)	37.22	(34.56 - 39.97)	36.04	(33.71 - 38.44)
Region III	36.57	(32.79 - 40.53)	25.04	(21.85 - 28.51)	38.18	(34.34 - 42.16)	35.90	(32.64 - 39.30)
Region IV	36.72	(32.47 - 41.18)	28.38	(24.39 - 32.73)	38.37	(33.99 - 42.94)	36.93	(33.04 - 41.00)
Region V	36.30	(32.46 - 40.32)	31.16	(27.50 - 35.07)	38.14	(33.91 - 42.55)	37.10	(33.42 - 40.93)
Indiana	36.68	(33.72 - 39.73)	29.82	(27.01 - 32.80)	41.46	(38.26 - 44.73)	39.68	(36.89 - 42.52)
Central	39.19	(34.51 - 44.08)	32.52	(27.79 - 37.64)	42.88	(37.95 - 47.97)	41.41	(37.04 - 45.92)
East	35.64	(30.16 - 41.53)	28.60	(23.41 - 34.42)	41.45	(35.77 - 47.37)	39.46	(34.44 - 44.72)
North Central	37.23	(31.90 - 42.88)	30.31	(25.05 - 36.15)	41.70	(36.19 - 47.43)	40.00	(35.13 - 45.07)
Northeast	37.12	(31.92 - 42.64)	29.30	(24.14 - 35.06)	41.13	(35.48 - 47.03)	39.35	(34.35 - 44.59)
Northwest	35.87	(30.93 - 41.12)	32.33	(27.16 - 37.99)	43.11	(37.55 - 48.85)	41.59	(36.60 - 46.75)
Southeast	35.29	(30.21 - 40.73)	29.48	(23.86 - 35.79)	41.17	(35.54 - 47.04)	39.57	(34.50 - 44.87)
Southwest	34.55	(28.89 - 40.68)	28.05	(22.71 - 34.09)	37.76	(32.00 - 43.89)	36.36	(31.22 - 41.84)
West	34.54	(29.38 - 40.09)	25.90	(21.28 - 31.14)	39.29	(33.78 - 45.10)	36.36	(31.73 - 41.27)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	34.70	(31.69 - 37.85)	23.20	(20.64 - 25.98)	37.84	(34.90 - 40.87)	35.57	(33.01 - 38.22)
Central	35.40	(30.45 - 40.69)	23.50	(19.16 - 28.47)	38.59	(33.46 - 43.98)	36.35	(31.81 - 41.15)
North Central	34.05	(28.66 - 39.89)	21.35	(17.05 - 26.37)	37.83	(32.43 - 43.55)	34.78	(30.14 - 39.72)
Northeast	35.59	(31.12 - 40.34)	22.62	(18.84 - 26.90)	37.00	(32.43 - 41.83)	34.75	(30.77 - 38.95)
Northwest	33.91	(28.98 - 39.22)	25.13	(20.24 - 30.74)	39.53	(34.32 - 44.99)	37.54	(32.87 - 42.45)
Southeast	34.93	(29.98 - 40.22)	23.35	(19.08 - 28.24)	37.41	(32.60 - 42.47)	35.07	(30.87 - 39.52)
Southwest	32.94	(27.75 - 38.59)	23.65	(18.91 - 29.16)	36.69	(31.13 - 42.62)	34.97	(29.97 - 40.33)
Kansas	38.80	(35.76 - 41.92)	25.71	(22.89 - 28.76)	41.49	(38.33 - 44.72)	38.94	(36.21 - 41.73)
Kansas City Metro	40.12	(35.42 - 45.01)	24.24	(20.63 - 28.26)	40.37	(35.77 - 45.14)	37.69	(33.75 - 41.80)
Northeast	38.93	(33.98 - 44.11)	25.36	(20.53 - 30.90)	40.79	(35.40 - 46.41)	38.11	(33.45 - 43.01)
South Central	34.58	(29.83 - 39.66)	24.28	(19.35 - 30.00)	42.58	(37.11 - 48.23)	39.85	(35.03 - 44.89)
Southeast	37.97	(31.99 - 44.35)	25.34	(19.94 - 31.63)	41.34	(35.10 - 47.88)	38.89	(33.36 - 44.72)
West	36.48	(31.34 - 41.95)	28.42	(22.80 - 34.79)	42.13	(36.32 - 48.16)	40.02	(34.85 - 45.42)
Wichita (Sedgwick)	41.79	(36.49 - 47.28)	28.48	(23.71 - 33.79)	43.11	(37.83 - 48.55)	40.80	(36.16 - 45.60)
Kentucky	36.62	(33.90 - 39.43)	32.70	(29.90 - 35.61)	43.36	(40.17 - 46.61)	41.84	(39.03 - 44.71)
Adanta, Cumberland River, and Lifeskills	38.46	(33.40 - 43.78)	32.90	(27.75 - 38.49)	42.71	(37.07 - 48.56)	41.32	(36.32 - 46.51)
Bluegrass, Comprehend, and North Key	35.09	(30.69 - 39.77)	31.94	(27.49 - 36.76)	42.43	(37.62 - 47.39)	40.80	(36.56 - 45.19)
Communicare and River Valley	38.66	(33.22 - 44.39)	31.31	(25.85 - 37.33)	44.01	(38.28 - 49.90)	42.25	(37.11 - 47.56)
Four Rivers and Pennyroyal	38.03	(32.45 - 43.94)	34.20	(28.23 - 40.71)	45.30	(39.71 - 51.02)	43.72	(38.68 - 48.88)
Kentucky River, Mountain, and Pathways	37.36	(32.42 - 42.57)	35.76	(30.72 - 41.14)	44.37	(39.06 - 49.82)	43.16	(38.47 - 47.98)
Seven Counties	34.95	(30.41 - 39.79)	31.85	(27.00 - 37.13)	43.31	(38.16 - 48.61)	41.84	(37.20 - 46.63)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	41.44	(38.44 - 44.51)	37.84	(34.96 - 40.81)	44.27	(40.99 - 47.59)	43.20	(40.40 - 46.05)
Region 1	44.92	(38.59 - 51.43)	41.02	(34.52 - 47.86)	47.07	(41.05 - 53.18)	46.05	(40.74 - 51.46)
Regions 2 and 9	39.77	(35.20 - 44.53)	37.27	(32.58 - 42.21)	43.18	(38.20 - 48.31)	42.15	(37.85 - 46.57)
Region 3	38.77	(33.28 - 44.56)	35.57	(29.73 - 41.87)	39.97	(34.14 - 46.09)	39.25	(34.10 - 44.66)
Region 4	38.98	(33.82 - 44.41)	36.70	(30.92 - 42.88)	42.67	(36.84 - 48.71)	41.67	(36.55 - 46.97)
Regions 5 and 6	38.83	(33.35 - 44.61)	34.29	(28.84 - 40.20)	42.06	(36.63 - 47.70)	40.81	(36.04 - 45.76)
Regions 7 and 8	45.68	(40.56 - 50.88)	39.35	(34.26 - 44.68)	48.29	(42.74 - 53.89)	46.79	(41.99 - 51.65)
Region 10 (Jefferson)	41.95	(36.23 - 47.90)	40.32	(34.14 - 46.83)	44.02	(38.08 - 50.13)	43.48	(38.14 - 48.96)
Maine	32.70	(29.64 - 35.92)	22.74	(20.14 - 25.57)	40.73	(37.56 - 43.98)	38.37	(35.57 - 41.24)
Aroostook/Downeast	32.59	(27.49 - 38.15)	24.48	(19.38 - 30.43)	39.99	(34.23 - 46.04)	38.06	(32.92 - 43.48)
Central	33.65	(28.62 - 39.09)	23.92	(19.40 - 29.12)	39.14	(33.58 - 45.01)	37.15	(32.19 - 42.39)
Cumberland	31.68	(26.77 - 37.04)	20.46	(16.60 - 24.96)	40.56	(35.70 - 45.61)	37.88	(33.59 - 42.37)
Midcoast	35.52	(29.98 - 41.49)	24.34	(19.43 - 30.03)	43.14	(37.10 - 49.38)	41.03	(35.56 - 46.72)
Penquis	34.05	(28.84 - 39.67)	23.04	(18.70 - 28.04)	43.04	(37.13 - 49.17)	39.87	(34.75 - 45.22)
Western	30.85	(25.76 - 36.45)	23.16	(18.79 - 28.20)	41.34	(35.65 - 47.28)	38.83	(33.83 - 44.08)
York	31.89	(27.00 - 37.20)	21.80	(17.46 - 26.85)	38.67	(33.38 - 44.24)	36.64	(31.86 - 41.70)
Maryland	41.15	(38.19 - 44.18)	36.02	(32.92 - 39.23)	46.68	(43.33 - 50.06)	45.18	(42.24 - 48.16)
Anne Arundel	37.10	(31.66 - 42.90)	31.27	(25.45 - 37.75)	43.37	(37.33 - 49.62)	41.68	(36.23 - 47.34)
Baltimore City	50.02	(44.12 - 55.92)	46.43	(40.13 - 52.85)	52.50	(46.52 - 58.41)	51.50	(46.22 - 56.76)
Baltimore County	40.67	(35.39 - 46.17)	34.22	(29.26 - 39.55)	45.92	(40.09 - 51.87)	44.29	(39.13 - 49.58)
Montgomery	40.22	(34.95 - 45.72)	33.57	(28.19 - 39.41)	46.83	(41.31 - 52.42)	45.25	(40.28 - 50.32)
North Central	37.04	(31.31 - 43.15)	26.99	(21.36 - 33.46)	41.09	(34.89 - 47.58)	39.33	(33.71 - 45.24)
Northeast	35.41	(30.21 - 40.98)	29.77	(24.02 - 36.24)	43.29	(37.03 - 49.77)	41.57	(35.94 - 47.42)
Prince George's	47.53	(41.90 - 53.22)	45.83	(39.74 - 52.04)	51.80	(46.07 - 57.47)	50.85	(45.81 - 55.86)
South	39.30	(33.84 - 45.05)	32.23	(26.81 - 38.18)	46.46	(40.53 - 52.49)	44.40	(39.15 - 49.78)
West	35.76	(30.37 - 41.53)	29.30	(23.53 - 35.82)	43.54	(37.38 - 49.90)	41.53	(36.07 - 47.21)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	32.23	(29.30 - 35.30)	26.48	(23.74 - 29.41)	35.45	(32.40 - 38.62)	34.18	(31.51 - 36.96)
Boston	38.43	(32.86 - 44.31)	31.25	(26.24 - 36.75)	39.05	(33.81 - 44.57)	37.45	(32.94 - 42.19)
Central	31.29	(26.18 - 36.90)	25.14	(20.50 - 30.42)	36.08	(30.69 - 41.85)	34.59	(29.79 - 39.73)
Metrowest	31.35	(27.00 - 36.06)	22.46	(18.39 - 27.14)	33.46	(28.75 - 38.52)	32.05	(27.81 - 36.61)
Northeast	31.64	(27.03 - 36.64)	28.93	(24.03 - 34.39)	36.65	(31.78 - 41.81)	35.67	(31.29 - 40.30)
Southeast	31.85	(27.17 - 36.92)	26.08	(21.56 - 31.17)	35.27	(30.33 - 40.55)	34.14	(29.68 - 38.90)
Western	30.66	(25.77 - 36.01)	25.10	(20.44 - 30.42)	33.72	(28.33 - 39.58)	32.35	(27.62 - 37.48)
Michigan	36.99	(35.43 - 38.58)	28.49	(26.97 - 30.06)	39.38	(37.73 - 41.04)	37.76	(36.34 - 39.21)
Bay	31.15	(26.84 - 35.83)	25.86	(21.43 - 30.85)	35.46	(30.82 - 40.39)	34.17	(30.01 - 38.60)
Detroit City	48.97	(44.81 - 53.15)	47.14	(42.37 - 51.96)	52.21	(47.60 - 56.79)	51.41	(47.36 - 55.45)
Genesee	37.49	(33.16 - 42.03)	29.31	(24.91 - 34.13)	39.77	(35.20 - 44.53)	38.26	(34.19 - 42.51)
Kalamazoo	37.61	(33.41 - 42.01)	27.56	(23.75 - 31.72)	39.46	(34.99 - 44.11)	37.52	(33.63 - 41.58)
Kent	34.96	(30.71 - 39.47)	29.02	(24.96 - 33.45)	38.78	(34.10 - 43.67)	37.11	(33.06 - 41.35)
Lakeshore	35.63	(31.58 - 39.90)	29.99	(25.95 - 34.37)	40.70	(36.51 - 45.01)	39.04	(35.39 - 42.81)
Macomb	35.19	(31.28 - 39.31)	27.48	(23.48 - 31.89)	36.19	(32.26 - 40.33)	35.05	(31.54 - 38.72)
Mid South	32.80	(29.03 - 36.81)	23.84	(20.57 - 27.44)	36.53	(32.59 - 40.66)	34.30	(30.94 - 37.82)
Northern	33.96	(29.93 - 38.24)	22.91	(19.39 - 26.86)	37.68	(33.56 - 42.00)	35.62	(31.99 - 39.43)
Oakland	38.39	(34.76 - 42.16)	26.73	(23.18 - 30.60)	37.75	(33.96 - 41.69)	36.38	(32.98 - 39.92)
Pathways	*	(* - *)	25.60	(20.94 - 30.89)	35.93	(30.69 - 41.53)	34.40	(29.73 - 39.39)
Saginaw	36.91	(31.84 - 42.28)	29.17	(24.22 - 34.67)	37.50	(32.29 - 43.02)	36.32	(31.63 - 41.29)
Southeast	35.07	(31.73 - 38.55)	27.99	(24.65 - 31.59)	39.98	(36.25 - 43.83)	38.38	(35.07 - 41.80)
St. Clair	37.14	(31.74 - 42.88)	26.02	(21.22 - 31.47)	39.00	(33.70 - 44.57)	37.27	(32.49 - 42.30)
Washtenaw	36.97	(32.77 - 41.38)	25.12	(21.17 - 29.54)	38.90	(34.49 - 43.50)	36.27	(32.50 - 40.22)
Western	*	(* - *)	23.43	(18.92 - 28.63)	34.97	(29.36 - 41.04)	33.26	(28.29 - 38.64)
Minnesota	33.49	(30.58 - 36.54)	23.61	(21.02 - 26.43)	36.08	(33.01 - 39.27)	34.17	(31.49 - 36.94)
Regions 1 and 2	32.58	(27.42 - 38.19)	22.34	(17.76 - 27.70)	35.96	(30.32 - 42.02)	33.99	(29.02 - 39.34)
Regions 3 and 4	30.79	(26.16 - 35.84)	23.18	(18.75 - 28.28)	35.41	(30.62 - 40.50)	33.41	(29.21 - 37.89)
Regions 5 and 6	32.91	(28.13 - 38.07)	23.63	(19.23 - 28.67)	36.30	(31.25 - 41.66)	34.31	(29.89 - 39.02)
Region 7A (Hennepin)	36.15	(30.89 - 41.75)	23.22	(19.20 - 27.81)	36.81	(31.94 - 41.96)	34.77	(30.46 - 39.33)
Region 7B (Ramsey)	37.04	(31.56 - 42.88)	27.44	(22.45 - 33.07)	38.94	(33.17 - 45.04)	36.98	(31.93 - 42.34)
Region 7C	32.76	(28.39 - 37.46)	22.84	(18.63 - 27.67)	34.27	(29.70 - 39.16)	32.64	(28.60 - 36.97)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	46.14	(43.01 - 49.30)	40.40	(37.35 - 43.53)	49.68	(46.44 - 52.93)	48.17	(45.37 - 50.98)
Region 1	46.52	(41.04 - 52.08)	40.28	(34.71 - 46.11)	49.98	(44.68 - 55.29)	48.47	(43.82 - 53.15)
Region 2	47.65	(42.24 - 53.12)	44.63	(38.54 - 50.89)	51.22	(45.65 - 56.76)	50.11	(45.19 - 55.03)
Region 3	46.62	(40.93 - 52.39)	40.45	(35.00 - 46.15)	51.96	(45.91 - 57.96)	49.97	(44.73 - 55.22)
Region 4	46.37	(41.27 - 51.55)	41.32	(35.63 - 47.25)	48.46	(43.04 - 53.92)	47.30	(42.50 - 52.14)
Region 5	47.10	(41.24 - 53.05)	42.01	(35.76 - 48.52)	50.90	(44.59 - 57.18)	49.53	(44.00 - 55.07)
Region 6	46.72	(40.74 - 52.79)	38.46	(32.65 - 44.62)	50.26	(44.22 - 56.29)	48.16	(42.92 - 53.44)
Region 7	42.73	(37.29 - 48.35)	36.08	(30.94 - 41.57)	46.37	(40.94 - 51.90)	44.81	(40.01 - 49.70)
Missouri	36.86	(33.93 - 39.88)	26.20	(23.62 - 28.96)	42.78	(39.53 - 46.09)	40.28	(37.47 - 43.16)
Central	35.78	(30.85 - 41.03)	26.20	(21.75 - 31.21)	41.59	(36.12 - 47.26)	38.89	(34.19 - 43.80)
Eastern	37.94	(34.13 - 41.90)	26.97	(23.32 - 30.96)	42.39	(38.20 - 46.68)	40.17	(36.50 - 43.97)
Eastern (St. Louis City and County)	40.18	(35.48 - 45.07)	29.02	(24.42 - 34.09)	43.66	(38.64 - 48.83)	41.56	(37.12 - 46.15)
Eastern (excluding St. Louis)	33.97	(28.88 - 39.47)	22.88	(18.25 - 28.28)	39.82	(34.35 - 45.56)	37.39	(32.54 - 42.50)
Northwest	37.52	(33.30 - 41.94)	25.82	(21.99 - 30.06)	43.13	(38.54 - 47.85)	40.53	(36.49 - 44.71)
Northwest (Jackson)	40.53	(35.03 - 46.29)	29.49	(24.25 - 35.33)	45.00	(39.12 - 51.02)	42.71	(37.49 - 48.09)
Northwest (excluding Jackson)	34.92	(29.65 - 40.58)	22.63	(18.01 - 28.02)	41.45	(35.52 - 47.64)	38.59	(33.38 - 44.07)
Southeast	34.80	(29.49 - 40.52)	26.64	(21.99 - 31.86)	43.64	(37.60 - 49.88)	41.20	(35.90 - 46.72)
Southwest	35.85	(30.82 - 41.20)	24.82	(20.50 - 29.71)	43.48	(38.00 - 49.12)	40.64	(35.85 - 45.61)
Montana	32.44	(29.51 - 35.51)	24.57	(21.90 - 27.45)	37.92	(34.64 - 41.31)	35.89	(33.05 - 38.83)
Region 1	31.27	(26.16 - 36.88)	26.00	(20.62 - 32.21)	38.72	(32.65 - 45.16)	37.18	(31.69 - 43.03)
Region 2	35.20	(30.03 - 40.73)	28.30	(23.12 - 34.11)	41.75	(35.91 - 47.83)	39.72	(34.55 - 45.13)
Region 3	33.22	(28.44 - 38.39)	26.34	(21.87 - 31.34)	39.64	(34.41 - 45.12)	37.76	(33.10 - 42.65)
Region 4	32.79	(28.45 - 37.44)	21.72	(18.13 - 25.79)	35.93	(31.04 - 41.13)	33.56	(29.41 - 37.98)
Region 5	30.49	(26.11 - 35.25)	23.98	(20.03 - 28.44)	36.27	(31.44 - 41.40)	34.37	(30.16 - 38.85)
Nebraska	35.79	(32.77 - 38.93)	23.48	(20.85 - 26.34)	38.49	(35.31 - 41.78)	36.06	(33.33 - 38.89)
Regions 1 and 2	35.39	(29.62 - 41.62)	25.45	(20.34 - 31.35)	38.74	(32.96 - 44.86)	36.96	(31.75 - 42.49)
Region 3	34.53	(28.92 - 40.62)	22.89	(18.33 - 28.19)	36.69	(31.12 - 42.64)	34.58	(29.69 - 39.82)
Region 4	34.87	(29.73 - 40.37)	24.58	(19.90 - 29.96)	38.54	(33.06 - 44.34)	36.53	(31.67 - 41.69)
Region 5	34.20	(29.66 - 39.05)	21.59	(17.95 - 25.73)	37.49	(32.57 - 42.68)	34.52	(30.38 - 38.91)
Region 6	37.64	(33.49 - 41.98)	24.29	(20.50 - 28.53)	39.64	(35.34 - 44.10)	37.15	(33.43 - 41.03)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	37.45	(33.99 - 41.04)	37.09	(33.71 - 40.60)	42.78	(39.41 - 46.21)	42.00	(39.01 - 45.04)
Clark	38.00	(33.94 - 42.24)	38.43	(34.45 - 42.57)	42.64	(38.71 - 46.66)	42.05	(38.57 - 45.62)
Rural	35.38	(30.24 - 40.89)	31.60	(26.22 - 37.52)	42.52	(37.30 - 47.91)	41.24	(36.54 - 46.11)
Washoe	37.01	(31.81 - 42.52)	34.96	(29.51 - 40.83)	43.65	(37.96 - 49.50)	42.41	(37.34 - 47.64)
New Hampshire	31.79	(28.97 - 34.74)	21.73	(19.11 - 24.60)	35.65	(32.67 - 38.75)	33.75	(31.12 - 36.48)
Central	29.92	(26.18 - 33.95)	21.34	(17.95 - 25.17)	36.66	(32.26 - 41.30)	34.41	(30.55 - 38.48)
Central 1	29.45	(24.64 - 34.76)	20.33	(16.20 - 25.20)	36.56	(31.08 - 42.42)	33.84	(29.10 - 38.92)
Central 2	30.39	(25.64 - 35.59)	22.62	(18.11 - 27.87)	36.76	(31.21 - 42.67)	34.96	(30.00 - 40.28)
Northern	28.57	(23.69 - 34.01)	19.32	(15.14 - 24.33)	32.53	(27.57 - 37.91)	30.68	(26.29 - 35.45)
Southern	33.36	(29.96 - 36.94)	22.52	(19.31 - 26.08)	35.87	(32.44 - 39.45)	34.12	(31.07 - 37.30)
Southern 1 (Rockingham)	30.28	(25.81 - 35.15)	19.49	(15.47 - 24.25)	33.66	(29.15 - 38.49)	32.02	(27.92 - 36.42)
Southern 2	35.20	(30.94 - 39.71)	24.04	(20.17 - 28.38)	37.25	(32.96 - 41.76)	35.40	(31.62 - 39.37)
New Jersey	36.85	(33.83 - 39.97)	32.97	(29.91 - 36.19)	45.17	(41.71 - 48.68)	43.59	(40.50 - 46.73)
Central	36.41	(31.60 - 41.51)	30.44	(25.38 - 36.03)	42.87	(37.47 - 48.44)	41.38	(36.50 - 46.44)
Metropolitan	39.16	(34.32 - 44.22)	37.95	(32.96 - 43.21)	49.40	(43.92 - 54.90)	47.78	(42.90 - 52.71)
Northern	37.09	(32.61 - 41.80)	32.56	(27.81 - 37.69)	45.91	(41.07 - 50.83)	44.24	(39.87 - 48.70)
Southern	34.49	(29.75 - 39.56)	29.84	(25.29 - 34.84)	41.60	(36.33 - 47.07)	40.03	(35.34 - 44.91)
New Mexico	39.71	(36.53 - 42.97)	37.12	(33.98 - 40.37)	49.83	(46.54 - 53.12)	47.80	(44.93 - 50.68)
Region 1	41.71	(36.59 - 47.01)	38.49	(32.75 - 44.57)	49.92	(44.35 - 55.49)	48.08	(43.17 - 53.03)
Region 2	37.63	(31.94 - 43.67)	*	(* - *)	54.86	(49.01 - 60.58)	52.53	(47.27 - 57.73)
Region 3 (Bernalillo)	40.15	(35.39 - 45.09)	36.35	(31.82 - 41.14)	46.96	(42.08 - 51.91)	45.23	(40.99 - 49.54)
Region 4	37.95	(32.28 - 43.98)	34.87	(29.38 - 40.80)	49.89	(44.03 - 55.75)	47.40	(42.26 - 52.59)
Region 5	39.63	(34.31 - 45.21)	38.16	(32.94 - 43.68)	50.02	(44.49 - 55.56)	47.99	(43.24 - 52.78)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	39.53	(37.79 - 41.31)	31.70	(30.03 - 33.43)	44.80	(42.96 - 46.66)	42.91	(41.31 - 44.53)
Region A	44.43	(41.91 - 46.99)	38.41	(35.89 - 40.99)	49.66	(47.13 - 52.18)	47.95	(45.75 - 50.16)
Region 1	44.45	(39.75 - 49.25)	44.22	(38.74 - 49.84)	56.31	(51.37 - 61.13)	54.32	(49.93 - 58.65)
Region 2	46.74	(42.66 - 50.86)	40.16	(35.97 - 44.50)	48.92	(44.96 - 52.88)	47.55	(44.11 - 51.01)
Region 3	39.32	(34.12 - 44.77)	29.46	(25.07 - 34.25)	45.04	(40.48 - 49.69)	42.79	(38.76 - 46.92)
Region 4	43.55	(39.19 - 48.00)	38.86	(34.53 - 43.37)	50.33	(45.89 - 54.77)	48.67	(44.73 - 52.62)
Region B	38.32	(35.64 - 41.06)	29.21	(26.54 - 32.03)	43.03	(40.13 - 45.98)	41.28	(38.67 - 43.94)
Region 5	38.32	(34.76 - 42.01)	29.51	(25.86 - 33.45)	42.17	(38.30 - 46.14)	40.60	(37.11 - 44.18)
Region 6	39.43	(35.05 - 43.99)	30.54	(25.76 - 35.78)	45.77	(41.00 - 50.62)	43.92	(39.63 - 48.31)
Region 7	36.73	(32.18 - 41.53)	26.47	(22.10 - 31.36)	41.49	(36.47 - 46.70)	39.33	(34.87 - 43.98)
Region C	35.23	(32.88 - 37.65)	23.97	(21.91 - 26.16)	40.04	(37.49 - 42.63)	37.67	(35.45 - 39.93)
Region 8	33.74	(29.23 - 38.57)	24.14	(20.27 - 28.47)	41.43	(36.83 - 46.19)	38.95	(34.91 - 43.15)
Region 9	34.78	(30.73 - 39.07)	21.98	(18.32 - 26.14)	40.32	(35.56 - 45.26)	37.57	(33.43 - 41.90)
Region 10	34.56	(30.01 - 39.42)	24.54	(20.25 - 29.40)	39.58	(34.46 - 44.93)	36.82	(32.41 - 41.46)
Region 11	38.01	(33.54 - 42.70)	24.96	(21.20 - 29.14)	40.73	(36.36 - 45.26)	38.41	(34.59 - 42.39)
Region 12	34.46	(30.38 - 38.79)	24.34	(20.73 - 28.34)	38.22	(33.80 - 42.84)	36.33	(32.41 - 40.44)
Region D	33.42	(30.23 - 36.76)	24.76	(21.85 - 27.93)	38.86	(35.46 - 42.38)	36.72	(33.74 - 39.80)
Region 13	34.72	(29.86 - 39.92)	27.55	(22.67 - 33.04)	39.55	(34.20 - 45.15)	37.82	(33.06 - 42.83)
Region 14	33.44	(28.56 - 38.71)	23.80	(19.39 - 28.85)	38.31	(33.24 - 43.65)	35.92	(31.50 - 40.59)
Region 15	32.29	(27.53 - 37.44)	23.39	(19.13 - 28.26)	38.78	(33.46 - 44.37)	36.51	(31.83 - 41.47)
North Carolina	39.08	(36.15 - 42.10)	31.64	(28.82 - 34.60)	47.47	(43.96 - 51.01)	45.24	(42.17 - 48.35)
Eastern	39.09	(33.93 - 44.51)	28.90	(24.12 - 34.20)	48.87	(43.00 - 54.77)	45.80	(40.68 - 51.01)
North Central	39.16	(34.45 - 44.07)	32.87	(28.01 - 38.13)	46.74	(41.21 - 52.36)	44.78	(39.89 - 49.77)
South Central	41.61	(36.90 - 46.48)	32.62	(27.86 - 37.77)	47.75	(42.48 - 53.06)	45.51	(40.85 - 50.26)
Western	37.07	(32.74 - 41.62)	31.69	(27.61 - 36.08)	47.05	(42.45 - 51.70)	45.08	(41.00 - 49.22)
North Dakota	33.03	(30.19 - 36.00)	22.57	(20.00 - 25.37)	35.86	(32.72 - 39.12)	33.54	(30.88 - 36.31)
Badlands and West Central	34.18	(29.89 - 38.75)	23.85	(19.58 - 28.72)	37.11	(32.36 - 42.12)	35.20	(31.02 - 39.62)
Lake Region and South Central	31.91	(27.27 - 36.94)	23.98	(19.11 - 29.63)	35.84	(30.58 - 41.47)	34.31	(29.61 - 39.35)
North Central and Northwest	33.94	(29.05 - 39.21)	21.25	(17.19 - 25.96)	34.29	(29.29 - 39.66)	32.25	(27.88 - 36.96)
Northeast	30.98	(26.09 - 36.33)	21.68	(17.62 - 26.38)	35.87	(30.73 - 41.35)	32.62	(28.38 - 37.16)
Southeast	33.04	(28.62 - 37.79)	22.36	(18.65 - 26.58)	35.62	(30.79 - 40.76)	32.78	(28.78 - 37.04)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	37.32	(35.72 - 38.95)	28.94	(27.52 - 30.40)	39.56	(37.88 - 41.26)	38.00	(36.56 - 39.46)
Boards 2, 46, 55, and 68	35.11	(30.43 - 40.10)	30.39	(25.83 - 35.37)	38.99	(34.24 - 43.96)	37.77	(33.55 - 42.19)
Boards 3, 52, and 85	35.52	(30.80 - 40.54)	26.87	(22.26 - 32.04)	35.51	(30.79 - 40.52)	34.24	(30.05 - 38.70)
Boards 4 and 78	35.38	(30.59 - 40.48)	25.30	(20.85 - 30.34)	37.29	(32.22 - 42.66)	35.77	(31.23 - 40.59)
Boards 5 and 60	37.08	(32.14 - 42.31)	28.21	(23.72 - 33.19)	39.84	(35.03 - 44.86)	37.71	(33.57 - 42.03)
Boards 7, 15, 41, 79, and 84	35.04	(30.42 - 39.95)	28.19	(23.47 - 33.45)	37.62	(32.76 - 42.75)	36.42	(32.06 - 41.02)
Boards 8, 13, and 83	34.99	(30.73 - 39.50)	27.65	(23.03 - 32.81)	37.07	(32.48 - 41.89)	35.76	(31.63 - 40.11)
Board 9 (Butler)	35.83	(31.04 - 40.93)	27.95	(23.30 - 33.12)	39.05	(33.86 - 44.50)	37.09	(32.57 - 41.85)
Board 12	38.37	(33.23 - 43.78)	31.62	(26.71 - 36.98)	41.87	(36.64 - 47.29)	40.24	(35.60 - 45.05)
Boards 18 and 47	41.13	(37.62 - 44.74)	31.62	(28.22 - 35.23)	40.59	(37.01 - 44.28)	39.41	(36.24 - 42.68)
Boards 20, 32, 54, and 69	35.54	(31.05 - 40.30)	25.62	(21.08 - 30.75)	37.42	(32.48 - 42.63)	35.74	(31.34 - 40.40)
Boards 21, 39, 51, 70, and 80	36.14	(31.92 - 40.60)	25.17	(21.14 - 29.67)	37.97	(33.16 - 43.03)	36.25	(31.99 - 40.73)
Boards 22, 74, and 87	35.31	(30.41 - 40.54)	26.41	(21.70 - 31.73)	39.37	(33.89 - 45.12)	37.28	(32.45 - 42.37)
Boards 23 and 45	33.01	(28.36 - 38.02)	25.03	(20.67 - 29.95)	39.18	(34.27 - 44.31)	37.17	(32.82 - 41.74)
Board 25 (Franklin)	37.45	(33.37 - 41.71)	29.44	(26.18 - 32.93)	40.77	(36.77 - 44.90)	38.74	(35.32 - 42.27)
Boards 27, 71, and 73	34.64	(30.36 - 39.19)	27.27	(22.83 - 32.21)	38.79	(34.06 - 43.74)	37.14	(32.93 - 41.55)
Boards 28, 43, and 67	33.39	(28.85 - 38.27)	24.33	(20.35 - 28.81)	40.16	(35.28 - 45.24)	37.88	(33.60 - 42.37)
Board 31 (Hamilton)	41.40	(37.18 - 45.76)	33.30	(29.10 - 37.80)	38.67	(34.11 - 43.43)	37.85	(33.86 - 42.00)
Board 48 (Lucas)	36.81	(32.46 - 41.39)	29.67	(25.58 - 34.12)	40.59	(35.90 - 45.46)	38.88	(34.77 - 43.16)
Boards 50 and 76	37.22	(32.87 - 41.78)	27.12	(23.07 - 31.58)	39.80	(35.10 - 44.68)	38.14	(33.95 - 42.51)
Board 57 (Montgomery)	38.54	(33.87 - 43.44)	30.88	(26.48 - 35.66)	41.32	(36.61 - 46.19)	39.76	(35.59 - 44.08)
Board 77 (Summit)	40.48	(35.84 - 45.30)	31.02	(26.48 - 35.95)	42.82	(37.80 - 48.00)	41.26	(36.78 - 45.88)
Oklahoma	39.20	(35.90 - 42.62)	32.47	(29.39 - 35.72)	45.08	(41.85 - 48.34)	43.06	(40.24 - 45.93)
Central	39.24	(33.60 - 45.17)	29.43	(24.32 - 35.11)	44.47	(38.85 - 50.25)	41.75	(36.85 - 46.81)
East Central	43.41	(37.35 - 49.67)	34.98	(28.96 - 41.51)	48.80	(42.67 - 54.96)	46.82	(41.33 - 52.38)
Northeast	37.07	(30.95 - 43.63)	29.91	(24.81 - 35.57)	42.38	(36.95 - 47.99)	40.40	(35.63 - 45.36)
Northwest and Southwest	37.60	(32.41 - 43.10)	31.04	(25.76 - 36.87)	43.05	(37.30 - 49.00)	41.09	(36.03 - 46.35)
Oklahoma County	40.63	(35.20 - 46.30)	36.12	(30.65 - 41.98)	47.91	(42.52 - 53.34)	45.92	(41.18 - 50.72)
Southeast	38.12	(32.59 - 43.97)	32.48	(26.89 - 38.61)	45.20	(39.47 - 51.06)	43.38	(38.24 - 48.66)
Tulsa County	38.61	(33.18 - 44.34)	32.05	(26.72 - 37.89)	43.39	(37.73 - 49.22)	41.58	(36.60 - 46.73)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	35.98	(32.96 - 39.12)	28.53	(25.70 - 31.53)	41.19	(38.15 - 44.29)	39.38	(36.72 - 42.10)
Region 1 (Multnomah)	39.59	(33.82 - 45.66)	29.03	(24.27 - 34.31)	40.83	(35.72 - 46.15)	39.05	(34.51 - 43.79)
Region 2	35.93	(31.28 - 40.87)	29.24	(24.60 - 34.35)	41.93	(37.14 - 46.87)	40.15	(35.89 - 44.58)
Region 3	35.23	(30.84 - 39.88)	28.23	(24.29 - 32.55)	41.48	(36.93 - 46.19)	39.40	(35.46 - 43.48)
Region 4	35.05	(29.81 - 40.67)	27.55	(22.13 - 33.72)	39.24	(33.97 - 44.77)	37.88	(33.07 - 42.93)
Region 5	34.04	(28.66 - 39.87)	28.05	(22.53 - 34.32)	42.08	(36.34 - 48.04)	40.26	(35.07 - 45.68)
Pennsylvania	38.22	(36.62 - 39.85)	26.64	(25.19 - 28.14)	38.59	(36.85 - 40.36)	36.91	(35.40 - 38.44)
Region 1 (Allegheny)	35.21	(31.44 - 39.19)	21.67	(18.41 - 25.34)	34.98	(30.92 - 39.27)	33.22	(29.62 - 37.01)
Regions 2, 3, 8, and 9	34.09	(29.75 - 38.71)	23.24	(19.40 - 27.58)	37.09	(32.30 - 42.16)	35.11	(30.91 - 39.57)
Regions 4, 11, 37, and 49	36.87	(32.68 - 41.26)	25.57	(21.81 - 29.73)	35.66	(31.31 - 40.26)	34.34	(30.43 - 38.47)
Regions 5, 18, 23, 24, and 46	40.73	(36.26 - 45.36)	27.67	(23.63 - 32.11)	39.95	(35.44 - 44.65)	38.23	(34.24 - 42.39)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	37.77	(33.40 - 42.34)	21.27	(17.96 - 25.01)	38.39	(33.97 - 43.01)	35.23	(31.49 - 39.15)
Regions 7, 13, 20, and 33	38.03	(34.89 - 41.29)	24.66	(21.69 - 27.88)	37.33	(34.13 - 40.65)	35.69	(32.85 - 38.63)
Regions 10, 14, 15, 27, 32, 43, and 44	34.48	(29.89 - 39.38)	22.95	(19.12 - 27.29)	37.20	(32.79 - 41.84)	35.29	(31.36 - 39.43)
Regions 17 and 21	36.71	(31.90 - 41.80)	24.53	(20.37 - 29.23)	37.89	(32.77 - 43.30)	35.75	(31.28 - 40.49)
Regions 19, 26, 28, and 42	41.06	(37.22 - 45.02)	31.33	(27.80 - 35.09)	41.80	(37.78 - 45.92)	40.36	(36.82 - 44.00)
Regions 22, 38, 40, 41, and 48	36.14	(32.07 - 40.41)	25.09	(21.16 - 29.46)	37.99	(33.53 - 42.65)	36.43	(32.41 - 40.64)
Regions 25 and 30	37.13	(32.54 - 41.96)	24.14	(20.15 - 28.64)	37.37	(32.76 - 42.22)	35.65	(31.50 - 40.03)
Regions 29 and 34	36.82	(31.95 - 41.97)	28.35	(23.63 - 33.61)	39.41	(34.58 - 44.47)	37.92	(33.59 - 42.45)
Region 36 (Philadelphia)	43.36	(39.53 - 47.27)	35.96	(32.39 - 39.69)	44.27	(39.91 - 48.72)	42.86	(39.15 - 46.65)
Rhode Island	38.11	(34.72 - 41.62)	26.44	(23.46 - 29.65)	40.06	(36.83 - 43.37)	37.96	(35.13 - 40.87)
Bristol and Newport	33.84	(28.50 - 39.63)	26.21	(20.90 - 32.32)	38.87	(33.04 - 45.05)	37.18	(31.91 - 42.77)
Kent	35.29	(29.83 - 41.17)	23.17	(18.43 - 28.69)	39.57	(34.27 - 45.14)	37.55	(32.74 - 42.63)
Providence	39.91	(35.65 - 44.32)	27.64	(23.98 - 31.62)	40.27	(36.31 - 44.35)	38.18	(34.74 - 41.73)
Washington	36.92	(31.35 - 42.87)	23.96	(19.38 - 29.24)	41.05	(35.40 - 46.94)	38.25	(33.34 - 43.42)
South Carolina	41.84	(38.81 - 44.93)	34.14	(31.18 - 37.23)	45.19	(42.11 - 48.31)	43.56	(40.86 - 46.29)
Region 1	41.01	(36.08 - 46.14)	33.32	(28.40 - 38.62)	46.73	(41.67 - 51.86)	44.81	(40.32 - 49.40)
Region 2	40.73	(36.19 - 45.44)	33.12	(28.83 - 37.71)	42.07	(37.29 - 46.99)	40.72	(36.54 - 45.05)
Region 3	43.69	(38.56 - 48.96)	37.97	(32.30 - 43.99)	48.60	(43.22 - 54.01)	47.10	(42.30 - 51.95)
Region 4	42.63	(37.96 - 47.44)	33.67	(29.07 - 38.59)	44.77	(39.86 - 49.78)	43.06	(38.75 - 47.47)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	33.02	(30.11 - 36.05)	22.99	(20.40 - 25.81)	37.11	(33.98 - 40.36)	34.81	(32.11 - 37.61)
Region 1	32.16	(27.20 - 37.55)	22.22	(17.77 - 27.41)	37.61	(32.24 - 43.31)	35.10	(30.41 - 40.09)
Region 2	32.95	(28.37 - 37.87)	22.60	(18.78 - 26.93)	37.52	(32.70 - 42.60)	34.97	(30.83 - 39.36)
Region 3	31.74	(27.10 - 36.79)	21.44	(17.42 - 26.10)	34.76	(29.71 - 40.17)	32.32	(28.03 - 36.94)
Region 4	34.64	(28.99 - 40.76)	24.08	(19.09 - 29.89)	37.50	(31.94 - 43.41)	35.20	(30.37 - 40.36)
Region 5	31.98	(27.11 - 37.28)	23.67	(18.93 - 29.17)	36.49	(30.83 - 42.56)	34.79	(29.72 - 40.24)
Region 6	36.56	(31.13 - 42.36)	26.06	(20.72 - 32.22)	39.73	(33.83 - 45.94)	37.95	(32.62 - 43.59)
Region 7	33.02	(27.95 - 38.52)	24.15	(19.53 - 29.46)	37.37	(32.44 - 42.57)	35.23	(30.90 - 39.81)
Tennessee	40.41	(37.42 - 43.47)	34.94	(32.05 - 37.95)	45.16	(41.89 - 48.46)	43.71	(40.84 - 46.62)
Region 1	36.92	(31.45 - 42.73)	31.00	(25.39 - 37.23)	41.23	(35.35 - 47.39)	39.95	(34.58 - 45.58)
Region 2	36.97	(32.01 - 42.22)	31.05	(26.22 - 36.33)	44.87	(39.43 - 50.45)	42.97	(38.13 - 47.95)
Region 3	40.36	(35.22 - 45.73)	36.13	(30.63 - 42.02)	45.64	(40.20 - 51.19)	44.34	(39.46 - 49.33)
Region 4 (Davidson)	42.07	(36.26 - 48.12)	35.13	(29.52 - 41.18)	45.11	(39.32 - 51.04)	43.55	(38.39 - 48.85)
Region 5	40.77	(35.87 - 45.86)	32.86	(28.06 - 38.04)	44.95	(39.88 - 50.12)	43.22	(38.70 - 47.86)
Region 6	40.28	(34.81 - 45.99)	38.91	(32.73 - 45.47)	45.42	(39.55 - 51.41)	44.51	(39.28 - 49.86)
Region 7 (Shelby)	44.31	(38.82 - 49.94)	40.31	(34.44 - 46.46)	47.46	(41.64 - 53.35)	46.39	(41.22 - 51.63)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	41.11	(39.45 - 42.79)	34.33	(32.71 - 35.99)	46.55	(44.80 - 48.31)	44.54	(43.03 - 46.06)
Region 1	38.89	(34.02 - 44.00)	29.65	(24.82 - 34.98)	44.34	(39.01 - 49.80)	41.75	(37.13 - 46.52)
Region 2	40.43	(35.24 - 45.84)	28.34	(23.29 - 34.00)	44.13	(38.81 - 49.59)	41.66	(36.96 - 46.50)
Region 3	41.41	(38.70 - 44.18)	32.89	(30.24 - 35.66)	45.13	(42.50 - 47.79)	43.17	(40.90 - 45.48)
Region 3a	40.76	(37.39 - 44.22)	32.57	(29.18 - 36.14)	46.14	(42.81 - 49.51)	43.92	(41.04 - 46.85)
Region 3bc	42.55	(38.39 - 46.81)	33.51	(29.57 - 37.69)	43.35	(39.34 - 47.46)	41.84	(38.33 - 45.43)
Region 4	38.40	(33.65 - 43.38)	33.63	(28.77 - 38.86)	43.11	(38.14 - 48.22)	41.81	(37.36 - 46.41)
Region 5	43.75	(38.68 - 48.96)	34.41	(29.14 - 40.09)	44.56	(39.54 - 49.70)	43.06	(38.58 - 47.67)
Region 6	42.37	(39.41 - 45.38)	35.74	(32.85 - 38.73)	46.32	(43.11 - 49.56)	44.62	(41.84 - 47.43)
Region 6a	42.65	(39.47 - 45.90)	36.12	(33.01 - 39.35)	46.55	(43.06 - 50.07)	44.85	(41.83 - 47.91)
Region 6bc	39.98	(34.82 - 45.37)	32.07	(26.90 - 37.72)	44.47	(39.50 - 49.54)	42.73	(38.30 - 47.28)
Region 7	39.93	(36.37 - 43.60)	30.52	(27.35 - 33.89)	43.57	(40.12 - 47.08)	41.00	(38.03 - 44.03)
Region 7a	41.99	(37.18 - 46.96)	32.38	(28.07 - 37.02)	44.34	(40.00 - 48.76)	42.11	(38.34 - 45.98)
Region 7bcd	37.15	(32.24 - 42.35)	28.02	(23.84 - 32.61)	42.33	(37.31 - 47.51)	39.27	(35.03 - 43.67)
Region 8	38.51	(34.43 - 42.77)	35.79	(31.63 - 40.17)	48.84	(44.76 - 52.95)	46.84	(43.27 - 50.45)
Region 9	40.28	(34.84 - 45.98)	36.62	(30.59 - 43.09)	50.44	(44.69 - 56.17)	48.27	(43.15 - 53.44)
Region 10	41.29	(36.26 - 46.52)	41.37	(35.41 - 47.59)	55.18	(49.96 - 60.28)	52.81	(48.19 - 57.38)
Region 11	42.89	(39.10 - 46.78)	40.12	(35.92 - 44.46)	53.49	(49.53 - 57.41)	51.11	(47.64 - 54.57)
Region 11abd	43.78	(39.01 - 48.67)	40.50	(35.12 - 46.11)	52.94	(47.85 - 57.98)	50.81	(46.36 - 55.24)
Region 11c (Hidalgo)	41.30	(36.18 - 46.61)	39.43	(33.82 - 45.34)	54.62	(49.38 - 59.75)	51.71	(47.14 - 56.25)
Utah	48.35	(44.77 - 51.96)	40.44	(37.01 - 43.96)	48.62	(44.85 - 52.40)	46.86	(43.76 - 49.99)
Bear River, Northeastern, Summit, Tooele, and Wasatch	49.69	(43.36 - 56.03)	*	(* - *)	49.53	(43.60 - 55.47)	47.79	(42.72 - 52.90)
Central, Four Corners, San Juan, and Southwest	48.01	(42.43 - 53.63)	*	(* - *)	49.32	(43.34 - 55.33)	47.52	(42.25 - 52.84)
Davis County	47.96	(41.85 - 54.13)	36.59	(30.42 - 43.23)	49.68	(43.63 - 55.75)	47.08	(41.90 - 52.32)
Salt Lake County	47.03	(42.24 - 51.88)	39.35	(34.71 - 44.18)	46.61	(41.71 - 51.58)	45.19	(41.01 - 49.44)
Utah County	52.05	(45.96 - 58.08)	44.49	(38.52 - 50.62)	52.68	(46.51 - 58.76)	50.19	(45.24 - 55.14)
Weber, Morgan	45.40	(38.86 - 52.11)	37.93	(31.83 - 44.43)	47.96	(41.78 - 54.21)	46.05	(40.68 - 51.51)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	30.09	(27.40 - 32.93)	21.70	(19.31 - 24.30)	36.25	(33.05 - 39.57)	34.13	(31.36 - 37.02)
Champlain Valley	30.52	(26.69 - 34.64)	20.35	(17.20 - 23.92)	34.92	(30.82 - 39.26)	32.39	(28.91 - 36.08)
Rural Northeast	30.14	(25.93 - 34.72)	24.19	(19.94 - 29.02)	38.35	(33.39 - 43.57)	36.40	(31.99 - 41.05)
Rural Southeast	29.30	(25.01 - 34.00)	21.95	(17.77 - 26.81)	36.28	(30.99 - 41.91)	34.63	(29.87 - 39.73)
Rural Southwest	29.95	(25.29 - 35.06)	21.84	(17.71 - 26.63)	36.16	(30.72 - 41.97)	34.31	(29.46 - 39.52)
Virginia	41.16	(38.13 - 44.26)	33.08	(30.15 - 36.15)	46.06	(42.70 - 49.46)	44.23	(41.28 - 47.21)
Region 1	40.02	(34.88 - 45.39)	30.97	(26.06 - 36.35)	44.67	(39.07 - 50.40)	42.65	(37.74 - 47.71)
Region 2	41.30	(36.38 - 46.39)	33.54	(28.79 - 38.64)	47.09	(42.24 - 52.00)	45.35	(41.04 - 49.73)
Region 3	40.06	(34.86 - 45.49)	34.05	(29.01 - 39.48)	45.32	(39.73 - 51.03)	43.76	(38.77 - 48.88)
Region 4	41.58	(36.36 - 46.99)	34.37	(29.34 - 39.78)	47.13	(41.66 - 52.66)	45.41	(40.53 - 50.39)
Region 5	42.22	(37.29 - 47.31)	32.43	(27.66 - 37.61)	45.55	(39.96 - 51.25)	43.45	(38.60 - 48.44)
Washington	35.11	(32.13 - 38.21)	28.29	(25.43 - 31.34)	39.15	(36.08 - 42.30)	37.57	(34.85 - 40.37)
Region 1	35.35	(30.12 - 40.96)	27.79	(22.80 - 33.39)	41.41	(35.73 - 47.32)	39.23	(34.27 - 44.43)
Region 2	34.89	(29.91 - 40.22)	33.63	(27.74 - 40.06)	42.94	(37.34 - 48.72)	41.47	(36.45 - 46.66)
Region 3	35.01	(29.95 - 40.43)	26.29	(21.46 - 31.78)	38.96	(33.59 - 44.61)	37.10	(32.34 - 42.14)
Region 4 (King)	36.28	(31.52 - 41.32)	28.93	(24.45 - 33.88)	38.04	(33.34 - 42.96)	36.77	(32.56 - 41.18)
Region 5	34.96	(29.70 - 40.61)	28.92	(23.90 - 34.51)	38.45	(33.46 - 43.69)	37.01	(32.58 - 41.66)
Region 6	33.59	(28.75 - 38.81)	25.56	(21.02 - 30.70)	38.35	(33.16 - 43.83)	36.67	(31.97 - 41.64)
West Virginia	38.55	(35.61 - 41.58)	31.61	(28.87 - 34.49)	44.87	(41.59 - 48.20)	43.09	(40.21 - 46.02)
Eastern Highland	37.84	(33.34 - 42.56)	31.73	(26.95 - 36.92)	43.68	(38.48 - 49.02)	42.17	(37.52 - 46.98)
Northern	39.37	(35.00 - 43.91)	27.08	(23.27 - 31.26)	44.21	(39.62 - 48.90)	41.63	(37.64 - 45.73)
Northern A and B	36.88	(31.12 - 43.04)	27.06	(21.82 - 33.03)	41.89	(35.93 - 48.10)	40.12	(34.73 - 45.76)
Northern C and D	40.52	(35.24 - 46.03)	27.09	(22.73 - 31.94)	45.45	(39.94 - 51.08)	42.40	(37.71 - 47.24)
South Central	37.70	(33.96 - 41.60)	33.02	(29.26 - 37.01)	45.47	(41.34 - 49.67)	43.86	(40.17 - 47.61)
South Central I	38.69	(33.19 - 44.49)	31.94	(26.39 - 38.06)	46.81	(40.66 - 53.05)	45.03	(39.47 - 50.72)
South Central II	40.30	(34.52 - 46.35)	33.41	(27.66 - 39.70)	45.40	(39.50 - 51.44)	43.59	(38.37 - 48.97)
South Central III	35.24	(30.12 - 40.72)	33.34	(28.00 - 39.13)	44.71	(39.11 - 50.46)	43.32	(38.23 - 48.56)
Southern	39.94	(35.40 - 44.66)	36.03	(31.37 - 40.97)	45.94	(41.08 - 50.87)	44.66	(40.30 - 49.10)
Southern I and III	40.86	(35.35 - 46.61)	37.07	(31.27 - 43.27)	45.67	(39.69 - 51.77)	44.56	(39.20 - 50.05)
Southern II	38.11	(32.20 - 44.40)	33.99	(28.10 - 40.41)	46.47	(40.26 - 52.79)	44.86	(39.24 - 50.61)

See notes at end of table.

(continued)

Table 11. Perceptions of Great Risk of Having Five or More Drinks of an Alcoholic Beverage Once or Twice a Week among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	32.20	(29.32 - 35.22)	22.12	(19.38 - 25.14)	33.16	(30.13 - 36.34)	31.49	(28.83 - 34.28)
Milwaukee	38.79	(33.40 - 44.46)	27.75	(22.82 - 33.29)	37.38	(32.06 - 43.03)	35.83	(31.10 - 40.85)
Northeastern	29.21	(24.80 - 34.05)	19.25	(15.38 - 23.81)	29.93	(25.45 - 34.83)	28.39	(24.44 - 32.71)
Northern	30.72	(25.64 - 36.32)	21.80	(17.56 - 26.73)	33.43	(27.91 - 39.44)	31.86	(26.93 - 37.24)
Southeastern	32.89	(28.42 - 37.69)	23.25	(18.87 - 28.30)	34.46	(29.71 - 39.54)	32.95	(28.72 - 37.48)
Southern	31.69	(27.06 - 36.72)	21.12	(16.86 - 26.13)	31.81	(27.29 - 36.71)	30.06	(26.09 - 34.34)
Western	29.21	(24.59 - 34.31)	19.71	(15.43 - 24.84)	33.03	(27.79 - 38.72)	30.77	(26.22 - 35.72)
Wyoming	34.19	(31.32 - 37.18)	24.83	(22.07 - 27.81)	39.29	(36.17 - 42.49)	37.00	(34.31 - 39.76)
Judicial District 1 (Laramie)	35.22	(30.29 - 40.48)	27.48	(22.54 - 33.04)	41.96	(36.76 - 47.33)	39.73	(35.16 - 44.50)
Judicial District 2	34.87	(29.61 - 40.54)	24.15	(19.79 - 29.13)	41.86	(36.11 - 47.83)	37.02	(32.51 - 41.76)
Judicial District 3	35.16	(30.28 - 40.37)	23.52	(19.09 - 28.62)	38.76	(33.46 - 44.35)	36.33	(31.69 - 41.25)
Judicial District 4	33.34	(27.88 - 39.28)	23.82	(18.72 - 29.80)	39.05	(32.96 - 45.51)	37.19	(31.68 - 43.05)
Judicial District 5	33.72	(28.16 - 39.77)	26.75	(21.48 - 32.78)	39.67	(33.87 - 45.78)	38.06	(32.80 - 43.61)
Judicial District 6	34.17	(29.04 - 39.71)	22.72	(17.84 - 28.48)	36.67	(31.02 - 42.71)	34.48	(29.51 - 39.82)
Judicial District 7 (Natrona)	32.65	(27.83 - 37.86)	24.45	(19.86 - 29.71)	37.20	(32.00 - 42.70)	35.18	(30.64 - 40.01)
Judicial District 8	32.80	(27.60 - 38.45)	24.17	(19.21 - 29.94)	39.43	(33.43 - 45.77)	37.52	(32.11 - 43.27)
Judicial District 9	34.43	(29.05 - 40.23)	25.18	(19.97 - 31.22)	38.39	(33.12 - 43.94)	36.53	(31.77 - 41.56)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	11.02		39.00		24.46		26.63	
Northeast	11.22	(10.63 - 11.83)	39.91	(38.88 - 40.96)	23.34	(22.39 - 24.31)	25.66	(24.83 - 26.50)
Midwest	12.26	(11.76 - 12.77)	43.79	(42.97 - 44.61)	26.70	(25.86 - 27.55)	29.29	(28.56 - 30.03)
South	11.19	(10.73 - 11.67)	39.14	(38.38 - 39.90)	26.21	(25.38 - 27.06)	28.12	(27.40 - 28.86)
West	9.46	(8.82 - 10.14)	33.46	(32.45 - 34.49)	20.41	(19.45 - 21.40)	22.43	(21.59 - 23.29)
Alabama	12.44	(10.61 - 14.52)	39.68	(36.49 - 42.95)	28.30	(25.58 - 31.20)	30.00	(27.58 - 32.54)
Region 1	13.45	(10.54 - 17.00)	41.17	(35.66 - 46.91)	28.58	(24.59 - 32.94)	30.28	(26.61 - 34.23)
Region 2	13.02	(10.35 - 16.25)	42.25	(37.40 - 47.26)	28.79	(24.78 - 33.16)	30.83	(27.22 - 34.69)
Region 3	9.47	(7.16 - 12.42)	34.83	(29.63 - 40.41)	25.99	(21.67 - 30.82)	27.55	(23.67 - 31.81)
Region 4	13.01	(10.17 - 16.50)	38.76	(33.48 - 44.31)	29.03	(24.79 - 33.67)	30.40	(26.57 - 34.51)
Alaska	11.26	(9.37 - 13.46)	41.04	(37.76 - 44.40)	24.86	(22.05 - 27.90)	27.47	(24.99 - 30.10)
Gulf Coast	12.80	(9.40 - 17.19)	*	(* - *)	24.59	(20.04 - 29.79)	27.05	(22.73 - 31.85)
Rural	*	(* - *)	*	(* - *)	28.87	(23.34 - 35.11)	32.46	(27.42 - 37.93)
Southeast	11.70	(8.67 - 15.61)	*	(* - *)	23.18	(18.72 - 28.34)	26.34	(22.14 - 31.03)
Urban	10.38	(8.33 - 12.85)	38.80	(35.10 - 42.63)	24.60	(21.34 - 28.18)	26.95	(24.09 - 30.01)
Arizona	10.99	(9.19 - 13.09)	35.96	(32.80 - 39.24)	22.86	(20.28 - 25.66)	24.84	(22.53 - 27.31)
Maricopa	10.41	(8.36 - 12.87)	35.01	(31.17 - 39.05)	22.43	(19.38 - 25.80)	24.41	(21.66 - 27.38)
Pima	12.81	(9.50 - 17.05)	37.96	(32.00 - 44.30)	22.90	(18.86 - 27.51)	25.19	(21.44 - 29.36)
Rural North	11.61	(8.68 - 15.38)	38.86	(32.50 - 45.63)	24.24	(19.93 - 29.14)	26.23	(22.26 - 30.64)
Rural South	10.88	(7.93 - 14.74)	*	(* - *)	23.57	(19.20 - 28.59)	25.20	(21.10 - 29.79)
Arkansas	13.78	(11.82 - 16.00)	44.26	(40.94 - 47.63)	27.51	(24.72 - 30.49)	30.01	(27.54 - 32.61)
Areas 1 and 2	14.74	(11.31 - 18.97)	43.65	(37.72 - 49.76)	24.42	(20.28 - 29.09)	27.41	(23.61 - 31.58)
Areas 3 and 4	15.49	(12.09 - 19.62)	51.76	(45.13 - 58.34)	29.79	(25.04 - 35.02)	33.05	(28.74 - 37.66)
Areas 5 and 6	13.96	(10.73 - 17.98)	41.94	(36.09 - 48.03)	29.08	(24.50 - 34.13)	31.10	(26.97 - 35.55)
Areas 7, 12, and 13	11.95	(9.05 - 15.63)	39.68	(33.66 - 46.03)	28.30	(23.53 - 33.62)	30.03	(25.68 - 34.78)
Areas 8, 10, and 11	14.02	(10.88 - 17.89)	46.06	(40.25 - 51.98)	26.95	(22.41 - 32.02)	29.58	(25.46 - 34.05)
Area 9	12.21	(9.48 - 15.58)	41.92	(35.70 - 48.41)	26.81	(22.67 - 31.39)	29.00	(25.18 - 33.14)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	8.49	(7.56 - 9.52)	30.27	(28.68 - 31.91)	18.39	(17.01 - 19.85)	20.24	(19.03 - 21.50)
Region 1	11.49	(8.83 - 14.83)	*	(* - *)	25.60	(21.31 - 30.41)	27.68	(23.68 - 32.07)
Region 2	9.45	(7.43 - 11.95)	32.30	(28.15 - 36.74)	20.64	(17.54 - 24.13)	22.36	(19.53 - 25.46)
Region 3	8.66	(6.52 - 11.43)	32.15	(26.68 - 38.15)	21.51	(17.74 - 25.83)	23.21	(19.72 - 27.10)
Region 4	8.86	(6.74 - 11.56)	31.12	(26.02 - 36.72)	16.14	(13.35 - 19.38)	17.95	(15.29 - 20.96)
Region 5	7.93	(6.13 - 10.21)	31.65	(27.04 - 36.65)	16.17	(13.56 - 19.16)	18.30	(15.82 - 21.07)
Region 6 (Santa Clara)	8.03	(6.14 - 10.45)	28.95	(23.91 - 34.56)	14.94	(12.36 - 17.95)	16.94	(14.43 - 19.78)
Region 7	7.74	(5.68 - 10.47)	30.32	(24.86 - 36.41)	17.83	(14.45 - 21.80)	19.95	(16.74 - 23.61)
Region 8	7.47	(5.61 - 9.89)	26.49	(21.88 - 31.68)	18.52	(15.30 - 22.25)	19.94	(16.97 - 23.28)
Region 9	9.82	(7.37 - 12.96)	31.76	(26.67 - 37.32)	21.33	(17.56 - 25.66)	23.14	(19.68 - 27.00)
Region 10	8.62	(6.54 - 11.29)	28.77	(23.87 - 34.23)	16.61	(13.58 - 20.16)	18.56	(15.69 - 21.82)
Region 11 (Los Angeles)	7.26	(5.96 - 8.81)	27.94	(25.23 - 30.83)	18.27	(16.12 - 20.63)	19.83	(17.94 - 21.86)
Region 12	9.28	(7.24 - 11.82)	29.46	(24.99 - 34.36)	19.51	(16.33 - 23.14)	21.22	(18.28 - 24.50)
Region 13 (Riverside)	9.40	(7.26 - 12.09)	31.91	(26.98 - 37.28)	19.96	(16.49 - 23.96)	21.78	(18.54 - 25.39)
Region 14 (Orange)	9.68	(7.57 - 12.30)	32.43	(27.96 - 37.24)	17.22	(14.31 - 20.57)	19.48	(16.79 - 22.49)
Region 15	9.01	(7.05 - 11.45)	31.31	(27.17 - 35.77)	17.93	(15.28 - 20.92)	20.18	(17.75 - 22.86)
Colorado	11.85	(10.01 - 13.97)	40.69	(37.23 - 44.24)	21.31	(18.95 - 23.88)	24.18	(22.03 - 26.47)
Region 1	12.25	(9.37 - 15.87)	43.19	(36.90 - 49.70)	20.34	(16.75 - 24.46)	24.36	(20.97 - 28.10)
Regions 2 and 7	11.71	(9.44 - 14.44)	39.35	(34.84 - 44.06)	21.08	(18.16 - 24.33)	23.71	(21.02 - 26.63)
Region 3	11.52	(8.66 - 15.18)	41.63	(35.19 - 48.38)	21.05	(17.21 - 25.49)	24.07	(20.42 - 28.14)
Region 4	12.68	(9.39 - 16.91)	*	(* - *)	23.87	(19.58 - 28.76)	26.29	(22.23 - 30.81)
Regions 5 and 6	11.96	(8.91 - 15.87)	42.26	(35.71 - 49.09)	22.51	(18.36 - 27.27)	25.40	(21.48 - 29.75)
Connecticut	11.80	(10.07 - 13.77)	42.51	(39.14 - 45.96)	20.48	(17.96 - 23.26)	23.40	(21.13 - 25.84)
Eastern	12.78	(9.72 - 16.62)	*	(* - *)	23.01	(18.73 - 27.93)	26.97	(22.96 - 31.39)
North Central	11.82	(9.23 - 15.02)	43.45	(38.19 - 48.86)	22.28	(18.39 - 26.72)	24.99	(21.42 - 28.94)
Northwestern	12.80	(9.92 - 16.37)	42.42	(36.79 - 48.25)	20.26	(16.53 - 24.58)	22.95	(19.49 - 26.83)
South Central	11.69	(9.18 - 14.78)	40.16	(34.57 - 46.03)	18.90	(15.51 - 22.82)	21.82	(18.64 - 25.39)
Southwest	10.17	(7.65 - 13.40)	41.17	(34.82 - 47.83)	18.56	(14.99 - 22.75)	21.27	(17.85 - 25.14)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	11.20	(9.52 - 13.14)	37.88	(34.67 - 41.19)	24.48	(21.95 - 27.21)	26.44	(24.19 - 28.83)
Kent	10.70	(8.10 - 14.00)	38.98	(33.56 - 44.69)	26.71	(22.46 - 31.43)	28.65	(24.81 - 32.82)
New Castle (excluding Wilmington City)	11.14	(9.04 - 13.66)	36.95	(32.75 - 41.35)	21.27	(18.31 - 24.57)	23.71	(21.04 - 26.60)
Sussex	13.31	(10.35 - 16.97)	41.50	(35.61 - 47.65)	29.13	(24.76 - 33.93)	30.51	(26.45 - 34.89)
Wilmington City	8.52	(6.27 - 11.49)	35.35	(29.13 - 42.11)	27.54	(22.58 - 33.12)	28.77	(24.28 - 33.73)
District of Columbia	7.28	(5.98 - 8.82)	34.55	(31.39 - 37.87)	24.53	(21.99 - 27.26)	26.13	(23.85 - 28.54)
Ward 1	6.76	(4.83 - 9.37)	*	(* - *)	27.86	(23.01 - 33.28)	28.89	(24.48 - 33.75)
Ward 2	*	(* - *)	35.25	(30.22 - 40.62)	24.51	(20.29 - 29.29)	27.16	(23.49 - 31.17)
Ward 3	9.39	(6.91 - 12.65)	38.38	(31.99 - 45.21)	18.77	(15.31 - 22.81)	21.88	(18.56 - 25.60)
Ward 4	6.89	(4.93 - 9.54)	*	(* - *)	19.30	(15.41 - 23.89)	20.41	(16.70 - 24.71)
Ward 5	6.78	(4.89 - 9.33)	32.37	(26.96 - 38.30)	23.98	(19.82 - 28.70)	25.19	(21.37 - 29.43)
Ward 6	6.77	(4.83 - 9.41)	*	(* - *)	24.90	(20.39 - 30.03)	26.45	(22.18 - 31.22)
Ward 7	6.63	(4.90 - 8.90)	29.12	(23.39 - 35.61)	27.58	(22.84 - 32.89)	27.77	(23.38 - 32.64)
Ward 8	7.81	(5.77 - 10.48)	35.90	(29.75 - 42.56)	34.79	(29.24 - 40.79)	34.98	(30.10 - 40.20)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	9.72	(8.81 - 10.71)	35.27	(33.66 - 36.92)	24.01	(22.49 - 25.61)	25.48	(24.12 - 26.89)
Region A	10.79	(9.09 - 12.77)	38.12	(34.45 - 41.93)	27.63	(24.46 - 31.04)	29.48	(26.63 - 32.49)
Circuit 1	11.23	(8.80 - 14.23)	39.22	(33.47 - 45.28)	27.97	(23.51 - 32.91)	29.72	(25.63 - 34.15)
Circuit 2	9.45	(7.15 - 12.39)	35.40	(30.23 - 40.93)	24.03	(19.89 - 28.71)	26.74	(23.03 - 30.81)
Circuit 14	11.78	(9.00 - 15.28)	41.62	(35.13 - 48.42)	31.21	(26.19 - 36.72)	32.68	(28.01 - 37.71)
Region B	10.57	(9.03 - 12.33)	38.25	(35.16 - 41.44)	26.53	(23.93 - 29.29)	28.35	(26.02 - 30.80)
Circuits 3 and 8	11.88	(9.12 - 15.35)	38.52	(33.18 - 44.14)	29.51	(24.99 - 34.48)	31.42	(27.41 - 35.72)
Circuit 4	9.55	(7.55 - 12.01)	37.24	(32.68 - 42.05)	26.46	(22.70 - 30.59)	28.13	(24.73 - 31.80)
Circuit 7	11.08	(8.63 - 14.12)	39.69	(34.02 - 45.66)	24.71	(20.85 - 29.01)	26.45	(22.84 - 30.40)
Region C	10.40	(9.10 - 11.87)	36.90	(34.26 - 39.62)	24.42	(22.27 - 26.70)	26.01	(24.05 - 28.07)
Circuit 5	10.04	(7.82 - 12.79)	34.51	(29.22 - 40.21)	24.25	(20.38 - 28.59)	25.20	(21.56 - 29.23)
Circuit 9	9.64	(7.58 - 12.19)	37.06	(32.68 - 41.68)	23.17	(19.70 - 27.05)	25.51	(22.39 - 28.92)
Circuit 10	10.86	(8.28 - 14.11)	35.28	(29.53 - 41.50)	27.32	(22.83 - 32.32)	28.35	(24.19 - 32.91)
Circuit 18	10.81	(8.53 - 13.61)	39.77	(34.46 - 45.32)	23.58	(20.10 - 27.45)	25.54	(22.27 - 29.12)
Circuit 19	11.70	(8.99 - 15.09)	36.68	(30.94 - 42.82)	25.20	(21.23 - 29.65)	26.37	(22.62 - 30.49)
Region D	7.44	(6.36 - 8.69)	28.92	(26.53 - 31.44)	21.23	(19.25 - 23.36)	22.20	(20.40 - 24.10)
Circuits 11 and 16	6.79	(5.36 - 8.56)	25.16	(21.78 - 28.88)	20.30	(17.56 - 23.34)	20.96	(18.50 - 23.66)
Circuit 15 (Palm Beach)	9.03	(7.11 - 11.40)	36.98	(32.49 - 41.70)	22.71	(19.44 - 26.35)	24.22	(21.16 - 27.56)
Circuit 17 (Broward)	7.39	(5.84 - 9.30)	30.02	(26.00 - 34.38)	21.48	(18.44 - 24.88)	22.52	(19.71 - 25.60)
Region E	11.24	(9.78 - 12.89)	39.07	(36.10 - 42.13)	24.88	(22.74 - 27.16)	26.46	(24.49 - 28.54)
Circuit 6	12.16	(9.77 - 15.03)	40.45	(35.10 - 46.04)	26.01	(22.40 - 29.97)	27.44	(24.05 - 31.10)
Circuit 12	10.73	(8.13 - 14.05)	37.97	(31.70 - 44.66)	21.90	(18.15 - 26.18)	23.40	(19.81 - 27.41)
Circuit 13 (Hillsborough)	10.74	(8.53 - 13.44)	37.30	(32.54 - 42.33)	25.42	(21.83 - 29.38)	27.21	(23.95 - 30.72)
Circuit 20	11.09	(8.65 - 14.11)	40.72	(35.07 - 46.62)	24.97	(21.23 - 29.11)	26.54	(23.00 - 30.41)
Georgia	10.30	(8.66 - 12.21)	35.30	(32.16 - 38.57)	24.74	(22.06 - 27.64)	26.35	(23.97 - 28.88)
Region 1	13.32	(10.16 - 17.27)	38.53	(32.37 - 45.09)	28.04	(23.32 - 33.29)	29.51	(25.17 - 34.27)
Region 2	10.99	(8.44 - 14.19)	37.76	(32.34 - 43.51)	25.42	(20.96 - 30.46)	27.34	(23.26 - 31.84)
Region 3	8.89	(6.81 - 11.53)	32.20	(27.89 - 36.83)	21.58	(18.35 - 25.20)	23.17	(20.26 - 26.36)
Region 4	10.47	(7.95 - 13.66)	38.14	(32.21 - 44.45)	28.43	(23.67 - 33.72)	29.91	(25.57 - 34.63)
Region 5	10.69	(7.99 - 14.17)	36.12	(30.01 - 42.71)	27.19	(22.69 - 32.20)	28.70	(24.64 - 33.14)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	7.67	(6.22 - 9.43)	34.65	(31.19 - 38.27)	18.90	(16.41 - 21.67)	20.99	(18.72 - 23.46)
Hawaii Island	9.47	(6.93 - 12.82)	*	(* - *)	20.66	(16.38 - 25.72)	22.93	(18.87 - 27.55)
Honolulu	7.31	(5.72 - 9.31)	33.73	(29.78 - 37.93)	18.43	(15.70 - 21.50)	20.55	(18.06 - 23.29)
Kauai and Maui**	7.66	(5.78 - 10.09)	35.54	(29.81 - 41.72)	19.61	(16.12 - 23.64)	21.46	(18.13 - 25.21)
Maui	7.64	(5.50 - 10.52)	*	(* - *)	19.77	(15.87 - 24.36)	21.64	(17.89 - 25.93)
Idaho	10.19	(8.52 - 12.15)	38.25	(35.14 - 41.45)	21.85	(19.37 - 24.56)	24.58	(22.37 - 26.93)
Region 1	11.93	(8.90 - 15.82)	40.50	(34.12 - 47.22)	24.08	(19.89 - 28.84)	26.19	(22.27 - 30.52)
Region 2	10.42	(7.52 - 14.28)	*	(* - *)	21.98	(17.89 - 26.71)	24.80	(20.96 - 29.08)
Region 3	9.46	(7.07 - 12.54)	35.08	(29.38 - 41.24)	22.90	(18.98 - 27.35)	24.83	(21.20 - 28.87)
Region 4	10.86	(8.34 - 14.02)	43.62	(38.38 - 49.00)	21.71	(18.14 - 25.75)	25.30	(22.02 - 28.89)
Region 5	10.44	(7.80 - 13.85)	*	(* - *)	22.35	(18.20 - 27.13)	24.84	(20.93 - 29.21)
Region 6	9.90	(7.32 - 13.26)	37.23	(30.97 - 43.95)	20.62	(16.89 - 24.93)	23.79	(20.32 - 27.63)
Region 7	8.30	(6.10 - 11.20)	30.46	(24.93 - 36.61)	18.23	(14.68 - 22.42)	20.78	(17.50 - 24.50)
Illinois	10.37	(9.40 - 11.42)	42.27	(40.51 - 44.04)	26.04	(24.47 - 27.68)	28.50	(27.11 - 29.92)
Region I (Cook)	9.07	(7.74 - 10.60)	40.10	(37.38 - 42.89)	26.54	(24.19 - 29.02)	28.61	(26.53 - 30.78)
Region II	10.32	(8.85 - 12.00)	43.80	(40.81 - 46.83)	23.30	(21.05 - 25.71)	26.24	(24.23 - 28.35)
Region III	11.96	(9.69 - 14.67)	39.64	(35.69 - 43.74)	26.51	(23.25 - 30.04)	28.78	(25.89 - 31.84)
Region IV	13.83	(11.17 - 17.00)	48.56	(43.49 - 53.66)	28.63	(24.78 - 32.81)	31.50	(28.00 - 35.23)
Region V	11.67	(9.39 - 14.42)	46.73	(42.36 - 51.14)	29.86	(26.04 - 33.98)	32.37	(28.99 - 35.95)
Indiana	12.14	(10.41 - 14.10)	42.68	(39.53 - 45.89)	27.60	(24.87 - 30.52)	29.91	(27.47 - 32.47)
Central	11.00	(8.55 - 14.05)	42.28	(36.80 - 47.96)	27.00	(23.10 - 31.30)	29.18	(25.59 - 33.04)
East	13.13	(9.81 - 17.36)	*	(* - *)	30.89	(25.71 - 36.59)	32.62	(27.92 - 37.71)
North Central	11.55	(8.73 - 15.12)	44.18	(37.65 - 50.91)	27.10	(22.53 - 32.22)	29.66	(25.41 - 34.29)
Northeast	10.18	(7.51 - 13.65)	40.50	(34.43 - 46.89)	24.67	(20.38 - 29.52)	27.05	(23.09 - 31.41)
Northwest	11.53	(8.83 - 14.91)	40.12	(33.82 - 46.77)	26.29	(22.01 - 31.07)	28.24	(24.26 - 32.60)
Southeast	14.76	(11.26 - 19.12)	*	(* - *)	29.44	(24.57 - 34.83)	31.80	(27.25 - 36.73)
Southwest	13.28	(9.95 - 17.51)	*	(* - *)	30.81	(25.57 - 36.59)	33.13	(28.25 - 38.40)
West	13.88	(10.57 - 18.00)	40.86	(34.95 - 47.05)	26.80	(22.14 - 32.04)	29.87	(25.68 - 34.43)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	12.62	(10.78 - 14.73)	43.18	(39.91 - 46.52)	24.60	(22.07 - 27.33)	27.48	(25.22 - 29.86)
Central	13.95	(10.70 - 17.99)	47.44	(41.05 - 53.91)	27.03	(22.51 - 32.08)	30.06	(25.87 - 34.61)
North Central	12.65	(9.50 - 16.67)	40.61	(34.35 - 47.18)	23.16	(18.85 - 28.12)	26.39	(22.40 - 30.80)
Northeast	12.64	(10.00 - 15.86)	45.55	(40.03 - 51.18)	24.84	(21.08 - 29.01)	28.08	(24.66 - 31.77)
Northwest	13.08	(10.06 - 16.83)	43.55	(37.00 - 50.35)	23.49	(19.64 - 27.83)	26.27	(22.64 - 30.26)
Southeast	11.19	(8.55 - 14.51)	39.23	(33.57 - 45.19)	23.77	(20.03 - 27.97)	26.33	(22.91 - 30.06)
Southwest	12.67	(9.62 - 16.52)	42.38	(36.10 - 48.92)	25.11	(20.59 - 30.24)	27.38	(23.15 - 32.06)
Kansas	13.73	(11.78 - 15.95)	42.46	(39.15 - 45.84)	26.38	(23.79 - 29.15)	28.98	(26.66 - 31.41)
Kansas City Metro	13.64	(10.84 - 17.02)	41.67	(36.74 - 46.78)	25.24	(21.57 - 29.31)	27.97	(24.64 - 31.56)
Northeast	14.80	(11.58 - 18.73)	44.28	(38.20 - 50.54)	27.49	(23.27 - 32.16)	30.41	(26.54 - 34.57)
South Central	13.03	(10.02 - 16.76)	*	(* - *)	24.74	(20.41 - 29.64)	26.81	(22.79 - 31.24)
Southeast	15.31	(11.41 - 20.24)	*	(* - *)	30.27	(24.99 - 36.13)	32.37	(27.48 - 37.68)
West	13.27	(9.98 - 17.43)	*	(* - *)	24.62	(20.12 - 29.75)	27.75	(23.50 - 32.45)
Wichita (Sedgwick)	12.93	(9.77 - 16.92)	42.18	(36.13 - 48.47)	28.10	(23.94 - 32.68)	30.33	(26.52 - 34.43)
Kentucky	17.53	(15.32 - 19.98)	48.13	(44.81 - 51.46)	29.81	(26.91 - 32.90)	32.42	(29.83 - 35.13)
Adanta, Cumberland River, and Lifeskills	19.57	(15.55 - 24.33)	49.48	(43.34 - 55.64)	33.38	(28.27 - 38.92)	35.66	(30.98 - 40.63)
Bluegrass, Comprehend, and North Key	16.92	(13.72 - 20.70)	47.25	(42.01 - 52.55)	27.90	(23.80 - 32.40)	30.90	(27.18 - 34.88)
Communicare and River Valley	17.16	(13.36 - 21.77)	*	(* - *)	31.69	(26.81 - 37.00)	34.39	(29.88 - 39.21)
Four Rivers and Pennyroyal	19.48	(15.04 - 24.85)	*	(* - *)	29.54	(24.76 - 34.81)	32.17	(27.73 - 36.96)
Kentucky River, Mountain, and Pathways	18.75	(14.99 - 23.21)	49.06	(43.01 - 55.13)	33.70	(28.64 - 39.17)	35.86	(31.29 - 40.70)
Seven Counties	15.31	(12.19 - 19.06)	46.17	(40.35 - 52.09)	26.57	(22.51 - 31.07)	29.10	(25.35 - 33.14)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	10.57	(9.05 - 12.30)	38.58	(35.53 - 41.73)	28.20	(25.32 - 31.27)	29.92	(27.39 - 32.58)
Region 1	7.80	(5.70 - 10.58)	*	(* - *)	29.04	(23.88 - 34.80)	29.76	(25.09 - 34.91)
Regions 2 and 9	10.54	(8.27 - 13.34)	38.17	(33.35 - 43.23)	25.13	(21.34 - 29.35)	27.41	(24.04 - 31.06)
Region 3	11.41	(8.56 - 15.06)	*	(* - *)	29.99	(24.86 - 35.69)	32.14	(27.47 - 37.21)
Region 4	11.20	(8.60 - 14.45)	40.93	(34.56 - 47.62)	28.23	(23.48 - 33.53)	30.36	(25.99 - 35.12)
Regions 5 and 6	12.37	(9.36 - 16.16)	41.81	(35.79 - 48.08)	32.26	(27.27 - 37.69)	33.80	(29.35 - 38.56)
Regions 7 and 8	10.28	(7.89 - 13.29)	37.20	(31.85 - 42.88)	27.66	(23.29 - 32.51)	29.26	(25.35 - 33.49)
Region 10 (Jefferson)	10.71	(8.07 - 14.07)	38.18	(31.79 - 45.00)	28.59	(23.57 - 34.21)	29.99	(25.36 - 35.08)
Maine	13.94	(11.98 - 16.16)	45.36	(42.24 - 48.52)	25.48	(22.86 - 28.28)	28.09	(25.73 - 30.58)
Aroostook/Downeast	15.89	(12.07 - 20.64)	*	(* - *)	26.00	(21.40 - 31.20)	28.36	(24.03 - 33.12)
Central	14.99	(11.43 - 19.40)	45.53	(39.47 - 51.72)	25.92	(21.63 - 30.74)	28.50	(24.51 - 32.86)
Cumberland	12.12	(9.32 - 15.63)	45.30	(39.57 - 51.16)	23.88	(19.92 - 28.36)	26.74	(23.02 - 30.82)
Midcoast	14.85	(11.28 - 19.29)	48.13	(41.46 - 54.86)	23.75	(19.55 - 28.53)	26.48	(22.54 - 30.84)
Penquis	13.01	(9.83 - 17.02)	41.49	(35.63 - 47.61)	25.30	(20.75 - 30.45)	27.86	(23.72 - 32.42)
Western	14.89	(11.40 - 19.22)	47.14	(41.30 - 53.06)	29.55	(24.79 - 34.79)	31.98	(27.60 - 36.71)
York	13.08	(10.15 - 16.70)	45.85	(39.59 - 52.25)	24.54	(20.58 - 28.99)	27.11	(23.40 - 31.18)
Maryland	9.87	(8.31 - 11.68)	34.96	(31.81 - 38.26)	22.27	(19.75 - 25.02)	24.05	(21.75 - 26.52)
Anne Arundel	10.59	(7.85 - 14.14)	*	(* - *)	23.26	(18.69 - 28.56)	25.60	(21.24 - 30.52)
Baltimore City	8.05	(5.84 - 10.98)	28.45	(22.95 - 34.68)	31.85	(26.53 - 37.70)	31.29	(26.59 - 36.41)
Baltimore County	10.34	(7.79 - 13.61)	34.81	(29.18 - 40.90)	23.40	(19.05 - 28.39)	24.98	(20.96 - 29.49)
Montgomery	9.55	(7.05 - 12.83)	34.15	(28.48 - 40.31)	14.90	(12.03 - 18.30)	17.18	(14.39 - 20.40)
North Central	11.44	(8.41 - 15.39)	*	(* - *)	18.61	(15.01 - 22.84)	21.22	(17.70 - 25.23)
Northeast	11.98	(8.97 - 15.82)	*	(* - *)	24.12	(19.61 - 29.29)	26.45	(22.21 - 31.17)
Prince George's	6.92	(5.09 - 9.34)	28.46	(23.60 - 33.88)	20.55	(16.77 - 24.92)	21.81	(18.35 - 25.72)
South	11.45	(8.66 - 14.99)	39.87	(33.44 - 46.67)	24.94	(20.45 - 30.03)	27.10	(22.91 - 31.74)
West	11.50	(8.54 - 15.30)	*	(* - *)	24.02	(19.54 - 29.15)	26.12	(21.88 - 30.85)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	10.82	(9.12 - 12.79)	40.25	(37.14 - 43.43)	21.89	(19.44 - 24.55)	24.48	(22.26 - 26.84)
Boston	8.62	(6.37 - 11.56)	36.49	(30.76 - 42.64)	25.10	(20.58 - 30.24)	27.44	(23.38 - 31.91)
Central	11.95	(8.94 - 15.81)	41.15	(34.76 - 47.86)	22.38	(18.29 - 27.07)	24.94	(21.12 - 29.18)
Metrowest	9.73	(7.40 - 12.70)	38.01	(32.35 - 44.03)	17.22	(14.10 - 20.86)	19.88	(16.94 - 23.19)
Northeast	10.71	(8.17 - 13.92)	41.13	(35.29 - 47.23)	22.74	(18.93 - 27.05)	25.08	(21.50 - 29.04)
Southeast	11.68	(9.03 - 14.99)	44.15	(38.11 - 50.38)	23.14	(19.15 - 27.67)	25.72	(21.99 - 29.84)
Western	12.01	(9.07 - 15.72)	41.72	(36.01 - 47.67)	24.05	(19.81 - 28.88)	26.86	(22.98 - 31.14)
Michigan	11.73	(10.74 - 12.81)	45.07	(43.39 - 46.77)	27.17	(25.67 - 28.73)	29.82	(28.51 - 31.17)
Bay	14.63	(11.62 - 18.25)	48.41	(42.28 - 54.58)	29.07	(24.94 - 33.57)	31.66	(27.81 - 35.77)
Detroit City	7.00	(5.41 - 9.01)	37.10	(32.61 - 41.81)	31.68	(27.58 - 36.08)	32.53	(28.91 - 36.37)
Genesee	11.19	(8.78 - 14.16)	46.79	(41.16 - 52.51)	30.11	(25.80 - 34.81)	32.52	(28.53 - 36.78)
Kalamazoo	12.70	(10.18 - 15.72)	46.95	(42.01 - 51.95)	27.15	(23.45 - 31.19)	30.37	(27.01 - 33.95)
Kent	10.84	(8.52 - 13.70)	48.02	(42.98 - 53.09)	24.10	(20.58 - 28.01)	28.19	(25.00 - 31.60)
Lakeshore	14.40	(11.51 - 17.87)	43.16	(38.10 - 48.37)	25.35	(21.84 - 29.21)	28.11	(24.91 - 31.54)
Macomb	14.14	(11.43 - 17.37)	48.34	(43.32 - 53.41)	30.18	(26.67 - 33.94)	32.58	(29.34 - 35.98)
Mid South	12.66	(10.35 - 15.41)	44.43	(40.10 - 48.85)	26.81	(23.35 - 30.58)	29.91	(26.85 - 33.16)
Northern	12.34	(9.94 - 15.21)	46.57	(41.54 - 51.66)	26.20	(22.65 - 30.08)	29.04	(25.78 - 32.52)
Oakland	11.40	(9.41 - 13.75)	45.83	(41.63 - 50.10)	23.54	(20.63 - 26.73)	26.30	(23.63 - 29.16)
Pathways	*	(* - *)	*	(* - *)	29.69	(25.01 - 34.84)	32.92	(28.52 - 37.64)
Saginaw	11.80	(8.97 - 15.37)	*	(* - *)	29.23	(24.51 - 34.44)	31.23	(26.85 - 35.97)
Southeast	11.33	(9.38 - 13.64)	46.40	(42.43 - 50.41)	28.64	(25.37 - 32.15)	31.01	(28.07 - 34.12)
St. Clair	11.24	(8.55 - 14.64)	46.47	(39.96 - 53.11)	29.65	(25.12 - 34.61)	31.90	(27.70 - 36.41)
Washtenaw	10.14	(7.95 - 12.85)	40.80	(35.42 - 46.41)	21.20	(18.06 - 24.72)	24.94	(22.03 - 28.10)
Western	*	(* - *)	*	(* - *)	26.30	(21.57 - 31.63)	28.53	(24.17 - 33.32)
Minnesota	12.12	(10.36 - 14.13)	47.26	(43.75 - 50.78)	22.98	(20.56 - 25.59)	26.70	(24.51 - 29.02)
Regions 1 and 2	13.31	(10.06 - 17.40)	*	(* - *)	23.55	(18.98 - 28.82)	26.60	(22.30 - 31.39)
Regions 3 and 4	13.05	(10.10 - 16.69)	53.54	(47.17 - 59.79)	24.98	(21.06 - 29.36)	29.65	(26.06 - 33.50)
Regions 5 and 6	12.65	(9.75 - 16.25)	46.80	(40.39 - 53.31)	22.48	(18.79 - 26.66)	26.29	(22.85 - 30.04)
Region 7A (Hennepin)	10.89	(8.21 - 14.31)	42.84	(37.32 - 48.55)	22.32	(18.53 - 26.62)	25.40	(21.91 - 29.24)
Region 7B (Ramsey)	11.14	(8.25 - 14.87)	*	(* - *)	24.15	(19.79 - 29.12)	28.03	(23.88 - 32.58)
Region 7C	11.82	(9.23 - 15.01)	48.86	(42.64 - 55.12)	21.81	(18.32 - 25.75)	25.66	(22.37 - 29.25)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	10.46	(8.83 - 12.36)	38.42	(35.30 - 41.65)	27.04	(24.25 - 30.02)	28.89	(26.44 - 31.47)
Region 1	11.90	(9.12 - 15.40)	42.96	(36.93 - 49.21)	29.01	(24.58 - 33.87)	31.18	(27.16 - 35.51)
Region 2	8.60	(6.47 - 11.35)	33.22	(27.59 - 39.38)	27.71	(23.03 - 32.93)	28.63	(24.40 - 33.28)
Region 3	10.01	(7.54 - 13.17)	37.49	(31.78 - 43.56)	26.06	(21.57 - 31.11)	28.03	(23.97 - 32.48)
Region 4	10.37	(7.86 - 13.56)	36.80	(31.23 - 42.75)	22.89	(18.92 - 27.42)	25.17	(21.57 - 29.14)
Region 5	9.14	(6.63 - 12.47)	*	(* - *)	26.95	(21.90 - 32.69)	27.85	(23.25 - 32.97)
Region 6	10.40	(7.74 - 13.83)	35.93	(29.84 - 42.51)	26.36	(21.75 - 31.55)	28.06	(23.87 - 32.68)
Region 7	11.56	(8.85 - 14.97)	44.33	(38.56 - 50.25)	29.61	(24.93 - 34.76)	31.85	(27.58 - 36.44)
Missouri	14.85	(12.85 - 17.10)	44.25	(41.14 - 47.41)	29.82	(26.95 - 32.86)	32.00	(29.46 - 34.64)
Central	16.56	(12.98 - 20.89)	44.32	(38.55 - 50.25)	28.76	(24.08 - 33.94)	31.48	(27.31 - 35.98)
Eastern	12.88	(10.60 - 15.56)	42.62	(38.17 - 47.20)	27.64	(24.15 - 31.44)	29.79	(26.63 - 33.17)
Eastern (St. Louis City and County)	11.61	(9.11 - 14.69)	40.87	(35.47 - 46.49)	26.95	(22.88 - 31.45)	28.95	(25.23 - 32.96)
Eastern (excluding St. Louis)	15.13	(11.64 - 19.43)	46.13	(39.83 - 52.55)	29.04	(24.22 - 34.38)	31.50	(27.09 - 36.26)
Northwest	14.74	(11.93 - 18.06)	44.75	(39.60 - 50.01)	29.63	(25.74 - 33.83)	31.90	(28.36 - 35.65)
Northwest (Jackson)	13.42	(10.24 - 17.41)	*	(* - *)	30.02	(25.09 - 35.47)	32.06	(27.52 - 36.96)
Northwest (excluding Jackson)	15.87	(12.17 - 20.43)	*	(* - *)	29.27	(24.45 - 34.61)	31.75	(27.29 - 36.58)
Southeast	16.47	(12.78 - 20.98)	42.47	(36.47 - 48.70)	35.32	(29.78 - 41.27)	36.34	(31.36 - 41.63)
Southwest	16.89	(13.23 - 21.31)	48.23	(42.39 - 54.12)	31.65	(26.92 - 36.80)	34.18	(29.90 - 38.74)
Montana	14.39	(12.44 - 16.59)	41.74	(38.60 - 44.96)	25.56	(22.89 - 28.42)	28.01	(25.63 - 30.53)
Region 1	16.53	(12.75 - 21.16)	*	(* - *)	26.56	(21.69 - 32.09)	28.42	(23.84 - 33.50)
Region 2	13.22	(10.10 - 17.12)	38.61	(32.27 - 45.35)	25.05	(20.69 - 29.99)	27.09	(23.00 - 31.62)
Region 3	15.02	(11.78 - 18.96)	43.64	(37.93 - 49.53)	23.46	(19.57 - 27.87)	26.32	(22.73 - 30.27)
Region 4	13.12	(10.36 - 16.48)	41.70	(36.77 - 46.79)	25.94	(21.99 - 30.33)	28.57	(25.04 - 32.38)
Region 5	15.01	(11.89 - 18.79)	42.07	(36.93 - 47.39)	26.63	(22.65 - 31.03)	29.02	(25.41 - 32.91)
Nebraska	12.22	(10.41 - 14.30)	40.61	(37.39 - 43.92)	23.83	(21.18 - 26.70)	26.55	(24.20 - 29.04)
Regions 1 and 2	13.88	(10.46 - 18.20)	*	(* - *)	25.10	(20.38 - 30.50)	27.36	(22.94 - 32.29)
Region 3	13.92	(10.57 - 18.11)	*	(* - *)	25.42	(20.95 - 30.47)	28.14	(23.97 - 32.73)
Region 4	13.06	(9.98 - 16.92)	39.59	(33.39 - 46.14)	23.62	(19.27 - 28.61)	25.92	(21.89 - 30.40)
Region 5	12.09	(9.33 - 15.52)	40.21	(35.32 - 45.31)	23.65	(20.01 - 27.71)	26.74	(23.45 - 30.30)
Region 6	10.94	(8.62 - 13.78)	40.07	(35.28 - 45.05)	23.10	(19.67 - 26.93)	25.85	(22.77 - 29.20)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	10.42	(8.62 - 12.54)	37.51	(34.02 - 41.14)	26.87	(23.93 - 30.03)	28.33	(25.70 - 31.12)
Clark	9.67	(7.63 - 12.18)	35.60	(31.56 - 39.86)	27.06	(23.62 - 30.80)	28.25	(25.17 - 31.55)
Rural	13.09	(10.05 - 16.88)	*	(* - *)	29.13	(24.41 - 34.35)	30.88	(26.48 - 35.65)
Washoe	11.13	(8.37 - 14.66)	41.47	(35.15 - 48.09)	24.01	(19.94 - 28.62)	26.51	(22.70 - 30.69)
New Hampshire	10.68	(9.04 - 12.58)	42.25	(38.98 - 45.59)	21.81	(19.40 - 24.42)	24.60	(22.41 - 26.93)
Central	11.39	(9.06 - 14.22)	44.77	(39.90 - 49.75)	24.10	(20.62 - 27.95)	27.14	(23.94 - 30.59)
Central 1	11.08	(8.31 - 14.64)	44.81	(38.46 - 51.32)	24.75	(20.33 - 29.78)	28.12	(24.07 - 32.55)
Central 2	11.69	(8.88 - 15.23)	44.73	(38.46 - 51.18)	23.49	(19.33 - 28.24)	26.19	(22.28 - 30.52)
Northern	12.12	(9.15 - 15.90)	*	(* - *)	22.61	(18.45 - 27.39)	25.54	(21.63 - 29.87)
Southern	10.04	(8.30 - 12.09)	40.59	(36.59 - 44.72)	20.55	(18.02 - 23.33)	23.18	(20.82 - 25.71)
Southern 1 (Rockingham)	9.95	(7.67 - 12.82)	40.17	(34.27 - 46.37)	19.31	(16.09 - 22.99)	21.72	(18.67 - 25.13)
Southern 2	10.09	(8.02 - 12.62)	40.80	(35.92 - 45.87)	21.33	(18.17 - 24.88)	24.06	(21.12 - 27.28)
New Jersey	11.40	(9.66 - 13.41)	38.17	(34.73 - 41.73)	20.66	(18.08 - 23.50)	22.93	(20.59 - 25.46)
Central	11.76	(9.12 - 15.03)	38.51	(32.59 - 44.79)	20.25	(16.52 - 24.57)	22.44	(18.92 - 26.40)
Metropolitan	9.73	(7.41 - 12.69)	34.90	(29.54 - 40.67)	19.91	(16.41 - 23.94)	22.03	(18.81 - 25.63)
Northern	11.22	(8.78 - 14.22)	41.03	(35.62 - 46.66)	20.30	(16.95 - 24.12)	22.90	(19.78 - 26.37)
Southern	13.08	(10.17 - 16.68)	37.68	(32.28 - 43.41)	22.59	(18.61 - 27.14)	24.61	(20.93 - 28.69)
New Mexico	12.10	(10.24 - 14.23)	40.97	(37.62 - 44.41)	22.31	(19.69 - 25.17)	25.30	(22.95 - 27.79)
Region 1	12.09	(9.35 - 15.50)	41.28	(35.28 - 47.55)	22.23	(18.22 - 26.84)	25.29	(21.60 - 29.39)
Region 2	12.29	(9.25 - 16.16)	*	(* - *)	19.69	(15.91 - 24.11)	22.96	(19.27 - 27.11)
Region 3 (Bernalillo)	11.08	(8.61 - 14.16)	39.21	(34.32 - 44.33)	21.25	(17.84 - 25.10)	24.18	(21.10 - 27.56)
Region 4	13.98	(10.63 - 18.16)	44.65	(38.31 - 51.18)	29.37	(24.52 - 34.73)	31.90	(27.47 - 36.68)
Region 5	12.05	(9.17 - 15.67)	39.13	(33.77 - 44.77)	21.80	(17.84 - 26.35)	24.77	(21.19 - 28.73)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	9.93	(8.99 - 10.96)	37.98	(36.21 - 39.78)	23.82	(22.31 - 25.41)	25.87	(24.54 - 27.24)
Region A	7.60	(6.53 - 8.84)	33.24	(30.77 - 35.81)	23.60	(21.58 - 25.75)	25.07	(23.28 - 26.94)
Region 1	6.73	(5.11 - 8.83)	28.51	(23.56 - 34.05)	26.19	(22.16 - 30.66)	26.57	(22.90 - 30.59)
Region 2	7.45	(5.87 - 9.41)	35.09	(31.04 - 39.37)	22.38	(19.41 - 25.67)	24.36	(21.68 - 27.26)
Region 3	10.31	(7.82 - 13.47)	40.54	(35.24 - 46.07)	27.09	(23.26 - 31.29)	29.03	(25.50 - 32.83)
Region 4	7.12	(5.48 - 9.20)	28.48	(24.45 - 32.88)	21.19	(17.95 - 24.85)	22.25	(19.32 - 25.49)
Region B	9.41	(8.09 - 10.92)	38.88	(35.74 - 42.11)	20.37	(18.34 - 22.57)	22.72	(20.84 - 24.71)
Region 5	8.88	(7.22 - 10.87)	37.21	(32.98 - 41.64)	20.66	(17.89 - 23.74)	22.72	(20.14 - 25.52)
Region 6	9.11	(7.15 - 11.54)	38.04	(32.47 - 43.94)	18.50	(15.48 - 21.96)	20.88	(17.97 - 24.11)
Region 7	11.43	(8.92 - 14.53)	45.00	(38.84 - 51.31)	22.48	(18.75 - 26.70)	25.71	(22.26 - 29.50)
Region C	12.63	(11.14 - 14.28)	43.79	(41.18 - 46.43)	26.51	(24.38 - 28.74)	29.06	(27.18 - 31.01)
Region 8	12.63	(9.95 - 15.90)	44.39	(39.42 - 49.48)	25.72	(21.98 - 29.85)	28.40	(24.97 - 32.09)
Region 9	12.13	(9.65 - 15.14)	43.96	(38.81 - 49.24)	25.27	(21.54 - 29.41)	28.07	(24.67 - 31.74)
Region 10	12.66	(9.92 - 16.01)	42.44	(36.84 - 48.25)	27.14	(23.01 - 31.70)	29.95	(26.23 - 33.95)
Region 11	11.43	(9.05 - 14.33)	41.91	(36.91 - 47.08)	23.47	(20.16 - 27.13)	26.18	(23.16 - 29.43)
Region 12	14.22	(11.50 - 17.45)	45.60	(40.50 - 50.79)	30.58	(26.66 - 34.80)	32.62	(29.06 - 36.40)
Region D	14.15	(12.02 - 16.58)	44.21	(40.38 - 48.11)	28.40	(25.47 - 31.51)	30.80	(28.13 - 33.61)
Region 13	12.64	(9.71 - 16.30)	41.91	(35.71 - 48.38)	26.91	(22.60 - 31.70)	29.06	(25.04 - 33.45)
Region 14	13.52	(10.46 - 17.30)	44.52	(38.43 - 50.78)	30.25	(25.67 - 35.25)	32.60	(28.38 - 37.12)
Region 15	16.01	(12.58 - 20.15)	45.87	(39.98 - 51.87)	27.97	(23.58 - 32.83)	30.61	(26.55 - 34.99)
North Carolina	12.82	(11.01 - 14.87)	43.03	(39.72 - 46.40)	25.20	(22.35 - 28.27)	27.71	(25.17 - 30.41)
Eastern	12.81	(9.92 - 16.40)	45.66	(40.00 - 51.44)	27.81	(23.20 - 32.94)	30.56	(26.39 - 35.06)
North Central	12.73	(9.96 - 16.12)	42.73	(36.89 - 48.79)	25.05	(20.83 - 29.80)	27.56	(23.64 - 31.85)
South Central	11.03	(8.60 - 14.06)	41.59	(36.04 - 47.37)	23.93	(20.01 - 28.35)	26.54	(22.94 - 30.48)
Western	14.26	(11.54 - 17.50)	42.68	(37.93 - 47.58)	24.77	(21.18 - 28.76)	27.08	(23.81 - 30.62)
North Dakota	13.70	(11.86 - 15.78)	41.92	(38.74 - 45.16)	24.37	(21.74 - 27.22)	27.43	(25.13 - 29.86)
Badlands and West Central	14.99	(12.02 - 18.54)	44.20	(38.32 - 50.25)	24.76	(20.85 - 29.12)	27.56	(23.98 - 31.46)
Lake Region and South Central	13.81	(10.80 - 17.49)	*	(* - *)	23.11	(19.12 - 27.65)	25.37	(21.64 - 29.51)
North Central and Northwest	13.34	(10.38 - 16.97)	42.96	(36.85 - 49.29)	23.68	(19.65 - 28.25)	26.70	(22.99 - 30.77)
Northeast	13.06	(10.08 - 16.75)	40.48	(34.88 - 46.34)	26.07	(21.77 - 30.88)	29.36	(25.55 - 33.48)
Southeast	12.85	(10.11 - 16.19)	41.17	(36.11 - 46.42)	24.41	(20.65 - 28.61)	27.99	(24.65 - 31.61)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	13.01	(11.98 - 14.11)	44.38	(42.73 - 46.05)	27.71	(26.15 - 29.32)	30.16	(28.79 - 31.56)
Boards 2, 46, 55, and 68	14.71	(11.57 - 18.52)	47.22	(41.42 - 53.10)	29.30	(25.21 - 33.76)	31.84	(28.07 - 35.85)
Boards 3, 52, and 85	13.57	(10.59 - 17.22)	47.39	(41.35 - 53.51)	24.88	(21.04 - 29.17)	28.17	(24.57 - 32.08)
Boards 4 and 78	14.22	(11.27 - 17.80)	44.74	(38.62 - 51.02)	29.15	(24.50 - 34.29)	31.13	(26.78 - 35.84)
Boards 5 and 60	13.38	(10.58 - 16.78)	45.07	(39.42 - 50.85)	31.01	(26.60 - 35.79)	33.59	(29.61 - 37.80)
Boards 7, 15, 41, 79, and 84	14.40	(11.32 - 18.15)	44.19	(38.00 - 50.57)	31.20	(26.83 - 35.92)	32.85	(28.79 - 37.19)
Boards 8, 13, and 83	14.11	(11.04 - 17.86)	46.21	(40.17 - 52.36)	27.20	(23.21 - 31.61)	29.84	(26.13 - 33.84)
Board 9 (Butler)	13.53	(10.57 - 17.16)	45.63	(39.61 - 51.78)	27.84	(23.58 - 32.54)	30.98	(27.08 - 35.18)
Board 12	12.16	(9.41 - 15.57)	38.06	(32.21 - 44.27)	25.12	(20.96 - 29.79)	27.18	(23.33 - 31.41)
Boards 18 and 47	11.46	(9.50 - 13.76)	44.66	(40.64 - 48.77)	28.90	(25.78 - 32.24)	30.98	(28.16 - 33.94)
Boards 20, 32, 54, and 69	13.90	(10.91 - 17.55)	48.39	(41.93 - 54.90)	26.19	(22.30 - 30.49)	29.35	(25.74 - 33.24)
Boards 21, 39, 51, 70, and 80	13.55	(10.76 - 16.92)	47.96	(42.33 - 53.64)	26.69	(22.68 - 31.12)	29.55	(25.83 - 33.57)
Boards 22, 74, and 87	13.48	(10.46 - 17.21)	46.04	(39.67 - 52.55)	26.80	(22.45 - 31.66)	29.91	(25.86 - 34.30)
Boards 23 and 45	14.31	(11.31 - 17.94)	47.81	(41.65 - 54.03)	27.61	(23.51 - 32.13)	30.48	(26.67 - 34.57)
Board 25 (Franklin)	11.69	(9.50 - 14.31)	40.32	(36.52 - 44.24)	26.00	(22.72 - 29.57)	28.57	(25.69 - 31.63)
Boards 27, 71, and 73	16.07	(12.89 - 19.86)	48.45	(42.69 - 54.26)	32.75	(28.31 - 37.53)	35.00	(30.94 - 39.29)
Boards 28, 43, and 67	12.68	(9.97 - 15.98)	43.72	(38.38 - 49.21)	23.93	(20.37 - 27.89)	26.78	(23.48 - 30.36)
Board 31 (Hamilton)	12.80	(10.30 - 15.80)	43.36	(38.34 - 48.52)	24.19	(20.43 - 28.41)	27.12	(23.69 - 30.85)
Board 48 (Lucas)	11.65	(9.22 - 14.63)	40.92	(35.74 - 46.31)	28.96	(24.85 - 33.45)	30.83	(27.13 - 34.80)
Boards 50 and 76	12.80	(10.23 - 15.92)	40.79	(35.50 - 46.31)	28.17	(24.30 - 32.40)	29.82	(26.24 - 33.67)
Board 57 (Montgomery)	12.09	(9.53 - 15.21)	43.56	(38.00 - 49.27)	27.47	(23.57 - 31.74)	29.87	(26.29 - 33.71)
Board 77 (Summit)	13.05	(10.37 - 16.29)	48.08	(42.45 - 53.75)	29.00	(24.94 - 33.43)	31.54	(27.73 - 35.60)
Oklahoma	14.38	(12.24 - 16.81)	43.51	(40.19 - 46.89)	30.34	(27.35 - 33.50)	32.44	(29.81 - 35.19)
Central	13.23	(9.98 - 17.33)	41.02	(34.76 - 47.58)	26.03	(21.59 - 31.02)	28.75	(24.70 - 33.16)
East Central	14.83	(11.32 - 19.19)	*	(* - *)	32.24	(27.04 - 37.93)	33.94	(29.15 - 39.09)
Northeast	14.50	(11.04 - 18.82)	43.46	(37.17 - 49.96)	30.08	(25.25 - 35.40)	32.21	(27.83 - 36.93)
Northwest and Southwest	15.64	(11.96 - 20.19)	44.87	(38.60 - 51.31)	29.66	(24.72 - 35.11)	32.14	(27.67 - 36.95)
Oklahoma County	14.60	(11.15 - 18.90)	45.14	(38.91 - 51.53)	30.15	(25.47 - 35.29)	32.68	(28.43 - 37.25)
Southeast	15.06	(11.47 - 19.51)	44.53	(37.96 - 51.30)	34.30	(29.15 - 39.85)	35.77	(31.08 - 40.74)
Tulsa County	12.68	(9.62 - 16.52)	41.01	(35.04 - 47.26)	29.25	(24.56 - 34.43)	31.13	(26.88 - 35.72)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	10.96	(9.25 - 12.93)	38.84	(35.65 - 42.13)	22.75	(20.27 - 25.44)	25.05	(22.80 - 27.44)
Region 1 (Multnomah)	10.15	(7.51 - 13.57)	40.66	(34.91 - 46.68)	24.70	(20.65 - 29.25)	27.10	(23.37 - 31.20)
Region 2	10.28	(7.98 - 13.14)	36.99	(31.49 - 42.84)	19.26	(16.09 - 22.90)	21.74	(18.72 - 25.10)
Region 3	10.09	(7.85 - 12.87)	37.80	(33.32 - 42.49)	22.39	(18.86 - 26.36)	24.81	(21.63 - 28.30)
Region 4	13.72	(10.42 - 17.86)	*	(* - *)	25.74	(21.31 - 30.73)	27.56	(23.35 - 32.20)
Region 5	12.53	(9.42 - 16.50)	*	(* - *)	23.42	(19.15 - 28.32)	25.55	(21.47 - 30.12)
Pennsylvania	12.75	(11.73 - 13.84)	42.16	(40.50 - 43.84)	25.92	(24.40 - 27.51)	28.22	(26.88 - 29.59)
Region 1 (Allegheny)	12.06	(9.87 - 14.67)	42.18	(37.64 - 46.85)	27.01	(23.47 - 30.88)	29.03	(25.79 - 32.49)
Regions 2, 3, 8, and 9	16.16	(13.04 - 19.85)	47.26	(41.62 - 52.97)	27.68	(23.61 - 32.16)	30.48	(26.79 - 34.44)
Regions 4, 11, 37, and 49	13.76	(11.06 - 16.99)	44.53	(39.63 - 49.54)	26.43	(22.86 - 30.33)	28.79	(25.52 - 32.31)
Regions 5, 18, 23, 24, and 46	13.18	(10.63 - 16.24)	42.80	(37.83 - 47.92)	26.10	(22.46 - 30.11)	28.44	(25.12 - 32.02)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	13.22	(10.61 - 16.36)	39.59	(35.21 - 44.13)	23.21	(19.75 - 27.07)	26.23	(23.18 - 29.53)
Regions 7, 13, 20, and 33	12.44	(10.56 - 14.60)	42.09	(38.47 - 45.80)	22.36	(19.82 - 25.12)	24.92	(22.62 - 27.36)
Regions 10, 14, 15, 27, 32, 43, and 44	15.93	(12.79 - 19.67)	47.65	(42.10 - 53.27)	28.00	(24.00 - 32.39)	30.64	(26.97 - 34.56)
Regions 17 and 21	13.40	(10.48 - 16.99)	41.75	(35.96 - 47.77)	25.11	(21.15 - 29.53)	27.77	(24.12 - 31.73)
Regions 19, 26, 28, and 42	12.15	(9.96 - 14.75)	43.04	(39.08 - 47.10)	24.92	(21.75 - 28.38)	27.41	(24.53 - 30.50)
Regions 22, 38, 40, 41, and 48	14.11	(11.36 - 17.40)	44.15	(38.83 - 49.61)	27.61	(23.79 - 31.78)	29.61	(26.08 - 33.40)
Regions 25 and 30	14.16	(11.22 - 17.71)	46.59	(41.06 - 52.21)	26.18	(22.43 - 30.31)	28.83	(25.38 - 32.55)
Regions 29 and 34	13.17	(10.34 - 16.63)	44.22	(38.10 - 50.51)	25.28	(21.33 - 29.68)	27.84	(24.16 - 31.84)
Region 36 (Philadelphia)	9.26	(7.43 - 11.50)	35.18	(31.57 - 38.96)	30.61	(26.74 - 34.78)	31.38	(28.02 - 34.95)
Rhode Island	11.57	(9.68 - 13.76)	39.77	(36.42 - 43.22)	23.80	(21.16 - 26.65)	26.26	(23.91 - 28.76)
Bristol and Newport	14.20	(10.76 - 18.51)	*	(* - *)	20.62	(16.70 - 25.19)	24.02	(20.27 - 28.21)
Kent	13.20	(10.06 - 17.14)	*	(* - *)	24.43	(20.00 - 29.49)	26.87	(22.69 - 31.51)
Providence	10.39	(8.20 - 13.09)	37.46	(33.44 - 41.66)	25.12	(21.79 - 28.77)	27.16	(24.22 - 30.31)
Washington	12.74	(9.70 - 16.57)	41.26	(35.21 - 47.59)	20.02	(16.26 - 24.40)	23.49	(20.01 - 27.37)
South Carolina	12.48	(10.62 - 14.62)	43.19	(39.98 - 46.46)	29.70	(26.83 - 32.74)	31.70	(29.16 - 34.35)
Region 1	12.66	(9.85 - 16.12)	42.77	(37.34 - 48.38)	29.03	(24.80 - 33.66)	31.00	(27.16 - 35.12)
Region 2	13.04	(10.33 - 16.33)	44.27	(39.31 - 49.34)	30.58	(26.33 - 35.19)	32.64	(28.83 - 36.69)
Region 3	11.52	(8.88 - 14.81)	43.10	(36.85 - 49.58)	31.74	(27.15 - 36.72)	33.35	(29.15 - 37.83)
Region 4	12.31	(9.63 - 15.61)	42.46	(37.27 - 47.81)	27.96	(23.63 - 32.74)	30.19	(26.30 - 34.39)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	15.09	(12.97 - 17.49)	42.92	(39.71 - 46.18)	25.32	(22.70 - 28.14)	28.19	(25.86 - 30.65)
Region 1	15.72	(12.18 - 20.06)	*	(* - *)	23.46	(19.32 - 28.19)	27.14	(23.29 - 31.37)
Region 2	14.35	(11.19 - 18.23)	43.02	(37.90 - 48.29)	25.23	(21.45 - 29.44)	28.27	(24.85 - 31.95)
Region 3	14.57	(11.41 - 18.43)	37.78	(32.02 - 43.91)	24.39	(20.06 - 29.32)	26.84	(22.94 - 31.13)
Region 4	16.40	(12.45 - 21.29)	*	(* - *)	28.01	(23.19 - 33.40)	31.07	(26.59 - 35.93)
Region 5	18.00	(13.68 - 23.31)	*	(* - *)	26.98	(22.40 - 32.12)	29.98	(25.69 - 34.66)
Region 6	15.24	(11.53 - 19.87)	*	(* - *)	26.32	(21.59 - 31.67)	28.52	(24.05 - 33.46)
Region 7	13.39	(10.36 - 17.14)	40.07	(33.76 - 46.72)	25.14	(21.00 - 29.80)	27.56	(23.71 - 31.76)
Tennessee	13.43	(11.63 - 15.47)	44.60	(41.41 - 47.84)	30.42	(27.50 - 33.51)	32.43	(29.82 - 35.14)
Region 1	17.17	(13.10 - 22.20)	*	(* - *)	33.87	(28.46 - 39.74)	36.10	(31.04 - 41.48)
Region 2	14.66	(11.35 - 18.75)	46.33	(40.49 - 52.26)	31.75	(26.91 - 37.02)	33.76	(29.35 - 38.47)
Region 3	15.30	(12.05 - 19.24)	47.53	(41.71 - 53.42)	31.69	(26.95 - 36.84)	33.87	(29.57 - 38.45)
Region 4 (Davidson)	11.68	(8.76 - 15.42)	41.22	(34.91 - 47.84)	30.84	(25.74 - 36.45)	32.46	(27.80 - 37.50)
Region 5	13.74	(10.90 - 17.19)	46.19	(40.32 - 52.17)	28.55	(24.31 - 33.21)	31.08	(27.18 - 35.26)
Region 6	14.46	(11.11 - 18.61)	45.21	(38.68 - 51.92)	33.36	(28.04 - 39.14)	35.02	(30.13 - 40.24)
Region 7 (Shelby)	8.59	(6.46 - 11.34)	36.01	(30.02 - 42.46)	25.53	(21.17 - 30.44)	27.10	(23.10 - 31.50)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	9.53	(8.61 - 10.54)	36.62	(35.00 - 38.27)	26.08	(24.55 - 27.68)	27.82	(26.51 - 29.16)
Region 1	11.56	(9.09 - 14.59)	40.60	(35.13 - 46.33)	28.84	(24.55 - 33.55)	30.91	(27.05 - 35.07)
Region 2	11.68	(9.01 - 15.02)	40.21	(33.85 - 46.93)	30.53	(25.94 - 35.55)	32.05	(27.86 - 36.54)
Region 3	9.16	(7.83 - 10.68)	36.57	(33.78 - 39.45)	24.85	(22.67 - 27.17)	26.73	(24.80 - 28.74)
Region 3a	8.63	(7.09 - 10.48)	35.47	(31.88 - 39.23)	23.12	(20.56 - 25.89)	25.14	(22.86 - 27.56)
Region 3bc	10.07	(8.06 - 12.52)	38.65	(34.31 - 43.17)	27.89	(24.43 - 31.63)	29.54	(26.48 - 32.80)
Region 4	12.29	(9.58 - 15.64)	42.77	(37.08 - 48.65)	31.66	(27.28 - 36.39)	33.18	(29.21 - 37.39)
Region 5	11.16	(8.64 - 14.31)	39.11	(33.04 - 45.54)	32.82	(28.27 - 37.71)	33.75	(29.59 - 38.17)
Region 6	8.10	(6.73 - 9.71)	32.33	(29.67 - 35.10)	25.57	(23.01 - 28.32)	26.66	(24.41 - 29.03)
Region 6a	7.81	(6.36 - 9.56)	31.49	(28.65 - 34.48)	25.36	(22.59 - 28.34)	26.36	(23.94 - 28.92)
Region 6bc	10.50	(8.01 - 13.65)	40.33	(34.01 - 46.98)	27.32	(23.10 - 31.98)	29.14	(25.22 - 33.41)
Region 7	10.45	(8.69 - 12.52)	38.37	(34.86 - 42.01)	25.65	(22.91 - 28.59)	28.15	(25.74 - 30.70)
Region 7a	10.03	(7.87 - 12.69)	39.18	(34.44 - 44.14)	23.41	(20.15 - 27.01)	26.34	(23.40 - 29.51)
Region 7bcd	11.02	(8.56 - 14.09)	37.27	(32.50 - 42.29)	29.24	(25.12 - 33.75)	30.95	(27.40 - 34.75)
Region 8	10.01	(7.99 - 12.47)	39.66	(35.14 - 44.36)	24.81	(21.60 - 28.32)	27.08	(24.19 - 30.18)
Region 9	10.86	(8.29 - 14.09)	40.40	(33.99 - 47.15)	27.53	(23.33 - 32.18)	29.55	(25.68 - 33.73)
Region 10	8.83	(6.62 - 11.68)	34.13	(28.32 - 40.45)	24.58	(20.53 - 29.14)	26.21	(22.49 - 30.31)
Region 11	9.20	(7.45 - 11.31)	35.38	(31.16 - 39.85)	25.03	(21.96 - 28.37)	26.87	(24.07 - 29.86)
Region 11abd	9.63	(7.44 - 12.36)	36.44	(30.88 - 42.39)	25.49	(21.58 - 29.85)	27.37	(23.78 - 31.28)
Region 11c (Hidalgo)	8.43	(6.32 - 11.17)	33.48	(28.12 - 39.31)	24.07	(20.25 - 28.35)	25.86	(22.36 - 29.70)
Utah	7.54	(5.94 - 9.51)	26.00	(22.98 - 29.27)	19.36	(16.71 - 22.31)	20.77	(18.51 - 23.24)
Bear River, Northeastern, Summit, Tooele, and Wasatch	7.70	(5.37 - 10.93)	*	(* - *)	17.74	(14.20 - 21.94)	19.59	(16.25 - 23.41)
Central, Four Corners, San Juan, and Southwest	7.20	(5.02 - 10.21)	*	(* - *)	17.38	(13.62 - 21.92)	18.39	(14.95 - 22.41)
Davis County	7.99	(5.55 - 11.36)	*	(* - *)	17.51	(13.96 - 21.74)	19.33	(16.01 - 23.14)
Salt Lake County	7.93	(5.90 - 10.57)	28.99	(24.73 - 33.66)	21.82	(18.26 - 25.85)	23.22	(20.08 - 26.69)
Utah County	5.79	(3.88 - 8.54)	21.02	(16.78 - 25.99)	15.98	(12.45 - 20.28)	17.48	(14.41 - 21.06)
Weber, Morgan	9.17	(6.54 - 12.71)	*	(* - *)	20.32	(16.24 - 25.11)	22.03	(18.29 - 26.29)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	13.06	(11.20 - 15.17)	44.91	(41.79 - 48.07)	22.72	(20.11 - 25.56)	25.94	(23.60 - 28.42)
Champlain Valley	11.74	(9.51 - 14.42)	42.20	(37.93 - 46.58)	20.30	(17.12 - 23.89)	24.10	(21.26 - 27.18)
Rural Northeast	14.09	(11.13 - 17.68)	47.81	(42.19 - 53.49)	24.55	(20.51 - 29.09)	27.76	(24.03 - 31.82)
Rural Southeast	13.18	(10.22 - 16.84)	47.47	(41.45 - 53.56)	22.40	(18.51 - 26.84)	25.28	(21.63 - 29.31)
Rural Southwest	14.66	(11.22 - 18.95)	46.05	(39.88 - 52.34)	25.91	(21.46 - 30.92)	28.51	(24.38 - 33.03)
Virginia	11.21	(9.53 - 13.15)	42.25	(39.10 - 45.47)	23.88	(21.17 - 26.81)	26.47	(24.03 - 29.06)
Region 1	14.04	(10.83 - 18.02)	49.53	(43.34 - 55.73)	25.39	(20.94 - 30.42)	28.94	(24.83 - 33.43)
Region 2	8.86	(6.73 - 11.57)	36.44	(31.21 - 42.02)	17.17	(14.08 - 20.78)	19.65	(16.75 - 22.91)
Region 3	14.39	(11.06 - 18.52)	48.11	(42.01 - 54.27)	28.06	(23.39 - 33.25)	30.83	(26.56 - 35.46)
Region 4	10.94	(8.31 - 14.26)	40.36	(34.71 - 46.28)	26.32	(22.01 - 31.13)	28.20	(24.23 - 32.54)
Region 5	9.73	(7.43 - 12.65)	40.38	(35.08 - 45.92)	25.61	(21.51 - 30.20)	27.97	(24.21 - 32.07)
Washington	9.78	(8.21 - 11.61)	37.17	(34.12 - 40.33)	22.90	(20.33 - 25.69)	24.97	(22.67 - 27.43)
Region 1	10.60	(7.87 - 14.13)	35.99	(29.86 - 42.61)	24.96	(20.56 - 29.94)	26.72	(22.66 - 31.21)
Region 2	10.45	(7.85 - 13.77)	*	(* - *)	24.45	(19.96 - 29.58)	26.87	(22.70 - 31.50)
Region 3	10.38	(7.84 - 13.61)	39.01	(32.76 - 45.65)	22.14	(18.23 - 26.62)	24.62	(20.95 - 28.70)
Region 4 (King)	8.47	(6.32 - 11.25)	33.06	(28.32 - 38.17)	19.35	(16.06 - 23.12)	21.26	(18.21 - 24.68)
Region 5	9.37	(7.01 - 12.41)	37.68	(31.82 - 43.92)	25.49	(21.24 - 30.26)	27.33	(23.44 - 31.60)
Region 6	10.41	(7.87 - 13.64)	42.07	(36.14 - 48.23)	25.41	(21.16 - 30.18)	27.60	(23.67 - 31.90)
West Virginia	14.79	(12.84 - 16.97)	47.84	(44.72 - 50.99)	32.74	(29.71 - 35.91)	34.76	(32.06 - 37.57)
Eastern Highland	14.52	(11.51 - 18.17)	47.80	(42.26 - 53.38)	31.72	(26.97 - 36.89)	33.75	(29.40 - 38.40)
Northern	14.77	(12.00 - 18.05)	52.13	(47.16 - 57.06)	33.02	(28.86 - 37.47)	35.89	(32.18 - 39.79)
Northern A and B	15.54	(11.89 - 20.06)	*	(* - *)	34.21	(28.72 - 40.16)	36.04	(30.94 - 41.48)
Northern C and D	14.41	(11.16 - 18.42)	53.10	(47.27 - 58.85)	32.38	(27.47 - 37.70)	35.82	(31.48 - 40.40)
South Central	14.88	(12.46 - 17.67)	45.43	(41.07 - 49.87)	32.71	(29.02 - 36.63)	34.36	(31.01 - 37.88)
South Central I	14.70	(11.30 - 18.91)	*	(* - *)	33.11	(27.76 - 38.93)	34.65	(29.65 - 40.00)
South Central II	16.17	(12.39 - 20.83)	*	(* - *)	34.99	(29.50 - 40.90)	37.17	(32.17 - 42.46)
South Central III	14.08	(10.97 - 17.90)	41.80	(35.73 - 48.14)	31.01	(26.09 - 36.40)	32.34	(27.80 - 37.24)
Southern	14.96	(12.07 - 18.40)	45.74	(40.52 - 51.05)	33.57	(29.07 - 38.40)	35.14	(31.01 - 39.50)
Southern I and III	14.74	(11.37 - 18.90)	45.33	(38.84 - 51.98)	34.28	(28.74 - 40.29)	35.70	(30.60 - 41.15)
Southern II	15.39	(11.59 - 20.16)	*	(* - *)	32.18	(26.81 - 38.07)	34.03	(29.06 - 39.38)

See notes at end of table.

(continued)

Table 12. Cigarette Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	12.18	(10.50 - 14.08)	43.74	(40.40 - 47.13)	27.06	(24.39 - 29.92)	29.59	(27.20 - 32.10)
Milwaukee	9.96	(7.57 - 12.99)	41.74	(35.75 - 47.98)	30.91	(26.30 - 35.94)	32.65	(28.46 - 37.15)
Northeastern	13.95	(11.02 - 17.51)	45.59	(39.84 - 51.46)	28.85	(24.52 - 33.61)	31.26	(27.30 - 35.52)
Northern	13.03	(9.91 - 16.94)	44.25	(38.04 - 50.65)	26.76	(21.97 - 32.16)	29.12	(24.71 - 33.96)
Southeastern	12.13	(9.54 - 15.30)	45.49	(39.37 - 51.74)	24.37	(20.62 - 28.55)	27.21	(23.73 - 30.99)
Southern	10.57	(8.14 - 13.61)	41.40	(35.54 - 47.52)	24.94	(20.99 - 29.35)	27.65	(24.03 - 31.59)
Western	13.88	(10.65 - 17.88)	44.38	(37.91 - 51.04)	26.76	(22.32 - 31.73)	29.75	(25.67 - 34.19)
Wyoming	14.80	(12.74 - 17.14)	43.21	(39.95 - 46.53)	25.91	(23.21 - 28.81)	28.65	(26.25 - 31.18)
Judicial District 1 (Laramie)	16.33	(12.55 - 20.99)	46.20	(39.98 - 52.55)	26.33	(22.07 - 31.08)	29.38	(25.49 - 33.59)
Judicial District 2	13.80	(10.37 - 18.12)	37.11	(31.18 - 43.44)	23.51	(19.21 - 28.44)	27.21	(23.40 - 31.39)
Judicial District 3	13.81	(10.59 - 17.81)	44.69	(38.11 - 51.46)	24.41	(20.26 - 29.11)	27.64	(23.79 - 31.86)
Judicial District 4	14.61	(10.91 - 19.28)	*	(* - *)	24.87	(19.99 - 30.48)	27.45	(22.83 - 32.61)
Judicial District 5	15.19	(11.62 - 19.62)	*	(* - *)	27.31	(22.45 - 32.78)	29.43	(24.88 - 34.44)
Judicial District 6	14.08	(10.62 - 18.43)	*	(* - *)	25.59	(21.10 - 30.67)	28.51	(24.29 - 33.14)
Judicial District 7 (Natrona)	16.31	(12.74 - 20.65)	43.97	(37.86 - 50.27)	28.72	(24.16 - 33.76)	31.13	(26.98 - 35.62)
Judicial District 8	15.30	(11.58 - 19.94)	*	(* - *)	24.92	(20.16 - 30.39)	27.38	(22.88 - 32.39)
Judicial District 9	13.42	(10.07 - 17.66)	*	(* - *)	25.85	(21.16 - 31.16)	28.13	(23.74 - 32.97)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 13. Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	13.47		44.29		29.08		31.34	
Northeast	13.69	(12.97 - 14.45)	44.85	(43.80 - 45.92)	27.37	(26.40 - 28.37)	29.82	(28.96 - 30.70)
Midwest	14.83	(14.21 - 15.47)	49.50	(48.67 - 50.32)	31.73	(30.91 - 32.56)	34.42	(33.71 - 35.15)
South	13.68	(13.10 - 14.29)	44.87	(44.09 - 45.65)	31.56	(30.75 - 32.39)	33.53	(32.82 - 34.25)
West	11.70	(10.97 - 12.48)	37.96	(36.92 - 39.01)	23.93	(22.94 - 24.95)	26.09	(25.23 - 26.98)
Alabama	16.50	(14.33 - 18.92)	46.90	(43.64 - 50.20)	34.60	(31.59 - 37.74)	36.43	(33.76 - 39.19)
Region 1	18.22	(14.65 - 22.45)	48.42	(42.83 - 54.04)	35.44	(30.92 - 40.24)	37.19	(33.06 - 41.51)
Region 2	17.33	(13.99 - 21.26)	49.30	(44.29 - 54.33)	35.07	(30.63 - 39.79)	37.23	(33.28 - 41.35)
Region 3	12.59	(9.56 - 16.41)	42.63	(36.89 - 48.57)	31.33	(26.39 - 36.74)	33.34	(28.93 - 38.06)
Region 4	16.73	(13.39 - 20.70)	45.66	(40.07 - 51.37)	35.35	(30.76 - 40.22)	36.80	(32.60 - 41.21)
Alaska	15.77	(13.43 - 18.43)	48.29	(44.89 - 51.71)	30.17	(27.22 - 33.30)	33.10	(30.49 - 35.82)
Gulf Coast	16.04	(11.74 - 21.53)	*	(* - *)	29.82	(24.64 - 35.57)	32.37	(27.49 - 37.67)
Rural	*	(* - *)	*	(* - *)	*	(* - *)	41.27	(34.99 - 47.86)
Southeast	15.42	(11.53 - 20.33)	*	(* - *)	28.48	(23.70 - 33.80)	31.62	(27.15 - 36.46)
Urban	14.16	(11.55 - 17.24)	46.14	(42.20 - 50.14)	29.41	(26.03 - 33.03)	32.18	(29.21 - 35.30)
Arizona	13.32	(11.30 - 15.64)	41.51	(38.23 - 44.87)	26.87	(24.11 - 29.82)	29.09	(26.62 - 31.68)
Maricopa	12.54	(10.16 - 15.39)	40.19	(36.23 - 44.29)	26.65	(23.33 - 30.26)	28.78	(25.82 - 31.94)
Pima	15.83	(11.92 - 20.72)	44.55	(38.04 - 51.24)	26.44	(22.07 - 31.31)	29.20	(25.17 - 33.59)
Rural North	14.69	(11.19 - 19.04)	46.01	(39.49 - 52.67)	28.08	(23.33 - 33.37)	30.52	(26.10 - 35.33)
Rural South	12.54	(9.13 - 16.98)	*	(* - *)	27.34	(22.39 - 32.92)	29.07	(24.42 - 34.21)
Arkansas	16.61	(14.38 - 19.11)	50.86	(47.64 - 54.08)	34.73	(31.76 - 37.83)	37.14	(34.54 - 39.82)
Areas 1 and 2	17.45	(13.52 - 22.24)	50.08	(43.88 - 56.28)	31.05	(26.41 - 36.11)	34.02	(29.78 - 38.53)
Areas 3 and 4	17.96	(14.15 - 22.54)	59.14	(52.85 - 65.14)	36.93	(31.72 - 42.46)	40.22	(35.53 - 45.09)
Areas 5 and 6	17.33	(13.33 - 22.22)	49.34	(43.49 - 55.22)	37.07	(31.95 - 42.50)	38.99	(34.42 - 43.77)
Areas 7, 12, and 13	14.75	(11.27 - 19.08)	45.92	(39.54 - 52.43)	35.76	(30.66 - 41.21)	37.31	(32.66 - 42.20)
Areas 8, 10, and 11	16.52	(12.79 - 21.09)	52.68	(46.79 - 58.49)	35.02	(29.93 - 40.47)	37.45	(32.82 - 42.31)
Area 9	15.26	(11.91 - 19.34)	47.42	(41.39 - 53.54)	33.12	(28.48 - 38.11)	35.19	(30.98 - 39.66)

See notes at end of table.

(continued)

Table 13. Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	10.31	(9.23 - 11.51)	34.05	(32.38 - 35.77)	21.38	(19.90 - 22.94)	23.35	(22.05 - 24.70)
Region 1	15.38	(11.76 - 19.86)	*	(* - *)	30.50	(25.67 - 35.81)	33.05	(28.54 - 37.89)
Region 2	12.55	(10.03 - 15.60)	37.25	(32.92 - 41.81)	25.19	(21.83 - 28.89)	26.97	(23.93 - 30.24)
Region 3	11.31	(8.56 - 14.80)	36.58	(30.88 - 42.69)	25.31	(21.24 - 29.86)	27.11	(23.33 - 31.24)
Region 4	10.76	(8.12 - 14.12)	34.38	(29.00 - 40.20)	19.52	(16.35 - 23.14)	21.32	(18.31 - 24.67)
Region 5	10.02	(7.78 - 12.82)	36.19	(31.17 - 41.54)	19.30	(16.48 - 22.47)	21.63	(18.96 - 24.55)
Region 6 (Santa Clara)	8.99	(6.81 - 11.78)	30.88	(25.75 - 36.52)	17.33	(14.50 - 20.58)	19.26	(16.55 - 22.30)
Region 7	9.99	(7.25 - 13.60)	33.11	(27.82 - 38.86)	20.46	(16.86 - 24.60)	22.61	(19.27 - 26.34)
Region 8	9.21	(7.00 - 12.03)	30.20	(25.25 - 35.65)	21.77	(18.00 - 26.08)	23.27	(19.84 - 27.10)
Region 9	12.02	(9.03 - 15.83)	36.29	(30.56 - 42.43)	26.24	(21.96 - 31.01)	27.98	(24.12 - 32.20)
Region 10	10.68	(8.04 - 14.07)	33.25	(27.88 - 39.09)	19.89	(16.40 - 23.92)	22.03	(18.75 - 25.71)
Region 11 (Los Angeles)	8.56	(7.06 - 10.34)	30.62	(27.77 - 33.62)	19.96	(17.65 - 22.49)	21.68	(19.64 - 23.87)
Region 12	10.80	(8.34 - 13.88)	33.56	(28.75 - 38.74)	22.78	(19.33 - 26.65)	24.64	(21.50 - 28.07)
Region 13 (Riverside)	11.13	(8.58 - 14.32)	36.18	(31.01 - 41.70)	24.43	(20.60 - 28.72)	26.22	(22.72 - 30.05)
Region 14 (Orange)	11.31	(8.77 - 14.47)	36.61	(31.65 - 41.88)	20.37	(17.27 - 23.86)	22.79	(19.89 - 25.97)
Region 15	10.49	(8.22 - 13.30)	35.68	(31.44 - 40.17)	20.64	(17.69 - 23.93)	23.18	(20.49 - 26.11)
Colorado	15.69	(13.45 - 18.22)	46.86	(43.44 - 50.32)	25.66	(23.05 - 28.45)	28.80	(26.48 - 31.24)
Region 1	16.38	(12.55 - 21.09)	50.87	(44.39 - 57.33)	26.25	(21.92 - 31.10)	30.58	(26.58 - 34.90)
Regions 2 and 7	15.82	(13.00 - 19.13)	44.74	(40.16 - 49.41)	24.53	(21.46 - 27.89)	27.44	(24.67 - 30.40)
Region 3	15.04	(11.27 - 19.80)	47.87	(41.66 - 54.15)	26.88	(22.46 - 31.81)	29.96	(25.89 - 34.36)
Region 4	15.56	(11.51 - 20.71)	*	(* - *)	29.34	(24.26 - 35.01)	32.09	(27.32 - 37.27)
Regions 5 and 6	15.08	(11.15 - 20.07)	49.41	(42.68 - 56.16)	27.26	(22.62 - 32.45)	30.50	(26.18 - 35.19)
Connecticut	14.58	(12.51 - 16.94)	47.20	(43.92 - 50.49)	24.62	(21.98 - 27.46)	27.61	(25.24 - 30.12)
Eastern	14.86	(11.19 - 19.47)	*	(* - *)	27.23	(22.54 - 32.49)	31.24	(26.92 - 35.90)
North Central	14.88	(11.72 - 18.71)	48.74	(43.52 - 53.98)	26.27	(22.24 - 30.75)	29.15	(25.46 - 33.14)
Northwestern	15.16	(11.68 - 19.44)	46.86	(40.88 - 52.94)	24.89	(20.67 - 29.64)	27.56	(23.63 - 31.87)
South Central	15.10	(11.90 - 18.99)	44.99	(39.25 - 50.86)	23.37	(19.67 - 27.54)	26.35	(22.91 - 30.10)
Southwest	12.69	(9.60 - 16.60)	45.09	(38.84 - 51.50)	22.00	(18.17 - 26.38)	24.77	(21.14 - 28.79)

See notes at end of table.

(continued)

Table 13. Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	13.24	(11.33 - 15.42)	42.93	(39.71 - 46.20)	28.29	(25.65 - 31.08)	30.43	(28.08 - 32.89)
Kent	12.62	(9.62 - 16.39)	43.31	(37.86 - 48.93)	31.30	(26.80 - 36.17)	33.20	(29.14 - 37.51)
New Castle (excluding Wilmington City)	13.25	(10.74 - 16.24)	42.46	(38.27 - 46.77)	25.02	(21.95 - 28.37)	27.73	(24.98 - 30.67)
Sussex	15.50	(12.14 - 19.59)	46.79	(40.92 - 52.74)	32.74	(27.94 - 37.92)	34.29	(29.86 - 39.02)
Wilmington City	10.12	(7.26 - 13.95)	*	(* - *)	30.87	(25.66 - 36.62)	32.09	(27.26 - 37.35)
District of Columbia	9.36	(7.67 - 11.37)	38.31	(35.03 - 41.69)	27.66	(24.99 - 30.50)	29.36	(27.00 - 31.84)
Ward 1	8.78	(6.08 - 12.50)	*	(* - *)	29.27	(24.49 - 34.57)	30.25	(25.88 - 35.02)
Ward 2	*	(* - *)	40.45	(35.21 - 45.92)	27.18	(22.80 - 32.07)	30.47	(26.69 - 34.54)
Ward 3	11.74	(8.55 - 15.91)	*	(* - *)	21.83	(18.07 - 26.13)	24.94	(21.37 - 28.89)
Ward 4	8.10	(5.77 - 11.27)	*	(* - *)	22.64	(18.37 - 27.57)	23.81	(19.73 - 28.43)
Ward 5	8.68	(6.28 - 11.88)	38.12	(32.05 - 44.57)	28.17	(23.73 - 33.08)	29.60	(25.59 - 33.95)
Ward 6	8.55	(5.95 - 12.13)	*	(* - *)	29.15	(24.12 - 34.75)	30.71	(25.95 - 35.92)
Ward 7	8.75	(6.45 - 11.77)	*	(* - *)	30.73	(25.69 - 36.28)	31.08	(26.42 - 36.17)
Ward 8	9.89	(7.39 - 13.11)	*	(* - *)	37.70	(32.03 - 43.73)	37.74	(32.71 - 43.06)

See notes at end of table.

(continued)

Table 13. Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	11.62	(10.59 - 12.74)	41.33	(39.69 - 42.98)	28.46	(26.89 - 30.07)	30.13	(28.74 - 31.55)
Region A	14.21	(11.83 - 16.99)	46.24	(42.29 - 50.23)	33.83	(30.47 - 37.37)	36.02	(32.99 - 39.17)
Circuit 1	14.82	(11.44 - 18.97)	47.09	(40.65 - 53.62)	33.88	(29.14 - 38.97)	35.93	(31.57 - 40.54)
Circuit 2	12.90	(9.68 - 17.01)	43.26	(37.99 - 48.68)	30.73	(26.01 - 35.88)	33.72	(29.59 - 38.11)
Circuit 14	14.74	(11.15 - 19.24)	51.00	(44.38 - 57.58)	37.51	(32.07 - 43.28)	39.41	(34.38 - 44.67)
Region B	12.89	(11.04 - 15.00)	45.96	(42.56 - 49.41)	31.41	(28.62 - 34.35)	33.68	(31.18 - 36.28)
Circuits 3 and 8	15.08	(11.45 - 19.62)	47.09	(41.40 - 52.85)	35.74	(30.79 - 41.02)	38.15	(33.81 - 42.69)
Circuit 4	11.64	(9.19 - 14.63)	44.33	(39.35 - 49.43)	31.11	(27.05 - 35.48)	33.16	(29.48 - 37.05)
Circuit 7	13.03	(10.05 - 16.72)	47.39	(41.66 - 53.19)	29.04	(24.72 - 33.78)	31.17	(27.15 - 35.50)
Region C	12.22	(10.74 - 13.87)	43.14	(40.47 - 45.85)	29.66	(27.40 - 32.02)	31.38	(29.34 - 33.49)
Circuit 5	12.36	(9.61 - 15.78)	44.90	(39.03 - 50.91)	30.00	(25.81 - 34.55)	31.37	(27.43 - 35.60)
Circuit 9	11.29	(8.90 - 14.22)	41.12	(36.64 - 45.75)	27.53	(23.84 - 31.56)	29.82	(26.55 - 33.32)
Circuit 10	12.77	(9.88 - 16.34)	40.98	(34.92 - 47.32)	32.71	(28.09 - 37.68)	33.78	(29.52 - 38.31)
Circuit 18	12.11	(9.53 - 15.27)	45.96	(40.76 - 51.26)	29.16	(25.27 - 33.38)	31.20	(27.63 - 35.01)
Circuit 19	14.04	(10.78 - 18.08)	45.69	(39.46 - 52.06)	30.71	(26.08 - 35.76)	32.22	(27.83 - 36.95)
Region D	8.55	(7.29 - 10.00)	33.16	(30.76 - 35.65)	24.20	(22.15 - 26.36)	25.31	(23.47 - 27.26)
Circuits 11 and 16	7.50	(5.90 - 9.49)	27.79	(24.43 - 31.43)	23.08	(20.17 - 26.28)	23.73	(21.12 - 26.55)
Circuit 15 (Palm Beach)	10.26	(8.02 - 13.04)	42.35	(37.67 - 47.17)	25.89	(22.36 - 29.77)	27.63	(24.32 - 31.20)
Circuit 17 (Broward)	9.02	(7.13 - 11.35)	36.17	(31.85 - 40.73)	24.53	(21.40 - 27.97)	25.94	(23.06 - 29.05)
Region E	13.51	(11.76 - 15.46)	45.32	(42.41 - 48.27)	29.72	(27.36 - 32.20)	31.45	(29.28 - 33.71)
Circuit 6	13.60	(10.84 - 16.93)	47.22	(41.95 - 52.55)	30.67	(26.74 - 34.89)	32.30	(28.65 - 36.18)
Circuit 12	13.14	(10.10 - 16.93)	44.64	(38.45 - 50.99)	26.47	(22.18 - 31.26)	28.16	(24.06 - 32.66)
Circuit 13 (Hillsborough)	13.50	(10.70 - 16.88)	42.18	(37.31 - 47.20)	30.41	(26.64 - 34.45)	32.18	(28.75 - 35.80)
Circuit 20	13.64	(10.65 - 17.30)	48.13	(42.33 - 53.99)	30.08	(26.05 - 34.44)	31.88	(28.10 - 35.91)
Georgia	12.69	(10.76 - 14.91)	41.30	(38.04 - 44.63)	30.96	(28.00 - 34.10)	32.54	(29.91 - 35.29)
Region 1	17.03	(13.15 - 21.76)	45.27	(38.96 - 51.73)	37.21	(31.91 - 42.82)	38.34	(33.56 - 43.36)
Region 2	13.44	(10.20 - 17.51)	43.56	(37.66 - 49.65)	31.78	(26.98 - 37.00)	33.62	(29.24 - 38.29)
Region 3	10.64	(8.26 - 13.59)	37.40	(32.91 - 42.13)	26.82	(23.05 - 30.96)	28.40	(25.01 - 32.05)
Region 4	12.63	(9.49 - 16.62)	43.35	(36.97 - 49.97)	33.90	(28.78 - 39.42)	35.34	(30.66 - 40.32)
Region 5	13.90	(10.47 - 18.23)	44.58	(38.00 - 51.36)	34.15	(28.96 - 39.75)	35.93	(31.23 - 40.91)

See notes at end of table.

(continued)

Table 13. Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	9.94	(8.14 - 12.10)	38.19	(34.68 - 41.83)	21.51	(18.81 - 24.48)	23.72	(21.28 - 26.36)
Hawaii Island	11.52	(8.36 - 15.67)	*	(* - *)	23.34	(18.83 - 28.55)	25.66	(21.39 - 30.45)
Honolulu	9.60	(7.55 - 12.13)	37.26	(33.27 - 41.43)	21.08	(18.03 - 24.50)	23.33	(20.56 - 26.34)
Kauai and Maui**	10.07	(7.68 - 13.11)	39.54	(33.83 - 45.55)	21.96	(18.25 - 26.18)	24.00	(20.49 - 27.90)
Maui	10.13	(7.40 - 13.72)	*	(* - *)	22.24	(18.00 - 27.15)	24.30	(20.28 - 28.83)
Idaho	12.37	(10.43 - 14.60)	43.33	(40.17 - 46.53)	26.19	(23.56 - 29.00)	29.04	(26.72 - 31.47)
Region 1	14.66	(11.04 - 19.21)	48.32	(41.61 - 55.09)	29.26	(24.65 - 34.34)	31.70	(27.37 - 36.37)
Region 2	13.14	(9.49 - 17.90)	*	(* - *)	26.85	(22.11 - 32.19)	30.49	(26.12 - 35.25)
Region 3	12.24	(9.31 - 15.92)	39.77	(33.76 - 46.10)	27.99	(23.73 - 32.67)	29.86	(26.00 - 34.02)
Region 4	12.76	(9.68 - 16.63)	47.93	(42.56 - 53.36)	25.71	(21.87 - 29.96)	29.36	(25.88 - 33.10)
Region 5	12.78	(9.48 - 17.02)	*	(* - *)	26.75	(22.27 - 31.76)	29.30	(25.11 - 33.87)
Region 6	11.80	(8.69 - 15.81)	40.38	(34.01 - 47.10)	24.12	(20.03 - 28.76)	27.23	(23.44 - 31.37)
Region 7	9.68	(7.05 - 13.14)	34.68	(29.00 - 40.84)	21.57	(17.69 - 26.03)	24.31	(20.81 - 28.19)
Illinois	12.55	(11.43 - 13.76)	47.12	(45.37 - 48.87)	30.43	(28.86 - 32.05)	32.96	(31.59 - 34.36)
Region I (Cook)	11.53	(9.97 - 13.30)	43.79	(41.10 - 46.52)	29.65	(27.22 - 32.21)	31.82	(29.69 - 34.02)
Region II	12.44	(10.79 - 14.29)	48.53	(45.53 - 51.54)	28.11	(25.75 - 30.58)	31.03	(28.94 - 33.21)
Region III	14.58	(11.96 - 17.65)	47.41	(43.32 - 51.53)	33.31	(29.74 - 37.08)	35.74	(32.61 - 39.01)
Region IV	15.57	(12.54 - 19.18)	54.82	(49.79 - 59.76)	35.08	(30.94 - 39.45)	37.93	(34.23 - 41.77)
Region V	12.66	(10.18 - 15.64)	52.20	(47.91 - 56.46)	34.28	(30.42 - 38.37)	36.96	(33.53 - 40.53)
Indiana	14.12	(12.16 - 16.33)	49.10	(46.00 - 52.22)	32.88	(30.09 - 35.79)	35.36	(32.88 - 37.92)
Central	12.97	(10.14 - 16.44)	49.64	(44.23 - 55.06)	31.35	(27.11 - 35.93)	33.95	(30.10 - 38.02)
East	14.92	(11.24 - 19.53)	*	(* - *)	35.80	(30.59 - 41.38)	37.94	(33.15 - 42.97)
North Central	13.70	(10.34 - 17.92)	49.80	(43.14 - 56.46)	33.29	(28.34 - 38.63)	35.76	(31.21 - 40.57)
Northeast	11.35	(8.44 - 15.10)	44.57	(38.07 - 51.26)	29.04	(24.33 - 34.24)	31.38	(27.07 - 36.03)
Northwest	13.42	(10.24 - 17.40)	46.26	(39.84 - 52.82)	31.87	(27.17 - 36.97)	33.90	(29.56 - 38.53)
Southeast	17.36	(13.17 - 22.54)	54.27	(47.44 - 60.95)	36.64	(31.45 - 42.17)	39.05	(34.28 - 44.04)
Southwest	15.56	(11.63 - 20.51)	*	(* - *)	35.82	(30.51 - 41.50)	38.35	(33.44 - 43.52)
West	15.91	(12.05 - 20.72)	47.02	(41.09 - 53.03)	32.03	(27.18 - 37.30)	35.31	(31.05 - 39.81)

See notes at end of table.

(continued)

Table 13. Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	15.07	(12.94 - 17.49)	51.01	(47.70 - 54.31)	29.89	(27.30 - 32.60)	33.16	(30.84 - 35.56)
Central	17.39	(13.37 - 22.31)	53.46	(46.86 - 59.95)	33.11	(28.30 - 38.31)	36.13	(31.68 - 40.83)
North Central	14.34	(10.64 - 19.06)	48.56	(41.83 - 55.34)	27.53	(22.98 - 32.60)	31.42	(27.27 - 35.89)
Northeast	15.72	(12.42 - 19.71)	53.09	(47.75 - 58.36)	30.20	(26.27 - 34.45)	33.79	(30.22 - 37.54)
Northwest	15.02	(11.50 - 19.37)	51.71	(45.18 - 58.18)	28.61	(24.25 - 33.41)	31.81	(27.77 - 36.15)
Southeast	13.31	(10.15 - 17.27)	48.40	(42.48 - 54.36)	29.05	(24.84 - 33.65)	32.26	(28.39 - 36.39)
Southwest	14.36	(10.72 - 18.96)	50.10	(43.58 - 56.62)	30.13	(25.39 - 35.33)	32.75	(28.35 - 37.47)
Kansas	17.29	(15.04 - 19.80)	49.60	(46.18 - 53.02)	32.10	(29.29 - 35.04)	34.92	(32.44 - 37.50)
Kansas City Metro	18.28	(14.67 - 22.54)	49.10	(44.03 - 54.20)	30.40	(26.63 - 34.45)	33.50	(30.10 - 37.09)
Northeast	18.29	(14.61 - 22.66)	50.14	(43.71 - 56.57)	34.53	(29.56 - 39.87)	37.24	(32.79 - 41.92)
South Central	16.02	(12.33 - 20.57)	*	(* - *)	31.59	(26.77 - 36.84)	34.25	(29.79 - 39.00)
Southeast	19.08	(14.42 - 24.81)	*	(* - *)	36.33	(30.65 - 42.42)	38.87	(33.63 - 44.38)
West	15.84	(12.03 - 20.58)	*	(* - *)	29.57	(24.41 - 35.32)	32.91	(28.15 - 38.05)
Wichita (Sedgwick)	15.64	(11.90 - 20.27)	47.48	(41.32 - 53.72)	32.83	(28.16 - 37.87)	35.15	(30.89 - 39.66)
Kentucky	22.04	(19.55 - 24.75)	55.37	(52.08 - 58.61)	37.54	(34.55 - 40.63)	40.08	(37.42 - 42.79)
Adanta, Cumberland River, and Lifeskills	25.26	(20.27 - 31.00)	57.28	(51.01 - 63.33)	42.18	(36.74 - 47.81)	44.32	(39.37 - 49.38)
Bluegrass, Comprehend, and North Key	20.54	(16.89 - 24.74)	52.13	(46.92 - 57.30)	33.96	(29.51 - 38.71)	36.77	(32.82 - 40.92)
Communicare and River Valley	21.98	(17.12 - 27.76)	*	(* - *)	39.19	(33.77 - 44.90)	41.85	(36.89 - 46.98)
Four Rivers and Pennyroyal	*	(* - *)	*	(* - *)	38.25	(32.73 - 44.10)	40.82	(35.71 - 46.13)
Kentucky River, Mountain, and Pathways	23.16	(18.74 - 28.27)	58.24	(52.22 - 64.03)	42.31	(36.91 - 47.91)	44.55	(39.65 - 49.56)
Seven Counties	20.03	(16.33 - 24.32)	55.07	(49.31 - 60.70)	34.77	(30.29 - 39.55)	37.39	(33.29 - 41.67)

See notes at end of table.

(continued)

Table 13. Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	13.03	(11.18 - 15.15)	43.64	(40.47 - 46.85)	33.92	(31.06 - 36.90)	35.53	(33.03 - 38.11)
Region 1	9.92	(7.01 - 13.87)	*	(* - *)	33.47	(28.10 - 39.31)	34.17	(29.29 - 39.41)
Regions 2 and 9	13.39	(10.59 - 16.80)	43.50	(38.59 - 48.54)	30.71	(26.64 - 35.10)	32.94	(29.33 - 36.78)
Region 3	13.17	(9.69 - 17.65)	*	(* - *)	34.76	(29.44 - 40.48)	36.70	(31.94 - 41.73)
Region 4	13.65	(10.42 - 17.69)	45.98	(39.65 - 52.44)	34.57	(29.51 - 40.02)	36.49	(31.91 - 41.33)
Regions 5 and 6	15.15	(11.41 - 19.84)	47.25	(40.85 - 53.74)	38.47	(33.31 - 43.91)	39.89	(35.25 - 44.71)
Regions 7 and 8	12.65	(9.78 - 16.21)	43.15	(37.59 - 48.90)	34.70	(29.93 - 39.80)	36.12	(31.88 - 40.59)
Region 10 (Jefferson)	13.06	(9.76 - 17.28)	*	(* - *)	33.19	(28.00 - 38.83)	34.55	(29.77 - 39.67)
Maine	16.42	(14.12 - 19.01)	51.23	(47.98 - 54.47)	29.74	(26.94 - 32.70)	32.57	(30.03 - 35.22)
Aroostook/Downeast	17.80	(13.51 - 23.09)	*	(* - *)	30.62	(25.68 - 36.05)	33.21	(28.55 - 38.22)
Central	17.27	(13.20 - 22.27)	51.01	(44.69 - 57.30)	30.15	(25.37 - 35.41)	32.89	(28.46 - 37.64)
Cumberland	14.60	(11.29 - 18.68)	50.60	(44.75 - 56.43)	27.23	(23.14 - 31.75)	30.35	(26.57 - 34.42)
Midcoast	17.61	(13.54 - 22.59)	53.60	(46.77 - 60.30)	28.29	(23.67 - 33.42)	31.13	(26.76 - 35.87)
Penquis	14.76	(11.13 - 19.32)	47.22	(41.00 - 53.53)	29.34	(24.54 - 34.65)	32.17	(27.72 - 36.97)
Western	18.09	(13.87 - 23.26)	54.03	(47.97 - 59.96)	34.76	(29.51 - 40.39)	37.42	(32.65 - 42.45)
York	15.86	(12.24 - 20.29)	51.79	(45.52 - 58.00)	28.90	(24.66 - 33.55)	31.66	(27.71 - 35.89)
Maryland	11.34	(9.64 - 13.30)	39.23	(36.14 - 42.41)	25.99	(23.28 - 28.89)	27.84	(25.42 - 30.40)
Anne Arundel	12.26	(9.00 - 16.47)	*	(* - *)	27.74	(22.95 - 33.11)	30.04	(25.50 - 35.02)
Baltimore City	9.38	(6.82 - 12.77)	32.16	(26.45 - 38.45)	36.07	(30.57 - 41.96)	35.42	(30.57 - 40.60)
Baltimore County	11.52	(8.55 - 15.34)	40.60	(35.06 - 46.39)	27.22	(22.47 - 32.54)	29.08	(24.78 - 33.78)
Montgomery	10.81	(7.98 - 14.47)	38.27	(32.52 - 44.37)	17.49	(14.18 - 21.38)	19.95	(16.81 - 23.52)
North Central	12.96	(9.50 - 17.42)	*	(* - *)	22.37	(18.15 - 27.23)	25.09	(21.04 - 29.62)
Northeast	13.37	(9.94 - 17.75)	*	(* - *)	28.23	(23.41 - 33.60)	30.56	(26.06 - 35.46)
Prince George's	7.98	(5.80 - 10.89)	30.69	(25.45 - 36.48)	23.47	(19.42 - 28.08)	24.62	(20.95 - 28.71)
South	13.86	(10.43 - 18.20)	44.58	(38.05 - 51.29)	29.71	(24.82 - 35.11)	31.86	(27.38 - 36.71)
West	13.50	(9.93 - 18.11)	*	(* - *)	28.23	(23.38 - 33.64)	30.64	(26.06 - 35.64)

See notes at end of table.

(continued)

Table 13. Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	14.72	(12.66 - 17.05)	46.59	(43.39 - 49.83)	26.50	(23.89 - 29.28)	29.34	(27.00 - 31.78)
Boston	12.24	(9.04 - 16.37)	40.17	(34.42 - 46.20)	28.63	(24.06 - 33.68)	31.00	(26.98 - 35.32)
Central	16.38	(12.33 - 21.43)	49.24	(42.52 - 55.99)	28.40	(23.62 - 33.73)	31.24	(26.77 - 36.09)
Metrowest	13.15	(10.18 - 16.83)	45.50	(39.74 - 51.39)	21.45	(17.91 - 25.48)	24.53	(21.22 - 28.17)
Northeast	14.46	(11.22 - 18.45)	45.67	(39.46 - 52.02)	27.03	(23.01 - 31.46)	29.40	(25.66 - 33.45)
Southeast	15.83	(12.40 - 20.00)	52.20	(46.07 - 58.27)	28.40	(24.21 - 32.99)	31.33	(27.45 - 35.48)
Western	16.19	(12.41 - 20.86)	48.42	(42.73 - 54.15)	28.41	(23.78 - 33.54)	31.59	(27.43 - 36.06)
Michigan	13.64	(12.54 - 14.82)	50.04	(48.40 - 51.67)	31.79	(30.22 - 33.40)	34.49	(33.12 - 35.89)
Bay	16.40	(12.93 - 20.57)	52.69	(46.56 - 58.74)	34.87	(30.10 - 39.96)	37.26	(32.86 - 41.87)
Detroit City	7.79	(6.03 - 10.01)	40.76	(36.03 - 45.68)	35.86	(31.75 - 40.19)	36.63	(32.97 - 40.46)
Genesee	12.29	(9.63 - 15.55)	51.36	(45.75 - 56.94)	34.28	(29.79 - 39.07)	36.74	(32.64 - 41.05)
Kalamazoo	15.03	(12.12 - 18.48)	52.03	(46.93 - 57.08)	33.00	(28.94 - 37.32)	36.09	(32.47 - 39.88)
Kent	12.56	(9.94 - 15.76)	52.27	(47.27 - 57.21)	27.76	(23.92 - 31.95)	31.95	(28.48 - 35.62)
Lakeshore	16.84	(13.58 - 20.69)	47.72	(42.66 - 52.83)	30.42	(26.64 - 34.49)	33.10	(29.69 - 36.70)
Macomb	16.37	(13.31 - 19.99)	53.16	(48.28 - 57.99)	34.30	(30.47 - 38.34)	36.78	(33.30 - 40.41)
Mid South	15.45	(12.65 - 18.75)	50.38	(45.99 - 54.78)	31.78	(28.22 - 35.56)	35.05	(31.91 - 38.33)
Northern	14.08	(11.41 - 17.26)	53.27	(48.42 - 58.06)	30.57	(26.78 - 34.65)	33.74	(30.30 - 37.36)
Oakland	12.58	(10.29 - 15.29)	50.93	(46.59 - 55.26)	27.20	(24.07 - 30.58)	30.14	(27.28 - 33.16)
Pathways	*	(* - *)	57.36	(50.60 - 63.85)	35.30	(30.21 - 40.75)	38.57	(33.85 - 43.52)
Saginaw	14.14	(10.65 - 18.53)	*	(* - *)	34.17	(29.24 - 39.48)	36.22	(31.61 - 41.10)
Southeast	14.08	(11.71 - 16.85)	51.30	(47.38 - 55.21)	33.74	(30.26 - 37.40)	36.08	(32.97 - 39.31)
St. Clair	13.68	(10.43 - 17.74)	50.15	(43.55 - 56.74)	34.51	(29.50 - 39.88)	36.59	(31.94 - 41.51)
Washtenaw	11.75	(9.24 - 14.84)	45.05	(39.62 - 50.60)	25.88	(22.29 - 29.83)	29.54	(26.32 - 32.99)
Western	*	(* - *)	*	(* - *)	31.64	(26.45 - 37.34)	34.18	(29.38 - 39.33)
Minnesota	15.44	(13.42 - 17.71)	52.11	(48.70 - 55.49)	28.36	(25.58 - 31.31)	32.00	(29.52 - 34.59)
Regions 1 and 2	16.86	(12.86 - 21.81)	*	(* - *)	30.10	(24.86 - 35.93)	33.47	(28.61 - 38.71)
Regions 3 and 4	16.71	(12.99 - 21.24)	59.31	(53.12 - 65.21)	31.92	(27.30 - 36.93)	36.40	(32.24 - 40.77)
Regions 5 and 6	15.87	(12.43 - 20.04)	52.01	(45.54 - 58.42)	27.18	(23.04 - 31.76)	31.07	(27.20 - 35.23)
Region 7A (Hennepin)	13.93	(10.63 - 18.05)	45.92	(40.28 - 51.67)	27.40	(23.20 - 32.04)	30.18	(26.38 - 34.27)
Region 7B (Ramsey)	14.42	(10.76 - 19.07)	*	(* - *)	28.11	(23.44 - 33.31)	31.93	(27.60 - 36.60)
Region 7C	15.13	(11.86 - 19.11)	53.38	(47.42 - 59.24)	27.04	(22.96 - 31.55)	30.79	(27.03 - 34.82)

See notes at end of table.

(continued)

Table 13. Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	13.39	(11.48 - 15.55)	46.10	(43.14 - 49.09)	33.07	(30.14 - 36.14)	35.19	(32.66 - 37.81)
Region 1	15.12	(11.67 - 19.37)	48.87	(43.13 - 54.65)	34.67	(30.16 - 39.47)	36.88	(32.83 - 41.13)
Region 2	11.04	(8.30 - 14.54)	41.15	(35.40 - 47.15)	33.94	(28.88 - 39.40)	35.15	(30.66 - 39.92)
Region 3	11.92	(9.00 - 15.62)	44.49	(38.51 - 50.64)	31.71	(26.72 - 37.15)	33.92	(29.42 - 38.72)
Region 4	13.11	(10.12 - 16.80)	44.51	(38.48 - 50.70)	28.45	(23.92 - 33.48)	31.08	(26.96 - 35.53)
Region 5	11.74	(8.54 - 15.93)	*	(* - *)	32.85	(27.37 - 38.85)	34.03	(28.99 - 39.45)
Region 6	13.36	(9.93 - 17.75)	43.83	(37.29 - 50.60)	31.91	(27.00 - 37.26)	34.04	(29.60 - 38.77)
Region 7	15.85	(12.21 - 20.31)	54.65	(48.74 - 60.43)	37.12	(32.01 - 42.53)	39.79	(35.23 - 44.53)
Missouri	17.51	(15.27 - 20.00)	50.37	(47.14 - 53.60)	35.66	(32.63 - 38.80)	37.88	(35.21 - 40.61)
Central	18.96	(14.81 - 23.94)	50.99	(44.84 - 57.10)	35.49	(30.54 - 40.78)	38.21	(33.78 - 42.84)
Eastern	15.56	(12.92 - 18.62)	48.57	(44.00 - 53.17)	32.95	(29.27 - 36.85)	35.19	(31.87 - 38.66)
Eastern (St. Louis City and County)	13.33	(10.43 - 16.89)	46.52	(40.93 - 52.21)	31.26	(26.96 - 35.91)	33.45	(29.55 - 37.58)
Eastern (excluding St. Louis)	19.50	(15.22 - 24.63)	52.67	(45.89 - 59.36)	36.34	(31.16 - 41.86)	38.69	(33.93 - 43.67)
Northwest	17.29	(13.95 - 21.22)	49.74	(44.48 - 55.01)	35.24	(31.04 - 39.68)	37.42	(33.61 - 41.39)
Northwest (Jackson)	15.29	(11.55 - 19.96)	47.79	(41.18 - 54.47)	35.12	(29.89 - 40.75)	36.99	(32.20 - 42.06)
Northwest (excluding Jackson)	19.02	(14.54 - 24.48)	*	(* - *)	35.35	(30.18 - 40.89)	37.80	(33.05 - 42.79)
Southeast	19.62	(15.23 - 24.90)	51.24	(45.02 - 57.43)	41.58	(35.66 - 47.74)	42.96	(37.68 - 48.41)
Southwest	19.51	(15.39 - 24.42)	53.92	(48.02 - 59.71)	37.97	(32.96 - 43.25)	40.41	(35.89 - 45.09)
Montana	19.02	(16.67 - 21.61)	51.44	(48.32 - 54.55)	32.56	(29.60 - 35.66)	35.42	(32.82 - 38.11)
Region 1	20.50	(15.89 - 26.04)	*	(* - *)	35.43	(29.71 - 41.60)	37.67	(32.34 - 43.31)
Region 2	18.10	(14.15 - 22.86)	49.27	(42.76 - 55.80)	32.91	(28.02 - 38.20)	35.38	(30.89 - 40.14)
Region 3	18.98	(15.15 - 23.51)	52.52	(46.77 - 58.21)	31.09	(26.58 - 36.00)	34.13	(30.02 - 38.49)
Region 4	17.39	(14.01 - 21.39)	52.20	(47.19 - 57.17)	32.27	(27.93 - 36.95)	35.60	(31.75 - 39.65)
Region 5	20.46	(16.53 - 25.04)	50.60	(45.44 - 55.76)	32.80	(28.43 - 37.49)	35.55	(31.66 - 39.64)
Nebraska	14.58	(12.45 - 17.01)	46.07	(42.77 - 49.42)	28.23	(25.51 - 31.13)	31.12	(28.70 - 33.65)
Regions 1 and 2	16.19	(11.87 - 21.71)	*	(* - *)	30.53	(25.22 - 36.41)	32.98	(28.01 - 38.35)
Region 3	16.13	(12.12 - 21.16)	*	(* - *)	29.95	(25.18 - 35.21)	32.90	(28.47 - 37.66)
Region 4	15.49	(11.85 - 19.98)	*	(* - *)	27.79	(23.22 - 32.86)	30.30	(26.00 - 34.97)
Region 5	15.52	(12.20 - 19.55)	46.35	(41.19 - 51.59)	27.69	(23.79 - 31.95)	31.17	(27.69 - 34.88)
Region 6	12.67	(10.02 - 15.91)	44.48	(39.63 - 49.44)	27.44	(23.77 - 31.46)	30.21	(26.91 - 33.72)

See notes at end of table.

(continued)

Table 13. Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	12.40	(10.32 - 14.84)	42.21	(38.81 - 45.69)	30.75	(27.62 - 34.06)	32.32	(29.52 - 35.25)
Clark	11.27	(8.97 - 14.08)	39.84	(35.88 - 43.95)	30.64	(27.00 - 34.53)	31.92	(28.66 - 35.37)
Rural	16.27	(12.44 - 21.00)	49.58	(43.18 - 56.00)	34.94	(30.18 - 40.02)	36.65	(32.27 - 41.28)
Washoe	13.65	(10.20 - 18.05)	47.59	(41.43 - 53.82)	27.56	(23.00 - 32.65)	30.42	(26.24 - 34.96)
New Hampshire	13.13	(11.17 - 15.38)	48.56	(45.20 - 51.94)	26.37	(23.74 - 29.18)	29.40	(27.01 - 31.91)
Central	13.80	(10.99 - 17.17)	51.43	(46.49 - 56.34)	28.39	(24.60 - 32.51)	31.78	(28.32 - 35.45)
Central 1	14.09	(10.40 - 18.80)	51.49	(45.11 - 57.82)	29.20	(24.33 - 34.59)	32.94	(28.51 - 37.69)
Central 2	13.51	(10.10 - 17.82)	51.35	(44.76 - 57.90)	27.64	(23.10 - 32.71)	30.65	(26.42 - 35.24)
Northern	14.40	(10.88 - 18.81)	*	(* - *)	27.13	(22.56 - 32.23)	30.40	(26.10 - 35.08)
Southern	12.55	(10.40 - 15.07)	46.54	(42.47 - 50.66)	25.25	(22.37 - 28.37)	28.04	(25.41 - 30.83)
Southern 1 (Rockingham)	12.48	(9.53 - 16.17)	47.02	(40.93 - 53.19)	23.70	(20.07 - 27.77)	26.40	(22.96 - 30.15)
Southern 2	12.59	(10.10 - 15.60)	46.30	(41.42 - 51.26)	26.22	(22.65 - 30.13)	29.04	(25.79 - 32.51)
New Jersey	13.56	(11.56 - 15.85)	43.29	(39.95 - 46.70)	24.53	(21.79 - 27.49)	26.96	(24.47 - 29.61)
Central	13.43	(10.31 - 17.31)	43.87	(37.78 - 50.16)	24.68	(20.55 - 29.33)	26.98	(23.12 - 31.21)
Metropolitan	11.69	(8.83 - 15.33)	39.15	(33.90 - 44.67)	22.91	(19.21 - 27.08)	25.21	(21.79 - 28.97)
Northern	13.44	(10.63 - 16.87)	44.84	(39.68 - 50.11)	23.77	(19.99 - 28.00)	26.41	(22.92 - 30.23)
Southern	15.87	(12.48 - 19.98)	45.64	(39.81 - 51.60)	27.51	(23.15 - 32.33)	29.93	(25.91 - 34.28)
New Mexico	15.57	(13.38 - 18.04)	46.45	(43.03 - 49.91)	26.74	(24.02 - 29.65)	29.90	(27.47 - 32.44)
Region 1	16.03	(12.63 - 20.13)	46.49	(40.24 - 52.86)	27.41	(23.21 - 32.06)	30.48	(26.61 - 34.63)
Region 2	16.18	(12.25 - 21.07)	*	(* - *)	22.58	(18.62 - 27.09)	25.94	(22.18 - 30.10)
Region 3 (Bernalillo)	14.23	(11.19 - 17.92)	44.93	(39.87 - 50.10)	25.23	(21.56 - 29.28)	28.45	(25.12 - 32.03)
Region 4	17.29	(13.16 - 22.37)	50.29	(43.65 - 56.92)	35.04	(29.71 - 40.77)	37.57	(32.77 - 42.62)
Region 5	15.29	(11.73 - 19.70)	45.56	(39.90 - 51.33)	26.71	(22.33 - 31.60)	29.94	(25.94 - 34.27)

See notes at end of table.

(continued)

Table 13. Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	11.99	(10.90 - 13.18)	41.57	(39.73 - 43.43)	27.00	(25.40 - 28.66)	29.10	(27.69 - 30.56)
Region A	9.26	(7.95 - 10.76)	34.64	(32.05 - 37.31)	25.16	(23.03 - 27.42)	26.60	(24.72 - 28.57)
Region 1	8.93	(6.80 - 11.66)	31.09	(26.00 - 36.68)	27.04	(22.98 - 31.53)	27.70	(24.07 - 31.66)
Region 2	9.28	(7.35 - 11.65)	35.90	(31.73 - 40.31)	23.56	(20.39 - 27.07)	25.49	(22.64 - 28.56)
Region 3	11.13	(8.44 - 14.56)	41.96	(36.84 - 47.26)	30.25	(26.38 - 34.42)	31.94	(28.42 - 35.67)
Region 4	8.52	(6.50 - 11.09)	29.90	(25.72 - 34.43)	22.44	(19.15 - 26.11)	23.52	(20.53 - 26.81)
Region B	11.72	(10.14 - 13.51)	42.68	(39.51 - 45.92)	23.78	(21.58 - 26.14)	26.18	(24.14 - 28.32)
Region 5	11.33	(9.24 - 13.84)	41.18	(36.92 - 45.58)	24.25	(21.25 - 27.53)	26.36	(23.58 - 29.33)
Region 6	10.72	(8.28 - 13.77)	41.87	(36.11 - 47.87)	20.84	(17.70 - 24.37)	23.39	(20.41 - 26.67)
Region 7	14.29	(11.24 - 18.01)	48.23	(42.37 - 54.15)	27.04	(22.99 - 31.51)	30.09	(26.36 - 34.09)
Region C	14.77	(13.04 - 16.70)	50.25	(47.62 - 52.88)	31.35	(29.11 - 33.68)	34.14	(32.13 - 36.20)
Region 8	15.21	(12.03 - 19.05)	53.11	(48.06 - 58.10)	30.28	(26.34 - 34.54)	33.56	(29.98 - 37.33)
Region 9	13.73	(10.96 - 17.06)	50.23	(44.80 - 55.66)	29.92	(25.95 - 34.21)	32.96	(29.37 - 36.76)
Region 10	14.80	(11.53 - 18.81)	47.33	(41.68 - 53.05)	31.31	(26.95 - 36.02)	34.24	(30.34 - 38.38)
Region 11	12.82	(10.04 - 16.22)	48.25	(43.18 - 53.36)	28.31	(24.65 - 32.30)	31.25	(27.89 - 34.81)
Region 12	17.21	(14.02 - 20.96)	51.19	(46.15 - 56.19)	36.03	(31.87 - 40.40)	38.09	(34.32 - 42.01)
Region D	17.02	(14.45 - 19.95)	50.68	(46.65 - 54.71)	34.42	(31.20 - 37.80)	36.90	(34.00 - 39.89)
Region 13	15.52	(11.97 - 19.88)	49.01	(42.56 - 55.50)	32.47	(27.82 - 37.49)	34.84	(30.56 - 39.39)
Region 14	15.81	(12.15 - 20.33)	50.83	(44.45 - 57.19)	35.65	(30.68 - 40.96)	38.15	(33.65 - 42.88)
Region 15	19.42	(15.21 - 24.46)	51.97	(45.82 - 58.06)	35.01	(30.18 - 40.17)	37.51	(33.08 - 42.15)
North Carolina	15.87	(13.78 - 18.22)	47.58	(44.36 - 50.83)	31.41	(28.47 - 34.50)	33.69	(31.07 - 36.41)
Eastern	15.75	(12.36 - 19.85)	50.53	(44.79 - 56.27)	34.36	(29.31 - 39.79)	36.85	(32.30 - 41.64)
North Central	15.18	(11.89 - 19.17)	47.21	(41.56 - 52.94)	31.34	(26.74 - 36.33)	33.59	(29.41 - 38.04)
South Central	14.12	(11.06 - 17.85)	45.81	(40.16 - 51.58)	29.94	(25.63 - 34.65)	32.28	(28.34 - 36.50)
Western	17.81	(14.45 - 21.76)	47.36	(42.58 - 52.20)	30.89	(26.95 - 35.12)	33.01	(29.45 - 36.78)
North Dakota	16.78	(14.56 - 19.26)	49.09	(45.91 - 52.28)	30.68	(27.93 - 33.57)	33.89	(31.49 - 36.38)
Badlands and West Central Lake Region and South Central	17.92	(14.35 - 22.14)	52.83	(46.84 - 58.74)	30.94	(26.70 - 35.53)	34.10	(30.23 - 38.19)
North Central and Northwest	16.64	(13.13 - 20.86)	49.13	(42.38 - 55.91)	29.83	(25.34 - 34.75)	32.32	(28.11 - 36.84)
Northeast	16.26	(12.57 - 20.78)	51.03	(44.88 - 57.14)	30.63	(26.17 - 35.49)	33.82	(29.73 - 38.17)
Southeast	16.98	(13.16 - 21.63)	47.05	(41.42 - 52.75)	32.27	(27.49 - 37.44)	35.65	(31.49 - 40.03)
Southeast	15.87	(12.41 - 20.07)	46.83	(41.75 - 51.98)	30.17	(26.08 - 34.59)	33.74	(30.21 - 37.45)

See notes at end of table.

(continued)

Table 13. Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	16.04	(14.89 - 17.27)	50.79	(49.13 - 52.45)	32.94	(31.38 - 34.54)	35.56	(34.20 - 36.95)
Boards 2, 46, 55, and 68	17.24	(13.64 - 21.57)	52.56	(46.97 - 58.09)	34.41	(29.93 - 39.20)	36.98	(32.92 - 41.23)
Boards 3, 52, and 85	17.59	(13.85 - 22.08)	53.05	(46.93 - 59.09)	30.18	(25.95 - 34.78)	33.52	(29.54 - 37.75)
Boards 4 and 78	17.26	(13.54 - 21.74)	50.73	(44.45 - 56.99)	34.64	(29.79 - 39.83)	36.68	(32.17 - 41.43)
Boards 5 and 60	16.83	(13.08 - 21.39)	52.12	(46.16 - 58.01)	36.72	(32.12 - 41.58)	39.54	(35.39 - 43.86)
Boards 7, 15, 41, 79, and 84	18.08	(14.29 - 22.62)	51.77	(45.67 - 57.81)	36.68	(32.07 - 41.55)	38.60	(34.35 - 43.03)
Boards 8, 13, and 83	17.59	(14.05 - 21.81)	52.66	(46.46 - 58.78)	33.10	(28.87 - 37.62)	35.81	(31.89 - 39.93)
Board 9 (Butler)	16.65	(12.81 - 21.35)	50.77	(44.71 - 56.82)	33.04	(28.53 - 37.89)	36.18	(32.08 - 40.48)
Board 12	14.13	(10.74 - 18.36)	44.13	(37.88 - 50.58)	30.28	(25.79 - 35.17)	32.48	(28.39 - 36.86)
Boards 18 and 47	15.04	(12.57 - 17.88)	54.00	(49.92 - 58.02)	33.51	(30.12 - 37.08)	36.21	(33.18 - 39.35)
Boards 20, 32, 54, and 69	17.25	(13.77 - 21.38)	52.79	(46.32 - 59.17)	31.63	(27.26 - 36.35)	34.64	(30.56 - 38.95)
Boards 21, 39, 51, 70, and 80	15.95	(12.68 - 19.88)	54.86	(49.43 - 60.17)	32.03	(27.58 - 36.84)	35.10	(31.03 - 39.40)
Boards 22, 74, and 87	16.52	(12.87 - 20.96)	51.84	(45.24 - 58.37)	32.40	(27.68 - 37.50)	35.53	(31.17 - 40.15)
Boards 23 and 45	17.40	(13.91 - 21.56)	54.06	(47.95 - 60.05)	32.74	(28.51 - 37.26)	35.76	(31.86 - 39.86)
Board 25 (Franklin)	14.66	(12.03 - 17.75)	46.07	(41.90 - 50.29)	30.63	(27.19 - 34.29)	33.40	(30.34 - 36.60)
Boards 27, 71, and 73	20.38	(16.54 - 24.85)	54.10	(48.31 - 59.78)	39.23	(34.61 - 44.05)	41.36	(37.16 - 45.68)
Boards 28, 43, and 67	15.28	(12.02 - 19.24)	50.13	(44.52 - 55.73)	28.49	(24.70 - 32.59)	31.60	(28.13 - 35.29)
Board 31 (Hamilton)	15.43	(12.58 - 18.78)	48.41	(43.44 - 53.41)	30.15	(26.30 - 34.30)	32.94	(29.47 - 36.61)
Board 48 (Lucas)	15.25	(12.20 - 18.91)	46.36	(41.13 - 51.68)	34.00	(29.72 - 38.55)	35.93	(32.08 - 39.97)
Boards 50 and 76	15.19	(12.08 - 18.92)	48.17	(42.57 - 53.83)	34.51	(30.25 - 39.04)	36.30	(32.43 - 40.36)
Board 57 (Montgomery)	14.20	(11.12 - 17.97)	49.88	(44.30 - 55.46)	31.84	(27.56 - 36.45)	34.54	(30.68 - 38.61)
Board 77 (Summit)	15.20	(12.13 - 18.88)	53.68	(47.75 - 59.51)	33.95	(29.81 - 38.35)	36.57	(32.76 - 40.56)
Oklahoma	17.43	(15.04 - 20.11)	50.40	(46.98 - 53.82)	35.38	(32.31 - 38.59)	37.79	(35.03 - 40.63)
Central	15.42	(11.43 - 20.47)	47.05	(40.78 - 53.41)	30.90	(25.89 - 36.40)	33.82	(29.26 - 38.71)
East Central	18.24	(13.99 - 23.43)	*	(* - *)	38.22	(32.62 - 44.15)	40.13	(34.99 - 45.49)
Northeast	17.35	(13.15 - 22.55)	50.65	(44.11 - 57.17)	35.09	(30.01 - 40.53)	37.56	(32.91 - 42.45)
Northwest and Southwest	18.68	(14.43 - 23.83)	52.44	(45.90 - 58.90)	34.90	(29.81 - 40.34)	37.76	(33.12 - 42.63)
Oklahoma County	16.94	(13.10 - 21.61)	50.53	(44.19 - 56.85)	34.49	(29.48 - 39.88)	37.20	(32.66 - 41.98)
Southeast	19.31	(15.04 - 24.45)	*	(* - *)	40.29	(34.77 - 46.06)	42.30	(37.21 - 47.56)
Tulsa County	16.05	(12.38 - 20.55)	46.88	(40.60 - 53.25)	33.60	(28.67 - 38.91)	35.72	(31.24 - 40.46)

See notes at end of table.

(continued)

Table 13. Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	13.86	(11.88 - 16.10)	44.16	(40.85 - 47.53)	26.99	(24.35 - 29.80)	29.44	(27.06 - 31.95)
Region 1 (Multnomah)	13.04	(9.74 - 17.23)	43.58	(37.65 - 49.70)	27.90	(23.50 - 32.78)	30.27	(26.21 - 34.66)
Region 2	12.93	(10.09 - 16.44)	42.30	(36.64 - 48.18)	23.26	(19.77 - 27.15)	25.92	(22.69 - 29.43)
Region 3	12.58	(9.88 - 15.89)	43.27	(38.66 - 48.00)	26.75	(22.92 - 30.96)	29.35	(25.92 - 33.04)
Region 4	17.58	(13.55 - 22.48)	*	(* - *)	30.63	(25.79 - 35.94)	32.79	(28.22 - 37.71)
Region 5	15.91	(11.93 - 20.92)	*	(* - *)	28.76	(23.97 - 34.08)	31.07	(26.59 - 35.94)
Pennsylvania	15.28	(14.10 - 16.53)	48.05	(46.30 - 49.79)	30.94	(29.37 - 32.56)	33.36	(31.97 - 34.77)
Region 1 (Allegheny)	14.08	(11.50 - 17.12)	49.15	(44.31 - 54.01)	32.16	(28.54 - 36.01)	34.41	(31.08 - 37.91)
Regions 2, 3, 8, and 9	19.50	(15.84 - 23.78)	55.91	(50.39 - 61.28)	34.45	(29.91 - 39.28)	37.51	(33.39 - 41.82)
Regions 4, 11, 37, and 49	16.18	(13.16 - 19.75)	50.33	(45.25 - 55.39)	32.10	(28.20 - 36.26)	34.48	(30.92 - 38.22)
Regions 5, 18, 23, 24, and 46	17.50	(14.42 - 21.07)	50.89	(46.03 - 55.73)	32.08	(28.32 - 36.09)	34.72	(31.32 - 38.28)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	16.26	(13.18 - 19.91)	47.48	(42.99 - 52.02)	28.62	(24.96 - 32.58)	32.10	(28.89 - 35.49)
Regions 7, 13, 20, and 33	14.80	(12.59 - 17.32)	47.18	(43.29 - 51.10)	26.80	(23.97 - 29.83)	29.45	(26.86 - 32.17)
Regions 10, 14, 15, 27, 32, 43, and 44	18.37	(14.79 - 22.59)	53.64	(47.98 - 59.20)	34.72	(30.38 - 39.32)	37.25	(33.30 - 41.38)
Regions 17 and 21	15.57	(12.15 - 19.74)	48.74	(42.85 - 54.65)	29.99	(25.49 - 34.91)	32.99	(28.88 - 37.37)
Regions 19, 26, 28, and 42	14.70	(12.12 - 17.71)	47.13	(43.00 - 51.30)	29.69	(26.29 - 33.33)	32.09	(29.04 - 35.31)
Regions 22, 38, 40, 41, and 48	16.59	(13.60 - 20.08)	51.33	(45.91 - 56.72)	33.50	(29.51 - 37.74)	35.66	(31.97 - 39.52)
Regions 25 and 30	17.27	(13.82 - 21.35)	52.73	(46.82 - 58.56)	31.40	(27.24 - 35.88)	34.17	(30.34 - 38.23)
Regions 29 and 34	15.51	(12.19 - 19.53)	49.76	(43.73 - 55.80)	29.49	(25.40 - 33.94)	32.23	(28.44 - 36.26)
Region 36 (Philadelphia)	11.14	(8.96 - 13.76)	38.75	(35.05 - 42.60)	33.82	(29.94 - 37.94)	34.66	(31.29 - 38.19)
Rhode Island	14.13	(11.95 - 16.63)	45.21	(41.83 - 48.64)	28.11	(25.40 - 30.99)	30.75	(28.32 - 33.30)
Bristol and Newport	17.00	(12.90 - 22.08)	*	(* - *)	25.36	(20.95 - 30.34)	28.93	(24.73 - 33.52)
Kent	15.61	(11.89 - 20.24)	50.66	(43.93 - 57.36)	29.67	(25.19 - 34.58)	32.25	(28.03 - 36.78)
Providence	12.78	(10.22 - 15.89)	42.32	(38.23 - 46.51)	28.92	(25.45 - 32.66)	31.14	(28.06 - 34.39)
Washington	16.00	(12.19 - 20.72)	48.07	(41.69 - 54.51)	25.04	(20.97 - 29.62)	28.81	(24.99 - 32.95)
South Carolina	15.60	(13.53 - 17.92)	48.62	(45.38 - 51.87)	33.75	(30.95 - 36.66)	35.95	(33.46 - 38.51)
Region 1	16.08	(12.71 - 20.14)	49.34	(43.68 - 55.02)	33.51	(29.22 - 38.09)	35.78	(31.89 - 39.86)
Region 2	16.79	(13.47 - 20.72)	49.79	(44.93 - 54.66)	34.77	(30.41 - 39.41)	37.03	(33.16 - 41.07)
Region 3	14.22	(11.03 - 18.15)	49.74	(43.30 - 56.20)	35.57	(30.93 - 40.50)	37.57	(33.32 - 42.03)
Region 4	14.72	(11.75 - 18.28)	45.91	(40.68 - 51.24)	31.53	(27.32 - 36.07)	33.75	(29.94 - 37.80)

See notes at end of table.

(continued)

Table 13. Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	18.81	(16.50 - 21.36)	49.61	(46.34 - 52.90)	31.26	(28.47 - 34.19)	34.25	(31.78 - 36.82)
Region 1	19.14	(15.00 - 24.10)	51.52	(44.92 - 58.06)	29.11	(24.68 - 33.98)	32.77	(28.68 - 37.14)
Region 2	18.65	(14.78 - 23.25)	49.71	(44.46 - 54.96)	30.73	(26.56 - 35.24)	33.97	(30.25 - 37.90)
Region 3	17.55	(13.79 - 22.07)	44.75	(38.87 - 50.78)	30.52	(25.88 - 35.59)	33.12	(28.99 - 37.54)
Region 4	*	(* - *)	*	(* - *)	34.21	(28.89 - 39.96)	37.54	(32.72 - 42.63)
Region 5	21.29	(16.70 - 26.73)	*	(* - *)	33.29	(28.17 - 38.84)	36.12	(31.35 - 41.19)
Region 6	19.57	(15.08 - 25.00)	*	(* - *)	32.91	(27.57 - 38.73)	35.27	(30.29 - 40.58)
Region 7	17.04	(13.25 - 21.65)	47.56	(41.01 - 54.19)	31.10	(26.51 - 36.09)	33.76	(29.52 - 38.28)
Tennessee	16.88	(14.79 - 19.21)	50.01	(46.79 - 53.24)	36.39	(33.34 - 39.55)	38.32	(35.62 - 41.10)
Region 1	20.97	(16.08 - 26.88)	*	(* - *)	41.01	(35.21 - 47.06)	43.11	(37.72 - 48.67)
Region 2	19.12	(15.01 - 24.03)	51.91	(46.21 - 57.55)	37.83	(32.82 - 43.11)	39.77	(35.24 - 44.47)
Region 3	17.74	(14.08 - 22.12)	52.96	(46.87 - 58.97)	37.62	(32.55 - 42.97)	39.72	(35.12 - 44.51)
Region 4 (Davidson)	15.58	(11.70 - 20.45)	46.67	(40.10 - 53.35)	36.33	(30.87 - 42.18)	37.95	(33.02 - 43.15)
Region 5	18.27	(14.56 - 22.67)	51.58	(45.80 - 57.32)	35.48	(30.83 - 40.41)	37.78	(33.56 - 42.20)
Region 6	16.99	(13.08 - 21.76)	50.44	(43.79 - 57.06)	38.97	(33.32 - 44.93)	40.57	(35.46 - 45.88)
Region 7 (Shelby)	10.65	(7.94 - 14.15)	40.97	(34.59 - 47.68)	29.91	(25.02 - 35.31)	31.57	(27.08 - 36.43)

See notes at end of table.

(continued)

Table 13. Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	11.62	(10.55 - 12.77)	41.82	(40.14 - 43.52)	31.14	(29.49 - 32.84)	32.90	(31.49 - 34.34)
Region 1	15.28	(12.00 - 19.26)	48.11	(42.58 - 53.69)	34.37	(29.68 - 39.38)	36.79	(32.64 - 41.15)
Region 2	14.33	(10.92 - 18.58)	47.51	(40.93 - 54.17)	37.07	(32.07 - 42.36)	38.70	(34.14 - 43.47)
Region 3	11.21	(9.61 - 13.05)	41.72	(38.77 - 44.73)	30.32	(27.98 - 32.78)	32.15	(30.08 - 34.28)
Region 3a	10.40	(8.52 - 12.63)	40.87	(37.16 - 44.69)	28.27	(25.36 - 31.37)	30.33	(27.76 - 33.03)
Region 3bc	12.63	(10.20 - 15.53)	43.32	(38.85 - 47.91)	33.92	(30.21 - 37.84)	35.37	(32.09 - 38.78)
Region 4	15.37	(12.11 - 19.32)	50.29	(44.58 - 55.99)	38.52	(33.87 - 43.39)	40.12	(35.89 - 44.51)
Region 5	14.58	(11.32 - 18.59)	48.32	(41.79 - 54.91)	40.01	(35.09 - 45.14)	41.24	(36.77 - 45.86)
Region 6	9.66	(8.15 - 11.41)	36.20	(33.36 - 39.13)	29.95	(27.20 - 32.85)	30.95	(28.56 - 33.45)
Region 6a	9.23	(7.63 - 11.12)	35.12	(32.06 - 38.31)	29.44	(26.46 - 32.60)	30.36	(27.79 - 33.07)
Region 6bc	13.31	(10.08 - 17.36)	46.45	(40.15 - 52.87)	34.02	(29.43 - 38.93)	35.77	(31.55 - 40.22)
Region 7	13.61	(11.30 - 16.31)	44.70	(41.00 - 48.47)	30.75	(27.79 - 33.88)	33.50	(30.94 - 36.17)
Region 7a	13.21	(10.38 - 16.68)	44.07	(39.15 - 49.12)	28.09	(24.51 - 31.97)	31.07	(27.91 - 34.41)
Region 7bcd	14.15	(10.98 - 18.04)	45.55	(40.31 - 50.90)	35.03	(30.57 - 39.78)	37.28	(33.38 - 41.35)
Region 8	11.77	(9.35 - 14.71)	44.84	(40.12 - 49.66)	30.43	(26.66 - 34.48)	32.64	(29.25 - 36.21)
Region 9	12.98	(9.80 - 16.99)	45.57	(38.97 - 52.33)	32.99	(28.22 - 38.13)	34.96	(30.57 - 39.61)
Region 10	10.05	(7.61 - 13.18)	36.83	(30.86 - 43.24)	27.03	(22.83 - 31.68)	28.71	(24.81 - 32.95)
Region 11	10.47	(8.46 - 12.88)	39.26	(34.83 - 43.87)	28.00	(24.59 - 31.70)	30.01	(26.94 - 33.26)
Region 11abd	10.71	(8.14 - 13.95)	40.62	(34.76 - 46.77)	28.45	(24.26 - 33.05)	30.54	(26.71 - 34.65)
Region 11c (Hidalgo)	10.04	(7.62 - 13.11)	36.81	(31.23 - 42.76)	27.08	(22.78 - 31.85)	28.93	(25.04 - 33.17)
Utah	8.76	(6.98 - 10.95)	28.05	(24.97 - 31.36)	21.75	(19.00 - 24.76)	23.09	(20.79 - 25.56)
Bear River, Northeastern, Summit, Tooele, and Wasatch	8.93	(6.21 - 12.67)	*	(* - *)	20.69	(16.83 - 25.16)	22.53	(18.93 - 26.60)
Central, Four Corners, San Juan, and Southwest	8.51	(6.02 - 11.90)	*	(* - *)	19.81	(15.81 - 24.52)	21.18	(17.52 - 25.37)
Davis County	8.98	(6.21 - 12.82)	*	(* - *)	20.29	(16.35 - 24.89)	21.88	(18.24 - 26.03)
Salt Lake County	9.16	(6.88 - 12.10)	30.72	(26.47 - 35.32)	23.97	(20.38 - 27.98)	25.29	(22.20 - 28.66)
Utah County	6.87	(4.66 - 10.00)	21.94	(17.58 - 27.02)	17.62	(13.76 - 22.28)	18.91	(15.66 - 22.67)
Weber, Morgan	10.83	(7.59 - 15.23)	*	(* - *)	23.70	(19.28 - 28.78)	25.34	(21.37 - 29.78)

See notes at end of table.

(continued)

Table 13. Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	15.75	(13.60 - 18.15)	52.13	(49.05 - 55.19)	27.34	(24.58 - 30.29)	30.94	(28.51 - 33.49)
Champlain Valley	14.59	(11.77 - 17.96)	49.62	(45.29 - 53.95)	24.16	(20.76 - 27.92)	28.58	(25.60 - 31.77)
Rural Northeast	16.00	(12.74 - 19.90)	54.14	(48.56 - 59.61)	29.19	(24.91 - 33.87)	32.63	(28.74 - 36.77)
Rural Southeast	15.60	(12.19 - 19.76)	53.56	(47.40 - 59.61)	27.05	(22.67 - 31.93)	30.09	(25.99 - 34.55)
Rural Southwest	18.47	(14.27 - 23.57)	55.33	(48.98 - 61.51)	32.19	(27.12 - 37.72)	35.17	(30.50 - 40.15)
Virginia	12.85	(10.92 - 15.07)	48.07	(44.83 - 51.32)	28.44	(25.70 - 31.35)	31.21	(28.77 - 33.76)
Region 1	16.47	(12.66 - 21.14)	54.48	(48.32 - 60.51)	30.78	(25.97 - 36.05)	34.28	(29.89 - 38.95)
Region 2	10.34	(7.82 - 13.54)	42.47	(36.98 - 48.14)	21.83	(18.29 - 25.85)	24.48	(21.19 - 28.11)
Region 3	16.86	(13.11 - 21.42)	56.06	(49.84 - 62.11)	33.64	(28.59 - 39.08)	36.74	(32.16 - 41.57)
Region 4	12.64	(9.52 - 16.59)	45.68	(39.91 - 51.57)	30.65	(26.05 - 35.68)	32.67	(28.46 - 37.18)
Region 5	10.42	(7.88 - 13.66)	45.33	(39.59 - 51.19)	28.84	(24.52 - 33.57)	31.47	(27.58 - 35.65)
Washington	12.34	(10.44 - 14.53)	42.60	(39.27 - 46.00)	26.84	(24.25 - 29.60)	29.13	(26.80 - 31.59)
Region 1	13.07	(9.68 - 17.43)	43.10	(36.81 - 49.61)	29.23	(24.29 - 34.70)	31.44	(26.96 - 36.30)
Region 2	12.94	(9.68 - 17.09)	*	(* - *)	28.34	(23.52 - 33.72)	30.95	(26.49 - 35.80)
Region 3	13.23	(10.08 - 17.18)	45.06	(38.68 - 51.60)	26.13	(22.04 - 30.69)	28.91	(25.06 - 33.09)
Region 4 (King)	10.80	(8.21 - 14.07)	37.51	(32.44 - 42.88)	22.78	(19.27 - 26.72)	24.84	(21.59 - 28.39)
Region 5	12.04	(9.02 - 15.89)	43.11	(36.86 - 49.58)	29.93	(25.49 - 34.78)	31.92	(27.83 - 36.31)
Region 6	13.01	(9.91 - 16.89)	47.42	(41.07 - 53.85)	29.57	(25.03 - 34.55)	31.92	(27.70 - 36.46)
West Virginia	18.13	(15.84 - 20.66)	55.86	(52.80 - 58.89)	40.95	(37.72 - 44.26)	42.95	(40.09 - 45.86)
Eastern Highland	18.21	(14.72 - 22.31)	55.86	(50.22 - 61.34)	41.59	(36.29 - 47.09)	43.39	(38.58 - 48.33)
Northern	17.94	(14.49 - 22.00)	59.66	(54.86 - 64.28)	40.92	(36.50 - 45.50)	43.74	(39.79 - 47.78)
Northern A and B	18.18	(13.82 - 23.54)	*	(* - *)	41.28	(35.44 - 47.38)	43.06	(37.65 - 48.63)
Northern C and D	17.83	(13.66 - 22.95)	60.96	(55.22 - 66.42)	40.73	(35.36 - 46.33)	44.09	(39.33 - 48.97)
South Central	18.16	(15.20 - 21.55)	53.55	(49.37 - 57.69)	40.26	(36.39 - 44.26)	41.99	(38.52 - 45.54)
South Central I	17.43	(13.43 - 22.32)	54.02	(47.24 - 60.65)	41.25	(35.44 - 47.32)	42.78	(37.44 - 48.29)
South Central II	20.42	(15.60 - 26.27)	58.29	(51.56 - 64.72)	42.89	(37.16 - 48.82)	45.21	(40.05 - 50.48)
South Central III	17.06	(13.24 - 21.70)	49.42	(43.33 - 55.52)	37.98	(32.79 - 43.47)	39.39	(34.64 - 44.34)
Southern	18.24	(14.85 - 22.19)	54.31	(49.00 - 59.52)	41.61	(36.70 - 46.70)	43.25	(38.77 - 47.84)
Southern I and III	17.80	(13.77 - 22.69)	54.19	(47.71 - 60.53)	42.07	(36.17 - 48.21)	43.63	(38.25 - 49.18)
Southern II	19.11	(14.39 - 24.94)	*	(* - *)	40.70	(34.59 - 47.12)	42.49	(36.84 - 48.34)

See notes at end of table.

(continued)

Table 13. Tobacco Product Use in Past Month among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	15.31	(13.23 - 17.65)	48.68	(45.22 - 52.15)	31.93	(29.19 - 34.81)	34.47	(32.01 - 37.01)
Milwaukee	13.03	(9.86 - 17.03)	45.54	(39.48 - 51.74)	36.31	(31.32 - 41.62)	37.80	(33.26 - 42.56)
Northeastern	17.01	(13.44 - 21.29)	49.80	(43.71 - 55.90)	33.57	(29.10 - 38.36)	35.91	(31.81 - 40.22)
Northern	15.42	(11.66 - 20.13)	50.27	(43.81 - 56.72)	31.45	(26.53 - 36.84)	33.99	(29.45 - 38.84)
Southeastern	15.88	(12.54 - 19.89)	52.36	(45.85 - 58.79)	29.95	(25.74 - 34.53)	32.96	(29.06 - 37.12)
Southern	12.94	(9.77 - 16.95)	45.62	(39.35 - 52.04)	28.88	(24.67 - 33.48)	31.63	(27.76 - 35.78)
Western	17.76	(13.76 - 22.61)	49.77	(43.16 - 56.40)	31.55	(26.78 - 36.74)	34.64	(30.30 - 39.26)
Wyoming	19.06	(16.73 - 21.63)	51.03	(47.71 - 54.34)	32.51	(29.77 - 35.37)	35.44	(33.04 - 37.92)
Judicial District 1 (Laramie)	21.41	(16.81 - 26.86)	52.90	(46.52 - 59.19)	32.26	(27.69 - 37.21)	35.43	(31.26 - 39.84)
Judicial District 2	17.54	(13.37 - 22.67)	43.49	(37.49 - 49.68)	28.89	(24.05 - 34.26)	32.87	(28.76 - 37.26)
Judicial District 3	18.68	(14.58 - 23.62)	52.49	(45.70 - 59.19)	31.98	(27.15 - 37.23)	35.25	(30.83 - 39.93)
Judicial District 4	*	(* - *)	*	(* - *)	31.12	(25.95 - 36.81)	34.02	(29.20 - 39.20)
Judicial District 5	18.94	(14.70 - 24.06)	*	(* - *)	33.84	(28.60 - 39.52)	36.26	(31.39 - 41.42)
Judicial District 6	18.11	(13.98 - 23.13)	*	(* - *)	33.21	(28.11 - 38.73)	36.19	(31.51 - 41.16)
Judicial District 7 (Natrona)	21.25	(16.91 - 26.34)	54.23	(47.89 - 60.44)	36.36	(31.47 - 41.55)	39.19	(34.75 - 43.82)
Judicial District 8	19.15	(14.55 - 24.77)	*	(* - *)	32.37	(27.12 - 38.11)	35.18	(30.34 - 40.35)
Judicial District 9	16.36	(12.46 - 21.19)	*	(* - *)	31.09	(26.23 - 36.41)	33.50	(28.94 - 38.38)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

NOTE: Tobacco Products include cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	68.17		69.99		75.67		74.83	
Northeast	68.48	(67.45 - 69.49)	70.50	(69.50 - 71.49)	77.30	(76.39 - 78.18)	76.35	(75.53 - 77.14)
Midwest	67.36	(66.57 - 68.15)	66.98	(66.17 - 67.78)	73.06	(72.28 - 73.83)	72.14	(71.45 - 72.82)
South	67.60	(66.78 - 68.41)	69.42	(68.62 - 70.21)	74.68	(73.91 - 75.42)	73.90	(73.22 - 74.57)
West	69.56	(68.47 - 70.62)	73.38	(72.37 - 74.36)	78.47	(77.50 - 79.41)	77.69	(76.84 - 78.51)
Alabama	65.29	(62.20 - 68.26)	68.74	(65.73 - 71.60)	72.87	(69.90 - 75.65)	72.26	(69.67 - 74.71)
Region 1	65.96	(61.26 - 70.36)	66.29	(61.08 - 71.12)	71.23	(66.80 - 75.29)	70.57	(66.63 - 74.22)
Region 2	64.28	(59.60 - 68.70)	68.43	(63.83 - 72.70)	73.49	(69.21 - 77.37)	72.72	(68.95 - 76.20)
Region 3	66.64	(61.72 - 71.22)	71.04	(65.98 - 75.63)	73.09	(68.22 - 77.46)	72.73	(68.58 - 76.51)
Region 4	64.75	(60.16 - 69.08)	69.90	(64.80 - 74.55)	73.93	(69.45 - 77.95)	73.36	(69.39 - 76.99)
Alaska	68.16	(64.89 - 71.25)	66.79	(63.66 - 69.79)	72.52	(69.51 - 75.33)	71.59	(69.00 - 74.05)
Gulf Coast	65.76	(60.10 - 71.01)	*	(* - *)	71.44	(65.70 - 76.55)	70.22	(65.06 - 74.90)
Rural	59.38	(53.14 - 65.32)	*	(* - *)	67.33	(61.07 - 73.03)	65.12	(59.84 - 70.05)
Southeast	70.01	(64.71 - 74.82)	68.28	(61.86 - 74.07)	75.30	(70.16 - 79.80)	74.33	(69.76 - 78.43)
Urban	70.08	(66.21 - 73.67)	69.27	(65.61 - 72.70)	73.01	(69.55 - 76.22)	72.39	(69.41 - 75.19)
Arizona	65.35	(62.06 - 68.51)	70.44	(67.31 - 73.38)	78.35	(75.69 - 80.79)	77.15	(74.81 - 79.33)
Maricopa	65.57	(61.59 - 69.34)	70.73	(66.97 - 74.23)	79.52	(76.36 - 82.35)	78.13	(75.39 - 80.65)
Pima	66.70	(61.32 - 71.69)	70.96	(65.25 - 76.08)	78.36	(74.01 - 82.16)	77.23	(73.36 - 80.69)
Rural North	65.07	(59.61 - 70.16)	67.75	(61.65 - 73.30)	73.88	(68.77 - 78.42)	73.05	(68.49 - 77.16)
Rural South	62.88	(56.91 - 68.48)	70.53	(64.16 - 76.20)	76.92	(72.04 - 81.17)	76.06	(71.68 - 79.96)
Arkansas	64.15	(60.88 - 67.28)	66.63	(63.59 - 69.54)	73.74	(70.89 - 76.41)	72.68	(70.18 - 75.04)
Areas 1 and 2	63.91	(58.48 - 69.01)	67.54	(61.79 - 72.80)	73.86	(69.09 - 78.13)	72.88	(68.66 - 76.72)
Areas 3 and 4	63.82	(58.57 - 68.75)	64.93	(59.34 - 70.13)	72.74	(67.82 - 77.16)	71.58	(67.25 - 75.55)
Areas 5 and 6	63.47	(57.98 - 68.62)	64.89	(59.61 - 69.83)	71.92	(67.03 - 76.34)	70.81	(66.56 - 74.73)
Areas 7, 12, and 13	62.27	(56.79 - 67.44)	66.19	(60.24 - 71.67)	74.51	(69.79 - 78.72)	73.25	(69.12 - 77.01)
Areas 8, 10, and 11	64.91	(59.68 - 69.80)	67.71	(62.35 - 72.64)	74.81	(70.19 - 78.92)	73.83	(69.74 - 77.55)
Area 9	66.28	(61.44 - 70.80)	68.58	(63.26 - 73.46)	74.84	(70.56 - 78.68)	73.93	(70.14 - 77.40)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	69.82	(68.21 - 71.38)	75.16	(73.59 - 76.67)	79.81	(78.29 - 81.24)	79.08	(77.78 - 80.33)
Region 1	68.45	(63.85 - 72.70)	71.27	(65.67 - 76.29)	73.92	(69.12 - 78.21)	73.53	(69.31 - 77.35)
Region 2	69.86	(66.17 - 73.31)	73.63	(69.80 - 77.14)	77.03	(73.37 - 80.33)	76.53	(73.34 - 79.45)
Region 3	68.43	(63.90 - 72.62)	73.42	(68.33 - 77.96)	77.53	(73.43 - 81.17)	76.88	(73.25 - 80.15)
Region 4	71.61	(67.14 - 75.69)	76.50	(71.71 - 80.69)	81.93	(78.58 - 84.85)	81.27	(78.23 - 83.98)
Region 5	70.22	(66.31 - 73.86)	77.21	(72.98 - 80.94)	79.89	(76.55 - 82.86)	79.52	(76.57 - 82.18)
Region 6 (Santa Clara)	70.53	(66.17 - 74.54)	75.45	(70.58 - 79.75)	81.03	(77.65 - 84.01)	80.24	(77.16 - 82.99)
Region 7	70.38	(65.51 - 74.82)	71.48	(66.07 - 76.34)	79.92	(75.77 - 83.51)	78.48	(74.83 - 81.73)
Region 8	67.06	(62.71 - 71.13)	75.86	(71.19 - 79.98)	78.29	(74.24 - 81.86)	77.86	(74.33 - 81.02)
Region 9	68.03	(63.48 - 72.26)	72.32	(67.44 - 76.73)	76.44	(71.91 - 80.44)	75.72	(71.82 - 79.24)
Region 10	71.17	(66.74 - 75.23)	76.94	(72.08 - 81.18)	80.38	(76.52 - 83.74)	79.83	(76.42 - 82.85)
Region 11 (Los Angeles)	70.05	(67.25 - 72.71)	75.73	(73.15 - 78.13)	81.38	(78.97 - 83.57)	80.47	(78.42 - 82.36)
Region 12	69.35	(65.17 - 73.24)	75.81	(71.45 - 79.70)	79.36	(75.72 - 82.58)	78.75	(75.57 - 81.61)
Region 13 (Riverside)	67.31	(63.04 - 71.31)	76.27	(71.70 - 80.30)	79.16	(75.42 - 82.46)	78.72	(75.43 - 81.67)
Region 14 (Orange)	72.21	(68.33 - 75.79)	75.26	(71.01 - 79.08)	79.53	(75.98 - 82.68)	78.90	(75.77 - 81.71)
Region 15	70.13	(66.24 - 73.75)	74.29	(70.33 - 77.89)	80.62	(77.54 - 83.36)	79.55	(76.86 - 82.00)
Colorado	69.04	(66.00 - 71.91)	70.80	(67.67 - 73.74)	77.20	(74.51 - 79.68)	76.25	(73.88 - 78.47)
Region 1	68.20	(63.14 - 72.87)	70.16	(64.46 - 75.29)	76.48	(71.77 - 80.62)	75.37	(71.23 - 79.09)
Regions 2 and 7	69.76	(65.95 - 73.32)	71.91	(67.83 - 75.67)	78.31	(75.02 - 81.27)	77.39	(74.48 - 80.05)
Region 3	70.02	(64.89 - 74.70)	69.56	(63.91 - 74.68)	74.82	(70.22 - 78.92)	74.05	(69.97 - 77.75)
Region 4	63.38	(57.69 - 68.73)	68.20	(61.68 - 74.08)	76.64	(71.72 - 80.93)	75.50	(71.09 - 79.43)
Regions 5 and 6	68.50	(62.99 - 73.53)	68.93	(62.72 - 74.52)	75.67	(70.60 - 80.12)	74.69	(70.16 - 78.73)
Connecticut	69.82	(66.93 - 72.56)	72.63	(69.47 - 75.58)	77.69	(74.87 - 80.27)	77.02	(74.51 - 79.35)
Eastern	69.00	(63.92 - 73.67)	70.89	(64.93 - 76.20)	75.14	(70.12 - 79.57)	74.42	(70.01 - 78.38)
North Central	68.87	(64.44 - 72.98)	72.61	(67.62 - 77.10)	77.89	(73.76 - 81.53)	77.22	(73.50 - 80.55)
Northwestern	70.42	(65.65 - 74.78)	73.89	(68.88 - 78.35)	76.75	(72.12 - 80.82)	76.41	(72.22 - 80.14)
South Central	70.13	(65.68 - 74.24)	72.45	(67.40 - 76.98)	78.79	(74.67 - 82.40)	77.92	(74.27 - 81.18)
Southwest	70.88	(66.28 - 75.09)	73.28	(67.75 - 78.17)	78.34	(73.85 - 82.25)	77.74	(73.72 - 81.30)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	69.93	(66.98 - 72.73)	72.36	(69.22 - 75.29)	76.57	(73.87 - 79.07)	75.96	(73.54 - 78.21)
Kent	70.06	(65.27 - 74.45)	72.03	(66.90 - 76.65)	75.15	(70.71 - 79.11)	74.66	(70.75 - 78.20)
New Castle (excluding Wilmington City)	69.88	(66.19 - 73.32)	73.37	(69.29 - 77.08)	78.64	(75.36 - 81.59)	77.82	(74.92 - 80.47)
Sussex	70.71	(65.87 - 75.12)	69.01	(63.62 - 73.93)	72.20	(67.49 - 76.48)	71.85	(67.55 - 75.79)
Wilmington City	68.55	(63.17 - 73.48)	72.72	(66.44 - 78.21)	77.92	(73.10 - 82.10)	77.10	(72.80 - 80.90)
District of Columbia	65.76	(62.20 - 69.15)	75.57	(72.51 - 78.39)	79.67	(76.97 - 82.13)	79.01	(76.67 - 81.18)
Ward 1	64.92	(58.74 - 70.65)	76.37	(70.79 - 81.17)	80.35	(76.13 - 83.98)	79.63	(75.93 - 82.89)
Ward 2	*	(* - *)	76.74	(72.13 - 80.80)	81.41	(77.40 - 84.85)	80.25	(76.96 - 83.17)
Ward 3	67.23	(61.56 - 72.44)	74.85	(69.23 - 79.74)	82.34	(78.46 - 85.65)	81.15	(77.71 - 84.17)
Ward 4	68.91	(63.27 - 74.04)	77.94	(72.26 - 82.73)	81.08	(76.43 - 85.00)	80.77	(76.51 - 84.42)
Ward 5	64.73	(59.16 - 69.93)	72.64	(67.10 - 77.56)	77.57	(73.02 - 81.55)	76.86	(72.84 - 80.45)
Ward 6	66.28	(60.05 - 71.99)	73.56	(67.40 - 78.92)	79.85	(75.50 - 83.60)	79.02	(75.08 - 82.49)
Ward 7	65.07	(59.84 - 69.96)	75.35	(70.01 - 80.01)	76.29	(71.37 - 80.60)	76.18	(71.75 - 80.11)
Ward 8	64.44	(59.43 - 69.16)	76.22	(70.95 - 80.79)	75.95	(71.15 - 80.17)	76.00	(71.83 - 79.72)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	68.51	(66.96 - 70.01)	72.84	(71.29 - 74.34)	77.68	(76.14 - 79.14)	77.05	(75.68 - 78.36)
Region A	67.62	(64.39 - 70.69)	72.28	(68.97 - 75.35)	75.71	(72.82 - 78.38)	75.10	(72.56 - 77.48)
Circuit 1	67.10	(62.30 - 71.56)	70.89	(65.71 - 75.58)	75.67	(71.60 - 79.33)	74.93	(71.28 - 78.25)
Circuit 2	68.67	(63.70 - 73.24)	75.66	(71.11 - 79.70)	78.20	(73.88 - 81.98)	77.59	(73.99 - 80.82)
Circuit 14	67.30	(62.42 - 71.82)	67.95	(62.32 - 73.11)	72.76	(67.91 - 77.13)	72.08	(67.71 - 76.07)
Region B	69.46	(66.68 - 72.10)	71.93	(69.04 - 74.65)	75.93	(73.34 - 78.35)	75.31	(73.02 - 77.47)
Circuits 3 and 8	67.25	(62.32 - 71.82)	70.71	(66.02 - 74.99)	73.11	(68.69 - 77.12)	72.60	(68.86 - 76.05)
Circuit 4	71.06	(67.10 - 74.72)	72.52	(68.11 - 76.53)	77.06	(73.31 - 80.42)	76.35	(73.05 - 79.36)
Circuit 7	68.76	(64.27 - 72.93)	72.49	(67.54 - 76.94)	76.31	(72.24 - 79.95)	75.87	(72.18 - 79.21)
Region C	68.88	(66.68 - 71.00)	71.57	(69.09 - 73.93)	76.50	(74.34 - 78.52)	75.87	(73.93 - 77.71)
Circuit 5	70.12	(66.12 - 73.84)	69.79	(64.51 - 74.59)	75.71	(71.41 - 79.54)	75.17	(71.19 - 78.76)
Circuit 9	69.00	(65.17 - 72.58)	73.59	(69.52 - 77.29)	77.79	(74.16 - 81.03)	77.08	(73.94 - 79.94)
Circuit 10	66.40	(61.66 - 70.83)	70.89	(65.50 - 75.76)	72.47	(67.85 - 76.65)	72.27	(68.13 - 76.06)
Circuit 18	69.72	(65.61 - 73.53)	69.44	(64.57 - 73.91)	78.43	(74.72 - 81.72)	77.34	(73.98 - 80.38)
Circuit 19	68.55	(64.02 - 72.75)	72.09	(66.98 - 76.68)	76.75	(72.39 - 80.60)	76.28	(72.26 - 79.88)
Region D	68.67	(66.39 - 70.87)	76.09	(73.79 - 78.25)	80.20	(78.19 - 82.07)	79.69	(77.90 - 81.37)
Circuits 11 and 16	67.59	(64.14 - 70.85)	77.94	(74.56 - 80.99)	82.78	(79.93 - 85.30)	82.12	(79.60 - 84.39)
Circuit 15 (Palm Beach)	68.22	(64.16 - 72.02)	73.04	(68.93 - 76.79)	77.28	(73.51 - 80.65)	76.83	(73.42 - 79.93)
Circuit 17 (Broward)	70.62	(67.20 - 73.82)	74.98	(71.04 - 78.54)	78.69	(75.58 - 81.49)	78.24	(75.42 - 80.82)
Region E	67.54	(65.17 - 69.82)	70.47	(67.93 - 72.89)	77.03	(74.77 - 79.13)	76.30	(74.26 - 78.22)
Circuit 6	66.12	(62.12 - 69.90)	67.53	(62.89 - 71.84)	75.30	(71.33 - 78.88)	74.54	(70.91 - 77.86)
Circuit 12	66.98	(62.32 - 71.33)	72.54	(67.30 - 77.23)	78.20	(73.97 - 81.92)	77.68	(73.78 - 81.15)
Circuit 13 (Hillsborough)	69.72	(65.76 - 73.40)	73.08	(68.87 - 76.91)	78.35	(74.77 - 81.55)	77.56	(74.40 - 80.43)
Circuit 20	66.74	(62.56 - 70.66)	68.95	(63.90 - 73.60)	77.19	(73.34 - 80.63)	76.37	(72.82 - 79.59)
Georgia	70.86	(67.76 - 73.77)	73.04	(70.05 - 75.83)	76.42	(73.66 - 78.97)	75.91	(73.48 - 78.17)
Region 1	67.69	(62.59 - 72.41)	70.65	(65.12 - 75.63)	71.04	(66.00 - 75.60)	70.98	(66.52 - 75.07)
Region 2	70.76	(65.79 - 75.27)	70.92	(65.74 - 75.61)	75.85	(71.34 - 79.85)	75.08	(71.08 - 78.69)
Region 3	73.40	(69.27 - 77.15)	75.20	(71.01 - 78.96)	79.50	(76.03 - 82.59)	78.86	(75.82 - 81.61)
Region 4	69.85	(64.90 - 74.38)	73.95	(68.42 - 78.81)	76.81	(72.21 - 80.85)	76.37	(72.27 - 80.04)
Region 5	67.53	(62.23 - 72.41)	70.57	(64.72 - 75.81)	72.25	(67.23 - 76.76)	71.96	(67.56 - 75.98)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	69.41	(66.13 - 72.50)	71.38	(68.00 - 74.54)	75.30	(72.20 - 78.16)	74.78	(72.03 - 77.34)
Hawaii Island	69.02	(63.53 - 74.02)	72.92	(67.00 - 78.13)	76.94	(71.84 - 81.36)	76.46	(71.84 - 80.53)
Honolulu	69.46	(65.71 - 72.97)	71.31	(67.44 - 74.89)	74.89	(71.32 - 78.15)	74.39	(71.25 - 77.30)
Kauai and Maui**	69.51	(64.88 - 73.78)	70.50	(65.40 - 75.13)	75.83	(71.32 - 79.83)	75.21	(71.12 - 78.90)
Maui	69.74	(64.43 - 74.57)	71.17	(65.40 - 76.33)	76.46	(71.28 - 80.96)	75.83	(71.14 - 79.98)
Idaho	69.90	(66.99 - 72.67)	68.84	(65.84 - 71.69)	75.57	(72.90 - 78.05)	74.45	(72.14 - 76.62)
Region 1	69.16	(64.05 - 73.84)	65.95	(59.90 - 71.52)	73.82	(69.10 - 78.05)	72.81	(68.55 - 76.70)
Region 2	71.38	(66.23 - 76.03)	71.24	(65.22 - 76.58)	76.18	(71.30 - 80.46)	75.26	(70.98 - 79.10)
Region 3	68.15	(63.40 - 72.55)	69.82	(64.23 - 74.88)	74.75	(70.37 - 78.69)	73.97	(70.10 - 77.50)
Region 4	70.96	(66.37 - 75.16)	67.26	(62.42 - 71.76)	76.82	(72.82 - 80.39)	75.25	(71.79 - 78.41)
Region 5	69.86	(64.72 - 74.54)	69.38	(63.45 - 74.73)	76.12	(71.45 - 80.24)	75.10	(70.95 - 78.84)
Region 6	69.60	(64.48 - 74.27)	69.96	(64.28 - 75.09)	73.89	(68.88 - 78.35)	73.14	(68.88 - 77.01)
Region 7	70.18	(65.23 - 74.70)	70.25	(64.84 - 75.15)	76.47	(72.06 - 80.37)	75.16	(71.45 - 78.53)
Illinois	67.65	(66.05 - 69.21)	69.52	(67.82 - 71.17)	76.38	(74.83 - 77.86)	75.34	(74.00 - 76.64)
Region I (Cook)	68.46	(65.98 - 70.85)	72.38	(69.83 - 74.80)	77.74	(75.49 - 79.83)	76.92	(74.96 - 78.76)
Region II	68.84	(66.31 - 71.27)	70.41	(67.53 - 73.14)	76.83	(74.44 - 79.06)	75.91	(73.81 - 77.90)
Region III	65.74	(61.97 - 69.32)	63.85	(59.84 - 67.68)	74.91	(71.33 - 78.18)	72.99	(69.93 - 75.85)
Region IV	64.01	(59.73 - 68.08)	62.82	(57.94 - 67.45)	71.74	(67.64 - 75.52)	70.46	(66.82 - 73.85)
Region V	65.18	(61.38 - 68.80)	66.44	(62.45 - 70.21)	74.13	(70.40 - 77.55)	72.99	(69.73 - 76.01)
Indiana	65.44	(62.45 - 68.31)	67.58	(64.68 - 70.36)	70.82	(67.87 - 73.60)	70.32	(67.75 - 72.77)
Central	65.63	(60.98 - 70.00)	68.66	(63.75 - 73.18)	72.32	(67.90 - 76.34)	71.80	(67.93 - 75.37)
East	64.60	(59.19 - 69.67)	64.86	(58.76 - 70.50)	67.83	(62.56 - 72.68)	67.37	(62.66 - 71.74)
North Central	66.49	(61.44 - 71.20)	69.56	(63.90 - 74.69)	71.50	(66.40 - 76.10)	71.21	(66.69 - 75.33)
Northeast	66.10	(60.93 - 70.91)	70.65	(64.81 - 75.88)	72.70	(67.49 - 77.35)	72.39	(67.75 - 76.59)
Northwest	64.23	(59.14 - 69.01)	64.92	(59.01 - 70.41)	71.09	(66.11 - 75.61)	70.22	(65.80 - 74.29)
Southeast	64.52	(59.02 - 69.65)	63.48	(56.97 - 69.54)	70.19	(64.78 - 75.09)	69.28	(64.39 - 73.77)
Southwest	65.06	(59.58 - 70.18)	65.55	(58.86 - 71.68)	66.95	(61.01 - 72.38)	66.74	(61.51 - 71.60)
West	66.02	(60.63 - 71.02)	69.07	(63.79 - 73.89)	70.33	(65.37 - 74.86)	70.05	(65.91 - 73.89)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	67.41	(64.33 - 70.34)	63.76	(60.50 - 66.90)	71.05	(68.16 - 73.78)	69.92	(67.40 - 72.33)
Central	66.81	(61.71 - 71.54)	62.20	(56.22 - 67.83)	71.77	(66.84 - 76.22)	70.35	(65.96 - 74.39)
North Central	67.03	(61.62 - 72.03)	64.87	(58.69 - 70.60)	72.74	(67.77 - 77.20)	71.28	(66.95 - 75.26)
Northeast	68.64	(64.27 - 72.70)	65.11	(60.04 - 69.85)	69.89	(65.40 - 74.03)	69.14	(65.22 - 72.80)
Northwest	65.13	(60.02 - 69.92)	61.56	(55.50 - 67.28)	71.27	(66.29 - 75.79)	69.93	(65.48 - 74.03)
Southeast	68.48	(63.35 - 73.19)	64.02	(58.41 - 69.27)	70.78	(66.22 - 74.96)	69.66	(65.66 - 73.39)
Southwest	67.44	(62.23 - 72.25)	64.16	(57.89 - 69.98)	70.94	(65.83 - 75.57)	70.05	(65.47 - 74.25)
Kansas	68.04	(64.98 - 70.95)	66.42	(63.19 - 69.49)	72.91	(69.98 - 75.66)	71.86	(69.29 - 74.29)
Kansas City Metro	69.36	(65.06 - 73.36)	68.59	(64.01 - 72.84)	73.54	(69.38 - 77.31)	72.71	(69.13 - 76.02)
Northeast	67.46	(62.77 - 71.83)	66.05	(60.21 - 71.45)	71.41	(66.74 - 75.66)	70.47	(66.33 - 74.31)
South Central	67.28	(62.03 - 72.14)	63.54	(57.25 - 69.40)	73.34	(68.51 - 77.68)	71.89	(67.60 - 75.80)
Southeast	65.90	(59.98 - 71.36)	*	(* - *)	71.83	(66.30 - 76.76)	70.66	(65.72 - 75.16)
West	66.33	(61.05 - 71.23)	65.64	(59.14 - 71.60)	73.89	(68.60 - 78.56)	72.62	(67.85 - 76.91)
Wichita (Sedgwick)	69.09	(63.74 - 73.97)	66.14	(60.66 - 71.21)	72.90	(68.35 - 77.01)	71.83	(67.81 - 75.52)
Kentucky	63.55	(60.61 - 66.39)	61.29	(58.15 - 64.33)	67.89	(64.83 - 70.81)	66.95	(64.25 - 69.54)
Adanta, Cumberland River, and Lifeskills	62.89	(57.85 - 67.66)	59.31	(53.54 - 64.83)	65.78	(60.27 - 70.90)	64.87	(59.97 - 69.47)
Bluegrass, Comprehend, and North Key	61.98	(57.41 - 66.34)	60.96	(56.04 - 65.67)	68.80	(64.17 - 73.08)	67.58	(63.57 - 71.36)
Communicare and River Valley	64.33	(59.13 - 69.22)	62.84	(56.40 - 68.85)	67.54	(62.03 - 72.61)	66.89	(61.91 - 71.52)
Four Rivers and Pennyroyal	63.30	(57.81 - 68.46)	61.21	(54.77 - 67.28)	68.01	(62.69 - 72.91)	67.04	(62.30 - 71.46)
Kentucky River, Mountain, and Pathways	63.08	(58.00 - 67.89)	57.36	(51.48 - 63.03)	63.55	(58.45 - 68.36)	62.68	(58.14 - 67.01)
Seven Counties	66.16	(61.54 - 70.49)	65.11	(59.82 - 70.06)	70.86	(66.22 - 75.11)	70.13	(65.95 - 73.99)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	68.46	(65.56 - 71.23)	71.75	(68.89 - 74.45)	73.53	(70.61 - 76.25)	73.23	(70.72 - 75.60)
Region 1	69.62	(64.26 - 74.50)	75.69	(69.98 - 80.62)	75.87	(70.87 - 80.24)	75.84	(71.45 - 79.74)
Regions 2 and 9	69.28	(65.02 - 73.25)	72.70	(68.17 - 76.81)	74.35	(70.00 - 78.27)	74.06	(70.32 - 77.48)
Region 3	67.89	(62.41 - 72.93)	68.24	(62.51 - 73.47)	70.54	(65.37 - 75.24)	70.17	(65.62 - 74.35)
Region 4	67.85	(62.82 - 72.50)	70.69	(65.03 - 75.77)	72.64	(67.62 - 77.16)	72.32	(67.94 - 76.30)
Regions 5 and 6	67.32	(62.14 - 72.10)	69.26	(63.63 - 74.37)	70.20	(65.33 - 74.65)	70.05	(65.83 - 73.95)
Regions 7 and 8	67.20	(62.67 - 71.43)	72.31	(67.48 - 76.68)	74.38	(69.77 - 78.50)	74.03	(70.06 - 77.65)
Region 10 (Jefferson)	70.50	(65.35 - 75.17)	70.45	(64.49 - 75.79)	74.88	(69.97 - 79.23)	74.24	(69.87 - 78.17)
Maine	63.98	(60.84 - 67.01)	65.22	(62.09 - 68.23)	73.10	(70.23 - 75.78)	72.06	(69.50 - 74.49)
Aroostook/Downeast	62.90	(57.45 - 68.04)	64.30	(57.73 - 70.36)	72.46	(67.25 - 77.13)	71.45	(66.71 - 75.76)
Central	63.01	(57.79 - 67.93)	63.35	(57.59 - 68.74)	71.12	(65.90 - 75.83)	70.10	(65.45 - 74.37)
Cumberland	65.05	(59.98 - 69.80)	66.74	(61.32 - 71.75)	76.04	(71.89 - 79.75)	74.80	(71.06 - 78.20)
Midcoast	64.88	(59.48 - 69.93)	66.49	(60.32 - 72.15)	74.27	(69.21 - 78.75)	73.40	(68.77 - 77.56)
Penquis	64.03	(58.57 - 69.14)	66.49	(61.10 - 71.47)	73.54	(68.57 - 77.97)	72.42	(68.08 - 76.37)
Western	61.92	(56.55 - 67.02)	62.53	(56.83 - 67.90)	70.37	(65.32 - 74.96)	69.29	(64.82 - 73.42)
York	65.62	(60.87 - 70.08)	66.06	(60.40 - 71.29)	72.52	(67.76 - 76.82)	71.75	(67.47 - 75.66)
Maryland	70.09	(67.13 - 72.89)	72.52	(69.57 - 75.28)	77.07	(74.19 - 79.72)	76.43	(73.89 - 78.80)
Anne Arundel	71.05	(66.07 - 75.57)	71.16	(64.83 - 76.76)	77.22	(71.97 - 81.73)	76.37	(71.71 - 80.47)
Baltimore City	67.51	(62.08 - 72.50)	75.48	(70.23 - 80.07)	75.80	(70.88 - 80.12)	75.75	(71.43 - 79.59)
Baltimore County	71.14	(66.28 - 75.56)	73.73	(68.72 - 78.20)	76.94	(72.17 - 81.11)	76.49	(72.27 - 80.25)
Montgomery	71.93	(66.89 - 76.47)	73.60	(68.16 - 78.40)	79.92	(75.58 - 83.66)	79.17	(75.25 - 82.62)
North Central	70.75	(65.65 - 75.38)	71.24	(64.82 - 76.91)	77.38	(72.55 - 81.58)	76.62	(72.19 - 80.53)
Northeast	68.99	(63.87 - 73.68)	70.82	(64.45 - 76.46)	73.83	(68.41 - 78.61)	73.45	(68.58 - 77.81)
Prince George's	70.17	(65.12 - 74.76)	73.08	(67.88 - 77.72)	79.76	(75.39 - 83.53)	78.70	(74.91 - 82.05)
South	69.82	(64.90 - 74.32)	70.15	(64.13 - 75.54)	72.80	(67.48 - 77.54)	72.41	(67.68 - 76.69)
West	68.19	(62.93 - 73.02)	69.41	(63.05 - 75.10)	75.54	(70.43 - 80.01)	74.67	(70.15 - 78.72)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	68.55	(65.54 - 71.41)	72.38	(69.42 - 75.15)	77.15	(74.35 - 79.73)	76.48	(73.98 - 78.81)
Boston	69.19	(63.78 - 74.13)	75.34	(70.44 - 79.65)	78.01	(73.46 - 81.96)	77.46	(73.57 - 80.92)
Central	66.78	(61.38 - 71.78)	70.52	(64.96 - 75.54)	76.44	(71.65 - 80.64)	75.63	(71.32 - 79.48)
Metrowest	72.32	(67.94 - 76.32)	73.24	(68.28 - 77.68)	79.86	(75.93 - 83.29)	79.01	(75.47 - 82.17)
Northeast	66.61	(61.59 - 71.28)	72.43	(67.11 - 77.18)	76.40	(71.84 - 80.42)	75.89	(71.82 - 79.54)
Southeast	68.36	(63.60 - 72.76)	68.83	(63.25 - 73.91)	75.21	(70.60 - 79.30)	74.42	(70.23 - 78.21)
Western	67.14	(62.11 - 71.80)	73.15	(68.14 - 77.63)	76.26	(71.46 - 80.47)	75.76	(71.56 - 79.52)
Michigan	67.68	(66.14 - 69.18)	67.07	(65.44 - 68.66)	73.91	(72.41 - 75.36)	72.90	(71.59 - 74.16)
Bay	67.52	(63.09 - 71.65)	62.42	(56.92 - 67.62)	69.53	(65.02 - 73.70)	68.58	(64.54 - 72.36)
Detroit City	67.00	(63.05 - 70.73)	72.36	(68.00 - 76.34)	75.75	(71.96 - 79.17)	75.22	(71.91 - 78.25)
Genesee	63.30	(58.89 - 67.49)	67.82	(62.91 - 72.37)	72.84	(68.65 - 76.67)	72.12	(68.41 - 75.55)
Kalamazoo	65.32	(61.37 - 69.07)	65.38	(60.82 - 69.68)	73.05	(69.07 - 76.69)	71.80	(68.31 - 75.05)
Kent	67.00	(62.88 - 70.87)	67.67	(63.04 - 71.98)	74.12	(70.06 - 77.80)	73.02	(69.54 - 76.24)
Lakeshore	65.87	(61.86 - 69.66)	67.36	(62.87 - 71.54)	73.46	(69.55 - 77.03)	72.51	(69.07 - 75.70)
Macomb	67.53	(63.48 - 71.33)	64.69	(59.93 - 69.17)	70.15	(66.33 - 73.71)	69.43	(66.06 - 72.61)
Mid South	67.27	(63.54 - 70.80)	67.72	(63.74 - 71.46)	73.41	(69.81 - 76.72)	72.41	(69.33 - 75.29)
Northern	68.51	(64.66 - 72.13)	64.99	(60.31 - 69.39)	73.85	(70.06 - 77.32)	72.61	(69.27 - 75.73)
Oakland	70.54	(67.19 - 73.68)	68.41	(64.44 - 72.13)	76.78	(73.48 - 79.79)	75.75	(72.78 - 78.49)
Pathways	*	(* - *)	65.62	(59.75 - 71.05)	72.69	(67.96 - 76.95)	71.64	(67.42 - 75.51)
Saginaw	64.38	(59.17 - 69.26)	66.81	(60.73 - 72.38)	71.96	(67.16 - 76.31)	71.23	(66.91 - 75.20)
Southeast	69.24	(65.84 - 72.45)	66.22	(62.35 - 69.89)	74.87	(71.66 - 77.83)	73.71	(70.87 - 76.38)
St. Clair	69.37	(64.65 - 73.71)	61.45	(55.35 - 67.21)	70.56	(65.67 - 75.02)	69.35	(64.93 - 73.43)
Washtenaw	71.61	(67.47 - 75.41)	69.25	(64.39 - 73.71)	77.90	(74.06 - 81.31)	76.24	(72.92 - 79.27)
Western	*	(* - *)	66.49	(60.66 - 71.85)	72.68	(67.71 - 77.14)	71.76	(67.31 - 75.82)
Minnesota	66.39	(63.38 - 69.27)	66.19	(63.09 - 69.16)	73.45	(70.48 - 76.22)	72.33	(69.73 - 74.79)
Regions 1 and 2	66.04	(60.58 - 71.09)	66.03	(59.78 - 71.77)	73.07	(67.77 - 77.78)	72.05	(67.33 - 76.33)
Regions 3 and 4	65.97	(61.13 - 70.49)	63.32	(57.64 - 68.65)	70.04	(65.02 - 74.62)	68.94	(64.52 - 73.04)
Regions 5 and 6	65.32	(60.46 - 69.87)	66.39	(60.68 - 71.66)	72.17	(67.34 - 76.54)	71.27	(67.01 - 75.18)
Region 7A (Hennepin)	67.32	(62.26 - 72.01)	68.13	(63.08 - 72.79)	75.52	(70.95 - 79.58)	74.41	(70.37 - 78.07)
Region 7B (Ramsey)	65.01	(59.48 - 70.15)	66.55	(60.31 - 72.25)	74.71	(69.61 - 79.21)	73.32	(68.86 - 77.34)
Region 7C	67.67	(63.04 - 71.98)	66.11	(60.93 - 70.94)	74.47	(70.27 - 78.25)	73.28	(69.57 - 76.69)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	66.94	(63.88 - 69.87)	68.94	(65.92 - 71.81)	73.38	(70.45 - 76.11)	72.65	(70.15 - 75.03)
Region 1	66.63	(61.68 - 71.23)	68.76	(63.37 - 73.68)	71.30	(66.56 - 75.62)	70.90	(66.77 - 74.72)
Region 2	66.85	(61.90 - 71.45)	71.98	(66.35 - 77.00)	75.19	(70.62 - 79.27)	74.65	(70.66 - 78.27)
Region 3	68.64	(63.42 - 73.43)	69.58	(64.31 - 74.38)	73.70	(68.84 - 78.04)	72.99	(68.82 - 76.79)
Region 4	66.59	(61.57 - 71.26)	67.47	(61.68 - 72.76)	74.89	(70.21 - 79.06)	73.68	(69.57 - 77.41)
Region 5	67.90	(62.37 - 72.96)	69.85	(63.88 - 75.21)	73.99	(68.60 - 78.73)	73.35	(68.61 - 77.60)
Region 6	66.54	(61.19 - 71.50)	67.10	(60.98 - 72.69)	73.73	(69.00 - 77.98)	72.55	(68.44 - 76.31)
Region 7	66.06	(60.92 - 70.85)	68.25	(63.02 - 73.05)	72.17	(67.20 - 76.65)	71.57	(67.21 - 75.56)
Missouri	66.67	(63.78 - 69.44)	63.97	(61.00 - 66.85)	70.67	(67.80 - 73.39)	69.66	(67.13 - 72.09)
Central	63.79	(58.78 - 68.52)	63.81	(58.40 - 68.88)	68.15	(63.01 - 72.89)	67.39	(62.99 - 71.50)
Eastern	69.42	(65.73 - 72.87)	64.38	(60.13 - 68.40)	72.85	(69.29 - 76.14)	71.63	(68.42 - 74.64)
Eastern (St. Louis City and County)	70.85	(66.35 - 74.98)	65.86	(60.57 - 70.79)	75.25	(71.02 - 79.03)	73.90	(70.11 - 77.36)
Eastern (excluding St. Louis)	66.87	(61.60 - 71.75)	61.40	(55.27 - 67.19)	68.04	(62.92 - 72.76)	67.08	(62.49 - 71.37)
Northwest	66.83	(62.65 - 70.75)	65.01	(60.22 - 69.52)	72.07	(68.14 - 75.69)	71.01	(67.50 - 74.28)
Northwest (Jackson)	67.98	(62.88 - 72.68)	67.38	(61.41 - 72.83)	73.37	(68.58 - 77.67)	72.49	(68.21 - 76.39)
Northwest (excluding Jackson)	65.83	(60.40 - 70.88)	62.96	(56.57 - 68.92)	70.90	(65.68 - 75.61)	69.69	(65.07 - 73.93)
Southeast	63.58	(58.06 - 68.75)	63.07	(57.37 - 68.43)	67.06	(61.51 - 72.17)	66.49	(61.62 - 71.02)
Southwest	65.00	(59.94 - 69.74)	62.34	(56.99 - 67.41)	68.52	(63.71 - 72.96)	67.58	(63.36 - 71.52)
Montana	66.99	(63.85 - 69.97)	68.66	(65.64 - 71.53)	73.88	(70.96 - 76.61)	73.09	(70.54 - 75.49)
Region 1	62.09	(56.41 - 67.46)	63.76	(57.05 - 69.97)	70.88	(65.29 - 75.91)	70.02	(64.94 - 74.65)
Region 2	64.92	(59.72 - 69.78)	65.35	(59.07 - 71.13)	71.10	(65.87 - 75.82)	70.23	(65.60 - 74.49)
Region 3	66.29	(61.55 - 70.73)	70.13	(64.96 - 74.82)	74.57	(70.03 - 78.64)	73.94	(69.94 - 77.58)
Region 4	68.07	(63.63 - 72.21)	67.13	(62.51 - 71.43)	74.64	(70.30 - 78.55)	73.39	(69.65 - 76.82)
Region 5	69.11	(64.32 - 73.51)	71.78	(67.19 - 75.96)	75.01	(70.79 - 78.80)	74.51	(70.84 - 77.87)
Nebraska	68.01	(64.89 - 70.97)	64.93	(61.82 - 67.93)	72.44	(69.50 - 75.20)	71.23	(68.64 - 73.68)
Regions 1 and 2	66.85	(61.30 - 71.98)	62.38	(55.75 - 68.58)	72.55	(67.38 - 77.17)	71.18	(66.55 - 75.41)
Region 3	66.50	(60.90 - 71.67)	62.78	(56.38 - 68.76)	71.42	(66.40 - 75.97)	70.10	(65.59 - 74.25)
Region 4	67.18	(62.04 - 71.95)	63.39	(57.31 - 69.07)	70.98	(65.86 - 75.62)	69.89	(65.30 - 74.11)
Region 5	68.04	(63.38 - 72.37)	67.16	(62.58 - 71.44)	72.97	(68.42 - 77.09)	71.89	(67.98 - 75.48)
Region 6	69.14	(64.79 - 73.17)	65.02	(60.35 - 69.41)	72.90	(68.81 - 76.63)	71.62	(68.05 - 74.93)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	67.51	(64.11 - 70.74)	71.89	(68.68 - 74.89)	74.47	(71.40 - 77.32)	74.12	(71.41 - 76.66)
Clark	67.14	(63.12 - 70.92)	72.21	(68.46 - 75.68)	74.61	(71.10 - 77.83)	74.28	(71.18 - 77.15)
Rural	67.15	(62.02 - 71.89)	67.75	(61.77 - 73.20)	71.49	(66.49 - 76.02)	71.05	(66.51 - 75.20)
Washoe	69.46	(64.37 - 74.12)	73.35	(67.96 - 78.11)	76.47	(71.66 - 80.68)	76.02	(71.78 - 79.81)
New Hampshire	68.86	(65.95 - 71.62)	66.96	(63.77 - 70.00)	74.00	(71.23 - 76.60)	73.04	(70.59 - 75.36)
Central	68.00	(63.90 - 71.84)	66.05	(61.54 - 70.28)	73.00	(69.06 - 76.61)	71.98	(68.52 - 75.20)
Central 1	68.03	(62.73 - 72.90)	65.32	(59.60 - 70.63)	71.79	(66.84 - 76.26)	70.70	(66.43 - 74.64)
Central 2	67.97	(62.82 - 72.72)	66.97	(61.06 - 72.39)	74.12	(69.06 - 78.61)	73.21	(68.69 - 77.30)
Northern	68.47	(63.38 - 73.16)	65.95	(60.05 - 71.39)	73.53	(68.83 - 77.76)	72.47	(68.27 - 76.32)
Southern	69.34	(66.05 - 72.45)	67.69	(63.85 - 71.31)	74.57	(71.44 - 77.47)	73.67	(70.90 - 76.27)
Southern 1 (Rockingham)	71.05	(66.50 - 75.21)	67.72	(62.04 - 72.93)	76.06	(71.96 - 79.73)	75.10	(71.37 - 78.48)
Southern 2	68.32	(64.40 - 72.00)	67.68	(63.07 - 71.97)	73.64	(69.72 - 77.21)	72.80	(69.37 - 75.99)
New Jersey	68.20	(65.15 - 71.09)	72.24	(69.18 - 75.10)	77.09	(74.32 - 79.64)	76.46	(74.00 - 78.76)
Central	68.63	(63.89 - 73.02)	71.89	(66.62 - 76.62)	76.81	(72.49 - 80.63)	76.22	(72.33 - 79.73)
Metropolitan	70.11	(65.32 - 74.51)	73.85	(69.01 - 78.17)	78.19	(73.98 - 81.88)	77.57	(73.82 - 80.92)
Northern	67.32	(62.79 - 71.54)	73.50	(68.88 - 77.66)	77.80	(73.80 - 81.35)	77.27	(73.69 - 80.49)
Southern	66.86	(61.97 - 71.41)	68.64	(63.31 - 73.51)	74.96	(70.49 - 78.96)	74.12	(70.15 - 77.73)
New Mexico	65.79	(62.64 - 68.80)	70.22	(67.07 - 73.19)	77.78	(74.92 - 80.40)	76.57	(74.05 - 78.91)
Region 1	62.06	(57.15 - 66.72)	66.63	(60.62 - 72.15)	74.09	(69.32 - 78.34)	72.89	(68.65 - 76.74)
Region 2	67.02	(61.61 - 72.02)	71.20	(64.92 - 76.77)	81.24	(77.28 - 84.64)	79.90	(76.26 - 83.10)
Region 3 (Bernalillo)	70.29	(65.89 - 74.34)	72.66	(68.24 - 76.68)	79.44	(75.56 - 82.85)	78.33	(74.96 - 81.36)
Region 4	62.58	(56.98 - 67.86)	67.80	(61.91 - 73.18)	74.59	(69.54 - 79.05)	73.46	(69.03 - 77.47)
Region 5	65.15	(59.97 - 70.00)	70.81	(65.91 - 75.26)	78.02	(73.40 - 82.04)	76.79	(72.79 - 80.35)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	69.30	(67.53 - 71.02)	71.29	(69.54 - 72.97)	78.88	(77.40 - 80.29)	77.78	(76.47 - 79.04)
Region A	69.89	(67.52 - 72.15)	73.33	(70.94 - 75.60)	80.55	(78.67 - 82.30)	79.46	(77.79 - 81.03)
Region 1	68.75	(64.38 - 72.80)	73.64	(68.76 - 78.01)	79.83	(76.21 - 83.03)	78.81	(75.59 - 81.71)
Region 2	70.77	(67.30 - 74.02)	70.85	(66.88 - 74.53)	80.13	(77.09 - 82.86)	78.68	(76.01 - 81.13)
Region 3	66.78	(61.98 - 71.26)	75.32	(71.06 - 79.14)	82.25	(79.06 - 85.04)	81.25	(78.41 - 83.79)
Region 4	71.00	(66.95 - 74.74)	75.04	(71.07 - 78.63)	80.24	(76.96 - 83.15)	79.48	(76.60 - 82.09)
Region B	71.77	(69.23 - 74.18)	71.11	(68.24 - 73.81)	79.75	(77.50 - 81.82)	78.65	(76.64 - 80.54)
Region 5	72.79	(69.47 - 75.87)	73.06	(69.28 - 76.53)	80.52	(77.49 - 83.24)	79.60	(76.89 - 82.07)
Region 6	71.83	(67.67 - 75.66)	70.27	(65.18 - 74.90)	79.91	(76.39 - 83.02)	78.74	(75.53 - 81.63)
Region 7	68.65	(63.99 - 72.96)	66.47	(60.96 - 71.56)	76.74	(72.34 - 80.64)	75.27	(71.34 - 78.82)
Region C	67.82	(65.48 - 70.08)	69.46	(67.11 - 71.71)	76.50	(74.45 - 78.42)	75.46	(73.68 - 77.15)
Region 8	69.68	(65.45 - 73.61)	71.39	(66.99 - 75.41)	77.90	(74.14 - 81.26)	76.97	(73.67 - 79.97)
Region 9	65.70	(61.34 - 69.82)	71.92	(67.35 - 76.08)	78.23	(74.52 - 81.53)	77.28	(74.00 - 80.26)
Region 10	67.88	(63.47 - 71.99)	69.10	(63.94 - 73.83)	76.40	(72.29 - 80.07)	75.06	(71.49 - 78.31)
Region 11	66.75	(62.43 - 70.81)	67.30	(62.56 - 71.71)	75.25	(71.42 - 78.73)	74.08	(70.71 - 77.20)
Region 12	69.12	(65.05 - 72.91)	67.86	(63.16 - 72.23)	75.11	(71.23 - 78.62)	74.12	(70.66 - 77.31)
Region D	63.84	(60.54 - 67.02)	66.12	(62.54 - 69.53)	74.21	(71.30 - 76.92)	72.98	(70.39 - 75.42)
Region 13	65.47	(60.48 - 70.14)	67.15	(61.46 - 72.38)	75.73	(71.36 - 79.62)	74.49	(70.55 - 78.08)
Region 14	65.11	(60.08 - 69.83)	66.93	(61.26 - 72.15)	73.70	(69.19 - 77.77)	72.59	(68.62 - 76.22)
Region 15	61.29	(56.04 - 66.28)	64.36	(58.77 - 69.59)	73.33	(68.66 - 77.53)	72.01	(67.89 - 75.79)
North Carolina	68.17	(65.27 - 70.94)	66.40	(63.24 - 69.41)	72.69	(69.64 - 75.54)	71.81	(69.13 - 74.33)
Eastern	67.14	(62.37 - 71.58)	65.97	(60.60 - 70.96)	73.29	(68.32 - 77.74)	72.17	(67.85 - 76.11)
North Central	67.85	(63.17 - 72.20)	66.37	(60.88 - 71.46)	73.86	(69.30 - 77.95)	72.80	(68.78 - 76.47)
South Central	70.29	(65.84 - 74.39)	68.07	(62.69 - 73.01)	72.71	(68.23 - 76.78)	72.03	(68.06 - 75.68)
Western	67.39	(63.20 - 71.33)	65.34	(60.82 - 69.60)	71.54	(67.22 - 75.51)	70.75	(66.91 - 74.31)
North Dakota	67.67	(64.63 - 70.58)	65.89	(62.78 - 68.87)	68.67	(65.44 - 71.72)	68.18	(65.45 - 70.80)
Badlands and West Central Lake Region and South Central	66.22	(61.63 - 70.52)	66.52	(60.98 - 71.64)	67.14	(62.26 - 71.68)	67.05	(62.76 - 71.08)
North Central and Northwest	67.76	(63.02 - 72.17)	64.48	(58.22 - 70.28)	68.48	(63.07 - 73.43)	67.96	(63.13 - 72.44)
Northeast	69.10	(63.93 - 73.83)	68.33	(62.98 - 73.23)	69.94	(64.75 - 74.67)	69.57	(65.28 - 73.55)
Southeast	68.76	(64.14 - 73.04)	65.34	(60.65 - 69.75)	70.11	(65.41 - 74.42)	69.09	(65.19 - 72.73)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	67.29	(65.75 - 68.79)	67.04	(65.43 - 68.61)	72.18	(70.61 - 73.70)	71.43	(70.05 - 72.77)
Boards 2, 46, 55, and 68	64.45	(59.75 - 68.90)	62.33	(57.05 - 67.33)	67.51	(62.84 - 71.86)	66.78	(62.61 - 70.70)
Boards 3, 52, and 85	68.99	(64.64 - 73.03)	66.92	(61.43 - 71.99)	72.04	(67.78 - 75.93)	71.29	(67.47 - 74.83)
Boards 4 and 78	65.85	(61.20 - 70.22)	64.16	(58.71 - 69.26)	69.83	(65.23 - 74.07)	69.11	(64.94 - 73.00)
Boards 5 and 60	65.07	(60.24 - 69.62)	60.85	(55.44 - 66.01)	67.11	(62.30 - 71.58)	65.96	(61.78 - 69.90)
Boards 7, 15, 41, 79, and 84	66.72	(62.39 - 70.79)	65.69	(60.06 - 70.90)	67.57	(62.98 - 71.84)	67.33	(63.20 - 71.21)
Boards 8, 13, and 83	67.52	(63.24 - 71.52)	65.26	(59.90 - 70.25)	71.42	(67.16 - 75.34)	70.57	(66.77 - 74.10)
Board 9 (Butler)	69.38	(64.68 - 73.71)	69.52	(64.03 - 74.50)	73.27	(68.80 - 77.30)	72.60	(68.70 - 76.19)
Board 12	68.38	(63.81 - 72.62)	69.31	(64.16 - 74.03)	74.13	(69.73 - 78.09)	73.36	(69.50 - 76.89)
Boards 18 and 47	67.02	(63.72 - 70.17)	67.00	(63.19 - 70.60)	73.74	(70.48 - 76.76)	72.85	(69.95 - 75.57)
Boards 20, 32, 54, and 69	66.07	(61.71 - 70.18)	65.81	(60.02 - 71.15)	68.31	(63.52 - 72.75)	67.96	(63.69 - 71.95)
Boards 21, 39, 51, 70, and 80	67.13	(62.81 - 71.19)	63.81	(58.74 - 68.60)	70.88	(66.48 - 74.93)	69.93	(65.96 - 73.62)
Boards 22, 74, and 87	66.34	(61.81 - 70.59)	67.06	(61.51 - 72.16)	71.24	(66.51 - 75.55)	70.57	(66.39 - 74.42)
Boards 23 and 45	68.56	(64.20 - 72.62)	66.37	(60.91 - 71.42)	71.87	(67.34 - 76.00)	71.09	(67.06 - 74.81)
Board 25 (Franklin)	67.71	(63.86 - 71.33)	70.20	(66.68 - 73.50)	74.42	(71.03 - 77.53)	73.66	(70.74 - 76.38)
Boards 27, 71, and 73	65.52	(61.13 - 69.65)	62.36	(56.95 - 67.48)	67.53	(62.94 - 71.81)	66.79	(62.67 - 70.67)
Boards 28, 43, and 67	67.55	(63.20 - 71.61)	67.04	(62.06 - 71.67)	73.35	(69.22 - 77.11)	72.44	(68.79 - 75.82)
Board 31 (Hamilton)	68.30	(64.18 - 72.16)	68.46	(63.78 - 72.80)	76.34	(72.74 - 79.60)	75.14	(71.93 - 78.09)
Board 48 (Lucas)	69.62	(65.32 - 73.60)	71.78	(67.30 - 75.87)	74.15	(69.72 - 78.13)	73.78	(69.94 - 77.28)
Boards 50 and 76	68.29	(64.10 - 72.22)	67.71	(62.72 - 72.33)	72.41	(68.24 - 76.22)	71.80	(68.06 - 75.25)
Board 57 (Montgomery)	65.99	(61.49 - 70.22)	66.77	(61.83 - 71.37)	72.94	(68.88 - 76.65)	72.02	(68.43 - 75.34)
Board 77 (Summit)	68.01	(63.79 - 71.95)	70.33	(65.13 - 75.05)	73.73	(69.62 - 77.46)	73.28	(69.61 - 76.65)
Oklahoma	64.25	(60.79 - 67.56)	64.85	(61.68 - 67.90)	70.91	(67.95 - 73.70)	69.94	(67.36 - 72.39)
Central	65.80	(60.09 - 71.08)	68.72	(62.85 - 74.05)	71.46	(66.20 - 76.19)	70.96	(66.45 - 75.09)
East Central	63.57	(58.01 - 68.79)	62.21	(55.96 - 68.07)	68.74	(63.48 - 73.56)	67.80	(63.13 - 72.15)
Northeast	63.77	(57.83 - 69.31)	61.70	(55.61 - 67.45)	69.80	(64.52 - 74.60)	68.51	(63.90 - 72.78)
Northwest and Southwest	63.08	(57.47 - 68.36)	66.01	(60.37 - 71.23)	70.90	(66.01 - 75.35)	70.10	(65.79 - 74.08)
Oklahoma County	64.92	(59.54 - 69.95)	65.55	(59.83 - 70.85)	73.26	(68.62 - 77.45)	71.96	(67.88 - 75.70)
Southeast	62.63	(57.15 - 67.79)	61.34	(54.89 - 67.41)	68.81	(63.56 - 73.62)	67.74	(63.05 - 72.10)
Tulsa County	65.80	(60.57 - 70.67)	66.92	(61.39 - 72.02)	72.17	(67.40 - 76.48)	71.33	(67.13 - 75.18)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	70.75	(67.75 - 73.58)	72.14	(69.15 - 74.95)	78.25	(75.51 - 80.77)	77.38	(74.96 - 79.63)
Region 1 (Multnomah)	70.66	(65.46 - 75.36)	72.52	(67.22 - 77.25)	79.45	(75.22 - 83.12)	78.40	(74.65 - 81.74)
Region 2	71.94	(67.60 - 75.89)	71.08	(65.88 - 75.78)	80.10	(76.44 - 83.31)	78.84	(75.57 - 81.78)
Region 3	71.55	(67.25 - 75.50)	74.80	(70.70 - 78.50)	77.98	(74.00 - 81.50)	77.48	(74.03 - 80.59)
Region 4	69.64	(64.64 - 74.21)	69.16	(63.07 - 74.65)	75.64	(70.94 - 79.80)	74.89	(70.63 - 78.72)
Region 5	67.73	(62.44 - 72.60)	68.28	(61.69 - 74.21)	76.69	(71.77 - 80.99)	75.61	(71.15 - 79.57)
Pennsylvania	67.43	(65.83 - 69.00)	67.40	(65.79 - 68.97)	75.80	(74.25 - 77.29)	74.62	(73.25 - 75.94)
Region 1 (Allegheny)	66.50	(62.83 - 69.97)	67.27	(63.00 - 71.27)	77.44	(73.90 - 80.63)	76.09	(72.96 - 78.97)
Regions 2, 3, 8, and 9	65.61	(61.20 - 69.77)	65.27	(60.28 - 69.95)	73.19	(68.81 - 77.15)	72.06	(68.20 - 75.61)
Regions 4, 11, 37, and 49	67.92	(63.97 - 71.64)	64.45	(59.57 - 69.03)	73.31	(69.42 - 76.86)	72.15	(68.65 - 75.40)
Regions 5, 18, 23, 24, and 46	67.46	(63.49 - 71.20)	67.24	(62.71 - 71.48)	72.78	(69.07 - 76.20)	72.01	(68.71 - 75.08)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	67.09	(62.90 - 71.03)	69.09	(64.89 - 72.99)	73.16	(69.17 - 76.81)	72.41	(68.99 - 75.58)
Regions 7, 13, 20, and 33	70.80	(67.86 - 73.58)	70.27	(66.88 - 73.46)	80.19	(77.47 - 82.66)	78.90	(76.50 - 81.12)
Regions 10, 14, 15, 27, 32, 43, and 44	63.42	(58.53 - 68.04)	58.74	(53.29 - 63.97)	70.82	(66.38 - 74.90)	69.20	(65.24 - 72.90)
Regions 17 and 21	67.26	(62.58 - 71.62)	66.46	(61.28 - 71.27)	74.98	(70.61 - 78.88)	73.61	(69.82 - 77.09)
Regions 19, 26, 28, and 42	67.00	(63.25 - 70.54)	66.27	(62.30 - 70.03)	75.91	(72.47 - 79.05)	74.59	(71.54 - 77.41)
Regions 22, 38, 40, 41, and 48	65.96	(61.70 - 69.97)	64.60	(59.86 - 69.06)	71.91	(67.82 - 75.66)	71.02	(67.36 - 74.43)
Regions 25 and 30	68.96	(64.47 - 73.12)	65.13	(59.88 - 70.04)	76.55	(72.45 - 80.21)	75.07	(71.40 - 78.42)
Regions 29 and 34	68.49	(64.13 - 72.54)	67.54	(62.27 - 72.40)	76.39	(72.22 - 80.10)	75.19	(71.44 - 78.60)
Region 36 (Philadelphia)	65.41	(61.67 - 68.96)	70.87	(67.14 - 74.34)	76.56	(72.87 - 79.88)	75.59	(72.45 - 78.48)
Rhode Island	68.63	(65.26 - 71.81)	73.59	(70.50 - 76.46)	77.76	(74.96 - 80.33)	77.12	(74.72 - 79.35)
Bristol and Newport	69.88	(64.73 - 74.57)	73.36	(67.53 - 78.47)	79.37	(74.87 - 83.24)	78.56	(74.51 - 82.12)
Kent	69.74	(64.47 - 74.53)	68.49	(62.52 - 73.91)	75.86	(71.10 - 80.05)	74.95	(70.68 - 78.78)
Providence	67.72	(63.58 - 71.59)	74.58	(70.72 - 78.09)	77.43	(74.02 - 80.52)	76.96	(74.06 - 79.63)
Washington	70.50	(65.26 - 75.24)	73.96	(68.70 - 78.61)	80.22	(75.98 - 83.88)	79.20	(75.47 - 82.49)
South Carolina	65.83	(62.89 - 68.67)	65.43	(62.17 - 68.55)	72.26	(69.32 - 75.02)	71.25	(68.67 - 73.70)
Region 1	67.42	(62.84 - 71.69)	63.86	(58.39 - 69.00)	72.35	(67.89 - 76.40)	71.13	(67.15 - 74.82)
Region 2	63.14	(58.52 - 67.52)	65.11	(60.18 - 69.74)	71.31	(66.83 - 75.40)	70.38	(66.48 - 73.99)
Region 3	66.80	(61.89 - 71.36)	64.68	(58.72 - 70.21)	72.13	(67.36 - 76.46)	71.08	(66.82 - 75.00)
Region 4	66.75	(62.31 - 70.92)	67.77	(62.82 - 72.34)	73.36	(68.97 - 77.33)	72.50	(68.65 - 76.04)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	68.38	(65.33 - 71.29)	66.10	(63.06 - 69.01)	74.00	(71.19 - 76.62)	72.71	(70.25 - 75.03)
Region 1	66.16	(61.01 - 70.95)	64.91	(59.14 - 70.28)	74.54	(69.97 - 78.62)	72.97	(68.94 - 76.65)
Region 2	69.86	(65.20 - 74.15)	67.62	(62.83 - 72.07)	74.55	(70.29 - 78.40)	73.37	(69.66 - 76.78)
Region 3	69.37	(64.69 - 73.67)	68.51	(63.30 - 73.30)	73.40	(68.64 - 77.68)	72.51	(68.45 - 76.23)
Region 4	67.91	(62.42 - 72.95)	63.83	(57.19 - 69.99)	71.86	(66.43 - 76.72)	70.49	(65.67 - 74.89)
Region 5	67.66	(62.24 - 72.65)	66.17	(59.74 - 72.05)	74.14	(69.31 - 78.45)	73.08	(68.70 - 77.06)
Region 6	67.72	(62.03 - 72.94)	63.36	(56.86 - 69.40)	73.14	(67.88 - 77.81)	71.87	(67.13 - 76.16)
Region 7	68.59	(63.43 - 73.33)	64.27	(58.44 - 69.71)	74.80	(70.33 - 78.80)	73.10	(69.17 - 76.69)
Tennessee	64.94	(61.88 - 67.87)	63.96	(60.86 - 66.94)	72.76	(69.76 - 75.56)	71.51	(68.87 - 74.02)
Region 1	62.71	(57.29 - 67.83)	60.39	(53.76 - 66.65)	70.60	(65.45 - 75.27)	69.32	(64.67 - 73.61)
Region 2	63.05	(58.05 - 67.79)	59.45	(54.06 - 64.62)	69.94	(64.81 - 74.62)	68.50	(63.94 - 72.73)
Region 3	65.84	(60.83 - 70.51)	62.23	(56.70 - 67.46)	71.87	(67.14 - 76.16)	70.55	(66.34 - 74.43)
Region 4 (Davidson)	66.02	(60.32 - 71.30)	68.78	(62.80 - 74.19)	76.62	(71.99 - 80.68)	75.39	(71.27 - 79.09)
Region 5	65.64	(61.10 - 69.90)	64.64	(59.27 - 69.67)	72.84	(68.36 - 76.90)	71.67	(67.68 - 75.34)
Region 6	63.34	(57.91 - 68.46)	61.05	(54.70 - 67.04)	71.06	(65.73 - 75.87)	69.66	(64.88 - 74.06)
Region 7 (Shelby)	66.52	(61.25 - 71.41)	70.28	(64.39 - 75.56)	77.21	(72.42 - 81.38)	76.17	(71.89 - 79.98)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	67.19	(65.55 - 68.79)	70.63	(69.06 - 72.15)	75.48	(73.84 - 77.04)	74.68	(73.26 - 76.05)
Region 1	66.51	(61.84 - 70.88)	66.53	(61.19 - 71.47)	72.88	(68.25 - 77.06)	71.76	(67.78 - 75.42)
Region 2	64.15	(59.15 - 68.85)	67.09	(61.42 - 72.31)	73.20	(68.52 - 77.41)	72.24	(68.14 - 76.00)
Region 3	67.90	(65.25 - 70.44)	69.66	(66.94 - 72.25)	75.54	(73.24 - 77.71)	74.60	(72.57 - 76.52)
Region 3a	68.26	(65.02 - 71.33)	71.47	(68.01 - 74.70)	77.33	(74.52 - 79.92)	76.37	(73.94 - 78.64)
Region 3bc	67.30	(63.42 - 70.95)	66.25	(61.96 - 70.28)	72.41	(68.81 - 75.74)	71.46	(68.26 - 74.46)
Region 4	65.09	(60.34 - 69.55)	66.99	(61.94 - 71.67)	71.03	(66.48 - 75.20)	70.48	(66.45 - 74.21)
Region 5	67.57	(62.81 - 72.00)	70.23	(64.72 - 75.20)	72.07	(67.64 - 76.11)	71.80	(67.84 - 75.45)
Region 6	69.89	(67.14 - 72.50)	73.30	(70.65 - 75.80)	75.71	(72.82 - 78.39)	75.32	(72.82 - 77.67)
Region 6a	70.07	(67.12 - 72.87)	73.81	(70.93 - 76.50)	75.88	(72.75 - 78.76)	75.54	(72.84 - 78.06)
Region 6bc	68.34	(63.53 - 72.79)	68.44	(62.89 - 73.51)	74.37	(69.87 - 78.40)	73.54	(69.50 - 77.21)
Region 7	66.60	(63.30 - 69.74)	71.08	(67.91 - 74.07)	75.38	(72.46 - 78.08)	74.53	(72.03 - 76.87)
Region 7a	68.34	(64.23 - 72.18)	70.70	(66.37 - 74.68)	77.35	(73.80 - 80.55)	76.11	(73.04 - 78.93)
Region 7bcd	64.26	(59.42 - 68.83)	71.61	(67.12 - 75.70)	72.21	(67.79 - 76.23)	72.08	(68.41 - 75.47)
Region 8	66.41	(62.51 - 70.10)	70.58	(66.37 - 74.46)	75.83	(72.28 - 79.05)	75.02	(71.92 - 77.89)
Region 9	63.38	(58.32 - 68.15)	67.43	(61.38 - 72.94)	75.17	(70.83 - 79.05)	73.96	(70.07 - 77.49)
Region 10	65.18	(60.33 - 69.73)	72.26	(66.81 - 77.12)	80.62	(76.68 - 84.02)	79.18	(75.67 - 82.31)
Region 11	63.94	(60.24 - 67.47)	70.67	(66.67 - 74.37)	78.51	(75.34 - 81.37)	77.11	(74.33 - 79.68)
Region 11abd	64.76	(60.13 - 69.13)	70.23	(64.95 - 75.03)	78.56	(74.65 - 82.02)	77.13	(73.69 - 80.25)
Region 11c (Hidalgo)	62.45	(57.55 - 67.12)	71.45	(66.13 - 76.23)	78.41	(74.19 - 82.10)	77.07	(73.35 - 80.42)
Utah	76.16	(73.01 - 79.06)	76.75	(73.59 - 79.63)	79.02	(75.91 - 81.82)	78.53	(75.97 - 80.89)
Bear River, Northeastern, Summit, Tooele, and Wasatch	75.98	(71.05 - 80.31)	77.33	(71.62 - 82.18)	79.28	(74.54 - 83.33)	78.85	(74.86 - 82.36)
Central, Four Corners, San Juan, and Southwest	74.71	(69.76 - 79.10)	77.02	(71.38 - 81.83)	77.97	(72.93 - 82.29)	77.79	(73.49 - 81.57)
Davis County	77.01	(72.13 - 81.25)	76.34	(70.67 - 81.20)	79.53	(74.87 - 83.52)	78.89	(74.84 - 82.45)
Salt Lake County	76.23	(72.33 - 79.73)	75.96	(71.68 - 79.78)	78.92	(74.99 - 82.38)	78.34	(75.01 - 81.34)
Utah County	76.81	(71.82 - 81.16)	77.89	(73.15 - 81.99)	80.09	(75.88 - 83.72)	79.41	(76.05 - 82.41)
Weber, Morgan	75.74	(70.37 - 80.41)	76.36	(70.84 - 81.12)	78.30	(73.50 - 82.44)	77.93	(73.82 - 81.56)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	68.20	(65.19 - 71.06)	67.56	(64.59 - 70.39)	76.45	(73.70 - 78.99)	75.16	(72.75 - 77.42)
Champlain Valley	70.51	(66.66 - 74.09)	69.40	(65.33 - 73.19)	77.70	(74.14 - 80.89)	76.26	(73.19 - 79.07)
Rural Northeast	65.34	(60.57 - 69.81)	66.62	(61.52 - 71.35)	74.61	(70.10 - 78.64)	73.51	(69.53 - 77.13)
Rural Southeast	69.16	(64.47 - 73.48)	65.78	(60.19 - 70.96)	77.55	(73.15 - 81.41)	76.20	(72.20 - 79.79)
Rural Southwest	65.37	(60.11 - 70.28)	65.25	(59.46 - 70.63)	74.84	(70.08 - 79.07)	73.60	(69.34 - 77.47)
Virginia	69.35	(66.34 - 72.20)	69.13	(66.11 - 71.99)	75.42	(72.55 - 78.09)	74.53	(72.01 - 76.90)
Region 1	67.64	(62.57 - 72.33)	68.75	(63.24 - 73.77)	73.12	(68.37 - 77.39)	72.47	(68.23 - 76.35)
Region 2	72.58	(68.21 - 76.54)	72.97	(68.08 - 77.37)	79.08	(75.23 - 82.46)	78.29	(74.84 - 81.39)
Region 3	67.95	(63.04 - 72.48)	66.97	(61.45 - 72.06)	73.60	(68.74 - 77.94)	72.68	(68.36 - 76.61)
Region 4	67.73	(62.78 - 72.32)	69.31	(64.15 - 74.03)	72.99	(68.12 - 77.37)	72.50	(68.16 - 76.46)
Region 5	69.33	(64.55 - 73.73)	67.17	(61.88 - 72.06)	75.90	(71.45 - 79.85)	74.50	(70.67 - 78.00)
Washington	71.40	(68.61 - 74.04)	71.68	(68.56 - 74.61)	76.83	(74.08 - 79.38)	76.08	(73.65 - 78.36)
Region 1	70.13	(64.93 - 74.85)	71.67	(66.23 - 76.54)	76.84	(72.11 - 80.99)	76.02	(71.83 - 79.76)
Region 2	68.82	(63.76 - 73.47)	69.20	(63.14 - 74.67)	76.49	(71.76 - 80.63)	75.33	(71.17 - 79.07)
Region 3	71.85	(67.35 - 75.95)	69.73	(63.81 - 75.05)	77.41	(72.84 - 81.41)	76.29	(72.22 - 79.92)
Region 4 (King)	73.06	(68.64 - 77.07)	73.80	(69.04 - 78.06)	77.95	(74.13 - 81.34)	77.37	(73.98 - 80.43)
Region 5	71.26	(66.37 - 75.70)	71.77	(66.15 - 76.79)	75.45	(70.95 - 79.45)	74.89	(70.91 - 78.49)
Region 6	71.34	(66.78 - 75.50)	71.22	(65.76 - 76.13)	75.69	(71.12 - 79.74)	75.10	(70.99 - 78.80)
West Virginia	67.90	(64.96 - 70.70)	62.70	(59.69 - 65.61)	69.13	(66.07 - 72.02)	68.27	(65.57 - 70.85)
Eastern Highland	67.86	(63.36 - 72.05)	63.32	(58.06 - 68.29)	69.32	(64.39 - 73.84)	68.56	(64.16 - 72.65)
Northern	68.25	(64.09 - 72.14)	61.76	(57.31 - 66.01)	68.99	(64.88 - 72.81)	67.90	(64.28 - 71.31)
Northern A and B	68.46	(63.07 - 73.39)	61.35	(54.92 - 67.41)	68.10	(62.54 - 73.19)	67.30	(62.28 - 71.95)
Northern C and D	68.16	(63.19 - 72.75)	61.90	(56.69 - 66.86)	69.46	(64.53 - 73.98)	68.21	(63.91 - 72.21)
South Central	68.19	(64.63 - 71.55)	63.38	(59.40 - 67.19)	69.44	(65.71 - 72.92)	68.65	(65.35 - 71.77)
South Central I	68.24	(63.25 - 72.84)	60.54	(54.10 - 66.64)	68.59	(63.24 - 73.49)	67.63	(62.81 - 72.10)
South Central II	68.40	(63.25 - 73.13)	63.27	(57.14 - 69.00)	69.36	(63.83 - 74.38)	68.44	(63.58 - 72.92)
South Central III	68.01	(63.09 - 72.56)	65.13	(59.54 - 70.33)	70.00	(64.99 - 74.57)	69.40	(64.91 - 73.56)
Southern	66.83	(62.52 - 70.87)	62.18	(57.36 - 66.77)	68.49	(63.96 - 72.70)	67.68	(63.62 - 71.49)
Southern I and III	67.36	(62.16 - 72.16)	63.32	(57.36 - 68.89)	68.95	(63.39 - 74.01)	68.23	(63.24 - 72.83)
Southern II	65.78	(60.18 - 70.98)	59.95	(53.55 - 66.03)	67.59	(61.94 - 72.76)	66.61	(61.55 - 71.30)

See notes at end of table.

(continued)

Table 14. Perceptions of Great Risk of Smoking One or More Packs of Cigarettes Per Day among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	69.36	(66.50 - 72.07)	67.19	(64.07 - 70.17)	72.24	(69.40 - 74.92)	71.48	(68.98 - 73.86)
Milwaukee	70.78	(65.78 - 75.33)	71.36	(66.02 - 76.16)	74.91	(70.45 - 78.90)	74.34	(70.43 - 77.89)
Northeastern	67.60	(62.97 - 71.92)	61.21	(55.52 - 66.62)	70.96	(66.18 - 75.31)	69.56	(65.31 - 73.49)
Northern	67.63	(62.42 - 72.45)	67.93	(62.40 - 73.00)	70.53	(65.16 - 75.39)	70.18	(65.42 - 74.54)
Southeastern	70.70	(66.34 - 74.70)	69.72	(64.46 - 74.51)	72.85	(68.44 - 76.85)	72.43	(68.48 - 76.06)
Southern	71.25	(66.63 - 75.47)	69.08	(63.58 - 74.10)	72.75	(68.21 - 76.86)	72.14	(68.14 - 75.82)
Western	66.90	(61.77 - 71.65)	64.54	(58.65 - 70.02)	70.62	(65.72 - 75.08)	69.58	(65.25 - 73.59)
Wyoming	68.96	(66.02 - 71.74)	65.37	(62.24 - 68.37)	73.32	(70.40 - 76.06)	72.06	(69.51 - 74.48)
Judicial District 1 (Laramie)	68.25	(63.25 - 72.86)	65.64	(59.83 - 71.03)	75.22	(70.68 - 79.25)	73.74	(69.79 - 77.35)
Judicial District 2	69.23	(63.97 - 74.04)	69.71	(64.37 - 74.57)	76.63	(72.03 - 80.67)	74.73	(70.94 - 78.18)
Judicial District 3	70.97	(66.13 - 75.38)	65.43	(59.42 - 70.98)	71.78	(66.88 - 76.21)	70.76	(66.43 - 74.75)
Judicial District 4	70.25	(64.69 - 75.27)	64.24	(57.48 - 70.47)	73.92	(68.59 - 78.64)	72.74	(67.91 - 77.09)
Judicial District 5	69.82	(64.81 - 74.40)	64.51	(58.21 - 70.34)	74.66	(69.59 - 79.14)	73.39	(68.77 - 77.55)
Judicial District 6	66.69	(61.35 - 71.63)	59.68	(52.90 - 66.10)	70.65	(65.12 - 75.63)	68.93	(64.00 - 73.46)
Judicial District 7 (Natrona)	67.21	(62.21 - 71.84)	63.76	(58.01 - 69.15)	70.00	(64.89 - 74.67)	69.02	(64.48 - 73.22)
Judicial District 8	68.57	(63.39 - 73.33)	64.23	(57.77 - 70.22)	73.17	(67.75 - 77.97)	72.05	(67.18 - 76.46)
Judicial District 9	69.60	(64.49 - 74.28)	66.44	(60.08 - 72.25)	74.24	(69.33 - 78.61)	73.14	(68.75 - 77.12)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	2.03		7.28		2.90		3.55	
Northeast	1.88	(1.65 - 2.14)	7.35	(6.83 - 7.90)	2.68	(2.38 - 3.01)	3.33	(3.06 - 3.62)
Midwest	2.15	(1.95 - 2.38)	8.13	(7.71 - 8.57)	2.97	(2.73 - 3.24)	3.75	(3.53 - 3.99)
South	1.85	(1.67 - 2.06)	6.52	(6.15 - 6.92)	2.71	(2.48 - 2.96)	3.28	(3.06 - 3.50)
West	2.30	(2.01 - 2.64)	7.56	(7.02 - 8.15)	3.33	(2.98 - 3.74)	3.99	(3.66 - 4.34)
Alabama	2.35	(1.66 - 3.32)	5.61	(4.42 - 7.11)	2.61	(1.91 - 3.55)	3.05	(2.39 - 3.89)
Region 1	2.53	(1.53 - 4.16)	5.69	(3.82 - 8.39)	2.05	(1.30 - 3.24)	2.54	(1.77 - 3.65)
Region 2	2.47	(1.51 - 4.04)	5.44	(3.81 - 7.72)	2.97	(1.89 - 4.62)	3.34	(2.32 - 4.79)
Region 3	1.74	(0.98 - 3.09)	5.38	(3.65 - 7.87)	2.84	(1.77 - 4.53)	3.29	(2.26 - 4.77)
Region 4	2.48	(1.51 - 4.07)	6.01	(4.16 - 8.62)	2.62	(1.66 - 4.10)	3.09	(2.15 - 4.42)
Alaska	2.73	(1.91 - 3.91)	6.43	(5.13 - 8.04)	3.48	(2.63 - 4.60)	3.96	(3.17 - 4.93)
Gulf Coast	2.28	(1.25 - 4.11)	7.26	(4.78 - 10.87)	3.07	(1.83 - 5.11)	3.64	(2.38 - 5.51)
Rural	1.88	(0.99 - 3.52)	6.53	(4.24 - 9.91)	4.79	(2.85 - 7.94)	5.12	(3.33 - 7.81)
Southeast	2.78	(1.60 - 4.79)	7.55	(5.04 - 11.18)	4.12	(2.61 - 6.45)	4.59	(3.12 - 6.71)
Urban	2.99	(1.94 - 4.57)	6.12	(4.61 - 8.10)	3.24	(2.26 - 4.62)	3.71	(2.80 - 4.91)
Arizona	2.42	(1.66 - 3.50)	8.10	(6.54 - 9.98)	3.79	(2.89 - 4.95)	4.44	(3.60 - 5.47)
Maricopa	2.17	(1.34 - 3.50)	7.70	(5.88 - 10.03)	3.69	(2.63 - 5.16)	4.32	(3.31 - 5.62)
Pima	3.10	(1.78 - 5.36)	8.75	(5.97 - 12.65)	4.33	(2.77 - 6.70)	5.00	(3.48 - 7.15)
Rural North	2.76	(1.52 - 4.96)	10.10	(6.89 - 14.58)	4.21	(2.55 - 6.88)	5.02	(3.35 - 7.44)
Rural South	2.41	(1.31 - 4.39)	7.43	(4.84 - 11.26)	3.15	(1.95 - 5.07)	3.73	(2.51 - 5.51)
Arkansas	1.91	(1.37 - 2.65)	6.48	(5.24 - 7.99)	2.58	(1.93 - 3.45)	3.17	(2.54 - 3.95)
Areas 1 and 2	1.95	(1.12 - 3.34)	7.19	(4.88 - 10.46)	2.62	(1.67 - 4.10)	3.33	(2.34 - 4.74)
Areas 3 and 4	2.25	(1.34 - 3.76)	8.01	(5.58 - 11.37)	2.59	(1.65 - 4.06)	3.40	(2.41 - 4.76)
Areas 5 and 6	1.79	(1.01 - 3.13)	5.75	(3.88 - 8.44)	2.20	(1.36 - 3.55)	2.76	(1.89 - 4.01)
Areas 7, 12, and 13	1.52	(0.85 - 2.70)	5.75	(3.78 - 8.66)	3.25	(2.01 - 5.21)	3.63	(2.43 - 5.39)
Areas 8, 10, and 11	1.83	(1.05 - 3.14)	6.73	(4.65 - 9.65)	2.32	(1.45 - 3.71)	2.93	(2.04 - 4.19)
Area 9	2.04	(1.19 - 3.50)	5.33	(3.58 - 7.87)	2.64	(1.68 - 4.12)	3.03	(2.08 - 4.39)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	2.27	(1.84 - 2.79)	7.28	(6.46 - 8.19)	3.40	(2.87 - 4.02)	4.00	(3.53 - 4.54)
Region 1	2.88	(1.73 - 4.75)	9.08	(6.28 - 12.95)	3.17	(2.05 - 4.89)	4.04	(2.87 - 5.68)
Region 2	2.35	(1.48 - 3.70)	9.48	(7.20 - 12.38)	4.10	(2.79 - 6.00)	4.90	(3.62 - 6.59)
Region 3	2.12	(1.28 - 3.50)	6.73	(4.56 - 9.82)	3.07	(1.98 - 4.71)	3.65	(2.55 - 5.19)
Region 4	2.19	(1.32 - 3.62)	7.07	(4.88 - 10.15)	3.51	(2.36 - 5.20)	3.94	(2.81 - 5.50)
Region 5	2.76	(1.74 - 4.36)	8.60	(6.22 - 11.77)	4.09	(2.79 - 5.98)	4.71	(3.44 - 6.43)
Region 6 (Santa Clara)	2.51	(1.55 - 4.03)	6.63	(4.65 - 9.35)	3.04	(2.05 - 4.49)	3.55	(2.57 - 4.89)
Region 7	2.43	(1.42 - 4.14)	6.88	(4.63 - 10.12)	3.39	(2.18 - 5.24)	3.98	(2.78 - 5.68)
Region 8	2.29	(1.40 - 3.71)	7.22	(5.06 - 10.21)	3.60	(2.35 - 5.47)	4.25	(3.05 - 5.89)
Region 9	2.53	(1.51 - 4.20)	7.83	(5.58 - 10.89)	3.19	(2.04 - 4.96)	4.00	(2.84 - 5.60)
Region 10	2.72	(1.66 - 4.44)	8.78	(6.20 - 12.29)	3.57	(2.29 - 5.51)	4.40	(3.12 - 6.18)
Region 11 (Los Angeles)	1.88	(1.27 - 2.77)	5.98	(4.77 - 7.47)	3.25	(2.42 - 4.36)	3.69	(2.94 - 4.64)
Region 12	2.26	(1.42 - 3.58)	6.86	(4.90 - 9.54)	3.06	(2.06 - 4.52)	3.71	(2.73 - 5.03)
Region 13 (Riverside)	2.76	(1.68 - 4.49)	8.38	(5.99 - 11.61)	3.02	(1.98 - 4.61)	3.84	(2.78 - 5.28)
Region 14 (Orange)	2.21	(1.38 - 3.51)	6.94	(5.02 - 9.52)	3.18	(2.19 - 4.61)	3.74	(2.77 - 5.04)
Region 15	2.32	(1.47 - 3.64)	7.90	(5.85 - 10.59)	3.42	(2.36 - 4.91)	4.17	(3.15 - 5.52)
Colorado	2.89	(2.07 - 4.00)	9.67	(7.85 - 11.86)	3.31	(2.46 - 4.43)	4.25	(3.43 - 5.25)
Region 1	2.86	(1.69 - 4.81)	9.71	(6.78 - 13.72)	3.09	(1.97 - 4.84)	4.26	(3.04 - 5.93)
Regions 2 and 7	2.97	(1.94 - 4.52)	9.65	(7.31 - 12.64)	3.31	(2.26 - 4.83)	4.22	(3.19 - 5.58)
Region 3	2.69	(1.55 - 4.65)	9.75	(6.81 - 13.77)	3.19	(2.05 - 4.92)	4.15	(2.97 - 5.78)
Region 4	2.88	(1.65 - 4.99)	10.22	(7.00 - 14.70)	3.29	(2.02 - 5.31)	4.23	(2.89 - 6.14)
Regions 5 and 6	2.78	(1.62 - 4.73)	9.34	(6.21 - 13.82)	3.69	(2.28 - 5.91)	4.52	(3.08 - 6.58)
Connecticut	2.08	(1.49 - 2.91)	8.33	(6.69 - 10.32)	3.05	(2.28 - 4.06)	3.75	(3.00 - 4.66)
Eastern	2.22	(1.26 - 3.86)	8.59	(5.70 - 12.74)	2.99	(1.87 - 4.76)	3.94	(2.72 - 5.67)
North Central	2.15	(1.28 - 3.59)	8.92	(6.35 - 12.38)	3.44	(2.23 - 5.27)	4.14	(2.94 - 5.80)
Northwestern	1.91	(1.13 - 3.22)	8.98	(6.22 - 12.79)	2.66	(1.64 - 4.29)	3.43	(2.38 - 4.91)
South Central	2.01	(1.21 - 3.33)	7.39	(5.13 - 10.55)	2.73	(1.73 - 4.28)	3.37	(2.37 - 4.77)
Southwest	2.13	(1.27 - 3.56)	7.92	(5.45 - 11.38)	3.23	(2.05 - 5.06)	3.79	(2.61 - 5.48)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	1.54	(1.05 - 2.27)	5.44	(4.21 - 7.01)	2.20	(1.61 - 3.00)	2.67	(2.09 - 3.42)
Kent	1.59	(0.90 - 2.78)	5.99	(4.08 - 8.73)	2.50	(1.58 - 3.92)	3.05	(2.12 - 4.37)
New Castle (excluding Wilmington City)	1.59	(0.98 - 2.59)	5.44	(3.92 - 7.50)	2.00	(1.33 - 3.02)	2.54	(1.85 - 3.47)
Sussex	1.53	(0.87 - 2.68)	5.16	(3.37 - 7.81)	1.96	(1.19 - 3.20)	2.31	(1.53 - 3.48)
Wilmington City	1.23	(0.68 - 2.21)	4.96	(3.17 - 7.67)	3.40	(2.06 - 5.55)	3.65	(2.38 - 5.55)
District of Columbia	1.64	(1.12 - 2.42)	8.48	(6.90 - 10.39)	4.90	(3.83 - 6.25)	5.47	(4.49 - 6.65)
Ward 1	*	(* - *)	8.28	(5.52 - 12.24)	6.22	(4.09 - 9.36)	6.59	(4.61 - 9.35)
Ward 2	*	(* - *)	10.36	(7.61 - 13.95)	5.30	(3.52 - 7.91)	6.56	(4.86 - 8.78)
Ward 3	2.30	(1.30 - 4.05)	11.30	(7.77 - 16.14)	4.42	(2.91 - 6.64)	5.51	(3.96 - 7.60)
Ward 4	1.65	(0.89 - 3.03)	6.44	(4.09 - 10.02)	3.88	(2.34 - 6.37)	4.14	(2.64 - 6.45)
Ward 5	1.62	(0.88 - 2.98)	8.11	(5.61 - 11.58)	4.88	(3.20 - 7.39)	5.35	(3.77 - 7.54)
Ward 6	*	(* - *)	7.48	(4.87 - 11.33)	4.93	(3.14 - 7.68)	5.27	(3.56 - 7.75)
Ward 7	1.33	(0.71 - 2.45)	5.61	(3.67 - 8.50)	4.12	(2.54 - 6.64)	4.31	(2.80 - 6.56)
Ward 8	1.36	(0.76 - 2.44)	5.52	(3.64 - 8.28)	5.91	(3.80 - 9.08)	5.84	(3.96 - 8.53)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	1.92	(1.57 - 2.35)	7.10	(6.29 - 8.01)	2.67	(2.25 - 3.17)	3.25	(2.86 - 3.69)
Region A	1.94	(1.35 - 2.79)	7.68	(6.13 - 9.59)	2.94	(2.20 - 3.93)	3.78	(3.04 - 4.69)
Circuit 1	1.94	(1.15 - 3.27)	7.03	(4.80 - 10.18)	2.70	(1.78 - 4.08)	3.37	(2.43 - 4.66)
Circuit 2	1.90	(1.13 - 3.18)	8.23	(5.98 - 11.21)	3.46	(2.23 - 5.32)	4.60	(3.35 - 6.28)
Circuit 14	*	(* - *)	8.12	(5.50 - 11.83)	2.89	(1.83 - 4.54)	3.63	(2.51 - 5.20)
Region B	1.84	(1.31 - 2.58)	8.22	(6.70 - 10.05)	3.11	(2.34 - 4.12)	3.91	(3.16 - 4.82)
Circuits 3 and 8	1.99	(1.19 - 3.31)	7.85	(5.58 - 10.93)	2.99	(1.95 - 4.55)	4.02	(2.94 - 5.48)
Circuit 4	1.66	(1.00 - 2.77)	7.74	(5.61 - 10.58)	3.53	(2.35 - 5.27)	4.18	(3.03 - 5.74)
Circuit 7	1.99	(1.17 - 3.37)	9.59	(6.81 - 13.34)	2.65	(1.70 - 4.11)	3.46	(2.46 - 4.85)
Region C	2.00	(1.52 - 2.61)	7.29	(6.09 - 8.70)	2.68	(2.13 - 3.37)	3.27	(2.74 - 3.90)
Circuit 5	1.92	(1.16 - 3.16)	6.77	(4.67 - 9.72)	2.02	(1.27 - 3.21)	2.46	(1.69 - 3.57)
Circuit 9	1.87	(1.19 - 2.92)	7.15	(5.32 - 9.56)	3.39	(2.34 - 4.91)	4.03	(3.01 - 5.37)
Circuit 10	2.24	(1.35 - 3.69)	7.77	(5.39 - 11.08)	2.68	(1.77 - 4.04)	3.34	(2.40 - 4.63)
Circuit 18	2.06	(1.30 - 3.27)	7.92	(5.77 - 10.80)	2.69	(1.80 - 4.02)	3.33	(2.42 - 4.57)
Circuit 19	1.99	(1.19 - 3.32)	6.57	(4.44 - 9.62)	2.31	(1.47 - 3.61)	2.74	(1.88 - 3.98)
Region D	1.79	(1.33 - 2.40)	5.78	(4.74 - 7.03)	2.57	(1.99 - 3.32)	2.97	(2.42 - 3.65)
Circuits 11 and 16	1.65	(1.03 - 2.62)	4.85	(3.54 - 6.61)	2.48	(1.66 - 3.68)	2.80	(2.02 - 3.87)
Circuit 15 (Palm Beach)	2.01	(1.26 - 3.18)	7.74	(5.73 - 10.36)	2.53	(1.71 - 3.72)	3.08	(2.27 - 4.16)
Circuit 17 (Broward)	1.86	(1.19 - 2.91)	6.07	(4.47 - 8.19)	2.74	(1.88 - 3.99)	3.15	(2.30 - 4.29)
Region E	2.07	(1.55 - 2.76)	7.70	(6.42 - 9.22)	2.48	(1.96 - 3.14)	3.06	(2.55 - 3.67)
Circuit 6	1.86	(1.17 - 2.94)	7.51	(5.43 - 10.29)	2.41	(1.63 - 3.56)	2.91	(2.12 - 3.99)
Circuit 12	2.12	(1.30 - 3.46)	7.73	(5.31 - 11.12)	2.20	(1.39 - 3.45)	2.71	(1.87 - 3.92)
Circuit 13 (Hillsborough)	2.22	(1.36 - 3.61)	7.72	(5.63 - 10.49)	2.84	(1.88 - 4.25)	3.57	(2.62 - 4.84)
Circuit 20	2.11	(1.31 - 3.39)	7.92	(5.65 - 11.00)	2.43	(1.62 - 3.61)	2.97	(2.14 - 4.11)
Georgia	1.60	(1.10 - 2.33)	4.81	(3.67 - 6.27)	2.74	(2.02 - 3.70)	3.05	(2.37 - 3.92)
Region 1	2.17	(1.22 - 3.82)	5.21	(3.39 - 7.92)	2.28	(1.40 - 3.71)	2.69	(1.80 - 4.01)
Region 2	1.57	(0.91 - 2.71)	4.95	(3.30 - 7.37)	2.32	(1.44 - 3.72)	2.73	(1.85 - 4.00)
Region 3	1.48	(0.85 - 2.54)	4.51	(3.06 - 6.61)	3.11	(2.06 - 4.65)	3.32	(2.33 - 4.70)
Region 4	1.52	(0.84 - 2.71)	4.99	(3.17 - 7.75)	2.72	(1.67 - 4.43)	3.07	(2.02 - 4.63)
Region 5	1.57	(0.88 - 2.76)	4.98	(3.14 - 7.80)	2.55	(1.57 - 4.10)	2.96	(1.99 - 4.39)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	2.36	(1.58 - 3.52)	8.25	(6.48 - 10.45)	3.22	(2.28 - 4.53)	3.89	(2.98 - 5.05)
Hawaii Island	2.25	(1.22 - 4.09)	8.70	(5.81 - 12.83)	3.65	(2.18 - 6.04)	4.25	(2.78 - 6.44)
Honolulu	2.44	(1.53 - 3.87)	8.25	(6.26 - 10.79)	3.13	(2.10 - 4.64)	3.84	(2.84 - 5.17)
Kauai and Maui**	2.16	(1.30 - 3.56)	7.92	(5.52 - 11.24)	3.28	(2.13 - 5.04)	3.82	(2.66 - 5.46)
Maui	2.19	(1.21 - 3.93)	7.97	(5.26 - 11.89)	3.40	(2.08 - 5.50)	3.94	(2.62 - 5.89)
Idaho	2.37	(1.73 - 3.26)	7.40	(6.03 - 9.05)	2.75	(2.07 - 3.65)	3.53	(2.86 - 4.33)
Region 1	2.52	(1.47 - 4.28)	7.55	(5.09 - 11.06)	2.57	(1.61 - 4.08)	3.21	(2.20 - 4.65)
Region 2	2.71	(1.56 - 4.68)	9.14	(6.17 - 13.33)	2.84	(1.76 - 4.56)	4.01	(2.82 - 5.67)
Region 3	2.62	(1.55 - 4.37)	6.75	(4.59 - 9.82)	2.61	(1.66 - 4.09)	3.27	(2.29 - 4.64)
Region 4	2.46	(1.46 - 4.13)	8.29	(6.02 - 11.31)	3.23	(2.15 - 4.82)	4.06	(2.98 - 5.51)
Region 5	2.49	(1.44 - 4.28)	6.83	(4.50 - 10.23)	2.56	(1.57 - 4.15)	3.21	(2.18 - 4.70)
Region 6	2.04	(1.14 - 3.62)	7.19	(4.86 - 10.49)	2.59	(1.62 - 4.11)	3.46	(2.43 - 4.91)
Region 7	1.89	(1.04 - 3.39)	5.80	(3.79 - 8.77)	2.30	(1.37 - 3.83)	3.03	(2.06 - 4.44)
Illinois	2.04	(1.64 - 2.55)	8.10	(7.18 - 9.12)	3.03	(2.52 - 3.63)	3.80	(3.33 - 4.32)
Region I (Cook)	2.08	(1.50 - 2.88)	7.86	(6.55 - 9.40)	3.62	(2.82 - 4.64)	4.27	(3.53 - 5.15)
Region II	2.06	(1.48 - 2.87)	7.93	(6.49 - 9.65)	2.64	(1.96 - 3.54)	3.39	(2.74 - 4.20)
Region III	1.90	(1.22 - 2.97)	8.93	(6.91 - 11.46)	2.70	(1.88 - 3.86)	3.78	(2.94 - 4.84)
Region IV	2.38	(1.52 - 3.72)	8.11	(5.96 - 10.95)	2.53	(1.70 - 3.75)	3.33	(2.48 - 4.47)
Region V	1.72	(1.06 - 2.77)	8.54	(6.58 - 11.02)	2.36	(1.56 - 3.57)	3.28	(2.47 - 4.36)
Indiana	2.21	(1.64 - 2.99)	8.16	(6.74 - 9.85)	2.79	(2.15 - 3.62)	3.61	(2.99 - 4.37)
Central	2.04	(1.26 - 3.30)	7.46	(5.31 - 10.40)	2.93	(1.95 - 4.37)	3.57	(2.59 - 4.91)
East	2.13	(1.22 - 3.68)	7.91	(5.34 - 11.55)	2.32	(1.45 - 3.68)	3.18	(2.23 - 4.52)
North Central	2.37	(1.40 - 4.01)	8.75	(6.04 - 12.51)	3.06	(1.94 - 4.77)	3.91	(2.75 - 5.52)
Northeast	2.20	(1.30 - 3.69)	7.64	(5.26 - 10.98)	2.80	(1.79 - 4.36)	3.53	(2.47 - 5.01)
Northwest	2.01	(1.21 - 3.35)	6.87	(4.70 - 9.92)	2.74	(1.75 - 4.27)	3.33	(2.32 - 4.75)
Southeast	2.65	(1.52 - 4.60)	7.98	(5.26 - 11.94)	2.53	(1.58 - 4.02)	3.27	(2.25 - 4.73)
Southwest	2.30	(1.31 - 4.03)	8.04	(5.40 - 11.81)	2.63	(1.64 - 4.22)	3.41	(2.36 - 4.92)
West	2.20	(1.28 - 3.77)	10.10	(7.13 - 14.13)	2.94	(1.88 - 4.56)	4.51	(3.30 - 6.13)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	2.81	(2.06 - 3.84)	9.91	(8.22 - 11.90)	3.15	(2.38 - 4.17)	4.20	(3.44 - 5.12)
Central	3.23	(1.94 - 5.34)	10.28	(7.26 - 14.37)	3.70	(2.34 - 5.81)	4.68	(3.29 - 6.62)
North Central	2.61	(1.52 - 4.44)	9.37	(6.42 - 13.46)	3.12	(1.95 - 4.97)	4.28	(3.02 - 6.03)
Northeast	2.88	(1.76 - 4.67)	11.36	(8.41 - 15.17)	3.31	(2.17 - 5.02)	4.57	(3.38 - 6.15)
Northwest	2.74	(1.64 - 4.54)	9.47	(6.60 - 13.40)	2.66	(1.67 - 4.20)	3.60	(2.54 - 5.08)
Southeast	2.61	(1.56 - 4.36)	9.26	(6.61 - 12.82)	3.19	(2.06 - 4.90)	4.19	(3.03 - 5.78)
Southwest	2.78	(1.59 - 4.82)	8.35	(5.60 - 12.26)	2.63	(1.63 - 4.23)	3.38	(2.32 - 4.91)
Kansas	2.99	(2.15 - 4.14)	8.13	(6.55 - 10.06)	3.05	(2.29 - 4.05)	3.87	(3.13 - 4.77)
Kansas City Metro	3.04	(1.87 - 4.92)	8.15	(5.94 - 11.09)	3.25	(2.19 - 4.81)	4.07	(3.03 - 5.44)
Northeast	3.28	(2.01 - 5.31)	8.01	(5.48 - 11.57)	3.12	(2.01 - 4.81)	3.97	(2.82 - 5.57)
South Central	2.85	(1.66 - 4.83)	7.19	(4.71 - 10.83)	2.39	(1.44 - 3.93)	3.10	(2.10 - 4.56)
Southeast	*	(* - *)	8.77	(5.71 - 13.23)	*	(* - *)	3.96	(2.66 - 5.85)
West	3.03	(1.79 - 5.10)	9.59	(6.46 - 13.99)	2.91	(1.79 - 4.70)	3.94	(2.71 - 5.68)
Wichita (Sedgwick)	2.64	(1.50 - 4.59)	7.69	(5.29 - 11.05)	3.18	(2.02 - 4.97)	3.90	(2.73 - 5.53)
Kentucky	2.22	(1.61 - 3.04)	6.04	(4.77 - 7.63)	2.48	(1.87 - 3.29)	2.99	(2.39 - 3.72)
Adanta, Cumberland River, and Lifeskills	2.07	(1.20 - 3.56)	5.89	(3.97 - 8.67)	2.27	(1.40 - 3.66)	2.78	(1.90 - 4.05)
Bluegrass, Comprehend, and North Key	2.27	(1.41 - 3.63)	6.22	(4.36 - 8.80)	2.65	(1.73 - 4.06)	3.21	(2.28 - 4.49)
Communicare and River Valley	1.92	(1.10 - 3.32)	6.14	(4.03 - 9.26)	2.33	(1.45 - 3.72)	2.86	(1.95 - 4.18)
Four Rivers and Pennyroyal	2.28	(1.31 - 3.93)	6.00	(3.92 - 9.10)	2.22	(1.38 - 3.55)	2.76	(1.88 - 4.03)
Kentucky River, Mountain, and Pathways	2.11	(1.24 - 3.57)	5.89	(4.00 - 8.59)	2.12	(1.32 - 3.38)	2.65	(1.84 - 3.81)
Seven Counties	2.48	(1.48 - 4.13)	5.93	(4.02 - 8.68)	2.82	(1.82 - 4.34)	3.22	(2.24 - 4.61)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	1.63	(1.14 - 2.32)	5.53	(4.38 - 6.97)	2.87	(2.14 - 3.84)	3.32	(2.63 - 4.17)
Region 1	*	(* - *)	5.23	(3.36 - 8.05)	3.37	(2.04 - 5.50)	3.68	(2.42 - 5.55)
Regions 2 and 9	1.78	(1.05 - 3.02)	5.42	(3.75 - 7.78)	2.84	(1.84 - 4.35)	3.29	(2.33 - 4.62)
Region 3	1.67	(0.94 - 2.93)	5.06	(3.30 - 7.68)	2.71	(1.65 - 4.42)	3.10	(2.07 - 4.61)
Region 4	1.57	(0.89 - 2.77)	6.20	(4.04 - 9.39)	2.76	(1.71 - 4.41)	3.33	(2.28 - 4.86)
Regions 5 and 6	1.76	(0.98 - 3.14)	5.54	(3.69 - 8.24)	2.59	(1.61 - 4.16)	3.07	(2.09 - 4.47)
Regions 7 and 8	1.47	(0.85 - 2.51)	5.48	(3.72 - 8.01)	2.73	(1.70 - 4.38)	3.19	(2.18 - 4.66)
Region 10 (Jefferson)	1.70	(0.96 - 3.02)	5.89	(3.86 - 8.90)	3.26	(1.99 - 5.29)	3.64	(2.41 - 5.47)
Maine	2.31	(1.67 - 3.20)	7.29	(5.93 - 8.93)	2.77	(2.10 - 3.65)	3.37	(2.72 - 4.16)
Aroostook/Downeast	2.23	(1.28 - 3.87)	7.20	(4.74 - 10.79)	2.47	(1.52 - 3.99)	3.06	(2.07 - 4.51)
Central	2.45	(1.45 - 4.11)	7.10	(4.84 - 10.30)	2.50	(1.54 - 4.03)	3.10	(2.14 - 4.48)
Cumberland	2.45	(1.45 - 4.12)	8.28	(5.88 - 11.55)	3.63	(2.32 - 5.62)	4.25	(2.96 - 6.06)
Midcoast	2.10	(1.20 - 3.64)	7.46	(5.03 - 10.93)	2.40	(1.49 - 3.85)	2.97	(2.02 - 4.35)
Penquis	2.10	(1.20 - 3.66)	7.48	(5.22 - 10.60)	2.52	(1.55 - 4.06)	3.30	(2.31 - 4.71)
Western	2.50	(1.43 - 4.34)	6.47	(4.39 - 9.43)	2.64	(1.61 - 4.28)	3.17	(2.15 - 4.65)
York	2.22	(1.30 - 3.77)	6.58	(4.46 - 9.61)	2.68	(1.68 - 4.24)	3.15	(2.15 - 4.58)
Maryland	1.82	(1.30 - 2.54)	5.72	(4.55 - 7.16)	2.56	(1.90 - 3.45)	3.01	(2.38 - 3.80)
Anne Arundel	1.89	(1.08 - 3.31)	5.80	(3.71 - 8.95)	2.31	(1.38 - 3.84)	2.80	(1.84 - 4.24)
Baltimore City	1.38	(0.78 - 2.44)	5.59	(3.73 - 8.31)	3.59	(2.21 - 5.78)	3.92	(2.63 - 5.80)
Baltimore County	1.97	(1.14 - 3.39)	6.16	(4.12 - 9.12)	2.33	(1.41 - 3.82)	2.86	(1.93 - 4.22)
Montgomery	1.95	(1.14 - 3.30)	5.50	(3.68 - 8.13)	2.38	(1.47 - 3.84)	2.75	(1.84 - 4.09)
North Central	2.82	(1.54 - 5.12)	6.75	(4.30 - 10.45)	2.49	(1.47 - 4.18)	3.02	(1.97 - 4.62)
Northeast	1.92	(1.07 - 3.40)	6.95	(4.51 - 10.56)	2.17	(1.30 - 3.59)	2.78	(1.85 - 4.15)
Prince George's	1.27	(0.70 - 2.30)	4.34	(2.89 - 6.47)	2.95	(1.81 - 4.76)	3.17	(2.12 - 4.73)
South	1.74	(1.00 - 3.03)	5.70	(3.66 - 8.76)	2.23	(1.34 - 3.72)	2.74	(1.82 - 4.10)
West	1.91	(1.06 - 3.44)	6.36	(4.13 - 9.67)	2.44	(1.47 - 4.03)	2.99	(2.00 - 4.46)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	1.75	(1.22 - 2.50)	8.88	(7.28 - 10.81)	3.11	(2.34 - 4.11)	3.92	(3.19 - 4.82)
Boston	1.62	(0.90 - 2.89)	8.69	(6.06 - 12.31)	4.30	(2.78 - 6.60)	5.20	(3.73 - 7.20)
Central	1.80	(1.01 - 3.19)	8.43	(5.72 - 12.26)	2.83	(1.77 - 4.49)	3.59	(2.49 - 5.15)
Metrowest	1.67	(0.96 - 2.91)	9.49	(6.75 - 13.17)	3.25	(2.10 - 5.01)	4.05	(2.90 - 5.63)
Northeast	1.61	(0.89 - 2.90)	7.42	(5.09 - 10.70)	2.72	(1.69 - 4.33)	3.32	(2.28 - 4.81)
Southeast	1.89	(1.11 - 3.20)	9.65	(6.79 - 13.54)	2.76	(1.75 - 4.32)	3.60	(2.55 - 5.07)
Western	1.92	(1.11 - 3.31)	9.50	(6.79 - 13.13)	3.21	(2.02 - 5.07)	4.21	(3.00 - 5.88)
Michigan	2.05	(1.68 - 2.49)	8.07	(7.21 - 9.02)	3.00	(2.53 - 3.56)	3.75	(3.31 - 4.25)
Bay	2.28	(1.39 - 3.71)	8.44	(6.00 - 11.75)	2.81	(1.84 - 4.27)	3.57	(2.56 - 4.96)
Detroit City	1.16	(0.67 - 2.02)	7.65	(5.57 - 10.43)	5.34	(3.63 - 7.81)	5.71	(4.13 - 7.83)
Genesee	2.16	(1.34 - 3.48)	8.87	(6.43 - 12.13)	2.87	(1.86 - 4.41)	3.73	(2.71 - 5.12)
Kalamazoo	1.86	(1.14 - 3.01)	7.31	(5.29 - 10.00)	2.92	(1.94 - 4.37)	3.63	(2.66 - 4.94)
Kent	2.00	(1.25 - 3.18)	8.92	(6.58 - 11.98)	3.27	(2.20 - 4.83)	4.23	(3.16 - 5.65)
Lakeshore	2.00	(1.27 - 3.14)	8.52	(6.28 - 11.48)	2.83	(1.95 - 4.09)	3.72	(2.80 - 4.92)
Macomb	2.06	(1.28 - 3.30)	7.48	(5.36 - 10.35)	2.84	(1.93 - 4.17)	3.45	(2.54 - 4.69)
Mid South	2.13	(1.39 - 3.26)	9.17	(7.01 - 11.90)	2.58	(1.75 - 3.78)	3.74	(2.87 - 4.85)
Northern	1.88	(1.17 - 3.02)	8.11	(6.03 - 10.84)	2.22	(1.48 - 3.30)	3.04	(2.26 - 4.07)
Oakland	2.49	(1.68 - 3.69)	8.00	(6.09 - 10.44)	2.96	(2.07 - 4.20)	3.58	(2.71 - 4.72)
Pathways	*	(* - *)	8.25	(5.74 - 11.71)	3.08	(1.96 - 4.80)	3.84	(2.71 - 5.42)
Saginaw	*	(* - *)	7.95	(5.37 - 11.62)	2.84	(1.80 - 4.44)	3.56	(2.48 - 5.08)
Southeast	2.58	(1.70 - 3.90)	7.36	(5.60 - 9.61)	2.76	(1.88 - 4.03)	3.37	(2.52 - 4.50)
St. Clair	2.27	(1.35 - 3.80)	8.07	(5.50 - 11.69)	2.67	(1.69 - 4.19)	3.39	(2.37 - 4.82)
Washtenaw	1.81	(1.12 - 2.93)	7.46	(5.36 - 10.28)	2.86	(1.95 - 4.18)	3.74	(2.79 - 5.00)
Western	*	(* - *)	8.76	(6.09 - 12.45)	2.59	(1.61 - 4.14)	3.50	(2.45 - 4.98)
Minnesota	2.15	(1.56 - 2.97)	8.01	(6.58 - 9.72)	3.09	(2.33 - 4.07)	3.84	(3.12 - 4.73)
Regions 1 and 2	2.37	(1.36 - 4.10)	8.67	(5.85 - 12.67)	2.77	(1.70 - 4.49)	3.63	(2.49 - 5.25)
Regions 3 and 4	2.23	(1.33 - 3.72)	9.41	(6.55 - 13.33)	3.02	(1.93 - 4.69)	4.06	(2.91 - 5.65)
Regions 5 and 6	2.37	(1.42 - 3.92)	8.46	(5.93 - 11.93)	2.72	(1.72 - 4.27)	3.62	(2.58 - 5.06)
Region 7A (Hennepin)	1.79	(1.04 - 3.06)	6.90	(4.90 - 9.63)	3.44	(2.20 - 5.33)	3.96	(2.77 - 5.63)
Region 7B (Ramsey)	2.02	(1.18 - 3.43)	7.74	(5.23 - 11.30)	3.53	(2.18 - 5.67)	4.25	(2.91 - 6.16)
Region 7C	2.16	(1.30 - 3.58)	7.45	(5.25 - 10.47)	3.03	(1.97 - 4.63)	3.66	(2.60 - 5.13)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	1.71	(1.21 - 2.42)	6.44	(5.19 - 7.98)	2.72	(2.03 - 3.64)	3.33	(2.67 - 4.15)
Region 1	1.95	(1.15 - 3.30)	7.25	(4.92 - 10.57)	2.50	(1.58 - 3.92)	3.24	(2.27 - 4.60)
Region 2	1.54	(0.89 - 2.65)	5.33	(3.48 - 8.08)	3.22	(2.01 - 5.13)	3.57	(2.43 - 5.24)
Region 3	1.58	(0.88 - 2.84)	5.84	(3.95 - 8.55)	2.43	(1.49 - 3.96)	3.02	(2.08 - 4.37)
Region 4	1.60	(0.91 - 2.81)	6.05	(4.12 - 8.80)	3.04	(1.91 - 4.80)	3.53	(2.42 - 5.12)
Region 5	1.64	(0.90 - 2.96)	5.60	(3.64 - 8.53)	2.55	(1.53 - 4.24)	3.02	(2.01 - 4.52)
Region 6	1.62	(0.90 - 2.90)	5.82	(3.82 - 8.76)	2.50	(1.54 - 4.02)	3.09	(2.10 - 4.51)
Region 7	1.93	(1.12 - 3.32)	8.32	(5.81 - 11.76)	2.71	(1.69 - 4.33)	3.57	(2.51 - 5.05)
Missouri	2.18	(1.57 - 3.02)	8.10	(6.63 - 9.86)	3.27	(2.52 - 4.24)	4.00	(3.28 - 4.87)
Central	2.10	(1.20 - 3.67)	6.83	(4.61 - 10.02)	2.85	(1.76 - 4.58)	3.55	(2.45 - 5.12)
Eastern	2.13	(1.39 - 3.26)	8.64	(6.49 - 11.41)	3.72	(2.61 - 5.29)	4.43	(3.33 - 5.86)
Eastern (St. Louis City and County)	2.15	(1.28 - 3.58)	8.79	(6.22 - 12.28)	4.07	(2.66 - 6.19)	4.75	(3.36 - 6.67)
Eastern (excluding St. Louis)	2.10	(1.21 - 3.61)	8.35	(5.69 - 12.09)	3.02	(1.94 - 4.67)	3.79	(2.69 - 5.32)
Northwest	2.23	(1.43 - 3.46)	7.75	(5.67 - 10.52)	3.37	(2.35 - 4.82)	4.03	(3.02 - 5.36)
Northwest (Jackson)	2.14	(1.23 - 3.68)	7.78	(5.23 - 11.42)	3.55	(2.24 - 5.56)	4.17	(2.87 - 6.02)
Northwest (excluding Jackson)	2.31	(1.31 - 4.05)	7.73	(5.08 - 11.58)	3.22	(2.02 - 5.10)	3.91	(2.68 - 5.65)
Southeast	2.13	(1.22 - 3.68)	8.35	(5.75 - 11.98)	2.79	(1.77 - 4.37)	3.59	(2.51 - 5.10)
Southwest	2.32	(1.36 - 3.94)	8.58	(6.13 - 11.88)	2.81	(1.85 - 4.25)	3.69	(2.69 - 5.04)
Montana	3.48	(2.52 - 4.79)	9.17	(7.59 - 11.05)	3.51	(2.63 - 4.68)	4.37	(3.53 - 5.40)
Region 1	3.55	(2.03 - 6.15)	8.91	(5.92 - 13.20)	3.05	(1.83 - 5.06)	3.76	(2.49 - 5.65)
Region 2	2.83	(1.66 - 4.79)	8.04	(5.47 - 11.66)	3.04	(1.92 - 4.79)	3.79	(2.64 - 5.43)
Region 3	3.26	(1.98 - 5.33)	11.04	(7.92 - 15.18)	3.35	(2.14 - 5.20)	4.44	(3.19 - 6.15)
Region 4	3.14	(1.94 - 5.06)	8.82	(6.54 - 11.80)	3.82	(2.54 - 5.69)	4.65	(3.42 - 6.30)
Region 5	4.24	(2.64 - 6.74)	8.95	(6.57 - 12.08)	3.74	(2.44 - 5.69)	4.55	(3.28 - 6.26)
Nebraska	2.15	(1.55 - 2.98)	9.32	(7.67 - 11.28)	2.80	(2.12 - 3.67)	3.85	(3.19 - 4.64)
Regions 1 and 2	2.10	(1.22 - 3.59)	9.52	(6.43 - 13.88)	2.34	(1.42 - 3.84)	3.31	(2.28 - 4.77)
Region 3	2.13	(1.20 - 3.74)	8.56	(5.77 - 12.54)	2.30	(1.41 - 3.72)	3.26	(2.26 - 4.67)
Region 4	1.97	(1.13 - 3.43)	9.92	(6.86 - 14.15)	2.57	(1.60 - 4.12)	3.63	(2.56 - 5.12)
Region 5	2.55	(1.55 - 4.18)	9.32	(6.82 - 12.62)	3.39	(2.23 - 5.12)	4.49	(3.32 - 6.06)
Region 6	2.00	(1.24 - 3.20)	9.34	(6.91 - 12.49)	2.80	(1.89 - 4.14)	3.86	(2.91 - 5.11)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	1.83	(1.22 - 2.74)	8.04	(6.41 - 10.03)	3.06	(2.25 - 4.15)	3.74	(2.95 - 4.72)
Clark	1.63	(0.97 - 2.71)	7.44	(5.62 - 9.78)	3.10	(2.14 - 4.47)	3.70	(2.78 - 4.92)
Rural	2.09	(1.21 - 3.58)	8.89	(6.15 - 12.67)	2.55	(1.63 - 3.98)	3.29	(2.31 - 4.68)
Washoe	2.47	(1.41 - 4.31)	10.11	(7.13 - 14.15)	3.30	(2.11 - 5.14)	4.28	(3.03 - 6.01)
New Hampshire	2.04	(1.44 - 2.88)	9.38	(7.71 - 11.37)	2.64	(1.95 - 3.55)	3.56	(2.87 - 4.40)
Central	2.00	(1.28 - 3.12)	9.39	(7.04 - 12.43)	2.52	(1.68 - 3.74)	3.53	(2.64 - 4.69)
Central 1	1.91	(1.07 - 3.39)	9.68	(6.73 - 13.75)	2.56	(1.55 - 4.21)	3.76	(2.63 - 5.35)
Central 2	2.09	(1.21 - 3.59)	9.02	(6.20 - 12.93)	2.47	(1.52 - 3.99)	3.30	(2.30 - 4.73)
Northern	2.05	(1.15 - 3.62)	10.88	(7.65 - 15.25)	2.93	(1.80 - 4.73)	4.04	(2.84 - 5.73)
Southern	2.06	(1.38 - 3.05)	9.02	(7.10 - 11.39)	2.63	(1.87 - 3.67)	3.46	(2.70 - 4.43)
Southern 1 (Rockingham)	2.02	(1.17 - 3.44)	8.25	(5.62 - 11.96)	2.66	(1.71 - 4.12)	3.31	(2.32 - 4.70)
Southern 2	2.08	(1.30 - 3.31)	9.40	(7.07 - 12.40)	2.61	(1.71 - 3.95)	3.56	(2.64 - 4.79)
New Jersey	1.92	(1.33 - 2.77)	6.12	(4.82 - 7.74)	2.39	(1.73 - 3.30)	2.88	(2.24 - 3.69)
Central	1.84	(1.05 - 3.20)	6.27	(4.26 - 9.13)	2.24	(1.36 - 3.66)	2.72	(1.82 - 4.03)
Metropolitan	1.76	(1.02 - 3.03)	5.54	(3.73 - 8.16)	2.44	(1.49 - 3.96)	2.88	(1.95 - 4.25)
Northern	2.01	(1.19 - 3.38)	6.06	(4.20 - 8.65)	2.27	(1.42 - 3.59)	2.74	(1.90 - 3.94)
Southern	2.06	(1.20 - 3.52)	6.79	(4.65 - 9.81)	2.71	(1.71 - 4.28)	3.26	(2.25 - 4.69)
New Mexico	2.56	(1.83 - 3.58)	7.70	(6.19 - 9.55)	3.63	(2.72 - 4.81)	4.28	(3.43 - 5.33)
Region 1	2.47	(1.47 - 4.12)	7.19	(4.88 - 10.48)	3.77	(2.39 - 5.88)	4.32	(2.98 - 6.22)
Region 2	2.61	(1.49 - 4.53)	7.96	(5.33 - 11.73)	3.96	(2.49 - 6.25)	4.50	(3.05 - 6.59)
Region 3 (Bernalillo)	2.48	(1.53 - 4.01)	7.82	(5.68 - 10.69)	3.83	(2.56 - 5.68)	4.48	(3.28 - 6.09)
Region 4	2.51	(1.43 - 4.35)	7.89	(5.41 - 11.36)	3.21	(1.99 - 5.14)	3.99	(2.75 - 5.76)
Region 5	2.76	(1.63 - 4.66)	7.73	(5.46 - 10.84)	3.16	(1.99 - 5.00)	3.95	(2.79 - 5.56)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	1.76	(1.40 - 2.21)	6.85	(6.00 - 7.81)	2.67	(2.20 - 3.24)	3.27	(2.84 - 3.77)
Region A	1.51	(1.10 - 2.06)	5.83	(4.80 - 7.06)	2.98	(2.34 - 3.79)	3.41	(2.81 - 4.14)
Region 1	1.37	(0.79 - 2.36)	4.85	(3.20 - 7.30)	3.05	(1.94 - 4.78)	3.35	(2.29 - 4.86)
Region 2	1.25	(0.76 - 2.05)	5.58	(4.08 - 7.59)	2.64	(1.79 - 3.88)	3.10	(2.27 - 4.22)
Region 3	1.78	(1.02 - 3.07)	8.44	(6.14 - 11.51)	4.24	(2.87 - 6.21)	4.84	(3.53 - 6.61)
Region 4	1.86	(1.13 - 3.06)	4.90	(3.45 - 6.91)	2.44	(1.59 - 3.73)	2.80	(1.98 - 3.95)
Region B	1.79	(1.30 - 2.45)	6.74	(5.42 - 8.35)	2.28	(1.73 - 3.01)	2.85	(2.30 - 3.52)
Region 5	1.78	(1.15 - 2.74)	6.61	(4.89 - 8.87)	2.10	(1.42 - 3.09)	2.66	(1.98 - 3.57)
Region 6	1.76	(1.07 - 2.88)	6.52	(4.52 - 9.34)	2.57	(1.67 - 3.92)	3.05	(2.14 - 4.32)
Region 7	1.84	(1.12 - 3.03)	7.43	(5.21 - 10.50)	2.44	(1.57 - 3.78)	3.16	(2.25 - 4.42)
Region C	2.03	(1.53 - 2.71)	8.19	(6.92 - 9.66)	2.53	(1.97 - 3.24)	3.36	(2.82 - 4.01)
Region 8	2.45	(1.48 - 4.04)	9.27	(6.87 - 12.41)	2.83	(1.86 - 4.27)	3.75	(2.76 - 5.09)
Region 9	2.06	(1.29 - 3.29)	9.41	(6.94 - 12.65)	2.41	(1.57 - 3.69)	3.46	(2.56 - 4.66)
Region 10	1.80	(1.08 - 3.00)	7.39	(5.18 - 10.45)	2.32	(1.46 - 3.68)	3.25	(2.33 - 4.53)
Region 11	1.70	(1.04 - 2.76)	6.80	(4.86 - 9.44)	2.06	(1.32 - 3.22)	2.76	(1.98 - 3.83)
Region 12	2.08	(1.30 - 3.33)	7.89	(5.70 - 10.81)	2.85	(1.91 - 4.25)	3.54	(2.59 - 4.81)
Region D	2.05	(1.43 - 2.92)	8.73	(6.94 - 10.92)	2.74	(1.99 - 3.76)	3.65	(2.88 - 4.62)
Region 13	2.07	(1.19 - 3.55)	8.41	(5.70 - 12.23)	3.07	(1.87 - 4.98)	3.83	(2.60 - 5.62)
Region 14	2.08	(1.22 - 3.51)	7.75	(5.36 - 11.08)	2.73	(1.72 - 4.32)	3.56	(2.48 - 5.07)
Region 15	2.01	(1.20 - 3.35)	10.06	(7.10 - 14.06)	2.45	(1.54 - 3.88)	3.57	(2.57 - 4.96)
North Carolina	1.76	(1.23 - 2.53)	6.07	(4.83 - 7.59)	2.66	(1.95 - 3.61)	3.14	(2.46 - 3.98)
Eastern	1.65	(0.94 - 2.88)	6.00	(4.12 - 8.66)	2.83	(1.77 - 4.49)	3.32	(2.29 - 4.79)
North Central	1.66	(0.94 - 2.92)	5.53	(3.75 - 8.06)	2.57	(1.56 - 4.19)	2.99	(2.00 - 4.44)
South Central	1.70	(1.00 - 2.90)	5.44	(3.70 - 7.95)	2.35	(1.48 - 3.71)	2.81	(1.95 - 4.04)
Western	1.95	(1.17 - 3.24)	7.04	(5.06 - 9.72)	2.83	(1.86 - 4.30)	3.37	(2.42 - 4.68)
North Dakota	2.58	(1.89 - 3.52)	8.90	(7.37 - 10.70)	2.91	(2.18 - 3.86)	3.95	(3.25 - 4.80)
Badlands and West Central Lake Region and South Central	2.46	(1.52 - 3.98)	9.31	(6.59 - 12.99)	2.69	(1.73 - 4.16)	3.64	(2.63 - 5.03)
North Central and Northwest	2.24	(1.37 - 3.64)	8.19	(5.57 - 11.89)	2.49	(1.54 - 3.99)	3.22	(2.22 - 4.66)
Northeast	2.45	(1.46 - 4.08)	8.56	(6.06 - 11.95)	2.79	(1.79 - 4.33)	3.69	(2.66 - 5.10)
Southeast	2.40	(1.41 - 4.06)	8.92	(6.37 - 12.37)	3.01	(1.91 - 4.71)	4.36	(3.19 - 5.94)
Southeast	3.13	(1.92 - 5.07)	9.02	(6.69 - 12.05)	3.44	(2.25 - 5.21)	4.63	(3.43 - 6.22)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	1.82	(1.48 - 2.24)	7.39	(6.59 - 8.28)	2.57	(2.15 - 3.08)	3.28	(2.89 - 3.73)
Boards 2, 46, 55, and 68	1.79	(1.06 - 2.99)	7.29	(5.14 - 10.25)	2.28	(1.45 - 3.54)	2.98	(2.12 - 4.19)
Boards 3, 52, and 85	1.84	(1.09 - 3.08)	6.49	(4.42 - 9.44)	2.15	(1.36 - 3.38)	2.79	(1.96 - 3.95)
Boards 4 and 78	2.09	(1.26 - 3.43)	7.67	(5.39 - 10.80)	2.33	(1.50 - 3.60)	3.01	(2.13 - 4.23)
Boards 5 and 60	2.00	(1.21 - 3.30)	8.85	(6.34 - 12.22)	2.34	(1.51 - 3.60)	3.53	(2.59 - 4.81)
Boards 7, 15, 41, 79, and 84	1.79	(1.05 - 3.02)	7.94	(5.59 - 11.15)	2.26	(1.46 - 3.48)	2.98	(2.13 - 4.17)
Boards 8, 13, and 83	1.62	(0.95 - 2.74)	6.05	(4.09 - 8.86)	1.98	(1.24 - 3.13)	2.54	(1.76 - 3.67)
Board 9 (Butler)	2.16	(1.28 - 3.62)	7.61	(5.26 - 10.87)	2.39	(1.52 - 3.74)	3.31	(2.36 - 4.63)
Board 12	1.75	(1.04 - 2.94)	6.63	(4.49 - 9.70)	2.28	(1.46 - 3.55)	2.98	(2.09 - 4.22)
Boards 18 and 47	1.27	(0.78 - 2.06)	6.53	(4.94 - 8.59)	2.59	(1.78 - 3.75)	3.11	(2.32 - 4.16)
Boards 20, 32, 54, and 69	2.20	(1.33 - 3.62)	7.45	(5.12 - 10.72)	2.39	(1.54 - 3.69)	3.11	(2.20 - 4.38)
Boards 21, 39, 51, 70, and 80	1.75	(1.05 - 2.88)	6.15	(4.27 - 8.79)	2.27	(1.48 - 3.48)	2.80	(1.98 - 3.93)
Boards 22, 74, and 87	2.27	(1.36 - 3.77)	8.52	(5.99 - 11.97)	2.76	(1.74 - 4.35)	3.69	(2.61 - 5.18)
Boards 23 and 45	1.90	(1.14 - 3.16)	7.66	(5.38 - 10.79)	2.42	(1.57 - 3.71)	3.16	(2.27 - 4.39)
Board 25 (Franklin)	2.19	(1.38 - 3.46)	7.44	(5.72 - 9.64)	3.42	(2.39 - 4.87)	4.14	(3.16 - 5.41)
Boards 27, 71, and 73	1.88	(1.14 - 3.09)	6.78	(4.77 - 9.55)	2.24	(1.46 - 3.41)	2.89	(2.08 - 4.00)
Boards 28, 43, and 67	2.08	(1.26 - 3.43)	8.65	(6.20 - 11.94)	2.96	(1.91 - 4.53)	3.77	(2.71 - 5.24)
Board 31 (Hamilton)	1.72	(1.07 - 2.77)	8.33	(6.00 - 11.46)	2.86	(1.90 - 4.29)	3.70	(2.71 - 5.04)
Board 48 (Lucas)	1.68	(1.02 - 2.74)	8.26	(6.00 - 11.26)	2.72	(1.78 - 4.13)	3.59	(2.62 - 4.89)
Boards 50 and 76	1.98	(1.24 - 3.14)	7.00	(5.00 - 9.72)	2.48	(1.64 - 3.75)	3.07	(2.21 - 4.26)
Board 57 (Montgomery)	1.79	(1.08 - 2.95)	7.41	(5.32 - 10.25)	2.64	(1.74 - 3.98)	3.35	(2.44 - 4.59)
Board 77 (Summit)	1.73	(1.05 - 2.83)	7.50	(5.30 - 10.50)	2.61	(1.72 - 3.95)	3.26	(2.33 - 4.54)
Oklahoma	2.16	(1.54 - 3.03)	7.05	(5.69 - 8.70)	2.72	(2.05 - 3.60)	3.41	(2.74 - 4.23)
Central	2.04	(1.15 - 3.58)	6.67	(4.48 - 9.84)	2.44	(1.51 - 3.92)	3.21	(2.22 - 4.61)
East Central	1.93	(1.10 - 3.39)	6.27	(4.12 - 9.44)	2.18	(1.34 - 3.52)	2.77	(1.88 - 4.06)
Northeast	2.09	(1.17 - 3.69)	6.41	(4.31 - 9.45)	2.59	(1.58 - 4.21)	3.20	(2.18 - 4.68)
Northwest and Southwest	2.47	(1.40 - 4.29)	8.52	(5.84 - 12.27)	2.68	(1.68 - 4.26)	3.63	(2.54 - 5.17)
Oklahoma County	2.10	(1.21 - 3.61)	6.79	(4.67 - 9.78)	3.16	(2.03 - 4.87)	3.77	(2.65 - 5.34)
Southeast	2.18	(1.26 - 3.75)	6.96	(4.63 - 10.35)	2.17	(1.33 - 3.53)	2.86	(1.96 - 4.16)
Tulsa County	2.25	(1.30 - 3.84)	7.36	(4.99 - 10.71)	3.41	(2.16 - 5.32)	4.04	(2.79 - 5.81)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	2.41	(1.73 - 3.35)	8.39	(6.86 - 10.22)	2.74	(2.09 - 3.59)	3.55	(2.91 - 4.33)
Region 1 (Multnomah)	2.20	(1.27 - 3.79)	7.78	(5.41 - 11.08)	3.40	(2.22 - 5.16)	4.06	(2.88 - 5.69)
Region 2	2.31	(1.36 - 3.91)	10.51	(7.49 - 14.56)	3.11	(2.04 - 4.71)	4.14	(3.00 - 5.70)
Region 3	2.50	(1.55 - 4.00)	7.50	(5.53 - 10.10)	2.51	(1.67 - 3.76)	3.30	(2.45 - 4.42)
Region 4	2.45	(1.42 - 4.19)	8.34	(5.55 - 12.34)	2.13	(1.33 - 3.40)	2.85	(1.98 - 4.11)
Region 5	2.63	(1.51 - 4.54)	8.04	(5.38 - 11.86)	2.32	(1.45 - 3.68)	3.06	(2.12 - 4.39)
Pennsylvania	1.95	(1.59 - 2.40)	7.50	(6.70 - 8.39)	2.47	(2.04 - 2.99)	3.18	(2.78 - 3.64)
Region 1 (Allegheny)	1.82	(1.15 - 2.87)	7.99	(6.02 - 10.53)	2.74	(1.89 - 3.96)	3.43	(2.57 - 4.57)
Regions 2, 3, 8, and 9	1.82	(1.12 - 2.94)	7.85	(5.58 - 10.93)	2.08	(1.34 - 3.23)	2.91	(2.11 - 3.99)
Regions 4, 11, 37, and 49	1.92	(1.21 - 3.04)	7.54	(5.50 - 10.25)	2.28	(1.51 - 3.44)	2.97	(2.17 - 4.06)
Regions 5, 18, 23, 24, and 46	1.83	(1.11 - 3.00)	6.70	(4.88 - 9.15)	2.07	(1.38 - 3.10)	2.72	(2.00 - 3.68)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	2.65	(1.65 - 4.23)	9.47	(7.21 - 12.34)	2.48	(1.67 - 3.67)	3.77	(2.89 - 4.89)
Regions 7, 13, 20, and 33	2.27	(1.57 - 3.28)	6.95	(5.34 - 8.99)	2.18	(1.54 - 3.09)	2.80	(2.15 - 3.65)
Regions 10, 14, 15, 27, 32, 43, and 44	1.87	(1.11 - 3.13)	7.86	(5.58 - 10.97)	2.25	(1.48 - 3.42)	3.00	(2.16 - 4.16)
Regions 17 and 21	2.01	(1.16 - 3.48)	9.56	(6.83 - 13.23)	2.73	(1.75 - 4.23)	3.82	(2.78 - 5.24)
Regions 19, 26, 28, and 42	1.62	(1.02 - 2.57)	6.72	(5.07 - 8.86)	2.11	(1.42 - 3.13)	2.75	(2.04 - 3.68)
Regions 22, 38, 40, 41, and 48	2.01	(1.24 - 3.25)	6.94	(4.92 - 9.70)	2.17	(1.41 - 3.32)	2.75	(1.96 - 3.85)
Regions 25 and 30	2.18	(1.35 - 3.50)	7.60	(5.37 - 10.66)	2.69	(1.76 - 4.09)	3.33	(2.39 - 4.62)
Regions 29 and 34	1.69	(0.97 - 2.92)	6.18	(4.18 - 9.03)	2.33	(1.48 - 3.65)	2.85	(1.97 - 4.10)
Region 36 (Philadelphia)	1.64	(1.03 - 2.61)	7.57	(5.80 - 9.81)	3.79	(2.61 - 5.47)	4.43	(3.32 - 5.88)
Rhode Island	2.03	(1.37 - 2.99)	8.28	(6.70 - 10.20)	3.38	(2.53 - 4.51)	4.14	(3.33 - 5.14)
Bristol and Newport	2.20	(1.28 - 3.77)	8.59	(5.80 - 12.54)	3.01	(1.86 - 4.84)	3.76	(2.56 - 5.48)
Kent	1.94	(1.09 - 3.43)	7.30	(4.88 - 10.80)	2.92	(1.80 - 4.68)	3.46	(2.33 - 5.09)
Providence	1.99	(1.21 - 3.27)	7.80	(5.90 - 10.24)	3.61	(2.52 - 5.16)	4.30	(3.27 - 5.65)
Washington	2.13	(1.18 - 3.84)	11.38	(7.90 - 16.13)	3.33	(2.09 - 5.28)	4.65	(3.30 - 6.51)
South Carolina	1.99	(1.42 - 2.78)	6.50	(5.19 - 8.12)	3.07	(2.30 - 4.08)	3.58	(2.85 - 4.47)
Region 1	2.00	(1.20 - 3.31)	6.32	(4.40 - 8.98)	2.53	(1.63 - 3.92)	3.07	(2.17 - 4.34)
Region 2	1.89	(1.13 - 3.13)	6.84	(4.88 - 9.51)	3.23	(2.12 - 4.90)	3.78	(2.70 - 5.25)
Region 3	1.77	(1.03 - 3.03)	5.56	(3.70 - 8.26)	3.10	(1.95 - 4.88)	3.44	(2.34 - 5.04)
Region 4	2.24	(1.35 - 3.71)	6.89	(4.86 - 9.68)	3.43	(2.20 - 5.30)	3.96	(2.78 - 5.62)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	2.62	(1.90 - 3.60)	8.21	(6.70 - 10.03)	3.01	(2.28 - 3.97)	3.86	(3.16 - 4.72)
Region 1	2.59	(1.50 - 4.46)	8.55	(5.94 - 12.16)	2.83	(1.81 - 4.39)	3.76	(2.69 - 5.23)
Region 2	2.32	(1.36 - 3.94)	7.69	(5.56 - 10.54)	2.98	(1.94 - 4.54)	3.78	(2.75 - 5.18)
Region 3	2.81	(1.71 - 4.60)	8.28	(5.79 - 11.69)	2.80	(1.75 - 4.45)	3.80	(2.71 - 5.31)
Region 4	3.28	(1.86 - 5.72)	*	(* - *)	3.30	(2.05 - 5.30)	4.41	(3.05 - 6.33)
Region 5	2.87	(1.66 - 4.91)	8.47	(5.58 - 12.64)	2.94	(1.82 - 4.71)	3.67	(2.51 - 5.36)
Region 6	2.31	(1.34 - 3.97)	7.11	(4.81 - 10.39)	2.71	(1.68 - 4.35)	3.29	(2.24 - 4.79)
Region 7	2.42	(1.41 - 4.15)	7.94	(5.43 - 11.46)	3.53	(2.20 - 5.63)	4.24	(2.93 - 6.11)
Tennessee	1.74	(1.23 - 2.47)	6.64	(5.34 - 8.22)	2.39	(1.81 - 3.16)	2.99	(2.42 - 3.69)
Region 1	1.96	(1.07 - 3.56)	6.27	(4.04 - 9.60)	2.00	(1.22 - 3.28)	2.53	(1.69 - 3.79)
Region 2	1.71	(0.96 - 3.02)	6.95	(4.83 - 9.90)	2.15	(1.36 - 3.39)	2.81	(1.99 - 3.97)
Region 3	1.73	(0.99 - 3.02)	6.64	(4.57 - 9.56)	2.26	(1.43 - 3.56)	2.86	(2.00 - 4.08)
Region 4 (Davidson)	*	(* - *)	6.27	(4.19 - 9.29)	2.97	(1.86 - 4.71)	3.49	(2.40 - 5.05)
Region 5	1.84	(1.08 - 3.13)	7.54	(5.19 - 10.84)	2.30	(1.49 - 3.54)	3.05	(2.20 - 4.22)
Region 6	2.20	(1.22 - 3.93)	7.17	(4.78 - 10.63)	2.50	(1.49 - 4.16)	3.15	(2.10 - 4.71)
Region 7 (Shelby)	1.36	(0.74 - 2.47)	5.12	(3.37 - 7.72)	2.76	(1.67 - 4.51)	3.11	(2.06 - 4.68)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	1.75	(1.40 - 2.20)	7.03	(6.23 - 7.92)	2.85	(2.37 - 3.42)	3.53	(3.10 - 4.02)
Region 1	2.50	(1.48 - 4.21)	9.11	(6.47 - 12.68)	2.91	(1.87 - 4.49)	4.00	(2.89 - 5.51)
Region 2	1.69	(0.98 - 2.87)	6.93	(4.69 - 10.12)	2.37	(1.49 - 3.75)	3.08	(2.16 - 4.39)
Region 3	1.58	(1.11 - 2.24)	6.76	(5.47 - 8.33)	2.61	(1.97 - 3.45)	3.27	(2.65 - 4.03)
Region 3a	1.57	(1.02 - 2.43)	6.47	(4.96 - 8.41)	2.62	(1.86 - 3.68)	3.25	(2.51 - 4.20)
Region 3bc	1.59	(0.99 - 2.55)	7.31	(5.43 - 9.75)	2.59	(1.77 - 3.76)	3.31	(2.49 - 4.39)
Region 4	1.59	(0.94 - 2.67)	6.77	(4.72 - 9.61)	2.30	(1.49 - 3.53)	2.91	(2.07 - 4.07)
Region 5	1.66	(0.98 - 2.81)	7.04	(4.75 - 10.31)	2.40	(1.55 - 3.72)	3.09	(2.18 - 4.36)
Region 6	1.55	(1.05 - 2.29)	6.09	(4.88 - 7.59)	3.18	(2.37 - 4.26)	3.65	(2.90 - 4.58)
Region 6a	1.53	(1.00 - 2.34)	5.94	(4.66 - 7.54)	3.23	(2.35 - 4.43)	3.67	(2.87 - 4.70)
Region 6bc	1.71	(1.00 - 2.93)	7.60	(5.21 - 10.95)	2.76	(1.80 - 4.21)	3.44	(2.43 - 4.84)
Region 7	1.91	(1.30 - 2.78)	8.08	(6.44 - 10.09)	2.95	(2.14 - 4.04)	3.96	(3.16 - 4.94)
Region 7a	2.02	(1.23 - 3.30)	9.33	(6.98 - 12.37)	3.21	(2.17 - 4.72)	4.35	(3.29 - 5.74)
Region 7bcd	1.75	(1.04 - 2.94)	6.39	(4.49 - 9.01)	2.52	(1.58 - 3.99)	3.35	(2.39 - 4.66)
Region 8	2.09	(1.31 - 3.30)	8.01	(6.02 - 10.59)	3.02	(2.07 - 4.39)	3.79	(2.85 - 5.01)
Region 9	1.98	(1.16 - 3.35)	7.84	(5.36 - 11.34)	2.66	(1.65 - 4.26)	3.47	(2.40 - 5.00)
Region 10	1.89	(1.13 - 3.16)	6.25	(4.23 - 9.16)	2.79	(1.75 - 4.41)	3.38	(2.33 - 4.89)
Region 11	1.91	(1.28 - 2.86)	6.79	(5.05 - 9.09)	3.07	(2.15 - 4.37)	3.73	(2.83 - 4.91)
Region 11abd	1.92	(1.13 - 3.27)	7.58	(5.25 - 10.84)	3.37	(2.19 - 5.14)	4.09	(2.91 - 5.72)
Region 11c (Hidalgo)	1.90	(1.12 - 3.20)	5.38	(3.65 - 7.85)	2.47	(1.53 - 3.95)	3.02	(2.10 - 4.33)
Utah	1.93	(1.32 - 2.81)	5.30	(4.13 - 6.76)	3.25	(2.44 - 4.30)	3.68	(2.96 - 4.58)
Bear River, Northeastern, Summit, Tooele, and Wasatch	2.05	(1.14 - 3.64)	5.52	(3.55 - 8.49)	2.95	(1.88 - 4.59)	3.51	(2.44 - 5.03)
Central, Four Corners, San Juan, and Southwest	1.76	(0.97 - 3.15)	5.82	(3.74 - 8.94)	2.62	(1.66 - 4.10)	3.20	(2.22 - 4.60)
Davis County	2.25	(1.25 - 4.03)	5.75	(3.70 - 8.84)	3.04	(1.92 - 4.79)	3.58	(2.45 - 5.19)
Salt Lake County	1.92	(1.14 - 3.23)	5.38	(3.79 - 7.59)	3.72	(2.53 - 5.46)	4.05	(2.95 - 5.52)
Utah County	1.78	(0.97 - 3.25)	4.26	(2.83 - 6.37)	2.91	(1.81 - 4.63)	3.31	(2.30 - 4.75)
Weber, Morgan	1.97	(1.09 - 3.51)	6.35	(4.13 - 9.62)	3.09	(1.96 - 4.84)	3.71	(2.58 - 5.31)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	1.90	(1.34 - 2.68)	8.64	(7.14 - 10.42)	2.88	(2.15 - 3.84)	3.71	(3.01 - 4.58)
Champlain Valley	1.77	(1.07 - 2.89)	9.71	(7.43 - 12.58)	3.06	(2.08 - 4.48)	4.21	(3.22 - 5.48)
Rural Northeast	1.83	(1.08 - 3.07)	7.96	(5.60 - 11.21)	3.04	(1.94 - 4.73)	3.72	(2.63 - 5.23)
Rural Southeast	1.99	(1.17 - 3.37)	7.10	(4.89 - 10.19)	2.52	(1.54 - 4.10)	3.05	(2.05 - 4.51)
Rural Southwest	2.21	(1.31 - 3.70)	8.11	(5.64 - 11.54)	2.72	(1.69 - 4.35)	3.41	(2.37 - 4.89)
Virginia	2.03	(1.44 - 2.85)	7.46	(6.04 - 9.18)	2.77	(2.09 - 3.65)	3.43	(2.77 - 4.24)
Region 1	1.90	(1.10 - 3.27)	7.70	(5.23 - 11.19)	2.57	(1.59 - 4.14)	3.33	(2.31 - 4.78)
Region 2	1.96	(1.16 - 3.29)	6.83	(4.72 - 9.78)	2.80	(1.83 - 4.26)	3.31	(2.34 - 4.68)
Region 3	2.41	(1.41 - 4.07)	8.48	(5.90 - 12.03)	2.72	(1.73 - 4.27)	3.52	(2.48 - 4.97)
Region 4	2.11	(1.25 - 3.55)	7.97	(5.66 - 11.09)	2.93	(1.86 - 4.58)	3.60	(2.53 - 5.11)
Region 5	1.85	(1.08 - 3.13)	6.88	(4.81 - 9.75)	2.77	(1.77 - 4.30)	3.42	(2.42 - 4.83)
Washington	1.88	(1.32 - 2.66)	7.44	(6.00 - 9.21)	3.11	(2.36 - 4.10)	3.74	(3.02 - 4.64)
Region 1	1.86	(1.04 - 3.30)	8.45	(5.82 - 12.11)	3.08	(1.95 - 4.83)	3.93	(2.78 - 5.55)
Region 2	1.79	(1.00 - 3.18)	6.61	(4.31 - 10.01)	2.66	(1.63 - 4.32)	3.28	(2.23 - 4.82)
Region 3	2.01	(1.15 - 3.49)	8.03	(5.49 - 11.62)	3.02	(1.89 - 4.80)	3.76	(2.60 - 5.40)
Region 4 (King)	1.89	(1.12 - 3.18)	7.14	(5.04 - 10.02)	3.38	(2.24 - 5.06)	3.90	(2.79 - 5.43)
Region 5	1.67	(0.94 - 2.98)	6.22	(4.18 - 9.15)	2.96	(1.88 - 4.62)	3.45	(2.40 - 4.95)
Region 6	2.00	(1.17 - 3.41)	8.33	(5.78 - 11.87)	3.13	(1.96 - 4.94)	3.81	(2.63 - 5.49)
West Virginia	2.09	(1.50 - 2.91)	8.85	(7.36 - 10.61)	2.26	(1.66 - 3.05)	3.14	(2.55 - 3.86)
Eastern Highland	2.13	(1.27 - 3.53)	8.94	(6.40 - 12.36)	2.23	(1.38 - 3.58)	3.07	(2.17 - 4.33)
Northern	2.12	(1.31 - 3.41)	11.28	(8.65 - 14.59)	2.70	(1.82 - 3.99)	3.99	(3.06 - 5.19)
Northern A and B	2.20	(1.21 - 3.98)	10.35	(7.08 - 14.90)	2.65	(1.63 - 4.30)	3.58	(2.46 - 5.16)
Northern C and D	2.08	(1.17 - 3.66)	11.62	(8.53 - 15.65)	2.73	(1.70 - 4.35)	4.20	(3.09 - 5.70)
South Central	2.13	(1.42 - 3.17)	7.44	(5.69 - 9.66)	2.02	(1.39 - 2.93)	2.72	(2.07 - 3.58)
South Central I	2.57	(1.46 - 4.49)	7.69	(5.11 - 11.41)	2.01	(1.19 - 3.38)	2.69	(1.80 - 4.00)
South Central II	1.92	(1.07 - 3.41)	7.90	(5.35 - 11.53)	2.07	(1.28 - 3.33)	2.95	(2.06 - 4.19)
South Central III	1.98	(1.13 - 3.44)	6.91	(4.71 - 10.03)	2.00	(1.21 - 3.28)	2.60	(1.77 - 3.80)
Southern	1.95	(1.22 - 3.09)	7.60	(5.58 - 10.27)	2.15	(1.41 - 3.26)	2.85	(2.08 - 3.91)
Southern I and III	1.86	(1.03 - 3.32)	7.42	(5.01 - 10.84)	2.16	(1.30 - 3.56)	2.83	(1.92 - 4.17)
Southern II	2.13	(1.21 - 3.72)	7.95	(5.36 - 11.64)	2.15	(1.31 - 3.50)	2.90	(1.99 - 4.20)

See notes at end of table.

(continued)

Table 15. Alcohol Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	2.33	(1.69 - 3.20)	8.35	(6.81 - 10.20)	3.32	(2.52 - 4.35)	4.08	(3.33 - 5.00)
Milwaukee	1.89	(1.11 - 3.19)	9.62	(6.67 - 13.66)	3.97	(2.55 - 6.13)	4.88	(3.48 - 6.81)
Northeastern	2.69	(1.63 - 4.39)	8.36	(5.84 - 11.82)	3.49	(2.26 - 5.35)	4.19	(2.97 - 5.88)
Northern	2.23	(1.26 - 3.91)	7.62	(5.21 - 11.01)	3.04	(1.86 - 4.93)	3.66	(2.48 - 5.36)
Southeastern	2.44	(1.49 - 3.98)	7.93	(5.49 - 11.32)	3.27	(2.11 - 5.03)	3.89	(2.75 - 5.50)
Southern	2.15	(1.26 - 3.65)	8.24	(5.74 - 11.71)	3.05	(1.96 - 4.72)	3.90	(2.79 - 5.44)
Western	2.47	(1.45 - 4.19)	7.89	(5.32 - 11.54)	2.88	(1.84 - 4.49)	3.73	(2.63 - 5.27)
Wyoming	2.66	(1.94 - 3.63)	8.12	(6.67 - 9.85)	2.93	(2.24 - 3.82)	3.75	(3.07 - 4.56)
Judicial District 1 (Laramie)	2.70	(1.63 - 4.44)	7.77	(5.34 - 11.18)	3.02	(1.94 - 4.70)	3.75	(2.64 - 5.31)
Judicial District 2	2.67	(1.55 - 4.59)	7.60	(5.20 - 10.97)	3.48	(2.19 - 5.47)	4.60	(3.30 - 6.38)
Judicial District 3	2.99	(1.78 - 4.98)	7.29	(4.97 - 10.57)	2.74	(1.74 - 4.31)	3.47	(2.42 - 4.94)
Judicial District 4	*	(* - *)	9.41	(6.23 - 13.96)	2.79	(1.72 - 4.48)	3.60	(2.45 - 5.26)
Judicial District 5	2.87	(1.67 - 4.91)	9.02	(6.12 - 13.11)	2.57	(1.62 - 4.07)	3.38	(2.36 - 4.82)
Judicial District 6	2.59	(1.50 - 4.43)	8.09	(5.49 - 11.76)	3.12	(2.00 - 4.83)	3.90	(2.75 - 5.49)
Judicial District 7 (Natrona)	2.49	(1.46 - 4.23)	9.01	(6.31 - 12.71)	2.89	(1.81 - 4.58)	3.86	(2.72 - 5.44)
Judicial District 8	2.33	(1.30 - 4.13)	8.24	(5.51 - 12.16)	2.34	(1.42 - 3.81)	3.08	(2.09 - 4.50)
Judicial District 9	2.31	(1.31 - 4.03)	8.06	(5.39 - 11.88)	3.23	(2.00 - 5.16)	3.91	(2.66 - 5.70)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders* (DSM-IV).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 16. *Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	2.70		5.58		1.26		1.90	
Northeast	2.75	(2.47 - 3.05)	6.08	(5.62 - 6.58)	1.25	(1.07 - 1.46)	1.93	(1.75 - 2.12)
Midwest	2.54	(2.32 - 2.77)	5.30	(4.95 - 5.68)	1.24	(1.09 - 1.41)	1.85	(1.71 - 2.01)
South	2.54	(2.33 - 2.77)	5.31	(4.99 - 5.66)	1.26	(1.11 - 1.42)	1.86	(1.72 - 2.00)
West	3.07	(2.72 - 3.47)	5.89	(5.39 - 6.44)	1.28	(1.08 - 1.51)	1.99	(1.80 - 2.20)
Alabama	2.74	(2.04 - 3.68)	5.40	(4.18 - 6.96)	1.28	(0.89 - 1.84)	1.89	(1.47 - 2.43)
Region 1	3.30	(2.11 - 5.12)	5.36	(3.48 - 8.17)	1.04	(0.60 - 1.80)	1.62	(1.09 - 2.40)
Region 2	2.63	(1.72 - 3.98)	5.78	(3.94 - 8.41)	1.48	(0.89 - 2.45)	2.13	(1.48 - 3.07)
Region 3	2.36	(1.47 - 3.78)	5.01	(3.17 - 7.81)	1.32	(0.75 - 2.31)	1.98	(1.31 - 2.96)
Region 4	2.57	(1.67 - 3.94)	5.26	(3.44 - 7.96)	1.27	(0.75 - 2.15)	1.83	(1.24 - 2.70)
Alaska	3.19	(2.31 - 4.40)	6.46	(5.05 - 8.23)	1.68	(1.12 - 2.52)	2.45	(1.88 - 3.20)
Gulf Coast	3.13	(1.91 - 5.09)	7.27	(4.42 - 11.71)	1.29	(0.68 - 2.45)	2.10	(1.32 - 3.32)
Rural	2.49	(1.44 - 4.27)	4.82	(2.80 - 8.16)	1.62	(0.83 - 3.12)	2.23	(1.36 - 3.64)
Southeast	3.09	(1.89 - 5.00)	8.25	(5.22 - 12.78)	1.58	(0.84 - 2.94)	2.49	(1.61 - 3.84)
Urban	3.37	(2.28 - 4.94)	6.38	(4.72 - 8.58)	1.79	(1.11 - 2.86)	2.55	(1.85 - 3.50)
Arizona	3.35	(2.46 - 4.55)	4.84	(3.64 - 6.42)	1.06	(0.72 - 1.57)	1.64	(1.26 - 2.13)
Maricopa	3.30	(2.27 - 4.78)	4.63	(3.26 - 6.53)	1.07	(0.66 - 1.73)	1.63	(1.17 - 2.27)
Pima	4.25	(2.53 - 7.04)	4.85	(2.82 - 8.20)	1.14	(0.63 - 2.07)	1.71	(1.08 - 2.67)
Rural North	2.87	(1.74 - 4.71)	6.58	(4.02 - 10.59)	1.01	(0.55 - 1.84)	1.77	(1.15 - 2.71)
Rural South	2.93	(1.75 - 4.88)	4.43	(2.50 - 7.74)	0.97	(0.51 - 1.82)	1.43	(0.87 - 2.34)
Arkansas	3.40	(2.56 - 4.49)	6.58	(5.15 - 8.37)	1.44	(1.01 - 2.05)	2.21	(1.74 - 2.80)
Areas 1 and 2	3.45	(2.17 - 5.45)	7.35	(4.75 - 11.19)	1.40	(0.81 - 2.41)	2.33	(1.58 - 3.42)
Areas 3 and 4	3.81	(2.41 - 5.97)	6.11	(3.85 - 9.57)	1.27	(0.73 - 2.20)	1.98	(1.32 - 2.98)
Areas 5 and 6	3.29	(2.07 - 5.21)	5.67	(3.66 - 8.68)	1.27	(0.74 - 2.16)	1.96	(1.33 - 2.88)
Areas 7, 12, and 13	3.13	(1.93 - 5.03)	6.39	(3.97 - 10.13)	1.94	(1.12 - 3.33)	2.62	(1.72 - 3.96)
Areas 8, 10, and 11	3.51	(2.22 - 5.50)	6.03	(3.88 - 9.25)	1.29	(0.73 - 2.26)	1.94	(1.28 - 2.93)
Area 9	3.17	(2.04 - 4.89)	7.68	(5.00 - 11.61)	1.58	(0.93 - 2.68)	2.47	(1.67 - 3.62)

See notes at end of table.

(continued)

Table 16. *Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages*
Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	3.15	(2.62 - 3.77)	5.97	(5.21 - 6.84)	1.32	(1.02 - 1.69)	2.04	(1.75 - 2.38)
Region 1	3.66	(2.39 - 5.57)	8.57	(5.54 - 13.02)	1.46	(0.81 - 2.59)	2.51	(1.66 - 3.76)
Region 2	3.25	(2.23 - 4.72)	6.44	(4.64 - 8.88)	1.39	(0.86 - 2.23)	2.13	(1.54 - 2.95)
Region 3	2.85	(1.84 - 4.39)	5.89	(3.78 - 9.08)	1.37	(0.78 - 2.38)	2.09	(1.40 - 3.10)
Region 4	2.94	(1.91 - 4.51)	6.63	(4.28 - 10.14)	1.38	(0.80 - 2.36)	2.01	(1.33 - 3.02)
Region 5	3.66	(2.43 - 5.49)	6.77	(4.63 - 9.81)	1.59	(0.97 - 2.60)	2.30	(1.60 - 3.30)
Region 6 (Santa Clara)	3.22	(2.08 - 4.98)	6.47	(4.31 - 9.60)	1.20	(0.72 - 2.00)	1.95	(1.36 - 2.80)
Region 7	3.23	(2.03 - 5.11)	5.94	(3.77 - 9.22)	1.50	(0.85 - 2.64)	2.26	(1.49 - 3.41)
Region 8	3.22	(2.11 - 4.89)	6.86	(4.62 - 10.09)	1.44	(0.85 - 2.42)	2.41	(1.68 - 3.45)
Region 9	3.29	(2.12 - 5.05)	7.01	(4.57 - 10.60)	1.35	(0.79 - 2.28)	2.33	(1.60 - 3.39)
Region 10	3.62	(2.31 - 5.64)	9.28	(6.28 - 13.52)	1.35	(0.76 - 2.40)	2.62	(1.81 - 3.78)
Region 11 (Los Angeles)	3.00	(2.21 - 4.07)	4.82	(3.71 - 6.23)	1.26	(0.83 - 1.91)	1.83	(1.39 - 2.41)
Region 12	2.71	(1.72 - 4.26)	4.38	(2.78 - 6.83)	1.19	(0.68 - 2.07)	1.74	(1.14 - 2.63)
Region 13 (Riverside)	3.83	(2.53 - 5.77)	6.99	(4.74 - 10.21)	1.18	(0.67 - 2.07)	2.07	(1.43 - 2.97)
Region 14 (Orange)	2.93	(1.92 - 4.44)	5.61	(3.80 - 8.20)	1.27	(0.76 - 2.12)	1.92	(1.33 - 2.75)
Region 15	2.96	(1.99 - 4.37)	6.08	(4.27 - 8.58)	1.23	(0.74 - 2.03)	2.05	(1.46 - 2.86)
Colorado	3.11	(2.32 - 4.15)	6.62	(5.20 - 8.39)	1.41	(0.96 - 2.06)	2.18	(1.70 - 2.78)
Region 1	2.99	(1.86 - 4.78)	6.56	(4.25 - 10.00)	1.22	(0.69 - 2.14)	2.16	(1.46 - 3.19)
Regions 2 and 7	3.28	(2.23 - 4.79)	6.58	(4.74 - 9.07)	1.44	(0.88 - 2.34)	2.18	(1.57 - 3.02)
Region 3	2.82	(1.75 - 4.51)	7.38	(4.69 - 11.44)	1.51	(0.84 - 2.71)	2.38	(1.56 - 3.61)
Region 4	3.00	(1.83 - 4.88)	6.27	(3.76 - 10.26)	1.40	(0.74 - 2.65)	2.06	(1.27 - 3.32)
Regions 5 and 6	2.88	(1.76 - 4.68)	6.06	(3.74 - 9.68)	1.30	(0.72 - 2.33)	1.99	(1.28 - 3.09)
Connecticut	3.17	(2.37 - 4.23)	8.53	(6.82 - 10.63)	1.22	(0.83 - 1.80)	2.19	(1.74 - 2.75)
Eastern	3.25	(1.98 - 5.29)	*	(* - *)	1.25	(0.70 - 2.24)	2.52	(1.67 - 3.79)
North Central	2.90	(1.84 - 4.54)	8.09	(5.62 - 11.51)	1.29	(0.74 - 2.26)	2.16	(1.51 - 3.10)
Northwestern	3.31	(2.09 - 5.20)	10.01	(6.74 - 14.61)	1.14	(0.64 - 2.04)	2.22	(1.54 - 3.19)
South Central	3.08	(1.99 - 4.74)	7.93	(5.34 - 11.63)	1.18	(0.66 - 2.10)	2.11	(1.45 - 3.07)
Southwest	3.51	(2.24 - 5.45)	8.56	(5.67 - 12.72)	1.21	(0.67 - 2.18)	2.09	(1.40 - 3.11)

See notes at end of table.

(continued)

Table 16. *Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	2.53	(1.88 - 3.39)	6.74	(5.27 - 8.59)	1.22	(0.85 - 1.75)	2.03	(1.61 - 2.56)
Kent	2.57	(1.60 - 4.12)	6.48	(4.17 - 9.94)	1.43	(0.82 - 2.49)	2.23	(1.50 - 3.32)
New Castle (excluding Wilmington City)	2.49	(1.67 - 3.71)	7.37	(5.39 - 10.00)	1.09	(0.65 - 1.80)	2.06	(1.53 - 2.78)
Sussex	2.79	(1.76 - 4.38)	5.64	(3.54 - 8.86)	1.12	(0.63 - 1.99)	1.62	(1.06 - 2.47)
Wilmington City	2.16	(1.28 - 3.63)	5.49	(3.23 - 9.16)	1.88	(1.05 - 3.36)	2.45	(1.54 - 3.88)
District of Columbia	1.91	(1.31 - 2.77)	5.23	(3.97 - 6.87)	2.49	(1.75 - 3.54)	2.93	(2.23 - 3.84)
Ward 1	*	(* - *)	5.19	(3.03 - 8.74)	2.79	(1.55 - 5.00)	3.22	(2.00 - 5.17)
Ward 2	*	(* - *)	5.15	(3.34 - 7.86)	2.05	(1.16 - 3.60)	2.82	(1.89 - 4.18)
Ward 3	2.27	(1.29 - 3.97)	4.42	(2.54 - 7.58)	1.41	(0.77 - 2.56)	1.89	(1.18 - 3.01)
Ward 4	1.79	(1.01 - 3.14)	4.52	(2.66 - 7.60)	1.87	(0.98 - 3.55)	2.14	(1.24 - 3.66)
Ward 5	1.88	(1.04 - 3.36)	6.91	(4.35 - 10.81)	4.00	(2.16 - 7.27)	4.42	(2.66 - 7.25)
Ward 6	*	(* - *)	6.14	(3.60 - 10.31)	2.64	(1.46 - 4.76)	3.11	(1.90 - 5.03)
Ward 7	1.97	(1.16 - 3.33)	4.74	(2.80 - 7.94)	2.55	(1.38 - 4.66)	2.82	(1.69 - 4.66)
Ward 8	1.67	(0.97 - 2.88)	5.07	(3.12 - 8.13)	3.38	(1.90 - 5.95)	3.68	(2.30 - 5.86)

See notes at end of table.

(continued)

Table 16. *Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	2.47	(2.07 - 2.95)	5.51	(4.81 - 6.30)	1.20	(0.94 - 1.53)	1.76	(1.50 - 2.06)
Region A	2.50	(1.84 - 3.37)	6.13	(4.61 - 8.12)	1.46	(1.01 - 2.11)	2.28	(1.76 - 2.96)
Circuit 1	2.41	(1.57 - 3.69)	5.91	(3.70 - 9.30)	1.47	(0.86 - 2.51)	2.16	(1.43 - 3.24)
Circuit 2	2.66	(1.66 - 4.24)	6.52	(4.32 - 9.71)	*	(* - *)	2.77	(1.93 - 3.95)
Circuit 14	2.45	(1.55 - 3.87)	5.81	(3.60 - 9.25)	*	(* - *)	1.91	(1.26 - 2.87)
Region B	2.41	(1.82 - 3.20)	5.77	(4.49 - 7.38)	1.23	(0.86 - 1.74)	1.93	(1.52 - 2.46)
Circuits 3 and 8	2.49	(1.57 - 3.93)	5.24	(3.38 - 8.04)	1.26	(0.74 - 2.12)	2.10	(1.43 - 3.09)
Circuit 4	2.24	(1.50 - 3.35)	5.84	(3.99 - 8.46)	1.42	(0.88 - 2.27)	2.10	(1.49 - 2.96)
Circuit 7	2.62	(1.69 - 4.05)	6.34	(4.19 - 9.48)	0.97	(0.56 - 1.66)	1.59	(1.08 - 2.34)
Region C	2.70	(2.12 - 3.43)	5.70	(4.62 - 7.02)	1.11	(0.81 - 1.51)	1.69	(1.37 - 2.09)
Circuit 5	2.77	(1.82 - 4.21)	7.79	(5.13 - 11.67)	0.95	(0.55 - 1.64)	1.58	(1.07 - 2.32)
Circuit 9	2.57	(1.74 - 3.80)	4.57	(3.13 - 6.62)	1.34	(0.83 - 2.18)	1.89	(1.32 - 2.69)
Circuit 10	2.87	(1.83 - 4.48)	4.08	(2.48 - 6.63)	1.02	(0.59 - 1.76)	1.42	(0.92 - 2.17)
Circuit 18	2.79	(1.85 - 4.20)	7.30	(5.01 - 10.50)	1.10	(0.65 - 1.85)	1.85	(1.30 - 2.63)
Circuit 19	2.52	(1.60 - 3.94)	6.10	(3.89 - 9.45)	0.99	(0.56 - 1.75)	1.50	(0.98 - 2.31)
Region D	2.34	(1.82 - 2.99)	4.76	(3.83 - 5.90)	1.26	(0.91 - 1.74)	1.69	(1.33 - 2.15)
Circuits 11 and 16	2.17	(1.47 - 3.20)	4.23	(2.99 - 5.95)	1.38	(0.87 - 2.20)	1.77	(1.24 - 2.52)
Circuit 15 (Palm Beach)	2.41	(1.61 - 3.59)	6.79	(4.75 - 9.61)	1.22	(0.73 - 2.02)	1.80	(1.26 - 2.58)
Circuit 17 (Broward)	2.54	(1.74 - 3.70)	4.35	(3.01 - 6.26)	1.11	(0.68 - 1.80)	1.50	(1.04 - 2.17)
Region E	2.44	(1.88 - 3.16)	5.89	(4.71 - 7.34)	1.12	(0.80 - 1.57)	1.65	(1.30 - 2.09)
Circuit 6	2.30	(1.51 - 3.48)	6.51	(4.40 - 9.51)	1.18	(0.70 - 1.98)	1.70	(1.15 - 2.51)
Circuit 12	2.76	(1.79 - 4.22)	6.19	(3.92 - 9.63)	1.03	(0.59 - 1.79)	1.51	(0.98 - 2.30)
Circuit 13 (Hillsborough)	2.45	(1.60 - 3.73)	5.69	(3.89 - 8.24)	1.29	(0.77 - 2.13)	1.95	(1.35 - 2.81)
Circuit 20	2.42	(1.56 - 3.73)	5.21	(3.41 - 7.90)	0.95	(0.56 - 1.62)	1.38	(0.92 - 2.06)
Georgia	2.39	(1.75 - 3.26)	5.00	(3.83 - 6.51)	1.23	(0.84 - 1.80)	1.80	(1.39 - 2.34)
Region 1	3.04	(1.87 - 4.90)	4.27	(2.58 - 6.97)	1.03	(0.58 - 1.82)	1.48	(0.96 - 2.28)
Region 2	2.43	(1.50 - 3.91)	4.93	(3.11 - 7.74)	1.13	(0.64 - 1.98)	1.72	(1.14 - 2.59)
Region 3	2.29	(1.48 - 3.53)	5.54	(3.79 - 8.02)	1.34	(0.80 - 2.25)	1.97	(1.37 - 2.82)
Region 4	2.04	(1.20 - 3.42)	4.07	(2.44 - 6.71)	1.17	(0.62 - 2.17)	1.61	(1.01 - 2.56)
Region 5	2.38	(1.47 - 3.83)	4.98	(2.98 - 8.21)	1.25	(0.69 - 2.22)	1.88	(1.21 - 2.91)

See notes at end of table.

(continued)

Table 16. *Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	2.28	(1.58 - 3.30)	4.80	(3.48 - 6.60)	1.10	(0.69 - 1.76)	1.59	(1.15 - 2.21)
Hawaii Island	2.19	(1.31 - 3.63)	5.10	(2.97 - 8.64)	1.03	(0.54 - 1.98)	1.52	(0.92 - 2.48)
Honolulu	2.28	(1.47 - 3.52)	4.66	(3.21 - 6.73)	1.07	(0.61 - 1.86)	1.57	(1.07 - 2.29)
Kauai and Maui**	2.39	(1.52 - 3.73)	5.33	(3.43 - 8.20)	1.32	(0.76 - 2.27)	1.78	(1.17 - 2.71)
Maui	2.38	(1.40 - 4.02)	5.18	(3.12 - 8.48)	1.32	(0.70 - 2.45)	1.78	(1.09 - 2.88)
Idaho	2.73	(2.05 - 3.62)	4.60	(3.55 - 5.93)	1.06	(0.73 - 1.52)	1.65	(1.29 - 2.09)
Region 1	2.87	(1.76 - 4.65)	5.21	(3.15 - 8.50)	0.92	(0.51 - 1.64)	1.47	(0.95 - 2.26)
Region 2	2.53	(1.51 - 4.21)	5.03	(3.01 - 8.29)	*	(* - *)	1.81	(1.17 - 2.81)
Region 3	2.88	(1.81 - 4.55)	3.99	(2.37 - 6.63)	1.00	(0.57 - 1.77)	1.48	(0.95 - 2.28)
Region 4	2.70	(1.72 - 4.19)	5.38	(3.64 - 7.88)	1.21	(0.71 - 2.04)	1.89	(1.32 - 2.71)
Region 5	2.95	(1.81 - 4.76)	3.69	(2.16 - 6.22)	0.99	(0.54 - 1.79)	1.40	(0.88 - 2.21)
Region 6	2.43	(1.47 - 3.99)	4.02	(2.47 - 6.49)	*	(* - *)	1.54	(1.01 - 2.33)
Region 7	2.65	(1.66 - 4.20)	4.17	(2.54 - 6.77)	1.09	(0.62 - 1.91)	1.74	(1.15 - 2.63)
Illinois	2.37	(1.95 - 2.89)	5.13	(4.40 - 5.98)	1.40	(1.08 - 1.82)	1.97	(1.65 - 2.34)
Region I (Cook)	2.24	(1.58 - 3.16)	5.34	(4.20 - 6.76)	1.97	(1.37 - 2.84)	2.49	(1.91 - 3.24)
Region II	2.53	(1.91 - 3.35)	5.25	(4.11 - 6.70)	0.94	(0.62 - 1.43)	1.56	(1.20 - 2.02)
Region III	2.30	(1.52 - 3.48)	4.30	(2.95 - 6.22)	1.00	(0.61 - 1.62)	1.57	(1.12 - 2.20)
Region IV	2.45	(1.59 - 3.75)	5.04	(3.36 - 7.48)	0.95	(0.57 - 1.58)	1.54	(1.07 - 2.21)
Region V	2.47	(1.66 - 3.64)	5.03	(3.55 - 7.07)	1.08	(0.66 - 1.74)	1.67	(1.20 - 2.31)
Indiana	2.96	(2.26 - 3.86)	5.99	(4.72 - 7.57)	1.16	(0.82 - 1.63)	1.90	(1.51 - 2.38)
Central	2.43	(1.55 - 3.79)	5.97	(3.98 - 8.86)	1.30	(0.77 - 2.19)	1.96	(1.35 - 2.85)
East	2.82	(1.69 - 4.66)	5.27	(3.17 - 8.64)	*	(* - *)	1.70	(1.10 - 2.62)
North Central	3.29	(2.08 - 5.16)	6.13	(3.87 - 9.59)	1.21	(0.68 - 2.12)	1.94	(1.28 - 2.92)
Northeast	2.77	(1.72 - 4.45)	5.12	(3.10 - 8.36)	0.97	(0.54 - 1.75)	1.60	(1.04 - 2.46)
Northwest	2.99	(1.87 - 4.77)	5.49	(3.37 - 8.83)	1.10	(0.62 - 1.96)	1.72	(1.13 - 2.62)
Southeast	3.65	(2.26 - 5.83)	7.52	(4.66 - 11.94)	1.18	(0.66 - 2.08)	2.04	(1.35 - 3.09)
Southwest	3.17	(1.95 - 5.11)	*	(* - *)	*	(* - *)	2.09	(1.35 - 3.24)
West	3.12	(1.95 - 4.96)	5.52	(3.55 - 8.48)	*	(* - *)	2.04	(1.39 - 2.98)

See notes at end of table.

(continued)

Table 16. *Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	2.41	(1.73 - 3.34)	3.51	(2.53 - 4.84)	0.96	(0.63 - 1.47)	1.36	(1.00 - 1.85)
Central	2.79	(1.68 - 4.62)	3.75	(2.20 - 6.32)	1.07	(0.57 - 1.98)	1.46	(0.90 - 2.36)
North Central	2.52	(1.52 - 4.15)	3.39	(1.96 - 5.78)	0.97	(0.52 - 1.83)	1.42	(0.88 - 2.28)
Northeast	2.41	(1.51 - 3.81)	3.67	(2.26 - 5.90)	0.95	(0.52 - 1.71)	1.37	(0.89 - 2.12)
Northwest	2.16	(1.28 - 3.62)	3.26	(1.91 - 5.51)	0.91	(0.48 - 1.74)	1.24	(0.75 - 2.03)
Southeast	2.26	(1.37 - 3.69)	3.46	(2.06 - 5.76)	0.98	(0.54 - 1.76)	1.39	(0.89 - 2.16)
Southwest	2.37	(1.39 - 4.01)	3.36	(1.93 - 5.79)	0.86	(0.46 - 1.61)	1.19	(0.72 - 1.94)
Kansas	2.49	(1.82 - 3.39)	5.10	(3.89 - 6.67)	1.14	(0.79 - 1.67)	1.78	(1.38 - 2.30)
Kansas City Metro	2.68	(1.71 - 4.18)	5.46	(3.66 - 8.07)	1.32	(0.77 - 2.25)	2.01	(1.38 - 2.91)
Northeast	2.24	(1.36 - 3.67)	4.52	(2.73 - 7.40)	1.02	(0.56 - 1.85)	1.63	(1.05 - 2.51)
South Central	2.49	(1.56 - 3.94)	5.54	(3.36 - 9.01)	0.99	(0.55 - 1.79)	1.67	(1.09 - 2.57)
Southeast	*	(* - *)	5.18	(2.96 - 8.92)	*	(* - *)	1.64	(1.03 - 2.62)
West	2.58	(1.56 - 4.22)	4.54	(2.66 - 7.65)	*	(* - *)	1.55	(0.96 - 2.50)
Wichita (Sedgwick)	2.39	(1.46 - 3.89)	5.15	(3.24 - 8.07)	1.25	(0.70 - 2.20)	1.86	(1.23 - 2.81)
Kentucky	2.90	(2.20 - 3.83)	5.63	(4.43 - 7.14)	1.39	(0.98 - 1.98)	2.00	(1.57 - 2.54)
Adanta, Cumberland River, and Lifeskills	2.71	(1.70 - 4.29)	5.36	(3.38 - 8.41)	1.26	(0.71 - 2.25)	1.84	(1.20 - 2.83)
Bluegrass, Comprehend, and North Key	2.91	(1.89 - 4.46)	5.63	(3.79 - 8.28)	1.64	(0.96 - 2.80)	2.26	(1.53 - 3.32)
Communicare and River Valley	3.14	(1.95 - 5.00)	6.27	(3.86 - 10.03)	1.26	(0.71 - 2.22)	1.95	(1.28 - 2.96)
Four Rivers and Pennyroyal	3.05	(1.84 - 5.02)	5.15	(3.12 - 8.37)	1.26	(0.70 - 2.26)	1.82	(1.16 - 2.85)
Kentucky River, Mountain, and Pathways	2.47	(1.52 - 4.00)	4.95	(3.03 - 8.00)	1.14	(0.64 - 2.02)	1.67	(1.08 - 2.59)
Seven Counties	3.09	(1.98 - 4.80)	6.20	(4.04 - 9.41)	1.44	(0.85 - 2.42)	2.05	(1.39 - 3.03)

See notes at end of table.

(continued)

Table 16. *Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	2.36	(1.75 - 3.19)	4.68	(3.63 - 6.02)	1.46	(1.02 - 2.08)	1.99	(1.55 - 2.56)
Region 1	*	(* - *)	5.31	(3.19 - 8.71)	*	(* - *)	2.53	(1.58 - 4.03)
Regions 2 and 9	2.28	(1.42 - 3.64)	4.22	(2.76 - 6.40)	1.53	(0.88 - 2.63)	2.00	(1.34 - 2.97)
Region 3	2.37	(1.42 - 3.93)	4.96	(3.03 - 8.01)	1.19	(0.67 - 2.12)	1.81	(1.17 - 2.77)
Region 4	2.33	(1.43 - 3.80)	4.13	(2.47 - 6.83)	1.30	(0.72 - 2.32)	1.77	(1.13 - 2.77)
Regions 5 and 6	2.43	(1.47 - 4.01)	4.96	(3.09 - 7.87)	1.39	(0.77 - 2.48)	1.96	(1.27 - 3.01)
Regions 7 and 8	2.54	(1.60 - 4.02)	4.89	(3.13 - 7.56)	1.35	(0.76 - 2.39)	1.95	(1.28 - 2.96)
Region 10 (Jefferson)	2.50	(1.50 - 4.14)	4.72	(2.80 - 7.85)	*	(* - *)	1.87	(1.17 - 2.96)
Maine	3.39	(2.58 - 4.43)	7.25	(5.82 - 9.00)	1.26	(0.88 - 1.79)	2.04	(1.62 - 2.57)
Aroostook/Downeast	3.19	(1.99 - 5.08)	*	(* - *)	1.18	(0.65 - 2.13)	1.99	(1.29 - 3.05)
Central	3.13	(1.94 - 5.01)	5.99	(3.81 - 9.30)	1.17	(0.66 - 2.06)	1.80	(1.18 - 2.74)
Cumberland	3.22	(2.04 - 5.06)	7.17	(4.73 - 10.73)	1.47	(0.86 - 2.50)	2.23	(1.51 - 3.28)
Midcoast	3.49	(2.22 - 5.44)	7.94	(5.08 - 12.20)	1.36	(0.74 - 2.46)	2.09	(1.36 - 3.21)
Penquis	2.98	(1.83 - 4.84)	7.20	(4.66 - 10.96)	1.12	(0.63 - 1.99)	2.09	(1.41 - 3.07)
Western	3.98	(2.47 - 6.33)	7.62	(5.01 - 11.44)	1.23	(0.70 - 2.14)	2.11	(1.43 - 3.12)
York	3.67	(2.39 - 5.60)	7.31	(4.77 - 11.04)	1.15	(0.64 - 2.07)	1.89	(1.25 - 2.85)
Maryland	2.43	(1.84 - 3.22)	5.21	(4.09 - 6.62)	1.22	(0.84 - 1.76)	1.78	(1.39 - 2.27)
Anne Arundel	2.46	(1.50 - 4.02)	5.61	(3.37 - 9.20)	*	(* - *)	1.72	(1.10 - 2.69)
Baltimore City	2.14	(1.28 - 3.57)	5.87	(3.65 - 9.31)	1.98	(1.08 - 3.59)	2.62	(1.66 - 4.10)
Baltimore County	2.42	(1.50 - 3.89)	4.85	(3.05 - 7.61)	1.13	(0.61 - 2.07)	1.64	(1.06 - 2.55)
Montgomery	2.38	(1.47 - 3.81)	4.40	(2.67 - 7.18)	0.99	(0.56 - 1.77)	1.40	(0.90 - 2.17)
North Central	3.09	(1.87 - 5.08)	5.14	(2.95 - 8.80)	*	(* - *)	1.57	(0.99 - 2.49)
Northeast	2.92	(1.82 - 4.65)	*	(* - *)	*	(* - *)	2.01	(1.32 - 3.05)
Prince George's	1.96	(1.17 - 3.26)	4.19	(2.60 - 6.68)	1.39	(0.75 - 2.56)	1.84	(1.16 - 2.91)
South	2.40	(1.46 - 3.93)	5.54	(3.33 - 9.06)	1.06	(0.58 - 1.93)	1.71	(1.10 - 2.66)
West	2.74	(1.69 - 4.41)	5.18	(3.08 - 8.58)	*	(* - *)	1.64	(1.05 - 2.56)

See notes at end of table.

(continued)

Table 16. *Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	2.91	(2.17 - 3.90)	7.19	(5.77 - 8.94)	1.23	(0.86 - 1.74)	2.07	(1.66 - 2.58)
Boston	2.83	(1.73 - 4.61)	7.26	(4.70 - 11.05)	1.67	(0.95 - 2.94)	2.82	(1.92 - 4.12)
Central	2.86	(1.77 - 4.59)	7.37	(4.74 - 11.30)	1.25	(0.70 - 2.23)	2.09	(1.38 - 3.15)
Metrowest	2.87	(1.84 - 4.44)	6.28	(4.11 - 9.46)	1.06	(0.62 - 1.82)	1.73	(1.17 - 2.54)
Northeast	2.70	(1.67 - 4.35)	6.10	(3.91 - 9.40)	1.09	(0.62 - 1.91)	1.73	(1.16 - 2.59)
Southeast	3.35	(2.11 - 5.30)	7.86	(5.24 - 11.63)	1.17	(0.67 - 2.01)	1.99	(1.36 - 2.89)
Western	2.76	(1.70 - 4.46)	8.87	(5.87 - 13.21)	1.41	(0.78 - 2.54)	2.59	(1.74 - 3.85)
Michigan	2.56	(2.15 - 3.05)	6.50	(5.73 - 7.36)	1.39	(1.11 - 1.75)	2.15	(1.86 - 2.48)
Bay	2.92	(1.91 - 4.46)	5.58	(3.55 - 8.67)	1.15	(0.69 - 1.93)	1.75	(1.18 - 2.58)
Detroit City	1.88	(1.14 - 3.08)	8.96	(6.34 - 12.52)	3.20	(1.95 - 5.20)	4.10	(2.85 - 5.87)
Genesee	2.79	(1.87 - 4.15)	8.21	(5.60 - 11.90)	1.67	(1.01 - 2.75)	2.61	(1.83 - 3.72)
Kalamazoo	2.53	(1.69 - 3.78)	5.63	(3.90 - 8.06)	1.21	(0.72 - 2.02)	1.93	(1.36 - 2.74)
Kent	2.49	(1.63 - 3.77)	7.34	(5.11 - 10.43)	1.53	(0.96 - 2.43)	2.52	(1.82 - 3.49)
Lakeshore	2.76	(1.85 - 4.10)	4.94	(3.34 - 7.25)	1.23	(0.76 - 1.98)	1.80	(1.26 - 2.57)
Macomb	2.45	(1.61 - 3.70)	6.27	(4.40 - 8.86)	1.13	(0.70 - 1.81)	1.80	(1.30 - 2.50)
Mid South	2.76	(1.88 - 4.04)	4.86	(3.36 - 6.98)	1.15	(0.71 - 1.84)	1.80	(1.29 - 2.50)
Northern	2.18	(1.38 - 3.44)	4.28	(2.73 - 6.66)	0.88	(0.50 - 1.55)	1.35	(0.90 - 2.02)
Oakland	3.17	(2.23 - 4.49)	9.56	(7.12 - 12.72)	1.50	(0.98 - 2.30)	2.50	(1.88 - 3.32)
Pathways	*	(* - *)	6.06	(3.78 - 9.57)	*	(* - *)	1.86	(1.24 - 2.79)
Saginaw	*	(* - *)	5.47	(3.32 - 8.89)	*	(* - *)	1.82	(1.18 - 2.79)
Southeast	2.60	(1.79 - 3.76)	6.41	(4.75 - 8.59)	1.11	(0.70 - 1.74)	1.81	(1.34 - 2.45)
St. Clair	2.55	(1.63 - 3.95)	5.89	(3.73 - 9.18)	1.05	(0.61 - 1.80)	1.70	(1.14 - 2.52)
Washtenaw	2.36	(1.54 - 3.59)	6.25	(4.25 - 9.10)	1.34	(0.83 - 2.15)	2.28	(1.63 - 3.17)
Western	*	(* - *)	6.07	(3.78 - 9.61)	*	(* - *)	1.78	(1.17 - 2.68)
Minnesota	2.36	(1.73 - 3.22)	5.28	(4.05 - 6.85)	1.03	(0.72 - 1.48)	1.69	(1.32 - 2.15)
Regions 1 and 2	2.43	(1.45 - 4.06)	5.60	(3.35 - 9.21)	0.85	(0.47 - 1.54)	1.54	(0.99 - 2.37)
Regions 3 and 4	2.37	(1.45 - 3.84)	5.14	(3.25 - 8.04)	0.87	(0.50 - 1.52)	1.57	(1.05 - 2.33)
Regions 5 and 6	2.26	(1.39 - 3.64)	5.24	(3.25 - 8.36)	0.90	(0.50 - 1.62)	1.58	(1.04 - 2.39)
Region 7A (Hennepin)	2.58	(1.58 - 4.18)	5.25	(3.39 - 8.05)	1.26	(0.73 - 2.16)	1.86	(1.25 - 2.75)
Region 7B (Ramsey)	2.13	(1.27 - 3.54)	5.01	(3.01 - 8.22)	*	(* - *)	1.97	(1.27 - 3.03)
Region 7C	2.34	(1.50 - 3.63)	5.47	(3.49 - 8.48)	0.98	(0.57 - 1.67)	1.62	(1.09 - 2.40)

See notes at end of table.

(continued)

Table 16. Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	2.33	(1.71 - 3.18)	5.20	(4.01 - 6.72)	1.21	(0.85 - 1.73)	1.86	(1.46 - 2.37)
Region 1	2.50	(1.55 - 4.01)	4.84	(3.00 - 7.73)	1.09	(0.63 - 1.87)	1.67	(1.11 - 2.50)
Region 2	2.03	(1.22 - 3.37)	4.25	(2.53 - 7.05)	1.39	(0.78 - 2.46)	1.87	(1.19 - 2.91)
Region 3	2.04	(1.22 - 3.41)	4.31	(2.66 - 6.92)	1.08	(0.60 - 1.93)	1.64	(1.06 - 2.52)
Region 4	2.35	(1.48 - 3.70)	6.01	(3.81 - 9.35)	1.26	(0.72 - 2.21)	2.04	(1.37 - 3.02)
Region 5	2.16	(1.29 - 3.60)	4.05	(2.38 - 6.81)	*	(* - *)	1.58	(0.99 - 2.51)
Region 6	2.33	(1.41 - 3.83)	4.67	(2.77 - 7.79)	1.09	(0.62 - 1.92)	1.73	(1.13 - 2.65)
Region 7	2.76	(1.70 - 4.44)	7.43	(4.86 - 11.21)	1.40	(0.78 - 2.51)	2.32	(1.55 - 3.47)
Missouri	2.72	(2.05 - 3.61)	4.81	(3.73 - 6.18)	1.06	(0.73 - 1.53)	1.62	(1.27 - 2.08)
Central	2.88	(1.80 - 4.58)	4.22	(2.64 - 6.69)	0.93	(0.53 - 1.66)	1.51	(1.00 - 2.27)
Eastern	2.69	(1.87 - 3.86)	4.87	(3.34 - 7.03)	1.13	(0.71 - 1.80)	1.67	(1.19 - 2.35)
Eastern (St. Louis City and County)	2.41	(1.54 - 3.76)	4.90	(3.11 - 7.64)	1.23	(0.71 - 2.11)	1.75	(1.16 - 2.64)
Eastern (excluding St. Louis)	3.18	(1.95 - 5.15)	4.79	(2.86 - 7.91)	0.95	(0.53 - 1.68)	1.50	(0.96 - 2.33)
Northwest	2.60	(1.74 - 3.89)	4.55	(3.05 - 6.73)	1.06	(0.66 - 1.71)	1.58	(1.11 - 2.26)
Northwest (Jackson)	2.72	(1.64 - 4.48)	4.94	(2.97 - 8.11)	1.18	(0.66 - 2.10)	1.73	(1.11 - 2.70)
Northwest (excluding Jackson)	2.51	(1.51 - 4.14)	4.21	(2.48 - 7.07)	*	(* - *)	1.45	(0.90 - 2.31)
Southeast	2.83	(1.73 - 4.60)	5.54	(3.54 - 8.57)	1.02	(0.56 - 1.84)	1.67	(1.10 - 2.51)
Southwest	2.78	(1.74 - 4.41)	5.16	(3.31 - 7.95)	1.01	(0.57 - 1.80)	1.64	(1.10 - 2.46)
Montana	2.93	(2.19 - 3.90)	6.12	(4.85 - 7.70)	1.16	(0.81 - 1.67)	1.91	(1.51 - 2.42)
Region 1	2.90	(1.79 - 4.67)	5.73	(3.50 - 9.24)	*	(* - *)	1.58	(1.01 - 2.45)
Region 2	2.73	(1.69 - 4.40)	5.54	(3.35 - 9.01)	1.04	(0.57 - 1.90)	1.72	(1.11 - 2.64)
Region 3	3.16	(2.02 - 4.90)	6.42	(4.19 - 9.73)	1.13	(0.65 - 1.96)	1.88	(1.28 - 2.77)
Region 4	2.79	(1.77 - 4.39)	4.85	(3.24 - 7.20)	1.13	(0.67 - 1.92)	1.75	(1.21 - 2.53)
Region 5	2.99	(1.95 - 4.57)	7.46	(5.25 - 10.49)	1.31	(0.77 - 2.21)	2.26	(1.60 - 3.19)
Nebraska	2.32	(1.66 - 3.23)	5.40	(4.15 - 7.00)	1.03	(0.70 - 1.51)	1.73	(1.35 - 2.23)
Regions 1 and 2	2.58	(1.54 - 4.28)	5.46	(3.22 - 9.12)	*	(* - *)	1.55	(0.99 - 2.44)
Region 3	2.28	(1.36 - 3.78)	4.70	(2.81 - 7.76)	0.90	(0.50 - 1.60)	1.48	(0.95 - 2.29)
Region 4	2.52	(1.55 - 4.07)	5.11	(3.09 - 8.32)	0.95	(0.53 - 1.70)	1.54	(1.00 - 2.38)
Region 5	2.08	(1.22 - 3.50)	4.19	(2.66 - 6.53)	0.94	(0.52 - 1.67)	1.54	(1.03 - 2.30)
Region 6	2.33	(1.49 - 3.62)	6.58	(4.53 - 9.47)	1.17	(0.70 - 1.98)	2.05	(1.45 - 2.89)

See notes at end of table.

(continued)

Table 16. *Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	2.41	(1.70 - 3.40)	5.16	(3.90 - 6.80)	1.29	(0.84 - 1.98)	1.82	(1.35 - 2.44)
Clark	2.41	(1.58 - 3.65)	5.04	(3.59 - 7.04)	1.37	(0.83 - 2.25)	1.88	(1.33 - 2.67)
Rural	2.45	(1.52 - 3.94)	6.05	(3.75 - 9.61)	1.10	(0.62 - 1.96)	1.68	(1.09 - 2.59)
Washoe	2.36	(1.45 - 3.83)	5.04	(3.11 - 8.08)	1.06	(0.59 - 1.92)	1.63	(1.06 - 2.51)
New Hampshire	3.11	(2.34 - 4.11)	5.86	(4.53 - 7.57)	1.08	(0.75 - 1.56)	1.73	(1.35 - 2.22)
Central	3.04	(2.07 - 4.43)	5.39	(3.68 - 7.82)	1.11	(0.70 - 1.75)	1.74	(1.25 - 2.41)
Central 1	3.02	(1.88 - 4.82)	5.69	(3.60 - 8.90)	1.17	(0.66 - 2.05)	1.93	(1.29 - 2.87)
Central 2	3.05	(1.88 - 4.92)	5.00	(2.98 - 8.26)	1.05	(0.58 - 1.88)	1.55	(0.99 - 2.42)
Northern	3.44	(2.19 - 5.37)	7.02	(4.44 - 10.94)	1.11	(0.61 - 2.00)	1.93	(1.27 - 2.94)
Southern	3.07	(2.20 - 4.26)	5.85	(4.27 - 7.96)	1.06	(0.69 - 1.64)	1.69	(1.25 - 2.28)
Southern 1 (Rockingham)	3.02	(1.94 - 4.66)	5.16	(3.20 - 8.22)	0.99	(0.57 - 1.72)	1.48	(0.97 - 2.24)
Southern 2	3.10	(2.08 - 4.59)	6.19	(4.28 - 8.88)	1.11	(0.65 - 1.86)	1.82	(1.28 - 2.58)
New Jersey	2.86	(2.12 - 3.84)	5.18	(3.98 - 6.71)	1.06	(0.72 - 1.56)	1.59	(1.23 - 2.07)
Central	2.77	(1.75 - 4.35)	5.01	(3.14 - 7.90)	0.90	(0.51 - 1.60)	1.39	(0.91 - 2.13)
Metropolitan	2.80	(1.76 - 4.42)	5.54	(3.58 - 8.48)	1.34	(0.78 - 2.28)	1.93	(1.30 - 2.87)
Northern	2.90	(1.87 - 4.47)	4.85	(3.16 - 7.38)	0.98	(0.55 - 1.75)	1.47	(0.98 - 2.19)
Southern	2.95	(1.91 - 4.55)	5.39	(3.50 - 8.22)	1.04	(0.60 - 1.79)	1.62	(1.10 - 2.40)
New Mexico	3.15	(2.36 - 4.21)	6.39	(4.96 - 8.20)	1.16	(0.79 - 1.71)	2.00	(1.56 - 2.55)
Region 1	3.49	(2.18 - 5.55)	*	(* - *)	1.22	(0.64 - 2.31)	2.41	(1.58 - 3.66)
Region 2	2.70	(1.61 - 4.51)	4.87	(2.87 - 8.14)	1.04	(0.56 - 1.93)	1.55	(0.97 - 2.47)
Region 3 (Bernalillo)	3.10	(1.99 - 4.81)	6.48	(4.43 - 9.38)	1.25	(0.73 - 2.11)	2.10	(1.46 - 3.01)
Region 4	2.80	(1.70 - 4.59)	4.46	(2.67 - 7.34)	1.06	(0.58 - 1.94)	1.63	(1.04 - 2.53)
Region 5	3.40	(2.19 - 5.26)	6.28	(4.17 - 9.38)	1.13	(0.63 - 2.02)	2.01	(1.37 - 2.95)

See notes at end of table.

(continued)

Table 16. *Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	2.78	(2.29 - 3.35)	5.85	(5.06 - 6.76)	1.48	(1.16 - 1.89)	2.11	(1.80 - 2.49)
Region A	2.43	(1.85 - 3.19)	5.13	(4.12 - 6.37)	1.82	(1.35 - 2.45)	2.32	(1.86 - 2.89)
Region 1	2.12	(1.28 - 3.51)	3.95	(2.40 - 6.45)	2.25	(1.27 - 3.93)	2.53	(1.59 - 3.99)
Region 2	2.46	(1.67 - 3.61)	6.18	(4.37 - 8.67)	1.83	(1.17 - 2.86)	2.51	(1.82 - 3.45)
Region 3	3.01	(1.90 - 4.74)	6.28	(4.24 - 9.20)	2.19	(1.33 - 3.58)	2.78	(1.90 - 4.05)
Region 4	2.33	(1.49 - 3.65)	3.63	(2.40 - 5.46)	1.31	(0.76 - 2.23)	1.64	(1.08 - 2.49)
Region B	2.75	(2.13 - 3.55)	5.88	(4.59 - 7.52)	1.19	(0.83 - 1.71)	1.79	(1.39 - 2.31)
Region 5	2.66	(1.86 - 3.81)	5.91	(4.16 - 8.34)	1.21	(0.76 - 1.92)	1.79	(1.28 - 2.50)
Region 6	2.93	(1.97 - 4.34)	5.66	(3.64 - 8.70)	1.18	(0.69 - 2.03)	1.73	(1.15 - 2.58)
Region 7	2.75	(1.80 - 4.18)	6.12	(4.08 - 9.07)	1.16	(0.65 - 2.03)	1.87	(1.26 - 2.77)
Region C	3.20	(2.53 - 4.06)	7.08	(5.81 - 8.61)	1.30	(0.95 - 1.78)	2.15	(1.77 - 2.62)
Region 8	3.15	(2.07 - 4.75)	5.90	(4.06 - 8.48)	1.32	(0.80 - 2.17)	1.98	(1.38 - 2.83)
Region 9	3.10	(2.06 - 4.64)	6.84	(4.76 - 9.74)	1.22	(0.72 - 2.05)	2.06	(1.46 - 2.90)
Region 10	3.04	(1.96 - 4.69)	7.31	(4.86 - 10.85)	1.31	(0.76 - 2.23)	2.41	(1.68 - 3.45)
Region 11	3.05	(2.04 - 4.54)	7.09	(4.89 - 10.16)	1.17	(0.70 - 1.97)	2.04	(1.45 - 2.87)
Region 12	3.56	(2.43 - 5.18)	8.22	(5.76 - 11.60)	1.46	(0.89 - 2.40)	2.38	(1.71 - 3.31)
Region D	3.16	(2.36 - 4.22)	6.12	(4.63 - 8.05)	1.20	(0.84 - 1.71)	1.95	(1.52 - 2.50)
Region 13	2.77	(1.74 - 4.38)	6.71	(4.32 - 10.28)	1.16	(0.68 - 1.99)	1.96	(1.34 - 2.87)
Region 14	3.14	(2.02 - 4.85)	5.21	(3.20 - 8.38)	1.22	(0.72 - 2.09)	1.88	(1.25 - 2.82)
Region 15	3.50	(2.26 - 5.37)	6.59	(4.33 - 9.91)	1.20	(0.71 - 2.02)	2.00	(1.37 - 2.90)
North Carolina	2.66	(1.97 - 3.58)	5.32	(4.14 - 6.81)	1.47	(1.02 - 2.11)	2.01	(1.55 - 2.60)
Eastern	2.51	(1.57 - 4.00)	4.68	(2.96 - 7.30)	1.35	(0.77 - 2.35)	1.86	(1.22 - 2.83)
North Central	2.61	(1.63 - 4.17)	5.13	(3.30 - 7.90)	1.67	(0.95 - 2.95)	2.16	(1.40 - 3.33)
South Central	2.69	(1.74 - 4.15)	5.37	(3.49 - 8.18)	1.44	(0.86 - 2.40)	2.02	(1.37 - 2.97)
Western	2.76	(1.82 - 4.16)	5.85	(4.05 - 8.39)	1.41	(0.85 - 2.33)	1.98	(1.37 - 2.86)
North Dakota	2.48	(1.80 - 3.41)	3.79	(2.79 - 5.12)	0.91	(0.59 - 1.40)	1.41	(1.05 - 1.89)
Badlands and West Central Lake Region and South Central	2.48	(1.55 - 3.94)	3.95	(2.43 - 6.36)	0.79	(0.43 - 1.45)	1.25	(0.80 - 1.93)
North Central and Northwest	2.26	(1.39 - 3.66)	3.49	(2.00 - 6.02)	0.86	(0.45 - 1.64)	1.20	(0.73 - 1.98)
Northeast	2.41	(1.47 - 3.92)	4.15	(2.50 - 6.81)	0.86	(0.46 - 1.62)	1.38	(0.87 - 2.16)
Southeast	2.36	(1.43 - 3.87)	3.76	(2.29 - 6.11)	1.04	(0.57 - 1.87)	1.66	(1.07 - 2.57)
Southeast	2.74	(1.72 - 4.35)	3.64	(2.33 - 5.64)	1.02	(0.56 - 1.88)	1.58	(1.04 - 2.41)

See notes at end of table.

(continued)

Table 16. *Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	2.50	(2.07 - 3.02)	5.40	(4.71 - 6.19)	1.34	(1.06 - 1.70)	1.94	(1.66 - 2.26)
Boards 2, 46, 55, and 68	2.35	(1.49 - 3.69)	5.00	(3.25 - 7.62)	1.15	(0.68 - 1.97)	1.70	(1.14 - 2.53)
Boards 3, 52, and 85	2.70	(1.77 - 4.10)	4.79	(2.96 - 7.67)	1.07	(0.62 - 1.84)	1.61	(1.07 - 2.43)
Boards 4 and 78	2.28	(1.42 - 3.63)	4.78	(2.96 - 7.62)	1.12	(0.63 - 1.99)	1.59	(1.03 - 2.44)
Boards 5 and 60	2.52	(1.60 - 3.96)	4.68	(2.95 - 7.34)	1.25	(0.74 - 2.12)	1.88	(1.28 - 2.76)
Boards 7, 15, 41, 79, and 84	2.31	(1.46 - 3.62)	5.35	(3.45 - 8.21)	1.03	(0.59 - 1.79)	1.58	(1.06 - 2.35)
Boards 8, 13, and 83	2.47	(1.60 - 3.79)	4.79	(2.96 - 7.66)	1.20	(0.70 - 2.02)	1.69	(1.12 - 2.55)
Board 9 (Butler)	2.58	(1.65 - 4.01)	4.83	(3.04 - 7.59)	1.21	(0.72 - 2.05)	1.85	(1.25 - 2.75)
Board 12	2.46	(1.57 - 3.84)	5.77	(3.72 - 8.83)	1.28	(0.74 - 2.20)	1.99	(1.34 - 2.95)
Boards 18 and 47	2.19	(1.51 - 3.17)	4.78	(3.42 - 6.64)	1.25	(0.79 - 1.99)	1.72	(1.22 - 2.41)
Boards 20, 32, 54, and 69	2.31	(1.46 - 3.65)	5.21	(3.21 - 8.33)	1.01	(0.58 - 1.76)	1.61	(1.06 - 2.44)
Boards 21, 39, 51, 70, and 80	2.43	(1.59 - 3.69)	5.07	(3.28 - 7.78)	1.14	(0.66 - 1.96)	1.67	(1.11 - 2.51)
Boards 22, 74, and 87	2.61	(1.67 - 4.07)	6.01	(3.85 - 9.27)	*	(* - *)	2.02	(1.35 - 3.01)
Boards 23 and 45	2.48	(1.59 - 3.85)	6.47	(4.16 - 9.94)	1.17	(0.67 - 2.04)	1.92	(1.29 - 2.85)
Board 25 (Franklin)	2.95	(1.94 - 4.48)	5.54	(3.98 - 7.66)	1.77	(1.07 - 2.91)	2.45	(1.74 - 3.44)
Boards 27, 71, and 73	2.77	(1.83 - 4.17)	5.37	(3.47 - 8.22)	1.28	(0.75 - 2.17)	1.86	(1.25 - 2.77)
Boards 28, 43, and 67	2.77	(1.78 - 4.28)	6.44	(4.28 - 9.58)	1.11	(0.67 - 1.83)	1.87	(1.32 - 2.67)
Board 31 (Hamilton)	2.68	(1.79 - 3.99)	5.37	(3.65 - 7.84)	1.78	(1.09 - 2.90)	2.33	(1.61 - 3.37)
Board 48 (Lucas)	2.20	(1.42 - 3.40)	4.35	(2.83 - 6.61)	1.39	(0.81 - 2.35)	1.85	(1.24 - 2.75)
Boards 50 and 76	2.30	(1.48 - 3.56)	4.53	(2.93 - 6.96)	1.15	(0.67 - 1.95)	1.59	(1.06 - 2.37)
Board 57 (Montgomery)	2.53	(1.63 - 3.89)	7.69	(5.21 - 11.23)	1.80	(1.07 - 3.02)	2.68	(1.85 - 3.86)
Board 77 (Summit)	2.63	(1.66 - 4.14)	7.14	(4.72 - 10.68)	1.73	(0.99 - 2.99)	2.45	(1.62 - 3.68)
Oklahoma	3.11	(2.30 - 4.18)	5.01	(3.79 - 6.59)	1.28	(0.90 - 1.81)	1.88	(1.47 - 2.40)
Central	2.92	(1.78 - 4.76)	5.08	(3.08 - 8.26)	1.11	(0.61 - 2.01)	1.83	(1.19 - 2.82)
East Central	2.81	(1.73 - 4.53)	4.71	(2.80 - 7.80)	1.04	(0.57 - 1.92)	1.57	(0.99 - 2.49)
Northeast	2.93	(1.75 - 4.86)	5.36	(3.27 - 8.67)	1.39	(0.75 - 2.58)	2.02	(1.28 - 3.19)
Northwest and Southwest	2.82	(1.71 - 4.62)	4.19	(2.54 - 6.84)	1.20	(0.66 - 2.16)	1.68	(1.07 - 2.63)
Oklahoma County	3.37	(2.10 - 5.39)	5.28	(3.26 - 8.43)	1.39	(0.79 - 2.45)	2.05	(1.34 - 3.12)
Southeast	3.43	(2.10 - 5.58)	4.90	(2.87 - 8.23)	1.18	(0.66 - 2.12)	1.71	(1.08 - 2.70)
Tulsa County	3.31	(2.06 - 5.28)	5.38	(3.39 - 8.44)	1.51	(0.86 - 2.61)	2.12	(1.39 - 3.23)

See notes at end of table.

(continued)

Table 16. *Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	3.04	(2.26 - 4.07)	5.64	(4.34 - 7.31)	1.10	(0.76 - 1.59)	1.75	(1.35 - 2.25)
Region 1 (Multnomah)	2.88	(1.83 - 4.52)	6.85	(4.53 - 10.23)	1.38	(0.80 - 2.37)	2.20	(1.50 - 3.23)
Region 2	3.06	(1.94 - 4.80)	6.56	(4.25 - 10.00)	1.16	(0.67 - 2.01)	1.92	(1.30 - 2.81)
Region 3	2.94	(1.88 - 4.54)	4.15	(2.68 - 6.38)	0.95	(0.54 - 1.65)	1.45	(0.97 - 2.16)
Region 4	3.18	(1.94 - 5.16)	5.64	(3.40 - 9.24)	0.96	(0.53 - 1.71)	1.50	(0.96 - 2.34)
Region 5	3.31	(2.02 - 5.39)	6.15	(3.62 - 10.26)	*	(* - *)	1.74	(1.09 - 2.76)
Pennsylvania	2.29	(1.87 - 2.79)	5.36	(4.64 - 6.17)	1.06	(0.81 - 1.39)	1.66	(1.41 - 1.96)
Region 1 (Allegheny)	2.05	(1.33 - 3.14)	6.81	(4.79 - 9.59)	1.29	(0.76 - 2.20)	2.03	(1.41 - 2.89)
Regions 2, 3, 8, and 9	2.13	(1.37 - 3.28)	4.41	(2.84 - 6.80)	0.84	(0.47 - 1.47)	1.35	(0.90 - 2.02)
Regions 4, 11, 37, and 49	2.43	(1.60 - 3.69)	5.50	(3.75 - 8.01)	0.94	(0.55 - 1.61)	1.54	(1.06 - 2.22)
Regions 5, 18, 23, 24, and 46	2.06	(1.31 - 3.23)	3.33	(2.07 - 5.34)	0.77	(0.43 - 1.40)	1.13	(0.72 - 1.77)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	2.39	(1.53 - 3.71)	3.69	(2.38 - 5.69)	0.86	(0.49 - 1.49)	1.38	(0.94 - 2.02)
Regions 7, 13, 20, and 33	2.69	(1.93 - 3.75)	7.19	(5.45 - 9.42)	1.04	(0.64 - 1.71)	1.84	(1.38 - 2.45)
Regions 10, 14, 15, 27, 32, 43, and 44	2.27	(1.41 - 3.63)	5.67	(3.72 - 8.55)	1.12	(0.66 - 1.91)	1.73	(1.17 - 2.55)
Regions 17 and 21	2.18	(1.34 - 3.55)	4.48	(2.80 - 7.09)	0.92	(0.51 - 1.66)	1.49	(0.98 - 2.28)
Regions 19, 26, 28, and 42	2.00	(1.31 - 3.05)	3.67	(2.52 - 5.32)	0.84	(0.50 - 1.41)	1.23	(0.86 - 1.77)
Regions 22, 38, 40, 41, and 48	2.34	(1.53 - 3.57)	5.27	(3.47 - 7.94)	1.03	(0.61 - 1.73)	1.54	(1.05 - 2.26)
Regions 25 and 30	2.52	(1.59 - 3.99)	5.44	(3.47 - 8.42)	1.22	(0.68 - 2.16)	1.77	(1.15 - 2.70)
Regions 29 and 34	2.32	(1.48 - 3.63)	3.98	(2.47 - 6.34)	0.87	(0.49 - 1.55)	1.29	(0.83 - 2.00)
Region 36 (Philadelphia)	2.05	(1.32 - 3.18)	5.98	(4.36 - 8.16)	1.53	(0.95 - 2.45)	2.28	(1.66 - 3.13)
Rhode Island	2.86	(2.09 - 3.89)	8.40	(6.72 - 10.47)	1.43	(0.98 - 2.09)	2.51	(2.00 - 3.15)
Bristol and Newport	3.31	(2.07 - 5.24)	7.39	(4.56 - 11.78)	1.30	(0.73 - 2.30)	2.11	(1.40 - 3.19)
Kent	3.26	(2.07 - 5.09)	7.81	(4.99 - 12.03)	1.18	(0.67 - 2.06)	2.00	(1.34 - 2.95)
Providence	2.65	(1.75 - 4.01)	8.75	(6.64 - 11.44)	1.58	(0.98 - 2.54)	2.77	(2.08 - 3.68)
Washington	2.91	(1.80 - 4.69)	8.20	(5.37 - 12.33)	1.22	(0.69 - 2.15)	2.36	(1.61 - 3.44)
South Carolina	2.42	(1.80 - 3.25)	4.69	(3.56 - 6.16)	1.29	(0.91 - 1.83)	1.79	(1.40 - 2.30)
Region 1	2.49	(1.57 - 3.93)	5.22	(3.36 - 8.00)	1.30	(0.76 - 2.21)	1.86	(1.25 - 2.74)
Region 2	2.27	(1.45 - 3.54)	4.62	(3.07 - 6.90)	1.35	(0.81 - 2.25)	1.84	(1.26 - 2.68)
Region 3	2.62	(1.65 - 4.12)	4.94	(2.98 - 8.07)	1.36	(0.80 - 2.31)	1.87	(1.22 - 2.83)
Region 4	2.41	(1.54 - 3.75)	4.11	(2.57 - 6.52)	1.17	(0.67 - 2.03)	1.62	(1.07 - 2.46)

See notes at end of table.

(continued)

Table 16. *Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	2.70	(1.99 - 3.65)	3.64	(2.67 - 4.94)	0.89	(0.58 - 1.36)	1.33	(1.00 - 1.79)
Region 1	2.64	(1.61 - 4.29)	3.55	(2.08 - 6.00)	0.84	(0.45 - 1.57)	1.28	(0.80 - 2.05)
Region 2	2.86	(1.78 - 4.55)	3.49	(2.15 - 5.62)	0.87	(0.48 - 1.59)	1.32	(0.85 - 2.04)
Region 3	2.54	(1.59 - 4.05)	2.98	(1.77 - 4.96)	0.83	(0.44 - 1.57)	1.22	(0.77 - 1.92)
Region 4	2.45	(1.47 - 4.06)	4.28	(2.45 - 7.35)	*	(* - *)	1.50	(0.94 - 2.37)
Region 5	2.83	(1.71 - 4.66)	3.79	(2.15 - 6.60)	*	(* - *)	1.23	(0.75 - 2.00)
Region 6	2.32	(1.38 - 3.89)	4.10	(2.33 - 7.12)	*	(* - *)	1.38	(0.83 - 2.28)
Region 7	2.99	(1.82 - 4.88)	4.11	(2.46 - 6.79)	0.99	(0.52 - 1.86)	1.49	(0.93 - 2.38)
Tennessee	3.01	(2.26 - 3.99)	5.53	(4.33 - 7.04)	1.40	(1.00 - 1.95)	1.98	(1.56 - 2.51)
Region 1	3.07	(1.89 - 4.94)	5.28	(3.16 - 8.71)	1.30	(0.72 - 2.31)	1.80	(1.13 - 2.83)
Region 2	3.05	(1.92 - 4.83)	6.07	(3.96 - 9.19)	1.26	(0.74 - 2.14)	1.92	(1.30 - 2.83)
Region 3	2.91	(1.81 - 4.66)	5.25	(3.33 - 8.17)	1.32	(0.78 - 2.21)	1.85	(1.24 - 2.77)
Region 4 (Davidson)	3.00	(1.84 - 4.86)	6.34	(3.95 - 10.03)	1.79	(1.03 - 3.07)	2.50	(1.64 - 3.78)
Region 5	3.39	(2.18 - 5.25)	5.46	(3.49 - 8.45)	1.27	(0.75 - 2.14)	1.87	(1.27 - 2.74)
Region 6	2.77	(1.69 - 4.51)	4.93	(2.99 - 8.01)	1.41	(0.78 - 2.51)	1.90	(1.21 - 2.97)
Region 7 (Shelby)	2.66	(1.68 - 4.20)	5.22	(3.24 - 8.30)	1.64	(0.95 - 2.84)	2.18	(1.42 - 3.32)

See notes at end of table.

(continued)

Table 16. *Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	2.39	(1.97 - 2.90)	5.06	(4.35 - 5.88)	1.11	(0.86 - 1.43)	1.76	(1.51 - 2.05)
Region 1	2.81	(1.80 - 4.36)	6.56	(4.32 - 9.85)	1.20	(0.71 - 2.04)	2.15	(1.49 - 3.09)
Region 2	2.31	(1.45 - 3.67)	4.99	(3.02 - 8.11)	0.95	(0.54 - 1.69)	1.59	(1.03 - 2.43)
Region 3	2.42	(1.83 - 3.19)	5.10	(4.01 - 6.47)	1.11	(0.78 - 1.57)	1.75	(1.39 - 2.20)
Region 3a	2.47	(1.74 - 3.50)	4.89	(3.56 - 6.67)	1.03	(0.65 - 1.63)	1.66	(1.22 - 2.24)
Region 3bc	2.33	(1.56 - 3.47)	5.51	(3.90 - 7.74)	1.26	(0.80 - 1.96)	1.91	(1.39 - 2.62)
Region 4	2.61	(1.71 - 3.98)	5.41	(3.50 - 8.28)	1.07	(0.63 - 1.80)	1.66	(1.13 - 2.43)
Region 5	2.47	(1.55 - 3.92)	7.21	(4.59 - 11.15)	1.30	(0.76 - 2.21)	2.17	(1.46 - 3.21)
Region 6	2.07	(1.47 - 2.91)	4.43	(3.38 - 5.77)	1.09	(0.73 - 1.62)	1.63	(1.25 - 2.11)
Region 6a	1.96	(1.32 - 2.89)	4.19	(3.09 - 5.66)	1.07	(0.69 - 1.66)	1.58	(1.17 - 2.12)
Region 6bc	3.07	(1.91 - 4.89)	6.70	(4.19 - 10.55)	1.27	(0.71 - 2.25)	2.03	(1.33 - 3.09)
Region 7	2.54	(1.83 - 3.51)	5.88	(4.42 - 7.78)	1.24	(0.86 - 1.79)	2.16	(1.67 - 2.77)
Region 7a	2.69	(1.78 - 4.03)	6.32	(4.36 - 9.08)	1.27	(0.80 - 2.00)	2.21	(1.59 - 3.06)
Region 7bcd	2.35	(1.51 - 3.62)	5.29	(3.56 - 7.79)	1.19	(0.71 - 1.99)	2.07	(1.45 - 2.94)
Region 8	2.33	(1.57 - 3.46)	4.77	(3.28 - 6.88)	1.01	(0.61 - 1.67)	1.59	(1.12 - 2.25)
Region 9	2.52	(1.59 - 3.99)	4.91	(3.03 - 7.88)	*	(* - *)	1.65	(1.08 - 2.52)
Region 10	2.64	(1.67 - 4.16)	4.70	(2.91 - 7.51)	1.13	(0.63 - 2.00)	1.74	(1.14 - 2.65)
Region 11	2.58	(1.79 - 3.72)	4.22	(2.90 - 6.09)	1.08	(0.68 - 1.72)	1.64	(1.17 - 2.30)
Region 11abd	2.61	(1.66 - 4.09)	4.34	(2.70 - 6.93)	1.07	(0.62 - 1.85)	1.63	(1.08 - 2.46)
Region 11c (Hidalgo)	2.53	(1.58 - 4.03)	3.98	(2.43 - 6.46)	1.10	(0.62 - 1.96)	1.65	(1.07 - 2.55)
Utah	2.70	(2.02 - 3.60)	5.27	(4.11 - 6.72)	1.18	(0.82 - 1.68)	2.06	(1.64 - 2.57)
Bear River, Northeastern, Summit, Tooele, and Wasatch	2.97	(1.81 - 4.84)	5.97	(3.62 - 9.71)	1.22	(0.69 - 2.14)	2.26	(1.48 - 3.45)
Central, Four Corners, San Juan, and Southwest	2.51	(1.57 - 3.99)	4.28	(2.52 - 7.16)	0.94	(0.52 - 1.69)	1.55	(0.99 - 2.42)
Davis County	2.95	(1.81 - 4.78)	5.49	(3.36 - 8.86)	1.24	(0.70 - 2.18)	2.08	(1.36 - 3.16)
Salt Lake County	2.58	(1.68 - 3.94)	5.83	(4.06 - 8.30)	1.24	(0.75 - 2.04)	2.14	(1.54 - 2.97)
Utah County	2.70	(1.69 - 4.29)	4.37	(2.76 - 6.87)	1.15	(0.66 - 2.01)	2.13	(1.43 - 3.17)
Weber, Morgan	2.73	(1.66 - 4.45)	5.18	(3.16 - 8.39)	1.14	(0.65 - 2.00)	1.91	(1.26 - 2.90)

See notes at end of table.

(continued)

Table 16. *Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	2.98	(2.22 - 3.97)	8.38	(6.79 - 10.30)	1.22	(0.85 - 1.74)	2.26	(1.83 - 2.79)
Champlain Valley	2.85	(1.88 - 4.32)	9.35	(7.01 - 12.37)	1.30	(0.80 - 2.11)	2.70	(2.05 - 3.56)
Rural Northeast	3.08	(2.01 - 4.71)	7.97	(5.48 - 11.44)	1.13	(0.67 - 1.89)	2.07	(1.47 - 2.91)
Rural Southeast	2.81	(1.77 - 4.44)	7.01	(4.49 - 10.80)	1.24	(0.70 - 2.19)	1.90	(1.26 - 2.85)
Rural Southwest	3.34	(2.11 - 5.24)	7.57	(4.95 - 11.40)	1.13	(0.63 - 2.02)	1.96	(1.32 - 2.90)
Virginia	2.39	(1.76 - 3.23)	5.71	(4.46 - 7.28)	1.16	(0.81 - 1.66)	1.80	(1.42 - 2.30)
Region 1	2.42	(1.48 - 3.95)	6.21	(3.95 - 9.62)	1.05	(0.58 - 1.88)	1.81	(1.21 - 2.70)
Region 2	2.16	(1.35 - 3.45)	4.86	(3.10 - 7.55)	1.07	(0.63 - 1.79)	1.55	(1.05 - 2.29)
Region 3	2.77	(1.72 - 4.43)	7.32	(4.79 - 11.03)	1.10	(0.63 - 1.94)	1.96	(1.33 - 2.88)
Region 4	2.38	(1.47 - 3.81)	5.29	(3.43 - 8.07)	1.24	(0.71 - 2.17)	1.79	(1.18 - 2.70)
Region 5	2.34	(1.48 - 3.67)	5.33	(3.45 - 8.16)	1.34	(0.77 - 2.31)	1.98	(1.33 - 2.93)
Washington	2.96	(2.22 - 3.94)	6.84	(5.36 - 8.69)	1.42	(0.99 - 2.03)	2.21	(1.73 - 2.80)
Region 1	3.20	(1.98 - 5.13)	7.63	(4.88 - 11.74)	1.37	(0.76 - 2.43)	2.37	(1.56 - 3.58)
Region 2	2.85	(1.79 - 4.51)	6.68	(4.11 - 10.67)	1.37	(0.76 - 2.45)	2.21	(1.43 - 3.41)
Region 3	2.83	(1.79 - 4.43)	6.80	(4.35 - 10.48)	1.25	(0.73 - 2.14)	2.06	(1.40 - 3.04)
Region 4 (King)	3.34	(2.11 - 5.24)	6.91	(4.66 - 10.12)	1.55	(0.91 - 2.65)	2.30	(1.57 - 3.36)
Region 5	2.67	(1.68 - 4.21)	6.61	(4.15 - 10.37)	1.39	(0.80 - 2.40)	2.18	(1.45 - 3.27)
Region 6	2.70	(1.67 - 4.34)	6.36	(4.02 - 9.93)	1.42	(0.81 - 2.47)	2.07	(1.37 - 3.11)
West Virginia	2.48	(1.82 - 3.37)	7.16	(5.75 - 8.88)	1.07	(0.74 - 1.55)	1.89	(1.52 - 2.35)
Eastern Highland	2.44	(1.54 - 3.84)	6.16	(4.01 - 9.34)	0.99	(0.56 - 1.75)	1.64	(1.11 - 2.44)
Northern	2.39	(1.57 - 3.65)	8.92	(6.53 - 12.09)	1.17	(0.72 - 1.88)	2.34	(1.75 - 3.11)
Northern A and B	2.35	(1.38 - 4.00)	5.40	(3.14 - 9.15)	*	(* - *)	1.51	(0.94 - 2.41)
Northern C and D	2.41	(1.44 - 4.00)	10.21	(7.21 - 14.28)	1.27	(0.72 - 2.22)	2.76	(1.98 - 3.82)
South Central	2.57	(1.80 - 3.66)	6.44	(4.70 - 8.77)	1.03	(0.66 - 1.59)	1.73	(1.29 - 2.32)
South Central I	2.65	(1.62 - 4.33)	5.60	(3.45 - 8.95)	*	(* - *)	1.48	(0.96 - 2.29)
South Central II	2.89	(1.75 - 4.73)	7.96	(5.08 - 12.26)	*	(* - *)	2.19	(1.48 - 3.23)
South Central III	2.30	(1.41 - 3.72)	5.70	(3.57 - 8.97)	1.01	(0.56 - 1.80)	1.58	(1.04 - 2.40)
Southern	2.48	(1.67 - 3.67)	6.85	(4.78 - 9.73)	1.12	(0.68 - 1.84)	1.86	(1.32 - 2.60)
Southern I and III	2.41	(1.50 - 3.86)	6.74	(4.28 - 10.46)	1.10	(0.61 - 1.95)	1.82	(1.21 - 2.73)
Southern II	2.62	(1.56 - 4.35)	7.07	(4.38 - 11.22)	*	(* - *)	1.93	(1.22 - 3.02)

See notes at end of table.

(continued)

Table 16. *Illicit Drug Dependence in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	2.56	(1.92 - 3.42)	4.67	(3.58 - 6.09)	1.18	(0.83 - 1.69)	1.71	(1.34 - 2.20)
Milwaukee	2.27	(1.39 - 3.68)	4.97	(3.09 - 7.89)	1.68	(0.97 - 2.90)	2.21	(1.44 - 3.37)
Northeastern	2.48	(1.54 - 3.95)	4.42	(2.74 - 7.06)	1.08	(0.61 - 1.91)	1.56	(1.01 - 2.41)
Northern	2.33	(1.39 - 3.89)	4.25	(2.59 - 6.89)	*	(* - *)	1.39	(0.87 - 2.21)
Southeastern	2.59	(1.66 - 4.03)	4.66	(2.91 - 7.38)	1.09	(0.63 - 1.87)	1.57	(1.04 - 2.36)
Southern	2.64	(1.65 - 4.19)	4.42	(2.71 - 7.15)	1.19	(0.68 - 2.10)	1.72	(1.13 - 2.62)
Western	3.06	(1.90 - 4.91)	5.27	(3.26 - 8.41)	1.06	(0.59 - 1.90)	1.77	(1.16 - 2.70)
Wyoming	2.86	(2.16 - 3.79)	5.89	(4.66 - 7.42)	1.17	(0.84 - 1.65)	1.92	(1.54 - 2.39)
Judicial District 1 (Laramie)	2.91	(1.85 - 4.57)	6.04	(3.82 - 9.42)	1.35	(0.75 - 2.43)	2.07	(1.35 - 3.17)
Judicial District 2	2.91	(1.77 - 4.76)	4.69	(2.94 - 7.38)	*	(* - *)	2.23	(1.50 - 3.31)
Judicial District 3	2.97	(1.88 - 4.67)	4.86	(3.06 - 7.65)	1.04	(0.59 - 1.84)	1.65	(1.09 - 2.50)
Judicial District 4	*	(* - *)	*	(* - *)	*	(* - *)	1.89	(1.21 - 2.95)
Judicial District 5	2.74	(1.68 - 4.45)	6.04	(3.67 - 9.76)	*	(* - *)	1.66	(1.07 - 2.57)
Judicial District 6	2.76	(1.69 - 4.47)	6.60	(4.10 - 10.45)	*	(* - *)	1.94	(1.29 - 2.93)
Judicial District 7 (Natrona)	3.11	(1.94 - 4.94)	6.83	(4.44 - 10.38)	1.13	(0.63 - 2.00)	2.03	(1.38 - 2.98)
Judicial District 8	2.71	(1.67 - 4.38)	5.25	(3.09 - 8.81)	*	(* - *)	1.56	(0.99 - 2.47)
Judicial District 9	2.66	(1.61 - 4.34)	6.51	(3.98 - 10.47)	1.33	(0.74 - 2.37)	2.06	(1.33 - 3.18)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence is based on the definition found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	5.61		17.34		6.29		7.93	
Northeast	5.53	(5.11 - 5.98)	17.64	(16.86 - 18.45)	5.67	(5.26 - 6.12)	7.35	(6.96 - 7.75)
Midwest	6.16	(5.81 - 6.52)	20.24	(19.54 - 20.95)	6.65	(6.27 - 7.05)	8.71	(8.37 - 9.06)
South	5.00	(4.69 - 5.33)	15.28	(14.70 - 15.89)	6.01	(5.67 - 6.38)	7.39	(7.08 - 7.71)
West	6.08	(5.60 - 6.59)	17.45	(16.63 - 18.30)	6.87	(6.38 - 7.41)	8.51	(8.06 - 8.97)
Alabama	5.10	(4.00 - 6.49)	12.42	(10.52 - 14.60)	5.18	(4.07 - 6.57)	6.26	(5.20 - 7.51)
Region 1	5.64	(3.93 - 8.03)	12.42	(9.43 - 16.18)	4.70	(3.32 - 6.63)	5.74	(4.36 - 7.53)
Region 2	5.30	(3.70 - 7.55)	12.68	(9.87 - 16.14)	5.46	(3.92 - 7.57)	6.55	(5.07 - 8.43)
Region 3	3.78	(2.46 - 5.76)	11.82	(8.65 - 15.94)	5.21	(3.59 - 7.51)	6.38	(4.75 - 8.52)
Region 4	5.34	(3.65 - 7.74)	12.63	(9.52 - 16.56)	5.37	(3.80 - 7.52)	6.39	(4.86 - 8.35)
Alaska	6.13	(4.81 - 7.78)	16.41	(14.18 - 18.90)	6.17	(4.93 - 7.70)	7.83	(6.65 - 9.20)
Gulf Coast	6.47	(4.31 - 9.61)	*	(* - *)	5.80	(3.98 - 8.38)	7.33	(5.42 - 9.83)
Rural	4.67	(2.91 - 7.40)	*	(* - *)	7.24	(4.87 - 10.64)	9.18	(6.76 - 12.36)
Southeast	6.60	(4.42 - 9.75)	17.87	(13.35 - 23.50)	6.63	(4.62 - 9.44)	8.18	(6.14 - 10.81)
Urban	6.28	(4.70 - 8.34)	15.91	(13.42 - 18.76)	5.99	(4.55 - 7.85)	7.64	(6.28 - 9.26)
Arizona	5.96	(4.71 - 7.51)	17.18	(14.84 - 19.80)	7.54	(6.13 - 9.24)	9.00	(7.67 - 10.54)
Maricopa	5.68	(4.19 - 7.65)	16.45	(13.68 - 19.64)	7.59	(5.96 - 9.64)	8.99	(7.46 - 10.79)
Pima	6.85	(4.73 - 9.83)	19.41	(14.71 - 25.19)	7.92	(5.66 - 10.98)	9.67	(7.44 - 12.49)
Rural North	6.45	(4.36 - 9.44)	20.71	(15.75 - 26.75)	7.88	(5.50 - 11.17)	9.63	(7.23 - 12.72)
Rural South	5.67	(3.68 - 8.66)	14.57	(10.40 - 20.04)	6.43	(4.38 - 9.37)	7.53	(5.48 - 10.27)
Arkansas	6.00	(4.76 - 7.54)	16.77	(14.61 - 19.18)	5.67	(4.58 - 7.00)	7.33	(6.26 - 8.56)
Areas 1 and 2	6.74	(4.56 - 9.85)	19.90	(15.48 - 25.21)	6.14	(4.40 - 8.50)	8.28	(6.47 - 10.54)
Areas 3 and 4	8.12	(5.63 - 11.58)	19.29	(14.91 - 24.59)	5.88	(4.12 - 8.31)	7.87	(6.04 - 10.18)
Areas 5 and 6	5.61	(3.75 - 8.31)	14.75	(11.27 - 19.08)	5.33	(3.75 - 7.53)	6.81	(5.22 - 8.84)
Areas 7, 12, and 13	4.72	(3.11 - 7.09)	14.43	(10.70 - 19.17)	6.30	(4.45 - 8.86)	7.54	(5.68 - 9.94)
Areas 8, 10, and 11	5.19	(3.43 - 7.77)	17.40	(13.54 - 22.07)	5.16	(3.58 - 7.38)	6.84	(5.24 - 8.88)
Area 9	5.29	(3.62 - 7.67)	14.33	(10.77 - 18.81)	5.30	(3.74 - 7.47)	6.61	(5.02 - 8.66)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	5.85	(5.16 - 6.63)	16.99	(15.74 - 18.32)	6.81	(6.03 - 7.68)	8.39	(7.69 - 9.15)
Region 1	6.95	(4.86 - 9.83)	22.51	(17.44 - 28.55)	7.11	(5.13 - 9.76)	9.38	(7.33 - 11.93)
Region 2	6.31	(4.70 - 8.44)	21.03	(17.64 - 24.87)	8.48	(6.46 - 11.05)	10.33	(8.42 - 12.60)
Region 3	6.01	(4.23 - 8.48)	15.61	(11.77 - 20.41)	6.18	(4.49 - 8.44)	7.68	(5.98 - 9.81)
Region 4	5.66	(3.96 - 8.03)	19.20	(14.87 - 24.44)	7.38	(5.59 - 9.69)	8.81	(7.01 - 11.01)
Region 5	6.43	(4.68 - 8.78)	17.81	(14.21 - 22.08)	7.32	(5.56 - 9.58)	8.77	(7.07 - 10.82)
Region 6 (Santa Clara)	5.84	(4.14 - 8.17)	15.34	(11.80 - 19.70)	6.07	(4.49 - 8.16)	7.39	(5.82 - 9.35)
Region 7	6.10	(4.09 - 9.00)	18.08	(13.57 - 23.69)	7.13	(5.09 - 9.90)	8.99	(6.92 - 11.59)
Region 8	5.70	(3.99 - 8.08)	16.09	(12.55 - 20.40)	7.34	(5.40 - 9.91)	8.91	(7.03 - 11.22)
Region 9	7.14	(4.95 - 10.20)	18.30	(14.26 - 23.16)	7.00	(5.11 - 9.52)	8.96	(7.07 - 11.30)
Region 10	7.36	(5.18 - 10.37)	19.20	(14.91 - 24.38)	6.76	(4.91 - 9.25)	8.75	(6.87 - 11.09)
Region 11 (Los Angeles)	4.74	(3.69 - 6.06)	14.16	(12.15 - 16.43)	5.94	(4.75 - 7.40)	7.26	(6.17 - 8.53)
Region 12	5.60	(3.97 - 7.85)	14.55	(11.29 - 18.55)	5.80	(4.21 - 7.93)	7.30	(5.74 - 9.24)
Region 13 (Riverside)	7.30	(5.27 - 10.04)	18.78	(14.84 - 23.48)	6.82	(5.06 - 9.13)	8.64	(6.86 - 10.82)
Region 14 (Orange)	6.25	(4.59 - 8.44)	17.30	(13.85 - 21.40)	7.02	(5.32 - 9.23)	8.55	(6.89 - 10.57)
Region 15	6.12	(4.47 - 8.32)	19.53	(16.09 - 23.49)	7.62	(5.91 - 9.77)	9.63	(7.99 - 11.56)
Colorado	7.32	(5.85 - 9.12)	21.41	(18.73 - 24.36)	8.12	(6.60 - 9.94)	10.09	(8.64 - 11.74)
Region 1	7.67	(5.22 - 11.11)	23.74	(18.70 - 29.64)	7.58	(5.42 - 10.52)	10.43	(8.21 - 13.16)
Regions 2 and 7	7.27	(5.47 - 9.59)	21.03	(17.60 - 24.91)	8.40	(6.49 - 10.80)	10.22	(8.41 - 12.36)
Region 3	6.88	(4.64 - 10.08)	19.49	(14.89 - 25.09)	7.25	(5.09 - 10.24)	9.05	(6.85 - 11.86)
Region 4	8.40	(5.53 - 12.55)	*	(* - *)	8.15	(5.71 - 11.52)	9.90	(7.42 - 13.07)
Regions 5 and 6	7.10	(4.73 - 10.53)	*	(* - *)	8.35	(5.92 - 11.66)	10.47	(8.01 - 13.59)
Connecticut	6.41	(5.17 - 7.92)	22.84	(20.03 - 25.91)	6.85	(5.52 - 8.48)	8.97	(7.68 - 10.45)
Eastern	6.83	(4.62 - 9.98)	*	(* - *)	6.67	(4.69 - 9.42)	9.91	(7.77 - 12.56)
North Central	5.68	(4.00 - 8.01)	20.26	(16.18 - 25.05)	6.77	(4.81 - 9.44)	8.49	(6.59 - 10.89)
Northwestern	6.05	(4.09 - 8.86)	26.42	(21.15 - 32.47)	6.27	(4.33 - 9.01)	8.72	(6.74 - 11.21)
South Central	7.07	(5.02 - 9.88)	21.85	(17.27 - 27.26)	6.71	(4.91 - 9.12)	8.80	(6.98 - 11.04)
Southwest	6.72	(4.65 - 9.61)	22.51	(17.44 - 28.54)	7.75	(5.53 - 10.77)	9.52	(7.30 - 12.32)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	4.40	(3.41 - 5.67)	16.20	(13.85 - 18.87)	5.05	(4.01 - 6.34)	6.68	(5.66 - 7.87)
Kent	4.78	(3.23 - 7.02)	15.89	(12.18 - 20.47)	5.32	(3.77 - 7.45)	6.99	(5.44 - 8.93)
New Castle (excluding Wilmington City)	4.51	(3.25 - 6.22)	17.78	(14.62 - 21.46)	4.91	(3.66 - 6.56)	6.91	(5.66 - 8.42)
Sussex	4.46	(2.94 - 6.71)	12.90	(9.54 - 17.23)	4.86	(3.33 - 7.03)	5.75	(4.24 - 7.75)
Wilmington City	3.05	(1.94 - 4.76)	13.33	(9.35 - 18.65)	5.84	(3.97 - 8.51)	7.02	(5.11 - 9.58)
District of Columbia	4.02	(3.05 - 5.30)	19.52	(17.09 - 22.20)	9.13	(7.53 - 11.04)	10.79	(9.31 - 12.48)
Ward 1	4.75	(3.01 - 7.43)	*	(* - *)	11.33	(8.18 - 15.49)	12.67	(9.70 - 16.39)
Ward 2	*	(* - *)	23.88	(19.63 - 28.72)	11.22	(8.33 - 14.96)	14.37	(11.71 - 17.50)
Ward 3	7.11	(4.68 - 10.66)	*	(* - *)	9.24	(6.59 - 12.80)	11.93	(9.30 - 15.17)
Ward 4	3.87	(2.44 - 6.10)	16.05	(11.68 - 21.66)	7.32	(5.06 - 10.47)	8.19	(5.98 - 11.12)
Ward 5	3.59	(2.27 - 5.61)	17.18	(13.03 - 22.32)	8.65	(6.25 - 11.86)	9.88	(7.57 - 12.80)
Ward 6	*	(* - *)	*	(* - *)	9.09	(6.50 - 12.57)	10.27	(7.70 - 13.57)
Ward 7	3.05	(1.95 - 4.75)	12.70	(9.06 - 17.51)	7.28	(5.10 - 10.28)	7.94	(5.83 - 10.72)
Ward 8	3.26	(2.12 - 4.99)	12.46	(9.14 - 16.75)	8.78	(6.24 - 12.21)	9.44	(7.09 - 12.46)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	5.51	(4.84 - 6.25)	16.35	(15.16 - 17.60)	6.42	(5.70 - 7.21)	7.71	(7.05 - 8.43)
Region A	5.98	(4.61 - 7.72)	19.70	(16.90 - 22.84)	7.11	(5.73 - 8.78)	9.33	(7.97 - 10.90)
Circuit 1	5.86	(4.06 - 8.39)	16.87	(12.91 - 21.74)	6.58	(4.84 - 8.88)	8.18	(6.42 - 10.36)
Circuit 2	6.31	(4.21 - 9.35)	23.72	(19.15 - 28.99)	8.13	(5.77 - 11.33)	11.86	(9.48 - 14.74)
Circuit 14	5.77	(3.84 - 8.57)	17.67	(13.21 - 23.23)	7.10	(5.10 - 9.81)	8.59	(6.58 - 11.14)
Region B	5.53	(4.43 - 6.87)	17.74	(15.42 - 20.33)	6.97	(5.71 - 8.47)	8.64	(7.44 - 10.02)
Circuits 3 and 8	5.84	(4.00 - 8.44)	19.30	(15.25 - 24.12)	7.00	(5.14 - 9.45)	9.61	(7.69 - 11.95)
Circuit 4	5.16	(3.74 - 7.06)	16.02	(12.82 - 19.83)	7.27	(5.46 - 9.62)	8.63	(6.90 - 10.73)
Circuit 7	5.86	(4.12 - 8.28)	18.75	(14.67 - 23.65)	6.56	(4.84 - 8.83)	7.97	(6.27 - 10.09)
Region C	5.73	(4.76 - 6.89)	17.47	(15.52 - 19.61)	6.38	(5.41 - 7.51)	7.79	(6.85 - 8.85)
Circuit 5	5.05	(3.49 - 7.25)	14.92	(11.43 - 19.24)	5.74	(4.19 - 7.81)	6.58	(5.06 - 8.52)
Circuit 9	5.39	(3.89 - 7.42)	18.54	(15.10 - 22.56)	7.39	(5.62 - 9.66)	9.27	(7.53 - 11.37)
Circuit 10	5.98	(4.13 - 8.57)	15.10	(11.42 - 19.69)	5.77	(4.18 - 7.92)	6.98	(5.39 - 8.99)
Circuit 18	6.47	(4.68 - 8.87)	19.87	(16.00 - 24.40)	6.30	(4.73 - 8.35)	7.95	(6.38 - 9.87)
Circuit 19	5.98	(4.12 - 8.60)	16.17	(12.26 - 21.02)	6.24	(4.51 - 8.58)	7.24	(5.52 - 9.45)
Region D	4.85	(4.00 - 5.87)	13.18	(11.54 - 15.01)	6.06	(5.09 - 7.20)	6.95	(6.05 - 7.97)
Circuits 11 and 16	4.20	(3.08 - 5.71)	10.59	(8.48 - 13.15)	5.96	(4.53 - 7.79)	6.59	(5.26 - 8.22)
Circuit 15 (Palm Beach)	6.22	(4.53 - 8.48)	17.81	(14.41 - 21.81)	6.05	(4.56 - 7.99)	7.29	(5.84 - 9.07)
Circuit 17 (Broward)	4.94	(3.72 - 6.54)	14.51	(11.74 - 17.80)	6.22	(4.80 - 8.02)	7.22	(5.86 - 8.87)
Region E	6.01	(5.01 - 7.20)	17.02	(14.93 - 19.32)	6.43	(5.44 - 7.59)	7.61	(6.66 - 8.68)
Circuit 6	5.89	(4.34 - 7.94)	16.60	(13.04 - 20.89)	6.10	(4.56 - 8.12)	7.14	(5.62 - 9.03)
Circuit 12	6.57	(4.61 - 9.27)	17.10	(12.99 - 22.17)	6.22	(4.47 - 8.61)	7.24	(5.49 - 9.48)
Circuit 13 (Hillsborough)	5.95	(4.34 - 8.10)	17.35	(13.91 - 21.43)	6.89	(5.24 - 9.01)	8.46	(6.82 - 10.44)
Circuit 20	5.89	(4.20 - 8.19)	16.99	(13.19 - 21.63)	6.57	(4.84 - 8.86)	7.61	(5.89 - 9.77)
Georgia	4.25	(3.30 - 5.45)	12.70	(10.68 - 15.04)	5.37	(4.23 - 6.79)	6.49	(5.39 - 7.78)
Region 1	5.77	(3.90 - 8.46)	12.37	(8.97 - 16.82)	4.94	(3.36 - 7.22)	5.99	(4.38 - 8.14)
Region 2	4.13	(2.79 - 6.08)	11.98	(8.92 - 15.89)	4.83	(3.29 - 7.05)	5.94	(4.40 - 7.98)
Region 3	3.96	(2.75 - 5.67)	13.90	(10.93 - 17.53)	5.84	(4.35 - 7.80)	7.04	(5.58 - 8.85)
Region 4	3.96	(2.60 - 5.97)	12.18	(8.77 - 16.68)	5.57	(3.80 - 8.09)	6.58	(4.83 - 8.90)
Region 5	4.11	(2.68 - 6.23)	10.88	(7.65 - 15.24)	4.76	(3.21 - 7.01)	5.80	(4.22 - 7.93)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	5.47	(4.22 - 7.06)	18.03	(15.40 - 21.00)	5.87	(4.62 - 7.43)	7.48	(6.27 - 8.91)
Hawaii Island	5.25	(3.41 - 7.98)	16.99	(12.59 - 22.54)	6.48	(4.46 - 9.33)	7.74	(5.74 - 10.36)
Honolulu	5.53	(4.06 - 7.49)	18.18	(15.15 - 21.67)	5.69	(4.31 - 7.47)	7.42	(6.07 - 9.04)
Kauai and Maui**	5.40	(3.77 - 7.70)	18.06	(13.98 - 23.01)	6.19	(4.50 - 8.47)	7.57	(5.84 - 9.75)
Maui	5.57	(3.65 - 8.42)	18.56	(13.91 - 24.34)	6.54	(4.55 - 9.30)	7.97	(5.95 - 10.59)
Idaho	7.21	(5.89 - 8.81)	17.12	(14.91 - 19.59)	6.24	(5.07 - 7.66)	8.05	(6.92 - 9.35)
Region 1	7.75	(5.31 - 11.18)	16.35	(12.25 - 21.48)	6.10	(4.30 - 8.58)	7.42	(5.62 - 9.73)
Region 2	8.28	(5.61 - 12.06)	*	(* - *)	6.16	(4.26 - 8.82)	9.04	(6.99 - 11.61)
Region 3	8.18	(5.76 - 11.49)	15.05	(11.24 - 19.85)	5.81	(4.14 - 8.09)	7.28	(5.56 - 9.47)
Region 4	7.65	(5.43 - 10.69)	19.57	(15.74 - 24.07)	7.42	(5.44 - 10.04)	9.41	(7.48 - 11.79)
Region 5	6.86	(4.69 - 9.91)	15.67	(11.41 - 21.13)	5.84	(4.11 - 8.23)	7.32	(5.52 - 9.66)
Region 6	6.27	(4.25 - 9.15)	16.22	(12.18 - 21.26)	5.79	(4.04 - 8.23)	7.78	(5.95 - 10.11)
Region 7	5.67	(3.76 - 8.46)	14.27	(10.51 - 19.10)	4.95	(3.34 - 7.28)	6.90	(5.22 - 9.08)
Illinois	5.75	(5.04 - 6.54)	19.45	(18.10 - 20.86)	6.34	(5.60 - 7.18)	8.32	(7.64 - 9.06)
Region I (Cook)	6.00	(4.90 - 7.32)	18.70	(16.63 - 20.96)	6.86	(5.73 - 8.19)	8.67	(7.63 - 9.84)
Region II	5.40	(4.39 - 6.64)	20.56	(18.31 - 23.02)	6.00	(4.87 - 7.37)	8.09	(7.03 - 9.29)
Region III	5.67	(4.19 - 7.62)	20.02	(16.81 - 23.68)	6.35	(4.92 - 8.17)	8.72	(7.31 - 10.37)
Region IV	6.38	(4.67 - 8.66)	19.41	(15.78 - 23.64)	5.77	(4.34 - 7.64)	7.74	(6.28 - 9.50)
Region V	5.40	(3.95 - 7.34)	18.80	(15.86 - 22.15)	5.46	(4.10 - 7.23)	7.45	(6.13 - 9.04)
Indiana	5.48	(4.41 - 6.78)	18.66	(16.44 - 21.09)	6.17	(5.04 - 7.53)	8.09	(6.99 - 9.34)
Central	4.88	(3.40 - 6.94)	16.78	(13.28 - 20.98)	6.57	(4.84 - 8.86)	8.02	(6.33 - 10.11)
East	5.45	(3.66 - 8.05)	17.33	(12.92 - 22.87)	5.84	(4.07 - 8.32)	7.62	(5.79 - 9.97)
North Central	5.63	(3.78 - 8.30)	17.50	(13.14 - 22.92)	6.39	(4.52 - 8.95)	8.05	(6.15 - 10.46)
Northeast	5.23	(3.51 - 7.72)	17.79	(13.50 - 23.08)	5.68	(4.00 - 8.01)	7.50	(5.76 - 9.71)
Northwest	5.00	(3.42 - 7.27)	16.41	(12.36 - 21.48)	6.07	(4.33 - 8.45)	7.53	(5.78 - 9.77)
Southeast	6.68	(4.49 - 9.82)	*	(* - *)	5.74	(3.99 - 8.18)	7.78	(5.93 - 10.14)
Southwest	5.94	(3.88 - 9.00)	*	(* - *)	6.09	(4.23 - 8.69)	8.26	(6.28 - 10.80)
West	5.86	(4.00 - 8.52)	22.76	(18.02 - 28.30)	6.30	(4.44 - 8.85)	9.90	(7.89 - 12.35)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	8.25	(6.74 - 10.05)	23.45	(20.79 - 26.34)	6.99	(5.78 - 8.44)	9.54	(8.35 - 10.89)
Central	8.70	(6.12 - 12.22)	23.48	(18.48 - 29.35)	7.54	(5.47 - 10.30)	9.90	(7.80 - 12.50)
North Central	6.97	(4.65 - 10.33)	23.37	(18.19 - 29.49)	7.14	(5.07 - 9.95)	10.14	(7.99 - 12.79)
Northeast	8.88	(6.47 - 12.08)	26.41	(21.76 - 31.66)	6.99	(5.20 - 9.35)	10.03	(8.20 - 12.22)
Northwest	8.54	(6.07 - 11.89)	21.82	(16.93 - 27.65)	6.03	(4.30 - 8.41)	8.22	(6.39 - 10.52)
Southeast	7.86	(5.55 - 11.03)	22.57	(18.04 - 27.84)	7.21	(5.33 - 9.69)	9.76	(7.84 - 12.09)
Southwest	7.75	(5.20 - 11.39)	*	(* - *)	7.04	(5.01 - 9.81)	8.75	(6.67 - 11.39)
Kansas	7.83	(6.29 - 9.72)	19.41	(16.92 - 22.16)	6.63	(5.40 - 8.13)	8.70	(7.49 - 10.07)
Kansas City Metro	8.60	(6.20 - 11.81)	21.81	(18.00 - 26.16)	7.29	(5.44 - 9.70)	9.70	(7.89 - 11.87)
Northeast	7.52	(5.27 - 10.63)	18.74	(14.30 - 24.17)	6.88	(4.96 - 9.46)	8.94	(6.98 - 11.38)
South Central	7.79	(5.40 - 11.11)	16.06	(11.84 - 21.41)	5.56	(3.88 - 7.92)	7.12	(5.38 - 9.37)
Southeast	7.47	(4.88 - 11.29)	*	(* - *)	6.61	(4.60 - 9.42)	8.54	(6.43 - 11.25)
West	8.30	(5.76 - 11.80)	19.40	(14.61 - 25.29)	5.93	(4.07 - 8.57)	8.01	(6.05 - 10.52)
Wichita (Sedgwick)	6.61	(4.39 - 9.83)	18.07	(13.79 - 23.30)	6.47	(4.65 - 8.94)	8.31	(6.45 - 10.64)
Kentucky	6.00	(4.82 - 7.46)	14.34	(12.31 - 16.65)	5.52	(4.45 - 6.84)	6.78	(5.75 - 7.98)
Adanta, Cumberland River, and Lifeskills	6.89	(4.71 - 9.97)	13.62	(10.23 - 17.90)	5.24	(3.66 - 7.46)	6.43	(4.85 - 8.47)
Bluegrass, Comprehend, and North Key	5.95	(4.24 - 8.28)	14.74	(11.50 - 18.70)	5.94	(4.35 - 8.07)	7.30	(5.76 - 9.22)
Communicare and River Valley	5.32	(3.49 - 8.05)	14.50	(10.47 - 19.74)	5.29	(3.66 - 7.58)	6.56	(4.88 - 8.79)
Four Rivers and Pennyroyal	7.16	(4.81 - 10.53)	14.17	(10.21 - 19.35)	5.14	(3.49 - 7.50)	6.43	(4.73 - 8.68)
Kentucky River, Mountain, and Pathways	5.25	(3.52 - 7.78)	12.37	(9.09 - 16.61)	4.95	(3.50 - 6.96)	5.99	(4.53 - 7.88)
Seven Counties	5.63	(3.97 - 7.95)	15.54	(11.84 - 20.14)	5.81	(4.14 - 8.09)	7.06	(5.39 - 9.21)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	4.96	(3.94 - 6.22)	14.26	(12.25 - 16.54)	6.54	(5.31 - 8.03)	7.82	(6.66 - 9.16)
Region 1	3.68	(2.34 - 5.74)	13.99	(10.07 - 19.11)	6.56	(4.53 - 9.42)	7.81	(5.77 - 10.48)
Regions 2 and 9	5.60	(3.96 - 7.86)	15.30	(12.01 - 19.28)	6.94	(5.16 - 9.27)	8.40	(6.69 - 10.49)
Region 3	4.81	(3.18 - 7.22)	13.50	(10.05 - 17.89)	6.59	(4.67 - 9.22)	7.71	(5.85 - 10.10)
Region 4	5.24	(3.57 - 7.63)	13.58	(10.02 - 18.15)	6.11	(4.25 - 8.70)	7.36	(5.54 - 9.73)
Regions 5 and 6	5.54	(3.71 - 8.21)	14.45	(10.83 - 19.03)	6.26	(4.47 - 8.69)	7.58	(5.80 - 9.85)
Regions 7 and 8	4.71	(3.23 - 6.81)	13.85	(10.61 - 17.88)	6.27	(4.49 - 8.68)	7.54	(5.81 - 9.72)
Region 10 (Jefferson)	4.40	(2.80 - 6.86)	14.00	(10.09 - 19.11)	6.92	(4.74 - 9.99)	7.95	(5.82 - 10.78)
Maine	6.31	(5.06 - 7.83)	16.98	(14.78 - 19.44)	6.02	(4.82 - 7.51)	7.46	(6.32 - 8.80)
Aroostook/Downeast	5.75	(3.82 - 8.57)	15.38	(11.13 - 20.87)	5.85	(3.95 - 8.59)	7.03	(5.13 - 9.57)
Central	6.44	(4.40 - 9.33)	16.04	(12.19 - 20.81)	5.62	(3.86 - 8.11)	6.99	(5.24 - 9.26)
Cumberland	6.95	(4.84 - 9.88)	20.35	(16.06 - 25.45)	7.28	(5.25 - 10.01)	9.02	(7.00 - 11.55)
Midcoast	6.10	(4.03 - 9.12)	17.37	(12.99 - 22.83)	5.42	(3.76 - 7.75)	6.76	(5.07 - 8.96)
Penquis	6.06	(4.03 - 9.02)	16.15	(12.14 - 21.16)	5.29	(3.64 - 7.63)	7.01	(5.33 - 9.17)
Western	6.36	(4.33 - 9.25)	14.91	(11.17 - 19.62)	5.97	(4.17 - 8.46)	7.20	(5.44 - 9.48)
York	6.06	(4.17 - 8.73)	16.89	(12.82 - 21.94)	5.87	(4.11 - 8.31)	7.20	(5.45 - 9.46)
Maryland	5.06	(4.01 - 6.36)	15.82	(13.63 - 18.28)	5.61	(4.51 - 6.95)	7.04	(5.97 - 8.28)
Anne Arundel	5.03	(3.28 - 7.65)	*	(* - *)	5.61	(3.80 - 8.21)	7.09	(5.19 - 9.61)
Baltimore City	3.66	(2.38 - 5.59)	14.94	(11.04 - 19.92)	6.70	(4.68 - 9.50)	8.05	(6.05 - 10.64)
Baltimore County	5.01	(3.34 - 7.45)	17.58	(13.67 - 22.31)	5.52	(3.85 - 7.85)	7.19	(5.50 - 9.35)
Montgomery	5.76	(3.91 - 8.41)	15.74	(11.80 - 20.69)	5.36	(3.78 - 7.54)	6.59	(5.00 - 8.64)
North Central	7.77	(5.06 - 11.76)	*	(* - *)	5.62	(3.83 - 8.18)	7.41	(5.48 - 9.95)
Northeast	6.44	(4.30 - 9.54)	*	(* - *)	5.39	(3.69 - 7.81)	6.90	(5.12 - 9.23)
Prince George's	3.25	(2.10 - 4.98)	13.24	(9.92 - 17.47)	5.75	(3.98 - 8.25)	6.95	(5.22 - 9.20)
South	4.49	(2.95 - 6.79)	14.38	(10.50 - 19.37)	5.03	(3.41 - 7.35)	6.38	(4.73 - 8.56)
West	5.81	(3.82 - 8.74)	16.09	(11.70 - 21.73)	5.42	(3.70 - 7.89)	6.93	(5.11 - 9.31)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	5.55	(4.43 - 6.95)	19.84	(17.41 - 22.52)	6.48	(5.26 - 7.95)	8.36	(7.18 - 9.72)
Boston	4.30	(2.80 - 6.55)	17.30	(13.24 - 22.28)	7.50	(5.35 - 10.41)	9.51	(7.37 - 12.19)
Central	6.46	(4.35 - 9.48)	20.53	(15.56 - 26.60)	6.39	(4.55 - 8.91)	8.32	(6.42 - 10.71)
Metrowest	5.17	(3.58 - 7.42)	22.16	(17.60 - 27.50)	6.76	(4.85 - 9.35)	8.73	(6.81 - 11.12)
Northeast	5.31	(3.60 - 7.78)	16.88	(12.88 - 21.80)	5.78	(4.04 - 8.20)	7.19	(5.45 - 9.43)
Southeast	6.16	(4.30 - 8.76)	21.12	(16.60 - 26.48)	6.32	(4.53 - 8.76)	8.14	(6.32 - 10.44)
Western	5.74	(3.87 - 8.44)	21.12	(16.68 - 26.37)	6.45	(4.56 - 9.05)	8.79	(6.87 - 11.17)
Michigan	5.37	(4.72 - 6.09)	19.33	(18.01 - 20.72)	6.41	(5.69 - 7.21)	8.33	(7.67 - 9.04)
Bay	6.82	(4.86 - 9.48)	19.76	(15.32 - 25.11)	6.44	(4.75 - 8.68)	8.23	(6.50 - 10.36)
Detroit City	2.68	(1.84 - 3.87)	15.49	(12.37 - 19.22)	7.41	(5.54 - 9.84)	8.68	(6.91 - 10.84)
Genesee	5.58	(4.01 - 7.71)	20.21	(16.06 - 25.11)	6.37	(4.72 - 8.56)	8.37	(6.70 - 10.41)
Kalamazoo	5.39	(3.93 - 7.36)	18.81	(15.16 - 23.10)	6.25	(4.65 - 8.36)	8.30	(6.70 - 10.23)
Kent	5.60	(4.06 - 7.68)	20.69	(17.02 - 24.91)	6.37	(4.73 - 8.54)	8.82	(7.20 - 10.76)
Lakeshore	5.45	(3.94 - 7.49)	20.99	(17.29 - 25.26)	6.58	(5.00 - 8.61)	8.81	(7.26 - 10.66)
Macomb	5.77	(4.24 - 7.82)	19.03	(15.54 - 23.08)	6.47	(5.01 - 8.31)	8.12	(6.70 - 9.82)
Mid South	6.06	(4.51 - 8.08)	21.02	(17.61 - 24.88)	5.62	(4.22 - 7.44)	8.33	(6.94 - 9.97)
Northern	5.19	(3.77 - 7.11)	19.82	(16.21 - 24.01)	5.63	(4.23 - 7.45)	7.60	(6.21 - 9.28)
Oakland	5.67	(4.32 - 7.42)	20.77	(17.40 - 24.59)	6.84	(5.39 - 8.65)	8.57	(7.15 - 10.23)
Pathways	*	(* - *)	21.48	(16.63 - 27.27)	6.45	(4.63 - 8.91)	8.68	(6.77 - 11.05)
Saginaw	4.86	(3.29 - 7.11)	*	(* - *)	6.03	(4.29 - 8.42)	7.94	(6.08 - 10.29)
Southeast	6.22	(4.72 - 8.15)	17.74	(14.88 - 21.02)	6.63	(5.20 - 8.42)	8.11	(6.75 - 9.73)
St. Clair	5.76	(3.94 - 8.36)	17.92	(13.60 - 23.24)	6.19	(4.47 - 8.51)	7.76	(6.02 - 9.93)
Washtenaw	5.12	(3.66 - 7.12)	18.83	(15.06 - 23.29)	6.34	(4.82 - 8.29)	8.72	(7.17 - 10.57)
Western	*	(* - *)	16.82	(12.71 - 21.91)	5.57	(3.83 - 8.04)	7.24	(5.48 - 9.51)
Minnesota	6.49	(5.22 - 8.04)	20.78	(18.30 - 23.50)	7.46	(6.15 - 9.03)	9.51	(8.26 - 10.92)
Regions 1 and 2	7.51	(5.02 - 11.08)	*	(* - *)	7.57	(5.32 - 10.67)	9.45	(7.20 - 12.32)
Regions 3 and 4	6.75	(4.70 - 9.62)	20.97	(16.50 - 26.26)	6.52	(4.66 - 9.05)	8.88	(7.00 - 11.21)
Regions 5 and 6	7.76	(5.51 - 10.84)	23.91	(18.99 - 29.65)	7.19	(5.28 - 9.74)	9.81	(7.84 - 12.23)
Region 7A (Hennepin)	5.18	(3.51 - 7.59)	19.19	(15.23 - 23.88)	7.92	(5.82 - 10.70)	9.62	(7.55 - 12.17)
Region 7B (Ramsey)	5.47	(3.61 - 8.21)	18.32	(13.79 - 23.93)	7.49	(5.26 - 10.57)	9.34	(7.08 - 12.22)
Region 7C	6.24	(4.38 - 8.80)	20.84	(16.37 - 26.16)	7.85	(5.76 - 10.60)	9.70	(7.66 - 12.21)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	4.08	(3.16 - 5.24)	13.10	(11.08 - 15.43)	5.19	(4.13 - 6.51)	6.48	(5.46 - 7.67)
Region 1	4.57	(3.02 - 6.86)	14.47	(10.80 - 19.11)	4.85	(3.42 - 6.83)	6.35	(4.87 - 8.23)
Region 2	4.11	(2.68 - 6.27)	12.75	(9.12 - 17.55)	6.05	(4.15 - 8.74)	7.17	(5.28 - 9.68)
Region 3	3.84	(2.52 - 5.80)	12.64	(9.41 - 16.76)	4.71	(3.24 - 6.80)	6.08	(4.59 - 8.01)
Region 4	3.58	(2.33 - 5.46)	12.46	(9.08 - 16.86)	5.51	(3.86 - 7.79)	6.64	(5.03 - 8.72)
Region 5	3.65	(2.34 - 5.66)	10.86	(7.78 - 14.97)	4.89	(3.28 - 7.24)	5.81	(4.23 - 7.94)
Region 6	3.82	(2.45 - 5.89)	11.04	(7.74 - 15.53)	4.89	(3.33 - 7.13)	5.98	(4.41 - 8.07)
Region 7	4.53	(3.03 - 6.73)	15.25	(11.59 - 19.81)	5.29	(3.71 - 7.50)	6.81	(5.22 - 8.83)
Missouri	6.78	(5.53 - 8.27)	21.60	(19.17 - 24.25)	7.36	(6.07 - 8.90)	9.51	(8.28 - 10.90)
Central	7.96	(5.56 - 11.26)	21.88	(17.29 - 27.29)	6.88	(4.94 - 9.49)	9.51	(7.51 - 11.97)
Eastern	6.36	(4.83 - 8.34)	23.26	(19.59 - 27.39)	7.93	(6.20 - 10.08)	10.13	(8.44 - 12.10)
Eastern (St. Louis City and County)	5.71	(4.02 - 8.03)	21.81	(17.41 - 26.95)	8.13	(6.07 - 10.82)	10.09	(8.07 - 12.55)
Eastern (excluding St. Louis)	7.52	(5.14 - 10.87)	*	(* - *)	7.51	(5.35 - 10.46)	10.19	(7.97 - 12.95)
Northwest	6.57	(4.89 - 8.77)	21.34	(17.40 - 25.90)	7.54	(5.76 - 9.81)	9.61	(7.83 - 11.75)
Northwest (Jackson)	6.30	(4.24 - 9.27)	*	(* - *)	7.91	(5.63 - 11.02)	9.93	(7.59 - 12.89)
Northwest (excluding Jackson)	6.80	(4.64 - 9.85)	*	(* - *)	7.21	(5.10 - 10.09)	9.33	(7.18 - 12.04)
Southeast	7.33	(5.03 - 10.58)	19.77	(15.43 - 24.98)	6.91	(4.96 - 9.57)	8.76	(6.83 - 11.17)
Southwest	6.56	(4.51 - 9.45)	19.53	(15.35 - 24.53)	6.55	(4.72 - 9.03)	8.53	(6.68 - 10.83)
Montana	10.52	(8.72 - 12.64)	25.40	(22.73 - 28.27)	7.74	(6.29 - 9.49)	10.42	(9.06 - 11.96)
Region 1	10.05	(6.94 - 14.34)	*	(* - *)	7.04	(4.88 - 10.07)	9.21	(6.97 - 12.07)
Region 2	9.71	(6.87 - 13.54)	19.78	(15.04 - 25.57)	7.10	(5.04 - 9.92)	9.01	(6.92 - 11.66)
Region 3	10.05	(7.28 - 13.71)	26.44	(21.49 - 32.07)	7.94	(5.84 - 10.70)	10.56	(8.48 - 13.07)
Region 4	9.88	(7.33 - 13.19)	25.68	(21.54 - 30.32)	7.78	(5.80 - 10.36)	10.77	(8.88 - 13.00)
Region 5	11.94	(8.97 - 15.73)	27.29	(22.85 - 32.23)	8.09	(6.01 - 10.81)	11.06	(9.04 - 13.47)
Nebraska	7.07	(5.68 - 8.76)	23.39	(20.80 - 26.19)	7.31	(5.99 - 8.89)	9.91	(8.64 - 11.34)
Regions 1 and 2	7.61	(5.11 - 11.17)	*	(* - *)	6.19	(4.32 - 8.81)	8.23	(6.25 - 10.76)
Region 3	6.40	(4.29 - 9.46)	21.58	(16.72 - 27.40)	6.39	(4.46 - 9.07)	8.72	(6.71 - 11.26)
Region 4	6.93	(4.76 - 9.98)	21.66	(16.73 - 27.56)	6.46	(4.55 - 9.11)	8.65	(6.71 - 11.09)
Region 5	8.01	(5.66 - 11.21)	24.91	(20.64 - 29.74)	8.11	(6.01 - 10.86)	11.25	(9.19 - 13.70)
Region 6	6.61	(4.82 - 9.00)	23.82	(19.90 - 28.24)	7.73	(5.88 - 10.08)	10.34	(8.53 - 12.48)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	6.05	(4.71 - 7.73)	18.25	(15.73 - 21.08)	7.13	(5.80 - 8.74)	8.65	(7.39 - 10.10)
Clark	5.61	(4.09 - 7.64)	16.70	(13.78 - 20.10)	7.14	(5.60 - 9.07)	8.48	(7.01 - 10.21)
Rural	6.99	(4.93 - 9.80)	19.51	(14.96 - 25.04)	6.63	(4.80 - 9.09)	8.14	(6.29 - 10.47)
Washoe	7.07	(4.85 - 10.19)	24.26	(19.28 - 30.05)	7.50	(5.45 - 10.24)	9.89	(7.81 - 12.46)
New Hampshire	6.25	(5.02 - 7.76)	21.73	(19.10 - 24.61)	6.09	(4.88 - 7.57)	8.22	(7.04 - 9.59)
Central	6.33	(4.68 - 8.51)	22.50	(18.72 - 26.79)	6.00	(4.47 - 7.99)	8.42	(6.86 - 10.30)
Central 1	6.06	(4.08 - 8.91)	22.29	(17.44 - 28.02)	6.04	(4.20 - 8.62)	8.77	(6.84 - 11.17)
Central 2	6.60	(4.48 - 9.62)	22.77	(17.74 - 28.74)	5.95	(4.11 - 8.55)	8.09	(6.19 - 10.51)
Northern	6.49	(4.42 - 9.45)	24.95	(19.55 - 31.28)	6.84	(4.82 - 9.62)	9.37	(7.27 - 11.99)
Southern	6.16	(4.74 - 7.96)	20.54	(17.41 - 24.07)	5.96	(4.61 - 7.68)	7.87	(6.54 - 9.45)
Southern 1 (Rockingham)	6.33	(4.42 - 8.99)	19.90	(15.41 - 25.32)	5.67	(4.02 - 7.96)	7.32	(5.63 - 9.48)
Southern 2	6.05	(4.40 - 8.27)	20.86	(17.07 - 25.24)	6.14	(4.50 - 8.34)	8.21	(6.57 - 10.21)
New Jersey	5.72	(4.54 - 7.19)	15.23	(13.02 - 17.74)	5.24	(4.14 - 6.61)	6.54	(5.47 - 7.80)
Central	5.07	(3.46 - 7.37)	14.69	(11.05 - 19.27)	5.09	(3.52 - 7.32)	6.24	(4.67 - 8.31)
Metropolitan	4.73	(3.22 - 6.90)	13.50	(10.20 - 17.66)	5.27	(3.70 - 7.43)	6.43	(4.87 - 8.45)
Northern	6.02	(4.32 - 8.34)	14.78	(11.45 - 18.85)	4.88	(3.50 - 6.78)	6.13	(4.75 - 7.87)
Southern	7.05	(4.81 - 10.23)	18.66	(14.58 - 23.56)	5.95	(4.20 - 8.36)	7.65	(5.90 - 9.86)
New Mexico	7.07	(5.70 - 8.75)	18.79	(16.41 - 21.44)	7.14	(5.84 - 8.71)	9.01	(7.78 - 10.41)
Region 1	6.90	(4.80 - 9.82)	17.60	(13.43 - 22.74)	6.89	(4.88 - 9.63)	8.61	(6.59 - 11.17)
Region 2	7.42	(5.03 - 10.81)	*	(* - *)	7.89	(5.66 - 10.91)	9.46	(7.22 - 12.32)
Region 3 (Bernalillo)	7.16	(5.21 - 9.76)	20.56	(16.79 - 24.93)	7.52	(5.74 - 9.80)	9.65	(7.94 - 11.69)
Region 4	6.60	(4.44 - 9.72)	16.43	(12.31 - 21.58)	6.89	(4.86 - 9.68)	8.47	(6.42 - 11.09)
Region 5	7.22	(4.95 - 10.42)	18.19	(14.40 - 22.72)	6.35	(4.44 - 9.01)	8.38	(6.49 - 10.76)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	5.26	(4.56 - 6.07)	16.09	(14.76 - 17.51)	5.30	(4.60 - 6.10)	6.86	(6.21 - 7.57)
Region A	4.15	(3.34 - 5.16)	13.02	(11.36 - 14.88)	5.29	(4.39 - 6.36)	6.46	(5.61 - 7.43)
Region 1	3.68	(2.45 - 5.49)	9.46	(6.84 - 12.93)	4.80	(3.36 - 6.83)	5.57	(4.16 - 7.43)
Region 2	3.93	(2.80 - 5.49)	12.10	(9.61 - 15.14)	4.76	(3.58 - 6.30)	5.91	(4.74 - 7.34)
Region 3	5.09	(3.41 - 7.55)	20.69	(16.55 - 25.55)	7.64	(5.73 - 10.12)	9.53	(7.64 - 11.81)
Region 4	4.37	(3.03 - 6.26)	10.96	(8.53 - 13.96)	4.48	(3.25 - 6.15)	5.42	(4.22 - 6.94)
Region B	5.67	(4.63 - 6.92)	16.15	(13.85 - 18.75)	4.96	(4.04 - 6.09)	6.38	(5.46 - 7.45)
Region 5	5.86	(4.46 - 7.66)	16.78	(13.69 - 20.39)	4.93	(3.75 - 6.46)	6.40	(5.20 - 7.86)
Region 6	5.14	(3.66 - 7.18)	14.60	(11.03 - 19.07)	5.04	(3.68 - 6.88)	6.20	(4.82 - 7.95)
Region 7	5.84	(4.14 - 8.18)	16.42	(12.62 - 21.08)	4.94	(3.50 - 6.93)	6.59	(5.11 - 8.47)
Region C	6.21	(5.18 - 7.43)	20.65	(18.58 - 22.88)	5.62	(4.70 - 6.71)	7.83	(6.95 - 8.82)
Region 8	6.59	(4.72 - 9.12)	21.45	(17.59 - 25.89)	6.08	(4.50 - 8.18)	8.29	(6.68 - 10.24)
Region 9	5.95	(4.32 - 8.14)	21.11	(17.17 - 25.67)	5.05	(3.67 - 6.92)	7.45	(6.03 - 9.19)
Region 10	6.88	(4.89 - 9.58)	20.56	(16.25 - 25.67)	5.45	(3.96 - 7.47)	8.23	(6.61 - 10.19)
Region 11	5.13	(3.65 - 7.16)	18.95	(15.01 - 23.64)	4.85	(3.59 - 6.53)	6.92	(5.55 - 8.61)
Region 12	6.90	(5.11 - 9.26)	21.22	(17.34 - 25.68)	6.41	(4.77 - 8.58)	8.43	(6.80 - 10.40)
Region D	6.36	(5.04 - 7.99)	19.22	(16.39 - 22.39)	5.55	(4.46 - 6.89)	7.63	(6.51 - 8.91)
Region 13	5.73	(3.96 - 8.23)	18.51	(14.13 - 23.86)	5.72	(4.08 - 7.94)	7.55	(5.87 - 9.68)
Region 14	5.88	(3.97 - 8.64)	16.95	(12.75 - 22.18)	5.71	(4.08 - 7.92)	7.56	(5.83 - 9.75)
Region 15	7.32	(5.15 - 10.30)	22.28	(17.59 - 27.81)	5.25	(3.81 - 7.20)	7.76	(6.20 - 9.68)
North Carolina	4.78	(3.74 - 6.10)	13.58	(11.61 - 15.82)	5.31	(4.21 - 6.69)	6.48	(5.42 - 7.72)
Eastern	4.68	(3.15 - 6.91)	15.41	(11.96 - 19.63)	5.46	(3.83 - 7.73)	6.99	(5.37 - 9.05)
North Central	4.72	(3.19 - 6.93)	12.57	(9.36 - 16.68)	5.35	(3.74 - 7.58)	6.37	(4.76 - 8.48)
South Central	4.33	(2.95 - 6.31)	11.69	(8.77 - 15.43)	5.05	(3.54 - 7.15)	6.03	(4.55 - 7.94)
Western	5.24	(3.75 - 7.29)	14.69	(11.76 - 18.19)	5.40	(4.00 - 7.24)	6.59	(5.24 - 8.26)
North Dakota	8.80	(7.25 - 10.65)	23.80	(21.17 - 26.65)	7.11	(5.82 - 8.67)	10.03	(8.77 - 11.44)
Badlands and West Central Lake Region and South Central	9.72	(7.15 - 13.07)	24.42	(19.78 - 29.76)	6.71	(4.93 - 9.07)	9.27	(7.45 - 11.47)
North Central and Northwest	7.04	(4.96 - 9.91)	18.49	(13.94 - 24.12)	5.66	(4.02 - 7.91)	7.31	(5.60 - 9.50)
Northeast	8.66	(6.17 - 12.02)	23.55	(18.72 - 29.18)	7.19	(5.15 - 9.95)	9.75	(7.70 - 12.28)
Southeast	8.36	(5.85 - 11.80)	23.80	(19.25 - 29.03)	6.95	(5.05 - 9.49)	10.81	(8.77 - 13.26)
	9.35	(6.80 - 12.72)	25.37	(21.28 - 29.95)	8.52	(6.40 - 11.25)	12.13	(10.04 - 14.59)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	5.42	(4.76 - 6.17)	18.19	(16.94 - 19.52)	5.89	(5.20 - 6.67)	7.70	(7.05 - 8.40)
Boards 2, 46, 55, and 68	5.63	(3.93 - 8.02)	18.11	(14.12 - 22.93)	5.51	(3.99 - 7.56)	7.29	(5.73 - 9.23)
Boards 3, 52, and 85	5.33	(3.67 - 7.66)	15.59	(11.77 - 20.38)	4.91	(3.47 - 6.91)	6.47	(4.97 - 8.38)
Boards 4 and 78	5.73	(4.01 - 8.13)	19.70	(15.32 - 24.95)	5.85	(4.26 - 7.98)	7.60	(5.97 - 9.63)
Boards 5 and 60	5.49	(3.81 - 7.84)	18.66	(14.67 - 23.45)	5.37	(3.88 - 7.40)	7.81	(6.22 - 9.77)
Boards 7, 15, 41, 79, and 84	5.68	(3.98 - 8.04)	17.91	(13.82 - 22.88)	5.26	(3.87 - 7.10)	6.87	(5.42 - 8.66)
Boards 8, 13, and 83	5.44	(3.81 - 7.72)	15.45	(11.62 - 20.24)	5.67	(4.09 - 7.81)	7.03	(5.42 - 9.07)
Board 9 (Butler)	6.21	(4.29 - 8.91)	19.73	(15.32 - 25.03)	5.96	(4.31 - 8.19)	8.40	(6.61 - 10.61)
Board 12	4.79	(3.21 - 7.10)	14.69	(10.93 - 19.45)	5.07	(3.63 - 7.05)	6.60	(5.08 - 8.54)
Boards 18 and 47	4.77	(3.57 - 6.35)	18.18	(15.28 - 21.48)	5.96	(4.67 - 7.58)	7.57	(6.30 - 9.07)
Boards 20, 32, 54, and 69	6.29	(4.45 - 8.83)	17.83	(13.36 - 23.41)	5.53	(3.98 - 7.65)	7.28	(5.62 - 9.38)
Boards 21, 39, 51, 70, and 80	5.25	(3.75 - 7.31)	15.67	(12.23 - 19.87)	5.45	(3.96 - 7.44)	6.82	(5.34 - 8.68)
Boards 22, 74, and 87	6.11	(4.23 - 8.75)	21.03	(16.31 - 26.68)	6.28	(4.51 - 8.68)	8.66	(6.81 - 10.96)
Boards 23 and 45	5.40	(3.79 - 7.64)	19.08	(14.91 - 24.10)	5.82	(4.26 - 7.90)	7.70	(6.11 - 9.66)
Board 25 (Franklin)	5.71	(4.22 - 7.67)	19.68	(16.72 - 23.04)	6.73	(5.19 - 8.69)	9.05	(7.58 - 10.78)
Boards 27, 71, and 73	5.24	(3.67 - 7.43)	13.27	(9.95 - 17.48)	4.94	(3.50 - 6.93)	6.13	(4.67 - 8.01)
Boards 28, 43, and 67	5.74	(4.05 - 8.08)	19.69	(15.57 - 24.58)	5.93	(4.39 - 7.96)	7.91	(6.33 - 9.84)
Board 31 (Hamilton)	6.05	(4.38 - 8.31)	19.87	(15.97 - 24.43)	6.55	(4.95 - 8.62)	8.59	(6.98 - 10.51)
Board 48 (Lucas)	4.99	(3.50 - 7.08)	19.47	(15.58 - 24.07)	6.34	(4.60 - 8.67)	8.39	(6.65 - 10.54)
Boards 50 and 76	5.40	(3.87 - 7.49)	18.58	(14.83 - 23.02)	6.06	(4.49 - 8.12)	7.69	(6.14 - 9.59)
Board 57 (Montgomery)	4.73	(3.27 - 6.80)	17.30	(13.62 - 21.74)	5.97	(4.38 - 8.09)	7.67	(6.04 - 9.68)
Board 77 (Summit)	5.00	(3.53 - 7.05)	18.07	(14.25 - 22.65)	6.24	(4.60 - 8.41)	7.81	(6.16 - 9.86)
Oklahoma	5.55	(4.40 - 6.98)	17.05	(14.86 - 19.48)	5.92	(4.80 - 7.29)	7.70	(6.60 - 8.97)
Central	5.13	(3.31 - 7.86)	17.77	(13.48 - 23.05)	5.46	(3.78 - 7.82)	7.69	(5.90 - 9.95)
East Central	5.63	(3.76 - 8.35)	14.01	(10.18 - 18.97)	5.12	(3.56 - 7.33)	6.40	(4.76 - 8.55)
Northeast	5.29	(3.42 - 8.08)	16.38	(12.33 - 21.44)	6.05	(4.25 - 8.55)	7.69	(5.86 - 10.03)
Northwest and Southwest	6.59	(4.44 - 9.68)	18.90	(14.61 - 24.08)	5.69	(4.02 - 8.00)	7.84	(6.12 - 10.01)
Oklahoma County	4.90	(3.29 - 7.25)	17.41	(13.32 - 22.41)	6.26	(4.39 - 8.84)	8.14	(6.24 - 10.56)
Southeast	5.58	(3.72 - 8.30)	15.40	(11.28 - 20.67)	5.34	(3.76 - 7.54)	6.79	(5.11 - 8.95)
Tulsa County	5.72	(3.91 - 8.30)	18.11	(14.08 - 22.99)	7.04	(5.05 - 9.72)	8.81	(6.82 - 11.30)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	6.17	(4.93 - 7.71)	16.56	(14.28 - 19.12)	5.66	(4.59 - 6.96)	7.22	(6.16 - 8.44)
Region 1 (Multnomah)	5.50	(3.71 - 8.08)	17.50	(13.57 - 22.27)	6.73	(4.88 - 9.20)	8.35	(6.51 - 10.66)
Region 2	7.00	(4.95 - 9.81)	19.24	(14.95 - 24.41)	6.37	(4.60 - 8.75)	8.16	(6.36 - 10.43)
Region 3	6.02	(4.30 - 8.36)	14.75	(11.73 - 18.38)	5.05	(3.68 - 6.89)	6.58	(5.22 - 8.26)
Region 4	5.69	(3.80 - 8.43)	15.14	(10.90 - 20.65)	4.73	(3.31 - 6.72)	5.95	(4.47 - 7.87)
Region 5	6.53	(4.42 - 9.54)	*	(* - *)	5.26	(3.66 - 7.50)	6.72	(5.04 - 8.91)
Pennsylvania	5.33	(4.68 - 6.06)	18.31	(17.07 - 19.61)	5.53	(4.87 - 6.27)	7.33	(6.72 - 7.99)
Region 1 (Allegheny)	4.96	(3.56 - 6.88)	20.41	(16.82 - 24.53)	6.49	(5.01 - 8.37)	8.34	(6.88 - 10.07)
Regions 2, 3, 8, and 9	4.99	(3.50 - 7.08)	19.91	(15.75 - 24.84)	5.61	(4.08 - 7.67)	7.66	(6.06 - 9.62)
Regions 4, 11, 37, and 49	5.62	(4.11 - 7.66)	19.37	(15.67 - 23.70)	5.18	(3.86 - 6.91)	7.03	(5.67 - 8.69)
Regions 5, 18, 23, 24, and 46	4.40	(3.07 - 6.28)	14.52	(11.44 - 18.26)	4.49	(3.29 - 6.09)	5.89	(4.68 - 7.40)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	7.19	(5.22 - 9.82)	22.44	(18.90 - 26.43)	5.66	(4.25 - 7.50)	8.76	(7.32 - 10.46)
Regions 7, 13, 20, and 33	6.61	(5.21 - 8.36)	19.91	(17.11 - 23.05)	5.45	(4.26 - 6.94)	7.32	(6.16 - 8.69)
Regions 10, 14, 15, 27, 32, 43, and 44	5.17	(3.61 - 7.35)	17.66	(13.85 - 22.25)	5.16	(3.78 - 7.00)	6.83	(5.39 - 8.62)
Regions 17 and 21	6.45	(4.41 - 9.32)	22.52	(17.92 - 27.90)	5.88	(4.23 - 8.14)	8.54	(6.78 - 10.71)
Regions 19, 26, 28, and 42	4.57	(3.41 - 6.10)	15.43	(12.66 - 18.68)	4.88	(3.69 - 6.43)	6.33	(5.16 - 7.74)
Regions 22, 38, 40, 41, and 48	4.75	(3.34 - 6.72)	16.63	(13.17 - 20.78)	5.00	(3.72 - 6.67)	6.40	(5.12 - 7.98)
Regions 25 and 30	5.76	(4.08 - 8.08)	18.81	(14.84 - 23.55)	5.70	(4.27 - 7.56)	7.40	(5.93 - 9.20)
Regions 29 and 34	4.36	(2.93 - 6.43)	14.20	(10.54 - 18.85)	5.04	(3.58 - 7.05)	6.28	(4.79 - 8.19)
Region 36 (Philadelphia)	4.08	(2.94 - 5.64)	16.23	(13.56 - 19.31)	6.58	(5.06 - 8.51)	8.22	(6.78 - 9.93)
Rhode Island	5.61	(4.38 - 7.16)	19.48	(17.02 - 22.19)	7.42	(6.02 - 9.11)	9.28	(7.95 - 10.80)
Bristol and Newport	6.29	(4.27 - 9.18)	*	(* - *)	6.61	(4.64 - 9.34)	8.85	(6.81 - 11.43)
Kent	5.79	(3.85 - 8.62)	18.67	(14.13 - 24.25)	6.32	(4.48 - 8.83)	7.84	(5.98 - 10.21)
Providence	5.20	(3.75 - 7.17)	17.62	(14.71 - 20.96)	7.96	(6.16 - 10.24)	9.56	(7.88 - 11.56)
Washington	6.69	(4.58 - 9.68)	26.08	(20.64 - 32.37)	7.21	(5.16 - 9.98)	10.29	(8.16 - 12.91)
South Carolina	4.63	(3.64 - 5.86)	14.32	(12.23 - 16.70)	6.88	(5.57 - 8.48)	7.98	(6.77 - 9.39)
Region 1	4.85	(3.30 - 7.06)	13.03	(9.90 - 16.97)	5.90	(4.22 - 8.19)	6.92	(5.32 - 8.97)
Region 2	4.93	(3.46 - 6.97)	16.21	(12.93 - 20.15)	7.28	(5.43 - 9.69)	8.62	(6.87 - 10.77)
Region 3	3.85	(2.60 - 5.66)	12.09	(8.78 - 16.42)	6.51	(4.68 - 8.98)	7.30	(5.55 - 9.54)
Region 4	4.60	(3.18 - 6.61)	14.85	(11.47 - 19.01)	7.71	(5.56 - 10.60)	8.81	(6.78 - 11.39)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	7.86	(6.41 - 9.61)	23.54	(20.99 - 26.31)	7.55	(6.19 - 9.18)	10.16	(8.84 - 11.65)
Region 1	8.36	(5.74 - 12.02)	25.34	(20.17 - 31.31)	7.91	(5.73 - 10.82)	10.76	(8.52 - 13.50)
Region 2	7.86	(5.62 - 10.89)	23.79	(19.47 - 28.72)	7.97	(5.97 - 10.56)	10.67	(8.67 - 13.06)
Region 3	7.45	(5.21 - 10.55)	22.71	(18.29 - 27.84)	6.86	(4.88 - 9.58)	9.76	(7.73 - 12.25)
Region 4	8.39	(5.72 - 12.15)	*	(* - *)	7.48	(5.21 - 10.64)	10.39	(7.95 - 13.46)
Region 5	8.71	(5.94 - 12.59)	*	(* - *)	7.33	(5.24 - 10.18)	9.67	(7.51 - 12.36)
Region 6	8.18	(5.53 - 11.96)	*	(* - *)	7.51	(5.29 - 10.56)	9.38	(7.11 - 12.27)
Region 7	6.76	(4.63 - 9.78)	21.54	(16.75 - 27.24)	7.49	(5.39 - 10.31)	9.76	(7.61 - 12.43)
Tennessee	4.77	(3.80 - 5.98)	15.62	(13.46 - 18.06)	5.48	(4.44 - 6.73)	6.91	(5.91 - 8.07)
Region 1	6.02	(3.98 - 9.00)	16.04	(11.74 - 21.53)	5.59	(3.87 - 8.00)	6.90	(5.12 - 9.23)
Region 2	5.33	(3.65 - 7.72)	18.05	(14.08 - 22.84)	5.56	(4.00 - 7.70)	7.28	(5.66 - 9.32)
Region 3	4.59	(3.09 - 6.77)	15.39	(11.67 - 20.04)	5.13	(3.66 - 7.16)	6.54	(5.05 - 8.43)
Region 4 (Davidson)	3.68	(2.37 - 5.66)	13.66	(9.96 - 18.46)	5.88	(4.00 - 8.55)	7.10	(5.23 - 9.55)
Region 5	5.18	(3.61 - 7.37)	17.24	(13.42 - 21.88)	5.41	(3.93 - 7.41)	7.11	(5.59 - 8.99)
Region 6	4.98	(3.34 - 7.37)	15.06	(11.06 - 20.17)	5.55	(3.88 - 7.87)	6.88	(5.18 - 9.08)
Region 7 (Shelby)	3.70	(2.43 - 5.59)	12.32	(8.94 - 16.74)	5.45	(3.81 - 7.74)	6.48	(4.87 - 8.58)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	4.92	(4.26 - 5.67)	15.85	(14.65 - 17.12)	6.72	(5.95 - 7.57)	8.22	(7.52 - 8.97)
Region 1	7.27	(5.00 - 10.44)	21.42	(17.01 - 26.61)	7.30	(5.24 - 10.09)	9.79	(7.71 - 12.37)
Region 2	4.76	(3.20 - 7.04)	15.16	(11.25 - 20.13)	5.89	(4.18 - 8.25)	7.34	(5.56 - 9.65)
Region 3	4.73	(3.78 - 5.89)	15.69	(13.65 - 17.97)	6.14	(5.10 - 7.37)	7.67	(6.68 - 8.79)
Region 3a	4.64	(3.52 - 6.10)	15.53	(13.01 - 18.43)	6.25	(4.98 - 7.80)	7.76	(6.55 - 9.18)
Region 3bc	4.88	(3.54 - 6.69)	15.99	(12.95 - 19.59)	5.95	(4.48 - 7.85)	7.49	(6.06 - 9.23)
Region 4	4.54	(3.08 - 6.65)	12.90	(9.86 - 16.70)	5.56	(3.98 - 7.71)	6.56	(5.02 - 8.52)
Region 5	4.58	(3.09 - 6.74)	15.07	(11.31 - 19.81)	5.93	(4.29 - 8.15)	7.28	(5.60 - 9.41)
Region 6	4.08	(3.11 - 5.34)	14.20	(12.28 - 16.36)	7.67	(6.23 - 9.40)	8.72	(7.42 - 10.22)
Region 6a	3.93	(2.90 - 5.31)	13.78	(11.75 - 16.10)	7.79	(6.24 - 9.69)	8.77	(7.37 - 10.40)
Region 6bc	5.35	(3.64 - 7.79)	18.20	(13.88 - 23.50)	6.67	(4.83 - 9.13)	8.28	(6.41 - 10.64)
Region 7	5.60	(4.27 - 7.31)	19.91	(17.06 - 23.10)	6.61	(5.26 - 8.28)	9.23	(7.89 - 10.78)
Region 7a	5.68	(4.00 - 8.01)	21.47	(17.51 - 26.06)	6.70	(5.05 - 8.82)	9.45	(7.77 - 11.45)
Region 7bcd	5.48	(3.83 - 7.77)	17.80	(14.24 - 22.01)	6.47	(4.76 - 8.73)	8.89	(7.18 - 10.96)
Region 8	5.22	(3.81 - 7.11)	16.50	(13.27 - 20.32)	7.28	(5.56 - 9.47)	8.69	(7.03 - 10.70)
Region 9	5.60	(3.85 - 8.08)	16.29	(12.06 - 21.64)	6.36	(4.59 - 8.75)	7.91	(6.09 - 10.22)
Region 10	5.21	(3.54 - 7.61)	13.19	(9.82 - 17.49)	6.05	(4.32 - 8.39)	7.27	(5.57 - 9.44)
Region 11	5.48	(4.12 - 7.27)	13.69	(11.04 - 16.85)	6.75	(5.23 - 8.68)	7.98	(6.54 - 9.72)
Region 11abd	5.59	(3.88 - 7.99)	14.74	(11.26 - 19.06)	6.77	(4.95 - 9.19)	8.14	(6.38 - 10.32)
Region 11c (Hidalgo)	5.30	(3.63 - 7.66)	11.80	(8.70 - 15.81)	6.71	(4.78 - 9.34)	7.68	(5.84 - 10.03)
Utah	4.88	(3.78 - 6.28)	12.95	(11.03 - 15.14)	5.42	(4.27 - 6.87)	7.04	(5.95 - 8.31)
Bear River, Northeastern, Summit, Tooele, and Wasatch	5.24	(3.39 - 8.02)	13.85	(10.09 - 18.72)	5.15	(3.51 - 7.50)	7.05	(5.29 - 9.34)
Central, Four Corners, San Juan, and Southwest	4.30	(2.84 - 6.46)	11.21	(7.92 - 15.64)	4.54	(3.04 - 6.73)	5.76	(4.20 - 7.86)
Davis County	5.32	(3.50 - 8.00)	13.74	(9.86 - 18.83)	5.08	(3.55 - 7.23)	6.80	(5.12 - 8.98)
Salt Lake County	5.02	(3.51 - 7.13)	13.68	(10.86 - 17.11)	6.06	(4.44 - 8.23)	7.56	(6.01 - 9.46)
Utah County	4.27	(2.74 - 6.60)	10.70	(7.80 - 14.51)	4.65	(3.12 - 6.87)	6.48	(4.91 - 8.50)
Weber, Morgan	5.25	(3.40 - 8.03)	15.95	(11.76 - 21.26)	5.64	(3.83 - 8.24)	7.61	(5.71 - 10.06)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	6.35	(5.14 - 7.83)	22.96	(20.41 - 25.72)	6.59	(5.40 - 8.02)	8.97	(7.82 - 10.26)
Champlain Valley	6.20	(4.58 - 8.35)	24.19	(20.57 - 28.21)	6.83	(5.22 - 8.90)	9.85	(8.27 - 11.69)
Rural Northeast	6.57	(4.70 - 9.11)	21.79	(17.43 - 26.87)	6.47	(4.75 - 8.78)	8.59	(6.85 - 10.72)
Rural Southeast	6.14	(4.27 - 8.75)	21.42	(16.96 - 26.68)	6.33	(4.51 - 8.82)	8.06	(6.24 - 10.37)
Rural Southwest	6.70	(4.64 - 9.58)	22.66	(17.96 - 28.16)	6.55	(4.66 - 9.12)	8.62	(6.71 - 11.02)
Virginia	4.85	(3.82 - 6.14)	17.65	(15.35 - 20.22)	5.91	(4.76 - 7.32)	7.57	(6.45 - 8.86)
Region 1	4.90	(3.31 - 7.19)	17.53	(13.41 - 22.59)	5.50	(3.87 - 7.76)	7.27	(5.59 - 9.40)
Region 2	4.68	(3.20 - 6.81)	18.95	(14.97 - 23.70)	5.94	(4.31 - 8.14)	7.61	(5.98 - 9.65)
Region 3	5.70	(3.85 - 8.35)	19.64	(15.19 - 25.00)	6.55	(4.60 - 9.25)	8.36	(6.38 - 10.89)
Region 4	5.18	(3.50 - 7.60)	17.26	(13.37 - 22.00)	5.89	(4.16 - 8.27)	7.41	(5.68 - 9.62)
Region 5	4.18	(2.80 - 6.18)	15.37	(11.64 - 20.04)	5.64	(4.00 - 7.90)	7.20	(5.53 - 9.32)
Washington	5.83	(4.65 - 7.28)	18.06	(15.74 - 20.65)	6.95	(5.69 - 8.47)	8.57	(7.35 - 9.96)
Region 1	6.40	(4.24 - 9.54)	21.09	(16.25 - 26.90)	7.19	(5.06 - 10.14)	9.41	(7.20 - 12.21)
Region 2	5.82	(3.90 - 8.62)	16.14	(11.81 - 21.67)	5.82	(4.03 - 8.33)	7.45	(5.60 - 9.86)
Region 3	6.23	(4.29 - 8.96)	19.18	(14.69 - 24.66)	6.59	(4.68 - 9.21)	8.44	(6.49 - 10.90)
Region 4 (King)	5.77	(4.01 - 8.24)	18.16	(14.48 - 22.53)	7.69	(5.74 - 10.22)	9.15	(7.27 - 11.45)
Region 5	5.08	(3.41 - 7.50)	15.38	(11.68 - 19.99)	6.60	(4.75 - 9.09)	7.92	(6.11 - 10.21)
Region 6	5.79	(3.99 - 8.33)	17.96	(13.93 - 22.85)	6.71	(4.84 - 9.25)	8.19	(6.34 - 10.53)
West Virginia	5.44	(4.38 - 6.76)	17.50	(15.40 - 19.83)	5.13	(4.11 - 6.38)	6.79	(5.80 - 7.93)
Eastern Highland	5.51	(3.90 - 7.73)	17.37	(13.69 - 21.80)	4.95	(3.50 - 6.97)	6.52	(5.05 - 8.38)
Northern	5.63	(4.12 - 7.65)	21.39	(17.74 - 25.56)	5.83	(4.35 - 7.76)	8.17	(6.67 - 9.97)
Northern A and B	5.83	(3.91 - 8.62)	*	(* - *)	5.74	(3.94 - 8.29)	7.42	(5.54 - 9.87)
Northern C and D	5.53	(3.75 - 8.10)	22.00	(17.70 - 27.00)	5.87	(4.18 - 8.18)	8.55	(6.80 - 10.69)
South Central	5.45	(4.14 - 7.15)	15.65	(12.95 - 18.79)	4.78	(3.64 - 6.26)	6.20	(5.05 - 7.59)
South Central I	6.05	(4.08 - 8.89)	15.65	(11.58 - 20.81)	4.76	(3.26 - 6.92)	6.06	(4.49 - 8.13)
South Central II	4.70	(3.08 - 7.11)	16.07	(11.93 - 21.31)	4.68	(3.16 - 6.89)	6.40	(4.77 - 8.54)
South Central III	5.59	(3.80 - 8.16)	15.31	(11.60 - 19.93)	4.86	(3.40 - 6.90)	6.14	(4.65 - 8.07)
Southern	5.06	(3.65 - 6.99)	15.03	(11.87 - 18.86)	5.06	(3.72 - 6.83)	6.34	(4.99 - 8.02)
Southern I and III	4.85	(3.23 - 7.22)	14.90	(11.10 - 19.72)	5.10	(3.53 - 7.30)	6.36	(4.76 - 8.45)
Southern II	5.49	(3.58 - 8.34)	15.29	(11.12 - 20.66)	4.97	(3.40 - 7.20)	6.30	(4.67 - 8.44)

See notes at end of table.

(continued)

Table 17. Alcohol Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	7.24	(5.94 - 8.79)	24.12	(21.28 - 27.19)	7.80	(6.44 - 9.42)	10.27	(8.95 - 11.76)
Milwaukee	5.62	(3.86 - 8.11)	23.62	(18.64 - 29.46)	8.36	(6.04 - 11.47)	10.82	(8.48 - 13.72)
Northeastern	7.55	(5.41 - 10.43)	24.69	(19.94 - 30.16)	7.69	(5.71 - 10.28)	10.14	(8.15 - 12.55)
Northern	6.81	(4.65 - 9.86)	21.58	(16.81 - 27.26)	7.39	(5.14 - 10.52)	9.30	(7.05 - 12.17)
Southeastern	7.65	(5.52 - 10.51)	23.10	(18.17 - 28.89)	8.14	(6.01 - 10.94)	10.16	(8.02 - 12.78)
Southern	6.55	(4.56 - 9.31)	24.79	(19.61 - 30.82)	7.53	(5.57 - 10.11)	10.37	(8.32 - 12.85)
Western	9.36	(6.44 - 13.41)	25.53	(20.07 - 31.88)	7.42	(5.29 - 10.29)	10.49	(8.29 - 13.19)
Wyoming	8.18	(6.65 - 10.02)	21.93	(19.44 - 24.65)	7.60	(6.29 - 9.14)	9.87	(8.62 - 11.28)
Judicial District 1 (Laramie)	7.62	(5.28 - 10.88)	20.90	(16.34 - 26.33)	7.44	(5.33 - 10.30)	9.51	(7.40 - 12.13)
Judicial District 2	8.44	(5.80 - 12.11)	24.87	(20.16 - 30.27)	8.39	(6.00 - 11.63)	12.90	(10.43 - 15.84)
Judicial District 3	9.01	(6.34 - 12.64)	20.83	(15.97 - 26.70)	7.18	(5.17 - 9.90)	9.36	(7.33 - 11.88)
Judicial District 4	8.35	(5.49 - 12.50)	*	(* - *)	7.57	(5.26 - 10.78)	9.37	(7.01 - 12.42)
Judicial District 5	7.93	(5.38 - 11.53)	*	(* - *)	7.16	(5.09 - 9.98)	8.77	(6.66 - 11.48)
Judicial District 6	8.00	(5.46 - 11.57)	*	(* - *)	7.75	(5.59 - 10.65)	9.76	(7.53 - 12.56)
Judicial District 7 (Natrona)	8.41	(5.84 - 11.96)	23.28	(18.34 - 29.09)	7.54	(5.57 - 10.13)	10.03	(8.01 - 12.48)
Judicial District 8	8.17	(5.56 - 11.85)	*	(* - *)	6.89	(4.85 - 9.70)	8.41	(6.34 - 11.06)
Judicial District 9	7.51	(5.06 - 11.00)	*	(* - *)	8.42	(5.96 - 11.77)	10.39	(7.89 - 13.56)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 18. *Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	4.86		8.17		1.72		2.68	
Northeast	4.93	(4.53 - 5.36)	8.95	(8.40 - 9.53)	1.65	(1.44 - 1.89)	2.67	(2.47 - 2.89)
Midwest	4.64	(4.33 - 4.97)	7.86	(7.45 - 8.30)	1.68	(1.51 - 1.88)	2.62	(2.45 - 2.80)
South	4.68	(4.39 - 4.99)	8.03	(7.64 - 8.44)	1.75	(1.57 - 1.94)	2.68	(2.51 - 2.85)
West	5.27	(4.81 - 5.78)	8.08	(7.50 - 8.69)	1.78	(1.54 - 2.05)	2.75	(2.52 - 3.00)
Alabama	4.68	(3.62 - 6.05)	7.85	(6.31 - 9.73)	1.81	(1.29 - 2.55)	2.71	(2.17 - 3.40)
Region 1	4.91	(3.32 - 7.21)	7.97	(5.63 - 11.17)	1.49	(0.90 - 2.47)	2.36	(1.66 - 3.36)
Region 2	5.11	(3.51 - 7.38)	8.28	(6.01 - 11.32)	2.11	(1.32 - 3.36)	3.04	(2.20 - 4.20)
Region 3	3.98	(2.61 - 6.01)	6.82	(4.59 - 10.02)	1.79	(1.04 - 3.05)	2.68	(1.83 - 3.91)
Region 4	4.43	(3.01 - 6.49)	8.10	(5.65 - 11.47)	1.83	(1.08 - 3.07)	2.71	(1.90 - 3.86)
Alaska	5.54	(4.26 - 7.19)	9.00	(7.34 - 10.99)	2.30	(1.57 - 3.37)	3.38	(2.66 - 4.30)
Gulf Coast	5.59	(3.59 - 8.60)	10.78	(7.24 - 15.77)	1.95	(1.06 - 3.54)	3.14	(2.09 - 4.69)
Rural	4.99	(3.09 - 7.97)	7.47	(4.77 - 11.50)	*	(* - *)	3.79	(2.34 - 6.10)
Southeast	5.56	(3.60 - 8.50)	11.17	(7.59 - 16.13)	2.11	(1.15 - 3.84)	3.35	(2.23 - 5.01)
Urban	5.64	(4.12 - 7.69)	8.70	(6.77 - 11.11)	2.31	(1.47 - 3.59)	3.37	(2.53 - 4.46)
Arizona	5.86	(4.55 - 7.51)	6.91	(5.41 - 8.79)	1.69	(1.17 - 2.45)	2.49	(1.94 - 3.18)
Maricopa	5.74	(4.19 - 7.81)	6.59	(4.84 - 8.93)	1.73	(1.11 - 2.70)	2.50	(1.84 - 3.39)
Pima	7.04	(4.56 - 10.71)	7.33	(4.84 - 10.97)	1.73	(0.98 - 3.06)	2.59	(1.74 - 3.84)
Rural North	5.29	(3.45 - 8.02)	8.45	(5.60 - 12.55)	1.60	(0.89 - 2.86)	2.53	(1.68 - 3.80)
Rural South	5.48	(3.56 - 8.36)	6.64	(4.15 - 10.45)	1.55	(0.85 - 2.81)	2.23	(1.42 - 3.49)
Arkansas	6.32	(5.02 - 7.93)	9.87	(8.08 - 12.01)	1.93	(1.37 - 2.72)	3.12	(2.54 - 3.83)
Areas 1 and 2	6.66	(4.50 - 9.75)	10.54	(7.37 - 14.87)	1.88	(1.07 - 3.26)	3.23	(2.25 - 4.61)
Areas 3 and 4	6.88	(4.71 - 9.93)	9.91	(6.93 - 13.99)	1.76	(1.03 - 2.97)	2.97	(2.10 - 4.18)
Areas 5 and 6	5.64	(3.73 - 8.43)	7.83	(5.38 - 11.26)	1.71	(0.98 - 2.98)	2.67	(1.84 - 3.86)
Areas 7, 12, and 13	6.23	(4.11 - 9.33)	10.12	(6.91 - 14.59)	2.63	(1.53 - 4.48)	3.77	(2.57 - 5.49)
Areas 8, 10, and 11	5.93	(4.03 - 8.64)	8.71	(6.05 - 12.38)	1.70	(0.98 - 2.94)	2.66	(1.84 - 3.85)
Area 9	6.55	(4.54 - 9.36)	11.85	(8.43 - 16.41)	2.05	(1.23 - 3.40)	3.47	(2.49 - 4.83)

See notes at end of table.

(continued)

Table 18. Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	5.32	(4.60 - 6.15)	7.99	(7.10 - 8.99)	1.82	(1.46 - 2.28)	2.78	(2.43 - 3.19)
Region 1	6.15	(4.20 - 8.93)	10.50	(7.28 - 14.93)	1.81	(1.05 - 3.09)	3.09	(2.15 - 4.43)
Region 2	5.83	(4.27 - 7.92)	9.34	(7.08 - 12.23)	2.00	(1.25 - 3.17)	3.08	(2.26 - 4.17)
Region 3	4.81	(3.25 - 7.06)	7.63	(5.20 - 11.08)	1.71	(1.01 - 2.88)	2.66	(1.83 - 3.83)
Region 4	5.08	(3.41 - 7.50)	9.40	(6.58 - 13.25)	2.01	(1.21 - 3.33)	2.90	(2.00 - 4.19)
Region 5	6.17	(4.33 - 8.73)	9.19	(6.63 - 12.61)	2.36	(1.45 - 3.81)	3.30	(2.33 - 4.65)
Region 6 (Santa Clara)	5.04	(3.48 - 7.23)	7.95	(5.61 - 11.15)	1.64	(0.99 - 2.71)	2.54	(1.79 - 3.60)
Region 7	5.58	(3.72 - 8.29)	8.44	(5.83 - 12.06)	1.95	(1.17 - 3.26)	3.06	(2.13 - 4.38)
Region 8	5.15	(3.54 - 7.43)	8.58	(6.07 - 11.99)	1.83	(1.11 - 2.98)	3.03	(2.19 - 4.19)
Region 9	5.99	(4.14 - 8.60)	9.35	(6.57 - 13.13)	1.85	(1.09 - 3.12)	3.15	(2.22 - 4.46)
Region 10	5.91	(4.10 - 8.45)	11.44	(8.22 - 15.71)	1.93	(1.13 - 3.29)	3.46	(2.46 - 4.84)
Region 11 (Los Angeles)	5.20	(4.04 - 6.67)	6.46	(5.15 - 8.06)	1.76	(1.22 - 2.53)	2.52	(1.98 - 3.20)
Region 12	4.37	(2.99 - 6.35)	5.97	(4.14 - 8.54)	1.57	(0.92 - 2.67)	2.33	(1.61 - 3.36)
Region 13 (Riverside)	5.85	(4.15 - 8.20)	8.83	(6.28 - 12.26)	1.67	(0.97 - 2.86)	2.76	(1.95 - 3.89)
Region 14 (Orange)	4.92	(3.45 - 6.98)	7.43	(5.35 - 10.22)	1.72	(1.07 - 2.74)	2.57	(1.85 - 3.55)
Region 15	5.10	(3.66 - 7.06)	8.60	(6.46 - 11.38)	1.66	(1.03 - 2.66)	2.83	(2.11 - 3.80)
Colorado	5.66	(4.49 - 7.12)	9.41	(7.64 - 11.55)	1.87	(1.31 - 2.67)	2.99	(2.39 - 3.73)
Region 1	5.21	(3.42 - 7.86)	8.96	(6.14 - 12.89)	1.56	(0.90 - 2.70)	2.87	(2.00 - 4.09)
Regions 2 and 7	6.03	(4.50 - 8.03)	9.41	(7.16 - 12.27)	1.97	(1.26 - 3.07)	3.04	(2.27 - 4.05)
Region 3	5.44	(3.58 - 8.17)	10.60	(7.36 - 15.02)	2.00	(1.16 - 3.43)	3.26	(2.26 - 4.70)
Region 4	5.45	(3.51 - 8.38)	8.76	(5.73 - 13.16)	1.82	(1.01 - 3.24)	2.76	(1.83 - 4.14)
Regions 5 and 6	4.86	(3.09 - 7.57)	8.84	(5.83 - 13.20)	1.58	(0.89 - 2.79)	2.64	(1.78 - 3.91)
Connecticut	5.48	(4.32 - 6.94)	11.94	(9.85 - 14.40)	1.55	(1.06 - 2.25)	2.92	(2.37 - 3.61)
Eastern	5.88	(3.89 - 8.79)	*	(* - *)	1.52	(0.85 - 2.70)	3.24	(2.27 - 4.60)
North Central	5.25	(3.60 - 7.60)	12.19	(9.03 - 16.25)	1.66	(0.98 - 2.82)	3.01	(2.18 - 4.14)
Northwestern	5.74	(3.91 - 8.35)	13.68	(9.87 - 18.65)	1.51	(0.84 - 2.71)	2.99	(2.11 - 4.22)
South Central	4.78	(3.22 - 7.04)	10.82	(7.77 - 14.88)	1.39	(0.77 - 2.50)	2.69	(1.90 - 3.79)
Southwest	6.19	(4.17 - 9.09)	11.81	(8.31 - 16.54)	1.62	(0.92 - 2.84)	2.84	(1.97 - 4.08)

See notes at end of table.

(continued)

Table 18. Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	4.47	(3.49 - 5.72)	9.50	(7.71 - 11.64)	1.69	(1.20 - 2.38)	2.83	(2.30 - 3.49)
Kent	4.39	(2.92 - 6.54)	8.73	(6.10 - 12.36)	1.98	(1.16 - 3.35)	3.05	(2.13 - 4.34)
New Castle (excluding Wilmington City)	4.01	(2.81 - 5.69)	10.00	(7.61 - 13.03)	1.41	(0.85 - 2.32)	2.75	(2.07 - 3.63)
Sussex	5.63	(3.82 - 8.24)	8.52	(5.79 - 12.37)	1.79	(1.03 - 3.11)	2.53	(1.69 - 3.78)
Wilmington City	4.93	(3.16 - 7.61)	*	(* - *)	2.57	(1.45 - 4.51)	3.68	(2.41 - 5.58)
District of Columbia	4.19	(3.12 - 5.62)	7.69	(6.18 - 9.53)	3.23	(2.32 - 4.48)	3.94	(3.09 - 5.01)
Ward 1	4.33	(2.67 - 6.94)	7.35	(4.71 - 11.30)	3.60	(2.05 - 6.24)	4.28	(2.74 - 6.61)
Ward 2	*	(* - *)	7.32	(5.11 - 10.38)	2.51	(1.47 - 4.26)	3.71	(2.61 - 5.25)
Ward 3	4.47	(2.74 - 7.22)	6.72	(4.37 - 10.20)	1.75	(0.96 - 3.17)	2.53	(1.64 - 3.89)
Ward 4	3.98	(2.44 - 6.43)	6.75	(4.32 - 10.41)	2.75	(1.50 - 5.01)	3.15	(1.90 - 5.18)
Ward 5	4.42	(2.70 - 7.15)	9.73	(6.53 - 14.26)	5.37	(3.16 - 8.98)	6.00	(3.89 - 9.13)
Ward 6	3.89	(2.36 - 6.34)	8.19	(5.22 - 12.61)	3.24	(1.86 - 5.61)	3.89	(2.50 - 6.03)
Ward 7	4.17	(2.72 - 6.35)	7.53	(4.93 - 11.34)	3.46	(1.98 - 6.00)	3.95	(2.51 - 6.18)
Ward 8	4.11	(2.66 - 6.31)	8.73	(5.87 - 12.78)	4.08	(2.42 - 6.79)	4.92	(3.29 - 7.29)

See notes at end of table.

(continued)

Table 18. Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	5.00	(4.36 - 5.73)	8.41	(7.54 - 9.38)	1.70	(1.36 - 2.12)	2.57	(2.24 - 2.94)
Region A	5.26	(4.04 - 6.81)	10.09	(8.08 - 12.53)	2.18	(1.51 - 3.12)	3.58	(2.83 - 4.50)
Circuit 1	5.42	(3.72 - 7.84)	10.08	(7.11 - 14.10)	2.20	(1.32 - 3.62)	3.42	(2.41 - 4.84)
Circuit 2	5.20	(3.44 - 7.79)	10.29	(7.47 - 14.02)	2.44	(1.47 - 4.03)	4.32	(3.14 - 5.92)
Circuit 14	4.92	(3.29 - 7.30)	9.64	(6.61 - 13.85)	*	(* - *)	2.91	(2.01 - 4.21)
Region B	5.09	(4.06 - 6.38)	9.05	(7.36 - 11.07)	1.86	(1.34 - 2.57)	2.98	(2.41 - 3.68)
Circuits 3 and 8	4.74	(3.17 - 7.04)	8.45	(5.95 - 11.86)	1.99	(1.19 - 3.30)	3.37	(2.39 - 4.72)
Circuit 4	5.19	(3.75 - 7.16)	8.75	(6.38 - 11.89)	2.00	(1.27 - 3.13)	3.05	(2.23 - 4.15)
Circuit 7	5.25	(3.64 - 7.49)	10.38	(7.47 - 14.25)	1.60	(0.97 - 2.63)	2.61	(1.86 - 3.66)
Region C	5.23	(4.31 - 6.33)	8.66	(7.28 - 10.26)	1.61	(1.21 - 2.15)	2.51	(2.08 - 3.02)
Circuit 5	5.29	(3.66 - 7.60)	10.78	(7.72 - 14.86)	1.52	(0.89 - 2.58)	2.36	(1.63 - 3.41)
Circuit 9	5.02	(3.54 - 7.07)	7.32	(5.39 - 9.87)	1.86	(1.18 - 2.92)	2.78	(2.04 - 3.77)
Circuit 10	5.54	(3.79 - 8.03)	6.72	(4.42 - 10.10)	1.48	(0.86 - 2.55)	2.16	(1.44 - 3.23)
Circuit 18	5.36	(3.75 - 7.60)	10.97	(8.04 - 14.79)	1.58	(0.96 - 2.59)	2.72	(1.98 - 3.72)
Circuit 19	5.00	(3.37 - 7.36)	8.80	(6.01 - 12.71)	1.47	(0.84 - 2.55)	2.21	(1.47 - 3.30)
Region D	4.39	(3.55 - 5.42)	6.80	(5.65 - 8.17)	1.65	(1.20 - 2.25)	2.29	(1.85 - 2.83)
Circuits 11 and 16	3.92	(2.82 - 5.43)	5.85	(4.34 - 7.86)	1.69	(1.08 - 2.63)	2.26	(1.65 - 3.09)
Circuit 15 (Palm Beach)	4.75	(3.39 - 6.61)	9.29	(6.86 - 12.46)	1.68	(1.06 - 2.64)	2.48	(1.79 - 3.41)
Circuit 17 (Broward)	4.86	(3.58 - 6.56)	6.78	(4.96 - 9.20)	1.56	(0.97 - 2.49)	2.19	(1.56 - 3.06)
Region E	5.47	(4.46 - 6.70)	9.20	(7.70 - 10.95)	1.63	(1.20 - 2.21)	2.47	(2.01 - 3.02)
Circuit 6	4.95	(3.50 - 6.95)	9.67	(7.08 - 13.07)	1.60	(0.99 - 2.58)	2.40	(1.71 - 3.35)
Circuit 12	6.24	(4.23 - 9.13)	9.26	(6.39 - 13.24)	1.58	(0.92 - 2.67)	2.29	(1.55 - 3.37)
Circuit 13 (Hillsborough)	5.70	(4.02 - 8.01)	9.35	(6.88 - 12.57)	1.84	(1.15 - 2.94)	2.97	(2.18 - 4.03)
Circuit 20	5.36	(3.78 - 7.54)	8.33	(5.97 - 11.51)	1.50	(0.92 - 2.44)	2.18	(1.53 - 3.09)
Georgia	4.31	(3.31 - 5.60)	7.60	(6.10 - 9.44)	1.83	(1.28 - 2.60)	2.71	(2.15 - 3.41)
Region 1	5.13	(3.38 - 7.73)	7.49	(5.02 - 11.02)	1.73	(0.98 - 3.05)	2.54	(1.69 - 3.79)
Region 2	4.03	(2.65 - 6.08)	6.52	(4.45 - 9.46)	1.49	(0.85 - 2.60)	2.27	(1.55 - 3.33)
Region 3	4.43	(3.04 - 6.41)	8.43	(6.22 - 11.33)	2.11	(1.32 - 3.37)	3.06	(2.22 - 4.20)
Region 4	3.54	(2.23 - 5.57)	6.20	(4.08 - 9.31)	1.53	(0.84 - 2.77)	2.24	(1.48 - 3.39)
Region 5	4.30	(2.79 - 6.58)	7.79	(5.22 - 11.48)	1.71	(0.98 - 2.96)	2.75	(1.88 - 3.99)

See notes at end of table.

(continued)

Table 18. Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	4.50	(3.38 - 5.96)	6.65	(5.14 - 8.56)	1.66	(1.07 - 2.58)	2.33	(1.72 - 3.14)
Hawaii Island	4.62	(2.97 - 7.11)	7.10	(4.57 - 10.87)	1.49	(0.79 - 2.77)	2.16	(1.38 - 3.36)
Honolulu	4.46	(3.19 - 6.19)	6.42	(4.74 - 8.64)	1.67	(1.01 - 2.77)	2.33	(1.64 - 3.30)
Kauai and Maui**	4.58	(3.11 - 6.70)	7.54	(5.24 - 10.73)	1.77	(1.03 - 3.01)	2.44	(1.64 - 3.60)
Maui	4.58	(2.91 - 7.12)	7.34	(4.83 - 11.01)	1.72	(0.92 - 3.17)	2.38	(1.52 - 3.72)
Idaho	5.18	(4.10 - 6.52)	7.86	(6.39 - 9.62)	1.52	(1.08 - 2.13)	2.57	(2.09 - 3.16)
Region 1	4.87	(3.16 - 7.42)	7.96	(5.26 - 11.85)	1.20	(0.67 - 2.11)	2.06	(1.40 - 3.03)
Region 2	4.99	(3.27 - 7.55)	8.44	(5.57 - 12.60)	*	(* - *)	2.75	(1.86 - 4.05)
Region 3	6.03	(4.11 - 8.77)	7.61	(5.19 - 11.03)	1.58	(0.91 - 2.75)	2.54	(1.74 - 3.71)
Region 4	5.37	(3.67 - 7.80)	9.23	(6.79 - 12.43)	1.79	(1.09 - 2.91)	3.01	(2.21 - 4.09)
Region 5	5.64	(3.78 - 8.32)	7.19	(4.64 - 10.99)	1.43	(0.81 - 2.52)	2.30	(1.53 - 3.45)
Region 6	4.33	(2.79 - 6.66)	6.51	(4.20 - 9.96)	1.32	(0.73 - 2.37)	2.31	(1.55 - 3.44)
Region 7	4.67	(3.04 - 7.11)	6.72	(4.54 - 9.86)	1.52	(0.88 - 2.61)	2.61	(1.80 - 3.76)
Illinois	4.21	(3.59 - 4.93)	7.63	(6.74 - 8.62)	1.85	(1.47 - 2.32)	2.72	(2.37 - 3.13)
Region I (Cook)	4.59	(3.62 - 5.81)	7.48	(6.16 - 9.06)	2.57	(1.88 - 3.51)	3.33	(2.67 - 4.13)
Region II	3.95	(3.10 - 5.02)	8.36	(6.83 - 10.21)	1.27	(0.86 - 1.88)	2.29	(1.83 - 2.86)
Region III	3.82	(2.71 - 5.34)	6.38	(4.70 - 8.61)	1.27	(0.80 - 2.01)	2.15	(1.60 - 2.89)
Region IV	4.27	(2.98 - 6.08)	7.72	(5.58 - 10.59)	1.23	(0.73 - 2.07)	2.17	(1.57 - 2.99)
Region V	3.81	(2.64 - 5.47)	7.78	(5.91 - 10.18)	1.52	(0.95 - 2.44)	2.46	(1.81 - 3.34)
Indiana	4.92	(3.86 - 6.24)	8.48	(6.96 - 10.31)	1.57	(1.12 - 2.21)	2.63	(2.15 - 3.22)
Central	4.28	(2.85 - 6.38)	7.77	(5.45 - 10.96)	1.78	(1.06 - 2.99)	2.63	(1.85 - 3.75)
East	4.72	(3.05 - 7.21)	7.62	(5.06 - 11.31)	1.38	(0.75 - 2.51)	2.34	(1.56 - 3.50)
North Central	5.06	(3.34 - 7.61)	8.21	(5.61 - 11.86)	1.56	(0.92 - 2.65)	2.56	(1.77 - 3.68)
Northeast	4.34	(2.83 - 6.60)	8.35	(5.67 - 12.13)	1.37	(0.77 - 2.43)	2.42	(1.66 - 3.52)
Northwest	5.09	(3.37 - 7.63)	8.53	(5.79 - 12.40)	1.54	(0.88 - 2.67)	2.52	(1.72 - 3.69)
Southeast	6.16	(4.03 - 9.31)	*	(* - *)	1.62	(0.88 - 2.94)	2.87	(1.94 - 4.25)
Southwest	5.23	(3.36 - 8.07)	*	(* - *)	*	(* - *)	2.79	(1.91 - 4.05)
West	5.21	(3.40 - 7.91)	8.15	(5.68 - 11.58)	1.44	(0.81 - 2.54)	2.91	(2.07 - 4.09)

See notes at end of table.

(continued)

Table 18. Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	3.95	(3.01 - 5.18)	6.07	(4.73 - 7.76)	1.32	(0.89 - 1.94)	2.05	(1.60 - 2.64)
Central	4.34	(2.79 - 6.69)	6.20	(4.06 - 9.35)	1.48	(0.83 - 2.61)	2.18	(1.44 - 3.27)
North Central	4.26	(2.73 - 6.59)	5.77	(3.65 - 9.00)	1.33	(0.73 - 2.40)	2.15	(1.41 - 3.28)
Northeast	3.80	(2.54 - 5.63)	6.71	(4.64 - 9.60)	1.36	(0.79 - 2.34)	2.20	(1.52 - 3.16)
Northwest	3.77	(2.42 - 5.84)	5.49	(3.51 - 8.50)	1.20	(0.67 - 2.16)	1.80	(1.17 - 2.75)
Southeast	3.77	(2.40 - 5.87)	6.01	(3.99 - 8.96)	1.31	(0.74 - 2.29)	2.09	(1.41 - 3.08)
Southwest	4.05	(2.55 - 6.37)	5.67	(3.67 - 8.65)	1.13	(0.62 - 2.05)	1.72	(1.12 - 2.64)
Kansas	5.21	(4.07 - 6.64)	7.26	(5.75 - 9.12)	1.55	(1.07 - 2.24)	2.48	(1.96 - 3.13)
Kansas City Metro	6.14	(4.25 - 8.81)	7.76	(5.50 - 10.84)	1.87	(1.11 - 3.13)	2.85	(2.01 - 4.03)
Northeast	4.33	(2.82 - 6.60)	6.57	(4.33 - 9.84)	1.32	(0.73 - 2.35)	2.23	(1.50 - 3.30)
South Central	5.16	(3.45 - 7.65)	7.67	(5.09 - 11.40)	1.32	(0.75 - 2.30)	2.26	(1.55 - 3.29)
Southeast	4.80	(3.04 - 7.50)	7.70	(4.90 - 11.91)	*	(* - *)	2.43	(1.59 - 3.70)
West	5.02	(3.23 - 7.72)	6.45	(4.14 - 9.92)	*	(* - *)	2.10	(1.38 - 3.17)
Wichita (Sedgwick)	4.84	(3.18 - 7.31)	7.18	(4.80 - 10.60)	1.63	(0.92 - 2.88)	2.51	(1.69 - 3.72)
Kentucky	4.63	(3.65 - 5.85)	7.89	(6.36 - 9.74)	1.86	(1.32 - 2.62)	2.72	(2.16 - 3.41)
Adanta, Cumberland River, and Lifeskills	4.25	(2.78 - 6.43)	7.47	(5.06 - 10.88)	1.62	(0.94 - 2.80)	2.45	(1.67 - 3.60)
Bluegrass, Comprehend, and North Key	4.43	(3.00 - 6.51)	7.62	(5.39 - 10.68)	2.08	(1.25 - 3.46)	2.94	(2.06 - 4.19)
Communicare and River Valley	4.72	(3.04 - 7.27)	8.82	(5.83 - 13.12)	1.70	(0.95 - 3.03)	2.69	(1.79 - 4.02)
Four Rivers and Pennyroyal	4.89	(3.18 - 7.44)	7.29	(4.74 - 11.05)	1.76	(1.00 - 3.08)	2.55	(1.69 - 3.82)
Kentucky River, Mountain, and Pathways	4.09	(2.66 - 6.23)	7.51	(5.09 - 10.94)	1.68	(0.96 - 2.92)	2.50	(1.69 - 3.68)
Seven Counties	5.34	(3.67 - 7.70)	8.70	(6.05 - 12.36)	1.99	(1.19 - 3.32)	2.86	(1.99 - 4.09)

See notes at end of table.

(continued)

Table 18. Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	4.65	(3.64 - 5.93)	7.22	(5.84 - 8.89)	1.97	(1.39 - 2.78)	2.84	(2.27 - 3.56)
Region 1	4.19	(2.67 - 6.53)	7.94	(5.16 - 12.02)	*	(* - *)	3.30	(2.13 - 5.08)
Regions 2 and 9	5.04	(3.47 - 7.27)	6.96	(4.91 - 9.78)	2.20	(1.29 - 3.70)	3.03	(2.10 - 4.36)
Region 3	4.82	(3.08 - 7.47)	8.10	(5.42 - 11.93)	2.01	(1.14 - 3.50)	3.00	(2.02 - 4.45)
Region 4	4.52	(2.99 - 6.80)	6.37	(4.16 - 9.63)	1.72	(0.98 - 3.01)	2.50	(1.67 - 3.74)
Regions 5 and 6	4.56	(2.95 - 6.99)	7.37	(4.94 - 10.87)	1.87	(1.06 - 3.27)	2.75	(1.86 - 4.05)
Regions 7 and 8	4.54	(3.07 - 6.66)	7.22	(5.04 - 10.24)	1.72	(1.00 - 2.95)	2.65	(1.85 - 3.78)
Region 10 (Jefferson)	4.54	(2.98 - 6.87)	7.07	(4.58 - 10.75)	1.84	(1.02 - 3.30)	2.61	(1.69 - 4.00)
Maine	6.87	(5.49 - 8.56)	10.97	(9.15 - 13.10)	1.77	(1.26 - 2.48)	2.98	(2.43 - 3.65)
Aroostook/Downeast	6.61	(4.39 - 9.84)	10.82	(7.36 - 15.64)	1.65	(0.92 - 2.93)	2.78	(1.88 - 4.09)
Central	6.30	(4.25 - 9.24)	9.71	(6.69 - 13.89)	1.60	(0.91 - 2.81)	2.66	(1.81 - 3.91)
Cumberland	6.96	(4.81 - 9.98)	11.41	(8.13 - 15.77)	2.01	(1.22 - 3.31)	3.27	(2.33 - 4.57)
Midcoast	6.91	(4.57 - 10.32)	10.92	(7.57 - 15.51)	2.03	(1.13 - 3.62)	3.03	(2.01 - 4.54)
Penquis	6.63	(4.47 - 9.75)	10.98	(7.95 - 14.98)	1.57	(0.89 - 2.75)	3.06	(2.18 - 4.28)
Western	8.01	(5.43 - 11.67)	11.99	(8.63 - 16.43)	1.88	(1.09 - 3.24)	3.28	(2.33 - 4.61)
York	6.51	(4.48 - 9.37)	10.48	(7.36 - 14.70)	1.54	(0.88 - 2.68)	2.61	(1.83 - 3.72)
Maryland	4.41	(3.45 - 5.61)	7.34	(5.90 - 9.11)	1.57	(1.09 - 2.26)	2.38	(1.88 - 3.01)
Anne Arundel	4.10	(2.62 - 6.39)	7.58	(4.85 - 11.65)	*	(* - *)	2.28	(1.49 - 3.46)
Baltimore City	4.58	(2.93 - 7.09)	7.83	(5.21 - 11.62)	2.37	(1.34 - 4.15)	3.27	(2.17 - 4.88)
Baltimore County	4.13	(2.70 - 6.26)	6.83	(4.63 - 9.96)	1.35	(0.75 - 2.43)	2.11	(1.41 - 3.15)
Montgomery	4.45	(2.88 - 6.80)	6.52	(4.33 - 9.72)	1.38	(0.76 - 2.47)	1.99	(1.29 - 3.04)
North Central	5.03	(3.23 - 7.76)	7.33	(4.60 - 11.47)	*	(* - *)	2.18	(1.40 - 3.38)
Northeast	4.99	(3.16 - 7.77)	*	(* - *)	1.53	(0.85 - 2.75)	2.66	(1.78 - 3.96)
Prince George's	3.84	(2.51 - 5.83)	6.66	(4.46 - 9.84)	1.85	(1.02 - 3.33)	2.62	(1.72 - 3.96)
South	4.55	(2.96 - 6.92)	7.36	(4.88 - 10.96)	1.41	(0.76 - 2.59)	2.27	(1.49 - 3.44)
West	4.58	(3.01 - 6.91)	7.31	(4.70 - 11.20)	1.32	(0.72 - 2.38)	2.16	(1.43 - 3.25)

See notes at end of table.

(continued)

Table 18. Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	5.71	(4.48 - 7.26)	9.92	(8.19 - 11.96)	1.59	(1.12 - 2.26)	2.77	(2.24 - 3.41)
Boston	5.50	(3.56 - 8.40)	8.77	(6.02 - 12.62)	2.00	(1.15 - 3.44)	3.39	(2.34 - 4.89)
Central	5.93	(3.90 - 8.92)	10.94	(7.67 - 15.37)	1.75	(1.00 - 3.03)	3.00	(2.07 - 4.32)
Metrowest	5.24	(3.59 - 7.60)	9.50	(6.69 - 13.32)	1.39	(0.81 - 2.35)	2.42	(1.71 - 3.43)
Northeast	5.26	(3.55 - 7.74)	8.76	(6.05 - 12.53)	1.42	(0.83 - 2.42)	2.36	(1.65 - 3.36)
Southeast	6.34	(4.30 - 9.25)	10.64	(7.45 - 14.99)	1.56	(0.90 - 2.69)	2.68	(1.87 - 3.83)
Western	6.09	(4.04 - 9.09)	11.68	(8.41 - 15.99)	1.78	(1.02 - 3.09)	3.35	(2.40 - 4.66)
Michigan	4.77	(4.14 - 5.48)	8.98	(8.10 - 9.95)	1.81	(1.46 - 2.25)	2.87	(2.53 - 3.26)
Bay	5.52	(3.81 - 7.94)	7.99	(5.44 - 11.58)	1.59	(0.94 - 2.66)	2.45	(1.69 - 3.54)
Detroit City	3.77	(2.57 - 5.50)	11.29	(8.44 - 14.96)	3.69	(2.34 - 5.77)	4.89	(3.52 - 6.74)
Genesee	5.41	(3.77 - 7.69)	11.92	(8.70 - 16.11)	2.18	(1.32 - 3.59)	3.58	(2.59 - 4.95)
Kalamazoo	4.41	(3.10 - 6.23)	7.34	(5.29 - 10.10)	1.47	(0.89 - 2.41)	2.43	(1.76 - 3.35)
Kent	4.39	(3.01 - 6.36)	9.58	(7.15 - 12.73)	1.86	(1.15 - 2.98)	3.18	(2.36 - 4.27)
Lakeshore	5.38	(3.90 - 7.38)	7.72	(5.66 - 10.45)	1.63	(1.04 - 2.53)	2.57	(1.90 - 3.46)
Macomb	4.33	(3.02 - 6.18)	10.00	(7.53 - 13.17)	1.79	(1.13 - 2.82)	2.87	(2.12 - 3.87)
Mid South	5.88	(4.28 - 8.04)	7.05	(5.19 - 9.51)	1.51	(0.94 - 2.42)	2.49	(1.83 - 3.38)
Northern	4.56	(3.27 - 6.33)	6.92	(4.97 - 9.57)	1.26	(0.75 - 2.12)	2.05	(1.45 - 2.88)
Oakland	5.50	(4.09 - 7.35)	11.80	(9.23 - 14.96)	1.99	(1.30 - 3.05)	3.20	(2.44 - 4.19)
Pathways	*	(* - *)	8.36	(5.67 - 12.15)	*	(* - *)	2.55	(1.74 - 3.72)
Saginaw	4.78	(3.16 - 7.15)	8.62	(5.81 - 12.60)	1.62	(0.93 - 2.82)	2.61	(1.78 - 3.83)
Southeast	4.37	(3.20 - 5.93)	8.78	(6.87 - 11.17)	1.45	(0.93 - 2.26)	2.43	(1.85 - 3.18)
St. Clair	4.53	(2.96 - 6.89)	7.96	(5.44 - 11.50)	1.46	(0.83 - 2.56)	2.33	(1.58 - 3.42)
Washtenaw	4.16	(2.84 - 6.05)	8.56	(6.20 - 11.70)	1.70	(1.07 - 2.69)	3.01	(2.23 - 4.07)
Western	*	(* - *)	8.30	(5.68 - 11.97)	*	(* - *)	2.40	(1.65 - 3.47)
Minnesota	4.35	(3.36 - 5.63)	7.71	(6.20 - 9.55)	1.49	(1.02 - 2.16)	2.44	(1.94 - 3.06)
Regions 1 and 2	4.45	(2.89 - 6.80)	8.73	(5.77 - 13.00)	1.30	(0.69 - 2.43)	2.37	(1.57 - 3.57)
Regions 3 and 4	4.30	(2.82 - 6.50)	7.13	(4.86 - 10.34)	1.25	(0.68 - 2.28)	2.21	(1.51 - 3.24)
Regions 5 and 6	3.85	(2.50 - 5.89)	7.68	(5.21 - 11.19)	1.24	(0.70 - 2.20)	2.25	(1.55 - 3.27)
Region 7A (Hennepin)	5.13	(3.32 - 7.84)	8.18	(5.71 - 11.58)	1.89	(1.09 - 3.27)	2.84	(1.95 - 4.11)
Region 7B (Ramsey)	3.96	(2.53 - 6.14)	6.80	(4.37 - 10.42)	*	(* - *)	2.53	(1.67 - 3.82)
Region 7C	4.31	(2.88 - 6.40)	7.74	(5.30 - 11.17)	1.45	(0.84 - 2.48)	2.34	(1.63 - 3.35)

See notes at end of table.

(continued)

Table 18. Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	4.23	(3.30 - 5.42)	7.28	(5.83 - 9.05)	1.82	(1.30 - 2.53)	2.71	(2.18 - 3.36)
Region 1	4.34	(2.87 - 6.53)	6.82	(4.59 - 10.02)	1.58	(0.93 - 2.67)	2.40	(1.64 - 3.48)
Region 2	3.78	(2.47 - 5.73)	6.55	(4.38 - 9.69)	1.90	(1.11 - 3.24)	2.68	(1.82 - 3.95)
Region 3	3.96	(2.58 - 6.02)	6.47	(4.38 - 9.45)	1.77	(1.03 - 3.03)	2.58	(1.76 - 3.77)
Region 4	4.37	(2.93 - 6.47)	8.02	(5.39 - 11.77)	1.84	(1.06 - 3.17)	2.85	(1.95 - 4.15)
Region 5	3.91	(2.47 - 6.14)	6.00	(3.81 - 9.33)	1.76	(0.97 - 3.18)	2.42	(1.56 - 3.72)
Region 6	4.18	(2.71 - 6.39)	6.48	(4.19 - 9.90)	1.65	(0.91 - 2.97)	2.51	(1.66 - 3.77)
Region 7	4.82	(3.17 - 7.26)	9.70	(6.72 - 13.80)	2.20	(1.25 - 3.85)	3.34	(2.26 - 4.91)
Missouri	5.01	(3.98 - 6.28)	8.87	(7.32 - 10.72)	1.51	(1.06 - 2.15)	2.62	(2.12 - 3.23)
Central	5.19	(3.47 - 7.70)	7.14	(4.85 - 10.40)	1.44	(0.80 - 2.59)	2.44	(1.66 - 3.59)
Eastern	4.80	(3.52 - 6.50)	9.47	(7.18 - 12.38)	1.61	(1.02 - 2.54)	2.74	(2.05 - 3.65)
Eastern (St. Louis City and County)	4.42	(2.98 - 6.53)	9.35	(6.62 - 13.06)	1.69	(0.97 - 2.91)	2.78	(1.94 - 3.97)
Eastern (excluding St. Louis)	5.45	(3.66 - 8.06)	9.70	(6.63 - 13.98)	1.46	(0.83 - 2.53)	2.64	(1.82 - 3.81)
Northwest	5.17	(3.71 - 7.16)	9.07	(6.67 - 12.21)	1.53	(0.96 - 2.44)	2.66	(1.96 - 3.61)
Northwest (Jackson)	5.89	(3.85 - 8.90)	9.86	(6.68 - 14.32)	1.78	(0.99 - 3.16)	2.97	(2.00 - 4.38)
Northwest (excluding Jackson)	4.54	(2.89 - 7.07)	8.38	(5.51 - 12.56)	1.31	(0.72 - 2.37)	2.39	(1.60 - 3.54)
Southeast	5.46	(3.57 - 8.26)	9.59	(6.80 - 13.36)	1.43	(0.82 - 2.50)	2.60	(1.84 - 3.66)
Southwest	4.71	(3.14 - 7.02)	8.51	(5.95 - 12.04)	1.38	(0.77 - 2.45)	2.47	(1.72 - 3.53)
Montana	6.25	(4.95 - 7.87)	9.34	(7.72 - 11.27)	1.57	(1.11 - 2.22)	2.75	(2.25 - 3.36)
Region 1	5.55	(3.66 - 8.33)	8.30	(5.51 - 12.33)	*	(* - *)	2.18	(1.46 - 3.24)
Region 2	5.40	(3.58 - 8.07)	7.31	(4.81 - 10.94)	1.27	(0.69 - 2.31)	2.18	(1.45 - 3.27)
Region 3	6.39	(4.42 - 9.16)	9.26	(6.51 - 13.01)	1.48	(0.85 - 2.55)	2.58	(1.81 - 3.66)
Region 4	5.42	(3.71 - 7.86)	7.90	(5.70 - 10.85)	1.48	(0.89 - 2.45)	2.55	(1.87 - 3.48)
Region 5	7.51	(5.25 - 10.63)	11.90	(9.01 - 15.56)	1.92	(1.16 - 3.15)	3.46	(2.57 - 4.64)
Nebraska	3.99	(3.04 - 5.22)	7.11	(5.66 - 8.91)	1.25	(0.83 - 1.88)	2.20	(1.74 - 2.79)
Regions 1 and 2	4.23	(2.71 - 6.55)	7.41	(4.74 - 11.42)	*	(* - *)	1.98	(1.29 - 3.01)
Region 3	4.06	(2.56 - 6.39)	6.39	(4.09 - 9.84)	1.09	(0.58 - 2.01)	1.90	(1.25 - 2.89)
Region 4	4.08	(2.66 - 6.21)	7.12	(4.71 - 10.60)	1.18	(0.64 - 2.17)	2.04	(1.36 - 3.04)
Region 5	3.57	(2.31 - 5.49)	5.84	(4.01 - 8.44)	1.13	(0.62 - 2.03)	2.01	(1.40 - 2.88)
Region 6	4.12	(2.83 - 5.94)	8.21	(5.97 - 11.19)	1.44	(0.87 - 2.38)	2.54	(1.86 - 3.47)

See notes at end of table.

(continued)

Table 18. Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	4.46	(3.33 - 5.95)	6.92	(5.42 - 8.80)	1.74	(1.19 - 2.53)	2.45	(1.90 - 3.16)
Clark	4.35	(3.05 - 6.15)	6.62	(4.92 - 8.83)	1.80	(1.15 - 2.80)	2.47	(1.81 - 3.37)
Rural	4.61	(3.05 - 6.90)	8.16	(5.52 - 11.90)	1.66	(0.97 - 2.83)	2.42	(1.64 - 3.55)
Washoe	4.80	(3.15 - 7.26)	7.42	(5.03 - 10.81)	1.53	(0.88 - 2.65)	2.37	(1.62 - 3.46)
New Hampshire	5.46	(4.33 - 6.86)	9.04	(7.35 - 11.07)	1.48	(1.05 - 2.10)	2.51	(2.03 - 3.10)
Central	5.53	(4.04 - 7.53)	8.92	(6.62 - 11.91)	1.55	(0.99 - 2.42)	2.64	(1.98 - 3.51)
Central 1	5.58	(3.69 - 8.36)	8.75	(5.98 - 12.64)	1.51	(0.87 - 2.62)	2.73	(1.90 - 3.90)
Central 2	5.48	(3.65 - 8.14)	9.13	(6.21 - 13.24)	1.59	(0.91 - 2.78)	2.55	(1.74 - 3.71)
Northern	5.76	(3.81 - 8.62)	10.04	(6.77 - 14.64)	1.42	(0.80 - 2.52)	2.63	(1.80 - 3.82)
Southern	5.35	(4.07 - 7.01)	8.86	(6.90 - 11.32)	1.46	(0.96 - 2.21)	2.43	(1.87 - 3.16)
Southern 1 (Rockingham)	5.36	(3.68 - 7.74)	7.96	(5.42 - 11.55)	1.38	(0.80 - 2.35)	2.14	(1.46 - 3.11)
Southern 2	5.35	(3.84 - 7.41)	9.32	(6.93 - 12.41)	1.51	(0.91 - 2.50)	2.61	(1.91 - 3.55)
New Jersey	4.69	(3.63 - 6.03)	7.69	(6.12 - 9.63)	1.37	(0.93 - 2.01)	2.19	(1.71 - 2.80)
Central	4.29	(2.82 - 6.47)	8.37	(5.67 - 12.18)	1.28	(0.70 - 2.35)	2.13	(1.42 - 3.17)
Metropolitan	4.72	(3.15 - 7.01)	7.99	(5.51 - 11.45)	1.71	(0.99 - 2.93)	2.60	(1.78 - 3.77)
Northern	4.45	(3.05 - 6.46)	6.77	(4.77 - 9.53)	1.16	(0.66 - 2.02)	1.86	(1.29 - 2.68)
Southern	5.36	(3.62 - 7.88)	8.03	(5.54 - 11.50)	1.41	(0.80 - 2.46)	2.30	(1.58 - 3.33)
New Mexico	5.38	(4.19 - 6.88)	8.62	(6.98 - 10.60)	1.67	(1.17 - 2.37)	2.78	(2.24 - 3.44)
Region 1	6.01	(3.98 - 8.96)	10.69	(7.34 - 15.31)	1.94	(1.07 - 3.49)	3.35	(2.30 - 4.85)
Region 2	5.10	(3.31 - 7.76)	7.62	(4.99 - 11.49)	1.52	(0.85 - 2.71)	2.34	(1.56 - 3.49)
Region 3 (Bernalillo)	5.55	(3.88 - 7.89)	8.60	(6.28 - 11.66)	1.72	(1.05 - 2.80)	2.85	(2.09 - 3.88)
Region 4	4.55	(2.93 - 6.99)	7.02	(4.65 - 10.47)	1.40	(0.78 - 2.48)	2.33	(1.59 - 3.42)
Region 5	5.25	(3.50 - 7.81)	8.30	(5.85 - 11.66)	1.58	(0.91 - 2.74)	2.74	(1.93 - 3.88)

See notes at end of table.

(continued)

Table 18. Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	4.85	(4.18 - 5.62)	8.70	(7.73 - 9.79)	1.95	(1.55 - 2.45)	2.93	(2.54 - 3.37)
Region A	4.41	(3.58 - 5.42)	7.45	(6.25 - 8.86)	2.16	(1.63 - 2.85)	2.96	(2.45 - 3.58)
Region 1	4.36	(2.96 - 6.38)	6.54	(4.43 - 9.55)	2.66	(1.58 - 4.44)	3.30	(2.22 - 4.87)
Region 2	4.43	(3.21 - 6.09)	8.87	(6.74 - 11.58)	2.21	(1.44 - 3.38)	3.25	(2.44 - 4.33)
Region 3	4.98	(3.41 - 7.22)	8.45	(6.08 - 11.61)	2.40	(1.54 - 3.74)	3.28	(2.36 - 4.54)
Region 4	4.12	(2.86 - 5.89)	5.40	(3.86 - 7.52)	1.64	(0.98 - 2.74)	2.19	(1.51 - 3.15)
Region B	4.56	(3.65 - 5.68)	8.81	(7.20 - 10.74)	1.72	(1.22 - 2.43)	2.62	(2.08 - 3.29)
Region 5	4.45	(3.27 - 6.03)	8.56	(6.47 - 11.25)	1.70	(1.08 - 2.68)	2.55	(1.88 - 3.47)
Region 6	4.67	(3.25 - 6.68)	8.74	(6.21 - 12.16)	1.82	(1.10 - 3.01)	2.66	(1.85 - 3.81)
Region 7	4.73	(3.24 - 6.84)	9.65	(6.87 - 13.39)	1.62	(0.96 - 2.72)	2.77	(1.97 - 3.88)
Region C	5.65	(4.64 - 6.86)	10.67	(9.14 - 12.42)	1.88	(1.40 - 2.53)	3.18	(2.67 - 3.78)
Region 8	5.82	(4.09 - 8.23)	9.12	(6.74 - 12.23)	1.78	(1.11 - 2.84)	2.84	(2.09 - 3.83)
Region 9	5.35	(3.81 - 7.46)	11.39	(8.48 - 15.14)	1.94	(1.19 - 3.14)	3.35	(2.47 - 4.54)
Region 10	5.86	(3.98 - 8.54)	10.95	(7.84 - 15.08)	1.82	(1.07 - 3.10)	3.50	(2.53 - 4.83)
Region 11	5.21	(3.64 - 7.42)	10.49	(7.72 - 14.11)	1.67	(1.00 - 2.77)	2.97	(2.18 - 4.04)
Region 12	6.11	(4.41 - 8.39)	11.43	(8.52 - 15.16)	2.13	(1.34 - 3.37)	3.39	(2.50 - 4.59)
Region D	5.40	(4.20 - 6.92)	9.50	(7.56 - 11.87)	1.82	(1.28 - 2.56)	2.99	(2.37 - 3.75)
Region 13	4.47	(2.89 - 6.86)	9.07	(6.20 - 13.08)	1.63	(0.96 - 2.76)	2.70	(1.87 - 3.88)
Region 14	4.86	(3.19 - 7.33)	7.49	(5.03 - 11.03)	1.65	(0.95 - 2.83)	2.61	(1.77 - 3.83)
Region 15	6.68	(4.52 - 9.78)	12.03	(8.52 - 16.71)	2.14	(1.27 - 3.60)	3.60	(2.54 - 5.08)
North Carolina	5.05	(3.96 - 6.41)	8.71	(7.12 - 10.60)	2.00	(1.40 - 2.84)	2.94	(2.34 - 3.69)
Eastern	4.65	(3.12 - 6.87)	8.42	(5.86 - 11.94)	1.86	(1.06 - 3.23)	2.87	(1.96 - 4.17)
North Central	4.87	(3.32 - 7.11)	8.16	(5.76 - 11.44)	2.10	(1.21 - 3.61)	2.96	(2.02 - 4.32)
South Central	5.06	(3.49 - 7.28)	8.84	(6.32 - 12.23)	2.17	(1.29 - 3.62)	3.15	(2.20 - 4.49)
Western	5.42	(3.81 - 7.66)	9.22	(6.90 - 12.21)	1.88	(1.19 - 2.96)	2.82	(2.07 - 3.84)
North Dakota	4.32	(3.30 - 5.63)	5.81	(4.56 - 7.37)	1.17	(0.78 - 1.76)	1.98	(1.55 - 2.53)
Badlands and West Central Lake Region and South Central	4.24	(2.83 - 6.31)	6.41	(4.39 - 9.26)	1.04	(0.59 - 1.84)	1.82	(1.25 - 2.63)
North Central and Northwest	3.82	(2.48 - 5.83)	5.76	(3.65 - 8.98)	1.19	(0.64 - 2.20)	1.78	(1.15 - 2.76)
Northeast	3.92	(2.56 - 5.96)	5.79	(3.82 - 8.69)	1.08	(0.60 - 1.93)	1.82	(1.21 - 2.71)
Southeast	4.20	(2.72 - 6.44)	5.73	(3.87 - 8.41)	1.34	(0.75 - 2.38)	2.35	(1.62 - 3.39)
Southeast	5.10	(3.43 - 7.51)	5.47	(3.77 - 7.89)	1.26	(0.70 - 2.28)	2.17	(1.50 - 3.12)

See notes at end of table.

(continued)

Table 18. Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	4.69	(4.08 - 5.40)	7.80	(6.96 - 8.74)	1.85	(1.49 - 2.29)	2.72	(2.38 - 3.11)
Boards 2, 46, 55, and 68	4.49	(3.06 - 6.54)	7.77	(5.49 - 10.89)	1.69	(1.01 - 2.80)	2.55	(1.78 - 3.62)
Boards 3, 52, and 85	4.84	(3.34 - 6.95)	8.21	(5.66 - 11.78)	1.65	(0.98 - 2.76)	2.61	(1.81 - 3.74)
Boards 4 and 78	4.33	(2.93 - 6.36)	6.95	(4.67 - 10.22)	1.55	(0.90 - 2.67)	2.24	(1.50 - 3.33)
Boards 5 and 60	4.68	(3.21 - 6.77)	7.30	(5.07 - 10.40)	1.92	(1.15 - 3.19)	2.91	(2.04 - 4.12)
Boards 7, 15, 41, 79, and 84	4.33	(2.91 - 6.38)	8.47	(5.81 - 12.20)	1.53	(0.90 - 2.59)	2.42	(1.67 - 3.49)
Boards 8, 13, and 83	4.54	(3.11 - 6.58)	7.36	(5.05 - 10.60)	1.79	(1.09 - 2.93)	2.56	(1.78 - 3.69)
Board 9 (Butler)	4.84	(3.22 - 7.20)	7.63	(5.22 - 11.03)	1.75	(1.04 - 2.91)	2.79	(1.95 - 3.99)
Board 12	4.43	(2.94 - 6.63)	7.99	(5.57 - 11.33)	1.65	(0.94 - 2.87)	2.66	(1.83 - 3.84)
Boards 18 and 47	4.27	(3.16 - 5.74)	6.99	(5.25 - 9.25)	1.63	(1.05 - 2.51)	2.33	(1.73 - 3.14)
Boards 20, 32, 54, and 69	4.41	(3.00 - 6.44)	7.60	(5.15 - 11.09)	1.54	(0.92 - 2.58)	2.40	(1.66 - 3.47)
Boards 21, 39, 51, 70, and 80	4.62	(3.18 - 6.67)	7.42	(5.32 - 10.26)	1.61	(0.94 - 2.73)	2.39	(1.65 - 3.45)
Boards 22, 74, and 87	5.00	(3.33 - 7.45)	8.57	(5.86 - 12.35)	1.76	(1.04 - 2.96)	2.86	(1.98 - 4.12)
Boards 23 and 45	4.31	(2.88 - 6.39)	8.94	(6.18 - 12.77)	1.57	(0.93 - 2.66)	2.62	(1.83 - 3.73)
Board 25 (Franklin)	5.84	(4.21 - 8.06)	7.36	(5.56 - 9.68)	2.48	(1.57 - 3.89)	3.36	(2.45 - 4.58)
Boards 27, 71, and 73	4.87	(3.38 - 6.96)	7.77	(5.43 - 11.00)	1.74	(1.06 - 2.85)	2.61	(1.83 - 3.69)
Boards 28, 43, and 67	5.09	(3.51 - 7.34)	8.59	(6.05 - 12.07)	1.57	(0.92 - 2.66)	2.58	(1.82 - 3.63)
Board 31 (Hamilton)	4.68	(3.30 - 6.60)	7.84	(5.68 - 10.74)	2.36	(1.47 - 3.77)	3.20	(2.27 - 4.48)
Board 48 (Lucas)	4.34	(2.99 - 6.25)	6.99	(4.95 - 9.78)	2.04	(1.22 - 3.41)	2.82	(1.94 - 4.07)
Boards 50 and 76	4.33	(2.99 - 6.21)	7.32	(5.19 - 10.23)	1.61	(0.95 - 2.70)	2.35	(1.63 - 3.39)
Board 57 (Montgomery)	4.71	(3.24 - 6.79)	9.54	(6.95 - 12.97)	2.19	(1.32 - 3.62)	3.29	(2.33 - 4.62)
Board 77 (Summit)	5.04	(3.54 - 7.14)	9.53	(6.85 - 13.13)	2.22	(1.34 - 3.66)	3.19	(2.23 - 4.55)
Oklahoma	5.70	(4.41 - 7.34)	6.93	(5.53 - 8.66)	1.70	(1.19 - 2.44)	2.54	(2.00 - 3.22)
Central	5.11	(3.22 - 8.00)	7.24	(4.79 - 10.80)	1.55	(0.86 - 2.76)	2.58	(1.73 - 3.83)
East Central	4.94	(3.20 - 7.54)	6.38	(4.10 - 9.81)	1.42	(0.77 - 2.62)	2.13	(1.38 - 3.29)
Northeast	5.39	(3.41 - 8.40)	7.32	(4.89 - 10.83)	1.88	(1.03 - 3.42)	2.75	(1.79 - 4.19)
Northwest and Southwest	5.05	(3.27 - 7.72)	5.67	(3.66 - 8.69)	1.47	(0.82 - 2.62)	2.15	(1.43 - 3.24)
Oklahoma County	6.38	(4.23 - 9.50)	6.70	(4.52 - 9.83)	1.75	(0.99 - 3.06)	2.59	(1.75 - 3.82)
Southeast	6.70	(4.39 - 10.11)	7.27	(4.71 - 11.06)	1.77	(0.99 - 3.17)	2.56	(1.67 - 3.91)
Tulsa County	5.94	(3.91 - 8.92)	7.93	(5.46 - 11.40)	1.95	(1.14 - 3.31)	2.91	(1.99 - 4.22)

See notes at end of table.

(continued)

Table 18. Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	5.36	(4.19 - 6.85)	8.05	(6.48 - 9.96)	1.46	(1.03 - 2.08)	2.40	(1.93 - 2.99)
Region 1 (Multnomah)	5.28	(3.41 - 8.08)	10.25	(7.22 - 14.34)	1.98	(1.16 - 3.36)	3.22	(2.26 - 4.57)
Region 2	5.68	(3.96 - 8.09)	8.94	(6.32 - 12.50)	1.53	(0.92 - 2.53)	2.56	(1.83 - 3.58)
Region 3	5.12	(3.53 - 7.37)	6.13	(4.36 - 8.56)	1.21	(0.70 - 2.10)	1.99	(1.39 - 2.82)
Region 4	5.26	(3.44 - 7.97)	7.94	(5.16 - 12.03)	1.25	(0.70 - 2.23)	2.03	(1.34 - 3.05)
Region 5	5.65	(3.66 - 8.63)	8.20	(5.30 - 12.47)	1.41	(0.79 - 2.52)	2.29	(1.52 - 3.44)
Pennsylvania	4.28	(3.70 - 4.95)	8.17	(7.32 - 9.10)	1.42	(1.11 - 1.81)	2.37	(2.07 - 2.72)
Region 1 (Allegheny)	3.72	(2.60 - 5.30)	9.88	(7.33 - 13.19)	1.47	(0.90 - 2.39)	2.58	(1.90 - 3.51)
Regions 2, 3, 8, and 9	4.21	(2.94 - 5.99)	8.34	(6.03 - 11.43)	1.24	(0.73 - 2.09)	2.25	(1.62 - 3.13)
Regions 4, 11, 37, and 49	5.07	(3.61 - 7.06)	9.44	(6.99 - 12.64)	1.46	(0.88 - 2.43)	2.50	(1.82 - 3.43)
Regions 5, 18, 23, 24, and 46	3.49	(2.33 - 5.19)	5.50	(3.81 - 7.90)	0.98	(0.53 - 1.78)	1.61	(1.08 - 2.39)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	4.89	(3.34 - 7.10)	6.26	(4.49 - 8.67)	1.18	(0.68 - 2.02)	2.12	(1.51 - 2.96)
Regions 7, 13, 20, and 33	5.00	(3.81 - 6.55)	9.37	(7.41 - 11.78)	1.39	(0.89 - 2.15)	2.42	(1.87 - 3.13)
Regions 10, 14, 15, 27, 32, 43, and 44	4.26	(2.89 - 6.23)	9.89	(7.19 - 13.47)	1.63	(0.97 - 2.70)	2.73	(1.96 - 3.81)
Regions 17 and 21	4.24	(2.84 - 6.26)	7.85	(5.42 - 11.24)	1.34	(0.77 - 2.33)	2.38	(1.66 - 3.40)
Regions 19, 26, 28, and 42	3.68	(2.60 - 5.19)	6.06	(4.53 - 8.08)	1.14	(0.70 - 1.83)	1.81	(1.34 - 2.46)
Regions 22, 38, 40, 41, and 48	4.00	(2.81 - 5.67)	7.98	(5.71 - 11.04)	1.33	(0.80 - 2.21)	2.13	(1.51 - 3.01)
Regions 25 and 30	4.64	(3.19 - 6.69)	8.72	(6.20 - 12.12)	1.46	(0.86 - 2.46)	2.40	(1.70 - 3.38)
Regions 29 and 34	3.89	(2.58 - 5.84)	6.20	(4.13 - 9.20)	1.12	(0.63 - 1.97)	1.80	(1.22 - 2.66)
Region 36 (Philadelphia)	3.97	(2.80 - 5.59)	8.66	(6.71 - 11.12)	2.23	(1.43 - 3.46)	3.32	(2.49 - 4.41)
Rhode Island	6.18	(4.75 - 8.00)	12.51	(10.35 - 15.04)	1.99	(1.36 - 2.89)	3.61	(2.93 - 4.44)
Bristol and Newport	6.25	(4.18 - 9.24)	*	(* - *)	1.76	(0.97 - 3.15)	3.23	(2.20 - 4.71)
Kent	6.61	(4.40 - 9.83)	*	(* - *)	1.70	(0.96 - 3.02)	3.05	(2.11 - 4.40)
Providence	6.01	(4.30 - 8.34)	12.08	(9.52 - 15.21)	2.17	(1.37 - 3.40)	3.81	(2.93 - 4.93)
Washington	6.42	(4.31 - 9.47)	14.18	(10.13 - 19.49)	1.77	(1.02 - 3.04)	3.80	(2.74 - 5.23)
South Carolina	4.70	(3.70 - 5.97)	7.80	(6.29 - 9.63)	2.02	(1.46 - 2.79)	2.87	(2.32 - 3.55)
Region 1	4.94	(3.36 - 7.20)	7.60	(5.28 - 10.83)	1.74	(1.04 - 2.89)	2.58	(1.81 - 3.67)
Region 2	4.61	(3.18 - 6.64)	8.20	(5.94 - 11.22)	2.23	(1.38 - 3.61)	3.13	(2.23 - 4.38)
Region 3	4.50	(3.03 - 6.65)	7.77	(5.23 - 11.40)	2.08	(1.24 - 3.48)	2.88	(1.96 - 4.22)
Region 4	4.72	(3.25 - 6.80)	7.56	(5.40 - 10.49)	2.01	(1.22 - 3.30)	2.87	(2.04 - 4.02)

See notes at end of table.

(continued)

Table 18. *Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	4.76	(3.70 - 6.10)	6.09	(4.77 - 7.76)	1.21	(0.83 - 1.76)	2.01	(1.59 - 2.54)
Region 1	4.57	(2.95 - 7.02)	5.75	(3.70 - 8.84)	1.12	(0.61 - 2.05)	1.87	(1.23 - 2.84)
Region 2	4.87	(3.28 - 7.19)	5.92	(4.07 - 8.53)	1.17	(0.68 - 2.01)	1.98	(1.38 - 2.84)
Region 3	4.51	(2.95 - 6.82)	5.41	(3.64 - 7.96)	1.13	(0.63 - 2.02)	1.92	(1.32 - 2.78)
Region 4	4.62	(2.94 - 7.20)	7.02	(4.44 - 10.93)	1.26	(0.69 - 2.31)	2.25	(1.48 - 3.41)
Region 5	4.97	(3.22 - 7.59)	6.20	(3.92 - 9.67)	1.22	(0.66 - 2.24)	1.88	(1.21 - 2.92)
Region 6	4.27	(2.69 - 6.71)	6.56	(4.14 - 10.24)	1.33	(0.71 - 2.47)	2.01	(1.28 - 3.14)
Region 7	5.27	(3.45 - 7.98)	6.79	(4.44 - 10.24)	1.34	(0.75 - 2.38)	2.22	(1.51 - 3.27)
Tennessee	4.95	(3.91 - 6.25)	9.10	(7.42 - 11.11)	1.85	(1.33 - 2.58)	2.88	(2.32 - 3.57)
Region 1	5.90	(3.82 - 9.00)	9.46	(6.30 - 13.96)	1.82	(1.04 - 3.17)	2.77	(1.85 - 4.13)
Region 2	4.80	(3.18 - 7.19)	10.10	(7.13 - 14.12)	1.63	(0.97 - 2.75)	2.80	(1.98 - 3.94)
Region 3	5.04	(3.43 - 7.34)	9.17	(6.46 - 12.85)	1.72	(1.01 - 2.93)	2.74	(1.91 - 3.91)
Region 4 (Davidson)	5.00	(3.15 - 7.87)	8.36	(5.62 - 12.27)	2.13	(1.21 - 3.71)	3.10	(2.07 - 4.63)
Region 5	5.13	(3.52 - 7.41)	9.14	(6.41 - 12.86)	1.72	(1.01 - 2.91)	2.78	(1.95 - 3.94)
Region 6	4.57	(2.98 - 6.95)	7.94	(5.31 - 11.71)	1.82	(1.04 - 3.14)	2.67	(1.79 - 3.97)
Region 7 (Shelby)	4.59	(3.05 - 6.84)	8.94	(6.00 - 13.11)	2.35	(1.39 - 3.93)	3.33	(2.28 - 4.85)

See notes at end of table.

(continued)

Table 18. *Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)*

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	4.28	(3.67 - 4.97)	7.71	(6.84 - 8.68)	1.56	(1.23 - 1.99)	2.58	(2.25 - 2.95)
Region 1	5.47	(3.71 - 7.98)	9.93	(7.13 - 13.68)	1.70	(0.98 - 2.91)	3.15	(2.25 - 4.39)
Region 2	3.96	(2.63 - 5.92)	7.66	(5.09 - 11.35)	1.37	(0.79 - 2.38)	2.36	(1.61 - 3.44)
Region 3	4.11	(3.24 - 5.21)	7.41	(6.03 - 9.07)	1.46	(1.05 - 2.03)	2.41	(1.96 - 2.96)
Region 3a	4.40	(3.30 - 5.85)	7.35	(5.65 - 9.51)	1.42	(0.93 - 2.16)	2.39	(1.84 - 3.10)
Region 3bc	3.61	(2.50 - 5.21)	7.52	(5.59 - 10.05)	1.53	(0.98 - 2.39)	2.45	(1.83 - 3.28)
Region 4	4.61	(3.13 - 6.74)	8.44	(5.92 - 11.89)	1.48	(0.86 - 2.52)	2.43	(1.70 - 3.45)
Region 5	4.40	(2.94 - 6.54)	9.62	(6.69 - 13.63)	1.74	(1.03 - 2.92)	2.90	(2.05 - 4.10)
Region 6	3.75	(2.87 - 4.89)	6.94	(5.60 - 8.56)	1.64	(1.12 - 2.40)	2.49	(1.95 - 3.17)
Region 6a	3.58	(2.64 - 4.84)	6.49	(5.09 - 8.23)	1.62	(1.06 - 2.46)	2.41	(1.84 - 3.16)
Region 6bc	5.21	(3.45 - 7.80)	*	(* - *)	1.79	(1.04 - 3.05)	3.11	(2.14 - 4.50)
Region 7	4.46	(3.36 - 5.89)	8.64	(6.85 - 10.84)	1.70	(1.17 - 2.48)	3.08	(2.44 - 3.86)
Region 7a	4.74	(3.30 - 6.77)	9.00	(6.59 - 12.18)	1.79	(1.12 - 2.84)	3.13	(2.31 - 4.23)
Region 7bcd	4.08	(2.76 - 5.98)	8.16	(5.84 - 11.29)	1.57	(0.93 - 2.64)	2.98	(2.16 - 4.10)
Region 8	4.49	(3.16 - 6.34)	7.57	(5.59 - 10.16)	1.41	(0.86 - 2.30)	2.35	(1.72 - 3.21)
Region 9	4.28	(2.88 - 6.30)	7.93	(5.33 - 11.64)	1.47	(0.84 - 2.55)	2.48	(1.68 - 3.64)
Region 10	4.92	(3.33 - 7.21)	7.41	(5.01 - 10.84)	1.70	(0.98 - 2.93)	2.68	(1.83 - 3.92)
Region 11	4.73	(3.57 - 6.24)	7.40	(5.50 - 9.90)	1.67	(1.08 - 2.58)	2.69	(2.02 - 3.59)
Region 11abd	4.58	(3.19 - 6.54)	7.85	(5.38 - 11.34)	1.61	(0.95 - 2.71)	2.68	(1.88 - 3.81)
Region 11c (Hidalgo)	4.99	(3.38 - 7.31)	6.59	(4.48 - 9.61)	1.80	(1.04 - 3.09)	2.72	(1.86 - 3.96)
Utah	4.72	(3.71 - 6.00)	7.40	(5.97 - 9.13)	1.69	(1.20 - 2.37)	2.92	(2.37 - 3.58)
Bear River, Northeastern, Summit, Tooele, and Wasatch	5.39	(3.51 - 8.19)	8.14	(5.36 - 12.19)	1.74	(1.02 - 2.95)	3.15	(2.16 - 4.58)
Central, Four Corners, San Juan, and Southwest	4.02	(2.60 - 6.17)	6.40	(4.06 - 9.96)	1.36	(0.78 - 2.38)	2.29	(1.52 - 3.44)
Davis County	5.21	(3.42 - 7.87)	8.19	(5.47 - 12.10)	1.80	(1.05 - 3.08)	3.07	(2.11 - 4.45)
Salt Lake County	4.74	(3.33 - 6.71)	7.74	(5.71 - 10.39)	1.80	(1.11 - 2.92)	2.97	(2.18 - 4.03)
Utah County	4.50	(2.91 - 6.88)	6.51	(4.50 - 9.33)	1.57	(0.90 - 2.73)	3.08	(2.18 - 4.33)
Weber, Morgan	4.54	(2.91 - 7.03)	7.61	(5.06 - 11.28)	1.60	(0.91 - 2.79)	2.75	(1.88 - 3.99)

See notes at end of table.

(continued)

Table 18. Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	5.22	(4.12 - 6.58)	10.95	(9.19 - 12.99)	1.50	(1.06 - 2.13)	2.87	(2.38 - 3.47)
Champlain Valley	5.26	(3.75 - 7.32)	11.64	(9.09 - 14.79)	1.57	(0.99 - 2.49)	3.32	(2.58 - 4.26)
Rural Northeast	4.99	(3.46 - 7.16)	10.53	(7.68 - 14.28)	1.36	(0.81 - 2.26)	2.62	(1.93 - 3.55)
Rural Southeast	4.76	(3.22 - 6.99)	10.39	(7.46 - 14.28)	1.57	(0.91 - 2.69)	2.58	(1.81 - 3.66)
Rural Southwest	6.06	(4.07 - 8.92)	10.07	(7.01 - 14.25)	1.47	(0.81 - 2.67)	2.58	(1.76 - 3.76)
Virginia	4.53	(3.53 - 5.80)	8.03	(6.50 - 9.88)	1.50	(1.05 - 2.16)	2.43	(1.93 - 3.04)
Region 1	5.01	(3.30 - 7.55)	8.35	(5.67 - 12.14)	1.34	(0.77 - 2.34)	2.38	(1.64 - 3.43)
Region 2	3.96	(2.65 - 5.89)	6.59	(4.57 - 9.42)	1.34	(0.78 - 2.30)	2.02	(1.39 - 2.92)
Region 3	5.06	(3.36 - 7.55)	10.76	(7.64 - 14.94)	1.47	(0.82 - 2.60)	2.75	(1.92 - 3.92)
Region 4	4.71	(3.15 - 6.97)	7.95	(5.49 - 11.38)	1.64	(0.94 - 2.84)	2.49	(1.70 - 3.64)
Region 5	4.31	(2.89 - 6.40)	7.31	(5.09 - 10.40)	1.73	(1.00 - 2.98)	2.62	(1.81 - 3.79)
Washington	4.57	(3.55 - 5.85)	9.23	(7.49 - 11.31)	1.88	(1.32 - 2.67)	2.95	(2.36 - 3.68)
Region 1	4.76	(3.13 - 7.17)	10.02	(6.89 - 14.36)	1.78	(1.00 - 3.13)	3.09	(2.13 - 4.47)
Region 2	4.67	(3.14 - 6.89)	8.80	(5.85 - 13.02)	1.84	(1.05 - 3.22)	2.94	(1.99 - 4.32)
Region 3	4.38	(2.86 - 6.66)	9.21	(6.23 - 13.41)	1.72	(0.97 - 3.03)	2.82	(1.91 - 4.13)
Region 4 (King)	4.98	(3.35 - 7.35)	8.92	(6.42 - 12.25)	2.06	(1.24 - 3.41)	3.02	(2.14 - 4.24)
Region 5	4.22	(2.71 - 6.51)	9.28	(6.25 - 13.58)	1.84	(1.08 - 3.11)	2.97	(2.05 - 4.28)
Region 6	4.27	(2.76 - 6.55)	9.32	(6.48 - 13.25)	1.84	(1.05 - 3.23)	2.83	(1.93 - 4.13)
West Virginia	4.86	(3.84 - 6.13)	10.41	(8.74 - 12.34)	1.57	(1.11 - 2.22)	2.75	(2.26 - 3.36)
Eastern Highland	4.85	(3.33 - 7.01)	8.86	(6.29 - 12.35)	1.45	(0.83 - 2.53)	2.38	(1.66 - 3.42)
Northern	4.74	(3.39 - 6.60)	12.05	(9.30 - 15.47)	1.70	(1.07 - 2.70)	3.26	(2.50 - 4.23)
Northern A and B	4.49	(2.82 - 7.07)	8.11	(5.28 - 12.27)	1.38	(0.75 - 2.51)	2.18	(1.42 - 3.33)
Northern C and D	4.86	(3.22 - 7.27)	13.49	(9.99 - 17.97)	1.87	(1.07 - 3.27)	3.80	(2.79 - 5.16)
South Central	4.97	(3.72 - 6.61)	9.98	(7.84 - 12.62)	1.48	(0.97 - 2.25)	2.58	(1.99 - 3.34)
South Central I	4.97	(3.28 - 7.48)	8.86	(6.00 - 12.90)	1.35	(0.76 - 2.41)	2.25	(1.52 - 3.32)
South Central II	5.09	(3.35 - 7.65)	11.54	(7.97 - 16.41)	1.59	(0.90 - 2.81)	3.09	(2.14 - 4.44)
South Central III	4.89	(3.23 - 7.35)	9.35	(6.60 - 13.08)	1.48	(0.84 - 2.60)	2.44	(1.69 - 3.51)
Southern	4.79	(3.39 - 6.75)	10.32	(7.69 - 13.73)	1.72	(1.08 - 2.72)	2.82	(2.08 - 3.82)
Southern I and III	4.52	(2.90 - 6.97)	9.89	(6.83 - 14.12)	1.70	(0.97 - 2.94)	2.75	(1.89 - 3.98)
Southern II	5.34	(3.47 - 8.12)	*	(* - *)	*	(* - *)	2.97	(1.98 - 4.43)

See notes at end of table.

(continued)

Table 18. Illicit Drug Dependence or Abuse in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	5.18	(4.11 - 6.51)	7.06	(5.61 - 8.86)	1.74	(1.22 - 2.46)	2.54	(2.02 - 3.20)
Milwaukee	5.13	(3.39 - 7.69)	7.01	(4.75 - 10.23)	2.34	(1.36 - 3.97)	3.09	(2.07 - 4.59)
Northeastern	4.73	(3.18 - 6.98)	6.43	(4.38 - 9.35)	1.54	(0.87 - 2.70)	2.24	(1.52 - 3.31)
Northern	4.42	(2.78 - 6.96)	6.61	(4.46 - 9.70)	1.43	(0.79 - 2.58)	2.13	(1.41 - 3.20)
Southeastern	5.56	(3.86 - 7.94)	7.34	(4.96 - 10.74)	1.77	(1.03 - 3.03)	2.52	(1.71 - 3.70)
Southern	5.21	(3.49 - 7.72)	7.01	(4.61 - 10.53)	1.61	(0.92 - 2.79)	2.50	(1.70 - 3.67)
Western	5.82	(3.86 - 8.67)	7.98	(5.35 - 11.75)	1.66	(0.95 - 2.88)	2.74	(1.88 - 3.97)
Wyoming	5.38	(4.26 - 6.76)	8.93	(7.35 - 10.82)	1.57	(1.11 - 2.21)	2.74	(2.24 - 3.35)
Judicial District 1 (Laramie)	5.75	(3.81 - 8.58)	8.64	(5.98 - 12.33)	1.74	(0.98 - 3.07)	2.80	(1.92 - 4.07)
Judicial District 2	5.42	(3.48 - 8.33)	7.99	(5.60 - 11.28)	1.73	(0.98 - 3.05)	3.45	(2.46 - 4.82)
Judicial District 3	5.42	(3.70 - 7.88)	8.07	(5.47 - 11.74)	1.47	(0.83 - 2.59)	2.52	(1.72 - 3.68)
Judicial District 4	5.57	(3.58 - 8.57)	*	(* - *)	*	(* - *)	2.59	(1.69 - 3.94)
Judicial District 5	5.14	(3.38 - 7.74)	8.50	(5.69 - 12.51)	1.33	(0.73 - 2.43)	2.23	(1.47 - 3.36)
Judicial District 6	5.04	(3.29 - 7.66)	*	(* - *)	1.65	(0.94 - 2.87)	3.08	(2.12 - 4.45)
Judicial District 7 (Natrona)	5.65	(3.77 - 8.40)	10.09	(7.06 - 14.21)	1.55	(0.89 - 2.68)	2.90	(2.05 - 4.09)
Judicial District 8	5.02	(3.18 - 7.83)	7.58	(4.90 - 11.54)	*	(* - *)	2.12	(1.36 - 3.30)
Judicial District 9	5.10	(3.33 - 7.73)	9.20	(6.14 - 13.58)	1.67	(0.95 - 2.92)	2.73	(1.86 - 4.00)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 19. Dependence on or Abuse of Illicit Drugs or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	8.27		21.26		7.27		9.35	
Northeast	8.33	(7.80 - 8.89)	22.09	(21.25 - 22.94)	6.75	(6.27 - 7.26)	8.89	(8.46 - 9.34)
Midwest	8.63	(8.21 - 9.06)	23.62	(22.92 - 24.33)	7.56	(7.15 - 7.99)	10.00	(9.63 - 10.38)
South	7.72	(7.33 - 8.12)	19.39	(18.78 - 20.02)	7.00	(6.61 - 7.40)	8.83	(8.49 - 9.19)
West	8.72	(8.15 - 9.32)	21.20	(20.33 - 22.09)	7.85	(7.29 - 8.45)	9.91	(9.41 - 10.43)
Alabama	7.33	(5.99 - 8.94)	16.64	(14.45 - 19.09)	6.03	(4.84 - 7.49)	7.61	(6.48 - 8.92)
Region 1	7.51	(5.55 - 10.09)	16.87	(13.29 - 21.18)	5.37	(3.89 - 7.36)	6.92	(5.43 - 8.77)
Region 2	7.96	(5.91 - 10.63)	17.55	(14.21 - 21.49)	6.48	(4.77 - 8.74)	8.15	(6.48 - 10.21)
Region 3	5.99	(4.21 - 8.46)	14.87	(11.41 - 19.16)	5.97	(4.22 - 8.37)	7.55	(5.82 - 9.74)
Region 4	7.40	(5.42 - 10.02)	16.74	(13.03 - 21.24)	6.29	(4.60 - 8.56)	7.76	(6.05 - 9.90)
Alaska	9.09	(7.39 - 11.12)	20.80	(18.35 - 23.49)	7.87	(6.46 - 9.57)	9.96	(8.63 - 11.47)
Gulf Coast	9.56	(6.70 - 13.45)	*	(* - *)	7.29	(5.16 - 10.21)	9.13	(6.94 - 11.91)
Rural	8.09	(5.42 - 11.91)	*	(* - *)	9.88	(6.86 - 14.04)	12.42	(9.39 - 16.26)
Southeast	9.55	(6.73 - 13.39)	*	(* - *)	8.34	(6.02 - 11.44)	10.44	(8.06 - 13.41)
Urban	9.12	(7.14 - 11.60)	19.94	(17.01 - 23.23)	7.58	(5.94 - 9.63)	9.63	(8.09 - 11.42)
Arizona	9.27	(7.57 - 11.32)	19.93	(17.47 - 22.64)	8.43	(6.94 - 10.20)	10.17	(8.80 - 11.73)
Maricopa	9.03	(7.01 - 11.57)	19.35	(16.38 - 22.72)	8.50	(6.68 - 10.76)	10.21	(8.51 - 12.21)
Pima	10.48	(7.56 - 14.35)	21.97	(17.13 - 27.70)	8.94	(6.54 - 12.12)	10.93	(8.55 - 13.88)
Rural North	9.74	(6.92 - 13.54)	*	(* - *)	8.68	(6.23 - 11.98)	10.63	(8.15 - 13.75)
Rural South	8.43	(5.68 - 12.33)	*	(* - *)	7.13	(5.01 - 10.05)	8.49	(6.35 - 11.27)
Arkansas	10.17	(8.51 - 12.10)	21.82	(19.38 - 24.48)	6.91	(5.70 - 8.35)	9.14	(7.97 - 10.45)
Areas 1 and 2	11.06	(8.13 - 14.88)	25.61	(20.61 - 31.34)	7.19	(5.28 - 9.73)	10.07	(8.07 - 12.49)
Areas 3 and 4	12.14	(9.07 - 16.05)	23.64	(18.84 - 29.21)	6.94	(5.02 - 9.52)	9.41	(7.43 - 11.86)
Areas 5 and 6	9.16	(6.56 - 12.64)	18.88	(14.92 - 23.59)	6.49	(4.74 - 8.82)	8.43	(6.66 - 10.62)
Areas 7, 12, and 13	9.32	(6.63 - 12.94)	19.50	(14.85 - 25.18)	8.02	(5.86 - 10.90)	9.77	(7.62 - 12.45)
Areas 8, 10, and 11	9.46	(6.87 - 12.90)	21.73	(17.39 - 26.80)	6.31	(4.48 - 8.82)	8.43	(6.55 - 10.78)
Area 9	9.63	(7.10 - 12.94)	20.80	(16.48 - 25.91)	6.71	(4.90 - 9.12)	8.75	(6.90 - 11.03)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Illicit Drugs or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	8.40	(7.55 - 9.34)	20.78	(19.45 - 22.18)	7.76	(6.92 - 8.68)	9.78	(9.03 - 10.60)
Region 1	10.57	(7.89 - 14.02)	*	(* - *)	8.66	(6.38 - 11.66)	11.28	(8.91 - 14.19)
Region 2	9.40	(7.39 - 11.88)	24.75	(20.91 - 29.04)	9.39	(7.29 - 12.00)	11.65	(9.63 - 14.02)
Region 3	7.87	(5.72 - 10.72)	19.07	(14.86 - 24.13)	7.04	(5.21 - 9.45)	8.96	(7.09 - 11.27)
Region 4	8.25	(6.00 - 11.24)	22.94	(18.28 - 28.39)	8.79	(6.72 - 11.42)	10.50	(8.42 - 13.02)
Region 5	8.99	(6.87 - 11.68)	21.85	(17.90 - 26.39)	8.79	(6.82 - 11.25)	10.59	(8.69 - 12.84)
Region 6 (Santa Clara)	7.84	(5.83 - 10.46)	18.83	(14.73 - 23.75)	6.60	(4.95 - 8.74)	8.34	(6.65 - 10.42)
Region 7	8.34	(5.98 - 11.51)	21.26	(16.57 - 26.86)	7.98	(5.86 - 10.79)	10.24	(8.08 - 12.91)
Region 8	8.35	(6.19 - 11.16)	20.25	(16.02 - 25.26)	8.23	(6.22 - 10.82)	10.38	(8.34 - 12.84)
Region 9	10.20	(7.51 - 13.70)	22.55	(18.07 - 27.76)	8.04	(6.00 - 10.70)	10.57	(8.49 - 13.08)
Region 10	9.82	(7.31 - 13.06)	23.68	(18.85 - 29.30)	7.58	(5.59 - 10.20)	10.16	(8.12 - 12.65)
Region 11 (Los Angeles)	7.39	(6.06 - 8.99)	17.94	(15.69 - 20.44)	6.89	(5.65 - 8.38)	8.68	(7.51 - 10.01)
Region 12	7.61	(5.64 - 10.18)	18.09	(14.39 - 22.48)	6.54	(4.92 - 8.65)	8.53	(6.86 - 10.56)
Region 13 (Riverside)	9.69	(7.37 - 12.64)	22.84	(18.22 - 28.24)	7.57	(5.70 - 9.98)	9.89	(7.97 - 12.22)
Region 14 (Orange)	8.39	(6.41 - 10.93)	21.42	(17.61 - 25.80)	7.76	(5.91 - 10.13)	9.80	(7.98 - 11.98)
Region 15	8.77	(6.77 - 11.28)	22.79	(19.05 - 27.01)	8.43	(6.63 - 10.66)	10.85	(9.11 - 12.88)
Colorado	10.10	(8.42 - 12.07)	25.80	(22.85 - 28.98)	9.21	(7.60 - 11.10)	11.66	(10.15 - 13.37)
Region 1	10.88	(7.82 - 14.95)	28.31	(22.77 - 34.60)	8.60	(6.32 - 11.60)	12.07	(9.74 - 14.87)
Regions 2 and 7	9.93	(7.84 - 12.52)	25.45	(21.45 - 29.91)	9.54	(7.50 - 12.06)	11.83	(9.87 - 14.12)
Region 3	9.61	(6.92 - 13.19)	25.44	(20.22 - 31.48)	8.60	(6.22 - 11.76)	11.07	(8.68 - 14.01)
Region 4	11.56	(8.12 - 16.20)	*	(* - *)	9.22	(6.62 - 12.70)	11.22	(8.58 - 14.54)
Regions 5 and 6	9.73	(6.91 - 13.55)	*	(* - *)	8.94	(6.52 - 12.15)	11.35	(8.88 - 14.40)
Connecticut	9.43	(7.84 - 11.31)	28.00	(24.79 - 31.46)	7.68	(6.23 - 9.44)	10.37	(8.98 - 11.96)
Eastern	10.07	(7.28 - 13.77)	*	(* - *)	7.49	(5.35 - 10.38)	11.30	(8.96 - 14.16)
North Central	8.35	(6.15 - 11.26)	27.25	(22.30 - 32.82)	7.90	(5.85 - 10.60)	10.38	(8.34 - 12.84)
Northwestern	9.39	(6.88 - 12.70)	*	(* - *)	7.06	(4.98 - 9.91)	10.09	(7.96 - 12.72)
South Central	9.63	(7.18 - 12.80)	25.27	(20.31 - 30.98)	7.30	(5.41 - 9.79)	9.77	(7.84 - 12.12)
Southwest	10.42	(7.65 - 14.03)	27.67	(22.10 - 34.03)	8.50	(6.09 - 11.73)	10.79	(8.36 - 13.82)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Illicit Drugs or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	7.12	(5.81 - 8.70)	21.42	(18.78 - 24.33)	6.19	(5.03 - 7.59)	8.42	(7.30 - 9.68)
Kent	7.57	(5.44 - 10.43)	20.78	(16.65 - 25.61)	6.46	(4.71 - 8.80)	8.73	(6.94 - 10.91)
New Castle (excluding Wilmington City)	6.89	(5.24 - 9.01)	23.17	(19.57 - 27.20)	5.84	(4.47 - 7.60)	8.54	(7.17 - 10.13)
Sussex	7.66	(5.55 - 10.48)	17.87	(13.67 - 23.01)	6.09	(4.40 - 8.37)	7.39	(5.69 - 9.54)
Wilmington City	6.53	(4.43 - 9.53)	*	(* - *)	7.90	(5.52 - 11.18)	9.58	(7.18 - 12.68)
District of Columbia	6.83	(5.50 - 8.45)	22.58	(19.94 - 25.46)	10.83	(9.12 - 12.81)	12.71	(11.16 - 14.44)
Ward 1	7.58	(5.24 - 10.85)	*	(* - *)	13.22	(9.84 - 17.55)	14.80	(11.58 - 18.72)
Ward 2	*	(* - *)	25.75	(21.02 - 31.12)	12.41	(9.37 - 16.25)	15.72	(12.86 - 19.08)
Ward 3	8.98	(6.36 - 12.55)	*	(* - *)	10.19	(7.57 - 13.58)	13.03	(10.41 - 16.19)
Ward 4	6.52	(4.51 - 9.34)	*	(* - *)	8.78	(6.31 - 12.09)	9.74	(7.31 - 12.87)
Ward 5	6.78	(4.69 - 9.71)	21.48	(16.93 - 26.85)	10.91	(8.14 - 14.48)	12.43	(9.79 - 15.65)
Ward 6	6.11	(4.12 - 8.97)	*	(* - *)	11.00	(7.98 - 14.98)	12.32	(9.39 - 16.00)
Ward 7	6.25	(4.42 - 8.76)	16.50	(12.20 - 21.94)	9.36	(6.82 - 12.72)	10.23	(7.80 - 13.30)
Ward 8	6.26	(4.48 - 8.70)	18.50	(14.08 - 23.91)	11.14	(8.22 - 14.93)	12.47	(9.75 - 15.81)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Illicit Drugs or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	8.40	(7.57 - 9.31)	20.53	(19.25 - 21.88)	7.29	(6.51 - 8.16)	9.01	(8.29 - 9.79)
Region A	8.98	(7.32 - 10.98)	24.33	(21.14 - 27.83)	8.31	(6.82 - 10.10)	11.14	(9.65 - 12.83)
Circuit 1	8.79	(6.48 - 11.82)	22.23	(17.28 - 28.11)	7.96	(5.99 - 10.50)	10.17	(8.11 - 12.69)
Circuit 2	9.59	(6.91 - 13.15)	27.99	(23.06 - 33.52)	9.26	(6.84 - 12.42)	13.75	(11.30 - 16.63)
Circuit 14	8.51	(6.05 - 11.84)	21.25	(16.34 - 27.17)	7.98	(5.74 - 10.99)	9.85	(7.58 - 12.70)
Region B	8.73	(7.29 - 10.43)	22.06	(19.43 - 24.94)	7.96	(6.64 - 9.52)	10.16	(8.88 - 11.59)
Circuits 3 and 8	8.20	(6.01 - 11.09)	22.99	(18.59 - 28.07)	7.87	(5.85 - 10.50)	11.09	(9.01 - 13.57)
Circuit 4	8.58	(6.59 - 11.09)	20.76	(17.02 - 25.08)	8.22	(6.34 - 10.59)	10.16	(8.32 - 12.35)
Circuit 7	9.45	(7.04 - 12.57)	23.14	(18.51 - 28.53)	7.69	(5.76 - 10.20)	9.48	(7.53 - 11.88)
Region C	8.64	(7.40 - 10.06)	21.71	(19.54 - 24.05)	7.07	(6.02 - 8.28)	8.93	(7.92 - 10.06)
Circuit 5	8.45	(6.21 - 11.42)	21.05	(16.74 - 26.12)	6.46	(4.82 - 8.60)	7.80	(6.15 - 9.84)
Circuit 9	8.28	(6.31 - 10.79)	22.85	(19.04 - 27.16)	8.07	(6.24 - 10.38)	10.57	(8.76 - 12.70)
Circuit 10	8.67	(6.31 - 11.79)	17.76	(13.54 - 22.94)	6.27	(4.55 - 8.57)	7.75	(6.00 - 9.96)
Circuit 18	9.24	(7.02 - 12.07)	23.74	(19.42 - 28.66)	7.10	(5.40 - 9.28)	9.12	(7.40 - 11.19)
Circuit 19	8.72	(6.36 - 11.85)	20.53	(15.85 - 26.16)	6.91	(5.03 - 9.41)	8.28	(6.39 - 10.67)
Region D	7.38	(6.29 - 8.64)	16.71	(14.84 - 18.77)	6.88	(5.84 - 8.10)	8.11	(7.12 - 9.22)
Circuits 11 and 16	6.37	(4.91 - 8.21)	13.65	(11.16 - 16.60)	6.63	(5.12 - 8.55)	7.59	(6.16 - 9.31)
Circuit 15 (Palm Beach)	9.06	(6.90 - 11.81)	22.39	(18.59 - 26.70)	7.09	(5.37 - 9.31)	8.70	(7.02 - 10.73)
Circuit 17 (Broward)	7.82	(6.15 - 9.89)	18.16	(15.00 - 21.81)	7.10	(5.54 - 9.05)	8.43	(6.94 - 10.22)
Region E	9.16	(7.87 - 10.63)	21.79	(19.47 - 24.29)	7.39	(6.27 - 8.71)	8.99	(7.90 - 10.21)
Circuit 6	8.53	(6.50 - 11.12)	20.32	(16.48 - 24.80)	7.20	(5.44 - 9.49)	8.50	(6.76 - 10.63)
Circuit 12	10.38	(7.62 - 14.00)	22.40	(17.52 - 28.18)	7.10	(5.16 - 9.70)	8.52	(6.55 - 11.00)
Circuit 13 (Hillsborough)	9.28	(7.16 - 11.95)	22.20	(18.27 - 26.69)	7.89	(6.10 - 10.15)	10.04	(8.26 - 12.15)
Circuit 20	9.00	(6.86 - 11.72)	22.65	(18.22 - 27.79)	7.37	(5.53 - 9.77)	8.89	(7.03 - 11.18)
Georgia	6.88	(5.55 - 8.50)	17.45	(15.21 - 19.94)	6.57	(5.30 - 8.13)	8.23	(7.03 - 9.61)
Region 1	8.45	(5.98 - 11.80)	17.06	(12.86 - 22.29)	6.08	(4.33 - 8.48)	7.63	(5.83 - 9.92)
Region 2	6.41	(4.51 - 9.04)	15.43	(11.76 - 19.98)	5.69	(4.00 - 8.04)	7.20	(5.53 - 9.34)
Region 3	6.94	(5.13 - 9.31)	19.51	(16.04 - 23.52)	7.28	(5.50 - 9.58)	9.11	(7.38 - 11.19)
Region 4	6.26	(4.38 - 8.88)	16.10	(12.18 - 20.97)	6.59	(4.76 - 9.05)	8.04	(6.21 - 10.34)
Region 5	6.45	(4.55 - 9.07)	15.44	(11.43 - 20.52)	5.86	(4.06 - 8.38)	7.49	(5.64 - 9.88)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Illicit Drugs or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	7.83	(6.32 - 9.67)	20.83	(18.08 - 23.87)	6.69	(5.33 - 8.37)	8.57	(7.25 - 10.09)
Hawaii Island	8.10	(5.67 - 11.44)	*	(* - *)	7.32	(5.25 - 10.12)	8.75	(6.65 - 11.43)
Honolulu	7.78	(6.04 - 9.95)	20.98	(17.78 - 24.57)	6.49	(4.97 - 8.44)	8.50	(7.02 - 10.26)
Kauai and Maui**	7.85	(5.78 - 10.57)	21.26	(16.89 - 26.41)	7.06	(5.25 - 9.43)	8.71	(6.88 - 10.97)
Maui	8.04	(5.63 - 11.36)	21.52	(16.46 - 27.62)	7.30	(5.25 - 10.08)	8.99	(6.89 - 11.64)
Idaho	9.48	(7.90 - 11.34)	20.17	(17.81 - 22.75)	7.02	(5.82 - 8.44)	9.21	(8.08 - 10.47)
Region 1	10.13	(7.25 - 13.97)	19.67	(15.05 - 25.29)	6.77	(4.88 - 9.32)	8.42	(6.49 - 10.86)
Region 2	10.54	(7.43 - 14.73)	*	(* - *)	7.00	(4.92 - 9.88)	10.09	(7.87 - 12.85)
Region 3	10.69	(7.85 - 14.39)	18.79	(14.57 - 23.90)	6.62	(4.80 - 9.07)	8.56	(6.70 - 10.88)
Region 4	9.89	(7.31 - 13.24)	23.60	(19.40 - 28.38)	8.29	(6.31 - 10.81)	10.80	(8.87 - 13.09)
Region 5	9.58	(6.91 - 13.15)	18.07	(13.46 - 23.82)	6.60	(4.72 - 9.14)	8.33	(6.39 - 10.79)
Region 6	8.13	(5.75 - 11.38)	18.69	(14.18 - 24.22)	6.43	(4.64 - 8.86)	8.77	(6.84 - 11.19)
Region 7	7.63	(5.35 - 10.77)	16.16	(12.14 - 21.20)	5.70	(4.00 - 8.05)	7.89	(6.11 - 10.13)
Illinois	7.82	(6.97 - 8.76)	23.23	(21.81 - 24.72)	7.20	(6.38 - 8.13)	9.63	(8.88 - 10.43)
Region I (Cook)	8.33	(7.05 - 9.83)	22.56	(20.40 - 24.88)	8.27	(6.95 - 9.83)	10.46	(9.26 - 11.80)
Region II	7.15	(5.95 - 8.58)	25.23	(22.60 - 28.07)	6.29	(5.18 - 7.61)	9.00	(7.93 - 10.20)
Region III	7.63	(5.89 - 9.84)	22.21	(18.99 - 25.80)	6.81	(5.39 - 8.56)	9.47	(8.08 - 11.08)
Region IV	8.55	(6.55 - 11.07)	22.84	(18.90 - 27.34)	6.34	(4.86 - 8.22)	8.72	(7.21 - 10.50)
Region V	7.43	(5.72 - 9.60)	22.11	(18.69 - 25.96)	6.36	(4.91 - 8.21)	8.71	(7.26 - 10.43)
Indiana	7.97	(6.58 - 9.62)	22.00	(19.60 - 24.60)	6.97	(5.77 - 8.39)	9.27	(8.12 - 10.57)
Central	7.06	(5.12 - 9.65)	20.31	(16.29 - 25.02)	7.45	(5.57 - 9.90)	9.28	(7.40 - 11.57)
East	7.64	(5.35 - 10.78)	19.20	(14.61 - 24.82)	6.43	(4.62 - 8.87)	8.40	(6.52 - 10.77)
North Central	8.11	(5.77 - 11.29)	21.40	(16.57 - 27.18)	7.20	(5.23 - 9.85)	9.33	(7.28 - 11.87)
Northeast	7.28	(5.15 - 10.18)	20.80	(16.01 - 26.58)	6.33	(4.53 - 8.77)	8.51	(6.63 - 10.87)
Northwest	7.82	(5.54 - 10.94)	20.17	(15.60 - 25.67)	6.86	(4.96 - 9.43)	8.74	(6.78 - 11.19)
Southeast	9.43	(6.73 - 13.06)	*	(* - *)	6.41	(4.57 - 8.92)	8.87	(6.90 - 11.34)
Southwest	8.81	(6.11 - 12.55)	*	(* - *)	7.21	(5.14 - 10.02)	9.94	(7.69 - 12.76)
West	8.86	(6.30 - 12.32)	25.08	(20.26 - 30.60)	7.07	(5.09 - 9.74)	11.02	(8.88 - 13.58)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Illicit Drugs or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	10.14	(8.50 - 12.04)	25.25	(22.56 - 28.13)	7.63	(6.34 - 9.15)	10.36	(9.12 - 11.75)
Central	10.84	(7.89 - 14.71)	26.64	(21.16 - 32.94)	8.23	(6.02 - 11.16)	10.96	(8.70 - 13.72)
North Central	9.36	(6.72 - 12.89)	24.54	(19.28 - 30.69)	7.69	(5.55 - 10.56)	10.81	(8.56 - 13.56)
Northeast	10.48	(7.99 - 13.64)	27.80	(23.07 - 33.07)	7.76	(5.87 - 10.18)	10.89	(8.99 - 13.15)
Northwest	10.06	(7.34 - 13.64)	23.10	(18.20 - 28.85)	6.74	(4.85 - 9.29)	9.01	(7.05 - 11.44)
Southeast	9.96	(7.35 - 13.35)	24.81	(19.98 - 30.36)	7.83	(5.90 - 10.32)	10.65	(8.66 - 13.02)
Southwest	9.55	(6.83 - 13.20)	21.10	(16.12 - 27.11)	7.30	(5.29 - 9.98)	9.11	(7.06 - 11.68)
Kansas	10.02	(8.39 - 11.93)	22.90	(20.25 - 25.79)	7.48	(6.22 - 8.96)	9.97	(8.76 - 11.33)
Kansas City Metro	10.78	(8.18 - 14.06)	25.60	(21.37 - 30.34)	8.32	(6.38 - 10.78)	11.19	(9.27 - 13.46)
Northeast	9.60	(7.09 - 12.87)	22.20	(17.38 - 27.91)	7.52	(5.58 - 10.06)	10.07	(8.07 - 12.49)
South Central	9.97	(7.31 - 13.46)	19.45	(14.75 - 25.21)	6.24	(4.50 - 8.59)	8.21	(6.37 - 10.52)
Southeast	9.92	(6.89 - 14.09)	*	(* - *)	7.60	(5.38 - 10.63)	9.80	(7.45 - 12.80)
West	10.63	(7.66 - 14.56)	*	(* - *)	6.66	(4.72 - 9.31)	9.11	(7.04 - 11.72)
Wichita (Sedgwick)	8.73	(6.26 - 12.07)	21.57	(17.04 - 26.92)	7.36	(5.45 - 9.87)	9.61	(7.65 - 11.99)
Kentucky	8.51	(7.11 - 10.14)	17.84	(15.53 - 20.40)	6.80	(5.63 - 8.18)	8.37	(7.27 - 9.62)
Adanta, Cumberland River, and Lifeskills	8.57	(6.19 - 11.75)	16.37	(12.48 - 21.17)	6.16	(4.45 - 8.47)	7.61	(5.89 - 9.78)
Bluegrass, Comprehend, and North Key	8.22	(6.17 - 10.86)	17.86	(14.12 - 22.33)	7.41	(5.57 - 9.80)	9.03	(7.22 - 11.24)
Communicare and River Valley	8.33	(5.92 - 11.60)	19.23	(14.58 - 24.94)	6.38	(4.61 - 8.76)	8.16	(6.31 - 10.49)
Four Rivers and Pennyroyal	9.69	(6.90 - 13.45)	17.92	(13.29 - 23.70)	6.26	(4.46 - 8.71)	7.92	(6.05 - 10.31)
Kentucky River, Mountain, and Pathways	7.22	(5.11 - 10.10)	15.63	(11.96 - 20.15)	6.14	(4.42 - 8.48)	7.48	(5.76 - 9.65)
Seven Counties	9.14	(6.83 - 12.12)	19.63	(15.40 - 24.68)	7.32	(5.44 - 9.79)	8.90	(7.04 - 11.20)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Illicit Drugs or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	7.89	(6.59 - 9.42)	18.24	(16.05 - 20.66)	7.91	(6.56 - 9.52)	9.63	(8.38 - 11.04)
Region 1	6.50	(4.44 - 9.42)	*	(* - *)	8.30	(5.92 - 11.52)	9.81	(7.42 - 12.85)
Regions 2 and 9	8.59	(6.48 - 11.30)	19.29	(15.56 - 23.66)	8.53	(6.47 - 11.17)	10.41	(8.45 - 12.76)
Region 3	7.85	(5.45 - 11.18)	19.34	(14.63 - 25.11)	7.96	(5.76 - 10.92)	9.82	(7.59 - 12.62)
Region 4	7.92	(5.67 - 10.97)	16.88	(12.87 - 21.83)	7.15	(5.13 - 9.87)	8.78	(6.75 - 11.34)
Regions 5 and 6	8.13	(5.79 - 11.30)	18.35	(14.14 - 23.48)	7.59	(5.60 - 10.23)	9.33	(7.33 - 11.79)
Regions 7 and 8	7.96	(5.97 - 10.55)	18.21	(14.29 - 22.92)	7.46	(5.50 - 10.05)	9.26	(7.34 - 11.63)
Region 10 (Jefferson)	7.32	(5.06 - 10.48)	17.42	(12.94 - 23.05)	8.15	(5.76 - 11.43)	9.51	(7.15 - 12.54)
Maine	10.78	(9.04 - 12.81)	23.47	(20.98 - 26.15)	7.67	(6.36 - 9.22)	9.74	(8.51 - 11.14)
Aroostook/Downeast	10.34	(7.32 - 14.40)	*	(* - *)	7.59	(5.46 - 10.45)	9.19	(7.03 - 11.92)
Central	10.32	(7.48 - 14.08)	20.81	(16.26 - 26.24)	7.10	(5.10 - 9.81)	8.90	(6.89 - 11.43)
Cumberland	11.82	(8.85 - 15.61)	27.45	(22.59 - 32.89)	8.89	(6.58 - 11.91)	11.37	(9.07 - 14.15)
Midcoast	10.72	(7.68 - 14.76)	22.72	(17.58 - 28.83)	7.47	(5.40 - 10.26)	9.18	(7.08 - 11.84)
Penquis	10.18	(7.35 - 13.94)	22.84	(18.15 - 28.32)	6.81	(4.86 - 9.46)	9.35	(7.36 - 11.81)
Western	11.06	(8.05 - 15.00)	22.05	(17.50 - 27.39)	7.63	(5.53 - 10.44)	9.62	(7.55 - 12.18)
York	10.46	(7.75 - 13.97)	24.98	(20.03 - 30.68)	7.39	(5.44 - 9.98)	9.51	(7.54 - 11.93)
Maryland	7.48	(6.18 - 9.03)	19.52	(17.19 - 22.09)	6.47	(5.25 - 7.94)	8.30	(7.14 - 9.63)
Anne Arundel	7.16	(4.98 - 10.19)	*	(* - *)	6.34	(4.35 - 9.16)	8.19	(6.10 - 10.91)
Baltimore City	6.89	(4.79 - 9.82)	18.93	(14.44 - 24.43)	8.38	(6.08 - 11.46)	10.11	(7.85 - 12.94)
Baltimore County	7.18	(5.11 - 10.00)	20.70	(16.41 - 25.77)	6.29	(4.42 - 8.90)	8.30	(6.41 - 10.68)
Montgomery	7.96	(5.64 - 11.12)	19.38	(14.83 - 24.91)	6.00	(4.27 - 8.38)	7.59	(5.81 - 9.86)
North Central	9.79	(6.94 - 13.64)	*	(* - *)	6.23	(4.42 - 8.71)	8.40	(6.45 - 10.87)
Northeast	8.91	(6.30 - 12.45)	*	(* - *)	6.36	(4.48 - 8.96)	8.42	(6.42 - 10.98)
Prince George's	5.82	(4.04 - 8.32)	17.68	(13.68 - 22.54)	6.70	(4.79 - 9.30)	8.45	(6.53 - 10.87)
South	7.10	(4.99 - 9.99)	17.27	(12.90 - 22.73)	5.67	(3.95 - 8.09)	7.35	(5.56 - 9.66)
West	8.15	(5.76 - 11.40)	*	(* - *)	6.13	(4.28 - 8.72)	7.93	(5.97 - 10.47)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Illicit Drugs or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	9.19	(7.64 - 11.01)	24.32	(21.68 - 27.17)	7.61	(6.30 - 9.17)	9.97	(8.72 - 11.38)
Boston	7.92	(5.47 - 11.33)	21.08	(16.47 - 26.57)	8.82	(6.55 - 11.78)	11.34	(9.11 - 14.05)
Central	10.09	(7.25 - 13.88)	27.26	(21.72 - 33.61)	7.79	(5.67 - 10.63)	10.44	(8.28 - 13.08)
Metrowest	8.24	(5.99 - 11.24)	25.23	(20.21 - 31.02)	7.51	(5.57 - 10.05)	9.77	(7.81 - 12.17)
Northeast	8.91	(6.52 - 12.07)	21.73	(17.17 - 27.11)	6.85	(4.98 - 9.35)	8.74	(6.84 - 11.12)
Southeast	10.08	(7.39 - 13.60)	25.57	(20.42 - 31.49)	7.39	(5.43 - 9.99)	9.63	(7.61 - 12.11)
Western	9.84	(7.18 - 13.34)	26.23	(21.20 - 31.96)	8.11	(5.91 - 11.05)	10.99	(8.77 - 13.70)
Michigan	7.98	(7.19 - 8.85)	23.66	(22.26 - 25.13)	7.52	(6.73 - 8.39)	9.91	(9.20 - 10.68)
Bay	9.18	(6.87 - 12.15)	22.38	(17.75 - 27.81)	7.17	(5.38 - 9.48)	9.20	(7.37 - 11.44)
Detroit City	5.28	(3.87 - 7.17)	21.72	(17.89 - 26.12)	9.64	(7.46 - 12.38)	11.54	(9.48 - 13.99)
Genesee	8.79	(6.66 - 11.52)	27.26	(22.38 - 32.76)	8.25	(6.24 - 10.85)	10.99	(8.96 - 13.42)
Kalamazoo	7.58	(5.81 - 9.82)	22.20	(18.24 - 26.73)	6.98	(5.35 - 9.06)	9.46	(7.83 - 11.39)
Kent	7.83	(5.85 - 10.40)	25.68	(21.57 - 30.27)	7.53	(5.73 - 9.83)	10.63	(8.84 - 12.73)
Lakeshore	8.69	(6.69 - 11.20)	24.41	(20.60 - 28.68)	7.34	(5.69 - 9.42)	9.99	(8.35 - 11.90)
Macomb	8.32	(6.39 - 10.75)	24.65	(20.69 - 29.10)	7.71	(6.00 - 9.85)	9.94	(8.26 - 11.92)
Mid South	9.15	(7.17 - 11.62)	23.87	(20.30 - 27.84)	6.59	(5.08 - 8.52)	9.64	(8.10 - 11.43)
Northern	7.83	(6.02 - 10.12)	22.09	(18.45 - 26.22)	6.38	(4.84 - 8.35)	8.57	(7.04 - 10.40)
Oakland	8.64	(6.94 - 10.71)	26.50	(22.82 - 30.53)	8.01	(6.50 - 9.84)	10.30	(8.82 - 11.99)
Pathways	*	(* - *)	24.31	(19.29 - 30.15)	7.54	(5.58 - 10.11)	10.03	(7.98 - 12.52)
Saginaw	7.71	(5.55 - 10.61)	22.44	(17.35 - 28.49)	7.04	(5.13 - 9.58)	9.22	(7.19 - 11.73)
Southeast	8.17	(6.50 - 10.23)	23.02	(19.82 - 26.58)	7.58	(6.03 - 9.48)	9.64	(8.16 - 11.35)
St. Clair	8.20	(5.93 - 11.24)	20.40	(15.54 - 26.30)	6.97	(5.15 - 9.38)	8.76	(6.86 - 11.13)
Washtenaw	7.17	(5.32 - 9.58)	22.70	(18.43 - 27.64)	7.26	(5.56 - 9.42)	10.21	(8.44 - 12.30)
Western	*	(* - *)	20.88	(16.24 - 26.43)	6.71	(4.80 - 9.30)	8.81	(6.85 - 11.26)
Minnesota	9.11	(7.58 - 10.92)	24.00	(21.35 - 26.87)	8.24	(6.84 - 9.90)	10.66	(9.31 - 12.17)
Regions 1 and 2	10.42	(7.41 - 14.46)	*	(* - *)	8.30	(5.95 - 11.46)	10.42	(8.03 - 13.40)
Regions 3 and 4	9.42	(6.92 - 12.69)	23.44	(18.77 - 28.86)	7.13	(5.22 - 9.68)	9.80	(7.84 - 12.19)
Regions 5 and 6	10.05	(7.41 - 13.50)	26.54	(21.40 - 32.41)	8.02	(5.95 - 10.72)	10.92	(8.81 - 13.46)
Region 7A (Hennepin)	8.84	(6.42 - 12.04)	23.39	(18.98 - 28.46)	8.90	(6.66 - 11.79)	11.07	(8.88 - 13.73)
Region 7B (Ramsey)	7.40	(5.20 - 10.43)	*	(* - *)	8.41	(5.98 - 11.70)	10.50	(8.02 - 13.62)
Region 7C	8.40	(6.17 - 11.33)	25.16	(20.15 - 30.93)	8.44	(6.38 - 11.07)	10.82	(8.75 - 13.30)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Illicit Drugs or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	6.68	(5.46 - 8.15)	16.78	(14.52 - 19.31)	6.16	(4.96 - 7.64)	7.89	(6.74 - 9.22)
Region 1	6.92	(4.94 - 9.63)	17.64	(13.54 - 22.65)	5.62	(4.01 - 7.82)	7.49	(5.83 - 9.58)
Region 2	6.72	(4.75 - 9.44)	16.38	(12.31 - 21.46)	7.05	(4.99 - 9.87)	8.62	(6.58 - 11.20)
Region 3	6.20	(4.34 - 8.79)	15.79	(12.08 - 20.36)	5.79	(4.10 - 8.13)	7.52	(5.77 - 9.74)
Region 4	6.58	(4.72 - 9.11)	17.39	(13.26 - 22.46)	6.48	(4.70 - 8.88)	8.27	(6.47 - 10.51)
Region 5	6.29	(4.29 - 9.13)	13.74	(9.83 - 18.87)	5.99	(4.11 - 8.63)	7.18	(5.30 - 9.67)
Region 6	6.22	(4.31 - 8.91)	14.39	(10.61 - 19.22)	5.79	(4.00 - 8.31)	7.32	(5.49 - 9.70)
Region 7	7.32	(5.22 - 10.18)	19.32	(15.07 - 24.43)	6.40	(4.64 - 8.78)	8.37	(6.56 - 10.63)
Missouri	9.34	(7.84 - 11.09)	24.91	(22.38 - 27.61)	8.01	(6.66 - 9.59)	10.55	(9.27 - 11.99)
Central	10.50	(7.76 - 14.06)	24.81	(19.97 - 30.38)	7.69	(5.54 - 10.60)	10.70	(8.48 - 13.40)
Eastern	9.04	(7.15 - 11.36)	26.41	(22.46 - 30.78)	8.51	(6.68 - 10.77)	11.08	(9.28 - 13.17)
Eastern (St. Louis City and County)	8.14	(6.06 - 10.86)	24.54	(19.90 - 29.85)	8.69	(6.51 - 11.52)	10.96	(8.81 - 13.56)
Eastern (excluding St. Louis)	10.62	(7.70 - 14.48)	*	(* - *)	8.13	(5.96 - 11.01)	11.30	(8.99 - 14.11)
Northwest	9.16	(6.99 - 11.91)	24.76	(20.52 - 29.55)	8.20	(6.34 - 10.54)	10.69	(8.81 - 12.90)
Northwest (Jackson)	9.48	(6.75 - 13.17)	*	(* - *)	8.78	(6.39 - 11.94)	11.26	(8.81 - 14.28)
Northwest (excluding Jackson)	8.88	(6.26 - 12.45)	*	(* - *)	7.69	(5.50 - 10.63)	10.18	(7.91 - 12.99)
Southeast	9.49	(6.86 - 12.98)	22.79	(18.16 - 28.18)	7.37	(5.34 - 10.10)	9.58	(7.53 - 12.11)
Southwest	9.17	(6.64 - 12.52)	23.58	(19.09 - 28.76)	7.31	(5.41 - 9.82)	9.79	(7.84 - 12.16)
Montana	13.18	(11.12 - 15.56)	28.11	(25.31 - 31.10)	8.55	(7.05 - 10.33)	11.52	(10.12 - 13.09)
Region 1	12.35	(8.93 - 16.84)	*	(* - *)	7.82	(5.51 - 10.97)	9.98	(7.61 - 12.99)
Region 2	11.67	(8.56 - 15.73)	22.01	(16.84 - 28.22)	7.55	(5.47 - 10.33)	9.73	(7.59 - 12.39)
Region 3	12.95	(9.81 - 16.90)	29.87	(24.67 - 35.65)	8.62	(6.50 - 11.35)	11.63	(9.49 - 14.18)
Region 4	12.03	(9.22 - 15.55)	27.51	(23.20 - 32.28)	8.43	(6.37 - 11.08)	11.62	(9.61 - 13.99)
Region 5	15.34	(11.80 - 19.71)	31.01	(26.30 - 36.15)	9.31	(7.07 - 12.15)	12.66	(10.48 - 15.22)
Nebraska	8.75	(7.29 - 10.48)	25.73	(23.00 - 28.66)	7.76	(6.46 - 9.28)	10.66	(9.41 - 12.06)
Regions 1 and 2	9.29	(6.57 - 12.99)	*	(* - *)	6.64	(4.71 - 9.28)	8.88	(6.82 - 11.49)
Region 3	8.56	(6.05 - 11.98)	*	(* - *)	6.83	(4.88 - 9.47)	9.36	(7.29 - 11.95)
Region 4	8.86	(6.43 - 12.09)	23.45	(18.16 - 29.72)	6.96	(5.03 - 9.56)	9.33	(7.33 - 11.82)
Region 5	9.62	(7.17 - 12.80)	26.97	(22.73 - 31.68)	8.54	(6.47 - 11.18)	11.98	(9.92 - 14.40)
Region 6	8.09	(6.14 - 10.59)	26.77	(22.51 - 31.50)	8.18	(6.40 - 10.40)	11.20	(9.39 - 13.29)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Illicit Drugs or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	8.50	(6.91 - 10.42)	21.46	(18.69 - 24.52)	7.85	(6.42 - 9.57)	9.72	(8.36 - 11.26)
Clark	7.96	(6.16 - 10.24)	20.04	(16.84 - 23.68)	7.82	(6.19 - 9.83)	9.52	(7.96 - 11.34)
Rural	9.51	(7.01 - 12.78)	22.63	(17.75 - 28.39)	7.47	(5.45 - 10.15)	9.24	(7.19 - 11.79)
Washoe	9.87	(7.08 - 13.59)	26.93	(21.60 - 33.03)	8.36	(6.13 - 11.31)	11.01	(8.75 - 13.77)
New Hampshire	9.32	(7.82 - 11.08)	25.60	(22.71 - 28.72)	7.08	(5.77 - 8.65)	9.61	(8.36 - 11.02)
Central	9.61	(7.47 - 12.26)	25.87	(21.80 - 30.40)	7.06	(5.45 - 9.11)	9.83	(8.19 - 11.75)
Central 1	9.40	(6.80 - 12.87)	25.54	(20.38 - 31.48)	7.21	(5.17 - 9.97)	10.29	(8.19 - 12.85)
Central 2	9.81	(7.12 - 13.38)	26.28	(20.83 - 32.58)	6.93	(4.99 - 9.54)	9.38	(7.37 - 11.87)
Northern	10.28	(7.51 - 13.93)	*	(* - *)	8.12	(5.83 - 11.21)	10.94	(8.60 - 13.83)
Southern	8.99	(7.26 - 11.08)	24.82	(21.38 - 28.61)	6.85	(5.39 - 8.68)	9.21	(7.79 - 10.86)
Southern 1 (Rockingham)	9.26	(6.78 - 12.52)	23.55	(18.57 - 29.40)	6.49	(4.70 - 8.91)	8.47	(6.63 - 10.75)
Southern 2	8.83	(6.79 - 11.40)	25.45	(21.32 - 30.08)	7.08	(5.36 - 9.31)	9.66	(7.97 - 11.66)
New Jersey	8.11	(6.67 - 9.82)	19.82	(17.30 - 22.61)	6.13	(4.92 - 7.60)	7.90	(6.74 - 9.25)
Central	7.25	(5.21 - 10.01)	20.21	(15.90 - 25.33)	6.05	(4.32 - 8.41)	7.74	(5.98 - 9.97)
Metropolitan	7.35	(5.33 - 10.04)	18.05	(14.19 - 22.67)	6.44	(4.72 - 8.73)	8.08	(6.35 - 10.24)
Northern	8.26	(6.11 - 11.08)	18.88	(15.08 - 23.37)	5.53	(3.98 - 7.62)	7.20	(5.65 - 9.14)
Southern	9.58	(7.09 - 12.84)	23.10	(18.65 - 28.26)	6.82	(4.91 - 9.42)	9.00	(7.10 - 11.35)
New Mexico	10.02	(8.34 - 11.99)	22.91	(20.24 - 25.82)	7.94	(6.55 - 9.58)	10.33	(9.02 - 11.82)
Region 1	10.56	(7.81 - 14.13)	23.80	(18.88 - 29.54)	7.83	(5.75 - 10.59)	10.40	(8.28 - 12.99)
Region 2	9.89	(7.15 - 13.51)	*	(* - *)	8.40	(6.17 - 11.32)	10.18	(7.93 - 12.98)
Region 3 (Bernalillo)	10.22	(7.74 - 13.38)	24.53	(20.40 - 29.19)	8.58	(6.54 - 11.19)	11.19	(9.20 - 13.55)
Region 4	8.66	(6.04 - 12.26)	19.59	(14.96 - 25.21)	7.24	(5.12 - 10.15)	9.29	(7.12 - 12.03)
Region 5	10.18	(7.36 - 13.90)	22.40	(17.91 - 27.64)	7.09	(5.12 - 9.74)	9.71	(7.76 - 12.09)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Illicit Drugs or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	8.05	(7.18 - 9.02)	20.48	(19.06 - 21.98)	6.57	(5.78 - 7.46)	8.58	(7.85 - 9.36)
Region A	6.69	(5.64 - 7.93)	17.16	(15.33 - 19.17)	6.63	(5.64 - 7.79)	8.23	(7.30 - 9.27)
Region 1	5.83	(4.16 - 8.11)	12.48	(9.27 - 16.60)	6.21	(4.52 - 8.48)	7.24	(5.59 - 9.34)
Region 2	6.58	(5.05 - 8.53)	17.28	(14.28 - 20.76)	6.22	(4.85 - 7.95)	7.94	(6.60 - 9.54)
Region 3	8.37	(6.02 - 11.52)	25.12	(20.63 - 30.21)	9.59	(7.43 - 12.30)	11.83	(9.71 - 14.35)
Region 4	6.66	(4.94 - 8.93)	14.22	(11.23 - 17.84)	5.23	(3.87 - 7.03)	6.53	(5.18 - 8.20)
Region B	8.25	(6.96 - 9.75)	20.76	(18.25 - 23.52)	5.98	(4.95 - 7.21)	7.85	(6.83 - 9.01)
Region 5	8.33	(6.62 - 10.45)	21.49	(18.01 - 25.43)	5.97	(4.63 - 7.67)	7.90	(6.55 - 9.49)
Region 6	7.89	(5.92 - 10.43)	19.36	(15.11 - 24.46)	6.06	(4.52 - 8.08)	7.67	(6.08 - 9.64)
Region 7	8.49	(6.30 - 11.35)	20.54	(16.10 - 25.83)	5.88	(4.32 - 7.96)	7.99	(6.31 - 10.07)
Region C	9.43	(8.08 - 10.97)	25.53	(23.26 - 27.93)	6.99	(5.95 - 8.20)	9.73	(8.73 - 10.82)
Region 8	9.96	(7.45 - 13.19)	25.15	(21.02 - 29.79)	7.35	(5.61 - 9.57)	9.90	(8.16 - 11.97)
Region 9	8.74	(6.63 - 11.44)	25.45	(21.20 - 30.22)	6.52	(4.96 - 8.53)	9.36	(7.75 - 11.26)
Region 10	9.89	(7.37 - 13.15)	25.91	(21.10 - 31.38)	6.77	(4.98 - 9.14)	10.28	(8.37 - 12.57)
Region 11	8.72	(6.54 - 11.53)	24.83	(20.42 - 29.82)	6.17	(4.67 - 8.11)	8.91	(7.35 - 10.76)
Region 12	10.07	(7.76 - 12.97)	26.41	(22.09 - 31.23)	7.88	(6.11 - 10.11)	10.40	(8.64 - 12.48)
Region D	9.64	(7.85 - 11.78)	22.97	(19.90 - 26.36)	6.90	(5.61 - 8.47)	9.35	(8.05 - 10.83)
Region 13	8.28	(5.92 - 11.45)	21.04	(16.22 - 26.83)	6.72	(4.91 - 9.14)	8.78	(6.90 - 11.12)
Region 14	8.59	(6.20 - 11.80)	19.84	(15.21 - 25.44)	6.84	(4.95 - 9.39)	8.99	(7.02 - 11.43)
Region 15	11.76	(8.61 - 15.87)	28.04	(22.59 - 34.23)	7.12	(5.21 - 9.66)	10.20	(8.18 - 12.66)
North Carolina	7.84	(6.46 - 9.49)	17.73	(15.46 - 20.27)	6.75	(5.45 - 8.33)	8.30	(7.07 - 9.72)
Eastern	7.44	(5.37 - 10.21)	18.23	(14.32 - 22.93)	6.65	(4.79 - 9.18)	8.43	(6.56 - 10.78)
North Central	8.10	(5.92 - 10.99)	17.01	(13.14 - 21.73)	7.07	(5.11 - 9.70)	8.48	(6.55 - 10.91)
South Central	7.32	(5.38 - 9.90)	16.57	(12.85 - 21.12)	6.47	(4.67 - 8.90)	7.96	(6.18 - 10.21)
Western	8.29	(6.23 - 10.96)	18.91	(15.47 - 22.91)	6.76	(5.14 - 8.85)	8.33	(6.75 - 10.24)
North Dakota	10.77	(9.11 - 12.69)	25.98	(23.35 - 28.80)	7.74	(6.40 - 9.34)	10.93	(9.66 - 12.34)
Badlands and West Central	11.46	(8.80 - 14.78)	26.27	(21.60 - 31.55)	7.20	(5.38 - 9.56)	9.95	(8.10 - 12.17)
Lake Region and South Central	8.96	(6.69 - 11.90)	*	(* - *)	6.48	(4.65 - 8.95)	8.25	(6.36 - 10.62)
North Central and Northwest	10.60	(7.90 - 14.08)	26.64	(21.67 - 32.28)	7.86	(5.71 - 10.73)	10.80	(8.63 - 13.45)
Northeast	10.13	(7.47 - 13.61)	26.61	(21.85 - 32.00)	7.73	(5.68 - 10.44)	12.06	(9.89 - 14.62)
Southeast	11.73	(8.91 - 15.31)	27.17	(23.02 - 31.75)	9.06	(6.87 - 11.86)	12.94	(10.82 - 15.41)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Illicit Drugs or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	8.14	(7.35 - 9.00)	21.65	(20.28 - 23.09)	7.14	(6.38 - 7.99)	9.27	(8.57 - 10.03)
Boards 2, 46, 55, and 68	7.89	(5.77 - 10.69)	21.62	(17.28 - 26.70)	6.41	(4.73 - 8.64)	8.56	(6.80 - 10.73)
Boards 3, 52, and 85	7.77	(5.61 - 10.66)	18.73	(14.26 - 24.21)	5.76	(4.22 - 7.83)	7.66	(5.99 - 9.73)
Boards 4 and 78	8.14	(5.99 - 10.97)	21.80	(17.11 - 27.34)	7.00	(5.16 - 9.44)	8.88	(6.97 - 11.23)
Boards 5 and 60	8.08	(5.90 - 10.97)	21.54	(17.24 - 26.55)	6.94	(5.30 - 9.04)	9.62	(7.89 - 11.68)
Boards 7, 15, 41, 79, and 84	7.97	(5.89 - 10.71)	20.33	(15.99 - 25.49)	6.22	(4.64 - 8.28)	8.01	(6.38 - 10.02)
Boards 8, 13, and 83	7.94	(5.87 - 10.67)	19.39	(15.07 - 24.59)	6.88	(5.12 - 9.19)	8.62	(6.82 - 10.84)
Board 9 (Butler)	8.71	(6.38 - 11.78)	22.23	(17.50 - 27.80)	7.00	(5.20 - 9.36)	9.69	(7.74 - 12.08)
Board 12	7.16	(5.14 - 9.90)	18.20	(14.12 - 23.15)	6.07	(4.42 - 8.27)	8.00	(6.29 - 10.12)
Boards 18 and 47	7.37	(5.82 - 9.29)	21.53	(18.44 - 24.98)	7.02	(5.56 - 8.83)	8.93	(7.50 - 10.60)
Boards 20, 32, 54, and 69	9.13	(6.72 - 12.28)	20.77	(16.07 - 26.42)	6.65	(4.90 - 8.95)	8.66	(6.81 - 10.94)
Boards 21, 39, 51, 70, and 80	7.84	(5.91 - 10.33)	18.75	(14.89 - 23.34)	6.29	(4.69 - 8.39)	7.96	(6.31 - 10.00)
Boards 22, 74, and 87	9.49	(7.00 - 12.74)	24.69	(19.63 - 30.55)	7.54	(5.46 - 10.32)	10.31	(8.13 - 12.98)
Boards 23 and 45	7.71	(5.59 - 10.53)	23.05	(18.20 - 28.74)	6.65	(4.93 - 8.90)	8.97	(7.16 - 11.19)
Board 25 (Franklin)	8.87	(6.84 - 11.44)	23.00	(19.75 - 26.60)	8.32	(6.53 - 10.55)	10.96	(9.21 - 12.99)
Boards 27, 71, and 73	8.25	(6.15 - 11.00)	17.66	(13.85 - 22.24)	6.19	(4.59 - 8.31)	7.84	(6.20 - 9.86)
Boards 28, 43, and 67	8.63	(6.49 - 11.38)	23.13	(18.70 - 28.24)	7.03	(5.30 - 9.26)	9.34	(7.56 - 11.49)
Board 31 (Hamilton)	8.97	(6.84 - 11.67)	23.27	(19.35 - 27.71)	8.31	(6.35 - 10.80)	10.60	(8.68 - 12.88)
Board 48 (Lucas)	7.71	(5.73 - 10.29)	23.60	(19.12 - 28.75)	8.23	(6.18 - 10.87)	10.64	(8.58 - 13.11)
Boards 50 and 76	8.09	(6.07 - 10.70)	21.41	(17.21 - 26.31)	7.04	(5.38 - 9.15)	8.91	(7.22 - 10.96)
Board 57 (Montgomery)	7.64	(5.67 - 10.24)	22.31	(18.01 - 27.28)	7.87	(5.94 - 10.35)	10.02	(8.11 - 12.33)
Board 77 (Summit)	8.02	(6.02 - 10.59)	22.67	(18.26 - 27.79)	7.70	(5.91 - 9.98)	9.69	(7.88 - 11.86)
Oklahoma	8.96	(7.39 - 10.83)	20.32	(17.90 - 22.97)	6.92	(5.69 - 8.40)	9.07	(7.89 - 10.40)
Central	7.98	(5.49 - 11.47)	20.70	(16.07 - 26.24)	6.23	(4.43 - 8.71)	8.86	(6.93 - 11.25)
East Central	8.61	(6.16 - 11.92)	17.12	(12.77 - 22.57)	5.94	(4.24 - 8.28)	7.54	(5.75 - 9.84)
Northeast	8.68	(6.05 - 12.30)	20.26	(15.61 - 25.86)	7.13	(5.12 - 9.86)	9.22	(7.16 - 11.80)
Northwest and Southwest	9.43	(6.81 - 12.90)	20.86	(16.26 - 26.34)	6.64	(4.77 - 9.18)	8.96	(7.03 - 11.36)
Oklahoma County	9.13	(6.60 - 12.51)	21.57	(16.98 - 26.99)	7.53	(5.51 - 10.20)	9.90	(7.84 - 12.44)
Southeast	9.62	(6.91 - 13.23)	18.63	(14.04 - 24.29)	6.18	(4.45 - 8.52)	7.97	(6.15 - 10.25)
Tulsa County	8.96	(6.44 - 12.34)	21.40	(16.90 - 26.71)	8.13	(5.94 - 11.04)	10.25	(8.07 - 12.94)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Illicit Drugs or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	8.87	(7.33 - 10.70)	20.09	(17.62 - 22.81)	6.55	(5.39 - 7.94)	8.48	(7.35 - 9.77)
Region 1 (Multnomah)	8.30	(5.87 - 11.62)	22.39	(17.85 - 27.68)	8.25	(6.09 - 11.10)	10.39	(8.23 - 13.03)
Region 2	9.81	(7.34 - 12.99)	23.79	(19.07 - 29.26)	7.20	(5.49 - 9.40)	9.52	(7.73 - 11.66)
Region 3	8.69	(6.47 - 11.56)	17.19	(13.73 - 21.32)	5.71	(4.21 - 7.70)	7.52	(5.98 - 9.40)
Region 4	8.22	(5.75 - 11.60)	*	(* - *)	5.42	(3.83 - 7.64)	6.87	(5.19 - 9.04)
Region 5	9.15	(6.57 - 12.60)	*	(* - *)	6.05	(4.31 - 8.42)	7.81	(5.97 - 10.17)
Pennsylvania	7.67	(6.84 - 8.60)	22.21	(20.88 - 23.61)	6.39	(5.63 - 7.23)	8.62	(7.94 - 9.35)
Region 1 (Allegheny)	6.71	(5.06 - 8.84)	25.13	(21.20 - 29.52)	7.50	(5.76 - 9.71)	9.84	(8.14 - 11.84)
Regions 2, 3, 8, and 9	7.42	(5.56 - 9.85)	24.47	(19.96 - 29.63)	6.36	(4.73 - 8.51)	8.95	(7.25 - 11.01)
Regions 4, 11, 37, and 49	8.86	(6.72 - 11.60)	23.51	(19.38 - 28.21)	6.14	(4.63 - 8.10)	8.40	(6.88 - 10.23)
Regions 5, 18, 23, 24, and 46	6.03	(4.37 - 8.27)	16.65	(13.20 - 20.79)	4.86	(3.57 - 6.59)	6.51	(5.18 - 8.16)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	9.73	(7.40 - 12.69)	24.40	(20.48 - 28.79)	6.25	(4.76 - 8.15)	9.60	(8.09 - 11.37)
Regions 7, 13, 20, and 33	9.41	(7.71 - 11.44)	25.32	(22.13 - 28.79)	6.14	(4.88 - 7.70)	8.63	(7.40 - 10.04)
Regions 10, 14, 15, 27, 32, 43, and 44	7.54	(5.49 - 10.27)	22.94	(18.49 - 28.08)	6.34	(4.75 - 8.41)	8.56	(6.90 - 10.58)
Regions 17 and 21	8.35	(6.05 - 11.41)	25.71	(20.99 - 31.07)	6.79	(5.06 - 9.07)	9.82	(7.99 - 12.02)
Regions 19, 26, 28, and 42	6.61	(5.07 - 8.57)	17.91	(14.98 - 21.25)	5.43	(4.13 - 7.11)	7.15	(5.86 - 8.69)
Regions 22, 38, 40, 41, and 48	6.82	(5.00 - 9.25)	20.70	(16.67 - 25.41)	5.95	(4.48 - 7.85)	7.73	(6.21 - 9.58)
Regions 25 and 30	8.16	(6.07 - 10.87)	22.42	(18.09 - 27.45)	6.85	(5.21 - 8.97)	8.87	(7.20 - 10.89)
Regions 29 and 34	6.54	(4.67 - 9.11)	16.90	(12.89 - 21.85)	5.53	(4.01 - 7.58)	7.07	(5.47 - 9.09)
Region 36 (Philadelphia)	6.43	(4.92 - 8.36)	20.38	(17.27 - 23.89)	8.10	(6.31 - 10.34)	10.19	(8.48 - 12.20)
Rhode Island	9.31	(7.73 - 11.17)	25.75	(22.96 - 28.75)	8.75	(7.23 - 10.56)	11.38	(9.95 - 12.98)
Bristol and Newport	10.33	(7.48 - 14.10)	*	(* - *)	7.80	(5.62 - 10.71)	10.59	(8.35 - 13.33)
Kent	10.20	(7.41 - 13.88)	25.49	(20.03 - 31.85)	7.78	(5.63 - 10.65)	9.96	(7.77 - 12.67)
Providence	8.52	(6.64 - 10.86)	23.87	(20.51 - 27.60)	9.30	(7.35 - 11.70)	11.71	(9.88 - 13.83)
Washington	11.05	(8.07 - 14.94)	*	(* - *)	8.53	(6.24 - 11.56)	12.48	(10.10 - 15.34)
South Carolina	7.67	(6.33 - 9.28)	18.68	(16.29 - 21.33)	7.80	(6.50 - 9.34)	9.41	(8.17 - 10.80)
Region 1	7.61	(5.54 - 10.37)	16.97	(13.16 - 21.61)	6.84	(5.08 - 9.15)	8.29	(6.55 - 10.44)
Region 2	8.03	(5.96 - 10.73)	20.66	(16.87 - 25.03)	8.35	(6.45 - 10.74)	10.20	(8.37 - 12.38)
Region 3	6.85	(5.03 - 9.27)	16.75	(12.68 - 21.81)	7.39	(5.47 - 9.92)	8.71	(6.77 - 11.15)
Region 4	7.87	(5.87 - 10.48)	19.32	(15.47 - 23.85)	8.45	(6.32 - 11.22)	10.13	(8.09 - 12.62)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Illicit Drugs or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	10.28	(8.64 - 12.20)	25.11	(22.51 - 27.90)	7.95	(6.63 - 9.52)	10.75	(9.49 - 12.17)
Region 1	10.52	(7.74 - 14.15)	26.03	(20.74 - 32.12)	8.17	(6.08 - 10.90)	11.09	(8.91 - 13.73)
Region 2	10.11	(7.58 - 13.36)	25.65	(21.37 - 30.45)	8.07	(6.14 - 10.54)	11.08	(9.14 - 13.36)
Region 3	9.63	(7.09 - 12.96)	22.93	(18.29 - 28.34)	7.38	(5.38 - 10.05)	10.23	(8.17 - 12.73)
Region 4	10.69	(7.63 - 14.79)	*	(* - *)	8.14	(5.84 - 11.23)	11.41	(8.93 - 14.48)
Region 5	10.86	(7.88 - 14.78)	*	(* - *)	7.80	(5.66 - 10.65)	10.19	(7.94 - 12.99)
Region 6	10.60	(7.60 - 14.60)	*	(* - *)	8.28	(5.89 - 11.51)	10.29	(7.86 - 13.37)
Region 7	10.20	(7.51 - 13.70)	24.69	(19.77 - 30.37)	7.98	(5.88 - 10.76)	10.69	(8.56 - 13.26)
Tennessee	7.85	(6.51 - 9.44)	20.47	(18.05 - 23.14)	6.60	(5.44 - 7.99)	8.56	(7.44 - 9.84)
Region 1	9.69	(6.88 - 13.49)	*	(* - *)	6.75	(4.74 - 9.52)	8.53	(6.45 - 11.20)
Region 2	8.09	(5.82 - 11.14)	23.27	(18.60 - 28.68)	6.60	(4.80 - 9.01)	8.90	(7.04 - 11.18)
Region 3	7.91	(5.75 - 10.80)	21.07	(16.50 - 26.52)	6.20	(4.52 - 8.44)	8.24	(6.49 - 10.41)
Region 4 (Davidson)	6.99	(4.80 - 10.07)	18.64	(14.20 - 24.07)	7.31	(5.30 - 10.01)	9.08	(7.02 - 11.67)
Region 5	8.33	(6.16 - 11.17)	21.73	(17.26 - 26.98)	6.40	(4.76 - 8.56)	8.59	(6.88 - 10.68)
Region 6	7.66	(5.39 - 10.78)	18.08	(13.56 - 23.70)	6.43	(4.65 - 8.84)	8.06	(6.20 - 10.42)
Region 7 (Shelby)	6.63	(4.67 - 9.34)	17.51	(13.17 - 22.89)	6.90	(4.94 - 9.54)	8.49	(6.48 - 11.04)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Illicit Drugs or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	7.29	(6.45 - 8.22)	19.84	(18.53 - 21.22)	7.46	(6.67 - 8.33)	9.50	(8.77 - 10.27)
Region 1	10.41	(7.58 - 14.15)	25.52	(20.71 - 31.02)	8.14	(6.07 - 10.83)	11.21	(9.07 - 13.77)
Region 2	6.95	(4.96 - 9.65)	18.74	(14.09 - 24.49)	6.69	(4.89 - 9.11)	8.58	(6.68 - 10.96)
Region 3	7.22	(6.00 - 8.67)	19.44	(17.19 - 21.89)	6.91	(5.84 - 8.16)	8.91	(7.88 - 10.07)
Region 3a	7.40	(5.89 - 9.25)	19.50	(16.64 - 22.71)	7.08	(5.74 - 8.71)	9.11	(7.80 - 10.62)
Region 3bc	6.92	(5.23 - 9.09)	19.32	(16.06 - 23.07)	6.61	(5.13 - 8.47)	8.56	(7.10 - 10.29)
Region 4	7.27	(5.27 - 9.94)	16.75	(13.03 - 21.28)	6.26	(4.58 - 8.51)	7.69	(6.02 - 9.79)
Region 5	7.46	(5.36 - 10.30)	20.77	(16.17 - 26.26)	7.08	(5.21 - 9.56)	9.10	(7.17 - 11.50)
Region 6	6.18	(4.97 - 7.66)	18.26	(16.04 - 20.71)	8.37	(6.86 - 10.17)	9.96	(8.60 - 11.50)
Region 6a	5.90	(4.62 - 7.52)	17.79	(15.44 - 20.42)	8.47	(6.83 - 10.45)	9.99	(8.52 - 11.69)
Region 6bc	8.54	(6.21 - 11.64)	22.70	(17.66 - 28.68)	7.56	(5.56 - 10.21)	9.68	(7.61 - 12.25)
Region 7	7.76	(6.15 - 9.75)	23.99	(20.86 - 27.43)	7.62	(6.15 - 9.39)	10.85	(9.40 - 12.49)
Region 7a	7.93	(5.84 - 10.70)	25.46	(21.19 - 30.27)	7.80	(5.99 - 10.09)	11.09	(9.23 - 13.27)
Region 7bcd	7.53	(5.55 - 10.14)	22.00	(17.87 - 26.78)	7.32	(5.45 - 9.78)	10.47	(8.53 - 12.79)
Region 8	7.64	(5.78 - 10.02)	20.14	(16.69 - 24.09)	7.78	(6.04 - 9.96)	9.67	(7.95 - 11.72)
Region 9	7.86	(5.67 - 10.80)	20.08	(15.24 - 25.97)	7.08	(5.15 - 9.66)	9.11	(7.09 - 11.64)
Region 10	7.63	(5.54 - 10.41)	17.54	(13.36 - 22.69)	6.82	(4.95 - 9.32)	8.66	(6.72 - 11.08)
Region 11	7.79	(6.11 - 9.88)	17.96	(14.77 - 21.67)	7.26	(5.74 - 9.14)	9.16	(7.66 - 10.92)
Region 11abd	7.86	(5.81 - 10.54)	18.99	(14.78 - 24.05)	7.33	(5.44 - 9.80)	9.33	(7.42 - 11.67)
Region 11c (Hidalgo)	7.67	(5.55 - 10.49)	16.11	(12.40 - 20.66)	7.10	(5.27 - 9.52)	8.83	(6.99 - 11.09)
Utah	7.34	(5.93 - 9.05)	16.99	(14.74 - 19.52)	6.55	(5.26 - 8.12)	8.79	(7.59 - 10.16)
Bear River, Northeastern, Summit, Tooele, and Wasatch	8.18	(5.75 - 11.52)	*	(* - *)	6.30	(4.46 - 8.83)	8.85	(6.80 - 11.43)
Central, Four Corners, San Juan, and Southwest	6.28	(4.26 - 9.16)	13.77	(9.89 - 18.84)	5.43	(3.76 - 7.78)	6.96	(5.22 - 9.21)
Davis County	7.96	(5.55 - 11.29)	19.39	(14.61 - 25.28)	6.36	(4.53 - 8.87)	8.95	(6.93 - 11.48)
Salt Lake County	7.68	(5.73 - 10.22)	18.56	(15.20 - 22.46)	7.33	(5.52 - 9.67)	9.53	(7.80 - 11.61)
Utah County	6.33	(4.34 - 9.14)	13.47	(10.15 - 17.67)	5.37	(3.73 - 7.67)	7.83	(6.09 - 10.02)
Weber, Morgan	7.55	(5.22 - 10.80)	19.72	(14.89 - 25.65)	6.90	(4.93 - 9.58)	9.35	(7.23 - 12.00)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Illicit Drugs or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	9.21	(7.70 - 10.97)	27.25	(24.57 - 30.11)	7.70	(6.31 - 9.37)	10.54	(9.21 - 12.04)
Champlain Valley	9.13	(7.08 - 11.69)	29.04	(25.17 - 33.24)	7.69	(5.93 - 9.92)	11.40	(9.66 - 13.41)
Rural Northeast	9.45	(7.08 - 12.52)	25.85	(21.12 - 31.21)	7.51	(5.56 - 10.07)	10.04	(8.06 - 12.44)
Rural Southeast	8.46	(6.21 - 11.44)	24.79	(20.08 - 30.17)	7.82	(5.67 - 10.71)	9.77	(7.62 - 12.44)
Rural Southwest	10.02	(7.35 - 13.51)	26.64	(21.40 - 32.64)	7.84	(5.59 - 10.89)	10.26	(7.99 - 13.09)
Virginia	7.33	(6.07 - 8.84)	21.09	(18.64 - 23.77)	6.58	(5.38 - 8.04)	8.63	(7.49 - 9.94)
Region 1	7.80	(5.61 - 10.74)	20.83	(16.44 - 26.03)	6.20	(4.46 - 8.57)	8.36	(6.55 - 10.61)
Region 2	6.92	(5.03 - 9.45)	21.82	(17.51 - 26.85)	6.34	(4.69 - 8.53)	8.33	(6.66 - 10.38)
Region 3	8.36	(6.05 - 11.43)	24.12	(19.24 - 29.78)	7.27	(5.30 - 9.89)	9.60	(7.58 - 12.08)
Region 4	7.51	(5.43 - 10.32)	20.77	(16.58 - 25.69)	6.57	(4.79 - 8.97)	8.48	(6.68 - 10.70)
Region 5	6.62	(4.78 - 9.12)	18.63	(14.60 - 23.47)	6.56	(4.74 - 9.02)	8.49	(6.66 - 10.77)
Washington	8.37	(6.92 - 10.09)	22.49	(19.92 - 25.28)	8.22	(6.80 - 9.91)	10.29	(8.94 - 11.82)
Region 1	9.15	(6.54 - 12.68)	*	(* - *)	8.54	(6.16 - 11.74)	11.25	(8.79 - 14.29)
Region 2	8.50	(6.07 - 11.77)	*	(* - *)	7.03	(5.04 - 9.74)	9.23	(7.11 - 11.92)
Region 3	8.37	(6.09 - 11.42)	22.93	(17.90 - 28.87)	7.72	(5.65 - 10.47)	9.95	(7.83 - 12.58)
Region 4 (King)	8.71	(6.43 - 11.68)	22.45	(18.38 - 27.13)	9.15	(6.90 - 12.05)	11.01	(8.84 - 13.63)
Region 5	7.33	(5.15 - 10.32)	20.55	(15.95 - 26.07)	7.81	(5.73 - 10.56)	9.73	(7.63 - 12.33)
Region 6	8.17	(5.92 - 11.18)	22.32	(17.59 - 27.89)	7.75	(5.69 - 10.48)	9.67	(7.60 - 12.24)
West Virginia	7.89	(6.53 - 9.51)	22.39	(20.01 - 24.97)	6.07	(4.91 - 7.47)	8.25	(7.16 - 9.50)
Eastern Highland	7.98	(5.92 - 10.69)	20.54	(16.45 - 25.33)	5.72	(4.12 - 7.90)	7.59	(5.96 - 9.62)
Northern	8.15	(6.12 - 10.76)	27.11	(23.05 - 31.59)	6.98	(5.32 - 9.10)	10.01	(8.36 - 11.93)
Northern A and B	8.34	(5.83 - 11.80)	*	(* - *)	6.57	(4.65 - 9.19)	8.62	(6.60 - 11.17)
Northern C and D	8.06	(5.66 - 11.36)	28.36	(23.42 - 33.88)	7.20	(5.19 - 9.91)	10.71	(8.68 - 13.16)
South Central	7.87	(6.20 - 9.95)	20.57	(17.38 - 24.16)	5.63	(4.33 - 7.30)	7.57	(6.26 - 9.13)
South Central I	8.42	(6.04 - 11.62)	20.33	(15.45 - 26.28)	5.46	(3.82 - 7.76)	7.23	(5.50 - 9.46)
South Central II	7.67	(5.37 - 10.84)	22.69	(17.55 - 28.81)	5.82	(4.09 - 8.22)	8.36	(6.50 - 10.70)
South Central III	7.65	(5.46 - 10.62)	18.97	(14.81 - 23.97)	5.62	(3.96 - 7.90)	7.25	(5.56 - 9.41)
Southern	7.42	(5.59 - 9.79)	20.45	(16.66 - 24.86)	6.07	(4.55 - 8.06)	7.92	(6.36 - 9.83)
Southern I and III	7.05	(4.92 - 9.99)	20.58	(15.82 - 26.33)	6.06	(4.30 - 8.49)	7.93	(6.07 - 10.30)
Southern II	8.17	(5.72 - 11.54)	*	(* - *)	6.09	(4.27 - 8.60)	7.90	(5.98 - 10.37)

See notes at end of table.

(continued)

Table 19. Dependence on or Abuse of Illicit Drugs or Alcohol in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	10.33	(8.73 - 12.18)	26.63	(23.82 - 29.64)	8.73	(7.32 - 10.38)	11.44	(10.10 - 12.94)
Milwaukee	9.36	(6.76 - 12.83)	27.45	(22.17 - 33.45)	10.02	(7.46 - 13.33)	12.83	(10.31 - 15.86)
Northeastern	10.45	(7.91 - 13.68)	27.61	(22.59 - 33.26)	8.38	(6.32 - 11.04)	11.15	(9.07 - 13.63)
Northern	9.33	(6.56 - 13.10)	23.40	(18.48 - 29.16)	8.19	(5.84 - 11.35)	10.23	(7.90 - 13.17)
Southeastern	10.77	(8.15 - 14.10)	26.17	(21.04 - 32.03)	8.96	(6.77 - 11.76)	11.27	(9.12 - 13.86)
Southern	9.73	(7.23 - 12.98)	26.23	(20.98 - 32.26)	8.39	(6.32 - 11.06)	11.33	(9.19 - 13.88)
Western	12.11	(8.90 - 16.27)	27.13	(21.53 - 33.55)	8.25	(6.11 - 11.05)	11.45	(9.18 - 14.20)
Wyoming	11.03	(9.34 - 12.98)	26.32	(23.53 - 29.32)	8.67	(7.22 - 10.39)	11.47	(10.07 - 13.03)
Judicial District 1 (Laramie)	10.81	(8.02 - 14.40)	25.87	(20.63 - 31.89)	8.88	(6.63 - 11.80)	11.49	(9.23 - 14.22)
Judicial District 2	11.11	(7.94 - 15.33)	29.10	(23.70 - 35.17)	9.56	(6.96 - 13.00)	14.91	(12.20 - 18.09)
Judicial District 3	11.51	(8.52 - 15.38)	24.55	(19.21 - 30.80)	8.13	(6.02 - 10.90)	10.75	(8.58 - 13.38)
Judicial District 4	11.51	(8.17 - 15.96)	*	(* - *)	8.77	(6.26 - 12.17)	10.99	(8.38 - 14.29)
Judicial District 5	10.71	(7.62 - 14.86)	*	(* - *)	7.89	(5.65 - 10.90)	9.85	(7.53 - 12.79)
Judicial District 6	10.84	(7.84 - 14.81)	*	(* - *)	8.68	(6.39 - 11.68)	11.54	(9.11 - 14.51)
Judicial District 7 (Natrona)	11.68	(8.74 - 15.44)	28.10	(22.67 - 34.27)	8.70	(6.41 - 11.72)	11.77	(9.41 - 14.62)
Judicial District 8	10.74	(7.71 - 14.78)	*	(* - *)	7.76	(5.49 - 10.87)	9.50	(7.19 - 12.45)
Judicial District 9	10.13	(7.25 - 13.98)	*	(* - *)	9.43	(6.78 - 12.97)	11.80	(9.13 - 15.12)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

NOTE: Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

NOTE: Dependence or abuse is based on definitions found in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	5.35		16.79		5.95		7.56	
Northeast	5.32	(4.90 - 5.78)	17.01	(16.25 - 17.79)	5.34	(4.92 - 5.79)	6.97	(6.59 - 7.38)
Midwest	5.85	(5.50 - 6.23)	19.40	(18.74 - 20.08)	6.27	(5.89 - 6.67)	8.26	(7.91 - 8.62)
South	4.79	(4.48 - 5.12)	14.81	(14.24 - 15.40)	5.72	(5.37 - 6.09)	7.07	(6.75 - 7.39)
West	5.76	(5.29 - 6.26)	17.10	(16.27 - 17.95)	6.51	(5.98 - 7.07)	8.14	(7.67 - 8.64)
Alabama	4.84	(3.79 - 6.15)	11.55	(9.71 - 13.67)	4.85	(3.76 - 6.23)	5.85	(4.82 - 7.08)
Region 1	5.18	(3.52 - 7.57)	11.34	(8.53 - 14.92)	4.41	(3.06 - 6.31)	5.34	(4.01 - 7.08)
Region 2	5.05	(3.56 - 7.11)	11.81	(9.15 - 15.11)	5.08	(3.65 - 7.04)	6.10	(4.72 - 7.85)
Region 3	3.68	(2.41 - 5.58)	11.27	(8.34 - 15.05)	4.81	(3.29 - 7.00)	5.96	(4.44 - 7.95)
Region 4	5.14	(3.55 - 7.39)	11.68	(8.80 - 15.34)	5.12	(3.55 - 7.32)	6.04	(4.50 - 8.06)
Alaska	5.69	(4.42 - 7.31)	15.73	(13.49 - 18.25)	5.75	(4.55 - 7.23)	7.36	(6.22 - 8.69)
Gulf Coast	6.05	(3.99 - 9.06)	15.95	(11.60 - 21.54)	5.47	(3.76 - 7.89)	6.88	(5.12 - 9.19)
Rural	4.29	(2.69 - 6.77)	*	(* - *)	6.51	(4.31 - 9.71)	8.03	(5.80 - 11.00)
Southeast	6.15	(4.10 - 9.13)	*	(* - *)	6.24	(4.36 - 8.87)	7.61	(5.68 - 10.14)
Urban	5.83	(4.29 - 7.89)	15.86	(13.32 - 18.77)	5.59	(4.24 - 7.33)	7.29	(6.02 - 8.81)
Arizona	5.81	(4.54 - 7.40)	16.81	(14.48 - 19.44)	7.13	(5.74 - 8.82)	8.59	(7.29 - 10.10)
Maricopa	5.51	(3.99 - 7.56)	16.44	(13.70 - 19.61)	7.27	(5.62 - 9.36)	8.71	(7.18 - 10.54)
Pima	6.71	(4.57 - 9.76)	19.00	(14.41 - 24.62)	7.20	(5.13 - 10.02)	9.00	(6.89 - 11.67)
Rural North	6.24	(4.16 - 9.27)	18.19	(13.75 - 23.67)	7.38	(5.20 - 10.37)	8.85	(6.68 - 11.64)
Rural South	5.65	(3.66 - 8.62)	14.27	(10.13 - 19.73)	6.07	(4.11 - 8.87)	7.17	(5.19 - 9.82)
Arkansas	5.59	(4.43 - 7.03)	15.35	(13.23 - 17.75)	5.26	(4.19 - 6.59)	6.77	(5.74 - 7.97)
Areas 1 and 2	6.14	(4.16 - 8.96)	17.95	(13.71 - 23.15)	5.58	(3.95 - 7.82)	7.51	(5.81 - 9.66)
Areas 3 and 4	7.32	(5.02 - 10.55)	17.57	(13.56 - 22.45)	5.45	(3.80 - 7.76)	7.25	(5.57 - 9.38)
Areas 5 and 6	5.30	(3.57 - 7.79)	13.87	(10.52 - 18.08)	4.92	(3.45 - 6.96)	6.32	(4.83 - 8.23)
Areas 7, 12, and 13	4.40	(2.92 - 6.57)	12.55	(9.20 - 16.91)	5.85	(4.02 - 8.44)	6.87	(5.06 - 9.26)
Areas 8, 10, and 11	4.97	(3.32 - 7.36)	15.23	(11.76 - 19.51)	4.87	(3.42 - 6.89)	6.30	(4.83 - 8.17)
Area 9	5.13	(3.52 - 7.40)	14.10	(10.70 - 18.36)	5.00	(3.54 - 7.03)	6.32	(4.84 - 8.21)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	5.51	(4.81 - 6.31)	16.88	(15.64 - 18.20)	6.51	(5.72 - 7.41)	8.13	(7.41 - 8.90)
Region 1	6.94	(4.87 - 9.81)	21.52	(16.48 - 27.59)	6.96	(5.00 - 9.62)	9.11	(7.08 - 11.66)
Region 2	6.24	(4.59 - 8.43)	20.48	(17.13 - 24.30)	8.18	(6.23 - 10.67)	9.99	(8.16 - 12.18)
Region 3	5.60	(3.92 - 7.96)	15.16	(11.49 - 19.75)	5.93	(4.29 - 8.14)	7.40	(5.72 - 9.52)
Region 4	5.25	(3.66 - 7.49)	19.03	(14.86 - 24.04)	7.07	(5.32 - 9.36)	8.52	(6.75 - 10.69)
Region 5	6.40	(4.65 - 8.76)	17.83	(14.24 - 22.09)	6.79	(5.12 - 8.97)	8.31	(6.67 - 10.31)
Region 6 (Santa Clara)	5.66	(3.93 - 8.07)	15.42	(11.96 - 19.66)	5.77	(4.21 - 7.85)	7.15	(5.59 - 9.09)
Region 7	6.11	(4.20 - 8.82)	17.81	(13.69 - 22.86)	6.73	(4.80 - 9.37)	8.62	(6.66 - 11.08)
Region 8	5.16	(3.58 - 7.39)	15.60	(12.09 - 19.88)	6.73	(4.87 - 9.23)	8.31	(6.49 - 10.59)
Region 9	7.30	(5.10 - 10.34)	18.36	(14.39 - 23.14)	6.76	(4.97 - 9.13)	8.78	(6.95 - 11.03)
Region 10	7.52	(5.28 - 10.59)	19.12	(14.96 - 24.12)	6.53	(4.74 - 8.94)	8.55	(6.73 - 10.81)
Region 11 (Los Angeles)	4.18	(3.17 - 5.50)	14.14	(12.12 - 16.42)	5.68	(4.52 - 7.10)	7.04	(5.96 - 8.30)
Region 12	5.66	(4.06 - 7.84)	14.91	(11.54 - 19.05)	5.53	(4.04 - 7.52)	7.14	(5.63 - 9.01)
Region 13 (Riverside)	6.66	(4.65 - 9.46)	18.60	(14.63 - 23.37)	6.67	(4.90 - 9.03)	8.49	(6.70 - 10.69)
Region 14 (Orange)	5.77	(4.19 - 7.91)	17.46	(14.09 - 21.44)	6.73	(5.07 - 8.90)	8.33	(6.71 - 10.30)
Region 15	5.52	(3.98 - 7.61)	19.44	(16.06 - 23.33)	7.37	(5.65 - 9.56)	9.41	(7.73 - 11.41)
Colorado	7.13	(5.76 - 8.80)	20.89	(18.20 - 23.86)	7.76	(6.28 - 9.55)	9.70	(8.30 - 11.31)
Region 1	7.50	(5.11 - 10.88)	23.93	(18.89 - 29.81)	7.40	(5.27 - 10.30)	10.31	(8.10 - 13.03)
Regions 2 and 7	7.11	(5.37 - 9.34)	20.31	(16.86 - 24.26)	8.04	(6.25 - 10.29)	9.81	(8.09 - 11.83)
Region 3	6.63	(4.43 - 9.81)	19.79	(15.14 - 25.45)	6.86	(4.73 - 9.84)	8.75	(6.60 - 11.52)
Region 4	8.13	(5.44 - 11.98)	*	(* - *)	7.57	(5.26 - 10.79)	9.18	(6.83 - 12.23)
Regions 5 and 6	6.88	(4.59 - 10.19)	*	(* - *)	7.96	(5.60 - 11.20)	9.98	(7.58 - 13.03)
Connecticut	5.93	(4.76 - 7.37)	20.98	(18.35 - 23.87)	6.47	(5.20 - 8.01)	8.39	(7.16 - 9.81)
Eastern	6.03	(4.03 - 8.92)	*	(* - *)	6.49	(4.49 - 9.29)	9.52	(7.36 - 12.22)
North Central	5.21	(3.65 - 7.40)	17.32	(13.58 - 21.84)	6.18	(4.42 - 8.57)	7.60	(5.86 - 9.81)
Northwestern	5.40	(3.61 - 8.01)	23.68	(18.71 - 29.49)	5.97	(4.10 - 8.60)	8.12	(6.21 - 10.55)
South Central	6.89	(4.88 - 9.63)	20.54	(16.16 - 25.73)	6.51	(4.73 - 8.89)	8.44	(6.63 - 10.70)
Southwest	6.29	(4.34 - 9.04)	21.97	(17.20 - 27.63)	7.27	(5.23 - 10.01)	9.03	(6.99 - 11.59)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	4.30	(3.34 - 5.52)	15.45	(13.20 - 18.01)	4.63	(3.61 - 5.91)	6.21	(5.22 - 7.38)
Kent	4.59	(3.10 - 6.74)	14.53	(11.18 - 18.67)	4.80	(3.38 - 6.78)	6.34	(4.90 - 8.17)
New Castle (excluding Wilmington City)	4.42	(3.17 - 6.12)	17.61	(14.50 - 21.24)	4.59	(3.38 - 6.20)	6.62	(5.38 - 8.11)
Sussex	4.44	(3.03 - 6.45)	11.37	(8.25 - 15.48)	4.37	(3.00 - 6.32)	5.15	(3.78 - 6.97)
Wilmington City	2.94	(1.87 - 4.60)	11.62	(8.25 - 16.14)	5.17	(3.45 - 7.67)	6.19	(4.47 - 8.50)
District of Columbia	3.99	(2.95 - 5.37)	19.12	(16.73 - 21.77)	8.75	(7.19 - 10.61)	10.41	(8.97 - 12.05)
Ward 1	4.80	(2.98 - 7.64)	17.19	(12.99 - 22.40)	10.91	(7.84 - 14.99)	12.04	(9.17 - 15.65)
Ward 2	*	(* - *)	24.26	(19.80 - 29.35)	10.81	(7.91 - 14.61)	14.15	(11.41 - 17.43)
Ward 3	7.08	(4.64 - 10.68)	*	(* - *)	9.06	(6.64 - 12.23)	11.93	(9.48 - 14.92)
Ward 4	3.87	(2.45 - 6.06)	*	(* - *)	6.95	(4.82 - 9.94)	7.72	(5.61 - 10.55)
Ward 5	3.57	(2.19 - 5.78)	16.18	(12.24 - 21.08)	8.09	(5.87 - 11.05)	9.25	(7.12 - 11.94)
Ward 6	*	(* - *)	17.16	(12.63 - 22.89)	8.65	(6.03 - 12.25)	9.77	(7.21 - 13.11)
Ward 7	2.98	(1.86 - 4.75)	11.29	(8.10 - 15.54)	7.03	(4.95 - 9.89)	7.55	(5.56 - 10.18)
Ward 8	3.23	(2.07 - 5.00)	12.48	(9.16 - 16.77)	8.24	(5.83 - 11.53)	9.01	(6.74 - 11.93)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	5.26	(4.59 - 6.02)	15.92	(14.70 - 17.21)	6.20	(5.46 - 7.05)	7.47	(6.77 - 8.22)
Region A	5.76	(4.52 - 7.31)	19.81	(16.94 - 23.03)	6.90	(5.57 - 8.51)	9.18	(7.85 - 10.70)
Circuit 1	5.61	(3.91 - 7.98)	17.37	(13.20 - 22.52)	6.39	(4.70 - 8.62)	8.10	(6.34 - 10.29)
Circuit 2	6.09	(4.07 - 9.03)	23.94	(19.50 - 29.03)	7.97	(5.67 - 11.08)	11.79	(9.48 - 14.57)
Circuit 14	5.61	(3.77 - 8.27)	16.48	(12.42 - 21.53)	6.78	(4.92 - 9.28)	8.15	(6.27 - 10.53)
Region B	5.08	(4.07 - 6.33)	17.48	(15.22 - 19.99)	6.68	(5.46 - 8.14)	8.36	(7.21 - 9.68)
Circuits 3 and 8	5.58	(3.84 - 8.04)	19.39	(15.41 - 24.11)	6.81	(4.97 - 9.27)	9.49	(7.59 - 11.81)
Circuit 4	4.52	(3.26 - 6.25)	15.93	(12.73 - 19.76)	6.80	(5.11 - 9.01)	8.22	(6.59 - 10.20)
Circuit 7	5.57	(3.90 - 7.88)	17.71	(13.97 - 22.19)	6.43	(4.74 - 8.68)	7.74	(6.07 - 9.83)
Region C	5.47	(4.49 - 6.66)	16.72	(14.82 - 18.82)	6.24	(5.25 - 7.41)	7.58	(6.62 - 8.66)
Circuit 5	4.99	(3.48 - 7.12)	13.82	(10.54 - 17.91)	5.67	(4.11 - 7.78)	6.42	(4.87 - 8.42)
Circuit 9	5.27	(3.75 - 7.35)	18.11	(14.86 - 21.90)	7.18	(5.47 - 9.36)	9.02	(7.36 - 11.02)
Circuit 10	5.06	(3.36 - 7.55)	14.29	(10.73 - 18.78)	5.67	(4.10 - 7.78)	6.78	(5.20 - 8.80)
Circuit 18	6.22	(4.45 - 8.64)	18.93	(15.22 - 23.29)	6.14	(4.54 - 8.26)	7.70	(6.08 - 9.70)
Circuit 19	5.93	(4.03 - 8.66)	15.27	(11.63 - 19.80)	6.12	(4.40 - 8.46)	7.05	(5.36 - 9.22)
Region D	4.72	(3.86 - 5.78)	12.82	(11.14 - 14.72)	5.77	(4.83 - 6.88)	6.65	(5.76 - 7.66)
Circuits 11 and 16	4.07	(2.94 - 5.60)	10.54	(8.39 - 13.17)	5.67	(4.29 - 7.47)	6.34	(5.04 - 7.94)
Circuit 15 (Palm Beach)	6.02	(4.40 - 8.20)	16.60	(13.48 - 20.27)	5.79	(4.27 - 7.80)	6.93	(5.44 - 8.79)
Circuit 17 (Broward)	4.88	(3.62 - 6.54)	14.19	(11.36 - 17.58)	5.89	(4.55 - 7.61)	6.90	(5.58 - 8.49)
Region E	5.74	(4.73 - 6.94)	16.43	(14.42 - 18.67)	6.28	(5.26 - 7.48)	7.41	(6.42 - 8.54)
Circuit 6	5.66	(4.17 - 7.66)	15.82	(12.48 - 19.84)	6.05	(4.55 - 8.00)	7.01	(5.52 - 8.87)
Circuit 12	6.43	(4.50 - 9.12)	16.30	(12.32 - 21.26)	5.92	(4.28 - 8.12)	6.88	(5.23 - 9.01)
Circuit 13 (Hillsborough)	5.66	(4.07 - 7.81)	16.97	(13.62 - 20.95)	6.74	(5.08 - 8.89)	8.27	(6.63 - 10.27)
Circuit 20	5.49	(3.90 - 7.67)	16.48	(12.84 - 20.90)	6.41	(4.73 - 8.63)	7.41	(5.75 - 9.51)
Georgia	4.06	(3.13 - 5.24)	12.54	(10.60 - 14.78)	5.11	(4.01 - 6.49)	6.24	(5.20 - 7.48)
Region 1	5.58	(3.74 - 8.26)	11.26	(8.23 - 15.23)	4.72	(3.22 - 6.87)	5.64	(4.14 - 7.65)
Region 2	3.97	(2.61 - 5.99)	11.68	(8.65 - 15.59)	4.48	(3.03 - 6.57)	5.60	(4.15 - 7.52)
Region 3	3.68	(2.52 - 5.34)	13.91	(11.03 - 17.40)	5.59	(4.10 - 7.58)	6.83	(5.39 - 8.63)
Region 4	3.90	(2.60 - 5.83)	12.12	(8.99 - 16.13)	5.26	(3.67 - 7.48)	6.30	(4.73 - 8.36)
Region 5	4.01	(2.63 - 6.07)	11.12	(7.90 - 15.43)	4.58	(3.12 - 6.67)	5.69	(4.20 - 7.66)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	5.26	(4.03 - 6.83)	17.62	(14.98 - 20.60)	5.40	(4.25 - 6.84)	7.03	(5.89 - 8.36)
Hawaii Island	5.14	(3.39 - 7.71)	15.57	(11.47 - 20.78)	5.97	(4.08 - 8.65)	7.12	(5.21 - 9.65)
Honolulu	5.29	(3.87 - 7.20)	18.04	(14.99 - 21.56)	5.23	(3.98 - 6.86)	7.01	(5.76 - 8.52)
Kauai and Maui**	5.20	(3.61 - 7.44)	17.00	(13.17 - 21.67)	5.70	(4.17 - 7.76)	7.01	(5.46 - 8.97)
Maui	5.43	(3.55 - 8.21)	17.62	(13.12 - 23.26)	6.05	(4.23 - 8.58)	7.42	(5.57 - 9.83)
Idaho	6.94	(5.57 - 8.62)	17.05	(14.77 - 19.61)	5.95	(4.78 - 7.37)	7.79	(6.66 - 9.10)
Region 1	7.63	(5.16 - 11.15)	15.96	(11.93 - 21.03)	5.80	(4.07 - 8.21)	7.10	(5.34 - 9.39)
Region 2	7.96	(5.31 - 11.76)	*	(* - *)	5.86	(4.04 - 8.44)	8.82	(6.79 - 11.38)
Region 3	7.52	(5.24 - 10.66)	14.34	(10.61 - 19.10)	5.55	(3.89 - 7.85)	6.94	(5.25 - 9.14)
Region 4	7.44	(5.20 - 10.52)	19.67	(15.91 - 24.08)	7.08	(5.16 - 9.63)	9.15	(7.26 - 11.46)
Region 5	6.58	(4.48 - 9.57)	14.59	(10.55 - 19.84)	5.55	(3.85 - 7.93)	6.91	(5.13 - 9.26)
Region 6	6.10	(4.03 - 9.11)	16.33	(12.29 - 21.38)	5.57	(3.88 - 7.92)	7.62	(5.86 - 9.86)
Region 7	5.51	(3.70 - 8.12)	15.27	(11.34 - 20.25)	4.67	(3.15 - 6.88)	6.89	(5.22 - 9.05)
Illinois	5.44	(4.75 - 6.23)	18.94	(17.60 - 20.36)	6.06	(5.30 - 6.91)	8.01	(7.32 - 8.75)
Region I (Cook)	5.79	(4.72 - 7.08)	18.28	(16.27 - 20.48)	6.58	(5.42 - 7.98)	8.37	(7.30 - 9.58)
Region II	5.01	(4.02 - 6.24)	20.25	(17.97 - 22.74)	5.70	(4.64 - 6.99)	7.78	(6.76 - 8.95)
Region III	5.17	(3.78 - 7.03)	19.10	(16.04 - 22.59)	5.99	(4.63 - 7.71)	8.26	(6.92 - 9.82)
Region IV	6.11	(4.43 - 8.37)	18.46	(14.81 - 22.77)	5.44	(4.02 - 7.31)	7.32	(5.88 - 9.07)
Region V	5.16	(3.75 - 7.07)	18.26	(15.29 - 21.66)	5.36	(3.99 - 7.16)	7.28	(5.95 - 8.89)
Indiana	5.36	(4.29 - 6.66)	17.48	(15.35 - 19.83)	5.99	(4.83 - 7.41)	7.75	(6.63 - 9.05)
Central	4.70	(3.27 - 6.72)	16.19	(12.78 - 20.29)	6.24	(4.50 - 8.58)	7.65	(5.96 - 9.77)
East	5.39	(3.61 - 7.99)	15.73	(11.77 - 20.71)	5.63	(3.92 - 8.02)	7.19	(5.42 - 9.48)
North Central	5.67	(3.79 - 8.40)	16.43	(12.35 - 21.52)	6.29	(4.42 - 8.87)	7.80	(5.91 - 10.24)
Northeast	5.03	(3.39 - 7.40)	16.42	(12.34 - 21.52)	5.51	(3.84 - 7.84)	7.15	(5.43 - 9.38)
Northwest	4.94	(3.35 - 7.25)	16.10	(12.20 - 20.93)	5.98	(4.23 - 8.41)	7.41	(5.62 - 9.70)
Southeast	6.60	(4.44 - 9.70)	18.75	(14.04 - 24.58)	5.72	(3.94 - 8.23)	7.50	(5.63 - 9.92)
Southwest	5.78	(3.79 - 8.74)	18.71	(14.06 - 24.45)	5.93	(4.11 - 8.47)	7.77	(5.87 - 10.23)
West	5.62	(3.75 - 8.34)	21.47	(17.01 - 26.74)	6.10	(4.29 - 8.61)	9.47	(7.51 - 11.88)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	7.61	(6.23 - 9.27)	22.96	(20.32 - 25.82)	6.65	(5.37 - 8.20)	9.17	(7.93 - 10.59)
Central	7.32	(5.10 - 10.40)	22.74	(17.93 - 28.41)	6.87	(4.94 - 9.49)	9.23	(7.24 - 11.69)
North Central	6.53	(4.42 - 9.55)	22.98	(17.79 - 29.14)	6.71	(4.71 - 9.46)	9.72	(7.60 - 12.34)
Northeast	8.43	(6.23 - 11.31)	26.28	(21.55 - 31.63)	6.86	(5.01 - 9.34)	9.90	(8.02 - 12.17)
Northwest	7.78	(5.40 - 11.08)	20.79	(16.02 - 26.54)	5.74	(4.04 - 8.09)	7.83	(6.04 - 10.09)
Southeast	7.48	(5.28 - 10.49)	22.61	(18.11 - 27.85)	6.95	(5.03 - 9.52)	9.55	(7.57 - 11.98)
Southwest	7.30	(4.93 - 10.70)	18.19	(13.83 - 23.55)	6.53	(4.61 - 9.17)	8.06	(6.13 - 10.53)
Kansas	7.25	(5.84 - 8.97)	19.39	(16.78 - 22.29)	6.13	(4.94 - 7.60)	8.28	(7.07 - 9.66)
Kansas City Metro	7.85	(5.67 - 10.77)	22.28	(18.23 - 26.92)	6.82	(5.04 - 9.16)	9.39	(7.58 - 11.58)
Northeast	7.12	(5.02 - 10.00)	18.99	(14.55 - 24.39)	6.38	(4.57 - 8.86)	8.57	(6.67 - 10.95)
South Central	6.97	(4.83 - 9.98)	15.21	(11.16 - 20.38)	5.09	(3.52 - 7.33)	6.60	(4.95 - 8.74)
Southeast	6.90	(4.56 - 10.30)	*	(* - *)	6.16	(4.20 - 8.96)	7.99	(5.87 - 10.80)
West	7.86	(5.45 - 11.22)	*	(* - *)	5.54	(3.83 - 7.95)	7.61	(5.75 - 10.00)
Wichita (Sedgwick)	6.20	(4.21 - 9.03)	18.07	(13.99 - 23.03)	5.80	(4.17 - 8.00)	7.74	(6.06 - 9.82)
Kentucky	5.84	(4.74 - 7.17)	14.12	(12.12 - 16.39)	5.25	(4.19 - 6.57)	6.51	(5.49 - 7.71)
Adanta, Cumberland River, and Lifeskills	6.72	(4.61 - 9.69)	12.98	(9.65 - 17.24)	4.99	(3.44 - 7.19)	6.12	(4.57 - 8.16)
Bluegrass, Comprehend, and North Key	5.88	(4.25 - 8.07)	14.62	(11.50 - 18.42)	5.64	(4.08 - 7.75)	7.03	(5.50 - 8.95)
Communicare and River Valley	5.21	(3.45 - 7.80)	14.50	(10.58 - 19.55)	5.05	(3.48 - 7.26)	6.36	(4.73 - 8.48)
Four Rivers and Pennyroyal	7.04	(4.75 - 10.31)	14.61	(10.56 - 19.88)	4.92	(3.33 - 7.21)	6.30	(4.62 - 8.53)
Kentucky River, Mountain, and Pathways	5.18	(3.48 - 7.63)	12.16	(9.09 - 16.07)	4.75	(3.28 - 6.84)	5.79	(4.32 - 7.72)
Seven Counties	5.24	(3.70 - 7.37)	15.04	(11.55 - 19.36)	5.48	(3.92 - 7.62)	6.71	(5.13 - 8.74)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	4.81	(3.81 - 6.06)	13.85	(11.88 - 16.09)	6.34	(5.11 - 7.84)	7.59	(6.43 - 8.93)
Region 1	3.76	(2.34 - 5.97)	13.66	(9.85 - 18.64)	6.28	(4.28 - 9.10)	7.52	(5.52 - 10.16)
Regions 2 and 9	5.38	(3.80 - 7.58)	15.34	(12.06 - 19.30)	6.80	(4.99 - 9.20)	8.29	(6.53 - 10.48)
Region 3	4.72	(3.07 - 7.20)	13.26	(9.80 - 17.70)	6.33	(4.43 - 8.96)	7.46	(5.57 - 9.92)
Region 4	5.14	(3.48 - 7.54)	13.26	(9.71 - 17.86)	5.86	(4.07 - 8.35)	7.10	(5.30 - 9.44)
Regions 5 and 6	5.19	(3.51 - 7.61)	13.67	(10.14 - 18.17)	5.99	(4.28 - 8.32)	7.22	(5.49 - 9.45)
Regions 7 and 8	4.54	(3.06 - 6.66)	13.12	(10.02 - 16.98)	6.12	(4.43 - 8.41)	7.30	(5.66 - 9.35)
Region 10 (Jefferson)	4.38	(2.83 - 6.73)	13.19	(9.47 - 18.07)	6.78	(4.65 - 9.78)	7.72	(5.63 - 10.49)
Maine	6.18	(4.97 - 7.66)	16.45	(14.27 - 18.90)	5.87	(4.71 - 7.30)	7.26	(6.15 - 8.56)
Aroostook/Downeast	5.72	(3.84 - 8.44)	14.50	(10.51 - 19.67)	5.81	(3.97 - 8.42)	6.89	(5.05 - 9.33)
Central	6.40	(4.31 - 9.41)	15.24	(11.62 - 19.74)	5.52	(3.87 - 7.83)	6.80	(5.15 - 8.93)
Cumberland	6.70	(4.68 - 9.52)	20.35	(16.10 - 25.40)	7.06	(5.03 - 9.81)	8.83	(6.83 - 11.35)
Midcoast	5.72	(3.79 - 8.54)	15.81	(11.82 - 20.83)	5.22	(3.58 - 7.54)	6.41	(4.74 - 8.61)
Penquis	5.90	(3.96 - 8.70)	15.95	(12.13 - 20.69)	5.20	(3.59 - 7.48)	6.90	(5.25 - 9.02)
Western	6.34	(4.28 - 9.29)	14.05	(10.52 - 18.53)	5.68	(3.99 - 8.02)	6.84	(5.18 - 8.98)
York	6.05	(4.18 - 8.69)	16.79	(12.94 - 21.51)	5.80	(4.13 - 8.08)	7.13	(5.46 - 9.26)
Maryland	4.88	(3.86 - 6.15)	15.22	(13.05 - 17.68)	5.23	(4.16 - 6.57)	6.63	(5.58 - 7.88)
Anne Arundel	4.89	(3.18 - 7.44)	15.51	(11.34 - 20.84)	5.30	(3.57 - 7.80)	6.73	(4.95 - 9.09)
Baltimore City	3.75	(2.39 - 5.84)	13.90	(10.24 - 18.59)	6.07	(4.22 - 8.67)	7.36	(5.50 - 9.77)
Baltimore County	4.86	(3.23 - 7.26)	16.89	(13.01 - 21.63)	5.21	(3.59 - 7.52)	6.84	(5.17 - 9.00)
Montgomery	5.39	(3.67 - 7.85)	15.86	(11.99 - 20.70)	4.99	(3.49 - 7.10)	6.28	(4.74 - 8.28)
North Central	7.43	(4.85 - 11.20)	*	(* - *)	5.33	(3.60 - 7.84)	7.13	(5.27 - 9.58)
Northeast	6.12	(3.98 - 9.30)	15.61	(11.47 - 20.87)	5.18	(3.53 - 7.55)	6.51	(4.78 - 8.80)
Prince George's	3.15	(2.02 - 4.86)	12.92	(9.62 - 17.14)	5.25	(3.64 - 7.53)	6.48	(4.86 - 8.58)
South	4.48	(2.90 - 6.86)	13.98	(10.21 - 18.86)	4.76	(3.24 - 6.96)	6.10	(4.50 - 8.22)
West	5.56	(3.72 - 8.25)	*	(* - *)	5.03	(3.44 - 7.29)	6.44	(4.76 - 8.66)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	5.46	(4.35 - 6.85)	19.38	(17.00 - 21.99)	6.15	(4.95 - 7.62)	8.01	(6.85 - 9.36)
Boston	4.21	(2.76 - 6.38)	17.30	(13.24 - 22.30)	7.12	(5.01 - 10.01)	9.21	(7.10 - 11.87)
Central	6.43	(4.31 - 9.48)	20.26	(15.53 - 26.00)	6.11	(4.24 - 8.74)	8.04	(6.12 - 10.50)
Metrowest	4.98	(3.42 - 7.19)	21.86	(17.35 - 27.16)	6.37	(4.57 - 8.81)	8.35	(6.51 - 10.65)
Northeast	5.25	(3.56 - 7.66)	16.63	(12.64 - 21.56)	5.55	(3.92 - 7.79)	6.96	(5.31 - 9.07)
Southeast	6.08	(4.18 - 8.75)	19.97	(15.59 - 25.22)	5.96	(4.26 - 8.28)	7.69	(5.95 - 9.88)
Western	5.70	(3.85 - 8.36)	20.18	(15.80 - 25.42)	6.12	(4.33 - 8.59)	8.36	(6.51 - 10.67)
Michigan	5.12	(4.51 - 5.82)	18.50	(17.22 - 19.85)	6.00	(5.30 - 6.79)	7.85	(7.20 - 8.56)
Bay	6.69	(4.74 - 9.36)	17.99	(13.99 - 22.82)	6.21	(4.60 - 8.32)	7.79	(6.13 - 9.84)
Detroit City	2.42	(1.63 - 3.58)	14.56	(11.42 - 18.38)	6.59	(4.90 - 8.82)	7.84	(6.21 - 9.86)
Genesee	5.18	(3.73 - 7.13)	19.33	(15.22 - 24.23)	6.07	(4.47 - 8.19)	7.98	(6.33 - 10.01)
Kalamazoo	5.36	(3.91 - 7.31)	18.20	(14.72 - 22.29)	5.68	(4.27 - 7.51)	7.71	(6.29 - 9.43)
Kent	5.34	(3.81 - 7.44)	19.68	(15.95 - 24.03)	5.94	(4.40 - 7.96)	8.28	(6.70 - 10.21)
Lakeshore	5.07	(3.63 - 7.04)	20.01	(16.46 - 24.11)	6.26	(4.77 - 8.18)	8.39	(6.87 - 10.21)
Macomb	5.54	(4.05 - 7.54)	17.50	(14.17 - 21.43)	5.96	(4.54 - 7.80)	7.48	(6.07 - 9.18)
Mid South	5.81	(4.34 - 7.73)	20.33	(17.16 - 23.92)	5.37	(4.02 - 7.14)	8.00	(6.65 - 9.61)
Northern	5.07	(3.67 - 6.95)	19.00	(15.52 - 23.05)	5.42	(4.07 - 7.19)	7.31	(5.93 - 8.99)
Oakland	5.37	(4.08 - 7.03)	20.34	(17.03 - 24.10)	6.38	(5.01 - 8.08)	8.11	(6.76 - 9.69)
Pathways	*	(* - *)	20.19	(15.67 - 25.62)	6.16	(4.44 - 8.48)	8.24	(6.43 - 10.50)
Saginaw	4.66	(3.15 - 6.85)	18.11	(13.67 - 23.61)	5.69	(4.02 - 8.00)	7.45	(5.69 - 9.70)
Southeast	5.93	(4.47 - 7.83)	16.78	(14.08 - 19.87)	6.19	(4.83 - 7.88)	7.60	(6.30 - 9.13)
St. Clair	5.50	(3.76 - 7.96)	16.71	(12.62 - 21.80)	5.95	(4.28 - 8.22)	7.39	(5.68 - 9.56)
Washtenaw	4.87	(3.47 - 6.80)	19.18	(15.25 - 23.84)	6.04	(4.51 - 8.05)	8.55	(6.92 - 10.52)
Western	*	(* - *)	16.81	(12.66 - 21.97)	5.27	(3.65 - 7.55)	6.98	(5.29 - 9.16)
Minnesota	6.24	(5.06 - 7.66)	20.14	(17.65 - 22.89)	7.10	(5.77 - 8.71)	9.10	(7.83 - 10.56)
Regions 1 and 2	6.99	(4.69 - 10.28)	19.00	(14.32 - 24.78)	7.15	(4.99 - 10.13)	8.86	(6.70 - 11.64)
Regions 3 and 4	6.51	(4.51 - 9.30)	20.13	(15.74 - 25.38)	6.33	(4.50 - 8.84)	8.59	(6.73 - 10.90)
Regions 5 and 6	7.69	(5.48 - 10.68)	23.42	(18.53 - 29.14)	7.17	(5.24 - 9.75)	9.72	(7.75 - 12.11)
Region 7A (Hennepin)	4.99	(3.35 - 7.38)	18.79	(14.89 - 23.43)	7.30	(5.29 - 9.99)	9.03	(7.07 - 11.45)
Region 7B (Ramsey)	5.27	(3.43 - 8.00)	17.73	(13.40 - 23.08)	7.07	(4.93 - 10.03)	8.88	(6.75 - 11.61)
Region 7C	5.86	(4.06 - 8.37)	20.41	(15.97 - 25.71)	7.40	(5.39 - 10.09)	9.26	(7.24 - 11.76)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	4.00	(3.11 - 5.14)	12.53	(10.71 - 14.62)	4.89	(3.83 - 6.22)	6.13	(5.12 - 7.33)
Region 1	4.50	(3.01 - 6.67)	13.74	(10.41 - 17.93)	4.71	(3.24 - 6.80)	6.12	(4.61 - 8.08)
Region 2	4.18	(2.69 - 6.44)	11.61	(8.42 - 15.80)	5.68	(3.86 - 8.31)	6.68	(4.89 - 9.05)
Region 3	3.94	(2.60 - 5.93)	12.11	(9.07 - 15.99)	4.46	(3.09 - 6.41)	5.78	(4.39 - 7.58)
Region 4	3.63	(2.41 - 5.43)	12.31	(9.13 - 16.40)	5.04	(3.52 - 7.17)	6.23	(4.69 - 8.24)
Region 5	3.73	(2.41 - 5.74)	10.02	(7.06 - 14.02)	4.58	(3.13 - 6.65)	5.42	(3.96 - 7.37)
Region 6	3.82	(2.50 - 5.79)	11.17	(8.03 - 15.32)	4.63	(3.14 - 6.78)	5.80	(4.28 - 7.80)
Region 7	3.89	(2.48 - 6.05)	14.51	(11.04 - 18.84)	4.91	(3.34 - 7.18)	6.37	(4.78 - 8.45)
Missouri	6.51	(5.23 - 8.08)	20.28	(17.92 - 22.85)	6.86	(5.55 - 8.46)	8.89	(7.64 - 10.30)
Central	7.70	(5.38 - 10.91)	20.45	(16.13 - 25.58)	6.53	(4.65 - 9.08)	8.97	(7.05 - 11.35)
Eastern	6.08	(4.55 - 8.09)	22.23	(18.69 - 26.21)	7.40	(5.63 - 9.68)	9.53	(7.82 - 11.57)
Eastern (St. Louis City and County)	5.39	(3.81 - 7.57)	21.12	(16.87 - 26.11)	7.47	(5.43 - 10.20)	9.43	(7.45 - 11.87)
Eastern (excluding St. Louis)	7.30	(4.86 - 10.84)	24.44	(19.21 - 30.55)	7.27	(5.09 - 10.28)	9.74	(7.50 - 12.55)
Northwest	6.32	(4.57 - 8.68)	20.64	(16.78 - 25.13)	6.98	(5.28 - 9.16)	9.03	(7.32 - 11.09)
Northwest (Jackson)	5.97	(3.95 - 8.93)	20.50	(15.61 - 26.44)	7.27	(5.13 - 10.19)	9.22	(7.04 - 12.00)
Northwest (excluding Jackson)	6.63	(4.41 - 9.85)	*	(* - *)	6.71	(4.70 - 9.50)	8.85	(6.76 - 11.52)
Southeast	7.00	(4.76 - 10.17)	17.22	(13.38 - 21.89)	6.33	(4.49 - 8.85)	7.89	(6.07 - 10.20)
Southwest	6.33	(4.32 - 9.19)	17.61	(13.82 - 22.17)	6.16	(4.42 - 8.52)	7.90	(6.18 - 10.06)
Montana	9.62	(7.89 - 11.68)	23.38	(20.78 - 26.18)	7.17	(5.74 - 8.91)	9.63	(8.29 - 11.16)
Region 1	8.81	(5.98 - 12.80)	*	(* - *)	6.50	(4.51 - 9.29)	8.22	(6.19 - 10.84)
Region 2	8.79	(6.11 - 12.47)	17.46	(13.18 - 22.76)	6.13	(4.28 - 8.71)	7.84	(5.94 - 10.27)
Region 3	9.16	(6.67 - 12.46)	24.45	(19.67 - 29.96)	7.55	(5.44 - 10.38)	9.94	(7.84 - 12.53)
Region 4	9.01	(6.65 - 12.11)	24.39	(20.34 - 28.95)	7.34	(5.42 - 9.88)	10.19	(8.29 - 12.46)
Region 5	11.13	(8.30 - 14.77)	25.18	(20.96 - 29.93)	7.46	(5.49 - 10.07)	10.20	(8.27 - 12.53)
Nebraska	6.65	(5.35 - 8.23)	22.22	(19.67 - 24.99)	6.90	(5.62 - 8.44)	9.38	(8.14 - 10.78)
Regions 1 and 2	7.33	(4.92 - 10.80)	*	(* - *)	5.85	(4.08 - 8.31)	7.71	(5.84 - 10.12)
Region 3	6.06	(3.99 - 9.10)	19.89	(15.11 - 25.72)	6.01	(4.26 - 8.43)	8.14	(6.27 - 10.50)
Region 4	6.40	(4.37 - 9.29)	19.82	(15.27 - 25.33)	6.15	(4.37 - 8.59)	8.12	(6.29 - 10.42)
Region 5	7.67	(5.56 - 10.49)	24.10	(19.99 - 28.76)	7.69	(5.68 - 10.34)	10.76	(8.76 - 13.14)
Region 6	6.11	(4.42 - 8.38)	22.83	(18.97 - 27.20)	7.26	(5.50 - 9.54)	9.79	(8.04 - 11.88)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	5.89	(4.56 - 7.57)	17.40	(14.96 - 20.15)	6.83	(5.47 - 8.51)	8.28	(6.99 - 9.79)
Clark	5.49	(4.00 - 7.48)	16.25	(13.45 - 19.50)	6.85	(5.28 - 8.83)	8.16	(6.67 - 9.94)
Rural	6.65	(4.67 - 9.37)	16.78	(12.58 - 22.04)	6.30	(4.48 - 8.79)	7.53	(5.69 - 9.89)
Washoe	6.90	(4.67 - 10.09)	22.97	(18.10 - 28.69)	7.22	(5.20 - 9.95)	9.47	(7.44 - 11.99)
New Hampshire	6.02	(4.81 - 7.52)	20.57	(17.95 - 23.47)	5.82	(4.67 - 7.23)	7.83	(6.70 - 9.14)
Central	6.16	(4.53 - 8.32)	21.47	(17.67 - 25.84)	5.80	(4.33 - 7.74)	8.11	(6.59 - 9.94)
Central 1	5.88	(3.93 - 8.70)	21.59	(16.93 - 27.12)	5.88	(4.11 - 8.35)	8.52	(6.65 - 10.85)
Central 2	6.44	(4.39 - 9.36)	21.32	(16.35 - 27.32)	5.73	(3.95 - 8.26)	7.71	(5.86 - 10.10)
Northern	6.28	(4.20 - 9.29)	22.79	(17.73 - 28.79)	6.53	(4.59 - 9.21)	8.80	(6.80 - 11.32)
Southern	5.90	(4.54 - 7.65)	19.56	(16.54 - 22.98)	5.67	(4.38 - 7.30)	7.49	(6.21 - 9.00)
Southern 1 (Rockingham)	5.95	(4.14 - 8.48)	19.07	(14.79 - 24.23)	5.33	(3.84 - 7.36)	6.92	(5.38 - 8.87)
Southern 2	5.88	(4.28 - 8.01)	19.81	(16.17 - 24.04)	5.87	(4.28 - 8.01)	7.83	(6.25 - 9.76)
New Jersey	5.62	(4.44 - 7.08)	14.73	(12.58 - 17.17)	4.97	(3.94 - 6.25)	6.23	(5.23 - 7.42)
Central	4.96	(3.38 - 7.23)	14.74	(11.21 - 19.15)	4.87	(3.40 - 6.94)	6.05	(4.56 - 8.00)
Metropolitan	4.81	(3.28 - 6.99)	13.27	(10.06 - 17.31)	5.01	(3.55 - 7.04)	6.18	(4.72 - 8.06)
Northern	5.80	(4.09 - 8.17)	14.39	(11.21 - 18.28)	4.66	(3.36 - 6.44)	5.88	(4.56 - 7.56)
Southern	6.91	(4.83 - 9.79)	17.08	(13.29 - 21.69)	5.51	(3.93 - 7.67)	7.05	(5.46 - 9.07)
New Mexico	6.69	(5.35 - 8.34)	18.34	(15.92 - 21.03)	6.40	(5.15 - 7.92)	8.31	(7.11 - 9.69)
Region 1	6.33	(4.39 - 9.03)	16.97	(12.85 - 22.08)	6.07	(4.34 - 8.44)	7.82	(6.05 - 10.07)
Region 2	7.13	(4.86 - 10.34)	17.97	(13.34 - 23.77)	6.53	(4.64 - 9.13)	8.06	(6.09 - 10.59)
Region 3 (Bernalillo)	6.86	(4.92 - 9.50)	20.13	(16.41 - 24.46)	6.95	(5.15 - 9.31)	9.10	(7.35 - 11.23)
Region 4	6.33	(4.24 - 9.35)	16.37	(12.24 - 21.54)	6.32	(4.37 - 9.05)	7.98	(5.99 - 10.56)
Region 5	6.79	(4.70 - 9.71)	18.36	(14.53 - 22.94)	5.80	(4.11 - 8.13)	7.95	(6.26 - 10.07)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	5.04	(4.34 - 5.85)	15.57	(14.29 - 16.94)	4.88	(4.19 - 5.68)	6.42	(5.78 - 7.14)
Region A	4.12	(3.25 - 5.21)	12.83	(11.26 - 14.59)	4.86	(4.01 - 5.87)	6.07	(5.26 - 6.99)
Region 1	3.77	(2.42 - 5.82)	9.40	(6.83 - 12.82)	4.03	(2.82 - 5.72)	4.91	(3.69 - 6.50)
Region 2	3.91	(2.78 - 5.49)	11.80	(9.44 - 14.66)	4.36	(3.25 - 5.81)	5.52	(4.44 - 6.83)
Region 3	5.23	(3.45 - 7.83)	20.53	(16.58 - 25.13)	7.31	(5.46 - 9.74)	9.22	(7.37 - 11.48)
Region 4	4.13	(2.89 - 5.88)	10.83	(8.46 - 13.76)	4.14	(3.02 - 5.66)	5.12	(4.00 - 6.53)
Region B	5.39	(4.38 - 6.61)	16.07	(13.83 - 18.59)	4.51	(3.67 - 5.53)	5.97	(5.14 - 6.93)
Region 5	5.63	(4.26 - 7.39)	16.69	(13.61 - 20.30)	4.41	(3.36 - 5.79)	5.94	(4.87 - 7.23)
Region 6	4.82	(3.40 - 6.79)	14.89	(11.33 - 19.31)	4.61	(3.35 - 6.32)	5.86	(4.54 - 7.53)
Region 7	5.45	(3.85 - 7.66)	15.84	(12.27 - 20.22)	4.66	(3.35 - 6.45)	6.27	(4.88 - 8.02)
Region C	5.83	(4.79 - 7.09)	19.52	(17.53 - 21.67)	5.27	(4.39 - 6.33)	7.38	(6.52 - 8.33)
Region 8	6.22	(4.43 - 8.65)	19.45	(15.93 - 23.51)	5.63	(4.19 - 7.53)	7.61	(6.17 - 9.36)
Region 9	5.31	(3.70 - 7.55)	19.92	(16.16 - 24.30)	4.79	(3.45 - 6.60)	7.05	(5.65 - 8.77)
Region 10	6.54	(4.57 - 9.28)	19.76	(15.64 - 24.65)	5.08	(3.66 - 6.99)	7.77	(6.20 - 9.70)
Region 11	4.88	(3.46 - 6.85)	18.49	(14.77 - 22.91)	4.60	(3.30 - 6.38)	6.64	(5.25 - 8.36)
Region 12	6.60	(4.77 - 9.06)	20.08	(16.36 - 24.40)	6.03	(4.51 - 8.02)	7.94	(6.41 - 9.80)
Region D	5.91	(4.62 - 7.54)	17.51	(14.95 - 20.41)	5.08	(4.04 - 6.37)	6.97	(5.91 - 8.21)
Region 13	5.57	(3.82 - 8.06)	16.85	(12.75 - 21.93)	5.17	(3.71 - 7.15)	6.85	(5.31 - 8.79)
Region 14	5.62	(3.83 - 8.16)	16.14	(12.16 - 21.10)	5.31	(3.74 - 7.47)	7.09	(5.44 - 9.20)
Region 15	6.47	(4.45 - 9.33)	19.58	(15.39 - 24.59)	4.79	(3.46 - 6.60)	6.97	(5.52 - 8.76)
North Carolina	4.60	(3.61 - 5.84)	12.92	(10.97 - 15.16)	4.93	(3.85 - 6.29)	6.06	(5.02 - 7.29)
Eastern	4.67	(3.11 - 6.95)	15.05	(11.59 - 19.33)	5.05	(3.51 - 7.22)	6.59	(5.04 - 8.58)
North Central	4.58	(3.13 - 6.66)	11.93	(8.86 - 15.87)	4.85	(3.33 - 7.01)	5.85	(4.34 - 7.86)
South Central	4.12	(2.82 - 5.97)	11.73	(8.74 - 15.56)	4.72	(3.27 - 6.76)	5.75	(4.31 - 7.63)
Western	4.94	(3.52 - 6.90)	13.27	(10.59 - 16.50)	5.06	(3.73 - 6.84)	6.12	(4.81 - 7.75)
North Dakota	8.03	(6.52 - 9.86)	23.66	(21.04 - 26.50)	6.76	(5.48 - 8.31)	9.71	(8.49 - 11.10)
Badlands and West Central Lake Region and South Central	8.67	(6.38 - 11.69)	23.66	(18.96 - 29.10)	6.36	(4.61 - 8.71)	8.85	(7.05 - 11.06)
North Central and Northwest	6.77	(4.73 - 9.61)	17.67	(13.29 - 23.10)	5.47	(3.88 - 7.65)	7.04	(5.40 - 9.14)
Northeast	7.92	(5.57 - 11.15)	23.47	(18.68 - 29.06)	6.86	(4.96 - 9.41)	9.46	(7.53 - 11.81)
Southeast	7.56	(5.25 - 10.79)	24.37	(19.78 - 29.63)	6.54	(4.72 - 9.01)	10.63	(8.68 - 12.95)
Southeast	8.54	(6.09 - 11.85)	25.46	(21.57 - 29.77)	8.08	(5.99 - 10.81)	11.80	(9.77 - 14.19)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	5.14	(4.49 - 5.88)	17.34	(16.11 - 18.64)	5.46	(4.81 - 6.20)	7.20	(6.61 - 7.85)
Boards 2, 46, 55, and 68	5.29	(3.66 - 7.59)	17.17	(13.37 - 21.79)	5.04	(3.69 - 6.86)	6.76	(5.33 - 8.53)
Boards 3, 52, and 85	4.97	(3.38 - 7.27)	15.25	(11.40 - 20.11)	4.61	(3.30 - 6.41)	6.17	(4.76 - 7.95)
Boards 4 and 78	5.22	(3.58 - 7.55)	18.02	(13.94 - 22.97)	5.30	(3.82 - 7.33)	6.91	(5.36 - 8.87)
Boards 5 and 60	5.15	(3.56 - 7.40)	17.91	(14.12 - 22.46)	5.00	(3.64 - 6.85)	7.37	(5.91 - 9.16)
Boards 7, 15, 41, 79, and 84	5.43	(3.78 - 7.75)	16.64	(12.75 - 21.43)	5.04	(3.67 - 6.90)	6.52	(5.08 - 8.34)
Boards 8, 13, and 83	5.23	(3.70 - 7.34)	14.85	(11.23 - 19.39)	5.25	(3.84 - 7.13)	6.58	(5.13 - 8.41)
Board 9 (Butler)	5.75	(4.01 - 8.16)	19.62	(15.33 - 24.77)	5.60	(4.05 - 7.70)	8.08	(6.41 - 10.15)
Board 12	4.52	(3.03 - 6.70)	14.41	(10.84 - 18.90)	4.78	(3.38 - 6.73)	6.32	(4.84 - 8.20)
Boards 18 and 47	4.60	(3.43 - 6.14)	17.32	(14.58 - 20.45)	5.58	(4.36 - 7.12)	7.13	(5.94 - 8.53)
Boards 20, 32, 54, and 69	6.06	(4.28 - 8.51)	16.80	(12.83 - 21.68)	5.30	(3.78 - 7.37)	6.93	(5.35 - 8.94)
Boards 21, 39, 51, 70, and 80	5.04	(3.57 - 7.08)	14.69	(11.42 - 18.68)	5.04	(3.68 - 6.86)	6.34	(4.95 - 8.07)
Boards 22, 74, and 87	5.91	(4.07 - 8.49)	19.82	(15.34 - 25.23)	5.69	(4.08 - 7.88)	7.97	(6.22 - 10.15)
Boards 23 and 45	5.08	(3.49 - 7.32)	18.00	(14.06 - 22.77)	5.44	(3.98 - 7.39)	7.22	(5.67 - 9.14)
Board 25 (Franklin)	5.21	(3.82 - 7.07)	18.56	(15.62 - 21.91)	5.97	(4.62 - 7.69)	8.23	(6.91 - 9.78)
Boards 27, 71, and 73	5.11	(3.59 - 7.21)	12.45	(9.48 - 16.19)	4.72	(3.42 - 6.50)	5.83	(4.51 - 7.51)
Boards 28, 43, and 67	5.51	(3.88 - 7.77)	18.81	(15.00 - 23.33)	5.55	(4.08 - 7.50)	7.46	(5.96 - 9.30)
Board 31 (Hamilton)	5.92	(4.20 - 8.27)	18.60	(14.98 - 22.85)	6.08	(4.56 - 8.06)	7.99	(6.46 - 9.84)
Board 48 (Lucas)	4.66	(3.32 - 6.50)	19.06	(15.24 - 23.56)	5.86	(4.30 - 7.92)	7.92	(6.32 - 9.89)
Boards 50 and 76	5.02	(3.55 - 7.07)	17.66	(13.92 - 22.15)	5.66	(4.18 - 7.63)	7.23	(5.72 - 9.10)
Board 57 (Montgomery)	4.57	(3.14 - 6.60)	16.82	(13.19 - 21.20)	5.59	(4.08 - 7.61)	7.27	(5.71 - 9.20)
Board 77 (Summit)	4.69	(3.30 - 6.64)	17.72	(13.91 - 22.31)	5.61	(4.13 - 7.58)	7.22	(5.69 - 9.12)
Oklahoma	5.25	(4.10 - 6.69)	16.27	(14.07 - 18.75)	5.61	(4.56 - 6.89)	7.32	(6.28 - 8.51)
Central	4.76	(3.04 - 7.39)	17.11	(12.97 - 22.23)	5.10	(3.50 - 7.39)	7.28	(5.58 - 9.44)
East Central	5.36	(3.59 - 7.91)	12.42	(8.95 - 17.00)	4.96	(3.47 - 7.04)	6.03	(4.50 - 8.03)
Northeast	4.96	(3.18 - 7.65)	15.86	(11.98 - 20.70)	5.74	(4.04 - 8.08)	7.35	(5.61 - 9.56)
Northwest and Southwest	6.19	(4.19 - 9.07)	17.83	(13.59 - 23.04)	5.40	(3.82 - 7.60)	7.43	(5.73 - 9.59)
Oklahoma County	4.71	(3.15 - 6.99)	17.02	(13.13 - 21.78)	5.92	(4.22 - 8.24)	7.79	(6.03 - 10.02)
Southeast	5.29	(3.52 - 7.87)	13.89	(10.06 - 18.88)	5.08	(3.58 - 7.17)	6.34	(4.76 - 8.41)
Tulsa County	5.41	(3.63 - 8.00)	17.92	(13.92 - 22.76)	6.64	(4.80 - 9.14)	8.44	(6.58 - 10.77)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	5.78	(4.58 - 7.28)	16.23	(13.92 - 18.83)	5.44	(4.37 - 6.74)	6.98	(5.94 - 8.19)
Region 1 (Multnomah)	5.06	(3.38 - 7.52)	17.41	(13.44 - 22.25)	6.48	(4.66 - 8.95)	8.13	(6.31 - 10.42)
Region 2	6.44	(4.56 - 9.03)	19.24	(15.01 - 24.33)	6.18	(4.54 - 8.36)	8.00	(6.31 - 10.10)
Region 3	5.73	(4.04 - 8.07)	14.58	(11.62 - 18.14)	4.76	(3.41 - 6.62)	6.31	(4.97 - 7.98)
Region 4	5.43	(3.62 - 8.08)	14.19	(10.29 - 19.26)	4.61	(3.18 - 6.64)	5.73	(4.25 - 7.69)
Region 5	6.10	(4.06 - 9.07)	15.13	(10.97 - 20.50)	5.05	(3.49 - 7.25)	6.36	(4.71 - 8.53)
Pennsylvania	5.06	(4.40 - 5.82)	17.69	(16.47 - 18.99)	5.26	(4.59 - 6.02)	7.02	(6.40 - 7.68)
Region 1 (Allegheny)	4.59	(3.30 - 6.34)	20.22	(16.76 - 24.18)	6.13	(4.64 - 8.06)	8.00	(6.51 - 9.79)
Regions 2, 3, 8, and 9	4.76	(3.31 - 6.80)	19.45	(15.46 - 24.19)	5.38	(3.89 - 7.38)	7.39	(5.85 - 9.30)
Regions 4, 11, 37, and 49	5.44	(3.90 - 7.52)	18.01	(14.46 - 22.21)	5.08	(3.77 - 6.80)	6.77	(5.43 - 8.41)
Regions 5, 18, 23, 24, and 46	4.14	(2.87 - 5.95)	14.03	(11.03 - 17.68)	4.34	(3.16 - 5.92)	5.69	(4.51 - 7.17)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	6.77	(4.87 - 9.34)	21.88	(18.39 - 25.82)	5.54	(4.18 - 7.31)	8.56	(7.15 - 10.21)
Regions 7, 13, 20, and 33	6.24	(4.86 - 7.98)	19.18	(16.51 - 22.17)	5.22	(4.10 - 6.63)	7.03	(5.94 - 8.31)
Regions 10, 14, 15, 27, 32, 43, and 44	4.75	(3.31 - 6.79)	17.05	(13.42 - 21.41)	4.76	(3.45 - 6.53)	6.40	(5.04 - 8.10)
Regions 17 and 21	6.05	(4.15 - 8.73)	21.44	(17.04 - 26.61)	5.64	(4.05 - 7.81)	8.17	(6.50 - 10.22)
Regions 19, 26, 28, and 42	4.34	(3.17 - 5.93)	14.35	(11.87 - 17.24)	4.62	(3.44 - 6.19)	5.96	(4.79 - 7.39)
Regions 22, 38, 40, 41, and 48	4.52	(3.19 - 6.37)	15.84	(12.44 - 19.96)	4.60	(3.39 - 6.22)	5.96	(4.72 - 7.50)
Regions 25 and 30	5.32	(3.75 - 7.50)	17.99	(14.09 - 22.68)	5.28	(3.89 - 7.13)	6.93	(5.50 - 8.70)
Regions 29 and 34	4.19	(2.82 - 6.18)	13.93	(10.45 - 18.33)	4.73	(3.37 - 6.60)	5.97	(4.57 - 7.77)
Region 36 (Philadelphia)	4.11	(2.90 - 5.79)	16.17	(13.47 - 19.30)	6.31	(4.80 - 8.26)	7.99	(6.55 - 9.71)
Rhode Island	5.49	(4.26 - 7.04)	18.92	(16.45 - 21.66)	7.01	(5.64 - 8.68)	8.85	(7.55 - 10.34)
Bristol and Newport	6.13	(4.07 - 9.13)	*	(* - *)	6.27	(4.38 - 8.91)	8.58	(6.54 - 11.16)
Kent	5.66	(3.80 - 8.34)	17.52	(13.14 - 22.96)	6.10	(4.27 - 8.64)	7.51	(5.66 - 9.88)
Providence	5.10	(3.64 - 7.12)	16.97	(14.08 - 20.33)	7.46	(5.73 - 9.65)	9.03	(7.42 - 10.96)
Washington	6.49	(4.46 - 9.34)	25.90	(20.50 - 32.15)	6.90	(4.91 - 9.63)	10.01	(7.88 - 12.63)
South Carolina	4.36	(3.42 - 5.55)	13.74	(11.62 - 16.17)	6.58	(5.27 - 8.19)	7.64	(6.42 - 9.06)
Region 1	4.49	(3.05 - 6.55)	12.45	(9.23 - 16.58)	5.59	(3.98 - 7.80)	6.57	(5.01 - 8.59)
Region 2	4.76	(3.32 - 6.76)	15.62	(12.42 - 19.46)	7.08	(5.24 - 9.51)	8.36	(6.59 - 10.56)
Region 3	3.70	(2.46 - 5.53)	11.26	(8.07 - 15.51)	6.23	(4.40 - 8.75)	6.94	(5.16 - 9.28)
Region 4	4.25	(2.91 - 6.15)	14.45	(11.18 - 18.46)	7.29	(5.25 - 10.03)	8.39	(6.49 - 10.80)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	7.35	(5.91 - 9.10)	22.04	(19.52 - 24.79)	7.01	(5.72 - 8.56)	9.46	(8.23 - 10.86)
Region 1	7.58	(5.22 - 10.87)	23.78	(18.67 - 29.77)	7.15	(5.15 - 9.85)	9.86	(7.77 - 12.45)
Region 2	7.24	(5.10 - 10.16)	22.66	(18.73 - 27.13)	7.42	(5.53 - 9.89)	10.02	(8.16 - 12.25)
Region 3	7.14	(4.96 - 10.20)	21.15	(16.96 - 26.06)	6.46	(4.58 - 9.03)	9.14	(7.23 - 11.50)
Region 4	7.91	(5.33 - 11.60)	*	(* - *)	7.05	(4.92 - 10.00)	9.82	(7.56 - 12.65)
Region 5	8.37	(5.70 - 12.12)	*	(* - *)	6.99	(4.99 - 9.72)	9.19	(7.09 - 11.84)
Region 6	7.67	(5.19 - 11.17)	*	(* - *)	7.07	(4.97 - 9.96)	8.70	(6.58 - 11.42)
Region 7	6.35	(4.27 - 9.33)	19.61	(15.17 - 24.98)	6.77	(4.80 - 9.48)	8.85	(6.87 - 11.33)
Tennessee	4.58	(3.61 - 5.79)	15.08	(12.99 - 17.44)	5.24	(4.19 - 6.53)	6.63	(5.62 - 7.81)
Region 1	5.80	(3.89 - 8.58)	15.16	(11.08 - 20.40)	5.36	(3.64 - 7.81)	6.59	(4.82 - 8.94)
Region 2	5.16	(3.50 - 7.54)	17.47	(13.55 - 22.23)	5.34	(3.76 - 7.53)	7.01	(5.38 - 9.08)
Region 3	4.27	(2.83 - 6.40)	14.86	(11.19 - 19.47)	4.99	(3.55 - 6.97)	6.34	(4.86 - 8.24)
Region 4 (Davidson)	3.61	(2.30 - 5.62)	13.71	(10.07 - 18.40)	5.58	(3.88 - 7.97)	6.85	(5.11 - 9.14)
Region 5	4.96	(3.40 - 7.17)	16.26	(12.60 - 20.73)	5.10	(3.61 - 7.16)	6.70	(5.18 - 8.61)
Region 6	4.95	(3.23 - 7.51)	14.02	(10.36 - 18.70)	5.41	(3.75 - 7.73)	6.61	(4.92 - 8.82)
Region 7 (Shelby)	3.47	(2.27 - 5.27)	12.53	(9.15 - 16.92)	5.16	(3.55 - 7.45)	6.27	(4.65 - 8.40)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	4.72	(4.09 - 5.45)	15.70	(14.52 - 16.96)	6.42	(5.65 - 7.27)	7.94	(7.26 - 8.68)
Region 1	7.09	(4.87 - 10.20)	20.59	(16.21 - 25.79)	7.15	(5.18 - 9.81)	9.52	(7.50 - 12.02)
Region 2	4.75	(3.19 - 7.03)	14.53	(10.86 - 19.17)	5.47	(3.85 - 7.73)	6.89	(5.24 - 9.02)
Region 3	4.68	(3.74 - 5.83)	15.89	(13.84 - 18.19)	5.94	(4.93 - 7.15)	7.54	(6.57 - 8.63)
Region 3a	4.59	(3.47 - 6.07)	15.77	(13.24 - 18.69)	6.09	(4.86 - 7.62)	7.67	(6.49 - 9.05)
Region 3bc	4.82	(3.47 - 6.68)	16.12	(13.06 - 19.72)	5.69	(4.35 - 7.40)	7.29	(5.96 - 8.90)
Region 4	4.46	(3.04 - 6.52)	12.22	(9.24 - 15.98)	5.37	(3.84 - 7.46)	6.30	(4.81 - 8.23)
Region 5	4.50	(3.07 - 6.55)	14.36	(10.76 - 18.91)	5.75	(4.16 - 7.90)	7.02	(5.43 - 9.05)
Region 6	3.67	(2.77 - 4.85)	14.02	(12.08 - 16.22)	7.29	(5.87 - 9.02)	8.37	(7.07 - 9.88)
Region 6a	3.53	(2.57 - 4.81)	13.63	(11.57 - 15.99)	7.39	(5.85 - 9.30)	8.41	(7.00 - 10.07)
Region 6bc	4.93	(3.32 - 7.27)	17.75	(13.46 - 23.05)	6.48	(4.65 - 8.96)	8.06	(6.21 - 10.40)
Region 7	5.44	(4.18 - 7.06)	19.89	(17.05 - 23.06)	6.35	(5.07 - 7.91)	9.02	(7.74 - 10.49)
Region 7a	5.58	(3.96 - 7.81)	21.38	(17.53 - 25.82)	6.48	(4.87 - 8.56)	9.25	(7.62 - 11.19)
Region 7bcd	5.26	(3.66 - 7.51)	17.87	(14.37 - 22.01)	6.13	(4.54 - 8.23)	8.65	(7.00 - 10.64)
Region 8	4.92	(3.57 - 6.76)	16.07	(13.01 - 19.69)	6.98	(5.31 - 9.12)	8.38	(6.77 - 10.32)
Region 9	5.44	(3.72 - 7.91)	15.41	(11.45 - 20.43)	5.94	(4.23 - 8.28)	7.42	(5.67 - 9.66)
Region 10	5.12	(3.56 - 7.32)	13.73	(10.15 - 18.31)	5.63	(4.02 - 7.84)	7.02	(5.38 - 9.11)
Region 11	5.30	(3.99 - 7.01)	13.52	(10.95 - 16.58)	6.21	(4.77 - 8.06)	7.51	(6.11 - 9.20)
Region 11abd	5.30	(3.69 - 7.57)	14.38	(10.99 - 18.60)	6.25	(4.52 - 8.59)	7.65	(5.91 - 9.83)
Region 11c (Hidalgo)	5.30	(3.67 - 7.61)	11.98	(8.93 - 15.89)	6.13	(4.43 - 8.41)	7.24	(5.60 - 9.32)
Utah	4.52	(3.46 - 5.89)	12.69	(10.71 - 14.98)	4.78	(3.67 - 6.21)	6.48	(5.41 - 7.74)
Bear River, Northeastern, Summit, Tooele, and Wasatch	4.88	(3.14 - 7.50)	13.30	(9.60 - 18.14)	4.56	(3.05 - 6.78)	6.47	(4.82 - 8.65)
Central, Four Corners, San Juan, and Southwest	4.02	(2.57 - 6.23)	10.79	(7.63 - 15.04)	4.16	(2.77 - 6.20)	5.38	(3.95 - 7.28)
Davis County	4.54	(2.92 - 7.00)	13.87	(10.08 - 18.79)	4.52	(3.05 - 6.64)	6.37	(4.75 - 8.50)
Salt Lake County	4.73	(3.30 - 6.72)	13.16	(10.43 - 16.46)	5.24	(3.79 - 7.20)	6.79	(5.38 - 8.54)
Utah County	4.01	(2.53 - 6.32)	11.20	(8.20 - 15.11)	4.14	(2.72 - 6.26)	6.28	(4.72 - 8.32)
Weber, Morgan	4.89	(3.11 - 7.61)	14.94	(10.88 - 20.17)	5.13	(3.43 - 7.61)	7.00	(5.17 - 9.41)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	6.22	(5.03 - 7.68)	21.80	(19.33 - 24.50)	6.37	(5.15 - 7.86)	8.62	(7.46 - 9.94)
Champlain Valley	6.00	(4.38 - 8.18)	23.44	(19.80 - 27.53)	6.51	(4.98 - 8.45)	9.45	(7.94 - 11.22)
Rural Northeast	6.34	(4.48 - 8.88)	19.94	(15.92 - 24.68)	6.33	(4.53 - 8.78)	8.21	(6.42 - 10.44)
Rural Southeast	6.23	(4.34 - 8.86)	20.47	(15.99 - 25.83)	6.16	(4.39 - 8.58)	7.81	(6.03 - 10.06)
Rural Southwest	6.59	(4.54 - 9.47)	21.03	(16.51 - 26.39)	6.42	(4.54 - 9.02)	8.30	(6.38 - 10.74)
Virginia	4.64	(3.66 - 5.86)	16.83	(14.61 - 19.32)	5.53	(4.40 - 6.92)	7.13	(6.04 - 8.39)
Region 1	4.78	(3.16 - 7.16)	16.80	(12.83 - 21.70)	5.31	(3.63 - 7.71)	7.00	(5.28 - 9.23)
Region 2	4.42	(3.04 - 6.39)	18.42	(14.59 - 22.98)	5.56	(3.99 - 7.68)	7.21	(5.64 - 9.17)
Region 3	5.57	(3.71 - 8.29)	18.45	(14.20 - 23.62)	6.27	(4.39 - 8.87)	7.95	(6.05 - 10.38)
Region 4	4.84	(3.32 - 7.02)	15.71	(12.20 - 20.01)	5.33	(3.76 - 7.51)	6.72	(5.14 - 8.73)
Region 5	3.99	(2.73 - 5.80)	14.95	(11.53 - 19.16)	5.18	(3.67 - 7.27)	6.74	(5.21 - 8.67)
Washington	5.48	(4.37 - 6.83)	16.84	(14.51 - 19.47)	6.36	(5.13 - 7.85)	7.88	(6.71 - 9.24)
Region 1	5.93	(4.00 - 8.70)	18.62	(14.14 - 24.12)	6.47	(4.57 - 9.07)	8.41	(6.44 - 10.90)
Region 2	5.54	(3.75 - 8.11)	14.83	(10.85 - 19.95)	5.36	(3.70 - 7.71)	6.86	(5.15 - 9.09)
Region 3	5.77	(3.94 - 8.37)	17.28	(13.01 - 22.59)	6.09	(4.36 - 8.45)	7.73	(5.94 - 10.00)
Region 4 (King)	5.37	(3.71 - 7.72)	17.58	(13.98 - 21.86)	6.98	(5.11 - 9.47)	8.46	(6.62 - 10.74)
Region 5	4.87	(3.26 - 7.21)	15.37	(11.48 - 20.26)	6.12	(4.35 - 8.54)	7.51	(5.73 - 9.79)
Region 6	5.52	(3.81 - 7.94)	16.16	(12.31 - 20.92)	6.14	(4.37 - 8.57)	7.46	(5.70 - 9.71)
West Virginia	5.26	(4.18 - 6.61)	16.57	(14.45 - 18.95)	4.91	(3.91 - 6.15)	6.47	(5.50 - 7.61)
Eastern Highland	5.40	(3.75 - 7.71)	16.23	(12.72 - 20.48)	4.83	(3.37 - 6.87)	6.26	(4.78 - 8.17)
Northern	5.30	(3.86 - 7.22)	20.51	(16.92 - 24.64)	5.46	(4.13 - 7.18)	7.72	(6.36 - 9.35)
Northern A and B	5.82	(3.84 - 8.74)	*	(* - *)	5.46	(3.78 - 7.83)	7.11	(5.32 - 9.43)
Northern C and D	5.05	(3.45 - 7.34)	20.99	(16.76 - 25.95)	5.45	(3.94 - 7.51)	8.03	(6.43 - 9.99)
South Central	5.28	(3.96 - 7.02)	14.93	(12.22 - 18.11)	4.60	(3.53 - 5.98)	5.94	(4.85 - 7.26)
South Central I	5.57	(3.75 - 8.20)	14.91	(10.98 - 19.93)	4.53	(3.13 - 6.51)	5.77	(4.31 - 7.69)
South Central II	4.66	(2.95 - 7.30)	15.30	(11.36 - 20.30)	4.47	(3.07 - 6.45)	6.10	(4.60 - 8.04)
South Central III	5.53	(3.71 - 8.16)	14.63	(11.03 - 19.15)	4.73	(3.35 - 6.64)	5.94	(4.53 - 7.75)
Southern	5.00	(3.58 - 6.95)	13.85	(10.91 - 17.42)	4.89	(3.60 - 6.61)	6.04	(4.75 - 7.66)
Southern I and III	4.72	(3.08 - 7.18)	13.89	(10.23 - 18.58)	4.94	(3.43 - 7.08)	6.09	(4.55 - 8.11)
Southern II	5.56	(3.58 - 8.54)	13.76	(10.14 - 18.42)	4.77	(3.27 - 6.91)	5.93	(4.39 - 7.98)

See notes at end of table.

(continued)

Table 20. Needing But Not Receiving Treatment for Alcohol Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	6.93	(5.64 - 8.50)	22.83	(20.06 - 25.86)	7.34	(6.03 - 8.90)	9.69	(8.42 - 11.12)
Milwaukee	5.42	(3.70 - 7.88)	22.16	(17.36 - 27.84)	7.77	(5.63 - 10.63)	10.09	(7.92 - 12.76)
Northeastern	7.36	(5.26 - 10.21)	23.98	(19.36 - 29.29)	7.41	(5.45 - 10.01)	9.80	(7.83 - 12.19)
Northern	6.48	(4.33 - 9.59)	19.96	(15.49 - 25.33)	6.84	(4.74 - 9.78)	8.61	(6.52 - 11.29)
Southeastern	7.43	(5.33 - 10.26)	22.36	(17.52 - 28.08)	7.75	(5.73 - 10.41)	9.72	(7.69 - 12.21)
Southern	6.37	(4.43 - 9.07)	23.67	(18.59 - 29.64)	7.11	(5.27 - 9.52)	9.83	(7.89 - 12.19)
Western	8.48	(5.80 - 12.23)	22.94	(17.82 - 29.01)	6.72	(4.71 - 9.50)	9.47	(7.36 - 12.12)
Wyoming	7.46	(6.10 - 9.11)	21.32	(18.86 - 24.01)	7.23	(5.91 - 8.81)	9.46	(8.19 - 10.91)
Judicial District 1 (Laramie)	7.11	(4.95 - 10.12)	21.39	(16.71 - 26.94)	7.18	(5.20 - 9.84)	9.36	(7.31 - 11.92)
Judicial District 2	7.59	(5.10 - 11.16)	25.36	(20.47 - 30.96)	7.91	(5.61 - 11.03)	12.68	(10.28 - 15.53)
Judicial District 3	7.85	(5.47 - 11.13)	19.54	(15.07 - 24.96)	6.94	(4.97 - 9.60)	8.95	(6.97 - 11.42)
Judicial District 4	7.65	(5.05 - 11.44)	*	(* - *)	7.03	(4.91 - 9.97)	8.62	(6.46 - 11.42)
Judicial District 5	7.30	(4.99 - 10.55)	18.76	(14.00 - 24.67)	6.78	(4.80 - 9.51)	8.28	(6.25 - 10.89)
Judicial District 6	7.31	(5.01 - 10.56)	*	(* - *)	7.35	(5.16 - 10.35)	9.21	(6.97 - 12.06)
Judicial District 7 (Natrona)	7.78	(5.48 - 10.93)	22.54	(17.81 - 28.10)	7.25	(5.28 - 9.87)	9.67	(7.66 - 12.13)
Judicial District 8	7.47	(5.02 - 10.99)	17.50	(12.94 - 23.23)	6.53	(4.52 - 9.34)	7.90	(5.87 - 10.55)
Judicial District 9	7.06	(4.75 - 10.36)	*	(* - *)	7.90	(5.58 - 11.09)	9.86	(7.50 - 12.86)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for alcohol, but not receiving treatment for an alcohol problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	4.53		7.55		1.49		2.39	
Northeast	4.59	(4.22 - 4.98)	8.17	(7.65 - 8.72)	1.32	(1.15 - 1.51)	2.28	(2.11 - 2.46)
Midwest	4.30	(4.02 - 4.61)	7.23	(6.85 - 7.64)	1.41	(1.25 - 1.59)	2.29	(2.14 - 2.46)
South	4.39	(4.11 - 4.68)	7.39	(7.00 - 7.80)	1.52	(1.36 - 1.69)	2.39	(2.23 - 2.55)
West	4.90	(4.48 - 5.37)	7.63	(7.10 - 8.21)	1.65	(1.42 - 1.92)	2.57	(2.35 - 2.81)
Alabama	4.24	(3.31 - 5.41)	6.69	(5.31 - 8.39)	1.33	(0.94 - 1.87)	2.13	(1.70 - 2.65)
Region 1	4.44	(3.05 - 6.40)	7.18	(4.98 - 10.23)	1.13	(0.67 - 1.92)	1.95	(1.36 - 2.78)
Region 2	4.52	(3.13 - 6.47)	6.54	(4.54 - 9.33)	1.36	(0.81 - 2.26)	2.14	(1.51 - 3.03)
Region 3	3.71	(2.43 - 5.61)	5.89	(3.88 - 8.84)	1.42	(0.80 - 2.53)	2.22	(1.49 - 3.28)
Region 4	4.08	(2.75 - 6.02)	7.15	(4.86 - 10.40)	1.46	(0.88 - 2.43)	2.26	(1.57 - 3.25)
Alaska	4.71	(3.61 - 6.11)	8.20	(6.58 - 10.17)	2.17	(1.51 - 3.13)	3.15	(2.49 - 3.97)
Gulf Coast	4.96	(3.25 - 7.50)	9.52	(6.29 - 14.16)	2.20	(1.19 - 4.02)	3.19	(2.08 - 4.86)
Rural	4.15	(2.56 - 6.65)	6.64	(4.13 - 10.51)	*	(* - *)	3.57	(2.15 - 5.85)
Southeast	4.47	(2.94 - 6.74)	9.43	(6.17 - 14.17)	1.84	(1.03 - 3.29)	2.89	(1.91 - 4.35)
Urban	4.81	(3.48 - 6.62)	8.11	(6.26 - 10.46)	2.13	(1.37 - 3.30)	3.12	(2.35 - 4.13)
Arizona	5.46	(4.21 - 7.04)	6.44	(5.06 - 8.15)	1.49	(1.04 - 2.14)	2.24	(1.75 - 2.86)
Maricopa	5.39	(3.90 - 7.40)	6.18	(4.55 - 8.33)	1.46	(0.92 - 2.31)	2.21	(1.62 - 3.00)
Pima	6.55	(4.30 - 9.84)	6.94	(4.60 - 10.33)	1.58	(0.88 - 2.81)	2.39	(1.58 - 3.62)
Rural North	4.81	(3.13 - 7.32)	7.48	(4.87 - 11.31)	1.59	(0.87 - 2.88)	2.39	(1.54 - 3.68)
Rural South	5.03	(3.23 - 7.75)	6.19	(3.87 - 9.77)	1.41	(0.75 - 2.63)	2.06	(1.29 - 3.26)
Arkansas	5.97	(4.71 - 7.54)	9.02	(7.36 - 11.01)	1.69	(1.21 - 2.34)	2.78	(2.25 - 3.43)
Areas 1 and 2	6.03	(4.05 - 8.88)	9.29	(6.35 - 13.41)	1.50	(0.86 - 2.61)	2.72	(1.87 - 3.92)
Areas 3 and 4	6.59	(4.45 - 9.67)	9.24	(6.33 - 13.29)	1.55	(0.90 - 2.66)	2.69	(1.86 - 3.86)
Areas 5 and 6	5.31	(3.56 - 7.86)	7.16	(4.93 - 10.31)	1.50	(0.87 - 2.56)	2.39	(1.63 - 3.48)
Areas 7, 12, and 13	5.90	(3.96 - 8.72)	9.02	(6.09 - 13.16)	2.26	(1.31 - 3.88)	3.29	(2.21 - 4.88)
Areas 8, 10, and 11	5.65	(3.77 - 8.39)	8.03	(5.55 - 11.48)	1.48	(0.85 - 2.56)	2.38	(1.62 - 3.48)
Area 9	6.32	(4.36 - 9.08)	11.12	(7.87 - 15.48)	1.93	(1.13 - 3.27)	3.26	(2.30 - 4.60)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2004, 2005 and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	4.98	(4.32 - 5.74)	7.70	(6.87 - 8.62)	1.70	(1.36 - 2.14)	2.64	(2.30 - 3.02)
Region 1	5.59	(3.80 - 8.14)	10.04	(6.97 - 14.26)	2.11	(1.22 - 3.62)	3.28	(2.24 - 4.78)
Region 2	5.36	(3.90 - 7.34)	8.94	(6.75 - 11.75)	1.98	(1.23 - 3.16)	3.00	(2.19 - 4.10)
Region 3	4.51	(3.10 - 6.54)	7.41	(5.03 - 10.79)	1.92	(1.09 - 3.34)	2.79	(1.87 - 4.15)
Region 4	4.80	(3.27 - 7.00)	8.98	(6.26 - 12.72)	1.74	(1.03 - 2.91)	2.61	(1.79 - 3.79)
Region 5	5.65	(3.97 - 7.98)	8.95	(6.44 - 12.29)	2.23	(1.33 - 3.70)	3.15	(2.17 - 4.56)
Region 6 (Santa Clara)	4.61	(3.18 - 6.63)	7.63	(5.38 - 10.72)	1.40	(0.85 - 2.31)	2.29	(1.62 - 3.23)
Region 7	5.18	(3.41 - 7.81)	8.12	(5.53 - 11.78)	1.82	(1.06 - 3.11)	2.89	(1.97 - 4.22)
Region 8	4.62	(3.20 - 6.62)	7.44	(5.13 - 10.69)	1.78	(1.00 - 3.14)	2.79	(1.90 - 4.10)
Region 9	5.70	(3.96 - 8.13)	9.14	(6.42 - 12.87)	1.96	(1.12 - 3.40)	3.21	(2.21 - 4.64)
Region 10	5.62	(3.85 - 8.11)	10.95	(7.77 - 15.21)	1.59	(0.91 - 2.77)	3.09	(2.18 - 4.38)
Region 11 (Los Angeles)	4.92	(3.84 - 6.28)	6.26	(4.99 - 7.83)	1.65	(1.12 - 2.43)	2.39	(1.86 - 3.07)
Region 12	4.17	(2.86 - 6.05)	5.84	(4.00 - 8.47)	1.58	(0.90 - 2.76)	2.31	(1.55 - 3.43)
Region 13 (Riverside)	5.61	(3.93 - 7.94)	8.72	(6.17 - 12.18)	1.52	(0.87 - 2.66)	2.62	(1.82 - 3.75)
Region 14 (Orange)	4.59	(3.21 - 6.50)	7.00	(5.04 - 9.64)	1.37	(0.83 - 2.24)	2.21	(1.57 - 3.09)
Region 15	4.84	(3.41 - 6.84)	8.56	(6.43 - 11.31)	1.48	(0.92 - 2.36)	2.67	(1.99 - 3.58)
Colorado	5.41	(4.26 - 6.84)	8.96	(7.26 - 11.02)	1.66	(1.17 - 2.35)	2.74	(2.20 - 3.41)
Region 1	5.01	(3.29 - 7.55)	8.63	(5.91 - 12.43)	1.36	(0.78 - 2.36)	2.64	(1.82 - 3.80)
Regions 2 and 7	5.75	(4.24 - 7.76)	8.90	(6.74 - 11.68)	1.72	(1.09 - 2.72)	2.76	(2.04 - 3.71)
Region 3	5.18	(3.38 - 7.87)	10.31	(7.09 - 14.76)	1.88	(1.07 - 3.28)	3.11	(2.13 - 4.54)
Region 4	5.14	(3.30 - 7.92)	8.15	(5.24 - 12.44)	1.70	(0.91 - 3.13)	2.57	(1.64 - 4.00)
Regions 5 and 6	4.68	(3.06 - 7.08)	8.38	(5.60 - 12.35)	1.36	(0.75 - 2.44)	2.39	(1.60 - 3.55)
Connecticut	5.05	(3.98 - 6.40)	10.81	(8.86 - 13.13)	1.30	(0.91 - 1.86)	2.56	(2.09 - 3.14)
Eastern	5.43	(3.62 - 8.08)	10.67	(7.17 - 15.58)	1.37	(0.75 - 2.48)	2.95	(2.01 - 4.31)
North Central	4.94	(3.38 - 7.15)	11.04	(8.05 - 14.97)	1.50	(0.88 - 2.55)	2.72	(1.95 - 3.79)
Northwestern	4.98	(3.35 - 7.34)	12.16	(8.58 - 16.97)	1.20	(0.69 - 2.10)	2.53	(1.79 - 3.57)
South Central	4.52	(3.09 - 6.57)	9.68	(6.85 - 13.49)	1.21	(0.68 - 2.13)	2.38	(1.67 - 3.37)
Southwest	5.71	(3.84 - 8.42)	10.96	(7.61 - 15.54)	1.17	(0.67 - 2.03)	2.34	(1.65 - 3.33)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2004, 2005 and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	4.21	(3.26 - 5.42)	8.83	(7.19 - 10.81)	1.54	(1.08 - 2.20)	2.61	(2.11 - 3.23)
Kent	3.97	(2.58 - 6.04)	8.04	(5.56 - 11.50)	1.98	(1.13 - 3.47)	2.94	(1.98 - 4.34)
New Castle (excluding Wilmington City)	3.79	(2.67 - 5.36)	9.31	(7.07 - 12.16)	1.16	(0.68 - 1.97)	2.43	(1.83 - 3.22)
Sussex	5.41	(3.59 - 8.07)	8.22	(5.67 - 11.76)	1.88	(1.06 - 3.32)	2.58	(1.69 - 3.91)
Wilmington City	4.63	(3.01 - 7.07)	8.49	(5.50 - 12.90)	2.14	(1.20 - 3.79)	3.14	(2.05 - 4.79)
District of Columbia	3.93	(2.93 - 5.24)	7.38	(5.91 - 9.19)	2.16	(1.53 - 3.03)	2.99	(2.37 - 3.77)
Ward 1	4.02	(2.46 - 6.51)	7.07	(4.53 - 10.88)	2.36	(1.34 - 4.12)	3.21	(2.10 - 4.87)
Ward 2	*	(* - *)	6.86	(4.78 - 9.75)	1.70	(0.97 - 2.98)	2.99	(2.09 - 4.25)
Ward 3	4.14	(2.61 - 6.50)	6.33	(4.10 - 9.65)	1.08	(0.58 - 1.98)	1.91	(1.25 - 2.91)
Ward 4	3.63	(2.28 - 5.75)	6.52	(4.08 - 10.25)	1.62	(0.86 - 3.02)	2.11	(1.28 - 3.45)
Ward 5	4.19	(2.60 - 6.68)	9.57	(6.34 - 14.19)	3.60	(1.98 - 6.45)	4.46	(2.80 - 7.04)
Ward 6	3.71	(2.31 - 5.90)	7.72	(4.96 - 11.82)	2.01	(1.12 - 3.59)	2.76	(1.77 - 4.28)
Ward 7	3.87	(2.50 - 5.94)	7.34	(4.83 - 11.01)	2.43	(1.37 - 4.26)	3.02	(1.92 - 4.71)
Ward 8	3.94	(2.59 - 5.96)	8.77	(5.89 - 12.86)	3.29	(1.88 - 5.70)	4.28	(2.83 - 6.42)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2004, 2005 and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	4.71	(4.09 - 5.43)	7.78	(6.94 - 8.70)	1.54	(1.23 - 1.92)	2.35	(2.04 - 2.70)
Region A	4.99	(3.85 - 6.44)	9.38	(7.51 - 11.67)	2.08	(1.42 - 3.04)	3.37	(2.64 - 4.30)
Circuit 1	5.14	(3.53 - 7.43)	9.58	(6.63 - 13.64)	2.18	(1.28 - 3.69)	3.33	(2.28 - 4.83)
Circuit 2	4.97	(3.37 - 7.28)	9.39	(6.81 - 12.82)	2.29	(1.33 - 3.90)	3.99	(2.85 - 5.57)
Circuit 14	4.63	(3.06 - 6.97)	8.85	(6.00 - 12.87)	*	(* - *)	2.63	(1.78 - 3.87)
Region B	4.84	(3.79 - 6.16)	8.32	(6.75 - 10.21)	1.74	(1.24 - 2.44)	2.77	(2.22 - 3.45)
Circuits 3 and 8	4.55	(3.03 - 6.79)	8.07	(5.65 - 11.41)	1.96	(1.16 - 3.30)	3.26	(2.28 - 4.65)
Circuit 4	4.98	(3.53 - 6.98)	7.84	(5.62 - 10.84)	1.84	(1.13 - 2.98)	2.77	(1.98 - 3.87)
Circuit 7	4.86	(3.30 - 7.10)	9.50	(6.78 - 13.18)	1.49	(0.88 - 2.51)	2.42	(1.69 - 3.45)
Region C	4.90	(4.03 - 5.94)	7.85	(6.60 - 9.31)	1.47	(1.09 - 1.97)	2.28	(1.88 - 2.76)
Circuit 5	5.03	(3.56 - 7.06)	9.84	(6.89 - 13.87)	1.38	(0.81 - 2.33)	2.15	(1.48 - 3.12)
Circuit 9	4.68	(3.33 - 6.54)	6.60	(4.76 - 9.07)	1.70	(1.05 - 2.75)	2.53	(1.80 - 3.53)
Circuit 10	5.29	(3.62 - 7.69)	6.39	(4.18 - 9.66)	1.35	(0.77 - 2.36)	2.00	(1.32 - 3.03)
Circuit 18	4.95	(3.47 - 7.00)	9.55	(7.00 - 12.88)	1.37	(0.83 - 2.24)	2.36	(1.70 - 3.26)
Circuit 19	4.66	(3.17 - 6.80)	8.36	(5.72 - 12.07)	1.45	(0.82 - 2.55)	2.14	(1.41 - 3.24)
Region D	4.14	(3.34 - 5.12)	6.34	(5.23 - 7.68)	1.42	(1.02 - 1.99)	2.04	(1.61 - 2.56)
Circuits 11 and 16	3.72	(2.68 - 5.14)	5.55	(4.07 - 7.53)	1.48	(0.91 - 2.40)	2.03	(1.43 - 2.88)
Circuit 15 (Palm Beach)	4.48	(3.16 - 6.30)	8.72	(6.43 - 11.73)	1.47	(0.93 - 2.32)	2.23	(1.62 - 3.07)
Circuit 17 (Broward)	4.55	(3.31 - 6.22)	6.15	(4.50 - 8.34)	1.31	(0.80 - 2.15)	1.89	(1.34 - 2.68)
Region E	5.15	(4.24 - 6.25)	8.60	(7.13 - 10.34)	1.49	(1.10 - 2.01)	2.28	(1.85 - 2.80)
Circuit 6	4.76	(3.43 - 6.57)	9.04	(6.51 - 12.41)	1.46	(0.89 - 2.38)	2.20	(1.56 - 3.10)
Circuit 12	5.70	(3.93 - 8.20)	8.54	(5.78 - 12.45)	1.45	(0.84 - 2.49)	2.11	(1.40 - 3.16)
Circuit 13 (Hillsborough)	5.35	(3.81 - 7.47)	8.89	(6.56 - 11.96)	1.78	(1.12 - 2.83)	2.85	(2.07 - 3.90)
Circuit 20	5.03	(3.59 - 6.99)	7.63	(5.26 - 10.94)	1.28	(0.79 - 2.07)	1.91	(1.32 - 2.76)
Georgia	4.13	(3.19 - 5.32)	7.22	(5.78 - 8.98)	1.63	(1.16 - 2.28)	2.48	(1.98 - 3.10)
Region 1	4.55	(2.97 - 6.93)	7.14	(4.72 - 10.65)	1.47	(0.84 - 2.56)	2.27	(1.50 - 3.41)
Region 2	3.83	(2.52 - 5.78)	6.02	(4.06 - 8.83)	1.25	(0.69 - 2.26)	1.99	(1.32 - 2.99)
Region 3	4.34	(3.03 - 6.18)	8.01	(5.86 - 10.84)	1.87	(1.17 - 2.96)	2.78	(2.03 - 3.81)
Region 4	3.46	(2.24 - 5.31)	6.00	(3.85 - 9.23)	1.44	(0.78 - 2.66)	2.14	(1.37 - 3.32)
Region 5	4.09	(2.66 - 6.26)	7.48	(4.96 - 11.15)	1.65	(0.92 - 2.93)	2.64	(1.75 - 3.97)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2004, 2005 and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	4.12	(3.07 - 5.49)	6.08	(4.70 - 7.84)	1.59	(1.02 - 2.47)	2.19	(1.61 - 2.96)
Hawaii Island	4.01	(2.58 - 6.20)	6.20	(3.96 - 9.57)	1.49	(0.76 - 2.89)	2.05	(1.26 - 3.33)
Honolulu	4.15	(2.95 - 5.80)	5.97	(4.40 - 8.05)	1.53	(0.91 - 2.57)	2.15	(1.51 - 3.05)
Kauai and Maui**	4.08	(2.79 - 5.94)	6.58	(4.48 - 9.57)	1.92	(1.12 - 3.30)	2.46	(1.62 - 3.74)
Maui	4.12	(2.63 - 6.38)	6.59	(4.24 - 10.10)	1.79	(0.95 - 3.33)	2.36	(1.46 - 3.79)
Idaho	4.63	(3.63 - 5.89)	7.42	(6.05 - 9.06)	1.35	(0.98 - 1.86)	2.36	(1.94 - 2.87)
Region 1	4.40	(2.88 - 6.66)	7.49	(4.95 - 11.20)	1.08	(0.59 - 1.97)	1.90	(1.27 - 2.84)
Region 2	4.50	(2.87 - 6.98)	7.66	(5.04 - 11.47)	*	(* - *)	2.53	(1.68 - 3.80)
Region 3	5.18	(3.51 - 7.60)	7.22	(4.83 - 10.65)	1.50	(0.86 - 2.61)	2.41	(1.62 - 3.57)
Region 4	4.93	(3.29 - 7.31)	8.76	(6.39 - 11.90)	1.50	(0.92 - 2.44)	2.69	(1.96 - 3.69)
Region 5	4.79	(3.15 - 7.21)	6.72	(4.31 - 10.34)	1.20	(0.67 - 2.15)	2.04	(1.33 - 3.09)
Region 6	3.99	(2.53 - 6.25)	6.14	(3.96 - 9.40)	1.24	(0.68 - 2.23)	2.17	(1.45 - 3.25)
Region 7	4.26	(2.85 - 6.33)	6.49	(4.31 - 9.67)	1.39	(0.80 - 2.43)	2.46	(1.70 - 3.56)
Illinois	4.01	(3.42 - 4.70)	7.17	(6.33 - 8.10)	1.54	(1.21 - 1.97)	2.40	(2.07 - 2.77)
Region I (Cook)	4.43	(3.49 - 5.62)	7.28	(6.00 - 8.81)	2.19	(1.57 - 3.06)	2.97	(2.37 - 3.73)
Region II	3.72	(2.87 - 4.79)	7.57	(6.16 - 9.28)	1.04	(0.69 - 1.56)	1.97	(1.57 - 2.48)
Region III	3.67	(2.62 - 5.12)	5.93	(4.36 - 8.03)	1.00	(0.59 - 1.66)	1.85	(1.35 - 2.53)
Region IV	4.09	(2.82 - 5.89)	7.10	(5.12 - 9.76)	0.98	(0.56 - 1.71)	1.86	(1.32 - 2.62)
Region V	3.49	(2.46 - 4.93)	7.16	(5.38 - 9.47)	1.27	(0.80 - 2.01)	2.15	(1.61 - 2.86)
Indiana	4.67	(3.72 - 5.84)	7.68	(6.28 - 9.36)	1.38	(1.00 - 1.91)	2.35	(1.92 - 2.86)
Central	4.05	(2.75 - 5.93)	7.13	(5.00 - 10.07)	1.63	(0.95 - 2.80)	2.42	(1.65 - 3.53)
East	4.49	(2.93 - 6.82)	6.86	(4.41 - 10.51)	*	(* - *)	2.07	(1.36 - 3.14)
North Central	4.78	(3.21 - 7.06)	7.38	(4.92 - 10.93)	1.32	(0.76 - 2.26)	2.22	(1.52 - 3.25)
Northeast	4.13	(2.66 - 6.36)	6.90	(4.48 - 10.46)	1.16	(0.64 - 2.13)	2.03	(1.35 - 3.04)
Northwest	4.93	(3.30 - 7.30)	7.98	(5.29 - 11.87)	1.35	(0.76 - 2.38)	2.28	(1.53 - 3.39)
Southeast	5.86	(3.82 - 8.88)	*	(* - *)	1.44	(0.83 - 2.48)	2.63	(1.80 - 3.84)
Southwest	4.94	(3.19 - 7.56)	8.97	(5.88 - 13.46)	*	(* - *)	2.49	(1.67 - 3.72)
West	4.90	(3.26 - 7.30)	7.38	(5.10 - 10.56)	1.19	(0.67 - 2.10)	2.55	(1.80 - 3.60)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2004, 2005 and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	3.55	(2.72 - 4.62)	5.80	(4.56 - 7.35)	1.16	(0.80 - 1.69)	1.88	(1.49 - 2.37)
Central	3.92	(2.58 - 5.92)	5.93	(3.90 - 8.90)	1.28	(0.72 - 2.25)	1.97	(1.31 - 2.94)
North Central	3.78	(2.44 - 5.81)	5.48	(3.51 - 8.46)	1.12	(0.62 - 2.01)	1.93	(1.29 - 2.88)
Northeast	3.47	(2.33 - 5.14)	6.34	(4.38 - 9.10)	1.15	(0.66 - 2.02)	1.96	(1.37 - 2.82)
Northwest	3.37	(2.12 - 5.32)	5.31	(3.44 - 8.12)	1.06	(0.59 - 1.91)	1.65	(1.08 - 2.50)
Southeast	3.29	(2.12 - 5.06)	5.78	(3.83 - 8.62)	1.23	(0.70 - 2.16)	1.99	(1.35 - 2.92)
Southwest	3.71	(2.42 - 5.66)	5.43	(3.48 - 8.39)	1.03	(0.56 - 1.92)	1.61	(1.04 - 2.49)
Kansas	4.56	(3.56 - 5.82)	6.43	(5.12 - 8.06)	1.22	(0.86 - 1.73)	2.06	(1.65 - 2.58)
Kansas City Metro	5.30	(3.66 - 7.62)	6.73	(4.73 - 9.50)	1.45	(0.86 - 2.43)	2.33	(1.64 - 3.28)
Northeast	3.91	(2.60 - 5.85)	5.93	(3.81 - 9.12)	1.06	(0.59 - 1.87)	1.90	(1.26 - 2.87)
South Central	4.42	(2.95 - 6.57)	6.76	(4.39 - 10.26)	1.03	(0.57 - 1.88)	1.89	(1.24 - 2.85)
Southeast	4.26	(2.71 - 6.65)	7.16	(4.43 - 11.36)	*	(* - *)	2.17	(1.39 - 3.36)
West	4.50	(2.97 - 6.76)	5.81	(3.74 - 8.92)	*	(* - *)	1.74	(1.15 - 2.61)
Wichita (Sedgwick)	4.21	(2.74 - 6.41)	6.33	(4.26 - 9.31)	1.28	(0.73 - 2.21)	2.08	(1.41 - 3.05)
Kentucky	4.26	(3.31 - 5.46)	7.28	(5.82 - 9.07)	1.72	(1.23 - 2.39)	2.51	(2.01 - 3.13)
Adanta, Cumberland River, and Lifeskills	3.99	(2.62 - 6.02)	7.21	(4.86 - 10.58)	1.50	(0.86 - 2.58)	2.31	(1.57 - 3.36)
Bluegrass, Comprehend, and North Key	4.20	(2.84 - 6.18)	7.14	(4.96 - 10.18)	1.96	(1.15 - 3.31)	2.76	(1.89 - 4.01)
Communicare and River Valley	4.40	(2.84 - 6.76)	8.26	(5.36 - 12.53)	1.57	(0.87 - 2.82)	2.50	(1.64 - 3.77)
Four Rivers and Pennyroyal	4.54	(2.97 - 6.89)	6.90	(4.34 - 10.80)	1.58	(0.90 - 2.77)	2.34	(1.53 - 3.57)
Kentucky River, Mountain, and Pathways	3.71	(2.42 - 5.64)	6.37	(4.22 - 9.50)	1.47	(0.82 - 2.63)	2.16	(1.42 - 3.26)
Seven Counties	4.67	(3.18 - 6.81)	7.78	(5.34 - 11.21)	1.86	(1.10 - 3.13)	2.62	(1.79 - 3.84)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2004, 2005 and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	4.39	(3.46 - 5.56)	6.78	(5.47 - 8.36)	1.84	(1.32 - 2.56)	2.66	(2.13 - 3.32)
Region 1	4.03	(2.58 - 6.27)	7.58	(5.00 - 11.35)	*	(* - *)	3.22	(2.09 - 4.95)
Regions 2 and 9	4.86	(3.36 - 6.99)	6.63	(4.60 - 9.46)	1.98	(1.17 - 3.34)	2.80	(1.92 - 4.06)
Region 3	4.53	(2.95 - 6.90)	7.74	(5.11 - 11.56)	1.90	(1.07 - 3.33)	2.85	(1.88 - 4.31)
Region 4	4.21	(2.77 - 6.33)	5.89	(3.79 - 9.04)	1.63	(0.90 - 2.93)	2.35	(1.52 - 3.59)
Regions 5 and 6	4.16	(2.74 - 6.26)	6.94	(4.64 - 10.27)	1.63	(0.94 - 2.81)	2.48	(1.68 - 3.67)
Regions 7 and 8	4.25	(2.90 - 6.21)	6.59	(4.54 - 9.49)	1.65	(0.94 - 2.88)	2.48	(1.69 - 3.63)
Region 10 (Jefferson)	4.32	(2.76 - 6.70)	6.55	(4.14 - 10.23)	1.74	(0.94 - 3.18)	2.44	(1.54 - 3.85)
Maine	6.50	(5.15 - 8.18)	10.10	(8.39 - 12.11)	1.65	(1.16 - 2.35)	2.76	(2.24 - 3.40)
Aroostook/Downeast	6.22	(4.11 - 9.30)	9.67	(6.45 - 14.27)	1.57	(0.86 - 2.86)	2.57	(1.70 - 3.88)
Central	5.88	(3.94 - 8.68)	8.66	(5.99 - 12.35)	1.66	(0.93 - 2.95)	2.58	(1.74 - 3.81)
Cumberland	6.72	(4.57 - 9.78)	10.95	(7.83 - 15.09)	1.85	(1.07 - 3.17)	3.06	(2.15 - 4.36)
Midcoast	6.48	(4.29 - 9.68)	9.76	(6.66 - 14.08)	1.59	(0.87 - 2.89)	2.51	(1.66 - 3.77)
Penquis	6.30	(4.17 - 9.41)	10.16	(7.11 - 14.31)	1.57	(0.88 - 2.79)	2.93	(2.04 - 4.20)
Western	7.50	(5.03 - 11.04)	10.75	(7.57 - 15.07)	1.95	(1.10 - 3.44)	3.17	(2.17 - 4.60)
York	6.21	(4.19 - 9.10)	9.95	(6.94 - 14.06)	1.29	(0.74 - 2.22)	2.33	(1.63 - 3.32)
Maryland	4.10	(3.17 - 5.28)	6.58	(5.28 - 8.18)	1.31	(0.93 - 1.85)	2.05	(1.63 - 2.58)
Anne Arundel	3.79	(2.38 - 5.98)	6.81	(4.28 - 10.67)	*	(* - *)	1.98	(1.27 - 3.09)
Baltimore City	4.31	(2.76 - 6.65)	7.04	(4.61 - 10.62)	2.55	(1.38 - 4.64)	3.28	(2.07 - 5.17)
Baltimore County	3.84	(2.44 - 6.00)	6.05	(4.02 - 9.02)	1.26	(0.67 - 2.34)	1.92	(1.26 - 2.94)
Montgomery	4.15	(2.71 - 6.33)	5.83	(3.80 - 8.84)	0.91	(0.51 - 1.62)	1.49	(0.99 - 2.25)
North Central	4.62	(2.98 - 7.10)	6.52	(4.04 - 10.37)	*	(* - *)	1.66	(1.06 - 2.58)
Northeast	4.53	(2.92 - 6.96)	8.68	(5.68 - 13.06)	*	(* - *)	2.22	(1.46 - 3.37)
Prince George's	3.61	(2.35 - 5.52)	6.20	(4.11 - 9.23)	1.34	(0.73 - 2.45)	2.11	(1.39 - 3.20)
South	4.22	(2.74 - 6.45)	6.71	(4.35 - 10.21)	1.34	(0.73 - 2.46)	2.12	(1.38 - 3.25)
West	4.26	(2.72 - 6.60)	6.66	(4.19 - 10.44)	*	(* - *)	1.86	(1.21 - 2.87)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2004, 2005 and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	5.54	(4.41 - 6.92)	9.02	(7.38 - 10.97)	1.33	(0.96 - 1.85)	2.42	(1.98 - 2.95)
Boston	5.45	(3.58 - 8.22)	8.18	(5.50 - 12.01)	1.90	(1.12 - 3.19)	3.19	(2.21 - 4.59)
Central	5.65	(3.75 - 8.45)	10.12	(7.02 - 14.36)	1.46	(0.84 - 2.54)	2.64	(1.83 - 3.80)
Metrowest	5.04	(3.44 - 7.32)	7.87	(5.39 - 11.35)	0.99	(0.58 - 1.70)	1.87	(1.31 - 2.67)
Northeast	5.14	(3.44 - 7.60)	7.83	(5.34 - 11.34)	1.11	(0.64 - 1.90)	1.96	(1.36 - 2.84)
Southeast	6.13	(4.23 - 8.81)	10.05	(6.98 - 14.27)	1.41	(0.82 - 2.42)	2.47	(1.71 - 3.55)
Western	5.91	(3.92 - 8.81)	11.08	(7.89 - 15.35)	1.59	(0.90 - 2.77)	3.10	(2.18 - 4.38)
Michigan	4.48	(3.91 - 5.12)	8.27	(7.44 - 9.20)	1.52	(1.22 - 1.88)	2.52	(2.22 - 2.86)
Bay	4.97	(3.38 - 7.27)	7.02	(4.72 - 10.32)	1.27	(0.74 - 2.18)	2.04	(1.39 - 3.00)
Detroit City	3.66	(2.45 - 5.44)	11.06	(8.27 - 14.63)	3.79	(2.39 - 5.97)	4.93	(3.54 - 6.84)
Genesee	5.08	(3.56 - 7.20)	10.52	(7.57 - 14.46)	1.74	(1.07 - 2.83)	3.01	(2.16 - 4.17)
Kalamazoo	4.11	(2.90 - 5.80)	6.66	(4.76 - 9.23)	1.09	(0.62 - 1.89)	1.99	(1.41 - 2.82)
Kent	4.13	(2.85 - 5.97)	8.51	(6.28 - 11.45)	1.62	(0.99 - 2.64)	2.80	(2.04 - 3.84)
Lakeshore	4.78	(3.44 - 6.60)	7.27	(5.30 - 9.90)	1.32	(0.81 - 2.16)	2.24	(1.61 - 3.11)
Macomb	4.08	(2.86 - 5.79)	9.17	(6.83 - 12.20)	1.37	(0.86 - 2.20)	2.40	(1.77 - 3.25)
Mid South	5.46	(3.93 - 7.53)	6.59	(4.77 - 9.03)	1.18	(0.71 - 1.96)	2.13	(1.55 - 2.94)
Northern	4.41	(3.11 - 6.20)	6.44	(4.54 - 9.06)	1.06	(0.62 - 1.83)	1.81	(1.26 - 2.59)
Oakland	5.19	(3.84 - 7.00)	11.07	(8.56 - 14.20)	1.58	(1.02 - 2.46)	2.76	(2.08 - 3.64)
Pathways	*	(* - *)	7.42	(4.90 - 11.08)	*	(* - *)	2.17	(1.45 - 3.25)
Saginaw	4.54	(3.01 - 6.81)	7.82	(5.22 - 11.57)	*	(* - *)	2.23	(1.49 - 3.32)
Southeast	4.18	(3.04 - 5.72)	7.82	(6.06 - 10.04)	1.22	(0.76 - 1.96)	2.10	(1.58 - 2.80)
St. Clair	4.20	(2.79 - 6.29)	7.29	(4.84 - 10.84)	1.06	(0.59 - 1.91)	1.89	(1.26 - 2.84)
Washtenaw	3.90	(2.69 - 5.62)	7.84	(5.52 - 11.03)	1.23	(0.75 - 2.01)	2.49	(1.80 - 3.45)
Western	*	(* - *)	7.54	(5.13 - 10.96)	*	(* - *)	2.09	(1.42 - 3.08)
Minnesota	4.02	(3.10 - 5.18)	7.02	(5.65 - 8.70)	1.24	(0.88 - 1.76)	2.13	(1.71 - 2.64)
Regions 1 and 2	4.17	(2.68 - 6.41)	7.86	(5.20 - 11.72)	1.21	(0.66 - 2.20)	2.17	(1.46 - 3.23)
Regions 3 and 4	3.86	(2.55 - 5.80)	6.31	(4.23 - 9.33)	1.05	(0.59 - 1.88)	1.91	(1.30 - 2.81)
Regions 5 and 6	3.64	(2.34 - 5.61)	7.32	(4.85 - 10.92)	1.07	(0.61 - 1.90)	2.05	(1.41 - 2.99)
Region 7A (Hennepin)	4.77	(3.07 - 7.34)	7.40	(5.16 - 10.51)	1.50	(0.87 - 2.56)	2.38	(1.65 - 3.44)
Region 7B (Ramsey)	3.68	(2.33 - 5.77)	6.35	(4.12 - 9.67)	*	(* - *)	2.31	(1.50 - 3.54)
Region 7C	3.91	(2.62 - 5.80)	6.86	(4.62 - 10.06)	1.16	(0.67 - 1.99)	1.97	(1.35 - 2.85)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2004, 2005 and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	3.92	(3.03 - 5.05)	6.75	(5.43 - 8.36)	1.70	(1.24 - 2.33)	2.52	(2.03 - 3.12)
Region 1	3.78	(2.47 - 5.72)	6.44	(4.25 - 9.63)	1.37	(0.80 - 2.34)	2.16	(1.46 - 3.17)
Region 2	3.57	(2.30 - 5.50)	5.86	(3.79 - 8.95)	1.88	(1.08 - 3.26)	2.55	(1.68 - 3.86)
Region 3	3.68	(2.41 - 5.59)	6.12	(4.08 - 9.10)	1.57	(0.91 - 2.71)	2.36	(1.59 - 3.49)
Region 4	4.10	(2.73 - 6.11)	7.12	(4.83 - 10.38)	1.69	(0.99 - 2.87)	2.58	(1.77 - 3.74)
Region 5	3.71	(2.37 - 5.75)	5.68	(3.60 - 8.87)	1.70	(0.94 - 3.07)	2.31	(1.47 - 3.63)
Region 6	3.95	(2.49 - 6.22)	6.18	(4.02 - 9.39)	1.53	(0.86 - 2.68)	2.36	(1.57 - 3.53)
Region 7	4.52	(2.93 - 6.89)	9.11	(6.38 - 12.86)	2.19	(1.23 - 3.87)	3.24	(2.17 - 4.83)
Missouri	4.56	(3.62 - 5.73)	7.91	(6.51 - 9.58)	1.44	(1.04 - 2.01)	2.42	(1.97 - 2.96)
Central	4.80	(3.15 - 7.27)	6.16	(4.09 - 9.18)	1.29	(0.71 - 2.36)	2.15	(1.43 - 3.22)
Eastern	4.45	(3.24 - 6.07)	8.71	(6.56 - 11.49)	1.58	(1.00 - 2.47)	2.60	(1.94 - 3.49)
Eastern (St. Louis City and County)	4.10	(2.76 - 6.03)	8.59	(6.01 - 12.14)	1.74	(1.01 - 2.97)	2.72	(1.88 - 3.92)
Eastern (excluding St. Louis)	5.07	(3.33 - 7.63)	8.94	(6.02 - 13.10)	1.26	(0.73 - 2.17)	2.37	(1.63 - 3.42)
Northwest	4.65	(3.36 - 6.39)	8.16	(6.04 - 10.94)	1.42	(0.91 - 2.23)	2.44	(1.80 - 3.28)
Northwest (Jackson)	5.21	(3.42 - 7.87)	8.99	(6.00 - 13.25)	1.82	(1.02 - 3.22)	2.88	(1.91 - 4.31)
Northwest (excluding Jackson)	4.16	(2.72 - 6.33)	7.44	(4.93 - 11.08)	1.07	(0.60 - 1.91)	2.04	(1.38 - 3.02)
Southeast	4.96	(3.27 - 7.45)	8.36	(5.83 - 11.85)	1.45	(0.81 - 2.57)	2.44	(1.66 - 3.55)
Southwest	4.14	(2.73 - 6.25)	7.28	(4.97 - 10.54)	1.29	(0.75 - 2.22)	2.20	(1.52 - 3.18)
Montana	5.88	(4.67 - 7.36)	8.46	(6.92 - 10.31)	1.38	(0.97 - 1.95)	2.45	(2.00 - 3.01)
Region 1	5.23	(3.44 - 7.87)	7.45	(4.82 - 11.34)	*	(* - *)	1.88	(1.22 - 2.90)
Region 2	5.01	(3.30 - 7.52)	6.61	(4.22 - 10.20)	1.20	(0.65 - 2.19)	2.01	(1.31 - 3.08)
Region 3	5.86	(4.03 - 8.46)	8.13	(5.71 - 11.46)	1.28	(0.73 - 2.25)	2.25	(1.57 - 3.22)
Region 4	5.22	(3.58 - 7.55)	7.03	(4.99 - 9.83)	1.24	(0.73 - 2.08)	2.21	(1.58 - 3.07)
Region 5	7.09	(4.94 - 10.06)	11.07	(8.25 - 14.71)	1.72	(1.01 - 2.92)	3.17	(2.31 - 4.32)
Nebraska	3.67	(2.77 - 4.84)	6.47	(5.07 - 8.22)	1.14	(0.77 - 1.69)	2.00	(1.57 - 2.56)
Regions 1 and 2	4.01	(2.53 - 6.30)	6.78	(4.26 - 10.62)	*	(* - *)	1.84	(1.18 - 2.88)
Region 3	3.75	(2.31 - 6.03)	5.78	(3.66 - 9.00)	0.95	(0.50 - 1.77)	1.69	(1.09 - 2.60)
Region 4	3.82	(2.46 - 5.86)	6.43	(4.09 - 9.96)	1.00	(0.53 - 1.87)	1.78	(1.15 - 2.74)
Region 5	3.39	(2.20 - 5.19)	5.17	(3.53 - 7.52)	0.96	(0.53 - 1.74)	1.75	(1.20 - 2.55)
Region 6	3.65	(2.47 - 5.37)	7.58	(5.40 - 10.55)	1.39	(0.83 - 2.32)	2.39	(1.71 - 3.34)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2004, 2005 and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	4.18	(3.16 - 5.51)	6.40	(4.98 - 8.19)	1.56	(1.07 - 2.28)	2.22	(1.71 - 2.89)
Clark	4.07	(2.90 - 5.69)	6.25	(4.62 - 8.40)	1.63	(1.04 - 2.55)	2.27	(1.65 - 3.12)
Rural	4.25	(2.79 - 6.44)	6.69	(4.35 - 10.15)	1.32	(0.75 - 2.29)	1.94	(1.29 - 2.92)
Washoe	4.57	(2.97 - 6.97)	6.86	(4.53 - 10.25)	1.46	(0.83 - 2.59)	2.23	(1.48 - 3.35)
New Hampshire	5.29	(4.20 - 6.64)	8.68	(7.04 - 10.65)	1.19	(0.83 - 1.70)	2.21	(1.78 - 2.74)
Central	5.37	(3.92 - 7.30)	8.73	(6.47 - 11.66)	1.30	(0.81 - 2.09)	2.39	(1.77 - 3.23)
Central 1	5.40	(3.58 - 8.08)	8.68	(5.86 - 12.67)	1.32	(0.74 - 2.34)	2.56	(1.75 - 3.73)
Central 2	5.33	(3.57 - 7.89)	8.78	(5.94 - 12.79)	1.28	(0.70 - 2.34)	2.23	(1.48 - 3.36)
Northern	5.45	(3.56 - 8.25)	9.32	(6.21 - 13.76)	1.18	(0.65 - 2.15)	2.32	(1.57 - 3.42)
Southern	5.21	(3.95 - 6.85)	8.50	(6.54 - 10.98)	1.14	(0.74 - 1.74)	2.10	(1.61 - 2.74)
Southern 1 (Rockingham)	5.28	(3.63 - 7.62)	7.60	(5.10 - 11.17)	1.02	(0.59 - 1.77)	1.78	(1.22 - 2.60)
Southern 2	5.17	(3.67 - 7.24)	8.95	(6.57 - 12.08)	1.21	(0.73 - 2.01)	2.30	(1.67 - 3.14)
New Jersey	4.27	(3.30 - 5.50)	6.98	(5.53 - 8.77)	1.03	(0.69 - 1.51)	1.80	(1.41 - 2.29)
Central	3.97	(2.62 - 5.98)	7.85	(5.30 - 11.48)	0.92	(0.52 - 1.65)	1.75	(1.20 - 2.55)
Metropolitan	4.35	(2.91 - 6.46)	7.21	(4.94 - 10.42)	1.24	(0.69 - 2.22)	2.09	(1.41 - 3.08)
Northern	4.07	(2.76 - 5.96)	5.99	(4.04 - 8.79)	0.85	(0.47 - 1.53)	1.50	(1.01 - 2.21)
Southern	4.74	(3.20 - 6.97)	7.28	(5.01 - 10.46)	1.17	(0.65 - 2.07)	1.98	(1.35 - 2.91)
New Mexico	5.00	(3.91 - 6.36)	8.00	(6.45 - 9.88)	1.48	(1.04 - 2.11)	2.52	(2.04 - 3.13)
Region 1	5.38	(3.64 - 7.87)	10.24	(6.90 - 14.93)	1.91	(1.04 - 3.45)	3.25	(2.19 - 4.79)
Region 2	4.84	(3.22 - 7.21)	7.03	(4.45 - 10.93)	1.14	(0.64 - 2.01)	1.93	(1.26 - 2.93)
Region 3 (Bernalillo)	5.23	(3.60 - 7.53)	7.69	(5.48 - 10.69)	1.38	(0.84 - 2.27)	2.41	(1.75 - 3.32)
Region 4	4.33	(2.78 - 6.71)	6.68	(4.32 - 10.18)	1.47	(0.80 - 2.70)	2.34	(1.54 - 3.53)
Region 5	4.85	(3.22 - 7.25)	7.76	(5.42 - 10.99)	1.50	(0.84 - 2.64)	2.57	(1.78 - 3.71)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2004, 2005 and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	4.43	(3.80 - 5.15)	8.15	(7.24 - 9.17)	1.47	(1.17 - 1.85)	2.44	(2.12 - 2.79)
Region A	4.06	(3.28 - 5.02)	7.07	(5.91 - 8.44)	1.71	(1.27 - 2.30)	2.52	(2.06 - 3.08)
Region 1	3.90	(2.68 - 5.63)	5.89	(3.99 - 8.61)	1.68	(0.98 - 2.88)	2.38	(1.61 - 3.50)
Region 2	4.16	(3.00 - 5.75)	8.41	(6.39 - 11.00)	1.85	(1.19 - 2.86)	2.87	(2.15 - 3.83)
Region 3	4.67	(3.14 - 6.91)	8.11	(5.80 - 11.24)	2.00	(1.24 - 3.21)	2.88	(2.03 - 4.06)
Region 4	3.73	(2.56 - 5.41)	5.26	(3.71 - 7.41)	1.34	(0.77 - 2.30)	1.91	(1.30 - 2.80)
Region B	4.25	(3.42 - 5.27)	8.10	(6.55 - 9.97)	1.07	(0.77 - 1.49)	1.96	(1.59 - 2.42)
Region 5	4.17	(3.09 - 5.59)	7.76	(5.76 - 10.38)	0.97	(0.62 - 1.50)	1.81	(1.36 - 2.41)
Region 6	4.30	(3.01 - 6.10)	8.25	(5.70 - 11.80)	1.22	(0.75 - 1.99)	2.07	(1.45 - 2.95)
Region 7	4.46	(3.08 - 6.41)	8.90	(6.22 - 12.59)	1.19	(0.69 - 2.04)	2.30	(1.60 - 3.28)
Region C	5.06	(4.14 - 6.18)	10.12	(8.63 - 11.83)	1.55	(1.16 - 2.06)	2.81	(2.37 - 3.33)
Region 8	5.09	(3.55 - 7.23)	8.23	(6.00 - 11.19)	1.35	(0.82 - 2.20)	2.33	(1.69 - 3.21)
Region 9	4.45	(3.09 - 6.39)	10.67	(7.92 - 14.22)	1.65	(1.00 - 2.74)	3.00	(2.19 - 4.11)
Region 10	5.51	(3.75 - 8.01)	10.64	(7.50 - 14.89)	1.58	(0.92 - 2.69)	3.24	(2.32 - 4.52)
Region 11	4.84	(3.38 - 6.89)	10.01	(7.35 - 13.50)	1.39	(0.83 - 2.30)	2.65	(1.94 - 3.63)
Region 12	5.60	(4.04 - 7.73)	11.13	(8.36 - 14.67)	1.75	(1.08 - 2.83)	3.03	(2.23 - 4.10)
Region D	4.73	(3.67 - 6.08)	8.47	(6.69 - 10.68)	1.32	(0.93 - 1.87)	2.41	(1.91 - 3.03)
Region 13	4.12	(2.73 - 6.17)	8.28	(5.55 - 12.18)	1.22	(0.71 - 2.09)	2.23	(1.53 - 3.25)
Region 14	4.44	(2.93 - 6.69)	6.92	(4.59 - 10.32)	1.22	(0.68 - 2.18)	2.16	(1.45 - 3.22)
Region 15	5.52	(3.82 - 7.92)	10.32	(7.33 - 14.34)	1.50	(0.87 - 2.55)	2.80	(1.98 - 3.93)
North Carolina	4.68	(3.70 - 5.90)	7.78	(6.30 - 9.58)	1.73	(1.23 - 2.41)	2.58	(2.07 - 3.20)
Eastern	4.25	(2.86 - 6.27)	7.84	(5.42 - 11.20)	1.71	(1.01 - 2.89)	2.66	(1.85 - 3.80)
North Central	4.61	(3.11 - 6.80)	7.20	(4.94 - 10.39)	1.64	(0.97 - 2.77)	2.43	(1.67 - 3.53)
South Central	4.71	(3.25 - 6.79)	7.65	(5.34 - 10.84)	1.91	(1.13 - 3.21)	2.76	(1.90 - 3.99)
Western	4.95	(3.50 - 6.95)	8.31	(6.12 - 11.19)	1.66	(1.03 - 2.68)	2.52	(1.83 - 3.46)
North Dakota	3.74	(2.87 - 4.86)	5.58	(4.35 - 7.13)	0.95	(0.62 - 1.44)	1.76	(1.37 - 2.26)
Badlands and West Central Lake Region and South Central	3.66	(2.48 - 5.37)	5.95	(3.99 - 8.77)	0.86	(0.46 - 1.58)	1.59	(1.07 - 2.36)
North Central and Northwest	3.34	(2.18 - 5.08)	5.48	(3.48 - 8.53)	0.99	(0.52 - 1.90)	1.57	(0.99 - 2.49)
Northeast	3.49	(2.24 - 5.38)	5.73	(3.74 - 8.67)	0.90	(0.48 - 1.67)	1.65	(1.09 - 2.50)
Southeast	3.80	(2.44 - 5.86)	5.64	(3.74 - 8.42)	1.10	(0.61 - 1.99)	2.14	(1.45 - 3.15)
Southeast	4.26	(2.84 - 6.35)	5.28	(3.61 - 7.66)	0.98	(0.53 - 1.79)	1.90	(1.31 - 2.75)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2004, 2005 and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	4.31	(3.72 - 5.00)	7.10	(6.29 - 7.99)	1.46	(1.15 - 1.86)	2.29	(1.98 - 2.64)
Boards 2, 46, 55, and 68	4.13	(2.80 - 6.06)	7.34	(5.11 - 10.44)	1.21	(0.71 - 2.06)	2.08	(1.45 - 2.95)
Boards 3, 52, and 85	4.39	(2.97 - 6.44)	7.22	(4.89 - 10.54)	1.15	(0.66 - 2.00)	2.04	(1.38 - 2.99)
Boards 4 and 78	3.86	(2.58 - 5.73)	6.46	(4.28 - 9.65)	1.24	(0.70 - 2.18)	1.90	(1.26 - 2.86)
Boards 5 and 60	4.36	(2.95 - 6.41)	6.75	(4.60 - 9.80)	1.68	(0.97 - 2.90)	2.61	(1.77 - 3.84)
Boards 7, 15, 41, 79, and 84	4.00	(2.71 - 5.86)	7.78	(5.36 - 11.17)	1.24	(0.70 - 2.16)	2.07	(1.42 - 3.01)
Boards 8, 13, and 83	4.27	(2.91 - 6.22)	6.77	(4.59 - 9.88)	1.40	(0.84 - 2.33)	2.14	(1.47 - 3.11)
Board 9 (Butler)	4.25	(2.89 - 6.23)	6.54	(4.41 - 9.59)	1.56	(0.90 - 2.71)	2.44	(1.65 - 3.60)
Board 12	3.82	(2.54 - 5.72)	6.56	(4.43 - 9.62)	1.37	(0.77 - 2.44)	2.20	(1.48 - 3.27)
Boards 18 and 47	4.09	(3.01 - 5.53)	6.41	(4.87 - 8.39)	1.33	(0.83 - 2.12)	2.00	(1.46 - 2.72)
Boards 20, 32, 54, and 69	4.09	(2.77 - 5.99)	6.96	(4.72 - 10.15)	1.05	(0.60 - 1.84)	1.89	(1.29 - 2.77)
Boards 21, 39, 51, 70, and 80	4.34	(3.02 - 6.21)	6.89	(4.84 - 9.72)	1.22	(0.71 - 2.08)	1.98	(1.37 - 2.85)
Boards 22, 74, and 87	4.61	(3.12 - 6.77)	7.92	(5.36 - 11.54)	1.40	(0.80 - 2.44)	2.45	(1.67 - 3.58)
Boards 23 and 45	3.96	(2.67 - 5.84)	7.92	(5.44 - 11.41)	1.12	(0.63 - 1.98)	2.08	(1.42 - 3.05)
Board 25 (Franklin)	5.32	(3.76 - 7.48)	6.75	(5.03 - 9.00)	1.78	(1.07 - 2.95)	2.67	(1.92 - 3.70)
Boards 27, 71, and 73	4.44	(3.11 - 6.32)	6.71	(4.63 - 9.61)	1.46	(0.84 - 2.54)	2.22	(1.50 - 3.27)
Boards 28, 43, and 67	4.74	(3.24 - 6.90)	7.90	(5.54 - 11.15)	1.18	(0.69 - 2.01)	2.15	(1.50 - 3.06)
Board 31 (Hamilton)	4.46	(3.12 - 6.34)	7.28	(5.19 - 10.11)	1.99	(1.22 - 3.24)	2.80	(1.97 - 3.97)
Board 48 (Lucas)	4.12	(2.85 - 5.92)	6.41	(4.57 - 8.91)	1.69	(0.99 - 2.88)	2.43	(1.66 - 3.54)
Boards 50 and 76	3.66	(2.49 - 5.36)	6.58	(4.52 - 9.47)	1.17	(0.67 - 2.04)	1.88	(1.28 - 2.75)
Board 57 (Montgomery)	4.37	(3.05 - 6.22)	8.60	(6.14 - 11.93)	1.89	(1.14 - 3.12)	2.90	(2.04 - 4.10)
Board 77 (Summit)	4.25	(2.91 - 6.17)	8.84	(6.15 - 12.54)	1.90	(1.13 - 3.20)	2.82	(1.94 - 4.09)
Oklahoma	5.11	(3.96 - 6.58)	6.64	(5.33 - 8.24)	1.60	(1.15 - 2.24)	2.41	(1.93 - 3.01)
Central	4.68	(2.97 - 7.28)	6.80	(4.46 - 10.22)	1.26	(0.70 - 2.26)	2.27	(1.51 - 3.39)
East Central	4.46	(2.85 - 6.91)	6.17	(3.94 - 9.54)	1.38	(0.74 - 2.56)	2.07	(1.32 - 3.23)
Northeast	4.73	(3.01 - 7.38)	6.73	(4.47 - 9.99)	1.66	(0.91 - 3.02)	2.46	(1.61 - 3.77)
Northwest and Southwest	4.55	(2.94 - 6.98)	5.52	(3.59 - 8.39)	1.34	(0.74 - 2.42)	2.02	(1.32 - 3.08)
Oklahoma County	5.73	(3.76 - 8.64)	6.47	(4.32 - 9.57)	1.58	(0.90 - 2.74)	2.40	(1.62 - 3.55)
Southeast	5.82	(3.78 - 8.86)	7.00	(4.49 - 10.77)	1.79	(1.00 - 3.18)	2.54	(1.64 - 3.90)
Tulsa County	5.47	(3.69 - 8.04)	7.73	(5.25 - 11.25)	2.05	(1.19 - 3.51)	2.96	(2.01 - 4.34)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2004, 2005 and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	4.81	(3.74 - 6.16)	7.36	(5.90 - 9.14)	1.44	(1.02 - 2.03)	2.28	(1.83 - 2.85)
Region 1 (Multnomah)	4.91	(3.18 - 7.51)	9.81	(6.82 - 13.91)	2.03	(1.18 - 3.47)	3.20	(2.21 - 4.61)
Region 2	5.21	(3.64 - 7.39)	7.67	(5.32 - 10.95)	1.33	(0.79 - 2.22)	2.21	(1.55 - 3.15)
Region 3	4.57	(3.11 - 6.67)	5.74	(4.03 - 8.11)	1.22	(0.70 - 2.13)	1.94	(1.34 - 2.78)
Region 4	4.54	(2.98 - 6.88)	7.12	(4.56 - 10.96)	1.34	(0.73 - 2.46)	2.02	(1.29 - 3.14)
Region 5	4.83	(3.15 - 7.35)	7.36	(4.72 - 11.31)	1.36	(0.75 - 2.46)	2.14	(1.39 - 3.27)
Pennsylvania	4.06	(3.51 - 4.70)	7.18	(6.39 - 8.06)	1.24	(0.98 - 1.58)	2.08	(1.81 - 2.38)
Region 1 (Allegheny)	3.45	(2.39 - 4.95)	8.81	(6.48 - 11.88)	1.31	(0.79 - 2.15)	2.30	(1.68 - 3.16)
Regions 2, 3, 8, and 9	4.01	(2.78 - 5.75)	7.21	(5.02 - 10.25)	1.08	(0.63 - 1.83)	1.95	(1.36 - 2.80)
Regions 4, 11, 37, and 49	4.81	(3.39 - 6.78)	8.09	(5.88 - 11.04)	1.19	(0.71 - 1.98)	2.09	(1.50 - 2.90)
Regions 5, 18, 23, 24, and 46	3.29	(2.22 - 4.87)	4.93	(3.29 - 7.32)	0.76	(0.41 - 1.40)	1.34	(0.91 - 1.99)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	4.73	(3.33 - 6.68)	5.78	(4.09 - 8.12)	0.98	(0.57 - 1.67)	1.87	(1.33 - 2.61)
Regions 7, 13, 20, and 33	4.67	(3.55 - 6.14)	7.44	(5.77 - 9.54)	1.08	(0.69 - 1.70)	1.91	(1.45 - 2.51)
Regions 10, 14, 15, 27, 32, 43, and 44	4.00	(2.70 - 5.88)	8.97	(6.40 - 12.43)	1.40	(0.83 - 2.37)	2.42	(1.70 - 3.42)
Regions 17 and 21	4.00	(2.69 - 5.89)	7.03	(4.87 - 10.03)	1.20	(0.71 - 2.04)	2.13	(1.48 - 3.06)
Regions 19, 26, 28, and 42	3.64	(2.60 - 5.08)	5.72	(4.16 - 7.80)	0.99	(0.61 - 1.61)	1.64	(1.19 - 2.26)
Regions 22, 38, 40, 41, and 48	3.74	(2.61 - 5.31)	7.24	(5.13 - 10.11)	1.07	(0.64 - 1.79)	1.82	(1.27 - 2.59)
Regions 25 and 30	4.40	(3.03 - 6.36)	7.83	(5.48 - 11.08)	1.27	(0.73 - 2.19)	2.12	(1.46 - 3.07)
Regions 29 and 34	3.81	(2.56 - 5.63)	5.58	(3.68 - 8.38)	0.85	(0.49 - 1.48)	1.49	(1.00 - 2.20)
Region 36 (Philadelphia)	3.77	(2.67 - 5.29)	7.86	(6.04 - 10.15)	2.40	(1.53 - 3.76)	3.33	(2.45 - 4.50)
Rhode Island	5.80	(4.47 - 7.50)	11.44	(9.47 - 13.74)	1.61	(1.09 - 2.35)	3.12	(2.55 - 3.82)
Bristol and Newport	5.85	(3.92 - 8.66)	11.09	(7.49 - 16.12)	1.31	(0.72 - 2.36)	2.62	(1.79 - 3.81)
Kent	6.25	(4.23 - 9.13)	11.73	(8.19 - 16.52)	1.55	(0.87 - 2.75)	2.80	(1.94 - 4.04)
Providence	5.63	(4.03 - 7.82)	11.04	(8.73 - 13.88)	1.74	(1.09 - 2.75)	3.28	(2.55 - 4.21)
Washington	6.05	(4.00 - 9.07)	13.40	(9.53 - 18.52)	1.37	(0.77 - 2.40)	3.33	(2.40 - 4.61)
South Carolina	4.49	(3.50 - 5.75)	7.35	(5.92 - 9.10)	1.80	(1.29 - 2.50)	2.62	(2.09 - 3.27)
Region 1	4.48	(3.01 - 6.63)	6.90	(4.71 - 10.00)	1.45	(0.85 - 2.44)	2.23	(1.53 - 3.24)
Region 2	4.48	(3.09 - 6.45)	7.95	(5.74 - 10.93)	2.01	(1.25 - 3.23)	2.91	(2.08 - 4.04)
Region 3	4.33	(2.88 - 6.46)	7.37	(4.88 - 10.97)	2.05	(1.19 - 3.53)	2.80	(1.85 - 4.23)
Region 4	4.63	(3.21 - 6.62)	7.10	(4.99 - 10.01)	1.74	(1.04 - 2.90)	2.57	(1.79 - 3.68)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2004, 2005 and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	4.25	(3.32 - 5.41)	5.91	(4.70 - 7.40)	1.04	(0.71 - 1.51)	1.83	(1.46 - 2.30)
Region 1	4.17	(2.71 - 6.38)	5.60	(3.56 - 8.71)	0.90	(0.50 - 1.63)	1.67	(1.10 - 2.52)
Region 2	4.08	(2.74 - 6.03)	5.66	(3.92 - 8.10)	0.93	(0.52 - 1.66)	1.74	(1.21 - 2.50)
Region 3	4.24	(2.84 - 6.29)	5.31	(3.50 - 7.97)	0.92	(0.49 - 1.70)	1.72	(1.16 - 2.56)
Region 4	4.15	(2.66 - 6.41)	6.71	(4.27 - 10.42)	*	(* - *)	2.07	(1.35 - 3.15)
Region 5	4.54	(2.97 - 6.89)	6.13	(3.91 - 9.48)	1.06	(0.57 - 1.97)	1.74	(1.12 - 2.68)
Region 6	3.85	(2.42 - 6.07)	6.55	(4.24 - 10.01)	*	(* - *)	1.87	(1.20 - 2.91)
Region 7	4.65	(3.02 - 7.08)	6.51	(4.31 - 9.72)	1.35	(0.72 - 2.50)	2.18	(1.43 - 3.31)
Tennessee	4.68	(3.73 - 5.85)	8.51	(6.95 - 10.38)	1.62	(1.19 - 2.21)	2.60	(2.12 - 3.17)
Region 1	5.53	(3.64 - 8.32)	8.55	(5.60 - 12.83)	1.58	(0.89 - 2.81)	2.45	(1.61 - 3.71)
Region 2	4.52	(3.04 - 6.67)	9.05	(6.44 - 12.59)	1.41	(0.81 - 2.42)	2.46	(1.72 - 3.50)
Region 3	4.81	(3.27 - 7.04)	8.86	(6.18 - 12.56)	1.57	(0.91 - 2.70)	2.57	(1.78 - 3.71)
Region 4 (Davidson)	4.59	(2.99 - 6.98)	7.71	(5.16 - 11.38)	1.77	(0.99 - 3.14)	2.70	(1.79 - 4.05)
Region 5	4.78	(3.27 - 6.96)	8.75	(6.16 - 12.28)	1.39	(0.83 - 2.35)	2.45	(1.74 - 3.44)
Region 6	4.36	(2.80 - 6.75)	7.53	(4.89 - 11.44)	1.66	(0.95 - 2.88)	2.48	(1.64 - 3.73)
Region 7 (Shelby)	4.45	(2.95 - 6.64)	8.38	(5.53 - 12.50)	2.17	(1.26 - 3.71)	3.10	(2.07 - 4.64)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2004, 2005 and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	4.09	(3.50 - 4.78)	7.16	(6.32 - 8.10)	1.32	(1.04 - 1.67)	2.28	(1.99 - 2.61)
Region 1	5.25	(3.55 - 7.69)	9.33	(6.58 - 13.06)	1.52	(0.89 - 2.60)	2.90	(2.06 - 4.07)
Region 2	3.79	(2.52 - 5.66)	7.23	(4.77 - 10.81)	1.22	(0.70 - 2.13)	2.16	(1.47 - 3.18)
Region 3	3.88	(3.02 - 4.96)	6.69	(5.39 - 8.28)	1.19	(0.84 - 1.68)	2.07	(1.67 - 2.57)
Region 3a	4.11	(3.04 - 5.52)	6.58	(5.04 - 8.55)	1.14	(0.75 - 1.73)	2.03	(1.57 - 2.63)
Region 3bc	3.47	(2.39 - 5.02)	6.90	(4.97 - 9.52)	1.27	(0.78 - 2.09)	2.14	(1.54 - 2.98)
Region 4	4.29	(2.94 - 6.21)	7.96	(5.55 - 11.28)	1.39	(0.82 - 2.35)	2.28	(1.59 - 3.27)
Region 5	4.24	(2.84 - 6.30)	8.96	(6.09 - 13.00)	1.60	(0.92 - 2.79)	2.69	(1.83 - 3.93)
Region 6	3.59	(2.75 - 4.68)	6.61	(5.31 - 8.19)	1.35	(0.91 - 2.00)	2.20	(1.72 - 2.80)
Region 6a	3.42	(2.53 - 4.63)	6.22	(4.85 - 7.95)	1.33	(0.85 - 2.06)	2.13	(1.61 - 2.80)
Region 6bc	5.01	(3.34 - 7.44)	10.27	(7.01 - 14.81)	1.54	(0.89 - 2.65)	2.76	(1.91 - 3.99)
Region 7	4.26	(3.24 - 5.59)	8.05	(6.35 - 10.15)	1.40	(0.95 - 2.06)	2.71	(2.14 - 3.42)
Region 7a	4.59	(3.20 - 6.54)	8.40	(6.21 - 11.27)	1.43	(0.88 - 2.32)	2.73	(2.02 - 3.68)
Region 7bcd	3.83	(2.63 - 5.54)	7.57	(5.36 - 10.61)	1.34	(0.79 - 2.29)	2.68	(1.91 - 3.75)
Region 8	4.46	(3.11 - 6.34)	7.05	(5.12 - 9.65)	1.13	(0.68 - 1.84)	2.03	(1.48 - 2.79)
Region 9	3.96	(2.64 - 5.91)	7.26	(4.82 - 10.78)	1.27	(0.71 - 2.25)	2.20	(1.47 - 3.29)
Region 10	4.80	(3.22 - 7.11)	7.11	(4.68 - 10.66)	1.54	(0.87 - 2.71)	2.50	(1.65 - 3.76)
Region 11	4.55	(3.36 - 6.12)	6.72	(4.95 - 9.07)	1.53	(0.97 - 2.40)	2.46	(1.80 - 3.34)
Region 11abd	4.44	(3.01 - 6.52)	7.24	(4.91 - 10.55)	1.47	(0.84 - 2.57)	2.46	(1.67 - 3.62)
Region 11c (Hidalgo)	4.73	(3.22 - 6.90)	5.79	(3.86 - 8.60)	1.64	(0.93 - 2.90)	2.44	(1.62 - 3.65)
Utah	4.11	(3.15 - 5.33)	6.56	(5.25 - 8.17)	1.57	(1.11 - 2.22)	2.64	(2.13 - 3.27)
Bear River, Northeastern, Summit, Tooele, and Wasatch	4.68	(3.07 - 7.09)	7.41	(4.79 - 11.28)	1.51	(0.86 - 2.62)	2.80	(1.88 - 4.16)
Central, Four Corners, San Juan, and Southwest	3.61	(2.33 - 5.58)	5.69	(3.57 - 8.96)	1.31	(0.73 - 2.36)	2.12	(1.38 - 3.23)
Davis County	4.26	(2.77 - 6.50)	7.12	(4.58 - 10.90)	1.56	(0.90 - 2.69)	2.66	(1.79 - 3.94)
Salt Lake County	4.08	(2.77 - 5.95)	6.99	(5.06 - 9.57)	1.72	(1.03 - 2.86)	2.75	(1.98 - 3.83)
Utah County	4.02	(2.62 - 6.14)	5.44	(3.68 - 7.98)	1.40	(0.80 - 2.45)	2.64	(1.84 - 3.76)
Weber, Morgan	4.09	(2.58 - 6.41)	7.00	(4.58 - 10.55)	1.57	(0.88 - 2.77)	2.60	(1.74 - 3.88)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2004, 2005 and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	4.82	(3.83 - 6.05)	9.75	(8.08 - 11.71)	1.33	(0.93 - 1.91)	2.56	(2.10 - 3.11)
Champlain Valley	4.83	(3.46 - 6.72)	10.44	(8.05 - 13.43)	1.38	(0.86 - 2.22)	2.96	(2.29 - 3.82)
Rural Northeast	4.61	(3.17 - 6.64)	9.60	(6.83 - 13.34)	1.27	(0.72 - 2.21)	2.42	(1.71 - 3.41)
Rural Southeast	4.53	(3.04 - 6.69)	9.25	(6.54 - 12.92)	1.38	(0.77 - 2.47)	2.29	(1.57 - 3.33)
Rural Southwest	5.48	(3.71 - 8.02)	8.36	(5.68 - 12.14)	1.25	(0.70 - 2.24)	2.17	(1.47 - 3.19)
Virginia	4.00	(3.10 - 5.14)	6.98	(5.59 - 8.67)	1.19	(0.84 - 1.67)	2.00	(1.60 - 2.50)
Region 1	4.37	(2.91 - 6.52)	7.43	(4.99 - 10.92)	1.05	(0.58 - 1.87)	1.99	(1.36 - 2.90)
Region 2	3.54	(2.35 - 5.31)	5.92	(3.95 - 8.76)	0.95	(0.55 - 1.64)	1.59	(1.08 - 2.34)
Region 3	4.10	(2.72 - 6.13)	8.40	(5.78 - 12.05)	1.21	(0.69 - 2.12)	2.20	(1.51 - 3.19)
Region 4	4.21	(2.78 - 6.34)	7.03	(4.75 - 10.27)	1.32	(0.75 - 2.32)	2.09	(1.41 - 3.09)
Region 5	4.00	(2.69 - 5.92)	6.67	(4.50 - 9.76)	1.43	(0.85 - 2.41)	2.27	(1.55 - 3.30)
Washington	4.27	(3.32 - 5.48)	8.56	(6.99 - 10.43)	1.83	(1.32 - 2.54)	2.81	(2.26 - 3.49)
Region 1	4.53	(2.92 - 6.95)	9.40	(6.42 - 13.57)	1.85	(1.03 - 3.28)	3.05	(2.06 - 4.50)
Region 2	4.43	(2.92 - 6.67)	8.26	(5.31 - 12.62)	1.96	(1.11 - 3.42)	2.95	(1.94 - 4.46)
Region 3	4.09	(2.66 - 6.24)	8.13	(5.46 - 11.95)	1.55	(0.89 - 2.68)	2.51	(1.70 - 3.71)
Region 4 (King)	4.52	(3.02 - 6.71)	8.24	(5.87 - 11.45)	1.93	(1.14 - 3.27)	2.81	(1.93 - 4.09)
Region 5	4.02	(2.65 - 6.05)	8.75	(5.98 - 12.63)	1.72	(1.01 - 2.91)	2.78	(1.92 - 4.01)
Region 6	4.04	(2.69 - 6.00)	8.85	(6.12 - 12.64)	1.95	(1.11 - 3.38)	2.85	(1.92 - 4.22)
West Virginia	4.45	(3.51 - 5.62)	9.73	(8.16 - 11.57)	1.37	(0.98 - 1.93)	2.49	(2.06 - 3.02)
Eastern Highland	4.43	(3.06 - 6.37)	8.05	(5.63 - 11.40)	1.20	(0.68 - 2.12)	2.07	(1.42 - 3.00)
Northern	4.34	(3.06 - 6.11)	11.47	(8.81 - 14.80)	1.43	(0.90 - 2.26)	2.94	(2.25 - 3.84)
Northern A and B	4.24	(2.71 - 6.55)	7.60	(4.90 - 11.60)	1.09	(0.59 - 1.98)	1.86	(1.22 - 2.84)
Northern C and D	4.38	(2.84 - 6.70)	12.89	(9.49 - 17.27)	1.62	(0.93 - 2.80)	3.49	(2.55 - 4.76)
South Central	4.53	(3.35 - 6.09)	9.21	(7.14 - 11.80)	1.27	(0.84 - 1.93)	2.30	(1.77 - 2.99)
South Central I	4.42	(2.90 - 6.68)	8.25	(5.36 - 12.49)	1.12	(0.60 - 2.07)	1.97	(1.29 - 2.99)
South Central II	4.57	(2.93 - 7.06)	10.43	(7.09 - 15.10)	1.44	(0.79 - 2.61)	2.80	(1.91 - 4.09)
South Central III	4.57	(3.04 - 6.80)	8.77	(6.12 - 12.41)	1.26	(0.71 - 2.20)	2.18	(1.50 - 3.15)
Southern	4.48	(3.18 - 6.28)	9.84	(7.34 - 13.07)	1.70	(1.06 - 2.71)	2.74	(2.00 - 3.75)
Southern I and III	4.24	(2.77 - 6.44)	9.36	(6.42 - 13.47)	1.65	(0.93 - 2.90)	2.64	(1.78 - 3.90)
Southern II	4.96	(3.20 - 7.60)	10.78	(7.27 - 15.69)	*	(* - *)	2.94	(1.93 - 4.47)

See notes at end of table.

(continued)

Table 21. Needing But Not Receiving Treatment for Illicit Drug Use in Past Year, by Age Group and State: Percentages, Annual Averages Based on 2004, 2005 and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	4.77	(3.79 - 5.99)	6.71	(5.38 - 8.35)	1.38	(0.99 - 1.92)	2.19	(1.77 - 2.71)
Milwaukee	4.83	(3.17 - 7.29)	6.60	(4.46 - 9.66)	2.08	(1.20 - 3.58)	2.81	(1.86 - 4.20)
Northeastern	4.45	(3.03 - 6.50)	6.25	(4.17 - 9.25)	1.25	(0.72 - 2.14)	1.97	(1.33 - 2.90)
Northern	4.08	(2.61 - 6.33)	6.37	(4.18 - 9.59)	*	(* - *)	1.88	(1.22 - 2.90)
Southeastern	5.22	(3.62 - 7.47)	7.00	(4.70 - 10.32)	1.29	(0.76 - 2.18)	2.06	(1.41 - 3.00)
Southern	4.73	(3.22 - 6.89)	6.67	(4.42 - 9.96)	1.22	(0.70 - 2.11)	2.12	(1.44 - 3.10)
Western	5.00	(3.34 - 7.42)	7.40	(4.94 - 10.94)	1.25	(0.70 - 2.24)	2.30	(1.57 - 3.35)
Wyoming	4.82	(3.82 - 6.07)	8.02	(6.51 - 9.83)	1.29	(0.93 - 1.78)	2.36	(1.93 - 2.87)
Judicial District 1 (Laramie)	5.15	(3.44 - 7.64)	8.00	(5.26 - 12.00)	1.43	(0.84 - 2.43)	2.44	(1.66 - 3.58)
Judicial District 2	4.83	(3.16 - 7.31)	7.41	(5.11 - 10.63)	*	(* - *)	3.09	(2.17 - 4.37)
Judicial District 3	4.72	(3.17 - 6.98)	6.88	(4.50 - 10.36)	1.16	(0.66 - 2.03)	2.07	(1.39 - 3.06)
Judicial District 4	4.91	(3.09 - 7.72)	8.51	(5.47 - 13.02)	*	(* - *)	1.99	(1.32 - 2.98)
Judicial District 5	4.73	(3.10 - 7.15)	7.80	(5.05 - 11.86)	*	(* - *)	1.85	(1.24 - 2.76)
Judicial District 6	4.57	(2.92 - 7.06)	9.52	(6.26 - 14.22)	1.25	(0.69 - 2.28)	2.55	(1.71 - 3.79)
Judicial District 7 (Natrona)	5.19	(3.51 - 7.60)	8.99	(6.19 - 12.88)	1.47	(0.84 - 2.56)	2.66	(1.85 - 3.81)
Judicial District 8	4.37	(2.76 - 6.84)	6.72	(4.18 - 10.64)	*	(* - *)	1.75	(1.11 - 2.74)
Judicial District 9	4.65	(3.07 - 6.99)	8.52	(5.64 - 12.68)	1.46	(0.81 - 2.62)	2.46	(1.64 - 3.68)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

NOTE: Needing But Not Receiving Treatment refers to respondents classified as needing treatment for illicit drugs, but not receiving treatment for an illicit drug problem at a specialty facility (i.e., drug and alcohol rehabilitation facilities [inpatient or outpatient], hospitals [inpatient only], and mental health centers). Illicit Drugs include marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or prescription-type psychotherapeutics used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs

State/Substate Region	AGE GROUP					
	18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	18.78		10.27		11.54	
Northeast	18.81	(18.05 - 19.60)	9.88	(9.32 - 10.46)	11.13	(10.63 - 11.65)
Midwest	19.14	(18.54 - 19.76)	10.62	(10.15 - 11.12)	11.92	(11.50 - 12.35)
South	18.24	(17.67 - 18.82)	10.59	(10.10 - 11.11)	11.73	(11.29 - 12.18)
West	19.21	(18.40 - 20.05)	9.75	(9.12 - 10.43)	11.21	(10.66 - 11.79)
Alabama	16.92	(14.83 - 19.24)	9.77	(8.27 - 11.51)	10.83	(9.46 - 12.38)
Region 1	16.80	(13.67 - 20.46)	9.58	(7.50 - 12.16)	10.55	(8.59 - 12.89)
Region 2	17.45	(14.50 - 20.85)	10.01	(7.85 - 12.69)	11.14	(9.15 - 13.50)
Region 3	16.43	(13.41 - 19.98)	9.81	(7.58 - 12.60)	10.98	(8.96 - 13.40)
Region 4	16.74	(13.54 - 20.51)	9.63	(7.57 - 12.17)	10.63	(8.69 - 12.93)
Alaska	17.83	(15.65 - 20.24)	10.36	(8.74 - 12.24)	11.56	(10.11 - 13.20)
Gulf Coast	18.78	(14.94 - 23.35)	9.72	(7.23 - 12.93)	10.94	(8.57 - 13.87)
Rural	16.73	(13.07 - 21.16)	10.59	(7.91 - 14.04)	11.76	(9.32 - 14.75)
Southeast	18.88	(15.25 - 23.14)	9.74	(7.40 - 12.72)	11.00	(8.80 - 13.67)
Urban	17.74	(15.21 - 20.59)	10.56	(8.63 - 12.86)	11.75	(10.00 - 13.75)
Arizona	19.27	(16.88 - 21.89)	10.73	(9.10 - 12.61)	12.02	(10.55 - 13.68)
Maricopa	19.45	(16.59 - 22.66)	10.73	(8.82 - 13.01)	12.11	(10.36 - 14.10)
Pima	18.77	(14.93 - 23.33)	10.86	(8.29 - 14.10)	12.06	(9.64 - 15.00)
Rural North	19.90	(16.16 - 24.26)	10.32	(7.82 - 13.51)	11.63	(9.25 - 14.51)
Rural South	18.33	(14.50 - 22.90)	10.93	(8.22 - 14.40)	11.93	(9.37 - 15.07)
Arkansas	21.48	(19.15 - 24.00)	11.48	(9.83 - 13.38)	12.98	(11.47 - 14.64)
Areas 1 and 2	23.34	(19.27 - 27.96)	10.88	(8.45 - 13.90)	12.82	(10.52 - 15.54)
Areas 3 and 4	22.49	(18.51 - 27.03)	12.48	(9.76 - 15.83)	13.96	(11.44 - 16.94)
Areas 5 and 6	20.73	(17.16 - 24.83)	10.98	(8.56 - 13.98)	12.51	(10.22 - 15.22)
Areas 7, 12, and 13	20.36	(16.63 - 24.68)	11.43	(8.85 - 14.63)	12.79	(10.40 - 15.63)
Areas 8, 10, and 11	19.83	(16.35 - 23.84)	10.78	(8.36 - 13.81)	12.03	(9.77 - 14.72)
Area 9	21.36	(17.49 - 25.81)	12.19	(9.61 - 15.34)	13.52	(11.11 - 16.35)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP					
	18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	18.37	(17.10 - 19.71)	9.09	(8.17 - 10.10)	10.53	(9.71 - 11.41)
Region 1	18.91	(15.41 - 22.98)	9.55	(7.31 - 12.37)	10.93	(8.82 - 13.46)
Region 2	19.35	(16.44 - 22.65)	8.99	(7.19 - 11.17)	10.51	(8.83 - 12.47)
Region 3	19.79	(16.29 - 23.82)	10.59	(8.27 - 13.48)	12.06	(9.85 - 14.68)
Region 4	19.16	(15.70 - 23.19)	9.87	(7.82 - 12.38)	10.99	(9.03 - 13.32)
Region 5	18.79	(15.75 - 22.28)	8.80	(7.04 - 10.95)	10.17	(8.49 - 12.15)
Region 6 (Santa Clara)	18.50	(15.26 - 22.25)	8.43	(6.62 - 10.69)	9.87	(8.11 - 11.96)
Region 7	16.75	(13.57 - 20.49)	8.86	(6.88 - 11.35)	10.20	(8.33 - 12.44)
Region 8	17.51	(14.32 - 21.23)	10.34	(8.11 - 13.11)	11.62	(9.56 - 14.06)
Region 9	16.99	(13.83 - 20.70)	10.45	(8.04 - 13.49)	11.59	(9.37 - 14.25)
Region 10	19.22	(15.70 - 23.31)	8.71	(6.73 - 11.21)	10.40	(8.48 - 12.68)
Region 11 (Los Angeles)	17.69	(15.59 - 20.00)	9.12	(7.70 - 10.78)	10.50	(9.21 - 11.95)
Region 12	17.29	(14.26 - 20.81)	8.65	(6.75 - 11.01)	10.13	(8.36 - 12.24)
Region 13 (Riverside)	17.56	(14.54 - 21.05)	9.02	(7.00 - 11.56)	10.32	(8.43 - 12.58)
Region 14 (Orange)	19.15	(16.09 - 22.64)	8.19	(6.47 - 10.31)	9.82	(8.19 - 11.74)
Region 15	19.34	(16.39 - 22.67)	8.74	(7.04 - 10.80)	10.53	(8.93 - 12.38)
Colorado	18.72	(16.43 - 21.24)	10.12	(8.56 - 11.93)	11.39	(9.96 - 13.00)
Region 1	17.41	(13.96 - 21.48)	9.51	(7.28 - 12.33)	10.90	(8.81 - 13.42)
Regions 2 and 7	19.19	(16.25 - 22.51)	10.03	(8.14 - 12.29)	11.35	(9.59 - 13.38)
Region 3	19.26	(15.48 - 23.70)	10.21	(7.90 - 13.08)	11.53	(9.35 - 14.15)
Region 4	18.02	(14.24 - 22.55)	13.01	(9.92 - 16.89)	13.69	(10.82 - 17.18)
Regions 5 and 6	17.77	(14.10 - 22.13)	9.59	(7.33 - 12.45)	10.79	(8.63 - 13.41)
Connecticut	20.62	(18.18 - 23.29)	9.66	(8.06 - 11.52)	11.11	(9.63 - 12.78)
Eastern	22.06	(17.85 - 26.92)	10.56	(7.95 - 13.89)	12.51	(10.04 - 15.47)
North Central	20.16	(16.70 - 24.12)	9.78	(7.55 - 12.58)	11.11	(9.01 - 13.63)
Northwestern	22.49	(18.51 - 27.06)	9.74	(7.45 - 12.64)	11.29	(9.10 - 13.94)
South Central	19.56	(16.08 - 23.57)	9.58	(7.37 - 12.36)	10.95	(8.88 - 13.44)
Southwest	19.90	(16.07 - 24.37)	8.97	(6.84 - 11.68)	10.28	(8.21 - 12.79)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP					
	18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	18.13	(15.88 - 20.63)	9.75	(8.29 - 11.42)	10.97	(9.64 - 12.46)
Kent	18.33	(14.99 - 22.21)	10.29	(7.96 - 13.22)	11.57	(9.39 - 14.17)
New Castle (excluding Wilmington City)	18.30	(15.40 - 21.59)	9.16	(7.42 - 11.27)	10.58	(8.96 - 12.46)
Sussex	18.40	(14.87 - 22.55)	9.75	(7.54 - 12.52)	10.71	(8.62 - 13.23)
Wilmington City	16.50	(13.04 - 20.65)	12.10	(9.25 - 15.68)	12.80	(10.17 - 15.98)
District of Columbia	17.77	(15.59 - 20.20)	10.69	(9.06 - 12.56)	11.82	(10.36 - 13.46)
Ward 1	17.89	(14.24 - 22.24)	11.98	(9.20 - 15.47)	13.05	(10.49 - 16.11)
Ward 2	18.56	(15.29 - 22.35)	11.96	(9.37 - 15.15)	13.60	(11.31 - 16.26)
Ward 3	19.80	(15.84 - 24.46)	11.26	(8.65 - 14.54)	12.62	(10.16 - 15.56)
Ward 4	17.62	(13.96 - 21.99)	9.02	(6.74 - 11.97)	9.88	(7.68 - 12.61)
Ward 5	16.09	(12.81 - 20.02)	9.02	(6.93 - 11.65)	10.03	(8.06 - 12.42)
Ward 6	17.65	(13.98 - 22.04)	10.84	(8.31 - 14.03)	11.74	(9.36 - 14.63)
Ward 7	15.18	(11.95 - 19.08)	9.59	(7.31 - 12.49)	10.27	(8.11 - 12.91)
Ward 8	16.72	(13.38 - 20.68)	11.95	(9.28 - 15.27)	12.81	(10.41 - 15.68)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP					
	18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	16.85	(15.67 - 18.10)	9.82	(8.88 - 10.84)	10.73	(9.88 - 11.64)
Region A	17.60	(15.40 - 20.05)	11.25	(9.52 - 13.24)	12.37	(10.81 - 14.12)
Circuit 1	18.38	(14.99 - 22.34)	11.28	(8.91 - 14.17)	12.38	(10.18 - 14.97)
Circuit 2	16.57	(13.61 - 20.01)	10.55	(8.26 - 13.37)	11.98	(9.92 - 14.41)
Circuit 14	18.00	(14.62 - 21.95)	12.04	(9.34 - 15.39)	12.88	(10.36 - 15.90)
Region B	17.62	(15.63 - 19.81)	10.50	(9.00 - 12.22)	11.61	(10.24 - 13.14)
Circuits 3 and 8	18.02	(14.95 - 21.56)	11.35	(8.89 - 14.38)	12.77	(10.55 - 15.37)
Circuit 4	17.59	(14.70 - 20.90)	11.05	(8.88 - 13.68)	12.07	(10.05 - 14.42)
Circuit 7	17.17	(14.14 - 20.69)	9.26	(7.21 - 11.81)	10.18	(8.24 - 12.50)
Region C	17.32	(15.62 - 19.16)	9.81	(8.58 - 11.20)	10.77	(9.62 - 12.03)
Circuit 5	16.97	(13.95 - 20.49)	10.42	(8.17 - 13.20)	11.02	(8.87 - 13.62)
Circuit 9	17.75	(14.96 - 20.93)	9.81	(7.83 - 12.23)	11.15	(9.31 - 13.30)
Circuit 10	15.86	(12.89 - 19.36)	10.33	(8.03 - 13.19)	11.04	(8.88 - 13.65)
Circuit 18	18.22	(15.14 - 21.78)	9.36	(7.40 - 11.77)	10.44	(8.57 - 12.65)
Circuit 19	16.69	(13.58 - 20.34)	8.92	(6.89 - 11.47)	9.70	(7.76 - 12.07)
Region D	15.78	(14.11 - 17.61)	8.90	(7.75 - 10.20)	9.76	(8.69 - 10.93)
Circuits 11 and 16	15.68	(13.25 - 18.45)	8.86	(7.18 - 10.88)	9.79	(8.22 - 11.62)
Circuit 15 (Palm Beach)	15.70	(13.06 - 18.75)	8.40	(6.71 - 10.48)	9.17	(7.55 - 11.10)
Circuit 17 (Broward)	16.00	(13.48 - 18.89)	9.32	(7.58 - 11.41)	10.13	(8.50 - 12.03)
Region E	16.94	(15.20 - 18.84)	10.24	(8.89 - 11.77)	10.99	(9.73 - 12.38)
Circuit 6	17.19	(14.26 - 20.57)	10.88	(8.66 - 13.58)	11.50	(9.41 - 14.00)
Circuit 12	16.69	(13.57 - 20.36)	9.29	(7.18 - 11.94)	9.98	(7.95 - 12.46)
Circuit 13 (Hillsborough)	17.54	(14.61 - 20.93)	11.62	(9.36 - 14.33)	12.51	(10.43 - 14.92)
Circuit 20	15.88	(13.02 - 19.22)	8.76	(6.89 - 11.07)	9.47	(7.68 - 11.61)
Georgia	18.55	(16.34 - 20.99)	10.97	(9.30 - 12.90)	12.12	(10.62 - 13.81)
Region 1	17.89	(14.42 - 21.98)	12.44	(9.61 - 15.96)	13.21	(10.60 - 16.34)
Region 2	19.56	(15.92 - 23.80)	11.21	(8.57 - 14.54)	12.51	(10.07 - 15.45)
Region 3	18.45	(15.45 - 21.88)	9.96	(7.91 - 12.47)	11.23	(9.35 - 13.43)
Region 4	18.86	(15.26 - 23.07)	12.21	(9.33 - 15.82)	13.22	(10.59 - 16.39)
Region 5	18.02	(14.34 - 22.38)	11.20	(8.59 - 14.48)	12.36	(9.93 - 15.28)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP					
	18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	19.30	(16.80 - 22.08)	7.87	(6.40 - 9.63)	9.39	(8.01 - 10.97)
Hawaii Island	19.82	(15.88 - 24.45)	8.84	(6.56 - 11.81)	10.15	(7.94 - 12.90)
Honolulu	19.28	(16.45 - 22.47)	7.71	(6.08 - 9.74)	9.32	(7.78 - 11.13)
Kauai and Maui**	19.02	(15.67 - 22.88)	7.80	(6.07 - 9.97)	9.10	(7.42 - 11.10)
Maui	18.69	(14.85 - 23.25)	7.75	(5.79 - 10.31)	9.05	(7.14 - 11.42)
Idaho	20.31	(18.11 - 22.69)	10.22	(8.72 - 11.93)	11.89	(10.54 - 13.40)
Region 1	20.13	(16.21 - 24.71)	9.61	(7.40 - 12.38)	10.95	(8.82 - 13.52)
Region 2	20.48	(16.45 - 25.20)	10.56	(7.98 - 13.85)	12.40	(9.96 - 15.34)
Region 3	19.66	(16.02 - 23.89)	10.03	(7.86 - 12.73)	11.56	(9.50 - 14.01)
Region 4	20.92	(17.61 - 24.67)	10.17	(8.04 - 12.80)	11.94	(9.95 - 14.25)
Region 5	20.20	(16.28 - 24.78)	10.02	(7.73 - 12.88)	11.56	(9.35 - 14.20)
Region 6	19.80	(16.00 - 24.23)	11.29	(8.68 - 14.56)	12.91	(10.48 - 15.80)
Region 7	20.34	(16.61 - 24.65)	10.37	(8.08 - 13.22)	12.46	(10.29 - 15.00)
Illinois	16.87	(15.67 - 18.15)	9.70	(8.77 - 10.70)	10.78	(9.97 - 11.66)
Region I (Cook)	15.55	(13.86 - 17.41)	9.24	(7.95 - 10.72)	10.20	(9.05 - 11.49)
Region II	18.85	(16.74 - 21.16)	8.81	(7.49 - 10.34)	10.25	(9.03 - 11.61)
Region III	15.92	(13.51 - 18.67)	11.18	(9.16 - 13.58)	12.00	(10.21 - 14.05)
Region IV	18.44	(15.47 - 21.82)	10.92	(8.71 - 13.61)	12.01	(9.96 - 14.41)
Region V	17.25	(14.78 - 20.04)	11.86	(9.64 - 14.51)	12.66	(10.67 - 14.97)
Indiana	19.54	(17.41 - 21.87)	11.60	(9.95 - 13.49)	12.82	(11.33 - 14.48)
Central	19.92	(16.53 - 23.79)	11.16	(8.81 - 14.03)	12.40	(10.21 - 14.99)
East	20.35	(16.49 - 24.85)	13.16	(10.11 - 16.96)	14.28	(11.47 - 17.63)
North Central	19.58	(15.97 - 23.78)	13.18	(10.18 - 16.91)	14.14	(11.38 - 17.43)
Northeast	18.89	(15.28 - 23.12)	10.96	(8.41 - 14.17)	12.16	(9.76 - 15.05)
Northwest	20.06	(16.30 - 24.42)	10.33	(8.03 - 13.19)	11.70	(9.53 - 14.30)
Southeast	19.11	(15.36 - 23.52)	11.55	(8.88 - 14.87)	12.58	(10.06 - 15.62)
Southwest	19.79	(15.97 - 24.26)	12.14	(9.26 - 15.76)	13.24	(10.55 - 16.49)
West	18.73	(15.25 - 22.81)	10.76	(8.18 - 14.02)	12.50	(10.17 - 15.27)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP					
	18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	17.63	(15.55 - 19.92)	10.60	(9.07 - 12.36)	11.69	(10.30 - 13.24)
Central	18.15	(14.64 - 22.29)	10.98	(8.55 - 14.00)	12.05	(9.76 - 14.77)
North Central	16.89	(13.61 - 20.77)	10.13	(7.78 - 13.10)	11.38	(9.21 - 13.99)
Northeast	18.57	(15.29 - 22.37)	10.59	(8.43 - 13.22)	11.84	(9.83 - 14.18)
Northwest	17.14	(13.60 - 21.38)	9.92	(7.61 - 12.83)	10.92	(8.75 - 13.55)
Southeast	17.18	(13.97 - 20.96)	11.10	(8.80 - 13.92)	12.11	(10.00 - 14.59)
Southwest	17.09	(13.76 - 21.03)	10.57	(8.18 - 13.57)	11.43	(9.18 - 14.14)
Kansas	19.29	(17.03 - 21.77)	11.94	(10.28 - 13.83)	13.13	(11.62 - 14.80)
Kansas City Metro	19.42	(16.24 - 23.06)	11.25	(9.10 - 13.84)	12.61	(10.61 - 14.91)
Northeast	19.47	(15.69 - 23.91)	12.62	(9.80 - 16.10)	13.81	(11.20 - 16.90)
South Central	17.72	(14.13 - 21.98)	11.42	(8.85 - 14.61)	12.36	(9.97 - 15.21)
Southeast	19.32	(15.39 - 23.97)	12.88	(9.82 - 16.71)	13.86	(11.04 - 17.27)
West	17.06	(13.63 - 21.13)	11.67	(8.87 - 15.19)	12.50	(9.93 - 15.62)
Wichita (Sedgwick)	21.45	(17.59 - 25.89)	12.68	(9.96 - 16.00)	14.06	(11.54 - 17.03)
Kentucky	19.38	(17.17 - 21.79)	12.85	(11.14 - 14.78)	13.78	(12.22 - 15.50)
Adanta, Cumberland River, and Lifeskills	19.76	(16.09 - 24.03)	14.04	(11.02 - 17.72)	14.85	(12.07 - 18.13)
Bluegrass, Comprehend, and North Key	18.82	(15.58 - 22.55)	12.16	(9.78 - 15.03)	13.19	(10.99 - 15.76)
Communicare and River Valley	20.74	(16.62 - 25.57)	12.90	(10.05 - 16.42)	13.99	(11.32 - 17.17)
Four Rivers and Pennyroyal	19.03	(15.29 - 23.45)	12.86	(10.04 - 16.32)	13.74	(11.14 - 16.83)
Kentucky River, Mountain, and Pathways	19.92	(16.32 - 24.07)	14.65	(11.50 - 18.48)	15.39	(12.50 - 18.80)
Seven Counties	19.05	(15.52 - 23.16)	11.80	(9.40 - 14.71)	12.73	(10.47 - 15.40)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP					
	18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	17.97	(15.91 - 20.24)	11.57	(9.87 - 13.53)	12.64	(11.13 - 14.32)
Region 1	16.73	(13.33 - 20.78)	12.34	(9.42 - 16.01)	13.08	(10.40 - 16.31)
Regions 2 and 9	18.28	(15.15 - 21.90)	9.98	(7.80 - 12.69)	11.43	(9.42 - 13.81)
Region 3	19.76	(15.82 - 24.40)	11.46	(8.79 - 14.82)	12.82	(10.29 - 15.85)
Region 4	17.39	(13.88 - 21.56)	12.56	(9.54 - 16.35)	13.37	(10.61 - 16.70)
Regions 5 and 6	17.90	(14.45 - 21.96)	11.79	(9.15 - 15.07)	12.78	(10.34 - 15.68)
Regions 7 and 8	17.78	(14.56 - 21.54)	12.69	(9.91 - 16.10)	13.54	(11.05 - 16.49)
Region 10 (Jefferson)	18.50	(14.78 - 22.90)	10.90	(8.29 - 14.20)	12.01	(9.57 - 14.97)
Maine	20.90	(18.68 - 23.31)	10.88	(9.34 - 12.64)	12.20	(10.79 - 13.77)
Aroostook/Downeast	19.84	(15.90 - 24.47)	10.92	(8.28 - 14.27)	12.03	(9.51 - 15.10)
Central	20.54	(16.84 - 24.82)	11.61	(9.05 - 14.78)	12.78	(10.39 - 15.63)
Cumberland	22.23	(18.57 - 26.39)	10.84	(8.54 - 13.68)	12.36	(10.17 - 14.94)
Midcoast	20.30	(16.35 - 24.93)	10.00	(7.71 - 12.89)	11.16	(8.95 - 13.83)
Penquis	19.97	(16.46 - 24.00)	11.01	(8.48 - 14.18)	12.43	(10.08 - 15.22)
Western	21.28	(17.50 - 25.62)	11.38	(8.85 - 14.51)	12.75	(10.37 - 15.57)
York	21.05	(17.20 - 25.50)	10.41	(8.11 - 13.28)	11.70	(9.48 - 14.35)
Maryland	18.16	(16.07 - 20.46)	8.94	(7.55 - 10.57)	10.23	(8.95 - 11.68)
Anne Arundel	17.28	(13.69 - 21.57)	8.15	(6.09 - 10.81)	9.42	(7.41 - 11.91)
Baltimore City	17.46	(14.01 - 21.55)	12.19	(9.23 - 15.92)	13.05	(10.37 - 16.30)
Baltimore County	18.17	(14.69 - 22.27)	9.15	(6.98 - 11.92)	10.41	(8.35 - 12.91)
Montgomery	18.04	(14.52 - 22.20)	7.38	(5.60 - 9.68)	8.65	(6.91 - 10.78)
North Central	18.72	(14.84 - 23.34)	7.55	(5.72 - 9.89)	8.94	(7.10 - 11.20)
Northeast	20.03	(15.98 - 24.79)	9.76	(7.30 - 12.93)	11.07	(8.71 - 13.97)
Prince George's	18.55	(15.09 - 22.59)	8.36	(6.37 - 10.90)	9.99	(8.06 - 12.30)
South	17.15	(13.72 - 21.22)	8.46	(6.42 - 11.07)	9.72	(7.75 - 12.11)
West	18.64	(14.75 - 23.28)	10.56	(8.08 - 13.70)	11.70	(9.35 - 14.56)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP					
	18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	20.23	(18.00 - 22.66)	9.22	(7.89 - 10.75)	10.77	(9.55 - 12.14)
Boston	20.65	(16.98 - 24.88)	11.36	(8.86 - 14.44)	13.27	(10.99 - 15.93)
Central	21.15	(17.13 - 25.83)	9.65	(7.46 - 12.40)	11.22	(9.12 - 13.74)
Metrowest	20.67	(17.17 - 24.68)	8.18	(6.34 - 10.50)	9.78	(8.00 - 11.90)
Northeast	18.78	(15.29 - 22.86)	8.80	(6.91 - 11.16)	10.08	(8.25 - 12.25)
Southeast	20.09	(16.52 - 24.21)	9.08	(7.04 - 11.64)	10.43	(8.49 - 12.76)
Western	20.21	(16.55 - 24.45)	9.73	(7.40 - 12.68)	11.39	(9.21 - 14.02)
Michigan	19.44	(18.17 - 20.76)	10.24	(9.32 - 11.24)	11.60	(10.79 - 12.47)
Bay	18.60	(15.26 - 22.47)	10.06	(7.88 - 12.76)	11.20	(9.14 - 13.66)
Detroit City	17.82	(14.99 - 21.06)	12.73	(10.33 - 15.59)	13.53	(11.37 - 16.02)
Genesee	20.19	(16.87 - 23.97)	10.79	(8.64 - 13.39)	12.14	(10.11 - 14.53)
Kalamazoo	19.27	(16.21 - 22.73)	10.90	(8.74 - 13.51)	12.26	(10.25 - 14.60)
Kent	18.16	(15.31 - 21.40)	10.71	(8.58 - 13.29)	11.98	(10.05 - 14.23)
Lakeshore	19.40	(16.44 - 22.75)	9.64	(7.66 - 12.05)	11.15	(9.29 - 13.33)
Macomb	20.25	(17.10 - 23.81)	10.47	(8.54 - 12.78)	11.76	(9.93 - 13.86)
Mid South	18.91	(16.23 - 21.92)	9.94	(8.15 - 12.07)	11.52	(9.88 - 13.39)
Northern	20.31	(17.17 - 23.87)	10.82	(8.76 - 13.28)	12.14	(10.22 - 14.37)
Oakland	19.96	(17.10 - 23.18)	8.45	(6.94 - 10.26)	9.88	(8.42 - 11.55)
Pathways	19.94	(16.28 - 24.19)	11.86	(9.22 - 15.13)	13.06	(10.59 - 16.01)
Saginaw	18.65	(15.14 - 22.75)	10.29	(7.99 - 13.15)	11.47	(9.28 - 14.11)
Southeast	20.10	(17.41 - 23.09)	9.93	(8.16 - 12.04)	11.29	(9.64 - 13.17)
St. Clair	17.71	(14.35 - 21.66)	9.29	(7.28 - 11.79)	10.42	(8.50 - 12.71)
Washtenaw	20.90	(17.47 - 24.80)	9.04	(7.27 - 11.19)	11.30	(9.59 - 13.29)
Western	18.55	(15.13 - 22.54)	12.06	(9.25 - 15.57)	13.02	(10.43 - 16.14)
Minnesota	19.20	(17.02 - 21.60)	9.94	(8.48 - 11.62)	11.36	(10.03 - 12.85)
Regions 1 and 2	19.30	(15.66 - 23.54)	10.39	(7.89 - 13.57)	11.68	(9.33 - 14.53)
Regions 3 and 4	18.83	(15.36 - 22.88)	9.34	(7.27 - 11.92)	10.89	(8.93 - 13.22)
Regions 5 and 6	18.86	(15.25 - 23.10)	10.37	(8.05 - 13.26)	11.70	(9.54 - 14.27)
Region 7A (Hennepin)	18.32	(14.92 - 22.29)	9.99	(7.79 - 12.73)	11.24	(9.17 - 13.72)
Region 7B (Ramsey)	20.09	(16.31 - 24.48)	10.69	(8.15 - 13.91)	12.29	(9.90 - 15.18)
Region 7C	20.36	(16.82 - 24.42)	9.36	(7.32 - 11.90)	10.93	(8.97 - 13.24)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP					
	18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	19.01	(16.77 - 21.48)	11.30	(9.65 - 13.21)	12.56	(11.07 - 14.22)
Region 1	19.04	(15.51 - 23.15)	11.53	(9.09 - 14.52)	12.70	(10.41 - 15.40)
Region 2	17.72	(14.21 - 21.88)	11.23	(8.67 - 14.42)	12.32	(9.96 - 15.15)
Region 3	18.72	(15.14 - 22.93)	11.07	(8.50 - 14.29)	12.40	(10.03 - 15.23)
Region 4	17.56	(14.17 - 21.57)	10.20	(7.92 - 13.04)	11.40	(9.26 - 13.95)
Region 5	17.41	(13.92 - 21.54)	10.63	(8.08 - 13.85)	11.67	(9.30 - 14.55)
Region 6	20.29	(16.41 - 24.83)	12.29	(9.53 - 15.70)	13.71	(11.16 - 16.74)
Region 7	21.98	(18.07 - 26.45)	12.16	(9.46 - 15.50)	13.65	(11.14 - 16.64)
Missouri	20.85	(18.65 - 23.24)	12.47	(10.77 - 14.39)	13.73	(12.20 - 15.43)
Central	21.41	(17.62 - 25.75)	11.97	(9.38 - 15.15)	13.62	(11.23 - 16.44)
Eastern	20.83	(17.77 - 24.26)	11.91	(9.83 - 14.36)	13.19	(11.25 - 15.40)
Eastern (St. Louis City and County)	20.43	(16.83 - 24.56)	11.89	(9.45 - 14.85)	13.11	(10.84 - 15.78)
Eastern (excluding St. Louis)	21.64	(17.59 - 26.33)	11.95	(9.33 - 15.18)	13.34	(10.86 - 16.29)
Northwest	20.22	(17.11 - 23.74)	12.86	(10.59 - 15.54)	13.97	(11.88 - 16.35)
Northwest (Jackson)	20.01	(16.13 - 24.54)	13.76	(10.77 - 17.43)	14.69	(11.92 - 17.95)
Northwest (excluding Jackson)	20.41	(16.47 - 25.00)	12.05	(9.42 - 15.29)	13.32	(10.86 - 16.24)
Southeast	20.76	(17.00 - 25.11)	13.64	(10.54 - 17.48)	14.66	(11.81 - 18.07)
Southwest	21.38	(17.78 - 25.48)	12.62	(9.95 - 15.87)	13.95	(11.48 - 16.85)
Montana	19.46	(17.32 - 21.80)	10.69	(9.14 - 12.47)	12.02	(10.62 - 13.59)
Region 1	18.97	(15.11 - 23.55)	11.80	(8.92 - 15.45)	12.66	(9.96 - 15.97)
Region 2	17.84	(14.19 - 22.19)	10.90	(8.38 - 14.07)	11.95	(9.58 - 14.80)
Region 3	21.99	(18.26 - 26.24)	12.04	(9.42 - 15.28)	13.45	(10.98 - 16.38)
Region 4	19.77	(16.47 - 23.55)	10.37	(8.22 - 13.00)	11.94	(9.96 - 14.25)
Region 5	18.51	(15.50 - 21.95)	9.63	(7.60 - 12.13)	11.00	(9.11 - 13.23)
Nebraska	18.66	(16.48 - 21.05)	11.05	(9.44 - 12.90)	12.28	(10.83 - 13.91)
Regions 1 and 2	18.69	(14.90 - 23.18)	11.50	(8.73 - 15.00)	12.47	(9.86 - 15.64)
Region 3	19.53	(15.79 - 23.91)	11.24	(8.63 - 14.53)	12.52	(10.06 - 15.46)
Region 4	17.94	(14.30 - 22.27)	11.38	(8.68 - 14.78)	12.32	(9.81 - 15.38)
Region 5	17.58	(14.62 - 20.99)	10.40	(8.17 - 13.14)	11.74	(9.72 - 14.10)
Region 6	19.37	(16.18 - 23.03)	11.16	(9.06 - 13.66)	12.49	(10.55 - 14.72)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP					
	18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	19.78	(17.32 - 22.49)	10.83	(9.08 - 12.88)	12.06	(10.45 - 13.88)
Clark	19.21	(16.42 - 22.34)	10.77	(8.78 - 13.15)	11.95	(10.12 - 14.06)
Rural	21.52	(17.46 - 26.21)	10.71	(8.31 - 13.69)	11.97	(9.69 - 14.71)
Washoe	21.10	(17.17 - 25.66)	11.23	(8.62 - 14.51)	12.64	(10.16 - 15.62)
New Hampshire	21.58	(19.13 - 24.24)	9.99	(8.54 - 11.67)	11.58	(10.23 - 13.08)
Central	22.33	(19.07 - 25.97)	10.78	(8.78 - 13.16)	12.48	(10.62 - 14.60)
Central 1	22.70	(18.61 - 27.38)	10.77	(8.29 - 13.90)	12.78	(10.45 - 15.53)
Central 2	21.86	(17.76 - 26.61)	10.78	(8.28 - 13.91)	12.19	(9.81 - 15.04)
Northern	21.86	(17.78 - 26.58)	11.06	(8.52 - 14.24)	12.57	(10.15 - 15.47)
Southern	21.11	(18.23 - 24.31)	9.39	(7.76 - 11.32)	10.93	(9.38 - 12.69)
Southern 1 (Rockingham)	20.75	(16.98 - 25.10)	8.71	(6.82 - 11.06)	10.10	(8.27 - 12.29)
Southern 2	21.29	(17.91 - 25.11)	9.82	(7.77 - 12.33)	11.43	(9.49 - 13.69)
New Jersey	18.45	(16.23 - 20.91)	9.36	(7.94 - 11.00)	10.54	(9.22 - 12.01)
Central	19.12	(15.62 - 23.20)	8.47	(6.57 - 10.86)	9.75	(7.92 - 11.94)
Metropolitan	17.60	(14.41 - 21.31)	9.65	(7.51 - 12.32)	10.78	(8.79 - 13.15)
Northern	18.79	(15.66 - 22.39)	9.88	(7.80 - 12.44)	11.00	(9.04 - 13.32)
Southern	18.35	(14.95 - 22.32)	9.18	(7.11 - 11.77)	10.40	(8.44 - 12.77)
New Mexico	18.16	(15.98 - 20.57)	10.90	(9.20 - 12.88)	12.06	(10.52 - 13.79)
Region 1	19.81	(16.05 - 24.19)	11.79	(9.05 - 15.21)	13.08	(10.54 - 16.11)
Region 2	16.60	(13.05 - 20.90)	10.33	(7.79 - 13.58)	11.17	(8.78 - 14.12)
Region 3 (Bernalillo)	18.93	(15.75 - 22.57)	10.84	(8.60 - 13.57)	12.16	(10.11 - 14.56)
Region 4	16.96	(13.60 - 20.96)	11.67	(8.84 - 15.25)	12.55	(9.95 - 15.70)
Region 5	17.19	(13.97 - 20.97)	10.10	(7.74 - 13.08)	11.32	(9.14 - 13.93)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP					
	18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	17.72	(16.38 - 19.14)	9.99	(9.02 - 11.06)	11.11	(10.23 - 12.06)
Region A	16.71	(15.03 - 18.53)	10.72	(9.39 - 12.21)	11.63	(10.43 - 12.94)
Region 1	14.33	(11.62 - 17.55)	10.90	(8.63 - 13.67)	11.46	(9.42 - 13.88)
Region 2	17.46	(14.81 - 20.47)	10.44	(8.56 - 12.68)	11.54	(9.81 - 13.52)
Region 3	19.13	(16.02 - 22.68)	13.96	(11.32 - 17.08)	14.70	(12.28 - 17.51)
Region 4	15.44	(12.79 - 18.51)	8.62	(6.84 - 10.80)	9.61	(7.92 - 11.60)
Region B	18.79	(16.68 - 21.10)	8.26	(7.06 - 9.64)	9.59	(8.45 - 10.88)
Region 5	19.51	(16.60 - 22.80)	8.30	(6.71 - 10.21)	9.69	(8.15 - 11.48)
Region 6	18.27	(14.88 - 22.24)	8.07	(6.40 - 10.13)	9.31	(7.67 - 11.25)
Region 7	17.37	(14.22 - 21.04)	8.45	(6.61 - 10.75)	9.73	(7.96 - 11.84)
Region C	18.63	(16.81 - 20.59)	10.26	(8.99 - 11.69)	11.49	(10.34 - 12.76)
Region 8	17.54	(14.57 - 20.97)	9.70	(7.79 - 12.01)	10.82	(9.04 - 12.91)
Region 9	19.66	(16.46 - 23.32)	10.99	(8.67 - 13.82)	12.29	(10.13 - 14.82)
Region 10	19.52	(16.07 - 23.50)	12.46	(9.83 - 15.67)	13.75	(11.37 - 16.54)
Region 11	20.12	(16.91 - 23.76)	9.52	(7.51 - 11.99)	11.07	(9.18 - 13.30)
Region 12	16.79	(13.82 - 20.24)	10.02	(8.06 - 12.40)	10.94	(9.11 - 13.10)
Region D	17.68	(15.47 - 20.12)	11.06	(9.33 - 13.07)	12.07	(10.49 - 13.84)
Region 13	18.37	(14.97 - 22.34)	11.28	(8.78 - 14.39)	12.30	(9.96 - 15.10)
Region 14	17.22	(14.06 - 20.90)	10.70	(8.31 - 13.66)	11.77	(9.57 - 14.41)
Region 15	17.57	(14.42 - 21.24)	11.21	(8.68 - 14.35)	12.14	(9.82 - 14.93)
North Carolina	18.18	(16.13 - 20.43)	10.79	(9.07 - 12.79)	11.83	(10.28 - 13.59)
Eastern	18.40	(15.12 - 22.21)	10.64	(8.14 - 13.81)	11.84	(9.53 - 14.61)
North Central	18.18	(14.89 - 22.00)	11.15	(8.53 - 14.45)	12.15	(9.71 - 15.09)
South Central	18.56	(15.23 - 22.43)	10.68	(8.37 - 13.54)	11.84	(9.70 - 14.38)
Western	17.74	(14.92 - 20.96)	10.69	(8.47 - 13.40)	11.60	(9.55 - 14.01)
North Dakota	19.50	(17.28 - 21.94)	10.20	(8.63 - 12.02)	11.82	(10.40 - 13.41)
Badlands and West Central Lake Region and South Central	19.99	(16.55 - 23.94)	9.76	(7.64 - 12.39)	11.24	(9.24 - 13.61)
North Central and Northwest	20.71	(16.71 - 25.36)	11.08	(8.52 - 14.29)	12.32	(9.90 - 15.25)
Northeast	18.72	(15.31 - 22.69)	10.16	(7.87 - 13.01)	11.50	(9.34 - 14.07)
Southeast	17.38	(14.13 - 21.21)	10.04	(7.73 - 12.95)	11.72	(9.60 - 14.24)
Southeast	20.31	(17.02 - 24.06)	10.21	(8.01 - 12.92)	12.37	(10.35 - 14.72)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP					
	18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	21.18	(19.90 - 22.52)	10.70	(9.72 - 11.77)	12.24	(11.36 - 13.17)
Boards 2, 46, 55, and 68	20.08	(16.76 - 23.87)	10.41	(8.19 - 13.13)	11.77	(9.69 - 14.24)
Boards 3, 52, and 85	20.57	(16.89 - 24.80)	9.54	(7.49 - 12.07)	11.15	(9.19 - 13.46)
Boards 4 and 78	22.30	(18.46 - 26.68)	10.92	(8.62 - 13.75)	12.36	(10.14 - 14.99)
Boards 5 and 60	20.02	(16.62 - 23.92)	12.40	(9.95 - 15.35)	13.80	(11.54 - 16.40)
Boards 7, 15, 41, 79, and 84	20.35	(16.80 - 24.41)	11.07	(8.73 - 13.94)	12.25	(10.03 - 14.88)
Boards 8, 13, and 83	20.52	(16.93 - 24.64)	9.89	(7.90 - 12.31)	11.37	(9.45 - 13.62)
Board 9 (Butler)	21.99	(18.25 - 26.25)	10.95	(8.63 - 13.79)	12.90	(10.70 - 15.48)
Board 12	21.13	(17.64 - 25.11)	10.33	(8.10 - 13.10)	12.06	(9.95 - 14.54)
Boards 18 and 47	19.66	(16.95 - 22.69)	9.64	(7.96 - 11.64)	10.96	(9.39 - 12.76)
Boards 20, 32, 54, and 69	20.10	(16.49 - 24.27)	10.32	(8.17 - 12.95)	11.71	(9.65 - 14.13)
Boards 21, 39, 51, 70, and 80	22.60	(19.00 - 26.66)	11.50	(9.18 - 14.31)	12.99	(10.80 - 15.56)
Boards 22, 74, and 87	20.42	(16.81 - 24.58)	10.05	(7.88 - 12.73)	11.72	(9.63 - 14.19)
Boards 23 and 45	22.83	(19.07 - 27.09)	10.47	(8.26 - 13.18)	12.22	(10.12 - 14.68)
Board 25 (Franklin)	23.62	(20.76 - 26.74)	11.26	(9.32 - 13.54)	13.48	(11.71 - 15.47)
Boards 27, 71, and 73	21.91	(18.31 - 25.99)	12.12	(9.63 - 15.14)	13.52	(11.20 - 16.24)
Boards 28, 43, and 67	20.08	(16.82 - 23.79)	8.98	(7.17 - 11.18)	10.58	(8.84 - 12.61)
Board 31 (Hamilton)	21.51	(18.18 - 25.26)	11.11	(9.02 - 13.61)	12.70	(10.73 - 14.98)
Board 48 (Lucas)	19.68	(16.55 - 23.24)	11.43	(8.97 - 14.45)	12.72	(10.45 - 15.40)
Boards 50 and 76	20.68	(17.40 - 24.39)	10.27	(8.09 - 12.95)	11.63	(9.57 - 14.07)
Board 57 (Montgomery)	21.46	(17.98 - 25.41)	11.91	(9.52 - 14.81)	13.34	(11.09 - 15.96)
Board 77 (Summit)	22.06	(18.44 - 26.15)	11.62	(9.27 - 14.48)	13.01	(10.78 - 15.62)
Oklahoma	20.95	(18.62 - 23.48)	12.07	(10.39 - 13.97)	13.49	(11.97 - 15.16)
Central	21.65	(17.58 - 26.36)	10.37	(8.01 - 13.32)	12.41	(10.15 - 15.10)
East Central	20.33	(16.40 - 24.92)	12.30	(9.52 - 15.75)	13.45	(10.86 - 16.55)
Northeast	21.54	(17.69 - 25.96)	12.19	(9.50 - 15.51)	13.68	(11.19 - 16.61)
Northwest and Southwest	22.67	(18.65 - 27.27)	12.73	(9.90 - 16.23)	14.36	(11.72 - 17.47)
Oklahoma County	20.51	(16.71 - 24.91)	11.45	(8.92 - 14.58)	12.98	(10.63 - 15.76)
Southeast	19.95	(16.11 - 24.45)	12.55	(9.82 - 15.90)	13.61	(11.07 - 16.63)
Tulsa County	20.06	(16.19 - 24.58)	12.58	(9.91 - 15.86)	13.78	(11.28 - 16.72)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP					
	18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	21.57	(19.14 - 24.22)	10.12	(8.61 - 11.86)	11.76	(10.35 - 13.33)
Region 1 (Multnomah)	22.61	(18.52 - 27.31)	11.72	(9.24 - 14.77)	13.36	(11.02 - 16.12)
Region 2	21.89	(17.98 - 26.37)	9.47	(7.43 - 11.98)	11.20	(9.21 - 13.55)
Region 3	20.69	(17.49 - 24.30)	9.35	(7.33 - 11.87)	11.14	(9.24 - 13.38)
Region 4	21.81	(17.74 - 26.51)	10.10	(7.81 - 12.97)	11.47	(9.24 - 14.15)
Region 5	21.44	(17.23 - 26.35)	10.76	(8.23 - 13.95)	12.14	(9.69 - 15.12)
Pennsylvania	18.60	(17.36 - 19.91)	10.06	(9.12 - 11.09)	11.27	(10.42 - 12.17)
Region 1 (Allegheny)	20.36	(17.30 - 23.80)	12.13	(9.92 - 14.74)	13.22	(11.18 - 15.56)
Regions 2, 3, 8, and 9	20.30	(16.95 - 24.12)	9.71	(7.61 - 12.32)	11.23	(9.22 - 13.60)
Regions 4, 11, 37, and 49	18.73	(15.73 - 22.14)	10.09	(8.04 - 12.58)	11.22	(9.30 - 13.47)
Regions 5, 18, 23, 24, and 46	17.74	(14.93 - 20.96)	9.16	(7.27 - 11.48)	10.36	(8.59 - 12.44)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	18.25	(15.52 - 21.33)	10.23	(8.26 - 12.59)	11.71	(9.91 - 13.77)
Regions 7, 13, 20, and 33	19.48	(16.94 - 22.29)	7.59	(6.19 - 9.27)	9.13	(7.81 - 10.64)
Regions 10, 14, 15, 27, 32, 43, and 44	19.58	(16.22 - 23.44)	12.47	(9.88 - 15.61)	13.42	(11.02 - 16.25)
Regions 17 and 21	19.71	(16.20 - 23.76)	10.99	(8.57 - 14.00)	12.39	(10.12 - 15.08)
Regions 19, 26, 28, and 42	18.27	(15.68 - 21.17)	9.78	(7.96 - 11.96)	10.95	(9.26 - 12.89)
Regions 22, 38, 40, 41, and 48	18.61	(15.55 - 22.12)	11.16	(8.97 - 13.81)	12.07	(10.02 - 14.46)
Regions 25 and 30	17.71	(14.56 - 21.37)	10.31	(8.10 - 13.04)	11.27	(9.20 - 13.74)
Regions 29 and 34	17.49	(14.25 - 21.29)	8.71	(6.79 - 11.11)	9.90	(8.04 - 12.12)
Region 36 (Philadelphia)	16.44	(14.01 - 19.20)	11.77	(9.64 - 14.29)	12.56	(10.67 - 14.73)
Rhode Island	21.57	(18.96 - 24.43)	12.94	(11.07 - 15.08)	14.28	(12.59 - 16.15)
Bristol and Newport	19.73	(15.72 - 24.48)	10.06	(7.65 - 13.12)	11.36	(9.05 - 14.16)
Kent	19.87	(16.18 - 24.17)	12.00	(9.24 - 15.44)	12.97	(10.38 - 16.09)
Providence	22.39	(19.13 - 26.03)	14.41	(11.96 - 17.28)	15.73	(13.53 - 18.23)
Washington	20.83	(16.96 - 25.33)	10.32	(7.96 - 13.28)	12.04	(9.81 - 14.70)
South Carolina	18.63	(16.47 - 21.01)	11.26	(9.63 - 13.12)	12.35	(10.87 - 13.99)
Region 1	20.59	(17.10 - 24.58)	12.34	(9.85 - 15.36)	13.52	(11.22 - 16.21)
Region 2	18.33	(15.23 - 21.91)	11.62	(9.23 - 14.53)	12.63	(10.42 - 15.22)
Region 3	18.87	(15.14 - 23.27)	10.76	(8.37 - 13.73)	11.90	(9.67 - 14.57)
Region 4	16.94	(13.96 - 20.42)	10.06	(7.91 - 12.71)	11.12	(9.13 - 13.47)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP					
	18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	17.29	(15.15 - 19.65)	9.46	(7.95 - 11.23)	10.74	(9.35 - 12.30)
Region 1	16.63	(13.28 - 20.61)	9.05	(6.87 - 11.82)	10.28	(8.23 - 12.78)
Region 2	16.89	(13.83 - 20.47)	9.90	(7.74 - 12.57)	11.09	(9.10 - 13.45)
Region 3	17.77	(14.53 - 21.54)	8.93	(6.80 - 11.64)	10.54	(8.55 - 12.93)
Region 4	18.28	(14.43 - 22.90)	9.36	(7.01 - 12.39)	10.89	(8.63 - 13.64)
Region 5	16.78	(13.28 - 20.98)	9.97	(7.50 - 13.12)	10.87	(8.54 - 13.75)
Region 6	18.16	(14.35 - 22.70)	10.56	(7.96 - 13.89)	11.55	(9.10 - 14.56)
Region 7	17.35	(13.89 - 21.45)	8.94	(6.80 - 11.67)	10.30	(8.28 - 12.75)
Tennessee	20.37	(18.12 - 22.83)	11.90	(10.24 - 13.79)	13.10	(11.59 - 14.78)
Region 1	21.49	(17.49 - 26.12)	13.89	(10.78 - 17.71)	14.84	(11.94 - 18.30)
Region 2	22.61	(18.84 - 26.89)	12.46	(9.77 - 15.75)	13.86	(11.36 - 16.80)
Region 3	18.45	(14.98 - 22.51)	11.31	(8.77 - 14.46)	12.29	(9.92 - 15.12)
Region 4 (Davidson)	21.65	(17.73 - 26.17)	12.48	(9.71 - 15.91)	13.92	(11.34 - 16.98)
Region 5	20.37	(16.63 - 24.71)	11.17	(8.88 - 13.95)	12.49	(10.33 - 15.01)
Region 6	19.83	(15.95 - 24.38)	13.07	(10.13 - 16.71)	14.02	(11.28 - 17.29)
Region 7 (Shelby)	18.62	(15.08 - 22.77)	10.49	(8.12 - 13.44)	11.70	(9.47 - 14.38)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP					
	18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	16.88	(15.67 - 18.16)	10.28	(9.31 - 11.35)	11.37	(10.51 - 12.29)
Region 1	18.43	(15.20 - 22.17)	10.89	(8.51 - 13.83)	12.22	(10.04 - 14.80)
Region 2	17.46	(14.34 - 21.09)	11.99	(9.38 - 15.20)	12.85	(10.49 - 15.65)
Region 3	17.15	(15.30 - 19.18)	10.13	(8.79 - 11.66)	11.25	(10.03 - 12.61)
Region 3a	15.24	(12.97 - 17.84)	8.84	(7.31 - 10.65)	9.89	(8.49 - 11.49)
Region 3bc	20.73	(17.64 - 24.21)	12.39	(10.06 - 15.16)	13.67	(11.53 - 16.13)
Region 4	17.76	(14.62 - 21.41)	10.42	(8.26 - 13.06)	11.42	(9.40 - 13.81)
Region 5	18.69	(15.26 - 22.69)	10.95	(8.51 - 13.98)	12.09	(9.80 - 14.84)
Region 6	15.55	(13.61 - 17.71)	8.75	(7.29 - 10.47)	9.84	(8.53 - 11.34)
Region 6a	15.33	(13.26 - 17.64)	8.66	(7.08 - 10.55)	9.75	(8.33 - 11.38)
Region 6bc	17.73	(14.29 - 21.77)	9.46	(7.37 - 12.06)	10.62	(8.64 - 12.98)
Region 7	18.03	(15.76 - 20.54)	10.68	(9.07 - 12.54)	12.13	(10.65 - 13.78)
Region 7a	18.90	(15.94 - 22.27)	10.43	(8.46 - 12.80)	12.01	(10.18 - 14.11)
Region 7bcd	16.86	(13.93 - 20.26)	11.08	(8.71 - 13.99)	12.31	(10.16 - 14.84)
Region 8	17.46	(14.64 - 20.68)	11.23	(9.05 - 13.85)	12.18	(10.18 - 14.51)
Region 9	17.57	(14.21 - 21.53)	10.73	(8.33 - 13.73)	11.80	(9.57 - 14.47)
Region 10	14.72	(11.78 - 18.24)	10.40	(8.18 - 13.13)	11.14	(9.08 - 13.59)
Region 11	15.81	(13.35 - 18.63)	12.13	(10.10 - 14.50)	12.79	(10.96 - 14.87)
Region 11abd	15.96	(12.84 - 19.65)	12.86	(10.25 - 16.01)	13.39	(11.02 - 16.17)
Region 11c (Hidalgo)	15.55	(12.56 - 19.09)	10.65	(8.35 - 13.49)	11.59	(9.49 - 14.07)
Utah	22.90	(20.51 - 25.47)	12.40	(10.54 - 14.53)	14.65	(13.04 - 16.43)
Bear River, Northeastern, Summit, Tooele, and Wasatch	22.54	(18.34 - 27.38)	11.30	(8.80 - 14.41)	13.76	(11.40 - 16.52)
Central, Four Corners, San Juan, and Southwest	22.29	(18.13 - 27.09)	11.50	(8.83 - 14.86)	13.48	(10.98 - 16.44)
Davis County	24.00	(19.62 - 29.00)	11.28	(8.70 - 14.51)	13.81	(11.31 - 16.75)
Salt Lake County	23.72	(20.18 - 27.67)	13.29	(10.74 - 16.32)	15.33	(13.03 - 17.96)
Utah County	21.67	(18.01 - 25.83)	11.50	(9.01 - 14.56)	14.59	(12.27 - 17.26)
Weber, Morgan	22.61	(18.44 - 27.41)	13.63	(10.52 - 17.49)	15.34	(12.52 - 18.66)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP					
	18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	22.12	(19.79 - 24.64)	10.18	(8.62 - 12.00)	11.92	(10.50 - 13.50)
Champlain Valley	21.63	(18.60 - 24.99)	9.47	(7.60 - 11.74)	11.58	(9.83 - 13.58)
Rural Northeast	21.81	(18.05 - 26.12)	10.96	(8.52 - 13.99)	12.46	(10.18 - 15.16)
Rural Southeast	21.81	(18.12 - 26.02)	9.92	(7.63 - 12.80)	11.28	(9.11 - 13.90)
Rural Southwest	24.52	(20.21 - 29.42)	11.03	(8.50 - 14.20)	12.77	(10.35 - 15.65)
Virginia	20.40	(18.17 - 22.83)	9.17	(7.72 - 10.86)	10.76	(9.43 - 12.25)
Region 1	23.00	(18.80 - 27.82)	9.73	(7.45 - 12.62)	11.69	(9.46 - 14.36)
Region 2	19.55	(16.13 - 23.49)	7.84	(6.08 - 10.04)	9.34	(7.66 - 11.35)
Region 3	20.98	(17.35 - 25.13)	10.96	(8.38 - 14.20)	12.34	(9.95 - 15.21)
Region 4	19.81	(16.26 - 23.93)	9.47	(7.29 - 12.23)	10.86	(8.78 - 13.37)
Region 5	19.60	(16.19 - 23.52)	8.68	(6.62 - 11.32)	10.43	(8.47 - 12.77)
Washington	20.98	(18.66 - 23.50)	10.31	(8.80 - 12.04)	11.86	(10.46 - 13.41)
Region 1	20.14	(16.40 - 24.47)	10.82	(8.29 - 14.00)	12.31	(9.94 - 15.14)
Region 2	20.00	(16.00 - 24.71)	10.67	(8.18 - 13.82)	12.15	(9.76 - 15.02)
Region 3	21.26	(17.40 - 25.70)	9.52	(7.37 - 12.21)	11.24	(9.18 - 13.69)
Region 4 (King)	20.96	(17.37 - 25.07)	9.99	(7.90 - 12.55)	11.52	(9.54 - 13.84)
Region 5	23.05	(18.85 - 27.87)	10.97	(8.56 - 13.97)	12.80	(10.48 - 15.55)
Region 6	19.86	(16.29 - 23.98)	10.48	(8.09 - 13.47)	11.71	(9.45 - 14.43)
West Virginia	21.16	(18.97 - 23.54)	13.81	(11.93 - 15.93)	14.80	(13.09 - 16.69)
Eastern Highland	20.20	(16.74 - 24.17)	13.04	(10.23 - 16.47)	13.94	(11.34 - 17.02)
Northern	22.25	(19.09 - 25.77)	13.45	(11.00 - 16.34)	14.77	(12.54 - 17.33)
Northern A and B	21.35	(17.20 - 26.18)	13.68	(10.58 - 17.53)	14.60	(11.66 - 18.13)
Northern C and D	22.58	(18.88 - 26.77)	13.32	(10.38 - 16.94)	14.86	(12.19 - 18.00)
South Central	21.17	(18.37 - 24.28)	13.98	(11.76 - 16.55)	14.92	(12.85 - 17.25)
South Central I	20.31	(16.45 - 24.81)	12.45	(9.65 - 15.93)	13.39	(10.73 - 16.59)
South Central II	21.65	(17.62 - 26.31)	14.83	(11.57 - 18.82)	15.86	(12.85 - 19.42)
South Central III	21.29	(17.46 - 25.69)	14.36	(11.38 - 17.96)	15.21	(12.44 - 18.48)
Southern	20.46	(17.48 - 23.80)	14.84	(12.08 - 18.11)	15.56	(13.03 - 18.49)
Southern I and III	19.77	(16.19 - 23.91)	14.41	(11.17 - 18.38)	15.10	(12.09 - 18.69)
Southern II	21.82	(17.68 - 26.62)	15.70	(12.11 - 20.10)	16.49	(13.18 - 20.44)

See notes at end of table.

(continued)

Table 22. Serious Psychological Distress in Past Year among Persons Aged 18 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP					
	18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	18.60	(16.45 - 20.97)	10.34	(8.90 - 11.98)	11.59	(10.26 - 13.06)
Milwaukee	18.48	(14.99 - 22.58)	12.06	(9.45 - 15.27)	13.09	(10.68 - 15.96)
Northeastern	18.82	(15.44 - 22.73)	10.31	(8.09 - 13.05)	11.53	(9.45 - 14.01)
Northern	18.10	(14.65 - 22.14)	10.82	(8.29 - 14.00)	11.80	(9.42 - 14.67)
Southeastern	17.72	(14.38 - 21.63)	9.15	(7.12 - 11.68)	10.30	(8.38 - 12.59)
Southern	18.64	(15.18 - 22.68)	9.94	(7.86 - 12.49)	11.37	(9.40 - 13.68)
Western	19.72	(15.98 - 24.10)	10.35	(7.96 - 13.35)	11.94	(9.67 - 14.66)
Wyoming	21.03	(18.70 - 23.56)	11.86	(10.23 - 13.73)	13.32	(11.84 - 14.95)
Judicial District 1 (Laramie)	20.45	(16.64 - 24.87)	12.72	(10.01 - 16.04)	13.91	(11.42 - 16.84)
Judicial District 2	22.14	(18.36 - 26.45)	12.66	(9.74 - 16.31)	15.25	(12.64 - 18.29)
Judicial District 3	20.85	(17.06 - 25.22)	11.34	(8.86 - 14.40)	12.85	(10.51 - 15.62)
Judicial District 4	21.18	(16.96 - 26.13)	10.86	(8.34 - 14.01)	12.12	(9.71 - 15.04)
Judicial District 5	19.70	(15.92 - 24.13)	9.90	(7.59 - 12.81)	11.13	(8.93 - 13.79)
Judicial District 6	21.59	(17.34 - 26.56)	12.49	(9.75 - 15.86)	13.92	(11.33 - 16.99)
Judicial District 7 (Natrona)	20.95	(17.12 - 25.38)	12.86	(10.10 - 16.23)	14.14	(11.62 - 17.10)
Judicial District 8	19.84	(15.89 - 24.50)	11.65	(8.84 - 15.22)	12.68	(10.04 - 15.89)
Judicial District 9	21.44	(17.31 - 26.23)	11.58	(8.98 - 14.82)	12.97	(10.49 - 15.93)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

NOTE: Serious Psychological Distress (SPD) is defined as having a score of 13 or higher on the K6 scale. Because of questionnaire changes, these estimates are not comparable with estimates from the 2002-2004 substate report. For details, see Section B.7. Data for SPD are not defined for 12 to 17 year olds; therefore, no estimates for 12 to 17 year olds are provided in this table.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.

Table 23. Having at Least One Major Depressive Episode in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Total United States	8.53		9.59		7.19		7.55	
Northeast	8.47	(7.96 - 9.00)	9.53	(8.92 - 10.17)	7.05	(6.49 - 7.65)	7.40	(6.90 - 7.93)
Midwest	8.43	(8.03 - 8.85)	9.92	(9.39 - 10.47)	7.60	(7.11 - 8.13)	7.96	(7.53 - 8.40)
South	8.53	(8.14 - 8.94)	9.39	(8.91 - 9.88)	7.11	(6.66 - 7.59)	7.45	(7.05 - 7.86)
West	8.69	(8.13 - 9.29)	9.62	(8.92 - 10.37)	7.04	(6.46 - 7.67)	7.44	(6.93 - 7.98)
Alabama	8.27	(6.96 - 9.80)	9.44	(7.72 - 11.50)	7.18	(5.80 - 8.85)	7.52	(6.26 - 9.00)
Region 1	8.77	(6.76 - 11.29)	10.25	(7.66 - 13.58)	7.69	(5.72 - 10.27)	8.04	(6.22 - 10.33)
Region 2	8.28	(6.38 - 10.68)	9.70	(7.42 - 12.58)	7.26	(5.32 - 9.83)	7.63	(5.86 - 9.86)
Region 3	7.44	(5.59 - 9.84)	8.49	(6.26 - 11.41)	6.69	(4.75 - 9.35)	7.01	(5.26 - 9.29)
Region 4	8.39	(6.42 - 10.89)	9.01	(6.70 - 12.03)	6.78	(4.92 - 9.27)	7.09	(5.39 - 9.28)
Alaska	8.86	(7.30 - 10.71)	9.49	(7.70 - 11.63)	6.58	(5.15 - 8.37)	7.05	(5.77 - 8.58)
Gulf Coast	8.87	(6.57 - 11.87)	10.67	(7.70 - 14.60)	6.43	(4.44 - 9.23)	7.01	(5.12 - 9.51)
Rural	7.42	(5.29 - 10.33)	7.44	(5.20 - 10.55)	5.73	(3.81 - 8.55)	6.06	(4.35 - 8.38)
Southeast	8.55	(6.34 - 11.44)	11.09	(8.02 - 15.14)	6.59	(4.64 - 9.28)	7.21	(5.38 - 9.59)
Urban	9.19	(7.25 - 11.58)	9.45	(7.41 - 11.99)	6.74	(5.01 - 8.99)	7.18	(5.64 - 9.11)
Arizona	8.93	(7.43 - 10.70)	9.57	(7.80 - 11.68)	7.33	(5.88 - 9.12)	7.67	(6.37 - 9.22)
Maricopa	9.01	(7.18 - 11.25)	9.59	(7.52 - 12.15)	7.76	(5.96 - 10.06)	8.05	(6.44 - 10.01)
Pima	9.01	(6.80 - 11.84)	9.45	(6.90 - 12.81)	7.08	(4.94 - 10.04)	7.44	(5.48 - 10.02)
Rural North	8.55	(6.30 - 11.51)	10.44	(7.66 - 14.06)	6.31	(4.48 - 8.80)	6.87	(5.15 - 9.11)
Rural South	8.83	(6.48 - 11.92)	8.80	(6.39 - 12.01)	6.56	(4.53 - 9.42)	6.86	(4.99 - 9.38)
Arkansas	8.39	(7.03 - 9.98)	10.80	(8.89 - 13.04)	8.23	(6.69 - 10.08)	8.61	(7.21 - 10.26)
Areas 1 and 2	9.52	(7.11 - 12.64)	11.26	(8.39 - 14.94)	9.07	(6.54 - 12.45)	9.41	(7.13 - 12.32)
Areas 3 and 4	8.41	(6.34 - 11.07)	10.82	(8.06 - 14.37)	8.26	(5.87 - 11.49)	8.64	(6.47 - 11.45)
Areas 5 and 6	8.09	(5.91 - 10.97)	10.62	(7.79 - 14.32)	8.60	(6.20 - 11.82)	8.92	(6.74 - 11.72)
Areas 7, 12, and 13	7.70	(5.74 - 10.26)	10.50	(7.65 - 14.25)	7.07	(5.00 - 9.90)	7.59	(5.69 - 10.07)
Areas 8, 10, and 11	8.93	(6.63 - 11.94)	10.29	(7.70 - 13.62)	7.28	(5.17 - 10.15)	7.69	(5.74 - 10.24)
Area 9	7.64	(5.69 - 10.17)	11.06	(8.29 - 14.61)	8.62	(6.21 - 11.84)	8.97	(6.76 - 11.81)

See notes at end of table.

(continued)

Table 23. Having at Least One Major Depressive Episode in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
California	8.35	(7.49 - 9.30)	8.64	(7.64 - 9.77)	6.25	(5.40 - 7.22)	6.62	(5.88 - 7.45)
Region 1	8.40	(6.41 - 10.93)	11.20	(8.41 - 14.78)	7.67	(5.46 - 10.69)	8.19	(6.15 - 10.85)
Region 2	8.57	(6.80 - 10.76)	10.24	(8.15 - 12.79)	6.02	(4.50 - 8.00)	6.64	(5.27 - 8.34)
Region 3	8.91	(6.74 - 11.67)	9.60	(7.28 - 12.56)	6.89	(4.94 - 9.53)	7.32	(5.55 - 9.60)
Region 4	7.41	(5.49 - 9.93)	9.27	(7.00 - 12.17)	8.62	(6.23 - 11.81)	8.70	(6.52 - 11.53)
Region 5	8.10	(6.35 - 10.28)	9.49	(7.35 - 12.16)	6.69	(4.99 - 8.92)	7.08	(5.51 - 9.04)
Region 6 (Santa Clara)	7.95	(6.07 - 10.36)	8.36	(6.27 - 11.06)	5.74	(4.12 - 7.94)	6.11	(4.61 - 8.06)
Region 7	8.12	(6.07 - 10.80)	8.57	(6.50 - 11.23)	6.95	(5.04 - 9.52)	7.23	(5.52 - 9.41)
Region 8	8.55	(6.57 - 11.06)	8.30	(6.30 - 10.85)	6.05	(4.42 - 8.24)	6.45	(4.99 - 8.29)
Region 9	8.95	(6.83 - 11.66)	9.03	(6.84 - 11.84)	6.38	(4.57 - 8.85)	6.84	(5.20 - 8.95)
Region 10	8.56	(6.50 - 11.19)	8.84	(6.67 - 11.63)	6.35	(4.57 - 8.77)	6.75	(5.13 - 8.84)
Region 11 (Los Angeles)	8.06	(6.66 - 9.73)	7.51	(6.08 - 9.24)	5.74	(4.47 - 7.34)	6.03	(4.91 - 7.38)
Region 12	7.51	(5.66 - 9.92)	8.07	(6.13 - 10.56)	5.35	(3.91 - 7.29)	5.82	(4.51 - 7.47)
Region 13 (Riverside)	9.23	(7.19 - 11.77)	8.65	(6.62 - 11.24)	5.86	(4.26 - 7.99)	6.28	(4.83 - 8.13)
Region 14 (Orange)	8.70	(6.78 - 11.09)	9.09	(7.06 - 11.63)	6.11	(4.49 - 8.26)	6.55	(5.06 - 8.44)
Region 15	8.85	(6.99 - 11.16)	8.76	(6.80 - 11.21)	6.37	(4.80 - 8.39)	6.77	(5.38 - 8.49)
Colorado	9.62	(8.05 - 11.45)	11.25	(9.25 - 13.62)	8.68	(7.12 - 10.55)	9.06	(7.64 - 10.72)
Region 1	9.65	(7.14 - 12.92)	10.98	(8.18 - 14.58)	7.53	(5.33 - 10.54)	8.13	(6.14 - 10.70)
Regions 2 and 7	9.93	(7.93 - 12.37)	11.48	(9.01 - 14.52)	9.14	(7.15 - 11.61)	9.47	(7.67 - 11.65)
Region 3	9.36	(7.02 - 12.37)	11.36	(8.45 - 15.12)	8.10	(5.77 - 11.26)	8.58	(6.43 - 11.36)
Region 4	8.98	(6.69 - 11.95)	10.41	(7.52 - 14.23)	8.51	(5.98 - 11.99)	8.77	(6.43 - 11.85)
Regions 5 and 6	8.75	(6.41 - 11.84)	10.71	(7.81 - 14.53)	8.48	(6.02 - 11.81)	8.81	(6.55 - 11.74)
Connecticut	9.21	(7.83 - 10.80)	10.53	(8.57 - 12.88)	7.71	(6.13 - 9.66)	8.09	(6.66 - 9.79)
Eastern	9.10	(6.88 - 11.93)	10.30	(7.45 - 14.07)	7.90	(5.55 - 11.12)	8.30	(6.20 - 11.04)
North Central	9.14	(7.03 - 11.81)	11.34	(8.54 - 14.90)	8.62	(6.20 - 11.87)	8.97	(6.75 - 11.83)
Northwestern	9.53	(7.27 - 12.39)	10.29	(7.62 - 13.75)	7.84	(5.55 - 10.96)	8.14	(6.04 - 10.88)
South Central	9.47	(7.30 - 12.19)	10.38	(7.65 - 13.93)	6.88	(4.89 - 9.61)	7.36	(5.51 - 9.78)
Southwest	8.75	(6.65 - 11.43)	9.91	(7.34 - 13.25)	7.18	(5.07 - 10.08)	7.51	(5.55 - 10.10)

See notes at end of table.

(continued)

Table 23. Having at Least One Major Depressive Episode in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Delaware	9.13	(7.72 - 10.76)	9.54	(7.74 - 11.70)	7.27	(5.87 - 8.97)	7.60	(6.34 - 9.09)
Kent	8.85	(6.75 - 11.53)	9.16	(6.83 - 12.17)	6.84	(4.93 - 9.42)	7.21	(5.47 - 9.44)
New Castle (excluding Wilmington City)	9.54	(7.62 - 11.88)	10.07	(7.72 - 13.03)	7.09	(5.37 - 9.31)	7.55	(5.98 - 9.49)
Sussex	8.35	(6.33 - 10.96)	8.84	(6.51 - 11.89)	7.43	(5.35 - 10.22)	7.59	(5.67 - 10.09)
Wilmington City	8.91	(6.61 - 11.91)	8.38	(6.07 - 11.47)	8.58	(5.95 - 12.20)	8.54	(6.22 - 11.63)
District of Columbia	7.69	(6.33 - 9.31)	10.20	(8.44 - 12.27)	8.38	(6.79 - 10.29)	8.67	(7.26 - 10.31)
Ward 1	8.07	(5.79 - 11.15)	10.09	(7.40 - 13.61)	10.09	(7.20 - 13.97)	10.09	(7.55 - 13.35)
Ward 2	*	(* - *)	10.59	(8.07 - 13.78)	10.09	(7.28 - 13.80)	10.20	(7.88 - 13.10)
Ward 3	8.07	(5.96 - 10.85)	12.25	(9.18 - 16.18)	10.03	(7.34 - 13.56)	10.38	(7.97 - 13.41)
Ward 4	8.21	(6.07 - 11.01)	9.30	(6.74 - 12.68)	6.43	(4.50 - 9.10)	6.72	(4.90 - 9.14)
Ward 5	7.37	(5.41 - 9.96)	9.58	(7.10 - 12.80)	6.23	(4.39 - 8.77)	6.71	(5.01 - 8.93)
Ward 6	7.30	(5.29 - 9.97)	10.27	(7.60 - 13.74)	8.73	(6.27 - 12.03)	8.94	(6.69 - 11.85)
Ward 7	7.59	(5.62 - 10.19)	9.12	(6.61 - 12.45)	7.16	(4.84 - 10.47)	7.40	(5.25 - 10.34)
Ward 8	7.36	(5.48 - 9.81)	8.43	(6.13 - 11.50)	7.45	(5.28 - 10.42)	7.63	(5.70 - 10.13)

See notes at end of table.

(continued)

Table 23. Having at Least One Major Depressive Episode in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Florida	8.69	(7.85 - 9.60)	8.70	(7.69 - 9.81)	6.36	(5.52 - 7.31)	6.66	(5.91 - 7.50)
Region A	8.86	(7.38 - 10.61)	9.36	(7.74 - 11.30)	7.37	(5.91 - 9.16)	7.72	(6.43 - 9.24)
Circuit 1	9.33	(7.15 - 12.09)	9.34	(7.05 - 12.26)	7.38	(5.41 - 9.99)	7.68	(5.90 - 9.94)
Circuit 2	8.30	(6.23 - 10.98)	9.29	(7.12 - 12.05)	7.11	(5.12 - 9.79)	7.62	(5.92 - 9.77)
Circuit 14	8.55	(6.49 - 11.18)	9.60	(7.30 - 12.53)	7.66	(5.54 - 10.50)	7.93	(6.00 - 10.42)
Region B	8.51	(7.22 - 10.01)	9.84	(8.22 - 11.75)	6.97	(5.62 - 8.62)	7.42	(6.20 - 8.86)
Circuits 3 and 8	8.26	(6.27 - 10.80)	9.74	(7.47 - 12.62)	6.99	(5.07 - 9.57)	7.57	(5.86 - 9.73)
Circuit 4	8.38	(6.58 - 10.60)	10.10	(7.82 - 12.95)	7.09	(5.23 - 9.54)	7.56	(5.88 - 9.67)
Circuit 7	8.95	(6.86 - 11.61)	9.51	(7.20 - 12.45)	6.81	(4.91 - 9.39)	7.13	(5.36 - 9.44)
Region C	8.51	(7.37 - 9.82)	9.19	(7.87 - 10.72)	6.36	(5.31 - 7.59)	6.72	(5.77 - 7.82)
Circuit 5	8.59	(6.63 - 11.06)	8.85	(6.72 - 11.57)	6.37	(4.61 - 8.73)	6.60	(4.95 - 8.77)
Circuit 9	8.59	(6.73 - 10.92)	9.33	(7.32 - 11.84)	6.23	(4.63 - 8.33)	6.75	(5.32 - 8.53)
Circuit 10	8.13	(6.25 - 10.50)	8.90	(6.68 - 11.76)	6.67	(4.89 - 9.04)	6.96	(5.31 - 9.08)
Circuit 18	8.83	(6.90 - 11.22)	9.55	(7.38 - 12.28)	6.41	(4.78 - 8.55)	6.80	(5.28 - 8.70)
Circuit 19	8.10	(6.18 - 10.56)	8.92	(6.73 - 11.75)	6.14	(4.44 - 8.45)	6.43	(4.82 - 8.53)
Region D	8.83	(7.62 - 10.20)	7.29	(6.12 - 8.66)	5.88	(4.86 - 7.11)	6.06	(5.12 - 7.16)
Circuits 11 and 16	9.62	(7.77 - 11.87)	6.54	(5.03 - 8.46)	5.52	(4.14 - 7.34)	5.66	(4.41 - 7.24)
Circuit 15 (Palm Beach)	8.07	(6.26 - 10.35)	7.83	(6.01 - 10.15)	5.80	(4.25 - 7.86)	6.01	(4.57 - 7.88)
Circuit 17 (Broward)	8.11	(6.48 - 10.10)	8.18	(6.39 - 10.42)	6.46	(4.88 - 8.52)	6.68	(5.22 - 8.50)
Region E	8.74	(7.56 - 10.09)	9.00	(7.56 - 10.68)	6.35	(5.25 - 7.67)	6.65	(5.64 - 7.83)
Circuit 6	8.81	(6.96 - 11.09)	9.75	(7.52 - 12.56)	6.39	(4.75 - 8.53)	6.72	(5.18 - 8.68)
Circuit 12	8.57	(6.56 - 11.11)	9.04	(6.76 - 11.99)	6.14	(4.42 - 8.47)	6.42	(4.80 - 8.53)
Circuit 13 (Hillsborough)	8.66	(6.81 - 10.95)	8.84	(6.72 - 11.56)	6.97	(5.22 - 9.25)	7.25	(5.67 - 9.23)
Circuit 20	8.89	(6.96 - 11.29)	8.24	(6.23 - 10.83)	5.87	(4.27 - 8.03)	6.11	(4.60 - 8.08)
Georgia	7.99	(6.65 - 9.56)	8.34	(6.77 - 10.24)	7.35	(5.86 - 9.18)	7.50	(6.18 - 9.07)
Region 1	8.25	(6.29 - 10.76)	9.00	(6.65 - 12.06)	8.59	(6.12 - 11.93)	8.65	(6.43 - 11.55)
Region 2	7.59	(5.65 - 10.11)	8.73	(6.36 - 11.86)	7.61	(5.35 - 10.72)	7.79	(5.76 - 10.45)
Region 3	7.95	(6.12 - 10.26)	7.84	(5.88 - 10.39)	6.87	(5.00 - 9.38)	7.02	(5.34 - 9.17)
Region 4	8.47	(6.25 - 11.37)	8.58	(6.24 - 11.69)	7.53	(5.31 - 10.58)	7.69	(5.70 - 10.31)
Region 5	7.86	(5.80 - 10.57)	8.55	(6.23 - 11.62)	7.12	(5.02 - 10.00)	7.36	(5.48 - 9.82)

See notes at end of table.

(continued)

Table 23. Having at Least One Major Depressive Episode in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Hawaii	8.99	(7.34 - 10.97)	7.93	(6.23 - 10.03)	5.76	(4.29 - 7.69)	6.05	(4.72 - 7.73)
Hawaii Island	9.16	(6.70 - 12.40)	9.36	(6.64 - 13.04)	6.23	(4.22 - 9.11)	6.61	(4.71 - 9.19)
Honolulu	9.11	(7.19 - 11.46)	7.51	(5.71 - 9.82)	5.68	(4.00 - 8.00)	5.93	(4.42 - 7.92)
Kauai and Maui**	8.37	(6.37 - 10.93)	9.00	(6.50 - 12.33)	5.74	(4.15 - 7.89)	6.12	(4.62 - 8.07)
Maui	8.42	(6.15 - 11.41)	8.81	(6.15 - 12.47)	5.99	(4.11 - 8.65)	6.33	(4.56 - 8.71)
Idaho	9.63	(8.13 - 11.39)	11.38	(9.45 - 13.64)	7.82	(6.39 - 9.54)	8.41	(7.13 - 9.90)
Region 1	9.26	(6.88 - 12.36)	11.57	(8.54 - 15.50)	7.98	(5.82 - 10.84)	8.44	(6.44 - 10.99)
Region 2	9.48	(6.99 - 12.75)	11.35	(8.28 - 15.37)	7.68	(5.40 - 10.82)	8.36	(6.29 - 11.04)
Region 3	11.01	(8.36 - 14.36)	11.09	(8.21 - 14.82)	7.71	(5.54 - 10.63)	8.24	(6.27 - 10.76)
Region 4	9.26	(7.08 - 12.04)	11.53	(8.90 - 14.81)	8.19	(6.01 - 11.08)	8.74	(6.77 - 11.22)
Region 5	8.88	(6.62 - 11.82)	10.13	(7.31 - 13.86)	7.57	(5.31 - 10.67)	7.95	(5.88 - 10.68)
Region 6	9.76	(7.29 - 12.96)	12.01	(8.98 - 15.88)	7.91	(5.69 - 10.89)	8.69	(6.67 - 11.24)
Region 7	9.77	(7.33 - 12.91)	11.68	(8.83 - 15.29)	7.09	(5.05 - 9.86)	8.04	(6.20 - 10.37)
Illinois	7.69	(6.85 - 8.62)	8.80	(7.82 - 9.90)	6.59	(5.72 - 7.59)	6.93	(6.15 - 7.79)
Region I (Cook)	7.61	(6.43 - 9.00)	8.18	(6.84 - 9.75)	6.64	(5.39 - 8.16)	6.88	(5.76 - 8.19)
Region II	7.81	(6.58 - 9.26)	9.31	(7.73 - 11.16)	6.09	(4.88 - 7.57)	6.55	(5.46 - 7.84)
Region III	8.44	(6.74 - 10.53)	8.66	(6.80 - 10.97)	6.78	(5.16 - 8.86)	7.10	(5.66 - 8.88)
Region IV	7.31	(5.57 - 9.55)	9.92	(7.65 - 12.77)	7.24	(5.35 - 9.74)	7.63	(5.90 - 9.82)
Region V	6.94	(5.35 - 8.97)	9.57	(7.43 - 12.24)	7.22	(5.43 - 9.55)	7.57	(5.95 - 9.60)
Indiana	8.36	(7.09 - 9.83)	10.17	(8.47 - 12.16)	8.65	(7.11 - 10.47)	8.88	(7.52 - 10.46)
Central	8.47	(6.48 - 10.99)	10.49	(7.98 - 13.67)	8.75	(6.43 - 11.81)	9.00	(6.90 - 11.66)
East	8.95	(6.65 - 11.95)	11.13	(8.12 - 15.06)	10.58	(7.56 - 14.64)	10.67	(7.95 - 14.17)
North Central	8.37	(6.33 - 10.98)	9.87	(7.20 - 13.38)	9.08	(6.57 - 12.43)	9.20	(6.96 - 12.07)
Northeast	7.89	(5.85 - 10.57)	9.49	(6.94 - 12.85)	7.96	(5.66 - 11.09)	8.19	(6.12 - 10.89)
Northwest	7.98	(5.98 - 10.57)	9.86	(7.30 - 13.19)	7.07	(5.07 - 9.77)	7.46	(5.63 - 9.84)
Southeast	8.67	(6.53 - 11.42)	10.22	(7.49 - 13.78)	8.09	(5.78 - 11.23)	8.38	(6.24 - 11.17)
Southwest	8.25	(6.04 - 11.17)	10.49	(7.81 - 13.95)	8.83	(6.33 - 12.19)	9.07	(6.80 - 11.99)
West	8.33	(6.19 - 11.13)	9.87	(7.38 - 13.07)	8.97	(6.45 - 12.34)	9.16	(7.00 - 11.90)

See notes at end of table.

(continued)

Table 23. Having at Least One Major Depressive Episode in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Iowa	8.26	(6.98 - 9.75)	9.15	(7.37 - 11.31)	7.13	(5.77 - 8.78)	7.44	(6.20 - 8.92)
Central	8.20	(6.17 - 10.82)	9.23	(6.79 - 12.42)	7.50	(5.39 - 10.36)	7.76	(5.83 - 10.25)
North Central	7.95	(5.91 - 10.63)	9.09	(6.60 - 12.40)	6.42	(4.54 - 9.00)	6.91	(5.22 - 9.10)
Northeast	7.60	(5.84 - 9.85)	9.38	(6.98 - 12.49)	7.34	(5.34 - 10.01)	7.66	(5.84 - 9.97)
Northwest	8.20	(6.14 - 10.87)	8.81	(6.31 - 12.15)	6.61	(4.69 - 9.25)	6.92	(5.13 - 9.28)
Southeast	9.25	(6.93 - 12.25)	9.23	(6.75 - 12.50)	7.29	(5.25 - 10.03)	7.61	(5.74 - 10.03)
Southwest	8.33	(6.21 - 11.09)	8.80	(6.46 - 11.88)	7.30	(5.11 - 10.33)	7.50	(5.49 - 10.16)
Kansas	8.48	(7.13 - 10.05)	10.37	(8.52 - 12.55)	7.51	(6.06 - 9.28)	7.97	(6.67 - 9.50)
Kansas City Metro	8.53	(6.60 - 10.97)	10.62	(8.15 - 13.71)	7.71	(5.71 - 10.33)	8.19	(6.38 - 10.45)
Northeast	9.06	(6.90 - 11.82)	10.29	(7.61 - 13.78)	7.47	(5.36 - 10.33)	7.96	(6.05 - 10.40)
South Central	8.22	(6.16 - 10.89)	9.83	(7.20 - 13.28)	7.09	(5.03 - 9.90)	7.50	(5.60 - 9.97)
Southeast	8.81	(6.48 - 11.87)	*	(* - *)	7.87	(5.47 - 11.19)	8.24	(6.04 - 11.15)
West	8.35	(6.22 - 11.12)	9.06	(6.53 - 12.45)	7.30	(5.16 - 10.24)	7.57	(5.63 - 10.11)
Wichita (Sedgwick)	7.88	(5.79 - 10.63)	11.28	(8.39 - 15.02)	7.51	(5.38 - 10.39)	8.11	(6.15 - 10.62)
Kentucky	9.71	(8.30 - 11.33)	9.58	(7.88 - 11.60)	8.46	(6.92 - 10.30)	8.62	(7.24 - 10.24)
Adanta, Cumberland River, and Lifeskills	9.30	(7.11 - 12.07)	9.42	(6.95 - 12.63)	9.06	(6.49 - 12.53)	9.11	(6.80 - 12.12)
Bluegrass, Comprehend, and North Key	9.90	(7.73 - 12.59)	9.53	(7.19 - 12.53)	8.20	(6.05 - 11.04)	8.41	(6.46 - 10.87)
Communicare and River Valley	9.99	(7.48 - 13.22)	9.66	(7.14 - 12.93)	8.11	(5.80 - 11.23)	8.32	(6.22 - 11.06)
Four Rivers and Pennyroyal	9.55	(7.20 - 12.57)	8.89	(6.45 - 12.14)	8.67	(6.24 - 11.93)	8.70	(6.50 - 11.55)
Kentucky River, Mountain, and Pathways	10.24	(7.81 - 13.31)	9.73	(7.26 - 12.91)	8.85	(6.37 - 12.18)	8.98	(6.73 - 11.88)
Seven Counties	9.42	(7.19 - 12.26)	10.01	(7.57 - 13.14)	8.19	(6.05 - 10.99)	8.42	(6.47 - 10.90)

See notes at end of table.

(continued)

Table 23. Having at Least One Major Depressive Episode in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Louisiana	7.70	(6.47 - 9.15)	10.28	(8.53 - 12.34)	7.29	(5.95 - 8.91)	7.79	(6.58 - 9.20)
Region 1	7.43	(5.43 - 10.09)	9.77	(7.12 - 13.27)	7.94	(5.61 - 11.12)	8.24	(6.14 - 10.99)
Regions 2 and 9	7.36	(5.61 - 9.61)	10.73	(8.12 - 14.06)	6.93	(5.08 - 9.39)	7.59	(5.89 - 9.73)
Region 3	8.05	(6.00 - 10.71)	10.53	(7.83 - 14.02)	7.41	(5.27 - 10.33)	7.92	(5.98 - 10.42)
Region 4	8.07	(6.03 - 10.72)	9.84	(7.27 - 13.19)	7.55	(5.39 - 10.49)	7.94	(5.98 - 10.46)
Regions 5 and 6	7.68	(5.66 - 10.35)	10.23	(7.60 - 13.64)	7.17	(5.16 - 9.87)	7.66	(5.80 - 10.04)
Regions 7 and 8	7.79	(5.89 - 10.24)	9.97	(7.53 - 13.10)	6.74	(4.88 - 9.24)	7.28	(5.58 - 9.44)
Region 10 (Jefferson)	7.99	(5.89 - 10.75)	10.82	(8.01 - 14.46)	8.11	(5.75 - 11.33)	8.51	(6.36 - 11.30)
Maine	9.43	(8.01 - 11.07)	11.88	(9.91 - 14.18)	8.65	(6.99 - 10.67)	9.08	(7.58 - 10.84)
Aroostook/Downeast	9.89	(7.42 - 13.08)	11.12	(8.16 - 14.98)	7.76	(5.43 - 10.99)	8.18	(6.02 - 11.03)
Central	10.76	(8.01 - 14.31)	12.06	(9.04 - 15.91)	8.67	(6.07 - 12.22)	9.11	(6.74 - 12.21)
Cumberland	8.89	(6.68 - 11.72)	11.56	(8.77 - 15.10)	8.94	(6.42 - 12.32)	9.29	(6.99 - 12.25)
Midcoast	9.34	(6.93 - 12.48)	11.74	(8.73 - 15.61)	9.29	(6.53 - 13.06)	9.57	(7.00 - 12.94)
Penquis	8.98	(6.69 - 11.94)	12.53	(9.32 - 16.64)	8.69	(6.14 - 12.18)	9.30	(6.99 - 12.27)
Western	9.57	(7.25 - 12.54)	12.15	(9.20 - 15.90)	9.06	(6.41 - 12.66)	9.49	(7.09 - 12.60)
York	8.89	(6.68 - 11.75)	11.90	(8.85 - 15.81)	8.05	(5.80 - 11.07)	8.52	(6.42 - 11.22)
Maryland	8.53	(7.25 - 10.01)	9.47	(7.78 - 11.48)	6.47	(5.24 - 7.95)	6.89	(5.77 - 8.20)
Anne Arundel	8.71	(6.51 - 11.57)	9.53	(7.00 - 12.85)	6.96	(4.90 - 9.80)	7.32	(5.43 - 9.80)
Baltimore City	7.75	(5.69 - 10.47)	9.02	(6.60 - 12.20)	6.64	(4.71 - 9.28)	7.03	(5.27 - 9.31)
Baltimore County	9.33	(7.02 - 12.29)	9.73	(7.23 - 12.98)	6.72	(4.75 - 9.42)	7.14	(5.32 - 9.52)
Montgomery	8.97	(6.78 - 11.78)	9.48	(6.83 - 13.01)	5.60	(3.93 - 7.93)	6.07	(4.48 - 8.18)
North Central	8.52	(6.35 - 11.35)	9.88	(7.23 - 13.36)	6.35	(4.52 - 8.86)	6.80	(5.07 - 9.05)
Northeast	8.14	(5.92 - 11.10)	10.34	(7.44 - 14.19)	7.08	(4.93 - 10.06)	7.49	(5.50 - 10.14)
Prince George's	7.50	(5.57 - 10.03)	9.05	(6.64 - 12.21)	5.81	(4.08 - 8.20)	6.32	(4.72 - 8.43)
South	8.69	(6.47 - 11.56)	9.42	(6.89 - 12.76)	6.57	(4.62 - 9.28)	6.99	(5.18 - 9.37)
West	9.49	(7.13 - 12.52)	*	(* - *)	7.62	(5.38 - 10.70)	7.88	(5.83 - 10.56)

See notes at end of table.

(continued)

Table 23. Having at Least One Major Depressive Episode in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Massachusetts	8.44	(7.15 - 9.93)	11.20	(9.38 - 13.32)	7.26	(5.86 - 8.96)	7.82	(6.54 - 9.32)
Boston	8.44	(6.24 - 11.32)	11.19	(8.39 - 14.79)	9.07	(6.47 - 12.58)	9.50	(7.19 - 12.44)
Central	9.15	(6.86 - 12.12)	11.31	(8.50 - 14.89)	7.99	(5.70 - 11.08)	8.44	(6.34 - 11.15)
Metrowest	8.09	(6.14 - 10.59)	11.24	(8.57 - 14.61)	7.03	(5.08 - 9.65)	7.57	(5.76 - 9.90)
Northeast	9.23	(7.04 - 12.01)	10.65	(7.96 - 14.11)	7.25	(5.13 - 10.16)	7.69	(5.70 - 10.29)
Southeast	7.77	(5.82 - 10.29)	11.22	(8.39 - 14.85)	6.31	(4.48 - 8.82)	6.92	(5.18 - 9.17)
Western	8.12	(5.99 - 10.92)	11.72	(8.94 - 15.22)	6.88	(4.80 - 9.78)	7.65	(5.74 - 10.13)
Michigan	8.76	(7.94 - 9.66)	10.26	(9.18 - 11.45)	7.58	(6.70 - 8.58)	7.98	(7.20 - 8.84)
Bay	8.50	(6.51 - 11.03)	9.90	(7.53 - 12.92)	8.27	(6.08 - 11.14)	8.49	(6.49 - 11.02)
Detroit City	7.11	(5.53 - 9.09)	9.17	(7.07 - 11.81)	8.01	(5.97 - 10.66)	8.19	(6.37 - 10.48)
Genesee	8.16	(6.25 - 10.57)	10.09	(7.77 - 13.00)	7.26	(5.41 - 9.67)	7.67	(5.98 - 9.78)
Kalamazoo	8.72	(6.94 - 10.92)	10.35	(8.10 - 13.15)	8.47	(6.42 - 11.10)	8.78	(6.95 - 11.02)
Kent	8.14	(6.28 - 10.49)	10.52	(8.22 - 13.37)	8.15	(6.10 - 10.80)	8.55	(6.72 - 10.83)
Lakeshore	9.03	(7.15 - 11.34)	10.24	(8.12 - 12.83)	7.30	(5.45 - 9.71)	7.76	(6.09 - 9.83)
Macomb	8.97	(7.14 - 11.21)	11.04	(8.77 - 13.80)	7.63	(5.79 - 9.99)	8.08	(6.39 - 10.17)
Mid South	9.00	(7.12 - 11.31)	10.04	(8.00 - 12.54)	8.51	(6.57 - 10.96)	8.78	(7.08 - 10.84)
Northern	10.12	(8.07 - 12.61)	10.42	(8.08 - 13.32)	7.71	(5.80 - 10.18)	8.09	(6.34 - 10.26)
Oakland	9.19	(7.45 - 11.28)	10.53	(8.33 - 13.23)	6.11	(4.61 - 8.05)	6.66	(5.27 - 8.38)
Pathways	*	(* - *)	10.46	(7.75 - 13.97)	8.31	(6.03 - 11.34)	8.63	(6.56 - 11.27)
Saginaw	7.88	(5.87 - 10.51)	9.80	(7.41 - 12.84)	6.71	(4.81 - 9.29)	7.15	(5.40 - 9.40)
Southeast	9.48	(7.70 - 11.61)	10.65	(8.61 - 13.11)	7.44	(5.72 - 9.64)	7.87	(6.30 - 9.80)
St. Clair	8.73	(6.65 - 11.39)	9.87	(7.29 - 13.24)	7.69	(5.60 - 10.47)	7.98	(6.04 - 10.46)
Washtenaw	8.37	(6.57 - 10.60)	10.25	(8.02 - 13.02)	7.33	(5.47 - 9.75)	7.88	(6.24 - 9.92)
Western	*	(* - *)	9.41	(6.91 - 12.68)	7.73	(5.45 - 10.86)	7.98	(5.92 - 10.67)
Minnesota	8.74	(7.40 - 10.29)	9.36	(7.64 - 11.43)	6.72	(5.45 - 8.26)	7.13	(5.97 - 8.49)
Regions 1 and 2	8.67	(6.47 - 11.52)	9.67	(7.07 - 13.11)	6.64	(4.62 - 9.45)	7.08	(5.22 - 9.54)
Regions 3 and 4	8.79	(6.67 - 11.50)	9.42	(7.02 - 12.52)	6.55	(4.69 - 9.06)	7.01	(5.33 - 9.18)
Regions 5 and 6	9.18	(7.03 - 11.91)	8.84	(6.53 - 11.85)	6.09	(4.33 - 8.50)	6.52	(4.90 - 8.63)
Region 7A (Hennepin)	8.48	(6.37 - 11.21)	9.14	(6.73 - 12.31)	6.81	(4.93 - 9.32)	7.16	(5.45 - 9.34)
Region 7B (Ramsey)	8.08	(5.90 - 10.97)	9.48	(6.82 - 13.04)	7.71	(5.34 - 11.02)	8.01	(5.87 - 10.85)
Region 7C	8.83	(6.79 - 11.40)	9.89	(7.32 - 13.22)	6.90	(4.99 - 9.47)	7.33	(5.55 - 9.61)

See notes at end of table.

(continued)

Table 23. Having at Least One Major Depressive Episode in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Mississippi	7.61	(6.41 - 9.02)	9.57	(7.97 - 11.44)	7.44	(6.06 - 9.12)	7.79	(6.54 - 9.25)
Region 1	7.28	(5.34 - 9.86)	10.19	(7.63 - 13.49)	8.39	(6.05 - 11.53)	8.67	(6.55 - 11.40)
Region 2	7.84	(5.84 - 10.45)	8.78	(6.43 - 11.89)	6.26	(4.44 - 8.77)	6.68	(5.01 - 8.86)
Region 3	7.56	(5.68 - 10.02)	9.10	(6.74 - 12.18)	6.78	(4.78 - 9.52)	7.18	(5.36 - 9.55)
Region 4	7.24	(5.40 - 9.64)	9.33	(7.00 - 12.32)	7.66	(5.59 - 10.41)	7.93	(6.06 - 10.31)
Region 5	8.26	(6.03 - 11.21)	9.00	(6.65 - 12.08)	6.46	(4.50 - 9.17)	6.85	(5.06 - 9.21)
Region 6	7.99	(5.94 - 10.66)	9.44	(7.05 - 12.52)	7.50	(5.38 - 10.35)	7.84	(5.93 - 10.29)
Region 7	7.75	(5.74 - 10.38)	10.57	(7.95 - 13.92)	7.96	(5.70 - 10.99)	8.35	(6.31 - 10.97)
Missouri	9.16	(7.81 - 10.72)	9.77	(8.16 - 11.65)	8.28	(6.78 - 10.07)	8.50	(7.18 - 10.05)
Central	9.06	(6.90 - 11.81)	9.87	(7.41 - 13.02)	8.25	(5.95 - 11.35)	8.53	(6.49 - 11.14)
Eastern	8.91	(7.21 - 10.98)	9.61	(7.63 - 12.03)	7.79	(6.03 - 10.01)	8.05	(6.47 - 9.98)
Eastern (St. Louis City and County)	9.01	(6.94 - 11.62)	9.22	(6.99 - 12.07)	7.30	(5.28 - 10.02)	7.58	(5.75 - 9.93)
Eastern (excluding St. Louis)	8.74	(6.58 - 11.53)	10.37	(7.66 - 13.90)	8.76	(6.37 - 11.92)	8.99	(6.82 - 11.76)
Northwest	9.11	(7.27 - 11.34)	9.60	(7.53 - 12.17)	8.50	(6.47 - 11.08)	8.66	(6.84 - 10.91)
Northwest (Jackson)	8.65	(6.52 - 11.38)	9.48	(7.00 - 12.71)	8.89	(6.33 - 12.36)	8.98	(6.67 - 11.98)
Northwest (excluding Jackson)	9.50	(7.16 - 12.50)	9.71	(7.07 - 13.18)	8.14	(5.75 - 11.40)	8.38	(6.21 - 11.21)
Southeast	9.92	(7.53 - 12.96)	10.46	(7.80 - 13.90)	8.80	(6.26 - 12.25)	9.04	(6.74 - 12.03)
Southwest	9.33	(7.13 - 12.12)	9.75	(7.34 - 12.82)	8.67	(6.31 - 11.79)	8.83	(6.72 - 11.52)
Montana	8.93	(7.53 - 10.56)	11.39	(9.51 - 13.58)	8.57	(6.88 - 10.63)	9.00	(7.49 - 10.78)
Region 1	8.30	(6.10 - 11.18)	11.21	(8.23 - 15.09)	7.69	(5.38 - 10.89)	8.12	(5.96 - 10.98)
Region 2	8.74	(6.59 - 11.52)	11.27	(8.37 - 15.00)	8.48	(6.07 - 11.73)	8.90	(6.71 - 11.72)
Region 3	9.35	(7.13 - 12.17)	12.31	(9.35 - 16.04)	8.91	(6.43 - 12.22)	9.39	(7.13 - 12.28)
Region 4	8.77	(6.83 - 11.18)	10.74	(8.25 - 13.88)	8.79	(6.42 - 11.92)	9.11	(7.03 - 11.74)
Region 5	9.06	(6.96 - 11.71)	11.52	(8.94 - 14.72)	8.46	(6.11 - 11.58)	8.93	(6.81 - 11.62)
Nebraska	8.59	(7.27 - 10.11)	9.30	(7.64 - 11.27)	7.82	(6.33 - 9.63)	8.06	(6.72 - 9.64)
Regions 1 and 2	8.46	(6.27 - 11.31)	9.09	(6.58 - 12.43)	7.20	(5.01 - 10.25)	7.46	(5.43 - 10.16)
Region 3	8.26	(6.04 - 11.21)	10.10	(7.52 - 13.45)	7.96	(5.71 - 10.99)	8.28	(6.23 - 10.93)
Region 4	7.81	(5.85 - 10.35)	9.48	(6.95 - 12.79)	6.86	(4.80 - 9.72)	7.24	(5.34 - 9.74)
Region 5	8.99	(6.91 - 11.62)	9.47	(7.12 - 12.49)	8.46	(6.13 - 11.56)	8.65	(6.59 - 11.26)
Region 6	8.76	(6.89 - 11.09)	8.91	(6.74 - 11.69)	7.88	(5.90 - 10.45)	8.05	(6.27 - 10.27)

See notes at end of table.

(continued)

Table 23. Having at Least One Major Depressive Episode in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Nevada	9.48	(7.83 - 11.43)	11.19	(9.07 - 13.73)	9.64	(7.62 - 12.13)	9.86	(8.04 - 12.03)
Clark	9.47	(7.53 - 11.83)	10.88	(8.52 - 13.79)	9.80	(7.46 - 12.77)	9.95	(7.86 - 12.53)
Rural	9.52	(7.23 - 12.42)	12.39	(9.25 - 16.40)	8.52	(6.11 - 11.75)	8.97	(6.72 - 11.89)
Washoe	9.51	(7.10 - 12.62)	11.74	(8.76 - 15.56)	9.92	(7.09 - 13.71)	10.18	(7.62 - 13.47)
New Hampshire	9.77	(8.28 - 11.50)	10.98	(9.04 - 13.28)	7.46	(6.02 - 9.20)	7.94	(6.64 - 9.47)
Central	10.01	(8.00 - 12.46)	10.94	(8.66 - 13.72)	7.68	(5.85 - 10.03)	8.16	(6.50 - 10.21)
Central 1	10.17	(7.69 - 13.35)	11.56	(8.80 - 15.05)	7.85	(5.61 - 10.89)	8.47	(6.46 - 11.03)
Central 2	9.86	(7.40 - 13.01)	10.14	(7.36 - 13.80)	7.53	(5.33 - 10.53)	7.86	(5.82 - 10.55)
Northern	9.56	(7.20 - 12.59)	10.79	(7.99 - 14.43)	8.04	(5.71 - 11.22)	8.43	(6.28 - 11.22)
Southern	9.70	(8.01 - 11.71)	11.05	(8.78 - 13.81)	7.22	(5.63 - 9.22)	7.72	(6.26 - 9.49)
Southern 1 (Rockingham)	9.66	(7.39 - 12.54)	10.85	(8.22 - 14.20)	6.88	(5.01 - 9.39)	7.35	(5.59 - 9.59)
Southern 2	9.72	(7.72 - 12.18)	11.15	(8.54 - 14.43)	7.43	(5.46 - 10.04)	7.95	(6.14 - 10.24)
New Jersey	8.02	(6.69 - 9.58)	9.15	(7.50 - 11.13)	6.52	(5.11 - 8.27)	6.86	(5.57 - 8.42)
Central	8.19	(6.19 - 10.76)	9.42	(6.99 - 12.57)	5.79	(4.02 - 8.28)	6.23	(4.57 - 8.44)
Metropolitan	8.05	(6.06 - 10.63)	8.96	(6.73 - 11.84)	6.72	(4.75 - 9.43)	7.04	(5.24 - 9.39)
Northern	7.55	(5.74 - 9.86)	9.01	(6.81 - 11.84)	6.85	(4.91 - 9.49)	7.13	(5.33 - 9.47)
Southern	8.43	(6.46 - 10.94)	9.34	(6.96 - 12.41)	6.56	(4.61 - 9.25)	6.93	(5.12 - 9.32)
New Mexico	9.42	(7.94 - 11.14)	9.66	(7.98 - 11.64)	7.25	(5.79 - 9.03)	7.63	(6.33 - 9.17)
Region 1	9.25	(7.06 - 12.04)	9.90	(7.39 - 13.14)	6.64	(4.66 - 9.39)	7.16	(5.35 - 9.54)
Region 2	9.78	(7.30 - 13.00)	8.67	(6.23 - 11.94)	7.08	(5.01 - 9.92)	7.30	(5.40 - 9.80)
Region 3 (Bernalillo)	8.98	(6.92 - 11.58)	9.98	(7.60 - 13.00)	8.26	(5.99 - 11.28)	8.54	(6.51 - 11.12)
Region 4	9.55	(7.14 - 12.65)	10.37	(7.70 - 13.83)	7.03	(4.91 - 9.96)	7.58	(5.66 - 10.07)
Region 5	9.80	(7.40 - 12.88)	9.14	(6.86 - 12.07)	6.55	(4.58 - 9.28)	6.99	(5.22 - 9.30)

See notes at end of table.

(continued)

Table 23. Having at Least One Major Depressive Episode in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
New York	8.41	(7.54 - 9.36)	8.80	(7.77 - 9.94)	6.94	(6.05 - 7.97)	7.21	(6.41 - 8.11)
Region A	7.84	(6.69 - 9.18)	7.88	(6.66 - 9.31)	7.49	(6.28 - 8.91)	7.55	(6.48 - 8.78)
Region 1	7.33	(5.52 - 9.68)	6.26	(4.46 - 8.71)	6.79	(4.97 - 9.22)	6.70	(5.09 - 8.77)
Region 2	7.64	(5.98 - 9.72)	8.50	(6.65 - 10.79)	7.96	(6.13 - 10.27)	8.04	(6.40 - 10.05)
Region 3	8.44	(6.47 - 10.93)	8.86	(6.78 - 11.50)	8.12	(6.01 - 10.89)	8.23	(6.33 - 10.63)
Region 4	8.23	(6.41 - 10.52)	7.37	(5.58 - 9.66)	6.83	(5.11 - 9.09)	6.91	(5.36 - 8.87)
Region B	8.39	(7.17 - 9.81)	9.20	(7.71 - 10.96)	6.02	(4.91 - 7.37)	6.43	(5.40 - 7.64)
Region 5	8.57	(6.92 - 10.57)	9.22	(7.25 - 11.65)	5.84	(4.43 - 7.65)	6.26	(4.95 - 7.89)
Region 6	7.71	(5.95 - 9.93)	8.99	(6.81 - 11.79)	6.42	(4.67 - 8.77)	6.74	(5.11 - 8.84)
Region 7	8.84	(6.79 - 11.43)	9.45	(7.25 - 12.22)	6.00	(4.32 - 8.29)	6.50	(4.95 - 8.49)
Region C	9.12	(7.90 - 10.50)	9.84	(8.47 - 11.40)	6.86	(5.74 - 8.16)	7.29	(6.30 - 8.44)
Region 8	8.75	(6.81 - 11.18)	9.62	(7.43 - 12.37)	6.90	(5.09 - 9.28)	7.29	(5.65 - 9.35)
Region 9	10.09	(7.90 - 12.79)	10.36	(8.05 - 13.22)	7.53	(5.51 - 10.21)	7.95	(6.13 - 10.25)
Region 10	8.69	(6.71 - 11.19)	10.01	(7.67 - 12.96)	6.72	(4.92 - 9.11)	7.32	(5.70 - 9.35)
Region 11	9.53	(7.33 - 12.30)	9.97	(7.67 - 12.86)	6.87	(5.06 - 9.26)	7.32	(5.67 - 9.41)
Region 12	8.36	(6.55 - 10.62)	9.35	(7.21 - 12.04)	6.33	(4.79 - 8.32)	6.74	(5.32 - 8.52)
Region D	8.92	(7.50 - 10.58)	9.61	(7.93 - 11.59)	7.33	(5.92 - 9.05)	7.68	(6.42 - 9.16)
Region 13	8.79	(6.77 - 11.33)	9.83	(7.43 - 12.89)	6.66	(4.85 - 9.07)	7.11	(5.46 - 9.23)
Region 14	8.39	(6.35 - 11.01)	9.87	(7.47 - 12.94)	7.85	(5.76 - 10.60)	8.18	(6.32 - 10.53)
Region 15	9.54	(7.37 - 12.27)	9.12	(6.81 - 12.12)	7.45	(5.34 - 10.31)	7.70	(5.78 - 10.19)
North Carolina	8.77	(7.41 - 10.36)	9.37	(7.75 - 11.30)	7.44	(6.01 - 9.19)	7.72	(6.42 - 9.24)
Eastern	8.44	(6.40 - 11.07)	9.44	(7.08 - 12.47)	6.93	(4.95 - 9.61)	7.31	(5.54 - 9.60)
North Central	9.59	(7.33 - 12.46)	9.18	(6.84 - 12.22)	7.80	(5.63 - 10.71)	7.99	(6.04 - 10.52)
South Central	7.87	(5.95 - 10.33)	9.93	(7.44 - 13.13)	7.60	(5.54 - 10.33)	7.94	(6.08 - 10.31)
Western	9.07	(7.08 - 11.55)	9.03	(6.94 - 11.66)	7.37	(5.38 - 10.00)	7.58	(5.77 - 9.91)
North Dakota	8.62	(7.35 - 10.09)	11.02	(9.17 - 13.20)	7.02	(5.71 - 8.61)	7.72	(6.54 - 9.10)
Badlands and West Central Lake Region and South Central	8.45	(6.53 - 10.87)	11.12	(8.37 - 14.63)	6.60	(4.80 - 9.01)	7.25	(5.58 - 9.38)
North Central and Northwest	8.45	(6.36 - 11.16)	10.41	(7.69 - 13.94)	7.48	(5.35 - 10.37)	7.86	(5.89 - 10.42)
Northeast	8.21	(6.23 - 10.75)	10.95	(8.16 - 14.56)	6.28	(4.51 - 8.67)	7.01	(5.35 - 9.13)
Southeast	9.52	(7.11 - 12.64)	10.54	(7.89 - 13.96)	7.43	(5.35 - 10.22)	8.13	(6.29 - 10.45)
Southeast	8.71	(6.74 - 11.18)	11.48	(8.90 - 14.68)	7.49	(5.48 - 10.17)	8.34	(6.56 - 10.55)

See notes at end of table.

(continued)

Table 23. Having at Least One Major Depressive Episode in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Ohio	8.28	(7.50 - 9.14)	10.90	(9.79 - 12.10)	8.40	(7.43 - 9.47)	8.76	(7.92 - 9.69)
Boards 2, 46, 55, and 68	7.84	(5.95 - 10.26)	11.62	(8.97 - 14.92)	8.97	(6.64 - 12.01)	9.35	(7.21 - 12.04)
Boards 3, 52, and 85	8.76	(6.78 - 11.25)	10.53	(8.02 - 13.69)	7.61	(5.58 - 10.31)	8.04	(6.16 - 10.43)
Boards 4 and 78	8.12	(6.27 - 10.46)	10.83	(8.29 - 14.03)	9.03	(6.59 - 12.26)	9.26	(7.00 - 12.15)
Boards 5 and 60	7.99	(6.09 - 10.43)	10.49	(8.01 - 13.62)	9.46	(6.98 - 12.71)	9.65	(7.48 - 12.37)
Boards 7, 15, 41, 79, and 84	8.63	(6.60 - 11.22)	11.77	(9.11 - 15.09)	8.88	(6.50 - 12.03)	9.25	(7.08 - 12.01)
Boards 8, 13, and 83	7.96	(6.16 - 10.24)	10.52	(8.11 - 13.54)	8.51	(6.39 - 11.24)	8.79	(6.86 - 11.19)
Board 9 (Butler)	8.60	(6.55 - 11.21)	11.60	(8.91 - 14.97)	8.98	(6.65 - 12.03)	9.44	(7.36 - 12.03)
Board 12	8.43	(6.39 - 11.05)	11.50	(8.88 - 14.75)	8.33	(6.13 - 11.21)	8.83	(6.86 - 11.31)
Boards 18 and 47	7.07	(5.58 - 8.92)	9.22	(7.21 - 11.71)	7.76	(5.98 - 10.01)	7.95	(6.32 - 9.96)
Boards 20, 32, 54, and 69	9.14	(7.09 - 11.70)	10.29	(7.73 - 13.57)	8.18	(5.95 - 11.14)	8.48	(6.46 - 11.05)
Boards 21, 39, 51, 70, and 80	7.95	(6.11 - 10.28)	11.95	(9.30 - 15.23)	9.25	(6.85 - 12.36)	9.61	(7.41 - 12.38)
Boards 22, 74, and 87	8.63	(6.68 - 11.10)	10.33	(7.88 - 13.45)	7.85	(5.67 - 10.78)	8.25	(6.27 - 10.78)
Boards 23 and 45	8.78	(6.71 - 11.40)	12.03	(9.24 - 15.54)	8.07	(5.90 - 10.95)	8.64	(6.65 - 11.14)
Board 25 (Franklin)	7.97	(6.27 - 10.09)	11.41	(9.20 - 14.08)	8.21	(6.34 - 10.56)	8.78	(7.12 - 10.79)
Boards 27, 71, and 73	9.71	(7.61 - 12.33)	11.86	(9.16 - 15.22)	9.67	(7.20 - 12.87)	9.99	(7.75 - 12.78)
Boards 28, 43, and 67	9.47	(7.31 - 12.18)	11.63	(8.95 - 14.98)	7.89	(5.77 - 10.69)	8.43	(6.48 - 10.89)
Board 31 (Hamilton)	8.26	(6.43 - 10.54)	10.57	(8.26 - 13.43)	8.62	(6.54 - 11.27)	8.92	(7.05 - 11.21)
Board 48 (Lucas)	7.53	(5.74 - 9.82)	10.24	(7.95 - 13.10)	8.10	(5.93 - 10.95)	8.43	(6.47 - 10.92)
Boards 50 and 76	9.32	(7.28 - 11.86)	11.23	(8.82 - 14.19)	7.96	(5.95 - 10.58)	8.39	(6.54 - 10.70)
Board 57 (Montgomery)	8.31	(6.43 - 10.66)	10.61	(8.22 - 13.59)	8.23	(6.15 - 10.92)	8.58	(6.71 - 10.92)
Board 77 (Summit)	8.84	(6.88 - 11.30)	11.65	(9.10 - 14.80)	8.68	(6.50 - 11.50)	9.08	(7.08 - 11.57)
Oklahoma	9.11	(7.61 - 10.88)	11.60	(9.55 - 14.03)	7.71	(6.25 - 9.47)	8.33	(7.00 - 9.88)
Central	9.07	(6.67 - 12.21)	12.36	(9.17 - 16.45)	7.09	(5.03 - 9.90)	8.04	(6.15 - 10.46)
East Central	8.60	(6.27 - 11.70)	11.25	(8.15 - 15.33)	7.06	(4.94 - 9.98)	7.66	(5.66 - 10.28)
Northeast	9.00	(6.68 - 12.03)	12.69	(9.42 - 16.88)	7.36	(5.16 - 10.38)	8.20	(6.15 - 10.86)
Northwest and Southwest	9.70	(7.26 - 12.85)	11.41	(8.50 - 15.16)	7.35	(5.21 - 10.28)	8.02	(6.06 - 10.53)
Oklahoma County	9.81	(7.32 - 13.03)	11.22	(8.32 - 14.95)	8.08	(5.82 - 11.11)	8.61	(6.56 - 11.23)
Southeast	8.52	(6.28 - 11.47)	10.79	(7.75 - 14.83)	7.38	(5.23 - 10.32)	7.87	(5.88 - 10.46)
Tulsa County	8.77	(6.51 - 11.70)	11.67	(8.67 - 15.53)	9.06	(6.52 - 12.46)	9.48	(7.18 - 12.42)

See notes at end of table.

(continued)

Table 23. Having at Least One Major Depressive Episode in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Oregon	8.49	(7.14 - 10.06)	11.90	(9.90 - 14.25)	8.49	(6.93 - 10.35)	8.98	(7.57 - 10.61)
Region 1 (Multnomah)	8.35	(6.17 - 11.20)	12.12	(9.33 - 15.61)	10.63	(7.75 - 14.40)	10.85	(8.29 - 14.09)
Region 2	8.26	(6.30 - 10.75)	13.16	(9.99 - 17.15)	8.28	(6.07 - 11.20)	8.96	(6.92 - 11.53)
Region 3	8.77	(6.81 - 11.24)	11.27	(8.73 - 14.43)	7.78	(5.75 - 10.44)	8.33	(6.49 - 10.63)
Region 4	8.45	(6.32 - 11.22)	11.59	(8.53 - 15.55)	7.60	(5.44 - 10.54)	8.07	(6.03 - 10.72)
Region 5	8.38	(6.26 - 11.14)	11.22	(8.27 - 15.05)	8.32	(5.86 - 11.70)	8.70	(6.42 - 11.68)
Pennsylvania	8.47	(7.69 - 9.32)	9.21	(8.19 - 10.34)	6.82	(5.92 - 7.84)	7.16	(6.36 - 8.05)
Region 1 (Allegheny)	7.85	(6.15 - 9.96)	10.66	(8.37 - 13.49)	7.68	(5.82 - 10.06)	8.07	(6.36 - 10.20)
Regions 2, 3, 8, and 9	7.68	(5.83 - 10.05)	10.18	(7.86 - 13.10)	6.81	(4.97 - 9.26)	7.29	(5.62 - 9.41)
Regions 4, 11, 37, and 49	8.71	(6.87 - 10.98)	9.51	(7.35 - 12.21)	7.00	(5.16 - 9.44)	7.33	(5.64 - 9.48)
Regions 5, 18, 23, 24, and 46	8.59	(6.73 - 10.89)	9.65	(7.50 - 12.33)	7.45	(5.62 - 9.82)	7.76	(6.10 - 9.83)
Regions 6, 12, 16, 31, 35, 39, 45, and 47	8.32	(6.50 - 10.59)	8.50	(6.62 - 10.86)	6.51	(4.86 - 8.68)	6.88	(5.41 - 8.70)
Regions 7, 13, 20, and 33	9.01	(7.44 - 10.88)	8.58	(6.73 - 10.87)	5.37	(4.02 - 7.14)	5.79	(4.54 - 7.35)
Regions 10, 14, 15, 27, 32, 43, and 44	8.77	(6.82 - 11.20)	9.32	(7.10 - 12.16)	7.09	(5.23 - 9.55)	7.39	(5.68 - 9.57)
Regions 17 and 21	8.87	(6.75 - 11.56)	9.95	(7.65 - 12.83)	6.99	(5.05 - 9.61)	7.46	(5.70 - 9.71)
Regions 19, 26, 28, and 42	9.31	(7.46 - 11.57)	8.84	(6.99 - 11.11)	6.54	(4.92 - 8.65)	6.86	(5.39 - 8.70)
Regions 22, 38, 40, 41, and 48	7.82	(6.00 - 10.14)	9.48	(7.22 - 12.35)	7.26	(5.34 - 9.80)	7.53	(5.77 - 9.78)
Regions 25 and 30	8.90	(6.85 - 11.50)	8.60	(6.43 - 11.42)	7.37	(5.43 - 9.93)	7.53	(5.75 - 9.80)
Regions 29 and 34	8.44	(6.42 - 11.02)	9.08	(6.93 - 11.82)	6.38	(4.68 - 8.65)	6.75	(5.18 - 8.75)
Region 36 (Philadelphia)	7.56	(6.00 - 9.48)	8.85	(7.09 - 10.98)	8.04	(6.07 - 10.59)	8.18	(6.44 - 10.33)
Rhode Island	8.13	(6.65 - 9.90)	10.37	(8.37 - 12.77)	9.40	(7.50 - 11.71)	9.55	(7.87 - 11.54)
Bristol and Newport	8.71	(6.47 - 11.64)	10.75	(7.82 - 14.62)	7.72	(5.36 - 10.98)	8.12	(5.96 - 10.98)
Kent	8.69	(6.41 - 11.68)	11.06	(8.23 - 14.72)	8.46	(6.04 - 11.74)	8.79	(6.56 - 11.68)
Providence	7.78	(5.97 - 10.09)	10.25	(7.88 - 13.22)	10.32	(7.82 - 13.51)	10.31	(8.12 - 13.00)
Washington	8.56	(6.41 - 11.33)	9.95	(7.23 - 13.53)	8.09	(5.77 - 11.21)	8.39	(6.31 - 11.08)
South Carolina	8.16	(6.90 - 9.62)	9.57	(7.83 - 11.64)	7.27	(5.83 - 9.03)	7.61	(6.32 - 9.15)
Region 1	8.16	(6.28 - 10.54)	10.25	(7.71 - 13.50)	8.63	(6.36 - 11.62)	8.86	(6.81 - 11.47)
Region 2	8.21	(6.36 - 10.54)	9.30	(7.05 - 12.19)	7.09	(5.10 - 9.78)	7.42	(5.60 - 9.76)
Region 3	7.78	(5.92 - 10.14)	9.14	(6.69 - 12.37)	6.68	(4.71 - 9.38)	7.03	(5.22 - 9.39)
Region 4	8.34	(6.45 - 10.72)	9.48	(7.13 - 12.48)	6.48	(4.69 - 8.88)	6.94	(5.32 - 9.00)

See notes at end of table.

(continued)

Table 23. Having at Least One Major Depressive Episode in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
South Dakota	7.45	(6.12 - 9.05)	8.86	(7.25 - 10.77)	6.44	(5.09 - 8.13)	6.84	(5.62 - 8.29)
Region 1	7.85	(5.83 - 10.50)	9.14	(6.69 - 12.37)	6.38	(4.47 - 9.03)	6.83	(5.09 - 9.12)
Region 2	7.44	(5.52 - 9.97)	8.36	(6.20 - 11.19)	7.01	(4.91 - 9.91)	7.24	(5.38 - 9.69)
Region 3	6.63	(4.82 - 9.06)	9.00	(6.71 - 11.99)	6.43	(4.45 - 9.22)	6.90	(5.13 - 9.23)
Region 4	8.12	(5.96 - 10.98)	9.11	(6.51 - 12.60)	6.71	(4.62 - 9.64)	7.12	(5.22 - 9.64)
Region 5	7.05	(5.12 - 9.63)	8.93	(6.52 - 12.13)	5.82	(3.96 - 8.46)	6.23	(4.50 - 8.57)
Region 6	7.43	(5.37 - 10.18)	8.50	(6.07 - 11.79)	6.00	(4.11 - 8.68)	6.33	(4.56 - 8.72)
Region 7	7.77	(5.72 - 10.47)	9.13	(6.73 - 12.27)	6.15	(4.33 - 8.67)	6.63	(4.95 - 8.82)
Tennessee	8.67	(7.37 - 10.19)	10.33	(8.59 - 12.39)	8.29	(6.77 - 10.12)	8.58	(7.20 - 10.20)
Region 1	9.04	(6.73 - 12.03)	10.50	(7.71 - 14.14)	8.98	(6.45 - 12.38)	9.18	(6.86 - 12.18)
Region 2	8.79	(6.67 - 11.50)	10.94	(8.31 - 14.28)	7.91	(5.64 - 11.01)	8.33	(6.25 - 11.02)
Region 3	8.41	(6.38 - 11.00)	9.90	(7.45 - 13.04)	7.96	(5.75 - 10.93)	8.23	(6.19 - 10.85)
Region 4 (Davidson)	8.48	(6.28 - 11.36)	10.55	(7.73 - 14.24)	8.95	(6.37 - 12.43)	9.20	(6.86 - 12.24)
Region 5	9.02	(6.90 - 11.70)	11.07	(8.48 - 14.33)	8.50	(6.21 - 11.53)	8.87	(6.79 - 11.50)
Region 6	8.76	(6.53 - 11.65)	9.50	(6.75 - 13.23)	8.73	(6.19 - 12.19)	8.84	(6.54 - 11.85)
Region 7 (Shelby)	8.21	(6.14 - 10.88)	9.37	(6.86 - 12.67)	7.68	(5.53 - 10.57)	7.93	(6.00 - 10.43)

See notes at end of table.

(continued)

Table 23. Having at Least One Major Depressive Episode in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Texas	8.42	(7.59 - 9.34)	8.65	(7.64 - 9.77)	6.65	(5.80 - 7.60)	6.97	(6.22 - 7.80)
Region 1	8.22	(6.31 - 10.64)	9.86	(7.51 - 12.84)	7.52	(5.47 - 10.25)	7.93	(6.11 - 10.24)
Region 2	9.20	(7.07 - 11.89)	9.80	(7.35 - 12.95)	8.28	(5.92 - 11.45)	8.51	(6.39 - 11.26)
Region 3	8.70	(7.42 - 10.17)	9.02	(7.53 - 10.77)	6.66	(5.49 - 8.07)	7.04	(5.98 - 8.27)
Region 3a	8.38	(6.84 - 10.23)	8.49	(6.73 - 10.65)	5.82	(4.48 - 7.53)	6.25	(5.04 - 7.74)
Region 3bc	9.25	(7.35 - 11.58)	10.01	(7.89 - 12.62)	8.14	(6.16 - 10.69)	8.43	(6.65 - 10.62)
Region 4	8.62	(6.60 - 11.17)	10.31	(7.96 - 13.26)	7.87	(5.78 - 10.65)	8.21	(6.27 - 10.67)
Region 5	8.47	(6.51 - 10.94)	9.35	(7.02 - 12.36)	7.08	(5.17 - 9.64)	7.42	(5.67 - 9.65)
Region 6	7.94	(6.62 - 9.50)	7.88	(6.47 - 9.57)	6.03	(4.76 - 7.61)	6.33	(5.20 - 7.69)
Region 6a	7.89	(6.46 - 9.60)	7.69	(6.20 - 9.49)	5.87	(4.52 - 7.59)	6.16	(4.96 - 7.63)
Region 6bc	8.39	(6.37 - 10.98)	9.72	(7.38 - 12.71)	7.33	(5.37 - 9.93)	7.67	(5.87 - 9.96)
Region 7	8.84	(7.25 - 10.74)	9.65	(7.89 - 11.75)	7.34	(5.86 - 9.15)	7.79	(6.48 - 9.33)
Region 7a	9.81	(7.62 - 12.54)	9.75	(7.54 - 12.53)	7.46	(5.60 - 9.87)	7.88	(6.23 - 9.93)
Region 7bcd	7.54	(5.65 - 9.99)	9.51	(7.29 - 12.33)	7.13	(5.23 - 9.65)	7.64	(5.96 - 9.73)
Region 8	8.27	(6.55 - 10.38)	8.11	(6.22 - 10.53)	6.74	(5.05 - 8.94)	6.95	(5.42 - 8.87)
Region 9	9.03	(6.85 - 11.82)	9.45	(7.02 - 12.60)	6.81	(4.95 - 9.30)	7.22	(5.51 - 9.41)
Region 10	8.50	(6.42 - 11.16)	7.20	(5.34 - 9.66)	5.60	(3.97 - 7.84)	5.87	(4.40 - 7.79)
Region 11	8.12	(6.52 - 10.07)	6.98	(5.46 - 8.86)	5.78	(4.44 - 7.48)	5.99	(4.80 - 7.44)
Region 11abd	7.91	(5.95 - 10.44)	7.41	(5.50 - 9.93)	6.03	(4.41 - 8.21)	6.27	(4.81 - 8.14)
Region 11c (Hidalgo)	8.50	(6.48 - 11.09)	6.19	(4.54 - 8.37)	5.24	(3.72 - 7.34)	5.42	(4.07 - 7.18)
Utah	8.84	(7.39 - 10.55)	12.42	(10.18 - 15.06)	9.28	(7.54 - 11.38)	9.95	(8.42 - 11.72)
Bear River, Northeastern, Summit, Tooele, and Wasatch	9.33	(6.93 - 12.45)	12.64	(9.18 - 17.14)	8.12	(5.83 - 11.22)	9.10	(6.98 - 11.79)
Central, Four Corners, San Juan, and Southwest	8.28	(6.17 - 11.02)	12.27	(9.15 - 16.25)	7.39	(5.24 - 10.33)	8.28	(6.27 - 10.87)
Davis County	9.63	(7.16 - 12.83)	13.61	(10.07 - 18.14)	8.18	(5.86 - 11.30)	9.25	(7.15 - 11.88)
Salt Lake County	8.60	(6.64 - 11.07)	12.78	(9.95 - 16.25)	10.65	(8.04 - 13.98)	11.06	(8.78 - 13.84)
Utah County	8.88	(6.68 - 11.72)	11.29	(8.20 - 15.35)	8.44	(6.08 - 11.62)	9.29	(7.23 - 11.88)
Weber, Morgan	8.90	(6.59 - 11.93)	12.46	(9.22 - 16.65)	9.64	(6.92 - 13.26)	10.17	(7.74 - 13.25)

See notes at end of table.

(continued)

Table 23. Having at Least One Major Depressive Episode in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Vermont	8.47	(7.17 - 9.98)	11.41	(9.50 - 13.65)	7.77	(6.31 - 9.52)	8.30	(6.98 - 9.83)
Champlain Valley	7.69	(6.03 - 9.77)	11.00	(8.56 - 14.02)	7.23	(5.36 - 9.68)	7.88	(6.20 - 9.97)
Rural Northeast	9.18	(7.07 - 11.83)	11.66	(8.91 - 15.13)	9.05	(6.64 - 12.22)	9.41	(7.21 - 12.20)
Rural Southeast	8.27	(6.21 - 10.92)	11.88	(8.92 - 15.65)	7.44	(5.31 - 10.34)	7.95	(5.97 - 10.53)
Rural Southwest	9.62	(7.25 - 12.65)	11.81	(8.76 - 15.73)	7.56	(5.36 - 10.57)	8.11	(6.06 - 10.78)
Virginia	9.29	(7.85 - 10.97)	10.96	(9.10 - 13.15)	6.76	(5.39 - 8.45)	7.35	(6.11 - 8.83)
Region 1	9.33	(7.10 - 12.18)	11.66	(8.87 - 15.18)	7.43	(5.25 - 10.40)	8.05	(6.06 - 10.61)
Region 2	9.09	(7.02 - 11.70)	10.83	(8.19 - 14.20)	6.23	(4.53 - 8.51)	6.82	(5.23 - 8.85)
Region 3	10.08	(7.71 - 13.07)	11.59	(8.81 - 15.10)	7.80	(5.52 - 10.93)	8.33	(6.24 - 11.04)
Region 4	9.51	(7.27 - 12.35)	10.73	(7.95 - 14.33)	6.55	(4.60 - 9.23)	7.11	(5.30 - 9.47)
Region 5	8.78	(6.62 - 11.56)	10.36	(7.82 - 13.60)	6.26	(4.41 - 8.81)	6.91	(5.21 - 9.13)
Washington	8.99	(7.67 - 10.52)	10.26	(8.49 - 12.35)	6.99	(5.61 - 8.68)	7.47	(6.21 - 8.96)
Region 1	8.44	(6.36 - 11.13)	10.22	(7.66 - 13.52)	6.97	(4.92 - 9.79)	7.49	(5.59 - 9.96)
Region 2	8.07	(6.03 - 10.71)	9.41	(6.85 - 12.81)	6.30	(4.50 - 8.78)	6.80	(5.12 - 8.96)
Region 3	9.06	(6.88 - 11.85)	10.27	(7.61 - 13.71)	6.84	(4.82 - 9.62)	7.34	(5.47 - 9.77)
Region 4 (King)	8.96	(6.88 - 11.58)	10.73	(8.15 - 13.99)	7.18	(5.18 - 9.88)	7.68	(5.84 - 10.04)
Region 5	9.25	(6.98 - 12.18)	10.27	(7.69 - 13.59)	7.13	(5.14 - 9.82)	7.61	(5.78 - 9.95)
Region 6	9.75	(7.52 - 12.56)	9.88	(7.27 - 13.29)	7.05	(4.98 - 9.90)	7.43	(5.50 - 9.96)
West Virginia	8.34	(7.07 - 9.82)	10.47	(8.83 - 12.37)	8.73	(7.16 - 10.59)	8.96	(7.55 - 10.60)
Eastern Highland	7.89	(6.01 - 10.30)	10.11	(7.68 - 13.19)	7.96	(5.71 - 11.00)	8.24	(6.16 - 10.94)
Northern	9.11	(7.16 - 11.53)	10.60	(8.40 - 13.31)	9.11	(6.95 - 11.87)	9.34	(7.40 - 11.72)
Northern A and B	8.71	(6.47 - 11.64)	10.40	(7.64 - 14.00)	9.11	(6.45 - 12.73)	9.27	(6.81 - 12.50)
Northern C and D	9.30	(6.96 - 12.31)	10.68	(8.12 - 13.92)	9.12	(6.50 - 12.64)	9.37	(7.05 - 12.36)
South Central	8.13	(6.63 - 9.94)	10.66	(8.67 - 13.04)	8.66	(6.81 - 10.94)	8.92	(7.24 - 10.94)
South Central I	8.04	(6.02 - 10.68)	9.78	(7.19 - 13.16)	8.18	(5.81 - 11.40)	8.37	(6.18 - 11.25)
South Central II	8.02	(5.91 - 10.80)	10.52	(7.84 - 13.99)	8.62	(6.15 - 11.94)	8.90	(6.68 - 11.77)
South Central III	8.27	(6.21 - 10.94)	11.29	(8.56 - 14.74)	8.97	(6.48 - 12.30)	9.26	(6.96 - 12.21)
Southern	8.19	(6.42 - 10.40)	10.28	(8.04 - 13.05)	9.21	(7.00 - 12.02)	9.35	(7.34 - 11.83)
Southern I and III	8.00	(5.94 - 10.69)	10.03	(7.46 - 13.35)	8.47	(6.01 - 11.81)	8.67	(6.42 - 11.61)
Southern II	8.58	(6.24 - 11.68)	10.77	(7.91 - 14.51)	10.67	(7.42 - 15.12)	10.69	(7.74 - 14.59)

See notes at end of table.

(continued)

Table 23. Having at Least One Major Depressive Episode in Past Year among Persons Aged 12 or Older, by Age Group and Substate Region: Percentages, Annual Averages Based on 2004, 2005, and 2006 NSDUHs (continued)

State/Substate Region	AGE GROUP							
	12-17		18-25		26 or Older		18 or Older	
	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval	Estimate	95% Prediction Interval
Wisconsin	8.98	(7.59 - 10.59)	10.68	(8.85 - 12.83)	7.71	(6.31 - 9.40)	8.16	(6.90 - 9.64)
Milwaukee	9.49	(7.12 - 12.54)	9.67	(7.10 - 13.05)	8.16	(5.89 - 11.21)	8.41	(6.36 - 11.03)
Northeastern	8.74	(6.65 - 11.41)	10.95	(8.38 - 14.20)	8.21	(6.03 - 11.10)	8.61	(6.63 - 11.11)
Northern	8.74	(6.53 - 11.62)	10.40	(7.84 - 13.68)	7.28	(5.10 - 10.28)	7.70	(5.70 - 10.32)
Southeastern	9.18	(7.10 - 11.80)	10.62	(7.88 - 14.18)	6.96	(5.11 - 9.42)	7.45	(5.70 - 9.69)
Southern	8.56	(6.45 - 11.28)	10.90	(8.25 - 14.27)	7.85	(5.65 - 10.82)	8.35	(6.37 - 10.89)
Western	9.11	(6.84 - 12.02)	11.39	(8.38 - 15.30)	7.61	(5.46 - 10.50)	8.25	(6.28 - 10.77)
Wyoming	9.11	(7.71 - 10.73)	12.25	(10.21 - 14.62)	8.85	(7.21 - 10.82)	9.39	(7.90 - 11.11)
Judicial District 1 (Laramie)	9.51	(7.19 - 12.48)	12.31	(9.33 - 16.07)	9.73	(7.11 - 13.17)	10.12	(7.73 - 13.15)
Judicial District 2	9.55	(7.08 - 12.75)	12.54	(9.48 - 16.41)	9.56	(6.82 - 13.23)	10.36	(8.03 - 13.26)
Judicial District 3	9.97	(7.50 - 13.13)	12.60	(9.56 - 16.44)	8.51	(6.21 - 11.56)	9.16	(7.07 - 11.80)
Judicial District 4	8.77	(6.44 - 11.84)	*	(* - *)	8.39	(5.81 - 11.98)	8.82	(6.41 - 12.02)
Judicial District 5	9.07	(6.83 - 11.95)	11.44	(8.44 - 15.31)	7.39	(5.16 - 10.46)	7.90	(5.81 - 10.64)
Judicial District 6	8.63	(6.45 - 11.47)	12.57	(9.17 - 17.00)	8.02	(5.72 - 11.14)	8.73	(6.60 - 11.47)
Judicial District 7 (Natrona)	8.44	(6.28 - 11.26)	12.32	(9.37 - 16.03)	9.13	(6.62 - 12.47)	9.63	(7.36 - 12.53)
Judicial District 8	8.91	(6.64 - 11.85)	11.72	(8.59 - 15.78)	7.80	(5.48 - 10.97)	8.29	(6.11 - 11.15)
Judicial District 9	8.51	(6.24 - 11.51)	11.96	(8.79 - 16.08)	9.93	(7.05 - 13.80)	10.21	(7.60 - 13.60)

*Low precision; no estimate reported.

** A separate Kauai estimate is not being reported because of low precision. See Table D12 of Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health* for more details.

NOTE: For Substate Region definitions, see Section D of the report on *Substate Estimates from the 2004-2006 National Surveys on Drug Use and Health*.

NOTE: Estimates are based on a survey-weighted hierarchical Bayes estimation approach, and the 95 percent prediction (credible) intervals are generated by Markov Chain Monte Carlo techniques.

NOTE: Major Depressive Episode (MDE) is defined as in the 4th edition of the *Diagnostic and Statistical Manual of Mental Disorders (DSM-IV)*, which specifies a period of at least 2 weeks when a person experienced a depressed mood or loss of interest or pleasure in daily activities and had a majority of specified depression symptoms. There are minor wording differences in the questions in the adult and adolescent MDE module. Therefore, data from youths aged 12 to 17 were not combined with data from persons aged 18 or older to get an overall estimate (12 or older).

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2004, 2005, and 2006.