

Table 3.29A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Smoking One or More Packs of Cigarettes per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Smoking Cigarettes: 2000 and 2001

(I) Demographic Characteristic	Youths' Feelings About Peers Smoking Cigarettes ¹		(II) Drug Use	Youths' Feelings About Peers Smoking Cigarettes ¹			
	Strongly/Somewhat Disapprove			Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2000	2001		2000	2001	2000	2001
TOTAL	19,695	20,111	PAST MONTH				
AGE			Any Illicit Drug ²	1,418 ^b	1,707	818	813
12-13	7,031	7,014	Marijuana	989 ^b	1,202	674	657
14-15	6,667	6,911	Any Illicit Drug Other Than Marijuana ²	678 ^a	778	380	363
16-17	5,997	6,186	Cigarettes	1,770	1,778	1,330	1,228
GENDER			Alcohol	2,627 ^b	2,964	1,161	1,075
Male	9,851	10,093	"Binge" Alcohol ³	1,539 ^a	1,715	880 ^a	752
Female	9,844	10,017	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	2,952 ^b	3,516	1,357	1,338
Not Hispanic	16,917	17,219	Marijuana	2,008 ^b	2,465	1,096	1,065
White Only	12,871	13,198	Any Illicit Drug Other Than Marijuana ²	1,734 ^b	1,991	864	814
Black Only	2,827	2,783	Cigarettes	3,109	3,079	1,710	1,574
American Indian or Alaska Native Only	107	125	Alcohol	5,743 ^b	6,111	1,922	1,812
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	739	748	LIFETIME				
More Than One Race	320	318	Any Illicit Drug ²	4,432 ^b	4,909	1,797	1,706
Hispanic	2,779	2,892	Marijuana	2,836 ^b	3,215	1,406	1,366
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	2,926 ^b	3,237	1,261 ^a	1,122
Large Metro	9,655	9,638	Cigarettes	5,828	5,779	2,192	2,052
Small Metro	6,055	6,246	Alcohol	7,380 ^b	7,830	2,296	2,170
Nonmetro	3,986	4,226	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.29B Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Smoking One or More Packs of Cigarettes per Day, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Smoking Cigarettes: 2000 and 2001

(I) Demographic Characteristic	Youths' Feelings About Peers Smoking Cigarettes ¹		(II) Drug Use	Youths' Feelings About Peers Smoking Cigarettes ¹			
	Strongly/Somewhat Disapprove			Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2000	2001		2000	2001	2000	2001
TOTAL	84.9 ^b	86.1	PAST MONTH				
AGE			Any Illicit Drug ²	7.2 ^b	8.5	23.4	25.2
12-13	91.5	92.1	Marijuana	5.0 ^b	6.0	19.3	20.3
14-15	83.4 ^b	85.5	Any Illicit Drug Other Than Marijuana ²	3.4	3.9	10.9	11.2
16-17	79.9	81.0	Cigarettes	9.0	8.8	38.0	38.0
GENDER			Alcohol	13.3 ^b	14.7	33.2	33.2
Male	83.1 ^b	84.8	"Binge" Alcohol ³	7.8 ^a	8.5	25.2	23.2
Female	86.8	87.6	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	15.0 ^b	17.5	38.8	41.4
Not Hispanic	85.0 ^b	86.1	Marijuana	10.2 ^b	12.3	31.3	32.9
White Only	84.6 ^b	86.6	Any Illicit Drug Other Than Marijuana ²	8.8 ^b	9.9	24.7	25.2
Black Only	85.6	84.2	Cigarettes	15.8	15.3	48.9	48.7
American Indian or Alaska Native Only	75.1	72.7	Alcohol	29.2 ^a	30.4	54.9	56.0
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	89.8	90.6	LIFETIME				
More Than One Race	88.3 ^a	81.0	Any Illicit Drug ²	22.5 ^b	24.4	51.4	52.8
Hispanic	84.6	86.2	Marijuana	14.4 ^b	16.0	40.2	42.2
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	14.9 ^b	16.1	36.0	34.7
Large Metro	85.6	86.7	Cigarettes	29.6	28.7	62.7	63.5
Small Metro	84.8	86.0	Alcohol	37.5 ^a	38.9	65.6	67.1
Nonmetro	83.5 ^a	85.1	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.30A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Trying Marijuana or Hashish: 2000 and 2001

(I) Demographic Characteristic	Youths' Feelings About Peers Trying Marijuana/Hashish ¹		(II) Drug Use	Youths' Feelings About Peers Trying Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove			Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2000	2001		2000	2001	2000	2001
TOTAL	18,550	18,624	PAST MONTH				
AGE			Any Illicit Drug ²	846 ^b	1,029	1,386	1,485
12-13	6,998	6,945	Marijuana	469 ^b	585	1,190	1,265
14-15	6,322	6,354	Any Illicit Drug Other Than Marijuana ²	487 ^a	576	569	561
16-17	5,230	5,325	Cigarettes	1,420	1,386	1,677	1,614
GENDER			Alcohol	1,980	2,132	1,809	1,905
Male	9,260	9,317	"Binge" Alcohol ³	1,083	1,162	1,334	1,301
Female	9,289	9,307	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	2,023 ^b	2,419	2,288	2,424
Not Hispanic	15,922	15,913	Marijuana	1,155 ^b	1,413	1,951	2,107
White Only	12,081	12,047	Any Illicit Drug Other Than Marijuana ²	1,288 ^b	1,475	1,304	1,323
Black Only	2,706	2,679	Cigarettes	2,574	2,442	2,247	2,207
American Indian or Alaska Native Only	95	116	Alcohol	4,716	4,825	2,951	3,090
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	705	728	LIFETIME				
More Than One Race	285	299	Any Illicit Drug ²	3,380 ^b	3,697	2,851	2,910
Hispanic	2,628	2,711	Marijuana	1,855 ^b	2,084	2,388	2,489
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	2,339 ^a	2,540	1,842	1,813
Large Metro	8,953	8,807	Cigarettes	5,002	4,773	3,022	3,049
Small Metro	5,699	5,771	Alcohol	6,270	6,496	3,403	3,495
Nonmetro	3,897	4,045	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.30B Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Trying Marijuana or Hashish: 2000 and 2001

(I) Demographic Characteristic	Youths' Feelings About Peers Trying Marijuana/Hashish ¹		(II) Drug Use	Youths' Feelings About Peers Trying Marijuana/Hashish ¹			
	Strongly/Somewhat Disapprove			Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2000	2001		2000	2001	2000	2001
TOTAL	79.9	79.8	PAST MONTH				
AGE			Any Illicit Drug ²	4.6 ^b	5.5	29.7	31.5
12-13	90.9	91.2	Marijuana	2.5 ^b	3.1	25.5	26.9
14-15	79.0	78.6	Any Illicit Drug Other Than Marijuana ²	2.6 ^a	3.1	12.2	11.9
16-17	69.6	69.7	Cigarettes	7.7	7.4	36.0	34.3
GENDER			Alcohol	10.7	11.4	38.8	40.4
Male	78.1	78.3	"Binge" Alcohol ³	5.8	6.2	28.6	27.6
Female	81.9	81.4	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	10.9 ^b	13.0	49.1	51.4
Not Hispanic	79.9	79.6	Marijuana	6.2 ^b	7.6	41.8 ^a	44.7
White Only	79.4	79.1	Any Illicit Drug Other Than Marijuana ²	6.9 ^b	7.9	28.0	28.1
Black Only	81.8	81.2	Cigarettes	13.9	13.1	48.2	46.8
American Indian or Alaska Native Only	66.9	67.8	Alcohol	25.4	25.9	63.3	65.6
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	85.3	88.2	LIFETIME				
More Than One Race	78.7	76.0	Any Illicit Drug ²	18.2 ^b	19.9	61.1	61.8
Hispanic	79.9	80.8	Marijuana	10.0 ^b	11.2	51.2	52.8
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	12.6 ^a	13.6	39.5	38.5
Large Metro	79.3	79.3	Cigarettes	27.0 ^a	25.6	64.8	64.7
Small Metro	79.8	79.4	Alcohol	33.8	34.9	73.0	74.2
Nonmetro	81.6	81.5	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.31A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Drinking Alcoholic Beverage: 2000 and 2001

(I) Demographic Characteristic	Youths' Feelings About Peers Drinking Alcoholic Beverages ¹		(II) Drug Use	Youths' Feelings About Peers Drinking Alcoholic Beverages ¹			
	Strongly/Somewhat Disapprove			Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2000	2001		2000	2001	2000	2001
TOTAL	19,379	19,573	PAST MONTH				
AGE			Any Illicit Drug ²	1,264 ^b	1,460	971	1,051
12-13	7,036	6,970	Marijuana	871	973	789	875
14-15	6,490	6,681	Any Illicit Drug Other Than Marijuana ²	612 ^a	701	446	436
16-17	5,853	5,922	Cigarettes	1,829	1,703	1,266	1,295
GENDER			Alcohol	2,315 ^b	2,550	1,466	1,482
Male	9,556	9,642	"Binge" Alcohol ³	1,314	1,373	1,102	1,086
Female	9,823	9,931	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	2,729 ^b	3,122	1,579	1,724
Not Hispanic	16,675	16,796	Marijuana	1,826 ^b	2,114	1,275	1,403
White Only	12,696	12,825	Any Illicit Drug Other Than Marijuana ²	1,614 ^a	1,782	980	1,020
Black Only	2,780	2,736	Cigarettes	3,111	2,934	1,703	1,718
American Indian or Alaska Native Only	111	121	Alcohol	5,316 ^a	5,595	2,344	2,315
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	746	740	LIFETIME				
More Than One Race	290	331	Any Illicit Drug ²	4,195 ^a	4,477	2,036	2,131
Hispanic	2,704	2,777	Marijuana	2,655 ^a	2,859	1,587	1,713
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	2,758	2,931	1,425	1,424
Large Metro	9,498	9,368	Cigarettes	5,698	5,470	2,317	2,354
Small Metro	5,948	6,095	Alcohol	6,952 ^a	7,295	2,716	2,692
Nonmetro	3,933	4,111	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.31B Percentages of Persons Aged 12 to 17 Reporting (I) They Strongly or Somewhat Disapprove of Someone Their Own Age Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Drinking Alcoholic Beverage: 2000 and 2001

(I) Demographic Characteristic	Youths' Feelings About Peers Drinking Alcoholic Beverages ¹		(II) Drug Use	Youths' Feelings About Peers Drinking Alcoholic Beverages ¹			
	Strongly/Somewhat Disapprove			Strongly/Somewhat Disapprove		Neither Approve Nor Disapprove	
	2000	2001		2000	2001	2000	2001
TOTAL	83.5	83.8	PAST MONTH				
AGE			Any Illicit Drug ²	6.5 ^b	7.5	25.4	27.8
12-13	91.5	91.4	Marijuana	4.5	5.0	20.7 ^a	23.2
14-15	81.1	82.6	Any Illicit Drug Other Than Marijuana ²	3.2	3.6	11.7	11.5
16-17	78.0	77.6	Cigarettes	9.4 ^a	8.7	33.2	34.3
GENDER			Alcohol	11.9 ^a	13.0	38.4	39.3
Male	80.6	81.0	"Binge" Alcohol ³	6.8	7.0	28.8	28.8
Female	86.6	86.8	PAST YEAR				
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	14.1 ^b	16.0	41.4 ^b	45.7
Not Hispanic	83.7	84.0	Marijuana	9.4 ^b	10.8	33.4 ^b	37.2
White Only	83.4	84.2	Any Illicit Drug Other Than Marijuana ²	8.3 ^a	9.1	25.7	27.0
Black Only	84.1	82.6	Cigarettes	16.1 ^a	15.0	44.6	45.5
American Indian or Alaska Native Only	78.2	70.7	Alcohol	27.4 ^a	28.6	61.4	61.3
Native Hawaiian or Other Pacific Islander	*	*	"Binge" Alcohol ³	--	--	--	--
Asian Only	90.2	89.7	LIFETIME				
More Than One Race	80.1	84.2	Any Illicit Drug ²	21.6 ^a	22.9	53.3 ^a	56.5
Hispanic	82.4	82.9	Marijuana	13.7 ^a	14.6	41.6 ^b	45.4
COUNTY TYPE			Any Illicit Drug Other Than Marijuana ²	14.2	15.0	37.3	37.7
Large Metro	84.2	84.3	Cigarettes	29.4 ^a	27.9	60.7	62.4
Small Metro	83.2	83.8	Alcohol	35.9 ^a	37.3	71.1	71.3
Nonmetro	82.4	82.7	"Binge" Alcohol ³	--	--	--	--

*Low precision; no estimate reported.

-- Not available.

^aDifference between estimate and 2001 estimate is statistically significant at the .05 level.

^bDifference between estimate and 2001 estimate is statistically significant at the .01 level.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2000 and 2001.

Table 3.63A Estimated Numbers (in Thousands) of Persons Aged 12 to 17 Reporting (I) That They Strongly or Somewhat Disapprove of Someone Their Own Age Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Using Marijuana or Hashish Once a Month or More: 2001

(I) Demographic Characteristic	Youths' Feelings About Peers Using Marijuana/Hashish ¹	(II) Drug Use	Youths' Feelings About Peers Using Marijuana/Hashish ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	18,693	PAST MONTH		
AGE		Any Illicit Drug ²	969	1,537
12-13	6,939	Marijuana	541	1,302
14-15	6,390	Any Illicit Drug Other Than Marijuana ²	549	586
16-17	5,364	Cigarettes	1,338	1,657
GENDER		Alcohol	2,148	1,886
Male	9,333	"Binge" Alcohol ³	1,138	1,323
Female	9,360	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	2,373	2,466
Not Hispanic	16,023	Marijuana	1,391	2,122
White Only	12,197	Any Illicit Drug Other Than Marijuana ²	1,433	1,364
Black Only	2,644	Cigarettes	2,411	2,235
American Indian or Alaska Native Only	119	Alcohol	4,886	3,023
Native Hawaiian or Other Pacific Islander	*	"Binge" Alcohol ³	--	--
Asian Only	716	LIFETIME		
More Than One Race	303	Any Illicit Drug ²	3,675	2,927
Hispanic	2,670	Marijuana	2,063	2,504
COUNTY TYPE		Any Illicit Drug Other Than Marijuana ²	2,502	1,848
Large Metro	8,820	Cigarettes	4,778	3,037
Small Metro	5,805	Alcohol	6,546	3,438
Nonmetro	4,068	"Binge" Alcohol ³	--	--

*Low precision; no estimate reported.

-- Not available.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2001.

Table 3.63B Percentages of Persons Aged 12 to 17 Reporting (I) That They Strongly or Somewhat Disapprove of Someone Their Own Age Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics, and (II) Selected Drug Use, by Youths' Feelings About Peers Using Marijuana or Hashish Once a Month or More: 2001

(I) Demographic Characteristic	Youths' Feelings About Peers Using Marijuana/Hashish ¹	(II) Drug Use	Youths' Feelings About Peers Using Marijuana/Hashish ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	80.1	PAST MONTH		
AGE		Any Illicit Drug ²	5.2	33.1
12-13	91.0	Marijuana	2.9	28.0
14-15	79.0	Any Illicit Drug Other Than Marijuana ²	2.9	12.6
16-17	70.3	Cigarettes	7.2	35.7
GENDER		Alcohol	11.5	40.6
Male	78.4	"Binge" Alcohol ³	6.1	28.5
Female	81.9	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	12.7	53.1
Not Hispanic	80.2	Marijuana	7.4	45.7
White Only	80.1	Any Illicit Drug Other Than Marijuana ²	7.7	29.3
Black Only	79.8	Cigarettes	12.9	48.1
American Indian or Alaska Native Only	69.1	Alcohol	26.1	65.0
Native Hawaiian or Other Pacific Islander	*	"Binge" Alcohol ³	--	--
Asian Only	87.0	LIFETIME		
More Than One Race	77.0	Any Illicit Drug ²	19.7	63.0
Hispanic	79.4	Marijuana	11.0	53.9
COUNTY TYPE		Any Illicit Drug Other Than Marijuana ²	13.4	39.8
Large Metro	79.4	Cigarettes	25.6	65.3
Small Metro	79.9	Alcohol	35.0	74.0
Nonmetro	81.9	"Binge" Alcohol ³	--	--

*Low precision; no estimate reported.

-- Not available.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ "Binge" Alcohol Use is defined as drinking five or more drinks on the same occasion on at least 1 day in the past 30 days. By "occasion" is meant at the same time or within a couple hours of each other.

Source: SAMHSA, Office of Applied Studies, National Household Survey on Drug Abuse, 2001.