

Table 3.20A Parents Would Strongly Disapprove of Youths Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Drug Use, by Parents' Feelings About Youths Smoking One or More Packs of Cigarettes Per Day (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

(I) Demographic Characteristic	Parents' Feelings About Youth Smoking Cigarettes ¹	(II) Drug Use	Parents' Feelings About Youth Smoking Cigarettes ¹	
	Strongly Disapprove		Strongly Disapprove	Somewhat Disapprove/Neither Approve Nor Disapprove
TOTAL	21,890	PAST MONTH		
AGE		Any Illicit Drug ²	2,032	816
12-13	7,639	Marijuana	1,370	635
14-15	7,620	Any Illicit Drug Other Than Marijuana ²	991	413
16-17	6,631	Cigarettes	2,052	1,126
GENDER		Alcohol	3,397	929
Male	11,092	Binge Alcohol ³	1,896	724
Female	10,798	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	4,234	1,207
Not Hispanic or Latino	18,455	Marijuana	2,875	1,004
White	13,781	Any Illicit Drug Other Than Marijuana ²	2,487	812
Black or African American	3,167	Cigarettes	3,653	1,347
American Indian or Alaska Native	150	Alcohol	6,983	1,527
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	935	Any Illicit Drug ²	6,037	1,524
Two or More Races	350	Marijuana	3,837	1,233
Hispanic or Latino	3,435	Any Illicit Drug Other Than Marijuana ²	4,083	1,138
COUNTY TYPE		Cigarettes	6,533	1,638
Large Metro	11,072	Alcohol	8,901	1,766
Small Metro	6,480			
Nonmetro	4,338			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.20B Parents Would Strongly Disapprove of Youths Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Drug Use, by Parents' Feelings About Youths Smoking One or More Packs of Cigarettes Per Day (II) among Persons Aged 12 to 17: Percentages, 2002

(I) Demographic Characteristic	Parents' Feelings About Youth Smoking Cigarettes ¹	(II) Drug Use	Parents' Feelings About Youth Smoking Cigarettes ¹	
	Strongly Disapprove		Strongly Disapprove	Somewhat Disapprove/Neither Approve Nor Disapprove
TOTAL	89.5	PAST MONTH		
AGE		Any Illicit Drug ²	9.3	31.9
12-13	94.2	Marijuana	6.3	24.8
14-15	91.0	Any Illicit Drug Other Than Marijuana ²	4.5	16.1
16-17	83.3	Cigarettes	9.4	44.0
GENDER		Alcohol	15.5	36.3
Male	88.9	Binge Alcohol ³	8.7	28.3
Female	90.2	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	19.3	47.2
Not Hispanic or Latino	89.6	Marijuana	13.1	39.2
White	89.4	Any Illicit Drug Other Than Marijuana ²	11.4	31.7
Black or African American	89.2	Cigarettes	16.7	52.6
American Indian or Alaska Native	80.0	Alcohol	31.9	59.7
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	93.7	Any Illicit Drug ²	27.6	59.5
Two or More Races	90.9	Marijuana	17.5	48.2
Hispanic or Latino	89.4	Any Illicit Drug Other Than Marijuana ²	18.7	44.5
COUNTY TYPE		Cigarettes	29.8	64.0
Large Metro	90.2	Alcohol	40.7	69.0
Small Metro	89.2			
Nonmetro	88.3			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.21A Parents Would Strongly Disapprove of Youths Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Drug Use, by Parents' Feelings About Youths Trying Marijuana or Hashish Once or Twice (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

(I) Demographic Characteristic	Parents' Feelings About Youth Trying Marijuana/Hashish ¹	(II) Drug Use	Parents' Feelings About Youth Trying Marijuana/Hashish ¹	
	Strongly Disapprove		Strongly Disapprove	Somewhat Disapprove/Neither Approve Nor Disapprove
TOTAL	21,834	PAST MONTH		
AGE		Any Illicit Drug ²	1,884	963
12-13	7,681	Marijuana	1,201	801
14-15	7,527	Any Illicit Drug Other Than Marijuana ²	999	407
16-17	6,626	Cigarettes	2,290	892
GENDER		Alcohol	3,301	1,029
Male	10,996	Binge Alcohol ³	1,885	735
Female	10,838	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	3,968	1,482
Not Hispanic or Latino	18,355	Marijuana	2,605	1,273
White	13,621	Any Illicit Drug Other Than Marijuana ²	2,423	886
Black or African American	3,212	Cigarettes	3,803	1,203
American Indian or Alaska Native	155	Alcohol	6,844	1,664
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	957	Any Illicit Drug ²	5,820	1,755
Two or More Races	346	Marijuana	3,585	1,485
Hispanic or Latino	3,479	Any Illicit Drug Other Than Marijuana ²	4,024	1,204
COUNTY TYPE		Cigarettes	6,560	1,618
Large Metro	10,894	Alcohol	8,768	1,909
Small Metro	6,510			
Nonmetro	4,430			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.21B Parents Would Strongly Disapprove of Youths Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Drug Use, by Parents' Feelings About Youths Trying Marijuana or Hashish Once or Twice (II) among Persons Aged 12 to 17: Percentages, 2002

(I) Demographic Characteristic	Parents' Feelings About Youth Trying Marijuana/Hashish ¹	(II) Drug Use	Parents' Feelings About Youth Trying Marijuana/Hashish ¹	
	Strongly Disapprove		Strongly Disapprove	Somewhat Disapprove/Neither Approve Nor Disapprove
TOTAL	89.1	PAST MONTH		
AGE		Any Illicit Drug ²	8.6	36.2
12-13	94.4	Marijuana	5.5	30.2
14-15	89.6	Any Illicit Drug Other Than Marijuana ²	4.6	15.3
16-17	83.3	Cigarettes	10.5	33.6
GENDER		Alcohol	15.1	38.7
Male	88.0	Binge Alcohol ³	8.6	27.7
Female	90.3	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	18.2	55.8
Not Hispanic or Latino	89.0	Marijuana	11.9	47.9
White	88.3	Any Illicit Drug Other Than Marijuana ²	11.1	33.3
Black or African American	90.2	Cigarettes	17.4	45.3
American Indian or Alaska Native	82.7	Alcohol	31.3	62.6
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	96.4	Any Illicit Drug ²	26.7	66.1
Two or More Races	88.7	Marijuana	16.4	55.9
Hispanic or Latino	90.2	Any Illicit Drug Other Than Marijuana ²	18.4	45.3
COUNTY TYPE		Cigarettes	30.0	60.9
Large Metro	88.6	Alcohol	40.2	71.8
Small Metro	89.4			
Nonmetro	90.2			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.22A Parents Would Strongly Disapprove of Youths Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Drug Use, by Parents' Feelings About Youths Using Marijuana or Hashish Once a Month or More (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

(I) Demographic Characteristic	Parents' Feelings About Youth Using Marijuana/Hashish ¹	(II) Drug Use	Parents' Feelings About Youth Using Marijuana/Hashish ¹	
	Strongly Disapprove		Strongly Disapprove	Somewhat Disapprove/Neither Approve Nor Disapprove
TOTAL	22,536	PAST MONTH		
AGE		Any Illicit Drug ²	2,052	795
12-13	7,763	Marijuana	1,328	678
14-15	7,764	Any Illicit Drug Other Than Marijuana ²	1,067	335
16-17	7,009	Cigarettes	2,472	712
GENDER		Alcohol	3,531	807
Male	11,370	Binge Alcohol ³	2,037	589
Female	11,167	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	4,314	1,134
Not Hispanic or Latino	19,014	Marijuana	2,883	994
White	14,217	Any Illicit Drug Other Than Marijuana ²	2,609	694
Black or African American	3,261	Cigarettes	4,076	932
American Indian or Alaska Native	153	Alcohol	7,296	1,220
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	956	Any Illicit Drug ²	6,245	1,328
Two or More Races	357	Marijuana	3,926	1,145
Hispanic or Latino	3,522	Any Illicit Drug Other Than Marijuana ²	4,291	938
COUNTY TYPE		Cigarettes	6,981	1,207
Large Metro	11,273	Alcohol	9,302	1,382
Small Metro	6,721			
Nonmetro	4,542			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.22B Parents Would Strongly Disapprove of Youths Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Drug Use, by Parents' Feelings About Youths Using Marijuana or Hashish Once a Month or More (II) among Persons Aged 12 to 17: Percentages, 2002

(I) Demographic Characteristic	Parents' Feelings About Youth Using Marijuana/Hashish ¹	(II) Drug Use	Parents' Feelings About Youth Using Marijuana/Hashish ¹	
	Strongly Disapprove		Strongly Disapprove	Somewhat Disapprove/Neither Approve Nor Disapprove
TOTAL	92.0	PAST MONTH		
AGE		Any Illicit Drug ²	9.1	40.4
12-13	95.4	Marijuana	5.9	34.5
14-15	92.4	Any Illicit Drug Other Than Marijuana ²	4.7	17.0
16-17	88.1	Cigarettes	11.0	36.2
GENDER		Alcohol	15.7	41.0
Male	91.0	Binge Alcohol ³	9.0	29.9
Female	93.0	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	19.1	57.6
Not Hispanic or Latino	92.1	Marijuana	12.8	50.5
White	92.2	Any Illicit Drug Other Than Marijuana ²	11.6	35.3
Black or African American	91.5	Cigarettes	18.1	47.3
American Indian or Alaska Native	81.8	Alcohol	32.4	62.0
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	95.8	Any Illicit Drug ²	27.7	67.4
Two or More Races	91.7	Marijuana	17.4	58.2
Hispanic or Latino	91.1	Any Illicit Drug Other Than Marijuana ²	19.0	47.7
COUNTY TYPE		Cigarettes	31.0	61.3
Large Metro	91.6	Alcohol	41.3	70.2
Small Metro	92.2			
Nonmetro	92.5			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.23A Parents Would Strongly Disapprove of Youths Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Drug Use, by Parents' Feelings About Youths Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

(I) Demographic Characteristic	Parents' Feelings About Youth Drinking Alcoholic Beverages ¹	(II) Drug Use	Parents' Feelings About Youth Drinking Alcoholic Beverages ¹	
	Strongly Disapprove		Strongly Disapprove	Somewhat Disapprove/Neither Approve Nor Disapprove
TOTAL	21,810	PAST MONTH		
AGE		Any Illicit Drug ²	2,110	741
12-13	7,516	Marijuana	1,458	548
14-15	7,506	Any Illicit Drug Other Than Marijuana ²	1,026	382
16-17	6,789	Cigarettes	2,378	805
GENDER		Alcohol	3,248	1,087
Male	10,958	Binge Alcohol ³	1,841	788
Female	10,852	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	4,297	1,158
Not Hispanic or Latino	18,412	Marijuana	3,011	872
White	13,762	Any Illicit Drug Other Than Marijuana ²	2,549	759
Black or African American	3,162	Cigarettes	3,945	1,061
American Indian or Alaska Native	151	Alcohol	6,879	1,639
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	911	Any Illicit Drug ²	6,104	1,477
Two or More Races	359	Marijuana	4,004	1,073
Hispanic or Latino	3,398	Any Illicit Drug Other Than Marijuana ²	4,153	1,083
COUNTY TYPE		Cigarettes	6,711	1,479
Large Metro	11,057	Alcohol	8,795	1,888
Small Metro	6,494			
Nonmetro	4,259			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.23B Parents Would Strongly Disapprove of Youths Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Drug Use, by Parents' Feelings About Youths Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II) among Persons Aged 12 to 17: Percentages, 2002

(I) Demographic Characteristic	Parents' Feelings About Youth Drinking Alcoholic Beverages ¹	(II) Drug Use	Parents' Feelings About Youth Drinking Alcoholic Beverages ¹	
	Strongly Disapprove		Strongly Disapprove	Somewhat Disapprove/Neither Approve Nor Disapprove
TOTAL	89.0	PAST MONTH		
AGE		Any Illicit Drug ²	9.7	27.6
12-13	92.3	Marijuana	6.7	20.4
14-15	89.5	Any Illicit Drug Other Than Marijuana ²	4.7	14.2
16-17	85.2	Cigarettes	10.9	29.9
GENDER		Alcohol	14.9	40.5
Male	87.7	Binge Alcohol ³	8.4	29.3
Female	90.4	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	19.7	43.1
Not Hispanic or Latino	89.2	Marijuana	13.8	32.4
White	89.2	Any Illicit Drug Other Than Marijuana ²	11.7	28.3
Black or African American	88.9	Cigarettes	18.1	39.5
American Indian or Alaska Native	80.8	Alcohol	31.5	61.0
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	91.9	Any Illicit Drug ²	28.0	55.0
Two or More Races	92.7	Marijuana	18.4	39.9
Hispanic or Latino	87.9	Any Illicit Drug Other Than Marijuana ²	19.0	40.3
COUNTY TYPE		Cigarettes	30.8	55.0
Large Metro	89.9	Alcohol	40.3	70.2
Small Metro	89.1			
Nonmetro	86.6			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.