

Table 3.30A Strongly or Somewhat Disapprove of Someone the Youths' Own Age Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings About Peers Smoking One or More Packs of Cigarettes Per Day (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

(I) Demographic Characteristic	Youths' Feelings About Peers Smoking Cigarettes ¹	(II) Drug Use	Youths' Feelings About Peers Smoking Cigarettes ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	21,396	PAST MONTH		
AGE		Any Illicit Drug ²	1,974	883
12-13	7,529	Marijuana	1,300	708
14-15	7,280	Any Illicit Drug Other Than Marijuana ²	985	426
16-17	6,587	Cigarettes	1,940	1,240
GENDER		Alcohol	3,232	1,100
Male	10,755	Binge Alcohol ³	1,829	794
Female	10,641	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	4,015	1,446
Not Hispanic or Latino	18,025	Marijuana	2,707	1,178
White	13,385	Any Illicit Drug Other Than Marijuana ²	2,391	919
Black or African American	3,153	Cigarettes	3,396	1,609
American Indian or Alaska Native	150	Alcohol	6,640	1,875
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	923	Any Illicit Drug ²	5,778	1,809
Two or More Races	348	Marijuana	3,652	1,423
Hispanic or Latino	3,371	Any Illicit Drug Other Than Marijuana ²	3,910	1,330
COUNTY TYPE		Cigarettes	6,185	1,997
Large Metro	10,840	Alcohol	8,515	2,161
Small Metro	6,327			
Nonmetro	4,229			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.30B Strongly or Somewhat Disapprove of Someone the Youths' Own Age Smoking One or More Packs of Cigarettes Per Day, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings About Peers Smoking One or More Packs of Cigarettes Per Day (II) among Persons Aged 12 to 17: Percentages, 2002

(I) Demographic Characteristic	Youths' Feelings About Peers Smoking Cigarettes ¹	(II) Drug Use	Youths' Feelings About Peers Smoking Cigarettes ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	87.1	PAST MONTH		
AGE		Any Illicit Drug ²	9.2	28.0
12-13	92.2	Marijuana	6.1	22.4
14-15	86.5	Any Illicit Drug Other Than Marijuana ²	4.6	13.5
16-17	82.6	Cigarettes	9.1	39.3
GENDER		Alcohol	15.1	34.9
Male	85.9	Binge Alcohol ³	8.5	25.2
Female	88.5	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	18.8	45.8
Not Hispanic or Latino	87.2	Marijuana	12.7	37.3
White	86.7	Any Illicit Drug Other Than Marijuana ²	11.2	29.1
Black or African American	88.4	Cigarettes	15.9	51.0
American Indian or Alaska Native	80.0	Alcohol	31.0	59.4
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	92.1	Any Illicit Drug ²	27.0	57.3
Two or More Races	89.6	Marijuana	17.1	45.1
Hispanic or Latino	86.7	Any Illicit Drug Other Than Marijuana ²	18.3	42.1
COUNTY TYPE		Cigarettes	28.9	63.3
Large Metro	87.9	Alcohol	39.8	68.5
Small Metro	86.6			
Nonmetro	86.0			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.31A Strongly or Somewhat Disapprove of Someone the Youths' Own Age Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings About Peers Trying Marijuana or Hashish Once or Twice (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

(I) Demographic Characteristic	Youths' Feelings About Peers Trying Marijuana/Hashish ¹		(II) Drug Use	Youths' Feelings About Peers Trying Marijuana/Hashish ¹	
	Strongly/Somewhat Disapprove			Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	19,525		PAST MONTH		
AGE			Any Illicit Drug ²	1,186	1,673
12-13	7,444		Marijuana	608	1,403
14-15	6,612		Any Illicit Drug Other Than Marijuana ²	725	689
16-17	5,469		Cigarettes	1,472	1,714
GENDER			Alcohol	2,243	2,088
Male	9,708		Binge Alcohol ³	1,191	1,432
Female	9,817		PAST YEAR		
HISPANIC ORIGIN AND RACE			Any Illicit Drug ²	2,634	2,829
Not Hispanic or Latino	16,340		Marijuana	1,439	2,447
White	11,950		Any Illicit Drug Other Than Marijuana ²	1,729	1,584
Black or African American	2,965		Cigarettes	2,560	2,450
American Indian or Alaska Native	*		Alcohol	5,090	3,425
Native Hawaiian or Other Pacific Islander	*		LIFETIME		
Asian	899		Any Illicit Drug ²	4,241	3,343
Two or More Races	315		Marijuana	2,215	2,862
Hispanic or Latino	3,186		Any Illicit Drug Other Than Marijuana ²	3,026	2,212
COUNTY TYPE			Cigarettes	4,916	3,272
Large Metro	9,769		Alcohol	6,865	3,816
Small Metro	5,766				
Nonmetro	3,990				

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.31B Strongly or Somewhat Disapprove of Someone the Youths' Own Age Trying Marijuana or Hashish Once or Twice, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings About Peers Trying Marijuana or Hashish Once or Twice (II) among Persons Aged 12 to 17: Percentages, 2002

(I) Demographic Characteristic	Youths' Feelings About Peers Trying Marijuana/Hashish ¹	(II) Drug Use	Youths' Feelings About Peers Trying Marijuana/Hashish ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	79.5	PAST MONTH		
AGE		Any Illicit Drug ²	6.1	33.3
12-13	91.1	Marijuana	3.1	27.9
14-15	78.5	Any Illicit Drug Other Than Marijuana ²	3.7	13.7
16-17	68.7	Cigarettes	7.5	34.1
GENDER		Alcohol	11.5	41.5
Male	77.5	Binge Alcohol ³	6.1	28.5
Female	81.6	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	13.5	56.2
Not Hispanic or Latino	79.1	Marijuana	7.4	48.7
White	77.4	Any Illicit Drug Other Than Marijuana ²	8.9	31.5
Black or African American	83.2	Cigarettes	13.1	48.7
American Indian or Alaska Native	*	Alcohol	26.1	68.1
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	89.8	Any Illicit Drug ²	21.7	66.5
Two or More Races	82.1	Marijuana	11.3	56.9
Hispanic or Latino	81.8	Any Illicit Drug Other Than Marijuana ²	15.5	44.0
COUNTY TYPE		Cigarettes	25.2	65.0
Large Metro	79.3	Alcohol	35.2	75.9
Small Metro	78.8			
Nonmetro	81.1			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.32A Strongly or Somewhat Disapprove of Someone the Youths' Own Age Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings About Peers Using Marijuana or Hashish Once a Month or More (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

(I) Demographic Characteristic	Youths' Feelings About Peers Using Marijuana/Hashish ¹	(II) Drug Use	Youths' Feelings About Peers Using Marijuana/Hashish ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	19,749	PAST MONTH		
AGE		Any Illicit Drug ²	1,141	1,721
12-13	7,498	Marijuana	565	1,446
14-15	6,702	Any Illicit Drug Other Than Marijuana ²	700	716
16-17	5,550	Cigarettes	1,467	1,718
GENDER		Alcohol	2,302	2,034
Male	9,763	Binge Alcohol ³	1,197	1,428
Female	9,986	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	2,694	2,771
Not Hispanic or Latino	16,571	Marijuana	1,476	2,408
White	12,228	Any Illicit Drug Other Than Marijuana ²	1,735	1,583
Black or African American	2,915	Cigarettes	2,594	2,417
American Indian or Alaska Native	*	Alcohol	5,213	3,308
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	905	Any Illicit Drug ²	4,333	3,257
Two or More Races	315	Marijuana	2,269	2,806
Hispanic or Latino	3,178	Any Illicit Drug Other Than Marijuana ²	3,062	2,182
COUNTY TYPE		Cigarettes	4,986	3,207
Large Metro	9,912	Alcohol	7,010	3,679
Small Metro	5,814			
Nonmetro	4,023			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.32B Strongly or Somewhat Disapprove of Someone the Youths' Own Age Using Marijuana or Hashish Once a Month or More, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings About Peers Using Marijuana or Hashish Once a Month or More (II) among Persons Aged 12 to 17: Percentages, 2002

(I) Demographic Characteristic	Youths' Feelings About Peers Using Marijuana/Hashish ¹	(II) Drug Use	Youths' Feelings About Peers Using Marijuana/Hashish ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	80.4	PAST MONTH		
AGE		Any Illicit Drug ²	5.8	35.7
12-13	91.6	Marijuana	2.9	30.0
14-15	79.6	Any Illicit Drug Other Than Marijuana ²	3.5	14.9
16-17	69.7	Cigarettes	7.4	35.7
GENDER		Alcohol	11.7	42.2
Male	77.9	Binge Alcohol ³	6.1	29.6
Female	82.9	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	13.6	57.5
Not Hispanic or Latino	80.2	Marijuana	7.5	50.0
White	79.1	Any Illicit Drug Other Than Marijuana ²	8.8	32.9
Black or African American	81.7	Cigarettes	13.1	50.2
American Indian or Alaska Native	*	Alcohol	26.4	68.7
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	90.0	Any Illicit Drug ²	21.9	67.6
Two or More Races	82.1	Marijuana	11.5	58.3
Hispanic or Latino	81.6	Any Illicit Drug Other Than Marijuana ²	15.5	45.3
COUNTY TYPE		Cigarettes	25.2	66.6
Large Metro	80.4	Alcohol	35.5	76.4
Small Metro	79.5			
Nonmetro	81.6			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.33A Strongly or Somewhat Disapprove of Someone the Youths' Own Age Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings About Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002

(I) Demographic Characteristic	Youths' Feelings About Peers Drinking Alcoholic Beverages ¹	(II) Drug Use	Youths' Feelings About Peers Drinking Alcoholic Beverages ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	20,798	PAST MONTH		
AGE		Any Illicit Drug ²	1,691	1,168
12-13	7,471	Marijuana	1,077	935
14-15	7,023	Any Illicit Drug Other Than Marijuana ²	876	537
16-17	6,305	Cigarettes	1,894	1,288
GENDER		Alcohol	2,795	1,545
Male	10,249	Binge Alcohol ³	1,499	1,130
Female	10,549	PAST YEAR		
HISPANIC ORIGIN AND RACE		Any Illicit Drug ²	3,572	1,895
Not Hispanic or Latino	17,536	Marijuana	2,350	1,539
White	13,004	Any Illicit Drug Other Than Marijuana ²	2,137	1,178
Black or African American	3,051	Cigarettes	3,257	1,751
American Indian or Alaska Native	149	Alcohol	6,062	2,462
Native Hawaiian or Other Pacific Islander	*	LIFETIME		
Asian	932	Any Illicit Drug ²	5,291	2,302
Two or More Races	333	Marijuana	3,246	1,834
Hispanic or Latino	3,263	Any Illicit Drug Other Than Marijuana ²	3,611	1,633
COUNTY TYPE		Cigarettes	5,857	2,333
Large Metro	10,557	Alcohol	7,918	2,768
Small Metro	6,135			
Nonmetro	4,106			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 3.33B Strongly or Somewhat Disapprove of Someone the Youths' Own Age Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Feelings About Peers Having One or Two Drinks of an Alcoholic Beverage Nearly Every Day (II) among Persons Aged 12 to 17: Percentages, 2002

(I) Demographic Characteristic	Youths' Feelings About Peers Drinking Alcoholic Beverages ¹	(II) Drug Use	Youths' Feelings About Peers Drinking Alcoholic Beverages ¹	
	Strongly/Somewhat Disapprove		Strongly/Somewhat Disapprove	Neither Approve Nor Disapprove
TOTAL	84.7	PAST MONTH		
		Any Illicit Drug ²	8.1	31.0
AGE		Marijuana	5.2	24.8
12-13	91.4	Any Illicit Drug Other Than Marijuana ²	4.2	14.3
14-15	83.4	Cigarettes	9.1	34.2
16-17	79.0	Alcohol	13.4	41.0
GENDER		Binge Alcohol ³	7.2	30.0
Male	81.7	PAST YEAR		
Female	87.7	Any Illicit Drug ²	17.2	50.3
HISPANIC ORIGIN AND RACE		Marijuana	11.3	40.8
Not Hispanic or Latino	84.8	Any Illicit Drug Other Than Marijuana ²	10.3	31.2
White	84.2	Cigarettes	15.7	46.4
Black or African American	85.7	Alcohol	29.1	65.3
American Indian or Alaska Native	79.7	LIFETIME		
Native Hawaiian or Other Pacific Islander	*	Any Illicit Drug ²	25.4	61.1
Asian	92.9	Marijuana	15.6	48.6
Two or More Races	85.6	Any Illicit Drug Other Than Marijuana ²	17.4	43.3
Hispanic or Latino	83.7	Cigarettes	28.2	61.9
COUNTY TYPE		Alcohol	38.1	73.4
Large Metro	85.6			
Small Metro	83.9			
Nonmetro	83.4			

*Low precision; no estimate reported.

¹ Respondents with missing data were excluded.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.