

**Table 3.34A Participated in a Problem-Solving, Communication Skills, or Self-Esteem Group in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Participation in a Problem-Solving, Communication Skills, or Self-Esteem Group (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002**

(I) Demographic Characteristic	Participated in Problem-Solving, Communication, or Self-Esteem Group <sup>1</sup>	(II) Drug Use	Participated in Problem-Solving, Communication, or Self-Esteem Group <sup>1</sup>	
	Yes		Yes	No
<b>TOTAL</b>	5,757	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	586	2,271
12-13	2,163	Marijuana	387	1,624
14-15	1,966	Any Illicit Drug Other Than Marijuana <sup>2</sup>	338	1,071
16-17	1,628	Cigarettes	644	2,537
<b>GENDER</b>		Alcohol	826	3,504
Male	2,684	Binge Alcohol <sup>3</sup>	460	2,165
Female	3,073	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	1,122	4,335
Not Hispanic or Latino	4,851	Marijuana	727	3,157
White	3,368	Any Illicit Drug Other Than Marijuana <sup>2</sup>	749	2,560
Black or African American	1,071	Cigarettes	991	4,010
American Indian or Alaska Native	43	Alcohol	1,757	6,754
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	259	Any Illicit Drug <sup>2</sup>	1,664	5,918
Two or More Races	90	Marijuana	988	4,088
Hispanic or Latino	906	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1,241	3,993
<b>COUNTY TYPE</b>		Cigarettes	1,700	6,478
Large Metro	2,958	Alcohol	2,266	8,416
Small Metro	1,634			
Nonmetro	1,165			

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.34B Participated in a Problem-Solving, Communication Skills, or Self-Esteem Group in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Participation in a Problem-Solving, Communication Skills, or Self-Esteem Group (II) among Persons Aged 12 to 17: Percentages, 2002**

(I) Demographic Characteristic	Participated in Problem-Solving, Communication, or Self-Esteem Group <sup>1</sup>	(II) Drug Use	Participated in Problem-Solving, Communication, or Self-Esteem Group <sup>1</sup>	
	Yes		Yes	No
<b>TOTAL</b>	23.5	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	10.2	12.1
12-13	26.6	Marijuana	6.7	8.7
14-15	23.4	Any Illicit Drug Other Than Marijuana <sup>2</sup>	5.9	5.7
16-17	20.4	Cigarettes	11.2	13.5
<b>GENDER</b>		Alcohol	14.3	18.7
Male	21.4	Binge Alcohol <sup>3</sup>	8.0	11.6
Female	25.7	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	19.5	23.1
Not Hispanic or Latino	23.6	Marijuana	12.6	16.9
White	21.9	Any Illicit Drug Other Than Marijuana <sup>2</sup>	13.0	13.7
Black or African American	29.9	Cigarettes	17.2	21.4
American Indian or Alaska Native	22.9	Alcohol	30.5	36.1
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	26.1	Any Illicit Drug <sup>2</sup>	28.9	31.6
Two or More Races	23.3	Marijuana	17.2	21.8
Hispanic or Latino	23.3	Any Illicit Drug Other Than Marijuana <sup>2</sup>	21.6	21.3
<b>COUNTY TYPE</b>		Cigarettes	29.5	34.6
Large Metro	24.1	Alcohol	39.4	44.9
Small Metro	22.4			
Nonmetro	23.8			

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.35A Participated in a Violence Prevention Program in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Participation in a Violence Prevention Program (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002**

(I) Demographic Characteristic	Participated in Violence Prevention Program <sup>1</sup>	(II) Drug Use	Participated in Violence Prevention Program <sup>1</sup>	
	Yes		Yes	No
<b>TOTAL</b>	4,203	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	416	2,447
12-13	2,025	Marijuana	254	1,761
14-15	1,315	Any Illicit Drug Other Than Marijuana <sup>2</sup>	234	1,177
16-17	864	Cigarettes	411	2,785
<b>GENDER</b>		Alcohol	509	3,839
Male	2,107	Binge Alcohol <sup>3</sup>	291	2,337
Female	2,097	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	764	4,708
Not Hispanic or Latino	3,508	Marijuana	464	3,431
White	2,270	Any Illicit Drug Other Than Marijuana <sup>2</sup>	513	2,805
Black or African American	913	Cigarettes	653	4,364
American Indian or Alaska Native	45	Alcohol	1,069	7,471
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	185	Any Illicit Drug <sup>2</sup>	1,143	6,461
Two or More Races	83	Marijuana	621	4,464
Hispanic or Latino	695	Any Illicit Drug Other Than Marijuana <sup>2</sup>	856	4,400
<b>COUNTY TYPE</b>		Cigarettes	1,093	7,115
Large Metro	2,185	Alcohol	1,432	9,282
Small Metro	1,186			
Nonmetro	833			

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.35B Participated in a Violence Prevention Program in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Participation in a Violence Prevention Program (II) among Persons Aged 12 to 17: Percentages, 2002**

(I) Demographic Characteristic	Participated in Violence Prevention Program <sup>1</sup>	(II) Drug Use	Participated in Violence Prevention Program <sup>1</sup>	
	Yes		Yes	No
<b>TOTAL</b>	17.1	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	9.9	12.0
12-13	24.6	Marijuana	6.0	8.6
14-15	15.6	Any Illicit Drug Other Than Marijuana <sup>2</sup>	5.6	5.8
16-17	10.8	Cigarettes	9.8	13.6
<b>GENDER</b>		Alcohol	12.1	18.8
Male	16.7	Binge Alcohol <sup>3</sup>	6.9	11.4
Female	17.4	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	18.2	23.0
Not Hispanic or Latino	16.9	Marijuana	11.0	16.8
White	14.7	Any Illicit Drug Other Than Marijuana <sup>2</sup>	12.2	13.7
Black or African American	25.3	Cigarettes	15.5	21.4
American Indian or Alaska Native	23.9	Alcohol	25.4	36.6
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	18.4	Any Illicit Drug <sup>2</sup>	27.2	31.6
Two or More Races	21.2	Marijuana	14.8	21.9
Hispanic or Latino	17.8	Any Illicit Drug Other Than Marijuana <sup>2</sup>	20.4	21.5
<b>COUNTY TYPE</b>		Cigarettes	26.0	34.8
Large Metro	17.7	Alcohol	34.1	45.4
Small Metro	16.2			
Nonmetro	16.8			

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.36A Participated in an Alcohol, Tobacco, or Drug Prevention Program Outside School in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Participation in a Drug Prevention Program Outside School (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002**

(I) Demographic Characteristic	Participated in Drug Prevention Program Outside School <sup>1</sup>	(II) Drug Use	Participated in Drug Prevention Program Outside School <sup>1</sup>	
	Yes		Yes	No
<b>TOTAL</b>	3,134	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	347	2,515
12-13	1,271	Marijuana	224	1,793
14-15	1,004	Any Illicit Drug Other Than Marijuana <sup>2</sup>	172	1,239
16-17	859	Cigarettes	404	2,788
<b>GENDER</b>		Alcohol	453	3,897
Male	1,580	Binge Alcohol <sup>3</sup>	273	2,357
Female	1,554	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	674	4,797
Not Hispanic or Latino	2,597	Marijuana	443	3,453
White	1,785	Any Illicit Drug Other Than Marijuana <sup>2</sup>	451	2,864
Black or African American	578	Cigarettes	602	4,413
American Indian or Alaska Native	25	Alcohol	954	7,585
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	140	Any Illicit Drug <sup>2</sup>	942	6,666
Two or More Races	54	Marijuana	573	4,519
Hispanic or Latino	537	Any Illicit Drug Other Than Marijuana <sup>2</sup>	710	4,543
<b>COUNTY TYPE</b>		Cigarettes	938	7,269
Large Metro	1,581	Alcohol	1,198	9,518
Small Metro	879			
Nonmetro	674			

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.36B Participated in an Alcohol, Tobacco, or Drug Prevention Program Outside School in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Participation in a Drug Prevention Program Outside School (II) among Persons Aged 12 to 17: Percentages, 2002**

(I) Demographic Characteristic	Participated in Drug Prevention Program Outside School <sup>1</sup>	(II) Drug Use	Participated in Drug Prevention Program Outside School <sup>1</sup>	
	Yes		Yes	No
<b>TOTAL</b>	12.7	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	11.1	11.7
12-13	15.5	Marijuana	7.1	8.3
14-15	11.9	Any Illicit Drug Other Than Marijuana <sup>2</sup>	5.5	5.8
16-17	10.8	Cigarettes	12.9	13.0
<b>GENDER</b>		Alcohol	14.5	18.1
Male	12.5	Binge Alcohol <sup>3</sup>	8.7	11.0
Female	12.9	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	21.5	22.3
Not Hispanic or Latino	12.5	Marijuana	14.1	16.1
White	11.5	Any Illicit Drug Other Than Marijuana <sup>2</sup>	14.4	13.3
Black or African American	16.1	Cigarettes	19.2	20.5
American Indian or Alaska Native	13.5	Alcohol	30.4	35.3
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	13.9	Any Illicit Drug <sup>2</sup>	30.0	31.0
Two or More Races	13.9	Marijuana	18.3	21.0
Hispanic or Latino	13.7	Any Illicit Drug Other Than Marijuana <sup>2</sup>	22.7	21.1
<b>COUNTY TYPE</b>		Cigarettes	29.9	33.8
Large Metro	12.8	Alcohol	38.2	44.3
Small Metro	12.0			
Nonmetro	13.7			

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.37A Participated in a Program in the Past Year for Dealing with Alcohol or Drug Use, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Participation in a Program for Dealing with Alcohol or Drug Use (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002**

(I) Demographic Characteristic	Participated in Program for Dealing with Alcohol or Drug Use <sup>1</sup>	(II) Drug Use	Participated in Program for Dealing with Alcohol or Drug Use <sup>1</sup>	
	Yes		Yes	No
<b>TOTAL</b>	1,347	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	200	2,655
12-13	594	Marijuana	141	1,873
14-15	413	Any Illicit Drug Other Than Marijuana <sup>2</sup>	115	1,292
16-17	341	Cigarettes	223	2,965
<b>GENDER</b>		Alcohol	214	4,131
Male	740	Binge Alcohol <sup>3</sup>	151	2,474
Female	607	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	362	5,099
Not Hispanic or Latino	1,067	Marijuana	263	3,625
White	717	Any Illicit Drug Other Than Marijuana <sup>2</sup>	241	3,069
Black or African American	261	Cigarettes	310	4,701
American Indian or Alaska Native	17	Alcohol	418	8,117
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	47	Any Illicit Drug <sup>2</sup>	530	7,060
Two or More Races	21	Marijuana	346	4,735
Hispanic or Latino	280	Any Illicit Drug Other Than Marijuana <sup>2</sup>	403	4,839
<b>COUNTY TYPE</b>		Cigarettes	499	7,702
Large Metro	686	Alcohol	551	10,158
Small Metro	372			
Nonmetro	289			

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.37B Participated in a Program in the Past Year for Dealing with Alcohol or Drug Use, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Participation in a Program for Dealing with Alcohol or Drug Use (II) among Persons Aged 12 to 17: Percentages, 2002**

(I) Demographic Characteristic	Participated in Program for Dealing with Alcohol or Drug Use <sup>1</sup>	(II) Drug Use	Participated in Program for Dealing with Alcohol or Drug Use <sup>1</sup>	
	Yes		Yes	No
<b>TOTAL</b>	5.5	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	14.8	11.4
12-13	7.2	Marijuana	10.4	8.1
14-15	4.9	Any Illicit Drug Other Than Marijuana <sup>2</sup>	8.5	5.6
16-17	4.3	Cigarettes	16.6	12.7
<b>GENDER</b>		Alcohol	15.9	17.8
Male	5.9	Binge Alcohol <sup>3</sup>	11.2	10.6
Female	5.0	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	26.9	21.9
Not Hispanic or Latino	5.2	Marijuana	19.5	15.6
White	4.6	Any Illicit Drug Other Than Marijuana <sup>2</sup>	17.9	13.2
Black or African American	7.3	Cigarettes	23.0	20.2
American Indian or Alaska Native	8.9	Alcohol	31.0	34.9
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	4.7	Any Illicit Drug <sup>2</sup>	39.4	30.4
Two or More Races	5.5	Marijuana	25.7	20.4
Hispanic or Latino	7.2	Any Illicit Drug Other Than Marijuana <sup>2</sup>	29.9	20.8
<b>COUNTY TYPE</b>		Cigarettes	37.0	33.1
Large Metro	5.6	Alcohol	40.9	43.7
Small Metro	5.1			
Nonmetro	5.9			

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.



**Table 3.38A Participated in a Pregnancy or Sexually Transmitted Disease (STD) Prevention Program in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Participation in a Pregnancy or Sexually Transmitted Disease Prevention Program (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002**

(I) Demographic Characteristic	Participated in Pregnancy/STD Prevention Program <sup>1</sup>	(II) Drug Use	Participated in Pregnancy/STD Prevention Program <sup>1</sup>	
	Yes		Yes	No
<b>TOTAL</b>	3,427	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	394	2,474
12-13	1,049	Marijuana	262	1,755
14-15	1,337	Any Illicit Drug Other Than Marijuana <sup>2</sup>	202	1,213
16-17	1,041	Cigarettes	412	2,784
<b>GENDER</b>		Alcohol	538	3,816
Male	1,739	Binge Alcohol <sup>3</sup>	322	2,312
Female	1,688	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	765	4,709
Not Hispanic or Latino	2,758	Marijuana	503	3,389
White	1,883	Any Illicit Drug Other Than Marijuana <sup>2</sup>	494	2,829
Black or African American	693	Cigarettes	657	4,366
American Indian or Alaska Native	20	Alcohol	1,122	7,421
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	119	Any Illicit Drug <sup>2</sup>	1,086	6,525
Two or More Races	38	Marijuana	676	4,412
Hispanic or Latino	669	Any Illicit Drug Other Than Marijuana <sup>2</sup>	778	4,478
<b>COUNTY TYPE</b>		Cigarettes	1,149	7,069
Large Metro	1,670	Alcohol	1,463	9,260
Small Metro	1,018			
Nonmetro	739			

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.38B Participated in a Pregnancy or Sexually Transmitted Disease (STD) Prevention Program in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Youths' Participation in a Pregnancy or Sexually Transmitted Disease Prevention Program (II) among Persons Aged 12 to 17: Percentages, 2002**

(I) Demographic Characteristic	Participated in Pregnancy/STD Prevention Program <sup>1</sup>	(II) Drug Use	Participated in Pregnancy/STD Prevention Program <sup>1</sup>	
	Yes		Yes	No
<b>TOTAL</b>	13.9	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	11.5	11.6
12-13	12.7	Marijuana	7.6	8.3
14-15	15.8	Any Illicit Drug Other Than Marijuana <sup>2</sup>	5.9	5.7
16-17	13.0	Cigarettes	12.0	13.1
<b>GENDER</b>		Alcohol	15.7	18.0
Male	13.8	Binge Alcohol <sup>3</sup>	9.4	10.9
Female	14.0	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	22.3	22.2
Not Hispanic or Latino	13.3	Marijuana	14.7	16.0
White	12.2	Any Illicit Drug Other Than Marijuana <sup>2</sup>	14.4	13.3
Black or African American	19.2	Cigarettes	19.2	20.5
American Indian or Alaska Native	10.7	Alcohol	32.7	34.9
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	11.8	Any Illicit Drug <sup>2</sup>	31.7	30.7
Two or More Races	9.7	Marijuana	19.7	20.8
Hispanic or Latino	17.1	Any Illicit Drug Other Than Marijuana <sup>2</sup>	22.7	21.1
<b>COUNTY TYPE</b>		Cigarettes	33.5	33.3
Large Metro	13.5	Alcohol	42.7	43.6
Small Metro	13.9			
Nonmetro	14.9			

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.39A Talked with at Least One Parent in the Past Year About the Dangers of Tobacco, Alcohol, or Drug Use, by Demographic Characteristics (I), and Selected Drug Use, by Whether Youths Talked with at Least One Parent About the Dangers of Drug Use (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002**

(I) Demographic Characteristic	Talked with Parent About Dangers of Drug Use <sup>1</sup>	(II) Drug Use	Talked with Parent About Dangers of Drug Use <sup>1</sup>	
	Yes		Yes	No
<b>TOTAL</b>	14,255	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	1,615	1,242
12-13	4,909	Marijuana	1,182	826
14-15	4,879	Any Illicit Drug Other Than Marijuana <sup>2</sup>	769	641
16-17	4,467	Cigarettes	1,798	1,384
<b>GENDER</b>		Alcohol	2,487	1,849
Male	6,981	Binge Alcohol <sup>3</sup>	1,491	1,134
Female	7,274	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	3,109	2,350
Not Hispanic or Latino	11,980	Marijuana	2,265	1,617
White	9,293	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1,850	1,466
Black or African American	1,765	Cigarettes	2,853	2,152
American Indian or Alaska Native	100	Alcohol	4,899	3,617
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	561	Any Illicit Drug <sup>2</sup>	4,197	3,380
Two or More Races	228	Marijuana	2,883	2,189
Hispanic or Latino	2,274	Any Illicit Drug Other Than Marijuana <sup>2</sup>	2,853	2,380
<b>COUNTY TYPE</b>		Cigarettes	4,612	3,580
Large Metro	7,261	Alcohol	6,025	4,665
Small Metro	4,103			
Nonmetro	2,891			

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.39B Talked with at Least One Parent in the Past Year About the Dangers of Tobacco, Alcohol, or Drug Use, by Demographic Characteristics (I), and Selected Drug Use, by Whether Youths Talked with at Least One Parent About the Dangers of Drug Use (II) among Persons Aged 12 to 17: Percentages, 2002**

(I) Demographic Characteristic	Talked with Parent About Dangers of Drug Use <sup>1</sup>		(II) Drug Use	Talked with Parent About Dangers of Drug Use <sup>1</sup>	
	Yes	No		Yes	No
<b>TOTAL</b>	58.1		<b>PAST MONTH</b>		
<b>AGE</b>			Any Illicit Drug <sup>2</sup>	11.3	12.1
12-13	60.2		Marijuana	8.3	8.0
14-15	57.9		Any Illicit Drug Other Than Marijuana <sup>2</sup>	5.4	6.2
16-17	56.1		Cigarettes	12.6	13.4
<b>GENDER</b>			Alcohol	17.4	18.0
Male	55.6		Binge Alcohol <sup>3</sup>	10.5	11.0
Female	60.6		<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>			Any Illicit Drug <sup>2</sup>	21.8	22.8
Not Hispanic or Latino	58.0		Marijuana	15.9	15.7
White	60.3		Any Illicit Drug Other Than Marijuana <sup>2</sup>	13.0	14.2
Black or African American	49.3		Cigarettes	20.0	20.9
American Indian or Alaska Native	53.2		Alcohol	34.4	35.1
Native Hawaiian or Other Pacific Islander	*		<b>LIFETIME</b>		
Asian	56.2		Any Illicit Drug <sup>2</sup>	29.4	32.8
Two or More Races	58.7		Marijuana	20.2	21.3
Hispanic or Latino	58.3		Any Illicit Drug Other Than Marijuana <sup>2</sup>	20.0	23.1
<b>COUNTY TYPE</b>			Cigarettes	32.4	34.8
Large Metro	58.9		Alcohol	42.3	45.3
Small Metro	56.1				
Nonmetro	58.8				

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.40A Saw or Heard Drug or Alcohol Prevention Messages From Sources Outside School in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Youths Saw or Heard Drug Prevention Messages from Sources Outside School (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002**

(I) Demographic Characteristic	Saw or Heard Drug Prevention Messages Outside School <sup>1</sup>	(II) Drug Use	Saw or Heard Drug Prevention Messages Outside School <sup>1</sup>	
	Yes		Yes	No
<b>TOTAL</b>	20,483	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	2,316	546
12-13	6,484	Marijuana	1,647	363
14-15	7,162	Any Illicit Drug Other Than Marijuana <sup>2</sup>	1,125	291
16-17	6,837	Cigarettes	2,565	620
<b>GENDER</b>		Alcohol	3,633	720
Male	10,231	Binge Alcohol <sup>3</sup>	2,115	517
Female	10,252	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	4,549	914
Not Hispanic or Latino	17,387	Marijuana	3,259	625
White	13,067	Any Illicit Drug Other Than Marijuana <sup>2</sup>	2,711	606
Black or African American	2,893	Cigarettes	4,130	882
American Indian or Alaska Native	134	Alcohol	7,225	1,312
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	912	Any Illicit Drug <sup>2</sup>	6,271	1,332
Two or More Races	320	Marijuana	4,234	847
Hispanic or Latino	3,096	Any Illicit Drug Other Than Marijuana <sup>2</sup>	4,284	970
<b>COUNTY TYPE</b>		Cigarettes	6,783	1,419
Large Metro	10,393	Alcohol	9,002	1,714
Small Metro	6,080			
Nonmetro	4,010			

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.40B Saw or Heard Drug or Alcohol Prevention Messages From Sources Outside School in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Youths Saw or Heard Drug Prevention Messages from Sources Outside School (II) among Persons Aged 12 to 17: Percentages, 2002**

(I) Demographic Characteristic	Saw or Heard Drug Prevention Messages Outside School <sup>1</sup>	(II) Drug Use	Saw or Heard Drug Prevention Messages Outside School <sup>1</sup>	
	Yes		Yes	No
<b>TOTAL</b>	83.2	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	11.3	13.2
12-13	79.2	Marijuana	8.0	8.8
14-15	84.8	Any Illicit Drug Other Than Marijuana <sup>2</sup>	5.5	7.1
16-17	85.6	Cigarettes	12.5	15.0
<b>GENDER</b>		Alcohol	17.7	17.4
Male	81.4	Binge Alcohol <sup>3</sup>	10.3	12.5
Female	85.1	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	22.2	22.1
Not Hispanic or Latino	84.0	Marijuana	15.9	15.1
White	84.6	Any Illicit Drug Other Than Marijuana <sup>2</sup>	13.2	14.7
Black or African American	80.5	Cigarettes	20.2	21.4
American Indian or Alaska Native	71.4	Alcohol	35.3	31.8
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	90.8	Any Illicit Drug <sup>2</sup>	30.6	32.2
Two or More Races	81.9	Marijuana	20.7	20.5
Hispanic or Latino	79.3	Any Illicit Drug Other Than Marijuana <sup>2</sup>	20.9	23.5
<b>COUNTY TYPE</b>		Cigarettes	33.1	34.3
Large Metro	84.1	Alcohol	43.9	41.5
Small Metro	82.9			
Nonmetro	81.3			

\*Low precision; no estimate reported.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.41A Saw or Heard Drug or Alcohol Prevention Messages at School in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Youths Saw or Heard Drug Prevention Messages at School (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2002**

(I) Demographic Characteristic	Saw or Heard Drug Prevention Messages at School <sup>1</sup>	(II) Drug Use	Saw or Heard Drug Prevention Messages at School <sup>1</sup>	
	Yes		Yes	No
<b>TOTAL</b>	17,599	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	1,927	688
12-13	5,901	Marijuana	1,407	477
14-15	6,312	Any Illicit Drug Other Than Marijuana <sup>2</sup>	910	353
16-17	5,387	Cigarettes	2,090	831
<b>GENDER</b>		Alcohol	3,044	1,030
Male	8,749	Binge Alcohol <sup>3</sup>	1,756	672
Female	8,850	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	3,820	1,229
Not Hispanic or Latino	15,000	Marijuana	2,745	914
White	11,534	Any Illicit Drug Other Than Marijuana <sup>2</sup>	2,271	765
Black or African American	2,293	Cigarettes	3,388	1,230
American Indian or Alaska Native	*	Alcohol	6,090	1,909
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	712	Any Illicit Drug <sup>2</sup>	5,274	1,681
Two or More Races	281	Marijuana	3,514	1,235
Hispanic or Latino	2,599	Any Illicit Drug Other Than Marijuana <sup>2</sup>	3,641	1,137
<b>COUNTY TYPE</b>		Cigarettes	5,641	1,913
Large Metro	8,908	Alcohol	7,547	2,402
Small Metro	5,206			
Nonmetro	3,486			

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.41B Saw or Heard Drug or Alcohol Prevention Messages at School in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Whether Youths Saw or Heard Drug Prevention Messages at School (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2002**

(I) Demographic Characteristic	Saw or Heard Drug Prevention Messages at School <sup>1</sup>	(II) Drug Use	Saw or Heard Drug Prevention Messages at School <sup>1</sup>	
	Yes		Yes	No
<b>TOTAL</b>	78.8	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	10.9	14.6
12-13	82.6	Marijuana	8.0	10.1
14-15	81.0	Any Illicit Drug Other Than Marijuana <sup>2</sup>	5.2	7.5
16-17	72.9	Cigarettes	11.9	17.6
<b>GENDER</b>		Alcohol	17.3	21.8
Male	76.7	Binge Alcohol <sup>3</sup>	10.0	14.2
Female	81.1	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	21.7	26.0
Not Hispanic or Latino	79.0	Marijuana	15.6	19.3
White	79.4	Any Illicit Drug Other Than Marijuana <sup>2</sup>	12.9	16.2
Black or African American	76.0	Cigarettes	19.3	26.0
American Indian or Alaska Native	*	Alcohol	34.6	40.4
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	82.6	Any Illicit Drug <sup>2</sup>	30.0	35.6
Two or More Races	77.8	Marijuana	20.0	26.1
Hispanic or Latino	78.0	Any Illicit Drug Other Than Marijuana <sup>2</sup>	20.7	24.0
<b>COUNTY TYPE</b>		Cigarettes	32.1	40.5
Large Metro	79.6	Alcohol	42.9	50.8
Small Metro	78.0			
Nonmetro	78.1			

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status or reported not being enrolled in school in the past 12 months were excluded from this analysis. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.



**Table 3.42A Participated in One or Fewer Youth Activities in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Youth Activities Participated in (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Numbers in Thousands, 2002**

(I) Demographic Characteristic	Number of Youth Activities Participated In <sup>1</sup>	(II) Drug Use	Number of Youth Activities Participated In <sup>1</sup>	
	One or Fewer		One or Fewer	Two or More
<b>TOTAL</b>	3,446	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	598	2,026
12-13	876	Marijuana	493	1,399
14-15	1,189	Any Illicit Drug Other Than Marijuana <sup>2</sup>	278	984
16-17	1,382	Cigarettes	786	2,144
<b>GENDER</b>		Alcohol	800	3,277
Male	2,000	Binge Alcohol <sup>3</sup>	532	1,897
Female	1,446	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	1,038	4,021
Not Hispanic or Latino	2,670	Marijuana	878	2,786
White	1,998	Any Illicit Drug Other Than Marijuana <sup>2</sup>	590	2,454
Black or African American	441	Cigarettes	1,095	3,535
American Indian or Alaska Native	49	Alcohol	1,443	6,564
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	118	Any Illicit Drug <sup>2</sup>	1,417	5,552
Two or More Races	49	Marijuana	1,145	3,612
Hispanic or Latino	776	Any Illicit Drug Other Than Marijuana <sup>2</sup>	947	3,835
<b>COUNTY TYPE</b>		Cigarettes	1,649	5,920
Large Metro	1,779	Alcohol	1,824	8,135
Small Metro	1,055			
Nonmetro	612			

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or did not answer two or more of the four youth activity questions with a "yes" or "no" response were excluded from this analysis about participation in youth activities. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.42B Participated in One or Fewer Youth Activities in the Past Year, by Demographic Characteristics (I), and Selected Drug Use, by Number of Youth Activities Participated in (II) among Persons Aged 12 to 17 Enrolled in School in the Past Year: Percentages, 2002**

(I) Demographic Characteristic	Number of Youth Activities Participated In <sup>1</sup>	(II) Drug Use	Number of Youth Activities Participated In <sup>1</sup>	
	One or Fewer		One or Fewer	Two or More
<b>TOTAL</b>	15.4	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	17.3	10.7
12-13	12.2	Marijuana	14.3	7.4
14-15	15.2	Any Illicit Drug Other Than Marijuana <sup>2</sup>	8.1	5.2
16-17	18.6	Cigarettes	22.8	11.3
<b>GENDER</b>		Alcohol	23.2	17.3
Male	17.5	Binge Alcohol <sup>3</sup>	15.4	10.0
Female	13.2	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	30.1	21.2
Not Hispanic or Latino	14.0	Marijuana	25.5	14.7
White	13.7	Any Illicit Drug Other Than Marijuana <sup>2</sup>	17.1	13.0
Black or African American	14.6	Cigarettes	31.8	18.7
American Indian or Alaska Native	31.0	Alcohol	41.9	34.7
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	13.5	Any Illicit Drug <sup>2</sup>	41.1	29.3
Two or More Races	13.6	Marijuana	33.2	19.1
Hispanic or Latino	23.2	Any Illicit Drug Other Than Marijuana <sup>2</sup>	27.5	20.2
<b>COUNTY TYPE</b>		Cigarettes	47.9	31.3
Large Metro	15.8	Alcohol	52.9	42.9
Small Metro	15.8			
Nonmetro	13.7			

\*Low precision; no estimate reported.

NOTE: Youths who did not report their school enrollment status, reported not being enrolled in school in the past 12 months, or did not answer two or more of the four youth activity questions with a "yes" or "no" response were excluded from this analysis about participation in youth activities. Youths reporting that they were "home-schooled" in the past 12 months were considered to be enrolled in school.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.43A Youths Who Have No One to Talk With About a Serious Problem, by Demographic Characteristics (I), and Selected Drug Use, by Who Youths Talk With About a Serious Problem (II) among Persons Aged 12 to 17: Numbers in Thousands, 2002**

(I) Demographic Characteristic	Would Talk With About a Serious Problem <sup>1</sup>	(II) Drug Use	Would Talk With About a Serious Problem <sup>1</sup>	
	No One		No One	Someone
<b>TOTAL</b>	900	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	192	2,618
12-13	276	Marijuana	121	1,855
14-15	369	Any Illicit Drug Other Than Marijuana <sup>2</sup>	120	1,275
16-17	255	Cigarettes	183	2,968
<b>GENDER</b>		Alcohol	225	4,061
Male	544	Binge Alcohol <sup>3</sup>	147	2,450
Female	357	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	313	5,064
Not Hispanic or Latino	676	Marijuana	204	3,619
White	441	Any Illicit Drug Other Than Marijuana <sup>2</sup>	219	3,059
Black or African American	161	Cigarettes	253	4,697
American Indian or Alaska Native	10	Alcohol	374	8,042
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	39	Any Illicit Drug <sup>2</sup>	412	7,057
Two or More Races	12	Marijuana	254	4,744
Hispanic or Latino	224	Any Illicit Drug Other Than Marijuana <sup>2</sup>	316	4,855
<b>COUNTY TYPE</b>		Cigarettes	362	7,719
Large Metro	469	Alcohol	464	10,091
Small Metro	278			
Nonmetro	152			

\*Low precision; no estimate reported.

NOTE: Respondents who reported that there was both someone and nobody they could talk with were excluded from this analysis.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 3.43B Youths Who Have No One to Talk With About a Serious Problem, by Demographic Characteristics (I), and Selected Drug Use, by Who Youths Talk With About a Serious Problem (II) among Persons Aged 12 to 17: Percentages, 2002**

(I) Demographic Characteristic	Would Talk With About a Serious Problem <sup>1</sup>	(II) Drug Use	Would Talk With About a Serious Problem <sup>1</sup>	
	No One		No One	Someone
<b>TOTAL</b>	3.7	<b>PAST MONTH</b>		
<b>AGE</b>		Any Illicit Drug <sup>2</sup>	21.3	11.2
12-13	3.4	Marijuana	13.4	7.9
14-15	4.4	Any Illicit Drug Other Than Marijuana <sup>2</sup>	13.3	5.4
16-17	3.2	Cigarettes	20.3	12.7
<b>GENDER</b>		Alcohol	25.0	17.4
Male	4.4	Binge Alcohol <sup>3</sup>	16.4	10.5
Female	3.0	<b>PAST YEAR</b>		
<b>HISPANIC ORIGIN AND RACE</b>		Any Illicit Drug <sup>2</sup>	34.8	21.6
Not Hispanic or Latino	3.3	Marijuana	22.7	15.5
White	2.9	Any Illicit Drug Other Than Marijuana <sup>2</sup>	24.3	13.1
Black or African American	4.6	Cigarettes	28.1	20.1
American Indian or Alaska Native	5.5	Alcohol	41.6	34.4
Native Hawaiian or Other Pacific Islander	*	<b>LIFETIME</b>		
Asian	3.9	Any Illicit Drug <sup>2</sup>	45.7	30.2
Two or More Races	3.2	Marijuana	28.2	20.3
Hispanic or Latino	5.8	Any Illicit Drug Other Than Marijuana <sup>2</sup>	35.1	20.7
<b>COUNTY TYPE</b>		Cigarettes	40.2	33.0
Large Metro	3.8	Alcohol	51.5	43.1
Small Metro	3.8			
Nonmetro	3.1			

\*Low precision; no estimate reported.

NOTE: Respondents who reported that there was both someone and nobody they could talk with were excluded from this analysis.

<sup>1</sup> Respondents with missing data were excluded.

<sup>2</sup> Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>3</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.