



UNITED STATES
NUCLEAR REGULATORY COMMISSION

WASHINGTON, D.C. 20555-0001

August 24, 2009

Joseph G. Klinger, Assistant Director
Illinois Emergency Management Agency
Division of Nuclear Safety
1035 Outer Park Drive
Springfield, IL 62704

Dear Mr. Klinger:

On August 3, 2009, the Management Review Board (MRB) met to consider the proposed final Integrated Materials Performance Evaluation Program (IMPEP) report on the Illinois Agreement State Program. The MRB found the Illinois Agreement State Program adequate to protect public health and safety and compatible with the U.S. Nuclear Regulatory Commission's program.

Section 5.0, page 13, of the enclosed final report summarizes the IMPEP review team's findings and one recommendation regarding program performance by the State. We request your evaluation and response to the recommendation within 30 days from receipt of this letter.

Based on the results of the current IMPEP review, the next full review of the Illinois Agreement State Program will take place in approximately 4 years, with a periodic meeting tentatively scheduled for May 2011.

I appreciate the courtesy and cooperation extended to the IMPEP team during the review. I also wish to acknowledge your continued support for the Agreement State Program. I look forward to our agencies continuing to work cooperatively in the future.

Sincerely,

/RA/

Martin J. Virgilio
Deputy Executive Director for Materials, Waste,
Research, State, Tribal, and Compliance Programs
Office of the Executive Director for Operations

Enclosure:
Illinois Final IMPEP Report

cc w/encl.: Paul Eastvold, Chief
Illinois Bureau of Radiation Safety

Gibb Vinson, Head
Illinois Radioactive Materials Section

Cindy Cardwell, Texas
Organization of Agreement States
Liaison to the MRB



INTEGRATED MATERIALS PERFORMANCE EVALUATION PROGRAM
REVIEW OF THE ILLINOIS AGREEMENT STATE PROGRAM

May 11-15, 2009

FINAL REPORT

Enclosure

1.0 INTRODUCTION

This report presents the results of the review of the Illinois Agreement State Program. The review was conducted during the period of May 11-15, 2009, by a review team composed of technical staff members from the U.S. Nuclear Regulatory Commission (NRC) and the State of Florida. Team members are identified in Appendix A. The review was conducted in accordance with the "Implementation of the Integrated Materials Performance Evaluation Program and Rescission of Final General Statement of Policy," published in the *Federal Register* on October 16, 1997, and NRC Management Directive 5.6, "Integrated Materials Performance Evaluation Program (IMPEP)," dated February 26, 2004. Preliminary results of the review, which covered the period of April 9, 2005, to May 15, 2009, were discussed with Illinois managers on the last day of the review.

A draft of this report was issued to Illinois for factual comment on June 15, 2009. The State responded by e-mail dated July 13, 2009, from Joseph Klinger, Assistant Director, Emergency Management Agency (the Agency). A copy of the State's response is included as the Attachment to this report. The Management Review Board (MRB) met on August 3, 2009, to consider the proposed final report. The MRB found the Illinois Agreement State Program adequate to protect public health and safety and compatible with NRC's program.

By State statute, the Agency is designated as the State's radiation protection agency. Under the Agency is the Division of Nuclear Safety (the Division). The Division comprises the Bureau of Radiation Safety (the Bureau), the Bureau of Environmental Safety, and the Bureau of Nuclear Facility Safety. The Bureau is headed by the Chief and is composed of the Radioactive Materials Section (the Section) and the Electronic Products Section. The Illinois Agreement State Program is administered by the Section with decommissioning and financial assurance support from the Bureau of Environmental Safety. Organization charts for the Agency, the Division, the Bureau, and the Bureau of Environmental Safety are included in Appendix B.

At the time of the review, the Illinois Agreement State program regulated 736 specific licenses authorizing the possession and use of byproduct, source, and certain special nuclear materials. The review focused on the radioactive materials program as it is carried out under the Section 274b. (of the Atomic Energy Act of 1954, as amended) Agreement between NRC and the State of Illinois.

In preparation for the review, a questionnaire addressing the common and applicable non-common performance indicators was sent to the Agency on January 21, 2009. The Section provided a response to the questionnaire by electronic mail and fax on April 22, 2009. A copy of the questionnaire response can be found in NRC's Agencywide Documents Access and Management System (ADAMS) using the Accession Number ML091310423.

The review team's general approach for conduct of this review consisted of: (1) examination of Illinois's response to the questionnaire, (2) review of applicable Illinois statutes and regulations, (3) analysis of quantitative information from the Section's database, (4) technical review of selected regulatory actions, (5) field accompaniments of three inspectors, and (6) interviews with staff and managers. The review team evaluated the information gathered against the established criteria for each common and applicable non-common performance indicator and made a preliminary assessment of the Illinois Agreement State Program's performance.

Section 2.0 of this report covers the State's actions in response to recommendations made during the previous review. Results of the current review of the common performance indicators are presented in Section 3.0. Section 4.0 details the results of the review of the applicable non-common performance indicators, and Section 5.0 summarizes the review team's findings and recommendations. The review team's recommendations are comments that relate directly to program performance by the State. A response is requested from the State to any recommendations in the final report.

2.0 STATUS OF ITEMS IDENTIFIED IN PREVIOUS REVIEWS

During the previous IMPEP review, which concluded on April 8, 2005, that review team made one recommendation regarding the State's adoption of regulations or other legally binding requirements remained open. At its meeting on June 26, 2005, the MRB placed the Illinois Agreement State Program on heightened oversight and directed staff to conduct a followup IMPEP review focusing on the non-common performance indicator, Compatibility Requirements, approximately one year later. As a result of the followup IMPEP review, the recommendation from the 2005 review was closed, and no additional recommendations regarding program performance were made.

3.0 COMMON PERFORMANCE INDICATORS

IMPEP identifies five common performance indicators to be used in reviewing NRC Regional and Agreement State radioactive materials programs. These indicators are: (1) Technical Staffing and Training, (2) Status of Materials Inspection Program, (3) Technical Quality of Inspections, (4) Technical Quality of Licensing Actions, and (5) Technical Quality of Incident and Allegation Activities.

3.1 Technical Staffing and Training

Issues central to the evaluation of this indicator include the Section's staffing level and staff turnover, as well as the technical qualifications and training histories of the staff. To evaluate this indicator, the review team examined the Section's questionnaire response relative to this indicator, interviewed managers and staff, reviewed job descriptions and training records, and considered any possible workload backlogs.

The Section is responsible for radioactive materials licensing, inspection, and incident response activities. The Section, supervised by the Section Head, is divided into two units: the Licensing Unit and the Inspection and Enforcement Unit. Each of the units has a supervisor. At the time of the review, the Section employed 10 technical staff members (Health Physicists) and 2 administrative staff members. All of the license reviewers and one inspector are located in the Springfield office; the other five inspectors are located in the West Chicago field office.

Three staff members left the Section during the review period. The former Section Head was promoted to the Agency's Assistant Director in 2007, and two license reviewers left the program. One of the license reviewer positions was filled in 2008; the other remains vacant. An additional technical position is also vacant as a result of a string of internal promotions subsequent to the former Section Head's promotion. This position was assigned on May 1, 2009, to a former member of the program who is now serving as the Supervisor of the Licensing

Unit. The review team noted that the licensing program is stressed by the current workload. The Section has a tremendous licensing workload for only two qualified license reviewers with over 700 licensees and sealed source and device evaluation authority. The recent hiring of an additional license reviewer will alleviate some of the stress on the licensing program as he becomes fully trained. Additionally, as the number of security initiatives increases, the inspection staff's workload is also becoming overwhelming for the staff. Division managers indicated that they are hopeful that they will be able to fill the vacant positions despite the State's budgetary shortfalls.

The Section has a documented training and qualification program for staff members who perform licensing, inspection, and incident response duties. The training and qualification program is consistent with NRC Inspection Manual Chapter (IMC) 1246, "Formal Qualification Programs in the Nuclear Material Safety and Safeguards Program Area" and the NRC and Organization of Agreement States Training Working Group's Recommendations for Agreement State Training Programs. Qualification is achieved through a combination of education and experience, formal classroom training, and on-the-job training. Staff members are required to have a Bachelor's degree or equivalent experience in a physical or biological science or engineering.

The Section maintains training and qualification records for each staff member. The review team noted that Section management encourages and supports training opportunities, based on program needs and funding. The review team concluded that the Section has an adequate and well-balanced staff capable of carrying out their regulatory responsibilities.

The Agreement State program receives approximately 88 percent of its budget from licensee fees; the other 12 percent comes from other sources. The fee-based funding level was increased from approximately 50 percent to its current level with a fee increase in March 2009. Licensees are assessed annual fees to cover the costs associated with licensing amendments, routine inspections, and investigations. In addition, licensees are charged a small Recovery and Remediation fee that allows the Section to build up a fund for emergency remediation at licensee facilities.

Based on the IMPEP evaluation criteria, the review team recommended, and the MRB agreed, that Illinois's performance with respect to the indicator, Technical Staffing and Training, was satisfactory.

3.2 Status of Materials Inspection Program

The team focused on five factors in reviewing this indicator: inspection frequency, overdue inspections, initial inspections of new licenses, timely dispatch of inspection findings, and performance of reciprocity inspections. The review team's evaluation was based on the Section's questionnaire response relative to this indicator, data gathered from the Section's licensing and inspection database, the examination of completed inspection casework, and interviews with managers and staff.

The review team's evaluation of the Section's inspection priorities noted that inspection frequencies for various license types are as frequent, or more frequent, than similar license types listed in IMC 2800, "Materials Inspection Program." Examples of license types the

Section inspections more frequently include broadscope licenses, large irradiators, nuclear laundry licenses, and nuclear pharmacy licenses.

The Section performed a total of 713 high priority (Priority 1, 2, and 3) inspections during the review period. The review team evaluated the Section's performance with regards to Priority 1, 2, and 3 inspections and estimated that approximately 8 percent of these inspections were performed overdue. The review team estimated the percent overdue because an exact number of overdue inspections could not be ascertained based on the information obtained from the Section's database. The review team also evaluated the Section's timeliness for conducting initial inspections and found that the Section performed 6 initial inspections greater than 12 months after issuance out of the 108 initial inspections conducted during the review period. No initial inspections were overdue at the time of the review. Overall, the review team determined that the Section performed less than 10 percent of all Priority 1, 2, and 3 and initial inspections overdue during the review period.

The review team determined that the Section adequately planned for the initial set of Increased Controls inspections. The review team evaluated the Section's prioritization methodology and found it acceptable. The review team verified that the Section performed all of the first-year inspections in a timely manner. The Section also completed all of its Increased Controls inspections within the required 3-year time frame. The Section performs subsequent Increased Controls inspections in conjunction with routine health and safety inspections at the appropriate inspection frequency, based on license type.

The review team evaluated the Section's timeliness in issuing inspection reports through a review of inspection casework and data obtained from the Section's licensing and inspection database. The review team noted that in approximately 65 percent of the cases inspection findings were transmitted to licensees greater than 30 days after the inspection date. The review team determined that the underlying cause of the tardiness of issuance of inspection documentation is due to the overwhelming number of inspection reports that must be reviewed and signed by the Inspection & Enforcement Unit Supervisor. The review team found that competing priorities detract from the Inspection & Enforcement Unit Supervisor's time to review the inspection documentation within 30 days of the inspection. The review team and Section managers discussed the Section's procedures and practices for issuing inspection documentation to licensees and areas where the Section might be able to gain efficiencies in the process without compromising quality or consistency of the inspection reports. The review team recommends that the State provide inspection documentation to its licensees within 30 days of a completed inspection in accordance with the Section's policies and procedures.

The Section does not maintain records reflecting which reciprocity licenses are candidates for inspection on a calendar-year basis. Instead, the Section identifies these licensees as "current" or "not current" on a rotating 12-month interval. Consequently, the review team was unable to apply the reciprocity inspection frequency criteria prescribed by IMC 1220, "Processing of NRC Form 241 and Inspection of Agreement State Licensees Operating under 10 CFR 150.20." The review team used information obtained from the Section's license and inspection database and information provided by the Section in its response to the questionnaire to determine the number of reciprocity licensees inspected each year. The review team concluded that the Section did not consistently inspect a minimum of 20 percent of candidate reciprocity licensees in each of the calendar years covered by review period. The review team determined that the

Section's performance of reciprocity inspections decreased later in the review period, because the Section redirected resources to address new security initiatives in a timely manner. Although the Section did not inspect the minimum of 20 percent of candidate reciprocity licensees in each of the calendar years covered by review period, the review team found that the Section used a risk-informed approach to conduct reciprocity inspections during the years that the 20 percent requirement was not met.

Based on the IMPEP evaluation criteria, the review team recommended, and the MRB agreed, that Illinois's performance with respect to the indicator, Status of Materials Inspection Program, was satisfactory.

3.3 Technical Quality of Inspections

The review team evaluated inspection reports, enforcement documentation, inspection field notes, and interviewed the responsible inspectors for 24 radioactive materials inspections conducted during the review period. The casework examined consisted of inspections conducted by seven current inspectors. The casework covered a variety of license types, including: academic broadscope, medical broadscope, industrial radiography, self-shielded irradiator, service provider, gamma knife, positron emission tomography, high dose-rate remote after loader (HDR), nuclear pharmacy, fixed gauge, decommissioning, and reciprocity. The review also included initial and followup Increased Controls inspections. Appendix C lists the inspection casework files reviewed and includes case-specific comments.

Based on the evaluation of casework, the review team determined that inspections covered all aspects of the licensees' radiation safety programs. The review team noted that inspection reports were generally thorough, complete, consistent, and of high quality with sufficient documentation to ensure that licensees' performances with respect to health, safety, and security were acceptable. Inspection report documentation supported violations, recommendations made to licensees, unresolved safety issues, and discussions held with licensees during exit interviews.

The Section's inspection procedures are consistent with the inspection guidance found in IMC 2800. At the conclusion of each inspection, if no potential violations are identified, inspectors have the option to leave the inspection results on a form similar to NRC's Form 591 or to send results from the office. All inspection documentation sent from the office is dispatched under the signature of the Inspection and Enforcement Unit Supervisor. The Section dispatches the majority of its inspection documentation from the office, which has led to the large number of inspection reports dispatched beyond the 30-day goal.

The review team determined that documents involving Increased Controls inspections were uniquely identified to ensure protection from inadvertent release or unauthorized disclosure. Files were held in individual color coded folders, clearly identifying each licensee subject to the Increased Controls. Documents observed were sufficiently marked as sensitive information to be withheld from public disclosure. Increased Controls documentation is not subject to Freedom of Information Act or State equivalent law requests.

The review team verified that the Section maintains an adequate supply of appropriately calibrated survey instruments to support the inspection program, as well as to respond to

radioactive materials incidents and emergency conditions. The State has its own accredited calibration laboratory in Springfield. The State Radiation Safety Officer heads the calibration lab and is responsible for ensuring that the calibration lab maintains its accreditation and that survey instruments are properly calibrated and distributed.

The Section receives laboratory and sample analysis support from the State laboratory located in Springfield. The State laboratory has a wide array of analytical equipment and is capable of detailed radiochemistry analysis. Their work is primarily in support of the power plants but they also provide support to the Section, as requested. The uranium recovery site currently under decommissioning has its own lab for sample analysis and is located in West Chicago.

The Section has a policy to perform supervisory accompaniments of all inspectors annually. The supervisor in the Chicago area office performs accompaniments for the inspectors in that area annually. The Inspection & Enforcement Unit Supervisor accompanies the one inspector in the southern part of the State annually.

The review team accompanied three of the Section's inspectors in March and April 2009. The licensees inspected were an industrial radiography facility, a gamma stereotactic radiosurgery center, and a pool irradiator facility. Two of the inspections included a review of the licensees' implementation of the Increased Controls. Appendix C lists the inspector accompaniments. The inspectors demonstrated performance-based inspection techniques and knowledge of the regulations. The inspectors were well trained, prepared for the inspections, and thorough in their audits of the licensees' radiation safety and security programs. The inspectors conducted interviews with appropriate personnel, observed licensed operations, conducted confirmatory measurements, and utilized good health physics practices. The inspectors held entrance and exit meetings with the appropriate level of licensee management. The review team determined that the inspections were adequate to assess radiological health, safety, and security at the licensed facilities.

Based on the IMPEP evaluation criteria, the review team recommended, and the MRB agreed, that Illinois's performance with respect to the indicator, Technical Quality of Inspections, was satisfactory.

3.4 Technical Quality of Licensing Actions

The review team examined completed licensing casework and interviewed license reviewers for 30 specific licenses. Licensing actions were reviewed for completeness, consistency, proper radioisotopes and quantities, qualifications of authorized users, adequacy of facilities and equipment, adherence to good health physics practices, financial assurance, Increased Controls requirements, the use of pre-licensing guidance, operating and emergency procedures, appropriateness of license conditions, and overall technical quality. The casework was also reviewed for timeliness, use of appropriate correspondence, reference to appropriate regulations, supporting documentation, consideration of enforcement history, peer/supervisory review, and proper signatures.

The licensing casework was selected to provide a representative sample of licensing actions completed during the review period. Licensing actions selected for evaluation included 6 new licenses, 14 renewals, 7 amendments, and 3 license terminations. The casework reviewed

included a cross-section of license types, including: medical diagnostic and therapy, brachytherapy, gamma knife, industrial radiography, nuclear pharmacies, and industrial licensees. A listing of the licensing casework reviewed can be found in Appendix D.

The review team found that the license reviewers follow appropriate licensing guides, similar to NRC's NUREG-1556 series, during the review process to ensure that licensees submit all the necessary information to support the licensing request. The review team found the checklists used for each license type were comprehensive and incorporated excellent notes to assist the staff with their review of the applications. Letters, documented telephone conversations, and electronic communications retained in the licensing files contained appropriate regulatory language and addressed deficiencies. The Section's use of license templates, including the use of standard license conditions, resulted in notable consistency between reviewers. Overall, the review team found that the licensing actions were thorough, complete, consistent, of high quality, and properly addressed health, safety, and security issues.

When a licensing action is completed by a reviewer, the entire package is given to the Licensing Unit Supervisor who reviews and signs the licensing action. Licenses are issued for a 5-year term. The Section has an expedited renewal process, where a licensee submits an application and identifies any parts of his radiation safety program that have changed, and confirms that all other portions are still current. Licenses that are under timely renewal are amended as necessary to ensure that public health and safety issues are addressed during the period that the license is undergoing the renewal process.

The Section requires certain licensees to maintain financial assurance for decommissioning. Surety instruments are maintained in a locked cabinet. The Bureau of Environmental Safety determines the financial assurance requirements for the licensing staff. The review team noted good communication between the Section and the Bureau of Environmental Safety. The review team evaluated the contents of several financial assurance folders, all of which were properly maintained.

The review team found that terminated licensing actions were well documented. The files included the appropriate radioactive material transfer reports and survey records. An evaluation of selected termination records indicated excellent communication between the licensing, inspection, and decommissioning staff to prevent abandonment of radioactive material. The files contained documentation of proper disposal or transfer.

The review team examined the Section's licensing practices regarding the Increased Controls and fingerprinting orders. The review team noted that the Licensing Unit added legally binding license conditions to the licenses that met the criteria for implementing the Increased Controls and the fingerprinting requirements. The review team found that some medical licenses were authorized possession limits in quantities of concern for certain isotopes that were not subject to the Increased Controls, because the licenses did not contain the appropriate license condition. The Section identified the licenses that potentially contained the error. While the review team was on site, the Section contacted the affected licensees and began the process of issuing the corrected copies of the licenses that reduced authorization limits. The Section completed the issuance of corrected licenses on June 2, 2009. The Section was planning to draft a policy memorandum with instructions and a new medical license template that will be presented at a staff meeting as part of the implementation plan.

The review team reviewed the Section's program for the implementation of pre-licensing guidance. At the time of the review, the Section had incorporated the essential objectives of the original pre-licensing guidance that required site visits and background checks of applicants requesting risk-significant quantities of radioactive materials; however, the Section had not yet incorporated all of the essential objectives of the revised pre-licensing guidance. As detailed in NRC's Office of Federal and State Materials and Environmental Management Programs (FSME) Letter RCPD-08-020, dated September 22, 2008, States were given 6 months from the date of the letter to incorporate the essential objectives of the revised pre-licensing guidance into their respective licensing program. The review team noted two instances where site visits had not been performed following the implementation deadline, because of a misinterpretation of the new requirements. During the on-site review, the review team and the Section received clarification on the essential objectives of the revised pre-licensing guidance. The Section committed to immediately implement all of the new requirements.

The review team noted that the Section has implemented an additional pre-licensing requirement, above the required guidance. The Section performs a due diligence background check on all using radiation safety officers, chief executive officers, authorized users, and medical physicists who have not been previously listed on a license using a commercial service approved by the Agency.

Based on the IMPEP evaluation criteria, the review team recommended, and the MRB agreed, that Illinois's performance with respect to the indicator, Technical Quality of Licensing Actions, was satisfactory.

3.5 Technical Quality of Incident and Allegation Activities

In evaluating the effectiveness of the Section's actions in responding to incidents and allegations, the review team examined the Bureau's response to the questionnaire relative to this indicator, evaluated selected incidents reported for Illinois in the Nuclear Material Events Database (NMED) against those contained in the Section's files, and evaluated the casework for 20 of 49 reported radioactive materials incidents. A listing of the casework examined can be found in Appendix E. The review team also evaluated the Section's response to seven allegations involving radioactive materials reported during the review period.

When notified of an incident or an allegation, the Section discusses the initial response and the need for an on-site investigation, based on the safety significance. The Section maintains a database for tracking the status of all incidents and allegations. If the incident meets the reporting criteria established in FSME Procedure SA-300, "Reporting Material Events," the Section promptly notifies NRC's Headquarters Operations Center, typically by e-mail, using the information template established for NMED. If the investigation is complex and extends over a period of time, NMED is updated as additional information becomes available. Of the incidents evaluated by the review team, all had been reported to NRC within the required time frame and submitted for inclusion in NMED.

The incidents selected for review included medical events, lost or stolen radioactive material, overexposure, damaged equipment, contamination events, leaking sources, and equipment failures. The review team determined that the Section's response to incidents were thorough, complete, and comprehensive. Initial responses were prompt and well coordinated, and the

level of effort was commensurate with the health and safety significance. The Section quickly dispatched inspectors to a site when the possibility of an immediate threat to public health and safety existed. When no immediate threat was present and the Section determined that the licensee had qualified, competent individuals investigating the incident, the Section generally responded telephonically with a followup during the next inspection. The review team noted that, at the conclusion of investigations, inspectors generated narrative reports that thoroughly documented the investigations.

The Section receives approximately 75 to 100 incidents involving radioactive material annually, of which approximately 75 percent are radiation monitor trips at scrap facilities and landfills. With support from the Bureau of Environmental Safety, the Section responds to all monitor trips with an on-site visit. The Section has made this activity a priority because it believes that orphan sources at non-licensed facilities present a serious risk for unnecessary public exposure.

In 2006, the Bureau of Environmental Safety expanded their Orphan Source Recovery Program to include Illinois high schools. This initiative is a non-emergency response hazard mitigation program that collects and properly disposes of unwanted radioactive material from the schools. The collection of unwanted radioactive material is at no cost to the schools. The review team recommended, and the MRB agreed, that the State's expansion of its orphan source recovery initiative to high schools is a good practice.

In evaluating the effectiveness of the Section's response to allegations, the review team evaluated the casework for four allegations reported directly to the State and three allegations referred to the State from the NRC during the review period. The review team concluded that the Section consistently took prompt and appropriate action in response to concerns raised. The review team also noted that the Section thoroughly documented the investigations and retained all necessary documentation to appropriately close the allegations. The Section notified the allegers of the conclusion of their investigation. Additionally, the review team determined that the Section adequately protected the identity of allegers.

Based on the IMPEP evaluation criteria, the review team recommended, and the MRB agreed, that Illinois's performance with respect to the indicator, Technical Quality of Incident and Allegation Activities, was satisfactory.

4.0 NON-COMMON PERFORMANCE INDICATORS

IMPEP identifies four non-common performance indicators to be used in reviewing Agreement State Programs: (1) Compatibility Requirements; (2) Sealed Source and Device Evaluation Program; (3) Low-Level Radioactive Waste Disposal Program; and (4) Uranium Recovery Program.

4.1 Compatibility Requirements

4.1.1 Legislation

Illinois became an Agreement State on June 1, 1987. In their response to the questionnaire, the Section provided a listing of legislation that affects the radiation control program. The Agency is designated as the State radiation protection agency under the provisions of the Radiation

Protection Act of 1990, as amended (420 Illinois Compiled Statutes (ILCS) 40). The Bureau implements the program for the Agency. The Radiation Protection Act of 1990 grants the Agency the authority to promulgate rules and regulations to be followed in the administration of the State's radiation protection program. This is the only legislation that affects the program that is subject to sunset laws. Public Act 91-752, which was effective June 2, 2000, extended the sunset date for the Radiation Protection Act until January 1, 2011. The Agency plans to file the necessary paperwork to extend the sunset date for the Radiation Protection Act of 1990 in 2010. This will extend the sunset date of the legislation for another 10 years.

Other legislation that affects the radiation control program is as follows: the Radioactive Waste Storage Act (420 ILCS 35); the Illinois Low-level Radioactive Waste Management Act (420 ILCS 20); and the Uranium and Thorium Mill Tailings Control Act (420 ILCS 42), which provide authority for the low-level radioactive waste disposal and uranium recovery programs; Freedom of Information Act [5 ILCS 140]; and Illinois Administrative Procedure Act [5 ILCS 100].

4.1.2 Program Elements Required for Compatibility

The State's regulations for control of radiation are located in Title 32 of the Illinois Administrative Code and apply to all ionizing radiation, whether emitted from radionuclides or devices. Illinois requires a license for possession and use of all radioactive materials.

The public, NRC, other agencies, and all potentially affected licensees and registrants are offered an opportunity to comment during the rulemaking process. Comments are considered and incorporated, as appropriate, before the regulations are finalized, approved, and filed. The Agency also has the authority to issue legally binding requirements (e.g., license conditions) in lieu of regulations until compatible regulations become effective. This process generally takes between one and two years. Regulations are not subject to sunset laws.

The review team evaluated the Section's response to the questionnaire, reviewed the status of regulations required to be adopted by the State under the Commission's adequacy and compatibility policy, and verified the adoption of regulations with data obtained from the State Regulation Status Sheet that FSME maintains. Current NRC policy requires that Agreement States adopt certain equivalent regulations or legally binding requirements no later than 3 years after they are effective unless otherwise mandated by the Commission.

Since the followup review, the State submitted six packages covering eight amendments for compatibility reviews. The review team noted that Illinois is up to date on all NRC regulatory amendments currently required for compatibility.

The following amendments will become due during the next IMPEP review cycle and are included here to assist the Agency in including them in future rulemakings or by adopting alternate generic legally binding requirements:

- "Medical Use of Byproduct Material – Minor Corrections and Clarifications," 10 CFR Parts 32 and 35 amendment (72 FR 45147, 54207), that is due for Agreement State adoption by October 29, 2010.

- “Requirements for Expanded Definition of Byproduct Material,” 10 CFR Parts 20, 30, 31, 32, 33, 35, 61, and 150 amendment (72 FR 55864), that is due for Agreement State adoption by November 30, 2010.
- “Exemptions from Licensing, General Licenses, and Distribution of Byproduct Material: Licensing and Reporting Requirements,” 10 CFR Parts 30, 31, 32, and 150 amendment (72 FR 58473), that is due for Agreement State adoption by December 17, 2010.
- “Occupational Dose Records, Labeling Containers, and Total Effective Dose Equivalent,” 10 CFR Parts 19 and 20 amendment (72 FR 68043), that is due for Agreement State adoption by February 15, 2011.

Based on the IMPEP evaluation criteria, the review team recommended, and the MRB agreed, that Illinois’s performance with respect to the indicator, Compatibility Requirements, was satisfactory.

4.2 Sealed Source and Device Evaluation Program

In reviewing this indicator, the review team used three subelements to evaluate the Section’s performance regarding the Sealed Source and Device (SS&D) Evaluation Program. These subelements were: (1) Technical Staffing and Training; (2) Technical Quality of the Product Evaluation Program; and (3) Evaluation of Defects and Incidents Regarding SS&Ds.

In assessing the Section’s SS&D evaluation activities, the review team examined information contained in the Section’s response to the IMPEP questionnaire for this indicator. The review team examined casework, noted the staff’s use of guidance documents and procedures, interviewed staff members involved in SS&D evaluations, and verified the use of regulations and inspections to enforce commitments made in the applications.

4.2.1 Technical Staffing and Training

The Section has three staff members who are qualified to perform safety evaluations of SS&D applications and amendments. The review team interviewed each staff member involved in the reviews and determined that they were familiar with the procedures used in the evaluation of a source or device and had access to applicable reference documents.

4.2.2 Technical Quality of the Product Evaluation Program

During the review period, the Section conducted six new SS&D evaluations and issued thirteen amendments to an existing registration. The review team examined casework for 10 actions covering work from each of the SS&D reviewers. A list of SS&D casework examined, with case-specific comments, may be found in Appendix F.

Analysis of the casework and interviews with staff members confirmed that the Section follows the recommended guidance from NRC’s SS&D Workshop and NUREG-1556, Volume 3, Revision 1, “Consolidated Guidance About Materials Licenses – Applications for Sealed Source and Device Evaluation and Registration.” The review team confirmed that all applicable and

pertinent American National Standards Institute standards, NUREG-1556 Series guides, NRC Regulatory Guides, and applicable references were available and used appropriately in performing the SS&D reviews.

The review team determined that the registration files contained all photographs, engineering drawings, radiation profiles, and details of the applicant's quality assurance and quality control program. The registrations clearly summarized the product evaluation to provide license reviewers with adequate information to license the possession and use of the product. Deficiency letters clearly stated regulatory positions and all health and safety issues were properly addressed. The review team found that the evaluations were generally of high quality with health and safety issues properly addressed.

4.2.3 Evaluation of Defects and Incidents Regarding SS&Ds

Utilizing NMED and the Section's response to the questionnaire, the review team examined a selected sample of events involving registered products that occurred during the review period. The events involved equipment and sources, registered by the State of Illinois, that occurred both within the State and nationwide.

One event related to a leaking source registered by the State was reported during the review period. The State conducted an investigation to obtain additional information about the leaking source. The results of the investigation were documented and complete, and stated corrective actions taken by the licensee. These corrective actions, relating to the licensee's quality assurance program, were never incorporated into the license or the SS&D registry. For future events of this nature, the Section committed to leaving NMED reports open until the license has been appropriately amended and the licensee has implemented their corrective actions.

Based on the IMPEP evaluation criteria, the review team recommended, and the MRB agreed, that Illinois's performance with respect to the indicator, Sealed Source and Device Evaluation Program, was satisfactory.

4.3 Low-level Radioactive Waste Disposal Program

Although NRC's Agreement with the State of Illinois relinquishes the authority for a low-level radioactive waste (LLRW) program, the State's LLRW program is currently inactive. No further activity is anticipated at this time; therefore, the LLRW program staff is working on other projects. Accordingly, the review team did not review this indicator.

4.4 Uranium Recovery Program

The Bureau of Environmental Safety administers the State's uranium recovery program. The Bureau of Environmental Safety regulates one uranium recovery license, which is in the process of decommissioning. During the review period, operations at the site included accepting excavated contaminated material from off site properties for limited storage, the shipment of material for disposal, and water treatment and groundwater monitoring.

On January 11, 2009, the licensee notified the Bureau of Environmental Safety that they had filed under Chapter 11 of the U.S. Bankruptcy laws. The Bureau of Environmental Safety holds

a financial surety instrument to cover any outstanding remediation activities at the site and is closely monitoring the situation to determine if that financial surety instrument needs to be used. The surety instrument does not cover any Superfund remedial activities.

The State's uranium recovery activities are currently inactive, and it's anticipated that the only remaining activities at the site will be decommissioning activities. Staff has been reassigned to other activities. Accordingly, the review team did not review this indicator.

5.0 SUMMARY

As noted in Sections 3.0 and 4.0, Illinois's performance was found satisfactory for all performance indicators reviewed. The review team made one recommendation in regard to program performance by the State. The review team also identified one good practice. Overall, the review team recommended, and the MRB agreed, that the Illinois Agreement State Program is adequate to protect public health and safety and compatible with NRC's program. Based on the results of the current IMPEP review, the review team recommended, and the MRB agreed, that the next full IMPEP review take place in approximately 4 years.

Below is the recommendation, as mentioned earlier in the report, for evaluation and implementation by the State:

The review team recommends that the State provide inspection documentation to its licensees within 30 days of a completed inspection in accordance with the Section's policies and procedures. (Section 3.2)

Below is the good practice, as mentioned earlier in the report:

In 2006, the Bureau of Environmental Safety expanded their Orphan Source Recovery Program to include Illinois high schools. This initiative is a non-emergency response hazard mitigation program that collects and properly disposes of unwanted radioactive material from the schools. The collection of unwanted radioactive material is at no cost to the schools. (Section 3.5)

LIST OF APPENDIXES AND ATTACHMENT

Appendix A	IMPEP Review Team Members
Appendix B	Illinois Organization Charts
Appendix C	Inspection Casework Reviews
Appendix D	License Casework Reviews
Appendix E	Incident Casework Reviews
Appendix F	Sealed Source and Device Casework Reviews
Attachment	July 13, 2009 E-mail from Joseph Klinger Illinois's Response to Draft IMPEP Report

APPENDIX A

IMPEP REVIEW TEAM MEMBERS

Name	Area of Responsibility
Randy Erickson, Region IV	Team Leader Technical Quality of Inspections
James Lynch, Region III	Technical Staffing and Training Technical Quality of Incident and Allegation Activities Inspector Accompaniments
Monica Orendi, FSME	Status of the Materials Inspection Program Compatibility Requirements
Shirley Xu, FSME	Technical Quality of Licensing Actions Uranium Recovery Program
Tristan Timm, Florida	Sealed Source and Device Evaluation Program

APPENDIX B


ILLINOIS ORGANIZATION CHARTS

ADAMS ACCESSION NO.: ML091170313

Governor's Office
Pat Quinn


Illinois Emergency Management Agency
Andrew Velasquez - Director

IL Terrorism Task Force




4 NON-CODE MERIT COMPENSATION
 0 NON-CODE BARGAINING UNIT
 5 CMS MERIT COMPENSATION
 1 CMS BARGAINING UNIT
 10 TOTAL

03/01/09




03/01/09



1 NON-CODE MERIT COMPENSATION
1 NON-CODE BARGAINING UNIT
0 CMS MERIT COMPENSATION
1 CMS BARGAINING UNIT
3


03/01/09

3 NON-CODE MERIT COMPENSATION
26.5 NON-CODE BARGAINING UNIT
0 CMS MERIT COMPENSATION
3 CMS BARGAINING UNIT
32.5



03/01/09

5 NON-CODE MERIT COMPENSATION
28.5 NON-CODE BARGAINING UNIT
0 CMS MERIT COMPENSATION
7 CMS BARGAINING UNIT
40.5



APPENDIX C

INSPECTION CASEWORK REVIEWS

NOTE: CASEWORK LISTED WITHOUT COMMENT IS INCLUDED FOR COMPLETENESS ONLY.

File No.: 1

Licensee: PetroChem Inspection Services
Inspection Type: Reciprocity/Special, Announced
Inspection Date: 11/12/08

License No.: IL-00408-01
Priority: 1
Inspector: JP

Comment:

Inspection documentation issued to licensee 56 days late.

File No.: 2

Licensee: Advanced Radiation Oncology Center
Inspection Type: Routine/Special, Announced
Inspection Date: 9/7/07

License No.: IL-02178-01
Priority: 2
Inspector: JK

File No.: 3

Licensee: Southern Illinois School of Medicine
Inspection Type: Routine/Special, Announced
Inspection Date: 6/25/08

License No.: IL -01161-01
Priority: 2
Inspector: GM

Comment:

Inspection documentation issued to licensee 46 days late.

File No.: 4

Licensee: Caterpillar, Inc.
Inspection Type: Routine/Special, Announced
Inspection Date: 1/5/07

License No.: IL-01463-01
Priority: 1
Inspector: GM

Comment:

Inspection documentation issued to licensee 13 days late.

File No.: 5

Licensee: Senco Construction, Inc.
Inspection Type: Routine/Special, Unannounced
Inspection Date: 7/5/06

License No.: IL-02002-01
Priority: 1
Inspector: GM

File No.: 6

Licensee: St. Francis Medical Center
Inspection Type: Special, Announced
Inspection Dates: 1/8-10/08

License No.: IL-01361-01
Priority: 2
Inspector: GM

File No.: 7

Licensee: Northern Illinois University
Inspection Type: Routine/Special, Unannounced
Inspection Dates: 7/13-14/06

License No.: IL-01773-01
Priority: 3
Inspectors: RM, AG

Comment:

Inspection documentation issued to licensee 12 days late.

File No.: 8

Licensee: Mistras Group, Inc.
Inspection Type: Routine/Special, Announced
Inspection Dates: 8/30/06 and 9/5/06

License No.: IL-01968-01
Priority: 1
Inspector: AG

Comment:

Inspection documentation issued to licensee 22 days late.

File No.: 9

Licensee: Baxter Healthcare Corporation
Inspection Type: Routine/Special, Unannounced
Inspection Dates: 5/7-8/08

License No.: IL-01278-02
Priority: 5
Inspector: WH

Comment:

Inspection documentation issued to licensee 34 days late.

File No.: 10

Licensee: Neurologic and Orthopedic Institute of Chicago
Inspection Type: Initial/Special, Announced
Inspection Date: 2/1/07

License No.: IL-02207-01
Priority: 2
Inspector: JP

File No.: 11

Licensee: Ingalls Memorial Hospital
Inspection Type: Routine, Unannounced
Inspection Dates: 4/19-20/07

License No.: IL-01342-01
Priority: 3
Inspector: WH

File No.: 12

Licensee: ConocoPhillips Pipe Line Company
Inspection Type: Routine, Announced
Inspection Date: 6/22/06

License No.: IL-01332-01
Priority: 5
Inspector: GM

File No.: 13

Licensee: Chicago Magnesium Casting Company
Inspection Type: Decommissioning, Announced
Inspection Date: 11/10/08

License No.: IL-01077-01
Priority: 1
Inspector: DP

File No.: 14

Licensee: Pathfinder Brain SPECT, LLC.
Inspection Type: Initial, Announced
Inspection Date: 3/13/06

License No.: IL-02247-01
Priority: 5
Inspector: AG

File No.: 15

Licensee: Southwest Comprehensive Oncology Center
Inspection Type: Initial, Unannounced
Inspection Date: 11/9/07

License No.: IL-02328-01
Priority: 2
Inspector: RM

Comment:

Inspection documentation issued to licensee 30 days late.

File No.: 16

Licensee: Landauer
Inspection Type: Routine/Special, Announced
Inspection Date: 1/22/08

License No.: IL-01376-01
Priority: 1
Inspector: JP

File No.: 17

Licensee: River to River Heart Group
Inspection Type: Initial, Unannounced
Inspection Date: 7/7/08

License No.: IL-02351-01
Priority: 5
Inspector: GM

Comment:

Inspection documentation issued to licensee 37 days late.

File No.: 18

Licensee: Advanced Cardiology and Vascular Services, LLC.
Inspection Type: Routine/Special, Announced
Inspection Date: 4/30/08

License No.: IL-02308-01
Priority: 5
Inspector: GM

Comment:

Inspection documentation issued to licensee 13 days late.

File No.: 19

Licensee: Joliet Radiation Oncology at Hoffman
Cancer Center
Inspection Type: Initial, Announced
Inspection Date: 11/21/08

License No.: IL-02344-01
Priority: 2
Inspector: JK

File No.: 20

Licensee: The Heart Care Group
Inspection Type: Initial, Announced
Inspection Date: 10/5/06

License No.: IL-02302-01
Priority: 5
Inspector: GM

File No.: 21

Licensee: Gamma Irradiator Service
Inspection Type: Reciprocity, Announced
Inspection Date: 3/23/06

License No.: IL-00392-01
Priority: 5
Inspector: JK

File No.: 22

Licensee: Berwyn Radiation Oncology Center
Inspection Type: Routine, Unannounced
Inspection Date: 2/25/09

License No.: IL-02240-01
Priority: 2
Inspector: WH

Comment:

Inspection documentation issued to licensee 6 days late.

File No.: 23

Licensee: Varian Medical Systems
Inspection Type: Routine, Announced
Inspection Date: 11/29/06

License No.: IL-01143-01
Priority: 5
Inspector: JP

File No.: 24

Licensee: Chicago Prostate Cancer Center
Inspection Type: Routine, Unannounced
Inspection Date: 10/6/06

License No.: IL-02015-01
Priority: 3
Inspector: JK

INSPECTOR ACCOMPANIMENTS

The following inspector accompaniments were performed prior to the on-site IMPEP review:

Accompaniment No.: 1

Licensee: PetroChem Inspection Services, Inc.
Inspection Type: Special, Announced
Inspection Date: 3/6/09

License No.: IL-02365-01
Priority: 1
Inspector: AG

Accompaniment No.: 2

Licensee: Neurologic and Orthopedic Institute of Chicago
Inspection Type: Special, Announced
Inspection Date: 3/19/09

License No.: IL-02207-01
Priority: 2
Inspector: JP

Accompaniment No.: 3

Licensee: STERIS, Inc.
Inspection Type: Routine, Unannounced
Inspection Date: 4/8/09

License No.: IL-01123-02
Priority: 2
Inspector: JK

APPENDIX D

LICENSE CASEWORK REVIEWS

NOTE: CASEWORK LISTED WITHOUT COMMENT IS INCLUDED FOR COMPLETENESS ONLY.

File No.: 1 Licensee: ADCO Services, Inc Type of Action: Renewal Date Issued: 2/27/09	License No.: IL-01347-01 Amendment No.: 35 License Reviewer: MB
File No.: 2 Licensee: Eichrom Technologies, LLC Type of Action: New Date Issued: 2/23/09	License No.: IL-02371-01 Amendment No.: 0 License Reviewer: SK
File No.: 3 Licensee: Equistar Chemicals, LP Type of Action: Renewal Date Issued: 12/5/07	License No.: IL-01737-01 Amendment No.: 15 License Reviewer: SK
File No.: 4 Licensee: Raymond G. Scott Cancer Care Type of Action: New Date Issued: 12/17/08	License No.: IL-02217-01 Amendment No.: 0 License Reviewer: SK
File No.: 5 Licensee: Brian Szydzik Type of Action: New Date Issued: 8/30/07	License No.: IL-02337-01 Amendment No.: 0 License Reviewer: MB
File No.: 6 Licensee: Southern Cook Radiation Oncology, Ltd. Type of Action: New Date Issued: 9/20/06	License No.: IL-02299-01 Amendment No.: 0 License Reviewer: SK
File No.: 7 Licensee: MidWest Brachytherapy, Inc. Type of Action: New Date Issued: 10/12/05	License No.: IL-02262-01 Amendment No.: 0 License Reviewer: SK
File No.: 8 Licensee: Viktron-West Chicago Type of Action: Termination Date Issued: 2/27/09	License No.: IL-01101-01 Amendment No.: 4 License Reviewer: RH

File No.: 9

Licensee: Abbott Laboratories

Type of Action: Amendment

Date Issued: 12/4/07

License No.: IL-01478-01

Amendment No.: 22

License Reviewer: SK

File No.: 10

Licensee: UniTech Services Group, Inc.

Type of Action: Renewal

Date Issued: 4/9/09

License No.: IL-01008-01

Amendment No.: 31

License Reviewer: MB

File No.: 11

Licensee: Northwestern University

Type of Action: Renewal

Date Issued: 10/12/07

License No.: IL-01879-01

Amendment No.: 17

License Reviewer: MB

File No.: 12

Licensee: Veterinary Specialty Center

Type of Action: Amendment

Date Issued: 2/23/09

License No.: IL-02071-01

Amendment No.: 9

License Reviewer: DP

File No.: 13

Licensee: Northwestern Memorial Hospital

Type of Action: Amendment

Date Issued: 1/14/09

License No.: IL-01037-01

Amendment No.: 40

License Reviewer: MB

File No.: 14

Licensee: Mallinckrodt, Inc

Type of Action: Renewal

Date Issued: 3/29/09

License No.: IL-01117-01

Amendment No.: 38

License Reviewer: SK

File No.: 15

Licensee: Radiocat

Type of Action: Renewal

Date Issued: 12/20/07

License No.: IL-02024-01

Amendment No.: 8

License Reviewer: MB

File No.: 16

Licensee: Principia College

Type of Action: Amendment

Date Issued: 3/22/06

License No.: IL-01650-01

Amendment No.: 7

License Reviewer: SK

File No.: 17

Licensee: Rosalind Franklin University of Medicine
and Science

Type of Action: New

Date Issued: 11/17/06

License No.: IL-01480-02

Amendment No.: 0

License Reviewer: MB

File No.: 18
Licensee: Northrop Grumman Systems Company
Type of Action: Amendment
Date Issued: 4/10/08

License No.: IL-02127-01
Amendment No.: 11
License Reviewer: CV

File No.: 19
Licensee: Cardinal Health, Inc.
Type of Action: Renewal
Date Issued: 6/26/07

License No.: IL-01721-01
Amendment No.: 42
License Reviewer: MB

File No.: 20
Licensee: Oxford Instruments America, Inc.
Type of Action: Renewal
Date Issued: 12/29/08

License No.: IL-01694-01
Amendment No.: 18
License Reviewer: SK

File No.: 21
Licensee: Rush University Medical Center
Type of Action: Renewal
Date Issued: 01/22/07

License No.: IL-01766-03
Amendment No.: 5
License Reviewer: TH

File No.: 22
Licensee: Landauer, Inc.
Type of Action: Renewal
Date Issued: 2/5/09

License No.: IL-01376-01
Amendment No.: 11
License Reviewer: MB

File No.: 23
Licensee: The Art Institute of Chicago
Type of Action: Amendment
Date Issued: 6/21/07

License No.: IL-01631-01
Amendment No.: 9
License Reviewer: MB

File No.: 24
Licensee: Orland Park Equine Hospital, Ltd.
Type of Action: Renewal
Date Issued: 10/26/06

License No.: IL-07152-01
Amendment No.: 11
License Reviewer: SK

File No.: 25
Licensee: Varian Medical Systems
Type of Action: Renewal
Date Issued: 1/14/08

License No.: IL-01143-01
Amendment No.: 13
License Reviewer: TH

File No.: 26
Licensee: Bard Brachytherapy, Inc.
Type of Action: Renewal
Date Issued: 5/24/05

License No.: IL-02062-01
Amendment No.: 9
License Reviewer: MB

Illinois Final Report
License Casework Reviews

Page D.4

File No.: 27

Licensee: Tronox LLC

Type of Action: Renewal

Date Issued: 2/25/09

License No.: STA-583

Amendment No.: 73

License Reviewer: JB

File No.: 28

Licensee: Raymond G. Scott Cancer Center

Type of Action: Termination

Date Issued: 1/11/06

License No.: IL-02371-01

Amendment No.: 1

License Reviewer: SK

File No.: 29

Licensee: Life Source Blood Services of Corporate

Type of Action: Termination

Date Issued: 8/17/07

License No.: IL-01851-01

Amendment No.: 12

License Reviewer: TH

File No.: 30

Licensee: Washington County Hospital

Type of Action: Amendment

Date Issued: 10/23/08

License No.: IL-01035-01

Amendment No.: 27

License Reviewer: RH

APPENDIX E

INCIDENT CASEWORK REVIEWS

NOTE: CASEWORK LISTED WITHOUT COMMENT IS INCLUDED FOR COMPLETENESS ONLY.

File No.: 1

Licensee: Pharmacy Services of Peoria

Date of Incident: 10/26/05

Investigation Dates: 10/26-27/05

License No.: IL-01874-01

NMED Log No.: 050720

Type of Incident: Contamination

Type of Investigation: Telephone

File No.: 2

Licensee: Medi-Physics, Inc.

Date of Incident: 11/28/05

Investigation Date: 11/29/05

License No.: IL-01052-01

NMED Log No.: 050782

Type of Incident: Contamination

Type of Investigation: Telephone

File No.: 3

Licensee: Indev Gauging Systems

Date of Incident: 8/24/05

Investigation Date: 8/26/05

License No.: IL-02050-01

NMED Log No.: 050599

Type of Incident: Leaking Source

Type of Investigation: Site

File No.: 4

Licensee: Bard Brachytherapy

Date of Incident: 11/9/06

Investigation Date: 11/10/06

License No.: IL-02062-01

NMED Log No.: 060695

Type of Incident: Lost Material

Type of Investigation: Telephone

File No.: 5

Licensee: Rush-Copley Medical Center

Dates of Incidents: 7/28/06 and 8/22/06

Investigation Date: 8/28/06

License No.: IL-01207-01

NMED Log No.: 060551

Type of Incident: Medical Event

Type of Investigation: Telephone

File No.: 6

Licensee: Oxford Instruments

Date of Incident: 4/18/06

Investigation Date: 6/23/06

License No.: IL-01694-01

NMED Log No.: 060602

Type of Incident: Leaking Source

Type of Investigation: Telephone

File No.: 7

Licensee: Children's Memorial Medical Center

Date of Incident: 7/24/06

Investigation Date: 7/28/06

License No.: IL-01165-01

NMED Log No.: 060480

Type of Incident: Medical Event

Type of Investigation: Site

File No.: 8

Licensee: Quad City Testing Laboratory

Date of Incident: 7/17/06

Investigation Date: 7/18/06

License No.: IL-01089-01

NMED Log No.: 060493

Type of Incident: Overexposure

Type of Investigation: Site

File No.: 9

Licensee: S.T.A.T.E Testing, LLC

Date of Incident: 6/2/06

Investigation Date: 6/2/06

License No.: IL-01015-01

NMED Log No.: 060368

Type of Incident: Stolen Material

Type of Investigation: Site

File No.: 10

Licensee: Chicago Prostate Cancer Center

Date of Incident: 1/5/06

Investigation Date: 1/11/06

License No.: IL-02015-01

NMED Log No.: 0060040

Type of Incident: Leaking Source

Type of Investigation: Site

File No.: 11

Licensee: St. James Hospital and Health Center

Date of Incident: 11/29/06

Investigation Date: 1/8/07

License No.: IL-01289-01

NMED Log No.: 070014

Type of Incident: Medical Event

Type of Investigation: Site

File No.: 12

Licensee: Pinnacle Foods Group, Inc.

Date of Incident: 3/13/07

Investigation Date: 4/6/07

License No.: 9223630 (General)

NMED Log No.: 070213

Type of Incident: Lost Material

Type of Investigation: Telephone/Site

File No.: 13

Licensee: McNDT Leasing, Inc.

Date of Incident: 7/20/07

Investigation Date: 7/20/07

License No.: IL-01875-01

NMED Log No.: 070468

Type of Incident: Damaged Equipment

Type of Investigation: Site

File No.: 14

Licensee: Nuclear Oncology, S.C.

Date of Incident: 11/19/07

Investigation Date: 11/21/07

License No.: IL-01641-01

NMED Log No.: 070724

Type of Incident: Medical Event

Type of Investigation: Telephone

File No.: 15

Licensee: Miller Compressing

Date of Incident: 12/10/07

Investigation Date: 12/10/07

License No.: Non-Licensee

NMED Log No.: N/A

Type of Incident: Recovered Material

Type of Investigation: Telephone

File No.: 16

Licensee: Chicago Prostate Cancer Center

Date of Incident: 4/24/08

Investigation Date: 4/25/08

License No.: IL-02015-01

NMED Log No.: 080282

Type of Incident: Leaking Source

Type of Investigation: Telephone

File No.: 17

Licensee: Sterling Steel Company

Date of Incident: 7/7/08

Investigation Date: 7/7/08

License No.: IL-01785-01

NMED Log No.: 080518

Type of Incident: Damaged Sources

Type of Investigation: Site

File No.: 18

Licensee: Team Industrial Services

Date of Incident: 9/12/08

Investigation Date: 9/12/08

License No.: IL-01136-01

NMED Log No.: 080566

Type of Incident: Equipment Failure

Type of Investigation: Telephone

File No.: 19

Licensee: GSG Material Testing, Inc.

Date of Incident: 11/6/08

Investigation Date: 11/7/08

License No.: IL-02340-01

NMED Log No.: 080776

Type of Incident: Stolen Material

Type of Investigation: Telephone

File No.: 20

Licensee: GE Healthcare

Date of Incident: 12/5/08

Investigation Date: 12/5/08

License No.: IL-01052-01

NMED Log No.: N/A

Type of Incident: Contamination

Type of Investigation: Telephone

APPENDIX F

SEALED SOURCE & DEVICE (SS&D) CASEWORK REVIEWS

NOTE: CASEWORK LISTED WITHOUT COMMENT IS INCLUDED FOR COMPLETENESS ONLY.

File No.: 1
Registry No.: IL-1074-S-101-S
Manufacturer: Bard Brachytherapy, Inc.
Date Issued: 4/1/08
SS&D Type: (AA) Manual Brachytherapy
Model No.: STM 125I
Type of Action: Amendment
SS&D Reviewers: SK, CV

Comment:
Licensee's corrective actions were not incorporated into the license of the SS&D registry.

File No.: 2
Registry No.: IL-1074-S-101-S
Manufacturer: Bard Brachytherapy, Inc.
Date Issued: 6/6/07
SS&D Type: (AA) Manual Brachytherapy
Model No.: STM 125I
Type of Action: Amendment
SS&D Reviewers: MB, CV

File No.: 3
Registry No.: IL-1074-S-101-S
Manufacturer: Bard Brachytherapy, Inc.
Date Issued: 1/31/07
SS&D Type: (AA) Manual Brachytherapy
Model No.: STM 125I
Type of Action: Amendment
SS&D Reviewers: MB, CV

File No.: 4
Registry No.: IL-1074-S-101-S
Manufacturer: Bard Brachytherapy, Inc.
Date Issued: 1/31/06
SS&D Type: (AA) Manual Brachytherapy
Model No.: STM 125I
Type of Action: Amendment
SS&D Reviewer: CV

File No.: 5
Registry No.: IL-1074-S-101-S
Manufacturer: Bard Brachytherapy, Inc.
Date Issued: 12/16/05
SS&D Type: (AA) Manual Brachytherapy
Model No.: STM 125I
Type of Action: Amendment
SS&D Reviewers: SK, CV

File No.: 6
Registry No.: IL-1074-S-101-S
Manufacturer: Bard Brachytherapy, Inc.
Date Issued: 9/13/05
SS&D Type: (AA) Manual Brachytherapy
Model No.: STM 125I
Type of Action: Amendment
SS&D Reviewers: SK, CV

File No.: 7
Registry No.: IL-1082-S-101-S
Manufacturer: REVISS Services, Inc.
Date Issued: 11/1/08
SS&D Type: (J)(K)(L)(M) Gamma Irradiator
Model No.: RSL2089
Type of Action: Amendment
SS&D Reviewers: MB, CV

File No.: 8

Registry No.: IL-235-D-102-B

Manufacturer: Oxford Instruments America, Inc.

Date Issued: 12/29/08

SS&D Type: (U) X-Ray Fluorescence

Model No.: Various

Type of Action: Amendment

SS&D Reviewers: SK, CV

File No.: 9

Registry No.: IL-605-D-106-B

Manufacturer: Siemens Medical Solutions USA, Inc.

Date Issued: 10/8/08

SS&D Type: (Y) Calibrator

Model No.: 07837722

Type of Action: Amendment

SS&D Reviewers: SK, CV

File No.: 10

Registry No.: IL-605-D-106-B

Manufacturer: Siemens Medical Solutions USA, Inc.

Date Issued: 7/25/07

SS&D Type: (Y) Calibrator

Model No.: 07837722

Type of Action: Amendment

SS&D Reviewers: SK, CV

ATTACHMENT

July 13, 2009 E-mail from Joseph Klinger
Illinois's Response to Draft IMPEP Report

ADAMS Accession No.: ML091970520

Erickson, Randy

From: Klinger, Joe [Joe.Klinger@illinois.gov]
Sent: Monday, July 13, 2009 1:31 PM
To: Erickson, Randy
Cc: McCraw, Aaron; Eastvold, Paul; Vinson, Gibb; Beagles, Lori
Subject: Illinois IMPEP Report
Attachments: 2009 IL Draft IMPEP Report and Letter (2) (2).doc; SKMBT_50109071009490.pdf

Randy:

Please find attached our comments on the 2009 Draft IMPEP Report. We have made a few edits/clarifications on the text. Daren Perrero has included an attachment that clarifies some of the initial inspection totals in Section 3.2. Generally, the Agency finds the comments and findings to be reflective of the tremendous efforts of our staff during these times of personnel and budgetary shortfalls.

Regarding the recommendation to get our inspection documentation to licensees within 30 days, we are taking steps to correct this item. Enforcement staff is using our version of NRC's 591 form to adjudicate as many clear inspections as possible. We are also currently investigating the possibility of expanding this form to include violations with lesser severity levels as well.

We appreciate the kind offer for NRC paid travel for MRB participation. However, I don't believe the results warrant such expenditure, so we plan to participate in the August 3, 2009 MRB via videoconferencing. Please provide us contact information to set up this conference.

The Agency appreciates the efforts and professionalism of the IMPEP team. IMPEP reviews serve to validate our program efforts and provide goals for further improvement. The comments regarding staffing concerns were also appreciated and will help us continue to recruit qualified staff in support of the program.

Please contact me if questions. Regards, Joe

Joseph G. Klinger
Assistant Director
Illinois Emergency Management Agency
(217) 785-9868
Joe.Klinger@illinois.gov

Cc: Aaron McCraw

<<2009 IL Draft IMPEP Report and Letter (2) (2).doc>> <<SKMBT_50109071009490.pdf>>

1.0 INTRODUCTION

This report presents the results of the review of the Illinois Agreement State Program. The review was conducted during the period of May 11-15, 2009, by a review team composed of technical staff members from the U.S. Nuclear Regulatory Commission (NRC) and the State of Florida. Team members are identified in Appendix A. The review was conducted in accordance with the "Implementation of the Integrated Materials Performance Evaluation Program and Rescission of Final General Statement of Policy," published in the *Federal Register* on October 16, 1997, and NRC Management Directive 5.6, "Integrated Materials Performance Evaluation Program (IMPEP)," dated February 26, 2004. Preliminary results of the review, which covered the period of April 9, 2005, to May 15, 2009, were discussed with Illinois managers on the last day of the review.

Deleted: 0

[A paragraph on the results of the Management Review Board (MRB) meeting will be included in the final report.]

By State statute, the Illinois Emergency Management Agency (the Agency) is designated as the State's radiation protection agency. Under the Agency is the Division of Nuclear Safety (the Division). The Division comprises the Bureau of Radiation Safety (the Bureau), the Bureau of Environmental Safety, and the Bureau of Nuclear Facility Safety. The Bureau is headed by the Chief and is composed of the Radioactive Materials Section (the Section) and the Electronic Products Section. The Illinois Agreement State Program is administered by the Section with decommissioning and financial assurance support from the Bureau of Environmental Safety. Organization charts for the Agency, the Division, the Bureau, and the Bureau of Environmental Safety are included in Appendix B.

At the time of the review, the Illinois Agreement State program regulated 736 specific licenses authorizing the possession and use of byproduct, source, and certain special nuclear materials. The review focused on the radioactive materials program as it is carried out under the Section 274b. (of the Atomic Energy Act of 1954, as amended) Agreement between the NRC and the State of Illinois.

In preparation for the review, a questionnaire addressing the common and applicable non-common performance indicators was sent to the Agency on January 21, 2009. The Section provided a response to the questionnaire by electronic mail and fax on April 22, 2009. A copy of the questionnaire response can be found in NRC's Agencywide Documents Access and Management System (ADAMS) using the Accession Number ML091310423.

The review team's general approach for conduct of this review consisted of: (1) examination of Illinois's response to the questionnaire, (2) review of applicable Illinois statutes and regulations, (3) analysis of quantitative information from the Section's database, (4) technical review of selected regulatory actions, (5) field accompaniments of three inspectors, and (6) interviews with staff and managers. The review team evaluated the information gathered against the established criteria for each common and applicable non-common performance indicator and made a preliminary assessment of the Illinois Agreement State Program's performance.

Section 2.0 of this report covers the State's actions in response to recommendations made during the previous review. Results of the current review of the common performance indicators

are presented in Section 3.0. Section 4.0 details the results of the review of the applicable non-common performance indicators, and Section 5.0 summarizes the review team's findings and recommendations. The review team's recommendations are comments that relate directly to program performance by the State. A response is requested from the State to any recommendations in the final report.

2.0 STATUS OF ITEMS IDENTIFIED IN PREVIOUS REVIEWS

During the previous IMPEP review, which concluded on April 8, 2005, that review team made one recommendation regarding the State's adoption of regulations or other legally binding requirements remained open. At its meeting on June 26, 2005, the MRB placed the Illinois Agreement State Program on heightened oversight and directed staff to conduct a followup IMPEP review focusing on the non-common performance indicator, Compatibility Requirements, approximately one year later. As a result of the followup IMPEP review, the recommendation from the 2005 review was closed, and no additional recommendations regarding program performance were made.

3.0 COMMON PERFORMANCE INDICATORS

IMPEP identifies five common performance indicators to be used in reviewing NRC Regional and Agreement State radioactive materials programs. These indicators are: (1) Technical Staffing and Training, (2) Status of Materials Inspection Program, (3) Technical Quality of Inspections, (4) Technical Quality of Licensing Actions, and (5) Technical Quality of Incident and Allegation Activities.

3.1 Technical Staffing and Training

Issues central to the evaluation of this indicator include the Section's staffing level and staff turnover, as well as the technical qualifications and training histories of the staff. To evaluate this indicator, the review team examined the Section's questionnaire response relative to this indicator, interviewed managers and staff, reviewed job descriptions and training records, and considered any possible workload backlogs.

The Section is responsible for radioactive materials licensing, inspection, and incident response activities. The Section, supervised by the Section Head, is divided into two units: the Licensing Unit and the Inspection and Enforcement Unit. Each of the units has a supervisor. At the time of the review, the Section employed 10 technical staff members (Health Physicists) and 2 administrative staff members. All of the license reviewers and one inspector are located in the Springfield office; the other five inspectors are located in the West Chicago field office.

Deleted: headed
Deleted: Supervisor

Three staff members left the Section during the review period. The former Section Head, was promoted to the Agency's Assistant Director in 2007, and two license reviewers left the program. One of the license reviewer positions was filled in 2008; the other remains vacant. An additional technical position is also vacant as a result of a string of internal promotions subsequent to the former Section Head's promotion. This position was assigned on May 1, 2009 to a former member of the program who is now the Supervisor of Radioactive Materials Licensing. The review team noted that the licensing program is stressed by the current workload. The Section has a tremendous licensing workload for only two qualified license

Deleted: Supervisor

Deleted: Supervisor's

Deleted: is not currently assigned to a particular unit and will be placed according to the Section's needs

reviewers with over 700 licensees and sealed source and device evaluation authority. The recent hiring of an additional license reviewer will alleviate some of the stress on the licensing program as he becomes fully trained. Additionally, as the number of security initiatives increases, the inspection staff's workload is also becoming overwhelming for the staff. Division managers indicated that they are hopeful that they will be able to fill the vacant positions despite the State's budgetary shortfalls.

The Section has a documented training and qualification program for staff members who perform licensing, inspection, and incident response duties. The training and qualification program is consistent with NRC Inspection Manual Chapter (IMC) 1246, "Formal Qualification Programs in the Nuclear Material Safety and Safeguards Program Area" and the NRC and Organization of Agreement States (OAS) Training Working Group's Recommendations for Agreement State Training Programs. Qualification is achieved through a combination of education and experience, formal classroom training, and on-the-job training. Staff members are required to have a Bachelor's degree or equivalent experience in a physical or biological science or engineering.

The Section maintains training and qualification records for each staff member. The review team noted that Section management encourages and supports training opportunities, based on program needs and funding. The review team concluded that the Section has an adequate and well-balanced staff capable of carrying out their regulatory responsibilities.

The Agreement State program receives approximately 88 percent of its budget from licensee fees; the other 12 percent comes from other sources. The fee-based funding level was increased from approximately 50 percent to its current level with a fee increase in March 2009. Licensees are assessed annual fees to cover the costs associated with licensing amendments, routine inspections, and investigations. In addition, licensees are charged a small Recovery and Remediation fee that allows the Section to build up a fund for emergency remediation at licensee facilities.

Deleted: general fund appropriations

Deleted: Agency rules prohibit annual fees from exceeding 85 percent of NRC fees

Based on the IMPEP evaluation criteria, the review team recommends that Illinois's performance with respect to the indicator, Technical Staffing and Training, be found satisfactory.

3.2 Status of Materials Inspection Program

The team focused on five factors in reviewing this indicator: inspection frequency, overdue inspections, initial inspections of new licenses, timely dispatch of inspection findings, and performance of reciprocity inspections. The review team's evaluation was based on the Section's questionnaire response relative to this indicator, data gathered from the Section's licensing and inspection database, the examination of completed inspection casework, and interviews with managers and staff.

The review team's evaluation of the Section's inspection priorities noted that inspection frequencies for various license types are as frequent, or more frequent, than similar license types listed in IMC 2800, "Materials Inspection Program." Examples of license types the Section inspects more frequently include open irradiators (> 10,000 Ci) broadscope academic licenses, nuclear laundry licenses, and nuclear pharmacy licenses, and broadscope research and development licenses.

Deleted: ion

Formatted: Font color: Red

The Section performed a total of 713 high priority (Priority 1, 2, and 3) inspections during the review period. In its response to the questionnaire, the Section stated "typically, we have no overdue inspections. On occasion, we have scheduling problems because of licensee availability, other priority IC inspections or incidents". The review team evaluated the Section's performance with regards to Priority 1, 2, and 3 inspections and estimated that approximately 8 percent of these inspections were performed overdue. The review team estimated the percent overdue because an exact number of overdue inspections could not be ascertained based on the information obtained from the Section's database. The review team also evaluated the Section's timeliness for conducting initial inspections and found that the Section had conducted 105 initial inspections during the review period. Of the 108 initial inspections conducted, only 6 had been performed greater than 12 months after license issuance (see attached). No initial inspections were overdue at the time of the review. Overall, the review team determined that the Section performed less than 10 percent of all Priority 1, 2, and 3 and initial inspections overdue during the review period.

Formatted: Font: Not Bold

Deleted: that none of the inspections was conducted overdue, nor was any overdue at the time of the review

Deleted: 105

Deleted: 10

The review team determined that the Section adequately planned for the initial set of Increased Controls inspections. The review team evaluated the Section's prioritization methodology and found it acceptable. The review team verified that the Section performed all of the first-year inspections in a timely manner. The Section also completed all of its Increased Controls inspections within the required 3-year time frame. The Section performs subsequent Increased Controls inspections in conjunction with routine health and safety inspections at the appropriate inspection frequency, based on license type.

The review team evaluated the Section's timeliness in issuing inspection reports through a review of inspection casework and data obtained from the Section's licensing and inspection database. The review team noted that in approximately 65 percent of the cases inspection findings were transmitted to licensees greater than 30 days after the inspection date. The review team determined that the underlying cause of the tardiness of issuance of inspection documentation is due to the overwhelming number of inspection reports that must be reviewed and signed by the Inspection & Enforcement Unit Supervisor. The review team found that competing priorities detract from the Inspection & Enforcement Unit Supervisor's time to review the inspection documentation within 30 days of the inspection. The review team and Section managers discussed the Section's procedures and practices for issuing inspection documentation to licensees at the time of inspection and areas where the Section might be able to gain efficiencies in the process without compromising quality or consistency of the inspection reports. The review team recommends that the State provide inspection documentation to its licensees within 30 days of a completed inspection in accordance with the Section's policies and procedures.

The Section does not maintain records reflecting which reciprocity licenses are candidates for inspection on a calendar year basis. Instead, the Section identifies these licensees as "current" or "not current" on a rotating 12 month interval. Consequently, the review team was unable to apply the reciprocity inspection frequency criteria prescribed by IMC 1220, "Processing of NRC Form 241 and Inspection of Agreement State Licensees Operating under 10 CFR 150.20." The review team used information obtained from the Section's license and inspection database and information provided by the Section in its response to the questionnaire to determine the number of reciprocity licensees inspected each year. The review team concluded that the

Deleted: per calendar year

Deleted: .

The review team verified that the Section maintains an adequate supply of appropriately calibrated survey instruments to support the inspection program, as well as to respond to radioactive materials incidents and emergency conditions. The State has its own accredited calibration laboratory in Springfield. The State Radiation Safety Officer heads the calibration lab and is responsible for ensuring that the calibration lab maintains its accreditation and that survey instruments are properly calibrated and distributed.

The Section receives laboratory and sample analysis support from the State laboratory located in Springfield. The State laboratory has a wide array of analytical equipment and is capable of detailed radiochemistry analysis. Their work is primarily in support of the power plants but they also provide support to the Section, as requested. The uranium recovery site currently under decommissioning has its own lab for sample analysis and is located in West Chicago.

The Section has a policy to perform supervisory accompaniments of all inspectors annually. The supervisor in the Chicago area office performs accompaniments for the inspectors in that area annually. The Inspection & Enforcement Unit Supervisor accompanies the one inspector, in the southern part of the State annually.

Deleted: working from his home

The review team accompanied three of the Section's inspectors in March and April 2009. The licensees inspected were an industrial radiography facility, a gamma stereotactic radiosurgery center, and a pool irradiator facility. Two of the inspections included a review of the licensees' implementation of the Increased Controls. Appendix C lists the inspector accompaniments. The inspectors demonstrated performance-based inspection techniques and knowledge of the regulations. The inspectors were well trained, prepared for the inspections, and thorough in their audits of the licensees' radiation safety and security programs. The inspectors conducted interviews with appropriate personnel, observed licensed operations, conducted confirmatory measurements, and utilized good health physics practices. The inspectors held entrance and exit meetings with the appropriate level of licensee management. The review team determined that the inspections were adequate to assess radiological health, safety, and security at the licensed facilities.

Based on the IMPEP evaluation criteria, the review team recommends that Illinois's performance with respect to the indicator, Technical Quality of Inspections, be found satisfactory.

3.4 Technical Quality of Licensing Actions

The review team examined completed licensing casework and interviewed license reviewers for 30 specific licenses. Licensing actions were reviewed for completeness, consistency, proper radioisotopes and quantities, qualifications of authorized users, adequacy of facilities and equipment, adherence to good health physics practices, financial assurance, Increased Controls requirements, the use of pre-licensing guidance, operating and emergency procedures, appropriateness of license conditions, and overall technical quality. The casework was also reviewed for timeliness, use of appropriate correspondence, reference to appropriate regulations, supporting documentation, consideration of enforcement history, peer/supervisory review, and proper signatures.

The licensing casework was selected to provide a representative sample of licensing actions

completed during the review period. Licensing actions selected for evaluation included 6 new licenses, 14 renewals, 7 amendments, and 3 license terminations. The casework reviewed included a cross-section of license types, including: medical diagnostic and therapy, brachytherapy, gamma knife, industrial radiography, nuclear pharmacies, and industrial licensees. A listing of the licensing casework reviewed can be found in Appendix D.

The review team found that the license reviewers follow appropriate licensing guides, similar to NRC's NUREG-1556 series, during the review process to ensure that licensees submit all the necessary information to support the licensing request. The review team found the checklists used for each license type were comprehensive and incorporated excellent notes to assist the staff with their review of the applications. Letters, documented telephone conversations, and electronic communications retained in the licensing files contained appropriate regulatory language and addressed deficiencies. The Section's use of license templates, including the use of standard license conditions, resulted in notable consistency between reviewers. Overall, the review team found that the licensing actions were thorough, complete, consistent, of high quality, and properly addressed health, safety, and security issues.

When a licensing action is completed by a reviewer, the entire package is given to the Licensing Unit Supervisor who reviews and signs the licensing action. Licenses are issued for a 5-year term. The Section has an expedited renewal process, where a licensee submits an application and identifies any parts of his radiation safety program that have changed, and confirms that all other portions are still current. Licenses that are under timely renewal are amended as necessary to ensure that public health and safety issues are addressed during the period that the license is undergoing the renewal process.

The Section requires certain licensees to maintain financial assurance for decommissioning. Surety instruments are maintained in a locked cabinet. The Bureau of Environmental Safety determines the financial assurance requirements for the licensing staff. The review team noted good communication between the Section and the Bureau of Environmental Safety. The review team evaluated the contents of several financial assurance folders, all of which were properly maintained.

The review team found that terminated licensing actions were well documented. The files included the appropriate radioactive material transfer reports and survey records. An evaluation of selected termination records indicated excellent communication between the licensing, inspection, and decommissioning staff to prevent abandonment of radioactive material. The files contained documentation of proper disposal or transfer.

The review team examined the Section's licensing practices regarding the Increased Controls and fingerprinting orders. The review team noted that the Licensing Unit added legally binding license conditions to the licenses that met the criteria for implementing the Increased Controls and the fingerprinting requirements. The review team found that some medical licenses were authorized possession limits in quantities of concern for certain isotopes that were not subject to the Increased Controls, because the licenses did not contain the appropriate license condition. Since these licenses involved replacement of short half-life sources, it was known by the section that actual possession was not a security issue. The Section identified the licenses that potentially contained the error. While the review team was on site, the Section contacted the affected licensees and began the process of issuing the corrected copies of the licenses.

Formatted: Underline, Font color: Red

Formatted: Underline, Font color: Red

Formatted: Font color: Red

Authorized limits were reduced. The Section completed the issuance of corrected licenses on June 2, 2009. The Section was planning to draft a policy memorandum with instructions and a new medical license template that will be presented at a staff meeting as part of the implementation plan.

The review team reviewed the State's program for the implementation of pre-licensing guidance. At the time of the review, the State had incorporated the essential objectives of the original pre-licensing guidance that required site visits and background checks of applicants requesting risk-significant quantities of radioactive materials. The State had, incorporated the, objectives of the revised pre-licensing guidance. However, in some cases, licensing staff were considering applicants to be known entities if the RSO/Authorized users had been on a previous license. Clarification on the definition of 'known entity' was made with NRC headquarters. As detailed in NRC's Office of Federal and State Materials and Environmental Management Programs (FSME) Letter RCPD-08-020, dated September 22, 2008, States were given 6 months from the date of the letter to incorporate the essential objectives of the revised pre-licensing guidance into their respective licensing program. The review team noted two instances where site visits had not been performed following the implementation deadline because of this misinterpretation. The review team discussed the revised requirements of the pre-license guidance with the Illinois program who committed to implementing this interpretation of the new requirements.

The State has also implemented a pre-licensing criterion in addition to the NRC's guidance. For RSOs, CEOs, Authorized users and Medical Physicists that are unknown to the Agency, a due diligence background check is completed on the individual using a commercial service approved by the Agency.

Based on the IMPEP evaluation criteria, the review team recommends that Illinois performance with respect to the indicator, Technical Quality of Licensing Actions, be found satisfactory.

3.5 Technical Quality of Incident and Allegation Activities

In evaluating the effectiveness of the Section's actions in responding to incidents and allegations, the review team examined the Bureau's response to the questionnaire relative to this indicator, evaluated selected incidents reported for Illinois in the Nuclear Material Events Database (NMED) against those contained in the Section's files, and evaluated the casework for 20 of 49 reported radioactive materials incidents. A listing of the casework examined can be found in Appendix E. The review team also evaluated the Section's response to seven allegations involving radioactive materials reported during the review period.

When notified of an incident or an allegation, the Section discusses the initial response and the need for an on-site investigation, based on the safety significance. The Section maintains a database for tracking the status of all incidents and allegations. If the incident meets the reporting criteria established in FSME Procedure SA-300, "Reporting Material Events," the Section promptly notifies NRC's Headquarters Operations Center, typically by e-mail, using the information template established for NMED. If the investigation is complex and extends over a period of time, NMED is updated as additional information becomes available. Of the incidents evaluated by the review team, all had been reported to NRC within the required time frame and submitted for inclusion in NMED.

Deleted: not yet
Deleted: essential
Deleted: that added site visits for any unknown applicant

Formatted: Font: (Default) Arial, 11 pt
Formatted: Normal, Line spacing: single
Formatted: Font: (Default) Arial, 11 pt
Formatted: Font: (Default) Arial, 11 pt
Deleted: '
Deleted: '
Formatted: Font: 12 pt
Deleted: 's

Revision 1, "Consolidated Guidance About Materials Licenses – Applications for Sealed Source and Device Evaluation and Registration." The review team confirmed that all applicable and pertinent American National Standards Institute standards, NUREG-1556 Series guides, NRC Regulatory Guides, and applicable references were available and used appropriately in performing the SS&D reviews.

The review team determined that the registration files contained all photographs, engineering drawings, radiation profiles, and details of the applicant's quality assurance and quality control program. The registrations clearly summarized the product evaluation to provide license reviewers with adequate information to license the possession and use of the product. Deficiency letters clearly stated regulatory positions and all health and safety issues were properly addressed. The review team found that the evaluations were generally of high quality with health and safety issues properly addressed.

(Previous paragraph says generally of high quality. How is this programmatic?). The review team noted that one of the files was missing correspondence dates. However, the diagram in the correspondence was included in the registry as the only enforceable portion of the correspondence. In one other case, the reviewer was using a checklist that was not consistent with the most current guidance. This was discussed with the Program who committed to update the checklist to include the most current guidance. The review team did not identify any associated performance issues through the review of casework.

Deleted: The review team identified programmatic practices that were found to be inconsistent with generally accepted practices for case evaluations

Deleted: some

Deleted: were

Deleted: and that

Deleted: s

Deleted: were

4.2.3 Evaluation of Defects and Incidents Regarding SS&Ds

Utilizing NMED and the Section's response to the questionnaire, the review team examined a selected sample of events involving registered products that occurred during the review period. The events involved equipment and sources, registered by the State of Illinois, that occurred both within the State and nationwide.

One event related to a leaking source registered by the State was reported during the review period. The State conducted an investigation to obtain additional information about the leaking source. The results of the investigation were documented and complete, and stated corrective actions taken by the licensee. These corrective actions, relating to the licensee's quality assurance program, were never incorporated into the license or the SS&D registry. For future events of this nature, the Section committed to leaving NMED reports open until the license has been appropriately amended and the licensee has implemented their corrective actions.

Based on the IMPEP evaluation criteria, the review team recommends that Illinois's performance with respect to the indicator, Sealed Source and Device Evaluation Program, be found satisfactory.

4.3 Low-level Radioactive Waste Disposal Program

Although NRC's Agreement with the State of Illinois relinquishes the authority for a low-level radioactive waste (LLRW) program, the State's LLRW program is currently inactive. No further activity is anticipated at this time; therefore, the LLRW program staff is working on other projects. Accordingly, the review team did not review this indicator.

APPENDIX C

INSPECTION CASEWORK REVIEWS

NOTE: CASEWORK LISTED WITHOUT COMMENT IS INCLUDED FOR COMPLETENESS ONLY.

File No.: 1
Licensee: PetroChem Inspection Services
Inspection Type: Reciprocity/Special, Announced
Inspection Date: 11/12/08
License No.: IL-00408-01
Priority: 1
Inspector: JP

Comment:
Inspection documentation issued to licensee 56 days late.

File No.: 2
Licensee: Advanced Radiation Oncology Center
Inspection Type: Routine/Special, Announced
Inspection Date: 9/7/07
License No.: IL-02178-01
Priority: 2
Inspector: JK

File No.: 3
Licensee: Southern Illinois School of Medicine
Inspection Type: Routine/Special, Announced
Inspection Date: 6/25/08
License No.: IL -01161-01
Priority: 2
Inspector: GM

Comment:
Inspection documentation issued to licensee 46 days late.

File No.: 4
Licensee: Caterpillar, Inc.
Inspection Type: Routine/Special, Announced
Inspection Date: 1/5/07
License No.: IL-01463-01
Priority: 1
Inspector: GM

Comment:
Inspection documentation issued to licensee 13 days late.

File No.: 5
Licensee: Senco Construction, Inc.
Inspection Type: Routine/Special, Unannounced
Inspection Date: 7/5/06
License No.: IL-02002-01
Priority: 1
Inspector: GM

File No.: 6
Licensee: St. Francis Medical Center
Inspection Type: Special, Announced
Inspection Dates: 1/8-10/08
License No.: IL-01361-01
Priority: 2
Inspector: GM

Deleted: 1463

File No.: 7

Licensee: Northern Illinois University
Inspection Type: Routine/Special, Unannounced
Inspection Dates: 7/13-14/06

License No.: IL-01773-01
Priority: 3
Inspectors: RM, AG

Comment:

Inspection documentation issued to licensee 12 days late.

File No.: 8

Licensee: Mistras Group, Inc.
Inspection Type: Routine/Special, Announced
Inspection Dates: 8/30/06 and 9/5/06

License No.: IL-01968-01
Priority: 1
Inspector: AG

Comment:

Inspection documentation issued to licensee 22 days late.

File No.: 9

Licensee: Baxter Healthcare Corporation
Inspection Type: Routine/Special, Unannounced
Inspection Dates: 5/7-8/08

License No.: IL-01278-02
Priority: 5
Inspector: WH

Comment:

Inspection documentation issued to licensee 34 days late.

File No.: 10

Licensee: Neurologic and Orthopedic Institute of Chicago
Inspection Type: Initial/Special, Announced
Inspection Date: 2/1/07

License No.: IL-02207-01
Priority: 2
Inspector: JP

Deleted: WH

File No.: 11

Licensee: Ingalls Memorial Hospital
Inspection Type: Routine, Unannounced
Inspection Dates: 4/19-20/07

License No.: IL-01342-01
Priority: 3
Inspector: WH

File No.: 12

Licensee: ConocoPhillips Pipe Line Company
Inspection Type: Routine, Announced
Inspection Date: 6/22/06

License No.: IL-01332-01
Priority: 5
Inspector: GM

File No.: 13

Licensee: Chicago Magnesium Casting Company
Inspection Type: Decommissioning, Announced
Inspection Date: 11/10/08

License No.: IL-01077-01
Priority: 1
Inspector: DP

APPENDIX F

SEALED SOURCE & DEVICE (SS&D) CASEWORK REVIEWS

NOTE: CASEWORK LISTED WITHOUT COMMENT IS INCLUDED FOR COMPLETENESS ONLY.

File No.: 1
Registry No.: IL-1074-S-101-S
Manufacturer: Bard Brachytherapy, Inc.
Date Issued: 4/1/08
SS&D Type: (AA) Manual Brachytherapy
Model No.: STM 125I
Type of Action: Amendment
SS&D Reviewers: SK,CV

Comment:
Licensee's corrective actions were not incorporated into the license of the SS&D registry.

File No.: 2
Registry No.: IL-1074-S-101-S
Manufacturer: Bard Brachytherapy, Inc.
Date Issued: 6/6/07
SS&D Type: (AA) Manual Brachytherapy
Model No.: STM 125I
Type of Action: Amendment
SS&D Reviewer: MB,CV

File No.: 3
Registry No.: IL-1074-S-101-S
Manufacturer: Bard Brachytherapy, Inc.
Date Issued: 1/31/07
SS&D Type: (AA) Manual Brachytherapy
Model No.: STM 125I
Type of Action: Amendment
SS&D Reviewer: MB,CV

File No.: 4
Registry No.: IL-1074-S-101-S
Manufacturer: Bard Brachytherapy, Inc.
Date Issued: 1/31/06
SS&D Type: (AA) Manual Brachytherapy
Model No.: STM 125I
Type of Action: Amendment
SS&D Reviewer: CV

File No.: 5
Registry No.: IL-1074-S-101-S
Manufacturer: Bard Brachytherapy, Inc.
Date Issued: 12/16/05
SS&D Type: (AA) Manual Brachytherapy
Model No.: STM 125I
Type of Action: Amendment
SS&D Reviewer: SK,CV

File No.: 6
Registry No.: IL-1074-S-101-S
Manufacturer: Bard Brachytherapy, Inc.
Date Issued: 9/13/05
SS&D Type: (AA) Manual Brachytherapy
Model No.: STM 125I
Type of Action: Amendment
SS&D Reviewer: SK,CV

File No.: 7

Registry No.: IL-1082-S-101-S

Manufacturer: REVISS Services, Inc.

Date Issued: 11/1/08

SS&D Type: (J)(K)(L)(M) Gamma Irradiator

Model No.: RSL2089

Type of Action: Amendment

SS&D Reviewers: MB,CV

Comment: An e-mail containing a diagram was not included as a tie down in the SS&D registry. (Diagram itself previously included in registry. Unenforceable email references not necessary).

File No.: 8

Registry No.: IL-235-D-102-B

Manufacturer: Oxford Instruments America, Inc.

Date Issued: 12/29/08

SS&D Type: (U) X-Ray Fluorescence

Model No.: Various

Type of Action: Amendment

SS&D Reviewers: SK,CV

File No.: 9

Registry No.: IL-605-D-106-B

Manufacturer: Siemens Medical Solutions USA, Inc.

Date Issued: 10/8/08

SS&D Type: (Y) Calibrator

Model No.: 07837722

Type of Action: Amendment

SS&D Reviewers: SK,CV

File No.: 10

Registry No.: IL-605-D-106-B

Manufacturer: Siemens Medical Solutions USA, Inc.

Date Issued: 7/25/07

SS&D Type: (Y) Calibrator

Model No.: 07837722

Type of Action: Amendment

SS&D Reviewer: SK,CV

IEMA Division of Nuclear Safety
New Licenses and Terminations by Month

7/9/2009

Between 04/05/2005 and 05/15/2009

Action Type	Facility	Schema	Amnd Approved
New Application 86-02351-01	River to River Heart Group 3333 W Deyoung St Marion, IL 62959-5884	52200	01/11/2008
Attn:	Timothy K Schmidt CEO		7/7/08
New Application (77-00428-01)	N-Spec Quality Services, Inc. PO Box 4792 Corpus Christi, TX 78469-4792	87000	01/14/2008
Attn:	<i>Reciprocity</i>		
New Application 86-02369-01	South Suburban Cancer Center 17750 Kedzie Ave Hazel Crest, IL 60429-2047	55100	01/16/2009
Attn:	Jayant V Ginde Radiation Safety Officer		<i>Pending</i>
New Application 86-02290-01	Fox Valley Internal Medicine LLC 650 Dakota St Ste A Crystal Lake, IL 60012-3744	52200	01/23/2006
Attn:	George Urban Managing Member		5/5/06
New Application 86-02291-01	Vernon Hills Shared Services, LLC 565 Lakeview Pkwy Ste 150 Vernon Hills, IL 60061-1839	52200	01/24/2006
Attn:	Sandra L Davis Vice President		5/26/06
New Application 86-02321-01	Ogle County Highway Department 1989 S II Route 2 Oregon, IL 61061-9501	65000	01/26/2007
Attn:	Curtis D Cook RSO		6/26/07
New Application 86-02292-01	Diagnostic Cardiac Imaging, LLC 9669 Kenton Ave Ste 206 Skokie, IL 60076-1226	52200	01/31/2006
Attn:	Ronald R Stancy Radiation Safety Officer		5/10/06
New Application (77-00418-01)	Blue Ribbon Environmental Services, Inc. 509 Katherine Avenue Lebanon, OH 45036	29800	02/01/2007
Attn:	Michael Merz Office Manager <i>Reciprocity</i>		

IEMA Division of Nuclear Safety
New Licenses and Terminations by Month
 Between 04/05/2005 and 05/15/2009

7/9/2009

Action Type	Facility	Schema	Amnd Approved
New Application 86-02339-01	Chicago Radiation Oncology, S.C. (Jackson Park Hospital Site) 7531 S Stony Island Ave Chicago, IL 60649-3954	55100	02/05/2008 6/27/08
Attn:	Mohammad Khan President		
New Application 86-02371-01	Eichrom Technologies, LLC 1955 University Ln Lisle, IL 60532-2151	80400	02/23/2009 Pending
Attn:	Terrence C O'Brien		
New Application 86-02293-01	Organ Recovery Systems 2570 E Devon Ave Des Plaines, IL 60018-4912	80400	02/24/2006 6/9/06
Attn:	P.J. Pardo Director, Regulatory & Quality Mgmt		
New Application 86-02377-01	Midwest Environmental Consulting Services, Inc. 4 Bonnie Ln Yorkville, IL 60560-9748	65000	02/27/2009 Pending
Attn:	Blake Mellecker President		
New Application 86-02324-01	Petroff Trucking Co., Inc. PO Box 838 Collinsville, IL 62234-0838	65000	03/02/2007 6/28/07
Attn:	Steven Petroff		
New Application 86-02353-01	Suburban Cardiologists, SC 333 Chestnut St Ste 105 Hinsdale, IL 60521-3248	52200	03/13/2008 7/24/08
Attn:	Meechai Tessalee Radiation Safety Officer		
New Application 86-02327-01	R.W. Dunteman Co. PO Box 1129 600 S. Lombard Rd. Addison, IL 60101-8159	65000	03/16/2007 7/27/07
Attn:	Jeff Dunteman V.P. Operations		
New Application 86-02296-01	Anil K. Khemani M.D. S.C. 3703 Doty Rd Medical Office Building 1, Suite 4 Woodstock, IL 60098-7517	52400	03/22/2006 7/19/06

IEMA Division of Nuclear Safety
New Licenses and Terminations by Month

7/9/2009

Between 04/05/2005 and 05/15/2009

Action Type	Facility	Schema	Amnd Approved
Attn:	Anil K Khemani		
New Application 86-02322-01	Advanced Medical Diagnostics 3330 W 177th St Ste 3E Hazel Crest, IL 60429-2196	52200	03/30/2007 <i>1/30/08</i>
Attn:	William Crevier CEO		
New Application 86-02254-01	Advanced Heart Group SC 71 W 156th St Ste 305 Harvey, IL 60426-4264	68000	04/05/2005 <i>8/4/05</i>
Attn:	P. Sandy Sundram President		
New Application 86-02261-01	Mt. Vernon Heart Institute PO Box 789 4204 Williamson Place Mount Vernon, IL 62864-0016	52400	04/06/2005 <i>11/29/05</i>
Attn:	Mohammed Haseeb Owner		
New Application 86-02326-01	Martin Speracino 208 W School St Winnebago, IL 61088-8592	65000	04/10/2007 <i>7/26/07</i>
Attn:	Martin Speracino Owner		
New Application 86-02264-01	Midland Standard Engineering and Testing, Inc. 558 Plate Dr Ste 6 East Dundee, IL 60118-2458	65000	04/13/2005 <i>8/3/05</i>
Attn:	William D Prigge President		
New Application 86-02258-01	Northern Illinois Cancer Treatment Center 327 II Route 2 Dixon, IL 61021-9118	55100	04/15/2005 <i>8/5/05</i>
Attn:	Jon Berens Medical Physicist		
New Application 77-00431-01	Stowe Woodward, LLC One Technology Drive Westborough, MA 01581-1774	65000	04/18/2008
Attn:	<i>Resprocity</i>		
New Application	Water Remediation Technology, LLC	83100	04/20/2005 <i>1/12/06</i>

IEMA Division of Nuclear Safety
New Licenses and Terminations by Month
 Between 04/05/2005 and 05/15/2009

7/9/2009

Action Type	Facility	Schema	Amnd Approved
86-02251-01	9500 W 49th Ave Ste D100 Wheat Ridge, CO 80033-2239		
Attn:	Duane Bollig VP-Environmental & Government Affairs		
New Application	Chicago Cardiology Institute, S.C.	52200	04/22/2009
86-02380-01	800 Biesterfield Rd Ste 3007 Brock Building Elk Grove Village, IL 60007-3371		Pending
Attn:	Parag M Doshi M.D.		
New Application	JR Chhibber, M.D., SC	52400	04/23/2009
86-02385-01	642 E 79th St Chicago, IL 60619-3070		Pending
Attn:	Ronald D Edwards		
New Application	Entler Excavating Company, Inc	65000	04/24/2008
86-02355-01	819 N Sunnyside Rd Decatur, IL 62522-9701		10/3/08
Attn:	Jeff Entler Manager		
New Application	Plote Construction, Inc.	65000	04/27/2006
86-02295-01	1100 Brandt Dr Hoffman Estates, IL 60192-1676		8/25/06
Attn:	John Felker Radiation Safety Officer		
New Application	Dr. Stanley Bialowas	52400	04/27/2007
86-02330-01	3902 W Diversey Ave Chicago, IL 60647-1021		9/11/07
Attn:	Stanley Bialowas Owner		
New Application	James D. Fiala Asphalt Corp.	65000	04/28/2006
86-02298-01	1375 Joliet Rd Romeoville, IL 60446-4053		8/25/06
Attn:	William R Wentzel RSO		
New Application	Lawrence County Memorial Hospital	52200	04/29/2005
86-02269-01	2200 State St Lawrenceville, IL 62439-1852		8/31/05
Attn:	Sylvia Pulleyblank CEO of County Health Services		

IEMA Division of Nuclear Safety
New Licenses and Terminations by Month
 Between 04/05/2005 and 05/15/2009

7/9/2009

Action Type	Facility	Schema	Amnd Approved
New Application 86-02356-01	Environmental Resources Management 12755 Olive Blvd., Ste 110 St Louis, MO 63141-6242	65000	05/02/2008 <i>9/30/08</i>
Attn:	Scott Pearce Construction Manager		
New Application 86-02304-01	Techknow Engineering, LLC 30 E Adams St Ste 1100 Chicago, IL 60603-5609	65000	05/04/2006 <i>9/5/06</i>
Attn:	Kulbhushan Razdan President		
New Application 86-02363-01	GEO Consultants, LLC PO Box 95 199 Kentucky Avenue Kevii, KY 42053-0095	79800	<u>05/04/2009</u> <i>Pending</i>
Attn:	Jeffrey W Douthitt President		
New Application 86-02384-01	James McHugh Construction Company 1737 S Michigan Ave Chicago, IL 60616-1211	65000	<u>05/04/2009</u> <i>Pending</i>
Attn:	Jeremy Ruggio Quality Control Manager		
New Application 86-02331-01	Mendota Community Hospital 1315 Memorial Dr Mendota, IL 61342-1447		05/09/2007 <i>9/19/07</i>
Attn:	Lynn E Klein Administrator/CEO		
New Application 86-02358-01	Cardiovascular Associates of Glenbrook and Evanston 2501 Compass Rd Ste 100 Glenview, IL 60026-8000	52200	05/09/2008 <i>9/11/08</i>
Attn:	Patrick J Byrne		
New Application 86-02328-01	Southwest Comprehensive Oncology Center Radiation Therapy Cons., Ltd. 7800 W 122nd St Palos Heights, IL 60463-1279	55100	05/11/2007 <i>11/9/07</i>
Attn:			
New Application 86-02382-01	Hutson & Associates, Inc PO Box 182 120 N Washington Bunker Hill, IL 62014-0182	65000	<u>05/11/2009</u> <i>Pending</i>

IEMA Division of Nuclear Safety
New Licenses and Terminations by Month
Between 04/05/2005 and 05/15/2009

7/9/2009

Action Type	Facility	Schema	Amnd Approved
Attn: Timothy Gross VP Engineering			
New Application 86-02379-01	Test Construction Company 3900 Pine Hill Rd Sterling, IL 61081-9313	65000	05/12/2009 <i>Pending</i>
Attn: Isabel Tessmann			
New Application 86-02386-01	Siemens Building Technologies, Inc. 8 Fernwood Road Florham Park, NJ 07932-1906	85200	05/12/2009 <i>Pending</i>
Attn: Harry M Lee FSP Quality/Mgr/Rad Safety Officer			
New Application 86-02325-01	Perry Memorial Hospital 530 Park Ave E Princeton, IL 61356-3901	52200	05/15/2007 <i>5/8/08</i>
Attn: Rex D Conger President and CEO			
New Application 86-01050-02	Paris Community Hospital 721 E Court St Paris, IL 61944-2460	52200	05/20/2005 <i>10/24/05</i>
Attn: John D Fajt Administrator			
New Application 86-02268-01	G&S Asphalt, Inc. 16870 N Quality Lime Rd Marshall, IL 62441-4442		05/24/2005 <i>10/25/05</i>
Attn: Gary Peak President			
New Application 86-02315-01	KRONES, Inc. 6312 Oakton St Morton Grove, IL 60053-2723	85700	05/26/2007 <i>2/27/08</i>
Attn: Ronald B Wilson RSO			
New Application 86-02300-01	Horizon Medical Center, LTD. 1301 N Plum Grove Rd Schaumburg, IL 60173-4547	52200	05/30/2006 <i>10/5/06</i>
Attn: Asharaf T Dabawala President			
New Application 86-02271-01	Forest City Diagnostic Imaging 735 N Perryville Rd Rockford, IL 61107-6200	52200	05/31/2005 <i>4/13/06</i>

IEMA Division of Nuclear Safety
New Licenses and Terminations by Month
 Between 04/05/2005 and 05/15/2009

7/9/2009

Action Type	Facility	Schema	Amnd Approved
Attn:	Kevin J O'Grady RSO		
New Application 86-02272-01	KALGEn Consultants, Inc. 716 N Wisconsin Ave Villa Park, IL 60181-1505	65000	05/31/2005 10/13/05
Attn:	Atri Kalluri Principal Engineer		
New Application 86-02297-01	Illinois Cement Company PO Box 442 La Salle, IL 61301-0442	64000	05/31/2006 6/13/07 ☆
☆ Attn:	Jerry Crittenden Plant Manager		
New Application 86-02302-01	The Heart Care Group 6810 State Route 162 Ste 102 Anderson Hospital Professional Building Maryville, IL 62062-8501	52200	05/31/2006 10/5/06
Attn:	Suzan R Huseman Manager		
New Application 86-02305-01	Friendsville Mine, LLC 528 Main Street, Suite 202 Evansville, IN 47708	64000	05/31/2006 11/17/06
Attn:	John C Harman Manager		
New Application 86-02301-01	Shahríar Dadkhah, M.D., S.C. 800 Austin St Suite 304 West Tower Evanston, IL 60202-3439	52400	06/07/2006 10/16/06
Attn:	Shahríar Dadkhah Owner and President		
New Application 86-02344-01	Joliet Radiation Oncology at Hoffman Cancer Center 1301 Copperfield Ave Ste 116 Joliet, IL 60432-2055	55100	06/16/2008 11/21/08
Attn:	Salwa Asaad Medical Director		
New Application 86-02360-01	Oncology Specialists, S.C. 7900 N Milwaukee Ave Unit 16 Niles, IL 60714-3165	52200	06/17/2008 11/24/08
Attn:			
New Application	Molecular Imaging of Suburban Chicago, LLC	52200	06/21/2005 11/1/05

IEMA Division of Nuclear Safety
New Licenses and Terminations by Month
 Between 04/05/2009 and 05/15/2009

7/9/2009

Action Type	Facility	Schema	Amnd Approved
86-02273-01	230 E Ogden Ave Ste 100 Hinsdale, IL 60521-2460		
Attn:	Rajeev Batra Managing Member		
New Application	INEOS USA, LLC	64000	06/21/2006
86-02289-01	Radiation Safety Office, 601-1NE 150 West Warrenville Road Naperville, IL 60566		11/1/06
Attn:	James A Kaduk Chairman, Radiation Safety Committee		
New Application	St. Louis Cardiology Consultants, Ltd.	52200	06/23/2005
86-02266-01	11133 Dunn Road, Suite 2346 St. Louis, MO 63136-6119		11/3/05
Attn:	Samer Thanavaro Owner		
New Application	Superior Asphalt Materials, LLC	65000	06/26/2005
86-02265-01	P.O. Box 998 Aurora, IL 60507-0998		10/13/05
Attn:	Alan C Roerig Q.C. Manager		
New Application	Cardiology Medical Group	52200	06/29/2007
86-02335-01	6625 S Pulaski Rd Chicago, IL 60629-5137		11/21/07
Attn:			
New Application	Anna Hospital Corporation d/b/a Union County Hospital 517 N Main St Anna, IL 62906-1668	52200	06/30/2005
86-01896-02			11/1/05
Attn:	James Farris C.E.O.		
New Application	DuPage Medical Group	52200	07/01/2008
86-02361-01	808 Rickert Dr Ste 100 Naperville, IL 60540-0905		12/1/08
Attn:	Donald L Miller Health Physicist		
New Application	Rochelle Community Hospital		07/06/2007
86-02098-02	900 N 2nd St Rochelle, IL 61068-1764		11/19/07
Attn:	Bruce Peterson CEO		

IEMA Division of Nuclear Safety
New Licenses and Terminations by Month
 Between 04/05/2005 and 05/15/2009

7/9/2009

Action Type	Facility	Schema	Amnd Approved
New Application 86-02277-01	GeoLog Well Services, Inc. PO Box 577 Wayne City, IL 62895-0577 Attn: Gregory K Pottorff President	77000	07/08/2005 <i>4/13/06</i>
New Application 86-02357-01	Kankakee Radiation Oncology, LLC 100 Provena Way Bourbonnais, IL 60914-4796 Attn: Jon Berens	55100	07/14/2008 <i>1/28/09</i>
New Application 86-02270-01	Midwest Imaging & Diagnostic Center, Inc. 5702 W 95th St Oak Lawn, IL 60453-2345 Attn: Ashraf Abourahma RSO	52200	07/22/2005 <i>11/30/05</i>
New Application 86-02274-01	Premier Diagnostic Imaging Solutions, Inc. 8700 S Dante Ave Chicago, IL 60619-7118 Attn: John Saldanha Administrative Director	52200	07/22/2005 <i>6/13/06</i>
New Application 86-02134-02	Midwest Center for Advanced Imaging 4355 Montgomery Road Naperville, IL 60564 Attn: Mary L Roy Radiation Safety Officer	52200	07/28/2006 <i>1/31/08</i>
<p><i>This license replaced an existing license (-01) @ same company. Action entered as 'new application' Not a new entity.</i></p>			
New Application 86-02275-01	Seven Hills Nuclear Imaging Center, Inc. 49 Bradford Ln Oak Brook, IL 60523-2350 Attn: Srinivas Ravanam	52400	07/29/2005 <i>6/21/06</i>
New Application 86-02333-01	Consultants in Cardiovascular Imaging 675 W North Ave Ste 210 Melrose Park, IL 60160-1604 Attn:	68000	08/03/2007 <i>12/19/07</i>
New Application 86-02342-01	Hickory Cardiac Care, LLC 3611 W 183rd St Village West Office Center Hazel Crest, IL 60429-2409	52200	08/10/2007 <i>12/17/07</i>

IEMA Division of Nuclear Safety
New Licenses and Terminations by Month

7/9/2009

Between 04/05/2005 and 05/15/2009

Action Type	Facility	Schema	Amnd Approved
Attn:	Tahir M Khokher Radiation Safety Officer		
New Application	Bi-State Cardiovascular Consultants	52400	08/17/2006
86-02306-01	2355 Dougherty Ferry Road, Suite 440 St. Louis, MO 63122-3325		8/24/07 *
* Attn:	Zia M Ahmad Owner		
New Application	Advanced Imaging Center, LLC	52400	08/17/2007
86-02338-01	615 Valley View Dr Ste 101 Moline, IL 61265-6150		1/11/08
Attn:	Mike Kilmartin Radiation Manager		
New Application	Advanced Cardiology & Vascular Services, LLC	52200	08/21/2006
86-02308-01	317 Salem Pl Ste 180 Fairview Heights, IL 62208-1359		4/30/08 *
* Attn:	Hatim Mahmood Owner - DATABASE ERROR -		
New Application	North Shore Physicians Group	52200	08/22/2006
86-02313-01	9312 Skokie Blvd Skokie, IL 60077-1309		12/20/06
Attn:	John Sabbia RSO		
New Application	InMed Diagnostic Services of Illinois	52200	08/30/2005
86-02278-01	10419 Fleming Rd Carterville, IL 62918-3391		1/23/06
Attn:	Robert E Adams President		
New Application	Astellas Research Institute of America	80400	08/30/2007
86-02329-01	8045 Lamon Ave Skokie, IL 60077-5308		1/10/08
Attn:			
New Application	Dr. Shah	68000	08/30/2007
86-02334-01	2315 E 93rd St Ste 322 Chicago, IL 60617-3948		1/28/08
Attn:	Uday Shah President		
New Application	Brian Szydzik	65000	08/30/2007
86-02337-01	103 Stoneshire Ct Unit C Hampshire, IL 60140-7640		8/17/08

IEMA Division of Nuclear Safety
New Licenses and Terminations by Month
 Between 04/05/2005 and 05/15/2009

7/9/2009

Action Type	Facility	Schema	Amnd Approved
Attn:	Brian Szydzik		
New Application 86-02276-01	The Heart Specialists, Ltd. 4900 S Archer Ave Archer Medical Arts Building Chicago, IL 60632-3663	52200	08/31/2005 12/2/05
Attn:	Ashish Mukherjee Director		
New Application 86-02282-01	Geetha Reddy, M.D. PO Box 1127 Libertyville, IL 60048-4127	52400	08/31/2005 12/16/05
Attn:	Geetha M Reddy Owner		
New Application 86-02359-01	Molecular Imaging of Bolingbrook PET, LLC 420 Remington Blvd Ste 110 Bolingbrook, IL 60440-4930	52200	09/02/2008
Attn:	Rajeev Batra Manager		
New Application 86-02311-01	Randall Medical Imaging Center 1710 N Randall Rd Ste 180 Elgin, IL 60123-9403	52200	09/08/2006 2/8/07
Attn:	Richard Kim Medical Director		
New Application 86-02283-01	Conrad DeLatour & Associates, Inc. 1221 Rand Rd Des Plaines, IL 60016-3402	65000	09/09/2005 2/24/06
Attn:	Joyce DeLatour President		
New Application 86-02285-01	Kiewit Western Co. PO Box 66092 Chicago, IL 60666-0092	65000	09/12/2005 1/4/06
Attn:	Robert Lester Quality Control Manager		
New Application 86-02314-01	Alliance Consulting, Inc. 124 Philpott Lane Beaver, WV 25813-9502	65000	09/12/2006 4/9/07
Attn:	C. David Irlé RSO		
New Application	GSG Material Testing, Inc.	65000	09/20/2007 7/17/08

IEMA Division of Nuclear Safety
New Licenses and Terminations by Month
 Between 04/05/2005 and 05/15/2009

7/9/2009

Action Type	Facility	Schema	Amnd Approved
86-02340-01	2945 W Harrison St Chicago, IL 60612-3334		
Attn:	Umar T Ahmad Vice President		
New Application	Southern Cook Radiation Oncology, Ltd. Southern Cook Radiation Treatment Center 2310 York St St. Francis Pavilion Blue Island, IL 60406-2411	55100	09/21/2006
86-02299-01			8/11/07
Attn:	Gregorio M Tolentino Radiation Oncologist, Medical Director		
New Application	Sherman Family Health Center at Royal Boulevard	52200	09/23/2005
86-02280-01	2320 Royal Blvd Elgin, IL 60123-4717		1/13/06
Attn:	Thomas Nitz Admin. Director, Diagnostic Services		
New Application	Tecma Testing, Inc.	65000	09/28/2007
86-02332-01	2011 E Devon Ave Elk Grove Village, IL 60007-6803		3/17/09
Attn:	<i>- DATABASE ERROR -</i>		
New Application	e + healthcare XV, LLC d/b/a PET Imaging of Chicago 6801 34th St Ste 105 Berwyn, IL 60402-5590	52200	10/06/2006
86-02317-01			2/16/07
Attn:	Jerry Eyer Chief Financial Officer		
New Application	MidWest Brachytherapy, Inc. d/b/a source2site 538 N Walnut St Elmhurst, IL 60126-1848	55100	10/12/2005
86-02262-01			2/6/06
Attn:	Steven M Pighini Director of Operations		
New Application	Community Cancer Center	52200	10/12/2007
86-02349-01	407 E Vernon Ave Normal, IL 61761-3813		5/13/08
Attn:	Barbara J Nathan Executive Director		
New Application	Clinical Radiologists, S.C.	52200	10/17/2007
86-02348-01	701 N 1st St Springfield, IL 62781-0001		3/20/08
Attn:	Thomas Dickerson Chief Executive Officer		

IEMA Division of Nuclear Safety
New Licenses and Terminations by Month
 Between 04/05/2005 and 05/15/2009

7/9/2009

Action Type	Facility	Schema	Amnd Approved
New Application 86-02347-01	Adventist Bolingbrook Hospital 500 Remington Blvd Bolingbrook, IL 60440-4906	52200	10/19/2007 3/12/08
Attn:	Isaac Palmer CEO		
New Application 86-02310-01	Edgebrook Radiology Management Services 5320 W Devon Ave Chicago, IL 60646-4108	52200	10/20/2006 2/23/07
Attn:	George Nellamattathil Director		
New Application 86-02279-01	Abbott Molecular, Inc. 1300 E Touhy Ave Des Plaines, IL 60018-3315	80400	10/21/2005 6/23/06
Attn:	Terry W Liaboe Sr. Staff Spec.- Environ., Hlth & Safety		
New Application 86-02281-01	Geo Services, Inc. 805 Amherst Ct Ste 204 Naperville, IL 60565-3448	65000	10/24/2005 2/24/06
Attn:	Julian Rueda President		
New Application 86-02286-01	Arlington Heights Radiology Center, LLC 121 S Wilke Rd Ste 103 Arlington Heights, IL 60005-1524		10/31/2005 3/2/06
Attn:	Jerry Rice Manager		
New Application 86-02309-01	Radiopharmacy, Inc. 1409 E. Virginia St. Evansville, IN 47711	66000	10/31/2006 4/11/07
Attn:	Timothy M Quinton President and RSO		
New Application 86-02364-01	OSF Rock Cut Crossing 9951 Rock Cut Crossing Loves Park, IL 61111	52200	11/06/2008 4/7/09
Attn:	Victoria Kirnberger Radiology Manager		
New Application 86-02284-01	Advanced Diagnostics, SC 2320 W Peterson Ave Chicago, IL 60659-5242	52200	11/10/2005 10/2/06
Attn:	Aref Senno President		

IEMA Division of Nuclear Safety
New Licenses and Terminations by Month
 Between 04/05/2005 and 05/15/2009

7/9/2009

Action Type	Facility	Schema	Amnd Approved
New Application 86-02312-01	C.C. Support Properties, LLC d/b/a Illinois Cancer Care 8940 N Wood Sage Rd Peoria, IL 61615-7822	52200	11/21/2006 5/15/07
Attn:	Peggy Ramsey Director of Operations		
New Application 86-01480-02	Rosalind Franklin University of Medicine & Science 3333 Green Bay Rd North Chicago, IL 60064-3037	71100	11/22/2006 12/4/07
Attn:	Rachel E Harrington Director, Environmental, Health, & Safet		
<i>Existing License who separated activities into 2 for license for administrative purposes</i>			
New Application 86-02365-01	PetroChem Inspection Services, Inc. 1475 E. Sam Houston Pkwy South, Ste 100 Pasadena, TX 77503-2313	87000	11/25/2008 3/6/09
Attn:	Ronald J Hayden Corporate RSO		
New Application 86-02343-01	Northwest Healthcare Associates 1555 Barrington Rd Ste 2300B Hoffman Estates, IL 60169-1021	52200	11/29/2007 5/27/08
Attn:	Daun Jaconetti Practice Administrator		
New Application 86-02345-01	Loyola Center for Heart and Vascular Medicine at Park Ridge 2160 S 1st Ave Maguire Center, Room 2919-A Maywood, IL 60153-3328	52200	11/29/2007 5/7/08
Attn:	Todd Senglaub		
New Application 86-02362-01	TEAM Services, Inc 717 SE 6th Street Des Moines, IA 50309-5200	65000	12/01/2008
Attn:			
<i>License terminated before 12 month period. No RSO received under license</i>			
New Application 86-02316-01	V4 Construction, Inc. 230 Westmore Meyers Rd Lombard, IL 60148-3041		12/13/2006
Attn:	Haseeb M Suhail RSO		
<i>License terminated before 12 month period elapsed. No RSO obtained under license</i>			
New Application 86-02318-01	American Diagnostic Medicine 960 N Industrial Dr Ste 7 Elmhurst, IL 60126-1119	52200	12/14/2006 4/27/07

IEMA Division of Nuclear Safety
New Licenses and Terminations by Month
 Between 04/05/2005 and 05/15/2009

7/9/2009

Action Type	Facility	Schema	Amnd Approved
Attn:	Sam Kancherlappali President		
New Application 86-02346-01	Nutrition Clinic, Nuclear Medicine, Inc. 2355 S Arlington Heights Rd Ste 150 Arlington Heights, IL 60005-4506	52400	12/14/2007 <i>4/24/08</i>
Attn:	Gautam Gupta Owner		
New Application 86-02366-01	Lafarge North America- Cave In Rock Quarry RR 1 Box 267 Ford Ferry Road Cave In Rock, IL 62919-9761	64000	12/15/2008 <i>4/28/09</i>
Attn:	Keith Conn RSO		
New Application 86-02367-01	Cancer Care Specialists of Central IL Attn. Edward C. Elliott, M.D. 2300 N Edward St Decatur Memorial Hospital Decatur, IL 62526-4163	52200	12/15/2008 <i>4/14/09</i>
Attn:	Edward C Elliott Radiation Oncologist		
New Application 86-02217-02	Raymond G. Scott Cancer Care Center 304 Randall Rd Geneva, IL 60134-4200	55100	<u>12/17/2008</u>
Attn:			
New Application 86-02370-01	Advanced Heart Care, L.L.C. 4600 Memorial Dr Ste W3 Medical Building Belleville, IL 62226-5366	52200	12/18/2008 <i>5/4/09</i>
Attn:	Tom Schlarman		
New Application 86-02287-01	G. Rabine & Sons, Inc. PO Box 250 Spring Grove, IL 60081-0250	65000	12/20/2005 <i>4/21/06</i>
Attn:	Gary L Treese Jr QC/QA Manager		
New Application 86-02288-01	Sukhjot Singh Gill, M.D.S.C. 62 Baybrook Ln Oak Brook, IL 60523-1640	52400	12/20/2005 <i>9/19/06</i>
Attn:	Sukhjot S Gill Owner		

IEMA Division of Nuclear Safety
New Licenses and Terminations by Month

7/9/2009

Between 04/05/2005 and 05/15/2009

Action Type	Facility	Schema	Amnd Approved
New Application 86-02341-01	Shared Imaging, LLC 801 Phoenix Lake Ave Streamwood, IL 60107-2363 Attn: David Neally Senior VP	68000	12/20/2007 11/14/08
New Application 86-02350-01	Tazewell County Asphalt 23497 Ridge Rd East Peoria, IL 61611-9213 Attn:	65000	12/20/2007 5/12/08
New Application 86-02319-01	Sung Sup Kim, MD, P.C. 5140 N California Ave Ste G-465 Chicago, IL 60625-3645 Attn: Sung Sup Kim President	52400	12/21/2006 7/6/07
New Application 86-02336-01	Geotechnology, Inc. 11812 Lackland Rd., Ste 150 St. Louis, MO 63146 Attn: Dale Smith Branch Manager	29800	12/26/2007 5/27/08
New Application 86-02352-01	Christ Brothers Products, LLC 820 S Fritz St Lebanon, IL 62254-1720 Attn: Mark O Christ Member	65000	12/26/2007 5/29/08
Termination 74-00113-01	NorthShore University Health Systems 750 Homewood Ave Ste B100 Highland Park, IL 60035-2434 Attn: S. Guru Prasad Corporate RSO		01/06/2009
Termination 76-00247-01	National University of Health Sciences 200 E Roosevelt Rd Lombard, IL 60148-4539 Attn: Greg D Cramer Dean of Research		01/07/2009
Termination 86-01781-22	POWMEET, Inc. PO Box 5086 Rockford, IL 61125-0086 Attn: William C Thiede President		01/10/2006

118 new apps

Page 16 of 33
 pgs 17-33 (Remaining Page full terminations)

10 pending 6 1/2 with 4 1/2 exceptions