## CHESTER COUNTY

## 395049075434301. Local number, CH 5178 (New Garden Township, Chester County, Spray Irrigation Project)

LOCATION.--Lat 39°50'49", long 75°43'43", Hydrologic Unit 02040205, at Spray Irrigation Site in New Garden Township.

Owner: New Garden Township Municipal Authority.

AQUIFER .-- Felsic Gneiss of Precambrian age.

#### WATER-LEVEL RECORDS

WELL CHARACTERISTICS.--Drilled observation well, diameter 4 in., depth 89.9 ft, cased to 89 ft, closed end, screened from 69-89 ft.

INSTRUMENTATION.--Electronic data logger with 60-minute recording interval.

DATUM.--Elevation of land surface is 357.0 ft. above National Geodetic Vertical Datum of 1929. Measuring point: Top of plywood shelf, 1.5 ft above land-surface datum.

REMARKS.—In addition to the daily mean water levels shown below, daily maximum and minimum water levels, since May 1998, are also available from the District Office. Other data for this project are presented in tables on pages 318-328 and 426-435.

PERIOD OF RECORD.—May 23, 1998 to current year. (discontinued)

**EXTREMES FOR PERIOD OF RECORD.**—The extremes shown are extremes of the instantaneous depth below land surface for the period of record

Highest water level, 9.26 ft below land-surface datum, May 18, 2000; lowest, 23.01 ft below land-surface datum, Jan. 1, 2, 1999.

EXTREMES FOR CURRENT YEAR.--Highest water level, 12.10 ft below land-surface datum, Oct. 9; lowest, 15.89 ft below land-surface datum, Jan. 10.

#### DEPTH BELOW LAND SURFACE (WATER LEVEL) (FEET), WATER YEAR OCTOBER 2001 TO SEPTEMBER 2002 INSTANTANEOUS VALUES

	WATER		WATER		WATER		WATER
DATE	LEVEL	DATE	LEVEL	DATE	LEVEL	DATE	LEVEL
ОСТ 9	12.10	NOV 5	13.68	DEC 4	14.96	JAN 10	15.89

## WATER-QUALITY RECORDS

REMARKS.-- Samples collected with submersible pump from recovery water after well was pumped more than three casing volumes. **PERIOD OF RECORD.**--May 1998 to December 2001. (discontinued)

#### WATER-QUALITY DATA, OCTOBER 2001 TO DECEMBER 2001

Date	Time	LYZING SAMPLE (CODE NUMBER)	COL- LECTING SAMPLE (CODE	SOLVED (MG/L)	(STAND- ARD UNITS)	DUCT- ANCE (µS/CM)	TEMPER- ATURE WATER (DEG C)	SOLVED (MG/L AS CA)	DIS- SOLVED (MG/L AS MG)
OCT 2001 09 NOV	1530	9813	1028	. 4	8.5	242	12.3	30.5	3.93
05 DEC	1400	9813	1028	.7	8.3	239	12.2		
	1330	9813	1028		8.4	240	12.3	28.7	4.32
Date	SIUM, DIS- SOLVED (MG/L AS K)	DIS- SOLVED (MG/L AS NA)	ANC WATER UNFLTRD IT FIELD (MG/L AS CACO3) (00419)	DIS- SOLVED (MG/L AS BR)	DIS- SOLVED (MG/L AS CL)	RIDE, DIS- SOLVED (MG/L AS F)	(MG/L AS SIO2)	SULFATE DIS- SOLVED (MG/L AS SO4)	DEG. C DIS- SOLVED (MG/L)
OCT 2001 09	6.22	8.26	66	<.2	3.6	<.20	13.6	47.6	158
NOV 05			67						
DEC 04	6.72	8.17	61	<.2	3.6	<.20	13.8	47.1	160
Date	DIS- SOLVED (MG/L AS N)	NITRO- GEN, AMMONIA TOTAL (MG/L AS N)	GEN DIS- SOLVED (MG/L	GEN, NITRATE DIS- SOLVED (MG/L AS N)	NITRITE DIS- SOLVED (MG/L AS N)	PHOS- PHORUS DIS- SOLVED (MG/L AS P)	DIS- SOLVED (MG/L AS P)	CARBON, ORGANIC DIS- SOLVED (MG/L	
OCT 2001 09	.040		<.06	<.04	<.040	.015	.011	<1.0	
NOV 05	.030	.030	<.06	< .04	<.040	.014	<.010		
DEC 04	<.020		.14	<.04	<.040	<.010	<.010	<1.0	

# CHESTER COUNTY

# **395049075434301. Local number, CH 5178**--Continued

# WATER-QUALITY DATA, OCTOBER 2001 TO DECEMBER 2001

Date	ANTI- MONY, DIS- SOLVED (µG/L AS SB) (01095)	ARSENIC DIS- SOLVED (µG/L AS AS) (01000)	BARIUM, DIS- SOLVED (µG/L AS BA) (01005)	BORON, DIS- SOLVED (µG/L AS B) (01020)	CADMIUM DIS- SOLVED (µG/L AS CD) (01025)	CHRO- MIUM, DIS- SOLVED (µG/L AS CR) (01030)	COPPER, DIS- SOLVED (µG/L AS CU) (01040)	IRON, DIS- SOLVED (µG/L AS FE) (01046)
OCT 2001 09 NOV 05	<2 	<4.0	35.2	<200	<10	<4	<4 	100
04	<2	<4.0	34.7	<200	<10	<4	<4	30
Date	LEAD, DIS- SOLVED (µG/L AS PB) (01049)	LITHIUM DIS- SOLVED (µG/L AS LI) (01130)	MANGA- NESE, DIS- SOLVED (μG/L AS MN) (01056)	MERCURY DIS- SOLVED (μG/L AS HG) (71890)	NICKEL, DIS- SOLVED (µG/L AS NI) (01065)	SELE- NIUM, DIS- SOLVED (µG/L AS SE) (01145)	STRON- TIUM, DIS- SOLVED (µG/L AS SR) (01080)	ZINC, DIS- SOLVED (µG/L AS ZN) (01090)
OCT 2001 09 NOV	<1.0	<20	30	<.20	<4.0	<7	80	<10
05 DEC								
04	<1.0	<20	20	<.20	<4.0	<7	80	<10