

Hysterectomy Rate

Inpatient Quality Indicators #28

Technical Specifications

Area-Level Indicator

Procedure Utilization Indicator

AHRQ Quality Indicators, Version 4.3, August 2011

Numerator

Female discharges age 18 years and older with a hysterectomy procedure.

ICD-9-CM Hysterectomy procedure codes:

683	SUBTOT ABD HYSTERECTOMY	6859	OTH VAG HYS (OCT96)
6831	LAP SCERVIC HYSTERECTOMY (OCT03)	686	RADICAL ABD HYSTERECTOMY
6839	OTH SUBTOT ABD HYSTERECT (OCT03)	6861	LAP RADICAL ABDOMNL HYST (OCT06)
684	TOTAL ABD HYSTERECTOMY	6869	RADICAL ABD HYST NEC/NOS (OCT06)
6841	LAP TOTAL ABDOMINAL HYST (OCT06)	6871	LAP RADICAL VAGINAL HYST (OCT06)
6849	TOTAL ABD HYST NEC/NOS (OCT06)	6879	RADICAL VAG HYST NEC/NOS (OCT06)
685	VAGINAL HYSTERECTOMY (OCT06)	687	RADICAL VAG HYSTERECTOMY
6851	LAPAR ASSIST VAG HYS (OCT06)	689	HYSTERECTOMY NEC/NOS

Exclude cases:

- with genital cancer in any diagnosis field
- with pelvic or lower abdominal trauma in any diagnosis field
- MDC 14 (pregnancy, childbirth, and puerperium)
- with missing discharge disposition (DISP=missing), gender (SEX=missing), age (AGE=missing), quarter (DQTR=missing), year (YEAR=missing) or principal diagnosis (DX1=missing)

ICD-9-CM Female genital cancer diagnosis codes:

179	MALIG NEOPL UTERUS NOS	1841	MAL NEO LABIA MAJORA
1800	MALIG NEO ENDOCERVIX	1842	MAL NEO LABIA MINORA
1801	MALIG NEO EXOCERVIX	1843	MALIGN NEOPL CLITORIS
1808	MALIG NEO CERVIX NEC	1844	MALIGN NEOPL VULVA NOS
1809	MAL NEO CERVIX UTERI NOS	1848	MAL NEO FEMALE GENIT NEC
181	MALIGNANT NEOPL PLACENTA	1849	MAL NEO FEMALE GENIT NOS
1820	MALIG NEO CORPUS UTERI	2331	CA IN SITU CERVIX UTERI
1821	MAL NEO UTERINE ISTHMUS	2332	CA IN SITU UTERUS NEC
1828	MAL NEO BODY UTERUS NEC	2333	CA IN SITU FEM GEN NEC
1830	MALIGN NEOPL OVARY	23330	CA IN SITU FEM GEN NOS
1832	MAL NEO FALLOPIAN TUBE	23331	CARCINOMA IN SITU VAGINA
1833	MAL NEO BROAD LIGAMENT	23332	CARCINOMA IN SITU VULVA
1834	MALIG NEO PARAMETRIUM	23339	CA IN SITU FEM GEN NEC
1835	MAL NEO ROUND LIGAMENT	2360	UNCERT BEHAV NEO UTERUS
1838	MAL NEO ADNEXA NEC	2361	UNC BEHAV NEO PLACENTA
1839	MAL NEO ADNEXA NOS	2362	UNC BEHAV NEO OVARY
1840	MALIGN NEOPL VAGINA	2363	UNC BEHAV NEO FEMALE NEC

ICD-9-CM Pelvic or lower abdominal trauma diagnosis codes:

8674	UTERUS INJURY-CLOSED	8677	PELVIC ORGAN INJ NEC-OPN
8675	UTERUS INJURY-OPEN	8678	PELVIC ORGAN INJ NOS-CL
8676	PELVIC ORGAN INJ NEC-CL	8679	PELVIC ORGAN INJ NOS-OPN

**AHRQ QI, Inpatient Quality Indicators #28, Technical Specifications,
Hysterectomy Rate
www.qualityindicators.ahrq.gov**

86800	INTRA-ABDOM INJ NOS-CLOS	8796	OPEN WOUND OF TRUNK NEC
86803	PERITONEUM INJURY-CLOSED	8797	OPEN WND TRUNK NEC-COMPL
86804	RETROPERITONEUM INJ-CL	8798	OPEN WOUND SITE NOS
86809	INTRA-ABDOM INJ NEC-CLOS	8799	OPN WOUND SITE NOS-COMPL
86810	INTRA-ABDOM INJ NOS-OPEN	9060	LT EFF OPN WND HEAD/TRNK
86813	PERITONEUM INJURY-OPEN	9081	LATE EFF INT INJ ABDOMEN
86814	RETROPERITONEUM INJ-OPEN	9082	LATE EFF INT INJURY NEC
86819	INTRA-ABDOM INJ NEC-OPEN	9391	FOREIGN BODY UTERUS
8690	INTERNAL INJ NOS-CLOSED	9474	BURN OF VAGINA & UTERUS
8691	INTERNAL INJURY NOS-OPEN		

Denominator

Discharges in the numerator are assigned to the denominator based on the Metro Area¹ or county of the patient residence, not the Metro Area or county of the hospital where the discharge occurred.

¹ The term "metropolitan area" (MA) was adopted by the U.S. Census in 1990 and referred collectively to metropolitan statistical areas (MSAs), consolidated metropolitan statistical areas (CMSAs), and primary metropolitan statistical areas (PMSAs). In addition, "area" could refer to either 1) FIPS county, 2) modified FIPS county, 3) 1999 OMB Metropolitan Statistical Area, or 4) 2003 OMB Metropolitan Statistical Area. Micropolitan Statistical Areas are not used in the QI software.