

**Table 1. Non-chinook salmon mortality in BSAI groundfish fisheries (including pollock)**

Year	Annual	Annual	Annual	A season	B season	A season	B season	A season	B season
	with CDQ	without CDQ	CDQ only	With CDQ	Without CDQ	Without CDQ	Without CDQ	CDQ only	CDQ only
1991	na	30,262	na	na	na	3,016	27,246	na	na
1992	na	41,450	na	na	na	2,120	39,329	na	na
1993	na	243,270	na	na	na	1,848	241,422	na	na
1994	94,548	83,384	11,165	5,599	88,949	5,291	78,093	309	10,856
1995	21,875	21,290	585	3,033	18,842	2,903	18,387	130	456
1996	78,060	75,801	2,259	665	77,395	619	75,181	45	2,214
1997	66,994	62,765	4,229	2,710	64,285	2,618	60,148	92	4,137
1998	65,697	64,782	915	4,520	61,177	4,432	60,350	88	827
1999	47,132	46,325	807	393	46,739	378	45,947	15	792
2000	59,327	57,621	1,706	350	58,977	283	57,338	67	1,639
2001	60,731	57,440	3,291	2,903	57,828	2,719	54,721	184	3,107
2002	82,483	78,879	3,604	1,698	80,785	1,677	77,202	21	3,583
2003	191,150	182,748	8,402	4,113	187,037	3,876	178,872	237	8,165
2004	450,541	440,130	10,411	1,028	449,513	998	439,132	30	10,381
2005	709,388	700,979	8,409	1,030	708,358	998	699,981	32	8,377
2006	325,183	323,789	1,394	2,312	322,871	2,245	321,544	67	1,327
2007	97,348	90,166	7,182	9,639	87,709	8,475	81,691	1,164	6,018
2008	16,877	16,339	538	517	16,360	443	15,896	74	464
2009	47,130	46,138	992	163	46,967	163	45,975	0	992
2010	14,423	13,893	530	222	14,201	222	13,671	0	530
2011	192,909	188,972	3,937	415	192,494	371	188,601	44	3,893
2012	24,251	23,882	369	308	23,943	307	23,575	1	368

**Table 2. Non-chinook salmon mortality in BSAI pollock directed fisheries.**

Year	Annual	Annual	Annual	A season	B season	A season	B season	A season	B season
	with CDQ	without CDQ	CDQ only	With CDQ	Without CDQ	Without CDQ	Without CDQ	CDQ only	CDQ only
1991	na	28,951	na	na	na	2,850	26,101	na	na
1992	na	40,274	na	na	na	1,951	38,324	na	na
1993	na	242,191	na	na	na	1,594	240,597	na	na
1994	92,672	81,508	11,165	3,991	88,681	3,682	77,825	309	10,856
1995	19,264	18,678	585	1,708	17,556	1,578	17,100	130	456
1996	77,236	74,977	2,259	222	77,014	177	74,800	45	2,214
1997	65,988	61,759	4,229	2,083	63,904	1,991	59,767	92	4,137
1998	64,042	63,127	915	4,002	60,040	3,914	59,213	88	827
1999	45,172	44,610	562	362	44,810	349	44,261	13	549
2000	58,571	56,867	1,704	213	58,358	148	56,719	65	1,639
2001	57,007	53,904	3,103	2,386	54,621	2,213	51,691	173	2,930
2002	80,782	77,178	3,604	1,377	79,404	1,356	75,821	21	3,583
2003	189,185	180,783	8,402	3,834	185,351	3,597	177,186	237	8,165
2004	440,460	430,272	10,188	422	440,038	395	429,877	27	10,161
2005	705,588	697,877	7,711	595	704,993	563	697,314	32	7,679
2006	309,646	308,431	1,215	1,328	308,318	1,261	307,170	67	1,148
2007	93,788	87,317	6,471	8,524	85,264	7,368	79,949	1,156	5,315
2008	15,269	14,834	435	322	14,947	248	14,586	74	361
2009	46,275	45,325	950	48	46,227	48	45,277	0	950
2010	13,280	12,754	526	40	13,240	40	12,714	0	526
2011	191,446	187,677	3,769	297	191,149	286	187,391	11	3,758
2012	22,214	22,013	201	11	22,203	10	22,003	1	200

Notes Updated 11/9/12

Starting in 2011, the sampling method for salmon in BS pollock directed fisheries changed to census counts

Non-CDQ data for 1991-2002 from blend program database (bsahalx.dbf)

Non-CDQ data for 2003-2010 from Catch Accounting System database (akfish\_v\_gg\_pscnq\_estimate)

Non-CDQ data for 2011-2012 from Catch Accounting System database (akfish\_v\_gg\_txn\_primary\_psc)

CDQ data for 1992-1997 from blend program database (bsahalx.dbf)

CDQ data for 1998 from blend program database (boatrate.dbf)

CDQ data for 1999-2007 from CDQ catch report database (akfish\_v\_cdq\_catch\_report\_total\_catch)

CDQ data for 2008-2010 from Catch Accounting System database (akfish\_v\_gg\_pscnq\_estimate\_cdq)

CDQ data for 2011-2012 from Catch Accounting System database (akfish\_v\_gg\_txn\_primary\_psc)

A season - January 1 to June 10

B season - June 11 to December 31

For specific pollock season dates by year see <http://www.alaskafisheries.noaa.gov/sustainablefisheries/plckseas.pdf>