

Appendix 3 : SPECIES OF CONSERVATION CONCERN IN THE GREAT BASIN

This appendix lists the 207 species of conservation concern (species with declining or rare habitats or populations) that we identified for the Great Basin Ecoregion. The 207 species are composed of 133 plants, 11 invertebrates, and 63 vertebrates. All plants, all invertebrates, and 23 vertebrates were not included our regional assessment, based on the screening process outlined in [Chapter 5](#). This process left 40 vertebrate species of concern that were the focus of our prototype assessment ([Table 5.1](#)), as described in [Chapter 5](#).

Table A3.1. Species of conservation concern associated with the sagebrush ecosystem in the Great Basin Ecoregion; extracted from the sagebrush ecosystem master list (see Wisdom et al. 2003).

Taxonomic class Species	Scientific name	Global rank ^a	State ranks ^a			Distribution within Great Basin	
			CA	NV	UT	Basin-wide	Restricted
Invertebrates							
Acastus (sagebrush) checkerspot	<i>Chlosyne acastus</i>	G4G5T1	S2S3	S1	S?	X	
Baking Powder Flat blue	<i>Euphilotes bernardino minuta</i>	G5T1		S1			X
Spring Mountains dark blue	<i>Euphilotes enoptes</i> ssp.	G1		S1			X
Mattoni's blue	<i>Euphilotes rita mattonii</i>	G3G4T1		S1			X
Spring Mountains comma skipper	<i>Hesperia comma</i> ssp.	G5T1		S1			X
MacNeill's saltbush sootywing	<i>Hesperopsis graciela</i>	G2	S3	S1	S1		X
Pahranagat naucorid bug	<i>Pelecoris shoshone shoshone</i>	G1		S1			X
Steptoe Valley crescentspot	<i>Phyciodes pascoensis</i> ssp.	G5T1		S1			X
Bleached sandhill skipper	<i>Polites sabuleti sinemaculata</i>	G5T1		S1			X
Atlantis fritillary	<i>Speyeria atlantis elko</i>	GRT2		S2			X
Grey's silverspot	<i>Speyeria atlantis greyi</i>	GRT1T2		S1S2			X
						Total	10

Table A3.1. Species of conservation concern associated with the sagebrush ecosystem in the Great Basin Ecoregion; extracted from the sagebrush ecosystem master list (see Wisdom et al. 2003).

Species	Taxonomic class	Scientific name	Global rank ^a	State ranks ^a			Distribution within Great Basin	
				CA	NV	UT	Basin-wide	Restricted
Amphibians								
Great Basin spadefoot		<i>Scaphiopus intermontanus</i>	G5	S5	S4	S4	X	
							Total	1
Reptiles								
Desert collared lizard		<i>Crotaphytus insularis</i>	G5	S?	S4	S4	X	
Longnose leopard lizard		<i>Gambelia wislizenii</i>	G5	S5	S4	S4	X	
Short-horned lizard		<i>Phrynosoma douglasi</i>	G5	S4	S?			X
Desert horned lizard		<i>Phrynosoma platyrhinos</i>	G5	S5	S4	S4	X	
Sagebrush lizard		<i>Sceloporus graciosus</i>	G5	S5	S4	S5	X	
Desert spiny lizard		<i>Sceloporus magister</i>	G5	S5	S5	S3S4	X	
Night snake		<i>Hypsiglena torquata</i>	G5	S5	S5	S4	X	
Striped whipsnake		<i>Masticophis taeniatus</i>	G5	S4	S5	S5	X	
Longnose snake		<i>Rhinocheilus lecontei</i>	G5	S5	S5	S3	X	
Ground snake		<i>Sonoraa semiannulata</i>	G5	S4	S5	S2	X	
							Total	9
Birds								
Ferruginous hawk		<i>Buteo regalis</i>	G4TU	S3S4	S3	S2N,S2S3B	X	
Swainson's hawk		<i>Buteo swainsoni</i>	G5	S2	S2B	S3B,SRN	X	
Prairie falcon		<i>Falco mexicanus</i>	G5	S3	S4	S4	X	
Greater sage-grouse		<i>Centrocercus urophasianus</i>	G4	S3	S4	S2	X	

Table A3.1. Species of conservation concern associated with the sagebrush ecosystem in the Great Basin Ecoregion; extracted from the sagebrush ecosystem master list (see Wisdom et al. 2003).

Species	Taxonomic class	Scientific name	Global rank ^a	State ranks ^a			Distribution within Great Basin	
				CA	NV	UT	Basin-wide	Restricted
Gunnison sage-grouse		<i>Centrocercus minimus</i>	G1			S1		X
Sharp-tailed grouse		<i>Tympanuchus phasianellus</i>	G4	SX	SX	S1S2		X
Long-billed curlew		<i>Numenius americanus</i>	G5	S2	S3?B	S3B	X	
Short-eared owl		<i>Asio flammeus</i>	G5	S3	S4	S2S3	X	
Western burrowing owl		<i>Speotyto cunicularia</i>	G4TU	S2	S3B		X	
Gray flycatcher		<i>Empidonax wrightii</i>	G5	S5	S4B	S4S5B	X	
Rock wren		<i>Salpinctes obsoletus</i>	G5	S5	S5	S3N,S4S5B	X	
Sage thrasher		<i>Oreoscoptes montanus</i>	G5	S5	S5B	S4S5B,SAN	X	
Loggerhead shrike		<i>Lanius ludovicianus</i>	G4	S4	S3	S3S4N,S4B	X	
MacGillivray's warbler		<i>Oporornis tolmiei</i>	G5	S?	S4B	S4S5B	X	
Virginia's warbler		<i>Vermivora virginiae</i>	G5	S2S3	S4?B	S4S5B		X
Grasshopper sparrow		<i>Ammodramus savannarum</i>	G5	S2	S3B	S1B		X
Sage sparrow		<i>Amphispiza belli</i>	G5	S?	S4B,S4N	S3S4	X	
Black-throated sparrow		<i>Amphispiza bilineata</i>	G5	S?	S5B	S2N,S5B	X	
Lark bunting		<i>Calamospiza melanocorys</i>	G5	S?		S2S3B		X
Lark sparrow		<i>Chondestes grammacus</i>	G5	S?	S4B	S2N,S5B	X	
Green-tailed towhee		<i>Pipilo chlorurus</i>	G5	S?	S5B	S4B	X	
Vesper sparrow		<i>Pooecetes gramineus</i>	G5	S?	S4B	S2N,S5B	X	
Brewer's sparrow		<i>Spizella breweri</i>	G5	S?	S4?B	S4S5B	X	
Brewer's blackbird		<i>Euphagus cyanocephalus</i>	G5	S?	S5B	S4S5		X
						Total	19	5

Table A3.1. Species of conservation concern associated with the sagebrush ecosystem in the Great Basin Ecoregion; extracted from the sagebrush ecosystem master list (see Wisdom et al. 2003).

Species	Taxonomic class	Scientific name	Global rank ^a	State ranks ^a			Distribution within Great Basin	
				CA	NV	UT	Basin-wide	Restricted
Mammals								
Merriam's shrew		<i>Sorex merriami</i>	G5	S3	S3	S2?	X	
Preble's shrew		<i>Sorex preblei</i>	G4	S?	S2	S1		X
California leaf-nosed bat		<i>Macrotus californicus</i>	G4	S2S3	S2			X
Pallid bat		<i>Antrozous pallidus</i>	G5	S3	S3B	S3	X	
Spotted bat		<i>Euderma maculatum</i>	G4	S2S3	S1S2	S2	X	
Western small-footed myotis		<i>Myotis ciliolabrum</i>	G5	S?	S3B	S2	X	
Long-eared myotis		<i>Myotis evotis</i>	G5	S4?	S4B	S4B,SZN	X	
Fringed myotis		<i>Myotis thysanodes</i>	G4G5	S4	S2B	S2B,SZN?	X	
Cave myotis		<i>Myotis velifer</i>	G5	S1	SR			X
Yuma myotis		<i>Myotis yumanensis</i>	G5	S5	S4B	S3		X
Townsend's big-eared bat		<i>Corynorhinus townsendii</i>	G4	S3S4	S3B	S2	X	
California mastiff bat		<i>Eumops perotis californicus</i>	G5T4	S?	S1			X
Big free-tailed bat		<i>Nyctinomops macrotis</i>	G5	S2	S1N	S2B		X
Kit fox		<i>Vulpes macrotis</i>	G4	S3S4	S4	S3	X	
Pronghorn		<i>Antilocapra americana</i>	G5	S4	S5	S4	X	
Wyoming ground squirrel		<i>Spermophilus elegans nevadensis</i>	G5		S5	S2S3	X	
Rock squirrel		<i>Spermophilus variegatus robustus</i>	G5	S2	S5	S5	X	
Cliff chipmunk		<i>Tamias dorsalis dorsalis</i>	G5		S5	S4	X	
Merriam's kangaroo rat		<i>Dipodomys merriami</i>	G5	S5	S5	S3	X	
Chisel-toothed kangaroo rat		<i>Dipodomys microps</i>	G5	S4	S5	S3	X	
Ord's kangaroo rat		<i>Dipodomys ordii</i>	G5	S3S4	S4	S5	X	
Dark kangaroo mouse		<i>Microdipodops megacephalus</i>	G5	S3S4	S2	S2	X	

Table A3.1. Species of conservation concern associated with the sagebrush ecosystem in the Great Basin Ecoregion; extracted from the sagebrush ecosystem master list (see Wisdom et al. 2003).

Species	Taxonomic class	Scientific name	Global rank ^a	State ranks ^a			Distribution within Great Basin	
				CA	NV	UT	Basin-wide	Restricted
Little pocket mouse		<i>Perognathus longimembris</i>	G5	S5	S5	S3	X	
Northern grasshopper mouse		<i>Onychomys leucogaster</i>	G5	S3S4	S5	S4S5	X	
Pinyon mouse		<i>Peromyscus truei</i>	G5	S5	S5	S4S5	X	
Sagebrush vole		<i>Lemmiscus curtatus</i>	G5	S4	S5	S3S4	X	
White-tailed jackrabbit		<i>Lepus townsendii</i>	G5	S3	S5	S3S4	X	
Pygmy rabbit		<i>Brachylagus idahoensis</i>	G4	S3	S4?	S2S3	X	
								Total 22 6
Plants								
Cusick's giant-hyssop		<i>Agastache cusickii</i>	G3G4		S2			X
Meadow pussytoes		<i>Antennaria arcuata</i>	G2		S1			X
Bodie Hills rockcress		<i>Arabis bodiensis</i>	G2	S1	S2			X
Grouse Creek rockcress		<i>Arabis falcatoria</i>	G1		S1	S1		X
Elko rockcress		<i>Arabis falciflora</i>	G1G2		S1S2			X
Ophir rockcress		<i>Arabis ophira</i>	G1G2		S1S2			X
Mystery wormwood		<i>Artemisia biennis</i> var. <i>diffusa</i>	G5T1Q			S1?		X
Packard's artemisia		<i>Artemisia packardiae</i>	G3		S2			X
Fuzzy sagebrush		<i>Artemisia papposa</i>	G4		S2			X
Eastwood milkweed		<i>Asclepias eastwoodiana</i>	G2Q		S2			X
Coral lichen		<i>Aspicilia fruticulosa</i>	G3		S1	OCC		X
Clokey milkvetch		<i>Astragalus aequalis</i>	G2		S2			X
Alvord milkvetch		<i>Astragalus alvordensis</i>	G4		S2			?
Sheep Mountain milkvetch		<i>Astragalus amphioxys</i> var. <i>musimonum</i>	G5T2		S2			X

Table A3.1. Species of conservation concern associated with the sagebrush ecosystem in the Great Basin Ecoregion; extracted from the sagebrush ecosystem master list (see Wisdom et al. 2003).

Species	Taxonomic class	Scientific name	Global rank ^a	State ranks ^a			Distribution within Great Basin	
				CA	NV	UT	Basin-wide	Restricted
Goose Creek milkvetch		<i>Astragalus anserinus</i>	G2		S1	S1		X
Astragalus anxius		<i>Astragalus anxius</i>	G1	S1				X
Beatley milkvetch		<i>Astragalus beatleyae</i>	G3		S3			X
Cronquist milkvetch		<i>Astragalus cronquistii</i>	G2			S1		X
Debris milkvetch		<i>Astragalus detritalis</i>	G3			S3		?
Duchesne milkvetch		<i>Astragalus duchesnensis</i>	G3			S3		X
Horseshoe milkvetch		<i>Astragalus equisoleensis</i>	G5T1			S1		X
Geyer's milkvetch		<i>Astragalus geyeri</i> var. <i>geyeri</i>	G4?T4?	S2	SR			X
Gilman milkvetch		<i>Astragalus gilmanii</i>	G3	S3	S1			X
Inyo milkvetch		<i>Astragalus inyoensis</i>	G2	SR	S1			X
Starveling milkvetch		<i>Astragalus jejunus</i> var. <i>jejunus</i>	G3T3		SR	S1		?
Ferron milkvetch		<i>Astragalus musiniensis</i>	G2			S2		?
Egg milkvetch		<i>Astragalus oophorus</i>	G4	S?	S4	S3		X
Lavin eggvetch		<i>Astragalus oophorus</i> var. <i>lavinii</i>	G4T2	S1	S2			X
Long-calyx eggvetch		<i>Astragalus oophorus</i> var. <i>lonchocalyx</i>	G4T2	S?	S2	S1S2		X
Fisher Tower's milkvetch		<i>Astragalus piscator</i>	G2G3			S2		X
Ame's milkvetch		<i>Astragalus pulsiferae</i> var. <i>suksdorfii</i>	G4T3?	S3?	S1			X
San Rafael milkvetch		<i>Astragalus rafaelensis</i>	G3			S2S3		X
Spring Mountain milkvetch		<i>Astragalus remotus</i>	G2		S2			X
Sandstone milkvetch		<i>Astragalus sesquiflorus</i>	G3?			S3		X
Lonesome milkvetch		<i>Astragalus solitarius</i>	G3		S1			X
Four-wing milkvetch		<i>Astragalus tetrapterus</i>	G4		SR	S3		X
Toquima milkvetch		<i>Astragalus toquimanus</i>	G2		S2			X

Table A3.1. Species of conservation concern associated with the sagebrush ecosystem in the Great Basin Ecoregion; extracted from the sagebrush ecosystem master list (see Wisdom et al. 2003).

Species	Taxonomic class	Scientific name	Global rank ^a	State ranks ^a			Distribution within Great Basin	
				CA	NV	UT	Basin-wide	Restricted
Currant milkvetch		<i>Astragalus uncialis</i>	G2		S1S2	S2		X
Mud flat milk-vetch		<i>Astragalus yoder williamsii</i>	G3		S1			X
Cane Spring evening-primrose		<i>Camissonia megalantha</i>	G3Q		S3			X
Winged-seed evening primrose		<i>Camissonia pterosperma</i>	G4	SR	SR	S1		X
Hairy wild cabbage		<i>Caulanthus pilosus</i>	G4	SR	SR	S2?		X
Broad-flowered pincushion		<i>Chaenactis stevioides</i>	G4	SR	SR	S3		X
Remote rabbitbrush		<i>Chrysothamnus eremobius</i>	G1		S1			X
Ownbey's thistle		<i>Cirsium ownbeyi</i>	G3			S1		X
Barren Valley collomia		<i>Collomia renacta</i>	G1Q		S1			X
Tufted cryptantha		<i>Cryptantha caespitosa</i>	G4			S1?		X
Schoolcraft's catseye		<i>Cryptantha schoolcraftii</i>	G3Q		S3			X
Snake river cryptantha		<i>Cryptantha spiculifera</i>	G4?	SR	SR	S1		X
White River catseye		<i>Cryptantha welshii</i>	G3		S3			X
Bodie Hills draba		<i>Cusickiella quadricostata</i>	G2	S2	S2			?
Sanicle biscuitroot		<i>Cymopterus ripleyi</i> var. <i>saniculoides</i>	G3G4	S1	S2			X
Gold Butte moss		<i>Didymodon nevadensis</i>	G2G3		S1	OCC		X
Yellowstone draba		<i>Draba incerta</i>	G5			S1		X
Nevada willowherb		<i>Epilobium nevadense</i>	G2		S2	S1		X
Broad fleabane		<i>Erigeron latus</i>	G2		S1			X
Windloving buckwheat		<i>Eriogonum anemophilum</i>	G2G3		S2S3			X
Grand buckwheat		<i>Eriogonum contortum</i>	G3			S2		X
Crosby's buckwheat		<i>Eriogonum crosbyae</i>	G3		S3			X
Ephedra buckwheat		<i>Eriogonum ephedroides</i>	G3			S3		X

Table A3.1. Species of conservation concern associated with the sagebrush ecosystem in the Great Basin Ecoregion; extracted from the sagebrush ecosystem master list (see Wisdom et al. 2003).

Taxonomic class Species	Scientific name	Global rank ^a	State ranks ^a			Distribution within Great Basin	
			CA	NV	UT	Basin-wide	Restricted
Clokey buckwheat	<i>Eriogonum heermannii</i> var. <i>clokeyi</i>	G5T2		S2			X
Lewis buckwheat	<i>Eriogonum lewisii</i>	G3Q		S3			X
Steamboat buckwheat	<i>Eriogonum ovalifolium</i> var. <i>williamsiae</i>	G5T1		S1			X
Prostrate buckwheat	<i>Eriogonum prociduum</i>	G3	S2	S1			X
Altered andesite buckwheat	<i>Eriogonum robustum</i>	G2		S2S3			X
Matted cowpie buckwheat	<i>Eriogonum shockleyi</i> <i>shockleyi</i>	G5T4	S3	SR	SR		X
Frisco buckwheat	<i>Eriogonum soredium</i>	G1			S1		X
Woodside buckwheat	<i>Eriogonum tumulosum</i>	G3			S2		X
Sunnyside green gentian	<i>Frasera gypsicola</i>	G1		S1	S1		X
Pahute green gentian	<i>Frasera pahutensis</i>	G3		S3			X
Dwarf greasebush	<i>Glossopetalon pungens</i> var. <i>pungens</i>	G2G3	S1	S2S3			X
Western sweetvetch	<i>Hedysarum occidentale</i>	G5			S2?		X
(un-named plant)	<i>Hymenoxys acaulis</i> var. <i>nana</i>	G5T1T2			S1S2		X
Richardson's bitterweed	<i>Hymenoxys richardsonii</i>	G4			SR		X
Sierra Valley ivesia	<i>Ivesia aperta</i> var. <i>aperta</i>	G2T2	S2	S1			X
Ash Creek mousetail	<i>Ivesia paniculata</i>	G2	S2				X
Grimy mousetail	<i>Ivesia rhypara</i>	G2		S1			X
Grimy ivesia	<i>Ivesia rhypara</i> <i>rhypara</i>	G2T2		S2			X
Plumas mousetail	<i>Ivesia sericoleuca</i>	G2	S2	SR			X
Webber ivesia	<i>Ivesia webberi</i>	G2	S2	S2			X
Grimes vetchling	<i>Lathyrus grimesii</i>	G3		S3			X
Davis' peppergrass	<i>Lepidium davisii</i>	G3		S1			X
Bruneau River prickly phlox	<i>Leptodactylon glabrum</i>	G2		S1			X

Table A3.1. Species of conservation concern associated with the sagebrush ecosystem in the Great Basin Ecoregion; extracted from the sagebrush ecosystem master list (see Wisdom et al. 2003).

Taxonomic class Species	Scientific name	Global rank ^a	State ranks ^a			Distribution within Great Basin	
			CA	NV	UT	Basin-wide	Restricted
Prostrate bladderpod	<i>Lesquerella prostrata</i>	G3			S1		X
Spreading pygmyleaf	<i>Loeflingia squarrosa</i> var. <i>squarrosa</i>	G5T4?	S?	SR	SR		X
Wideleaf biscuitroot	<i>Lomatium latilobum</i>	G1			S1		X
Packard's lomatium	<i>Lomatium packardiae</i>	G2		S1?			X
Rose's lomatium	<i>Lomatium roseanum</i>	G2G3		S2S3			X
Inch-high lupine	<i>Lupinus uncialis</i>	G4	S1	SR			X
Dolores River skeleton plant	<i>Lygodesmia doloresensis</i>	G1Q			S1		X
Smooth mentzelia	<i>Mentzelia mollis</i>	G2		S1			X
Egg Lake monkey flower	<i>Mimulus pygmaeus</i>	G4	S3				X
Bigelow's four-o'clock	<i>Mirabilis bigelovii retrorsa</i>	G4G5T4	SR	SR	S3		X
Annual dropseed	<i>Muhlenbergia minutissima</i>	G5	SR	SR	S2		X
Bristly combseed	<i>Pectocarya setosa</i>	G5	SR	SR	S2?		X
Dwarf louse wort	<i>Pedicularis centranthera</i>	G4	S1	SR	SR		X
Stemless beardtongue	<i>Penstemon acaulis</i>	G2			S1		X
Yellow twotone beardtongue	<i>Penstemon bicolor</i> ssp. <i>Bicolor</i>	G3T2Q		S2			X
Tunnel Springs beardtongue	<i>Penstemon concinnus</i>	G3		S2	S3		X
Cordelia beardtongue	<i>Penstemon floribundus</i>	G1		S1			X
Gibben's Beardtongue	<i>Penstemon gibbensii</i>	G1			S1		X
Idaho penstemon	<i>Penstemon idahoensis</i>	G1			S1		X
King's beardtongue	<i>Penstemon kingii</i>	G4		S4			X
Lemhi beardtongue	<i>Penstemon lemhiensis</i>	G2		S2			X
Pahute Mesa beardtongue	<i>Penstemon pahutensis</i>	G3	SR	S3			X
Aquarius Plateau beardtongue	<i>Penstemon parvus</i>	G2			S2		X

Table A3.1. Species of conservation concern associated with the sagebrush ecosystem in the Great Basin Ecoregion; extracted from the sagebrush ecosystem master list (see Wisdom et al. 2003).

Species	Taxonomic class	Scientific name	Global rank ^a	State ranks ^a			Distribution within Great Basin	
				CA	NV	UT	Basin-wide	Restricted
Bashful beardtongue		<i>Penstemon pudicus</i>	G1	S1				X
Ward's beardtongue		<i>Penstemon wardii</i>	G2G3			S2S3		X
Beatley scorpion plant		<i>Phacelia beatleyae</i>	G3	S3				X
Obscure scorpion plant		<i>Phacelia inconspicua</i>	G2	S1				X
Playa phacelia		<i>Phacelia inundata</i>	G2	S1	S2?			X
Mono phacelia		<i>Phacelia monoensis</i>	G3Q	S2	S3			X
Chambers' twinpod		<i>Physaria chambersii</i>	G4	SR	SR	S4		X
Small-flowered ricegrass		<i>Piptatherum micranthum</i>	G5	S2S3	SR	SR		X
Desert combleaf		<i>Polyctenium fremontii var. confertum</i>	G4T1T3Q	SR	S1S2			X
Williams combleaf		<i>Polyctenium williamsiae</i>	G2Q		S2			X
Modoc County knotweed		<i>Polygonum polygaloides esotericum</i>	G4G5T1	S1				X
Pygmy poreleaf		<i>Porophyllum pygmaeum</i>	G2	S2				X
California chicory		<i>Rafinesquia californica</i>	G5	SR	SR	S1		X
Columbian yellowcress		<i>Rorippa columbae</i>	G3	S1				X
Clokey Mountain sage		<i>Salvia dorrii var. clokeyi</i>	G5T3		S3			X
Blaine pincushion		<i>Sclerocactus blainei</i>	G1G2		S1	S1		X
Nye pincushion		<i>Sclerocactus nyensis</i>	G1Q		S1			X
Homgren's skullcap		<i>Scutellaria holmgreniorum</i>	G3Q	OCC	S2			X
Jan's catchfly		<i>Silene nachlingerae</i>	G2	S2				X
Jones globemallow		<i>Sphaeralcea caespitosa</i>	G2	S2		S2		X
Wooly mock goldenweed		<i>Stenotus lanuginosus</i>	G5	S1	SR			X
Tiehm stroganowia		<i>Stroganowia tiehmii</i>	G2		S2			X
Malheur stylocline		<i>Stylocline psilocarphoides</i>	G4	SR	SR	S1		X

Table A3.1. Species of conservation concern associated with the sagebrush ecosystem in the Great Basin Ecoregion; extracted from the sagebrush ecosystem master list (see Wisdom et al. 2003).

Taxonomic class Species	Scientific name	Global rank ^a	State ranks ^a			Distribution within Great Basin	
			CA	NV	UT	Basin-wide	Restricted
Howell's thelypody	<i>Thelypodium howellii howelli</i>	GQT1?	S1				X
Charleston grounddaisy	<i>Townsendia jonesii var. tumulosa</i>	G4T3		S3			X
Scapose townsendia	<i>Townsendia scapigera</i>	G4G5	SR	SR	S1		X
Currant Summit clover	<i>Trifolium andinum var. podocephalum</i>	G3T1		S1			X
						Total	133
						Grand Total	52
							155

^a Rankings are those used by NatureServe (<http://www.natureserve.org/explorer/>) and are as follows: G = Global rank indicator, based on worldwide distribution at the species level; T = Global trinomial rank indicator, based on worldwide distribution at the infraspecific level; S = State rank indicator, based on distribution within the state at the lowest taxonomic level; 1 = Critically imperiled due to extreme rarity, imminent threats, and/or biological factors; 2 = Imperiled due to rarity and/or other demonstrable factors; 3 = Rare and local throughout its range, or with very restricted range, or otherwise vulnerable to extinction; 4 = Apparently secure, though frequently quite rare in parts of its range, especially at its periphery; 5 = Demonstrably secure, though frequently quite rare in parts of its range, especially at its periphery; R = Reported from the state, awaiting firm documentation ; U = Unrankable; present and possibly in peril, but not enough data yet to estimate rank; ? = Not yet ranked at the scale indicated (G, T, or S); B = Breeding status within the state; rank for breeding occurrences only; N = Non-breeding status within the state; rank for non-breeding occurrences only; OCC = species occurrence was determined from a source other than NatureServe.