Instructions for Listing Outpatient Candidates Implanted with a Total Artificial Heart

Table of Contents	
Accessing a Candidate's Record	. <u>Page 2</u>
When a Status 1B Adult Outpatient Candidate Implanted with A TAH and Has a Portable Be Listed as an Outpatient Status 1A	Driver Needs to . <u>Page 5</u>
When a Status 1A Inpatient Adult Candidate Implanted with a TAH and Has a Portable D Be Listed as an Outpatient Status 1A	river Needs to . <mark>Page 9</mark>
When a Status 1A Adult Outpatient Candidate Implanted with a TAH and Has a Portable Be Listed as Status 1B	Driver Needs to . <mark>Page 13</mark>
When a Status 7 Adult Outpatient Candidate Implanted with a TAH and Has a Portable D Be Listed as an Outpatient Status 1A	river Needs to . <mark>Page 15</mark>
When a Status 7 Adult Outpatient Candidate Implanted with a TAH and Has a Portable D Be Listed as an Outpatient Status 1B	river Needs to . <mark>Page 19</mark>

Accessing a Candidate Record

- 1) Click the **Active List** link on the left menu.
- 2) The Candidate Search page will display. Select an Institution along with any combination of search criteria (social security, name, Waitlist ID, organ, blood type and medical urgency status). You may sort by organ, status, name, social security number and blood group. You may also select a range of records to display per page (10, 25, 50, 100 and All). The search will default to sort by Organ and 10 Records Per Page if no options are selected. Check the Show Days Active box to display the number of days the candidate has been actively waitlisted on the list page. Then, click the Search button.

lect an Institution:		
AAAA- Member Hos	pital	Go
SSN:		
Last Name:		
First Name:		
Waitlist ID:		
Organ:		*
ABO:		*
Medical Urgency		~
Sort By:	Organ	¥
Records Per Page:	10	~
Show Days Active:		

To immediately access a pending candidate's record to update their information or verify their ABO, you may scroll to the bottom of the **Pending Candidates** section and click the **SSN** link of the candidate's record you wish access.

Note: A candidate's record can only be edited by the user who added the record until it has been verified.

Pending Candid	lates			
To verify the ABO, so match runs. Pending	elect the candidate's SSN be Time indicates how much ti	low. The ABO must b me has passed since	e verified by a second the candidate was a	nd user before the candidate is eligible for dded to the pending list.
Name	SSNT	Organ 🔻	Status	Pending Time *
dr44633, test	44444444	HL	Status 1A	1169 Hrs 9 Mins
dr44633, test	444411111	HL	Status 1A	1170 Hrs 44 Mins
dr44663, test	444477999	HL	Status 1A	1170 Hrs 10 Mins
ie8test, ie8	111222334	HR	Status 1A	256 Hrs 4 Mins

If you <u>do not</u> have ABO Verification permission, a message will display indicating that you cannot verify the ABO for the candidate because you registered him or her on the **Pending Candidate** list. A different user must then verify the candidate's ABO. See Verifying a Candidate's ABO. To access the candidate's record, click the **OK** button.

Microsof	t Internet Explorer 🔀
?	You cannot verify the ABO for Doe, Tim because you registered him/her on the Pending Candidate list. A different user must choose this candidate from the Pending list to verify the ABO. If you would like to view/edit the candidate's record select DK. Select Cancel to return to the main search page.
	OK Cancel

3) After clicking the Search button, a list of records will appear that meet the criteria you entered. Find the candidate's record in the list. If more than 10 records are displayed, arrow buttons will appear at the bottom of the screen for you to scroll through the list to locate the recipient. Click the candidate's SSN to access their record.

Candidate Waiting List as of 12/02/2010 15:19						6.84
Status	Name	SSN	Org	Age	Gender	ABO V
1A	348772, Candidate s	400-00-0000	HR	12	M	A
1B	507553, Candidate	400-00-0000	HR	41	F	А
1B	556368, Candidate	400-00-0000	HR	63	F	A
7	565927, Candidate	200-00-0000	HR	51	м	A

Note: You may re-sort your results by clicking on any column designated with a red drop-down arrow. All records may be re-sorted by status, name, social security number, organ or blood type.

Note: If no records were found, a message will display that no records were returned as a result of your search and to try again.

4) The candidate's record will display in *view* mode. You may return to the search page by clicking the Search button. To print the candidate's report, click the Print button. To view a history of changes made to the record, click the Status History button. To return to the list of candidates, click the List button.

Active List	Heart Candidate			
Search		f List	Print	G Status History
Add				

Note: The buttons displayed at the top of the candidate's record are determined by your security permissions in UNetSM (i.e. Users with "read only" access in Waitlist will not see buttons for editing or removing the candidate) and the organ type you access.

When a Status 1B Adult Outpatient Candidate Implanted with A TAH and Has a Portable Driver Needs to Be Listed as an Outpatient Status 1A

- 1) Access the Candidate's Record. For help with this, please see "Accessing a Candidate's Record".
- 2) Click on the Status 1A button at the top of the "Heart Candidate" page.



The Heart Status 1A Justification Form page will appear.

- 3) Provide the required and relevant information preceding the question about the candidate's hospitalization status.
- 4) Select No to the question: Is the patient currently admitted to the listing transplant center hospital or to a Veteran's Affairs Hospital?

Is the patient currently admitted to the listing transplant center hospital or to a Veteran's Affairs Hospital? $^{\rm R}$



5) Scroll to Section II (Adult Patient).

Patient's Diagnosis:	DILATED MYOPATHY: POST PARTUM	Height:	157.4800 cm
ge:	41 year(s)	Weight:	50.0000 kg
s the patient currently admitted Veteran's Affairs Hospital? ^B	to the listing transplant center hospital or to $$\bigcirc$$ YES $\bigcirc$$ NO		
) qualify for Status 1A Criterio ()i) or Mechanical circulatory s	n A, C, D or Exception, the candidate must be an inpatient at the listing upport with significant device related complications (Criterion B) is selec latory support for acute bemodynamic decompensation	transplant center or a Veteran's Affai ted.	rs hospital unless VAD (Crite
B.) Mechanical circul	atory support with objective medical evidence of significant de	vice-related complications (Pati	ent sensitization is not an
 appropriate qualifica 	ation)		
 appropriate qualifica C.) Continuous mech 	anical ventilation		
 appropriate qualification C.) Continuous mech D.) Continuous infusi greater than or equa ventricular filling pri for an additional 7 d 	ation) anical ventilation ion of a single high-dose intravenous inotrope (e.g., dobutamin al to .50 mcg/kg/min) or multiple intravenous inotropes, in add essures. (Note: Qualification for Status 1A under this criterion i: ays.)	e greater than or equal to 7.5 m ition to continuous hemodynami s valid for 7 days. You may then	cg/kg/min or milrinone c monitoring of left renew this Status 1A listin
 appropriate qualification C.) Continuous mech D.) Continuous infusi greater than or equation ventricular filling prifor an additional 7 d Exception 	ation) anical ventilation ion of a single high-dose intravenous inotrope (e.g., dobutamin al to .50 mcg/kg/min) or multiple intravenous inotropes, in add essures. (Note: Qualification for Status 1A under this criterion i: ays.)	e greater than or equal to 7.5 m ition to continuous hemodynami s valid for 7 days. You may then	cg/kg/min or milrinone c monitoring of left renew this Status 1A listin

6) Click on the button to the left of the **A.) Mechanical circulatory support for acute hemodynamic decompensation** category.



7) Click on the button to the left of the Left and/or right ventricular assist device implanted category.

To qualify for Status 1A Criterion A, C, D or Exception, the candidate must be an inpatient at the listing transplant center or a Veteran's Affairs hospital unless VAD (Criterion (A)i) or Mechanical circulatory support with significant device related complications (Criterion B) is selected.					
 A.) mechanical circulatory support for acute nemodynamic decompensation Select one of the following: Select and/or right ventricular assist device implanted. (Patients may be listed as Status 1A for 30 days at any point after being implanted once the treating physician determines that they are clinically stable. Admittance to the listing transplant center hospital is not required.) 					
LVAD Device Type: R	M				
Implant Date: R	Implant Date: R				
RVAD Device Type: R	×				
Implant Date: R					

8) Click on the arrow to the right of the LVAD Device Type field and select Other, Specify.

Select one of the following:	
 Left and/or right ventricular assist device implanted. (Patients may be list physician determines that they are clinically stable. Admittance to the list 	ted as Status 1A for 30 days ing transplant center hospital
LVAD Device Type: R	
Implant Date: 8	Abiamad ADE000
RVAD Device Type: 8	Abiomed BVS 5000
Implant Date: 8	Berlin Heart EXCOR Biomedicus
	Cardiac Assist Tandem Heart
 Total Artificial Heart 	Evaheart Heartmate II
🔿 Intra-Aortic Balloon Pump	Heartmate XVE
 Extracorporeal Membrane Ovvgenator 	Heartsaver VAD
	Heartware HVAD
isted under criteria A (only as it relates to Total Artificial Hearts, Intra-Aortic Balloon Pumps or an Extracorpo	Impella Recover 2.5
B.) Mechanical circulatory support with objective medical evidence appropriate qualification)	Jarvik 2000 Levitronix Centrimag Levitronix PediMag
C.) Continuous mechanical ventilation	Medos
	MicroMed DeBakey
D) Continuous infusion of a single high does introveneus instrong	MicroMed DeBakey - Child
areater than or equal to 50 mcg/kg/min) or multiple intravenous in	Terumo DuraHeart
ventricular filling pressures. (Note: Qualification for Status 1A unde	Thoratec RVAD
for an additional 7 days.)	Toyobo
	Ventracor VentrAssist
Exception	Worldheart Levacor
	No LVAD Device
If a patient does not meet any of the criteria above, his/her transplant phys Review Board for Status 1A. Learn More>	Other, Specify

9) Enter the relevant information (for example, "SynCardia TAH with the Freedom Driver") in the **Specify** field.

LVAD Device Type: R	Other, Specify	~	Specify: B
Implant Date: ^R			

10) Enter the date when the TAH (for example, SynCardia CardioWest) was implanted in the **Implant Date** field.

Select one of the following:					
Left and/or right ventricular assist device implanted. (Patients may be listed as Status 1A for 30 days at any point after being implanted once the treating physician determines that they are clinically stable. Admittance to the listing transplant center hospital is not required.)					
LVAD Device Type: R	Other, Specify Specify: R SynCardia TAH with th				
Implant Date: R	11/10/2010				

11) Click on the arrow to the right of the RVAD Device Type field and select Other, Specify.

Select one of the following:		
 Left and/or right ventricular assist device implanted. (Patients may be lis physician determines that they are clinically stable. Admittance to the lis 	ted as Status 1A for 30 days ting transplant center hospit	s at any point after being implanted once the treating al is not required.)
LVAD Device Type: R	Other, Specify	Specify: R SynCardia TAH with th
Implant Date: 8	11/10/2010	
RVAD Device Type: R	· · · · · · · · · · · · · · · · · · ·	
Implant Date: R	Abiomed AB5000	
Total Artificial Heart	Abiomed BVS 5000 Berlin Heart EXCOR	
Intra-Aortic Balloon Pump	Biomedicus Cardiae Assist Tandom Hoart	
Extracorporeal Membrane Oxygenator	Evaheart Heartmate II	
ted under criteria A (only as it relates to Total Artificial Hearts, Intra-Aortic Balloon Pumps or an Extracorp	Heartmate XVE Heartsaver VAD	ust be recertified by an attending physician every 14 days to continue
B.) Mechanical circulatory support with objective medical evidence	(Heartware HVAD	ted complications (Patient sensitization is not
appropriate qualification)	Impella Recover 2.5 Impella Recover 5.0	
C.) Continuous mechanical ventilation	Jarvik 2000 Levitronix Centrimag	
D.) Continuous infusion of a single high-dose intravenous instrone	Maguet Josta Rotaflow	than or equal to 7.5 mcg/kg/min or milrinone
greater than or equal to .50 mcg/kg/min) or multiple intravenous	Medos	ontinuous hemodynamic monitoring of left
ventricular filling pressures. (Note: Qualification for Status 1A unde	MicroMed DeBakey MicroMed DeBakey - Child	r 7 days. You may then renew this Status 1A li
	Terumo DuraHeart	
Exception	Thoratec IVAD Thoractec PVAD	
If a patient does not meet any of the criteria above, his/her transplant physi Review Board for Status 1A. Learn More→	Toyobo Ventracor VentrAssist	complete the form below to be considered by the Re
	No RVAD Device	
\vdash	Other, Specify	

12) Enter relevant information (for example, "SynCardia TAH with the Freedom Driver") in the **Specify** field.

Select one of the following:		
• Left and/or right ventricular assist device implanted. (Patients may be listed as Status 1A for 30 days at any point after being implanted once the treating physician determines that they are clinically stable. Admittance to the listing transplant center hospital is not required.)		
LVAD Device Type: 8	Other, Specify: R SynCardia TAH with th	
Implant Date: R	11/10/2010	
RVAD Device Type: R	Other, Specify Y Specify: R	
Implant Date: R		

13) Enter the date when the TAH (for example, SynCardia CardioWest) was implanted in the **Implant Date** field.

RVAD Device Type: R		Other, Specify	~	Specify: R SynCardia TAH with th
Implant Date: 8	\langle		>	

14) Scroll to the bottom of the page and click **Save**.



The "Heart Candidate" screen will re-appear.

When a Status 1A Inpatient Adult Candidate Implanted with a TAH and Has a Portable Driver Needs to Be Listed as an Outpatient Status 1A

- 1) Access the Candidate's Record. For help with this, please see "Accessing a Candidate's Record".
- 2) Click Criteria Change at the top of the Heart Candidate page.



The Heart Status 1A Justification Form page will appear.

- 3) Provide required and relevant information preceding the question on the candidate's hospitalization status.
- 4) Select No to the question: Is the patient currently admitted to the listing transplant center hospital or to a Veteran's Affairs Hospital?

Is the patient currently admitted to the listing transplant center hospital or to a Veteran's Affairs Hospital? ^R

5) Scroll to Section II (Adult Patient).

atient's Diagnosis:	DILATED MYOPATHY: POST PARTUM	Height:	157.4800 cm
dge:	41 year(s)	Weight:	50.0000 kg
s the patient currently admitte Veteran's Affairs Hospital? R	d to the listing transplant center hospital or to \bigcirc YES \bigcirc NO		
o qualify for Status 1A Criteri A)i) or Mechanical circulatory :	on A, C, D or Exception, the candidate must be an inpatient at the listing support with significant device related complications (Criterion B) is selec	transplant center or a Veteran's Affa sted.	irs hospital unless VAD (Criter
A.) Mechanical circu	Ilatory support for acute hemodynamic decompensation		
 B.) Mechanical circu appropriate qualific 	ilatory support with objective medical evidence of significant de ation)	evice-related complications (Pat	ient sensitization is not an
	hanical ventilation		
C.) Continuous mec			
 C.) Continuous med D.) Continuous infus greater than or equiventricular filling pi for an additional 7 (sion of a single high-dose intravenous inotrope (e.g., dobutamin al to .50 mcg/kg/min) or multiple intravenous inotropes, in add ressures. (Note: Qualification for Status 1A under this criterion i łays.)	e greater than or equal to 7.5 m lition to continuous hemodynam s valid for 7 days. You may then	cg/kg/min or milrinone ic monitoring of left renew this Status 1A listir
 C.) Continuous med D.) Continuous infus greater than or equiventricular filling pi for an additional 7 of Exception 	sion of a single high-dose intravenous inotrope (e.g., dobutamin al to .50 mcg/kg/min) or multiple intravenous inotropes, in add ressures. (Note: Qualification for Status 1A under this criterion i łays.)	e greater than or equal to 7.5 m lition to continuous hemodynam s valid for 7 days. You may then	cg/kg/min or milrinone ic monitoring of left renew this Status 1A listir

 Click on the button to the left of the A.) Mechanical circulatory support for acute hemodynamic decompensation category.



7) Click on the button to the left of Left and/or right ventricular assist device implanted.

To qualify for Status 1A Criterion A, C, D or Exception, the candidate must be an inpatient at the listing transplant center or a Veteran's Affairs hospital unless VAD (Criterion (A)i) or Mechanical circulatory support with significant device related complications (Criterion B) is selected.		
 A.) Mechanical circulatory support for acute hemodynamic decompensation 		
Select one of the following:		
Left and/or right ventricular assist device implanted. (Patients may be lis physician determines that they are clinically stable. Admittance to the lis	sted as Status 1A for 30 days at any point after being implanted once the treating sting transplant center hospital is not required.)	
LVAD Device Type: P		
Implant Date: R		
RVAD Device Type: 8	V	
Implant Date: R		

8) Click on the arrow to the right of the LVAD Device Type field and select Other, Specify.

Select one of the following:	
Left and/or right ventricular assist device implanted. (Patients may be list physician determines that they are clinically stable. Admittance to the list	ted as Status 1A for 30 days ing transplant center hospital
LVAD Device Type: B	✓
Implant Date: R	Abjamad AB5000
RVAD Device Type: 8	Abiomed BVS 5000
Implant Date: R	Berlin Heart EXCOR Biomedicus
 Total Artificial Heart 	Cardiac Assist Tandem Heart Evaheart
Intra-Aortic Balloon Pump	Heartmate II Heartmate XVE
Extracorporeal Membrane Oxygenator	Heartsaver VAD
isted under criteria A (only as it relates to Total Artificial Hearts. Intra-Aortic Balloon Pumps or an Extracorpo	Impella Recover 2.5
B.) Mechanical circulatory support with objective medical evidence appropriate qualification)	Impella Recover 5.0 Jarvik 2000 Levitronix Centrimag Levitronix PediMag Maguet Josta Rotaflow
C.) Continuous mechanical ventilation	Medos MicroMed DeBakey
D.) Continuous infusion of a single high-dose intravenous inotrope (greater than or equal to .50 mcg/kg/min) or multiple intravenous in	MicroMed DeBakey - Child Terumo DuraHeart Thoratec IVAD
ventricular filling pressures. (Note: Qualification for Status 1A under for an additional 7 days.)	Thoratec PVAD Toyobo
Exception	Ventracor VentrAssist Worldheart Levacor No EVAD Device
If a patient does not meet any of the criteria above, his/her transplant phy Review Board for Status 1A. Learn More>	Other, Specify

9) Enter relevant information (for example, "SynCardia TAH with the Freedom Driver") in the **Specify** field.

LVAD Device Type: R	Other, Specify	▼	Specify: R	\supset
Implant Date: R				

10) Enter the date when the TAH (for example, SynCardia CardioWest) was implanted in the **Implant Date** field.

Select one of the following:			
Left and/or right ventricular assist device implanted. (Patients may be lis physician determines that they are clinically stable. Admittance to the list	ted as Status 1A for 30 days at a ing transplant center hospital is n	ny point after being implanted once the treating not required.)	
LVAD Device Type: 8	Other, Specify	Specify: R SynCardia TAH with th	
Implant Date: R	11/10/2010		

11) Click on the arrow to the right of the RVAD Device Type data entry field and select Other, Specify.

Select one of the following:		
O Left and/or right ventricular assist device implanted. (Patients may be physician determines that they are clinically stable. Admittance to the	isted as Status 1A for 30 d isting transplant center hos	ays at any point after being implanted once the treating pital is not required.)
LVAD Device Type: R	Other, Specify	Specify: R SynCardia TAH with th
Implant Date: R	11/10/2010	
RVAD Device Type: 8		
Implant Date: R	Abiomed AB5000	
🔿 Total Artificial Heart	Abiomed BVS 5000 Berlin Heart EXCOR	
🔘 Intra-Aortic Balloon Pump	Biomedicus Cardiac Assist Tandem Heart	
 Extracorporeal Membrane Oxygenator 	Evaheart	
ted under criteria A (only as it relates to Total Artificial Hearts, Intra-Aortic Balloon Pumps or an Extract	Peartmate II Heartmate XVE Heartsaver VAD	lust be recertified by an attending physician every 14 days to continue
B.) Mechanical circulatory support with objective medical evidence	e (Heartware HVAD	ted complications (Patient sensitization is not
appropriate qualification)	Impella Recover 2.5	
	Impella Recover 5.0 Jarvik 2000	
C.) Continuous mechanical ventilation	Levitronix Centrimag	
	Levitronix PediMag	
D.) Continuous infusion of a single high-dose intravenous inotrop	Maquet Josta Rotaflow	than or equal to 7.5 mcg/kg/min or milrinone
greater than or equal to .50 mcg/kg/min) or multiple intravenous	MicroMed DeBakev	ntinuous nemodynamic monitoring of left
for an additional 7 days.)	MicroMed DeBakey - Child	7 days. Tou may then renew this Status 1A h
	Terumo DuraHeart	
Exception	Thoratec IVAD	
The entire the entire the entire is a first state of the entire the second state of the state of	Toyobo	and the the form holes to be available to the D
If a patient does not meet any of the criteria above, his/her transplant phy Review Board for Status 14 Learn Mores	Ventracor VentrAssist	complete the form below to be considered by the Re
Review board for Status IA, Learn FIDTER	Worldheart Levacor	
	Ne RVAD Device	
	Other, Specify	

12) Enter relevant information (for example, "SynCardia TAH with the Freedom Driver") in the **Specify** field.

Select one of the following:			
Left and/or right ventricular assist device implanted. (Patients may be listed as Status 1A for 30 days at any point after being implanted once the treating physician determines that they are clinically stable. Admittance to the listing transplant center hospital is not required.)			
LVAD Device Type: 8	Other, Specify Specify: R SynCardia TAH with th		
Implant Date: R	11/10/2010		
RVAD Device Type: R	Other, Specify V Specify: R		
Implant Date: 8			

13) Enter the date when the TAH (for example, SynCardia CardioWest) was implanted in the **Implant Date** field.

RVAD Device Type: R	Other, Specify	~	Specify: R SynCardia TAH with th
Implant Date: R		>	

14) Scroll to the bottom of the page, and click **Save**.



The Heart Candidate screen will re-appear.

When a Status 1A Adult Outpatient Candidate Implanted with a TAH and Has a Portable Driver Needs to Be Listed as Status 1B

- 1) Access the Candidate's Record. For help with this, please see "Accessing a Candidate's Record".
- 2) Click on Status 1B located at the top of the Heart Candidate page.



The Heart Status 1B Justification Form page will appear.

- 3) Provide required and relevant information preceding Section II (Adult Patient).
- 4) Scroll to Section II (Adult Patient).

\triangleleft	Section II ((Adult Patient)			
	Patient's D Patient's A	Diagnosis: DILATED MYOPATHY: POST PARTUM			
	To qualify for Status 1B, the patient must have <u>at least one</u> of the following devices or therapies in place. (<u>Check all that apply</u>): ^B				
		Left and/or right ventricular assist device implanted;			
		Date of implantation: Continuous infusion of intravenous inotropes. *Other (See Above)			

5) Click in the box to the left of the **Other** category.

Section II	(Adult Patient)
Patient's Patient's	Diagnosis: DILATED MYOPATHY: POST PARTUM Age: 41
To qualify devices o	r for Status 1B, the patient must have <u>at least one</u> of the following r therapies in place. (<u>Check all that apply</u>): ^R
	Left and/or right ventricular assist device implanted;
	Date of implantation: Continuous infusion of intravenous inotropes. *Other (See Above)

6) Scroll to the Additional Information section.



7) Enter the relevant information in the narrative box under the **Justification for Exceptional Case** heading. For example, the information entered could be: "Candidate has a TAH, is an outpatient, has a portable driver, and does not meet any Status 1A criterion."

	Additional Information	
<	Justification for Exceptional Case:	
	Candidate has a TAH, is an outpatient, has a portable driver, and does not meet any Status 1A criterion	
	(Maximum of 5000 characters) 4897 characters remain	ing

8) Click **Save** to submit the form.



The Heart Candidate screen will re-appear.

NOTE: Submission of the Status 1B-Other justification form will receive automatic approval, i.e., the respective heart regional review board will not review this form.

When a Status 7 Adult Outpatient Candidate Implanted with a TAH and Has a Portable Driver Needs to Be Listed as an Outpatient Status 1A

- 1) Access the Candidate's Record. For help with this, please see "Accessing a Candidate's Record".
- 2) Click on **Status 1A** located at the top of the "Heart Candidate" page.



The Heart Status 1A Justification Form page will appear.

- 3) Provide required and relevant information preceding the question about the candidate's hospitalization status.
- 4) Select **No** to the question: **Is the patient currently admitted to the listing transplant center hospital or to a Veteran's Affairs Hospital?**

Is the patient currently admitted to the listing transplant center hospital or to a Veteran's Affairs Hospital? R

5) Scroll to Section II (Adult Patient).

atient's Diagnosis:	DILATED MYOPATHY: POST PARTUM	Height:	157.4800 cm
dge:	41 year(s)	Weight:	50.0000 kg
s the patient currently admitte Veteran's Affairs Hospital? R	d to the listing transplant center hospital or to \bigcirc YES \bigcirc NO		
o qualify for Status 1A Criterio A)i) or Mechanical circulatory s	on A, C, D or Exception, the candidate must be an inpatient at the listing tr support with significant device related complications (Criterion B) is select	ransplant center or a Veteran's Affai ed.	irs hospital unless VAD (Criter
A.) Mechanical circu	latory support for acute hemodynamic decompensation		
 B.) Mechanical circu appropriate qualific 	Ilatory support with objective medical evidence of significant dev ation)	vice-related complications (Pati	ent sensitization is not an
 B.) Mechanical circu appropriate qualific C.) Continuous mecl 	latory support with objective medical evidence of significant dev cation) hanical ventilation	vice-related complications (Pati	ent sensitization is not an
B.) Mechanical circu appropriate qualific C.) Continuous mech D.) Continuous infus greater than or equ ventricular filling pr for an additional 7 c	latory support with objective medical evidence of significant dev cation) hanical ventilation sion of a single high-dose intravenous inotrope (e.g., dobutamine ial to .50 mcg/kg/min) or multiple intravenous inotropes, in addit ressures. (Note: Qualification for Status 1A under this criterion is days.)	rice-related complications (Pati greater than or equal to 7.5 m tion to continuous hemodynami valid for 7 days. You may then	ent sensitization is not an cg/kg/min or milrinone c monitoring of left renew this Status 1A listir
 B.) Mechanical circu appropriate qualific C.) Continuous mecl D.) Continuous infus greater than or equ ventricular filling pi for an additional 7 c Exception 	latory support with objective medical evidence of significant dev cation) hanical ventilation sion of a single high-dose intravenous inotrope (e.g., dobutamine al to .50 mcg/kg/min) or multiple intravenous inotropes, in addi ressures. (Note: Qualification for Status 1A under this criterion is days.)	vice-related complications (Pati greater than or equal to 7.5 m ion to continuous hemodynami valid for 7 days. You may then	ent sensitization is not an cg/kg/min or milrinone c monitoring of left renew this Status 1A listir

6) Click on the radial button to the left of the **A.) Mechanical circulatory support for acute hemodynamic decompensation** category.



7) Click on the button to the left of the Left and/or right ventricular assist device implanted category.

To qualify for Status 1A Criterion A, C, D or Exception, the candidate must be an inpatient at the listing transplant center or a Veteran's Affairs hospital unless VAD (Criterion (A)i) or Mechanical circulatory support with significant device related complications (Criterion B) is selected.					
 A.) Mechanical circulatory support for acute hemodynamic decomposition 	pensation				
Select one of the following:					
Left and/or right ventricular assist device implanted. (Patients may be listed as Status 1A for 30 days at any point after being implanted once the treating physician determines that they are clinically stable. Admittance to the listing transplant center hospital is not required.)					
LVAD Device Type: 8	×				
Implant Date: R					
RVAD Device Type: 8	×				
Implant Date: P					

8) Click on the arrow to the right of the LVAD Device Type field and select Other, Specify.

Select one of the following:	
Left and/or right ventricular assist device implanted. (Patients may be list physician determines that they are clinically stable. Admittance to the list	ed as Status 1A for 30 days ing transplant center hospital
LVAD Device Type: B	
Implant Date: R	Abiamad AB5000
RVAD Device Type: R	Abiomed BVS 5000
Implant Date: B	Biomedicus
 Total Artificial Heart 	Cardiac Assist Tandem Heart Evaheart
 Intra-Aortic Balloon Pump 	Heartmate II Heartmate XVE
Extracorporeal Membrane Oxygenator	Heartsaver VAD
listed under criteria A (only as it relates to Total Artificial Hearts, Intra-Aortic Balloon Pumps or an Extracorpo	Impella Recover 2.5
B.) Mechanical circulatory support with objective medical evidence appropriate qualification)	Impella Recover 5.0 Jarvik 2000 Levitronix Centrimag Levitronix PediMag
C.) Continuous mechanical ventilation	Maquet Josta Rotanow Medos MicroMed DeBakey
D.) Continuous infusion of a single high-dose intravenous inotrope (greater than or equal to .50 mcg/kg/min) or multiple intravenous in	MicroMed DeBakey - Child Terumo DuraHeart Thoratec IVAD
for an additional 7 days.)	Thoratec PVAD Toyobo
Exception	Ventracor VentrAssist Worldheart Levacor Ho LVAD Device
If a patient does not meet any of the criteria above, his/her transplant physic Review Board for Status 1A. Learn More>	Other, Specify

9) Enter relevant information (for example, "SynCardia TAH with the Freedom Driver") in the **Specify** field.

				~
LVAD Device Type: R	Other, Specify	✓	Specify: R	\mathbf{D}
Implant Date: R				1

10) Enter the date when the TAH (for example, SynCardia CardioWest) was implanted in the **Implant Date** field.

Select one of the following:				
Left and/or right ventricular assist device implanted. (Patients may be listed as Status 1A for 30 days at any point after being implanted once the treating physician determines that they are clinically stable. Admittance to the listing transplant center hospital is not required.)				
LVAD Device Type: R		Other, Specify	~	Specify: B SynCardia TAH with th
Implant Date: 8	<	11/10/2010		

11) Click on the arrow to the right of the RVAD Device Type field and select Other, Specify.

Select one of the following:		
 Left and/or right ventricular assist device implanted. (Patients may be lis physician determines that they are clinically stable. Admittance to the list 	ted as Status 1A for 30 da ing transplant center hos	ays at any point after being implanted once the treating pital is not required.)
LVAD Device Type: R	Other, Specify	Specify: R SynCardia TAH with th
Implant Date: 8	11/10/2010	
RVAD Device Type: R		
Implant Date: R	Abiomed AB5000	
🔿 Total Artificial Heart	Abiomed BVS 5000 Berlin Heart EXCOR	
Intra-Aortic Balloon Pump	Biomedicus Cardiae Arrist Tandara Usart	
Extracorporeal Membrane Oxygenator	Evaheart Heartmate II	
ted under criteria A (only as it relates to Total Artificial Hearts, Intra-Aortic Balloon Pumps or an Extracorpo	Heartmate XVE	ust be recertified by an attending physician every 14 days to continue
B.) Mechanical circulatory support with objective medical evidence	Heartware HVAD	ted complications (Patient sensitization is not
appropriate qualification)	Impella Recover 2.5	
C.) Continuous mechanical ventilation	Impella Recover 5.0 Jarvik 2000 Levitronix Centrimag	
D.) Continuous infusion of a single high-dose intravenous instrone (Maguet Josta Rotaflow	than or equal to 7.5 mcg/kg/min or milrinone
greater than or equal to .50 mcg/kg/min) or multiple intravenous in	Medos	ontinuous hemodynamic monitoring of left
ventricular filling pressures. (Note: Qualification for Status 1A unde for an additional 7 days.)	MicroMed DeBakey MicroMed DeBakey - Child	r 7 days. You may then renew this Status 1A li
	Terumo DuraHeart	
Exception	Thoratec IVAD	
If a patient does not meet any of the criteria above, his/her transplant physic Review Board for Status 1A. Learn More>	Toyobo Ventracor VentrAssist Worldheart Levacor	complete the form below to be considered by the Re
C	No RVAD Device Other, Specify	

12) Enter the relevant information (for example, "SynCardia TAH with the Freedom Driver") in the **Specify** field.

Select one of the following:					
b) Left and/or right ventricular assist device implanted. (Patients may be listed as Status 1A for 30 days at any point after being implanted once the treating physician determines that they are clinically stable. Admittance to the listing transplant center hospital is not required.)					
LVAD Device Type: R	Other, Specify Specify: R SynCardia TAH with th				
Implant Date: R	11/10/2010				
RVAD Device Type: 8	Other, Specify: R				
Implant Date: P					

13) Enter the date when the TAH (for example, SynCardia CardioWest) was implanted in the **Implant Date** field.

RVAD Device Type: R		Other, Specify	~	Specify: R SynCardia TAH with th
Implant Date: 8	\langle		>	

14) Scroll to the bottom of the page, and click **Save**.



The Heart Candidate screen will re-appear.

When a Status 7 Adult Outpatient Candidate Implanted with a TAH and Has a Portable Driver Needs to Be Listed as An Outpatient Status 1B

- 1) Access the Candidate's Record. For help with this, please see "Accessing a Candidate's Record".
- 2) Click on Status 1B located at the top of the Heart Candidate page.



The Heart Status 1B Justification Form page will appear.

- 3) Provide required and relevant information preceding Section II (Adult Patient).
- 4) Scroll to Section II (Adult Patient).

\triangleleft	Section II (Adult Patient)					
	Patient's I Patient's /	Diagnosis: DILATED MYOPATHY: POST PARTUM Age: 41				
To qualify for Status 1B, the patient must have <u>at least one</u> of the for devices or therapies in place. (<u>Check all that apply</u>): R						
	Left and/or right ventricular assist device implanted;					
		Date of implantation: Continuous infusion of intravenous inotropes. *Other (See Above)				

5) Click in the box to the left of the **Other** category.



6) Scroll to the Additional Information section.



7) Enter relevant information in the narrative box under the **Justification for Exceptional Case** heading. For example, the information entered could be: "Candidate has a TAH, is an outpatient, has a portable driver, and does not meet any Status 1A criterion."

	Additional Information	
<	Justification for Exceptional Case:	
	Candidate has a TAH, is an outpatient, has a portable driver, and does not meet any Status 1A criterion	~
	(Maximum of 5000 characters) 4897 characters re	emaining

8) Click **Save** to submit the form.



The Heart Candidate screen will re-appear.

NOTE: Submission of the Status 1B-Other justification form will receive automatic approval, i.e., the respective heart regional review board will not review this form.