

# BeamLine Operations and Safety Awareness (BLOSA) Checklist

# Beamline U5

All users must be instructed in operating the beamline safely. Leave checkbox blank if not applicable. Training valid 2 years. Visitors use Visitor/Escort forms.

### EMERGENCIES

- Exits R Locate routes to nearest exits
- Fire Extinguishers R Locate fire extinguisher
- Alarm Pulls R Locate fire alarm pull
- Eye Wash/Shower R Locate eye wash/shower [For labs without eye wash stations, prop open door if using corrosives]
- Spill Station R Locate spill control station
- Green/Yellow Boards R Locate/discuss Green Board (beamline emergency contacts, phones and info) and Yellow Board (safety info)

### CONTACTS

- OPCO R Refer to instructions posted on the beamline phone for Operations Coordinator (OPCO) Assistance

### BEAMLINE OPERATIONS

- Enabling Beamline R Review procedures to enable beamline
- Red & Yellow Tags R Provide information about any beamline equipment or systems that are yellow or red tagged
- Beamline Config R Configuration changes to beamline are to be completed by Beamline Staff only
- Power Failure A Identify circuit breaker location; user may reset 1X with PPE & electrical training - review procedures; call OPCO for unknown cause
- Water Valves A User may adjust water shut-off valves (review location and procedure)
- Gas Valves A User may adjust gas shut-off valves (review location and procedure)
- Gas Line B User is not approved to make gas line modifications without approval by beamline staff
- Storage Ring Vacuum A Review procedures for vacuum work and bleed ups to upstream/front end machine vacuum; contact OPCO before proceeding
- Pink Cards R Beamline may be unattended up to 24 hours unless SAF states "no unattended operations" (review procedure)

### END STATION / EQUIPMENT

- Computer Ops R Reminder to review computer operations, control software, data acquisition software
- End Station Config A Configuration changes to end station equipment may be completed by User but requires approval by Beamline Staff (review procedures and change limits)
- Equipment Vacuum A User is permitted to perform vacuum work and bleed ups on end station equipment (review procedures)

### DOCUMENTATION

- Beamline Manuals R Review location of manuals and beamline documentation (must be readily available)
- Reminders R Identify location of Experimental Reminders list posted at the beamline

### LAB & TECH AREAS

- Procedures A Review procedures for use of lab (including request form and PPE) and/or tech space (non-lab) area

### EXPERIMENTAL HAZARDS

- Radiation Hazards R Identify radiation locations; inform user to move away from area and call control room if chipmunks sound off
- Radiation UV Ring R Move away from UV ring, mezzanine, platform, transfer lines, and front end during injection
- Visible Beam A Visible light hazards exist at beamline - Do not look at or into visible light beam (cover viewports when not in use)
- Electrical Work A No work on exposed electrical components >50V
- Cryogenics A Cryogen use at beamline or lab: Review filling, demonstrate use, wear PPE (eye and skin protection)
- Cryogen Fills A Cryogen Filling Station: Review filling, demonstrate use, wear PPE (eye and skin protection)
- Compressed Gas A Review use and storage
- Nano Materials A Verify nano training and, if applicable, review procedures for nano hood and glove box
- Burns B Avoid contact with chamber during bake out (can cause burns to the skin)
- Prevent Injuries B Use caution when bending down near main chamber (potential for injuries, awkward positions, bumping head)
- Hazard Analysis R Identify location of beamline hazard analysis form

### CLOSE OUT

- Disabling Beam B Secure the beamline and contact OPCO to disable the shutter/beam before you leave

I understand the instructions given to me on beamline operations and safety awareness.

Designated BLOSA trainers for this beamline:

PRINT User Name	Guest #	User Signature	Date	Trainer's Signature	UAdm

- E. Vescovo
- Q.-Y. Dong
- J. Sadowski