# **APD ALERT**



# Retention of SF-330, Architect-Engineer Qualifications

## **Purpose**

This document provides basic guidelines for handling SF-330, Architect-Engineer (A-E) Qualifications.

## **References**

FAR Part 4.8 - Government Contract Files FAR Part 36 - Construction and Architect-Engineer Contracts

### **Background**

The Federal Acquisition Regulation (FAR) Subpart 4.8 describes the requirements for establishing, maintaining, and disposing of contract documentation and files. The FAR is generally silent on the treatment of SF-330s, as well as how long an office is required to retain those that are submitted for specific projects.

FAR 36.603 allows agencies to establish permanent evaluation Boards to pre-select A-E firms. The pre-selection board members would review SF-330 A-E qualifications and classify each firm according to location, specialized experience, professional capabilities, and capacity. The FAR recommends that offices utilize this data for A-E requirements.

The Agricultural Research Service (ARS) does not utilize pre-selection Boards and therefore does not maintain a revolving reference file of SF-330s. The selection of A-E firms is based on specific research laboratory-oriented projects with very stringent requirements in various locations throughout the country. Specific evaluation criteria are developed for each requirement.

### **Procedures**

In order to comply, each Business Service Center (BSC) Acquisition Branch (AB) will retain one (1) copy of each SF-330 (including presentation materials for short-listed firms) submitted for a

specific project until the resultant contract expires in accordance with FAR 4.805(a)(5). The SF-330s should be maintained with the pre-award documentation and can be placed in a file room in the location designated for that particular contract. The SF-330 from the successful A-E should be kept separately with the contract award file.

## **APD Point of Contact**

Acquisition Programs and Oversight Branch, E-mail at <u>APOB@ars.usda.gov</u> or phone at 301-504-1725.

Issue Date: August 2012 APD Alert 2012-11