


Hunter Point Air Monitoring Summary

Objective-Locations - Air monitoring is performed to ensure worker and community safety in accordance with NIOSH approved air sampling methodology. Air samplers and monitoring stations are located upwind and downwind from the work areas based on wind direction data. Locations of air monitoring stations are presented on a separate Tab. Each monitoring station includes three different monitoring systems: one each for TSP with manganese and lead), PM₁₀, and asbestos.

Total Suspended Particulates, Manganese, and Lead - TSP is sampled in accordance with EPA's reference sampling method for TSP, described in Title 40 *Code of Federal Regulations* Part 50, Subpart B. Each sample is collected on a filter over the course of a period not to exceed 54 hours. TSP is based on the filter weight. Manganese concentration is calculated in accordance with one of the IO-3 methods identified in EPA's Compendium of Methods for the Determination of Inorganic Compounds in Ambient Air and lead in accordance with a modified EPA Method 12.

PM₁₀ - PM₁₀ is sampled in accordance with EPA's reference sampling method for PM₁₀, described in 40 CFR 50, Subpart J. Each sample is collected on a filter over a period not to exceed 54 hours; the filter is then weighed to determine the amount of PM₁₀ collected.

Asbestos - Asbestos is sampled and analyzed in accordance with the National Institute for Occupational Safety and Health (NIOSH) Method 7400, from the NIOSH Manual of Analytical Methods (NIOSH 1994). Method 7400 requires that samples be collected on three-piece cellulose ester filters fitted with conductive cowlings at a sampling rate of between 0.5 liter per minute (L/min) and 16 L/min. Each sample is collected over a period not to exceed 54 hours.



Cal-OSHA Permissible Exposure Limits: TSP - 10 mg/m3; Manganese - 200 ug/m3; Lead - 50 ug/m3

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
3	2-TSP-1	5/14/2005	11	30.05	17.7	1.03	13.5	493	588.8	6	0.010	0	0.000		
7	2-TSP-2	5/15/2005	11	29.98	18.8	1.02	13.8	536	636.8	2	0.003	0	0.000		
11	2-TSP-3	5/20/2005	11	30.11	18.4	1.03	16.0	525	623.4	18	0.029	0	0.000		
15	2-TSP-4	5/21/2005	11	30.10	19.6	1.02	16.0	524	620.6	28	0.045	0	0.000		
19	2-TSP-5	5/22/2005	11	30.06	20.2	1.02	16.4	555	654.9	27	0.041	0	0.000		
23	1-TSP-6	5/25/2005	10	29.93	19.2	1.02	16.5	535	629.4	44	0.070	0	0.000		
27	2-TSP-6	5/25/2005	11	29.93	19.2	1.02	16.3	539	634.6	43	0.068	0	0.000		
31	1-TSP-7	5/26/2005	10	29.95	16.1	1.03	16.5	518	613.5	16	0.026	0	0.000		
35	2-TSP-7	5/26/2005	11	29.95	16.1	1.03	16.4	520	616.1	16	0.026	0	0.000		
39	1-TSP-8	5/31/2005	10	29.96	18.9	1.02	16.2	525	619.2	44	0.071	0	0.000		
43	2-TSP-8	5/31/2005	11	29.96	18.9	1.02	16.7	526	619.5	33	0.053	0	0.000		
47	1-TSP-9	6/1/2005	10	29.86	19.2	1.02	17.5	553	647.4	44	0.068	0	0.000		
51	2-TSP-9	6/1/2005	11	29.86	19.2	1.02	17.5	587	687.2	46	0.067	0	0.000		
55	1-TSP-10	6/2/2005	10	29.82	17.7	1.02	17.5	506	593.1	39	0.066	0	0.000		
59	2-TSP-10	6/2/2005	11	29.82	17.7	1.02	17.3	538	631.1	38	0.060	0	0.000		
63	1-TSP-11	6/3/2005	10	29.88	16.8	1.03	16.9	509	600.0	38	0.063	0	0.000		
67	2-TSP-11	6/3/2005	11	29.88	16.8	1.03	17.1	510	600.8	37	0.062	0	0.000		
71	1-TSP-12	6/6/2005	10	30.06	16.0	1.04	17.4	518	614.5	33	0.054	0	0.000		
75	2-TSP-12	6/6/2005	11	30.06	16.0	1.04	17.2	514	610.0	40	0.066	0	0.000		
79	1-TSP-13	6/7/2005	10	30.07	15.3	1.04	17.3	530	629.9	29	0.046	0	0.000		
83	2-TSP-13	6/7/2005	11	30.07	15.3	1.04	17.6	537	637.7	34	0.053	0	0.000		
87	1-TSP-14	6/9/2005	10	29.95	17.1	1.03	17.6	1513	1783.1	19	0.011	0	0.000		
91	2-TSP-14	6/9/2005	11	29.95	17.1	1.03	17.1	1521	1795.0	30	0.017	0	0.000		
95	4-TSP-14	6/9/2005	13	29.95	17.1	1.03	15.2	1468	1741.5	20	0.011	0	0.000		
99	1-TSP-15	6/16/2005	10	29.99	16.4	1.03	17.4	1469	1736.9	84	0.048	32	0.018		
103	2-TSP-15	6/13/2005	11	29.90	16.9	1.03	17.7	1506	1772.2	153	0.086	110	0.062		
107	4-TSP-15	6/13/2005	13	29.90	16.9	1.03	15.2	1445	1711.9	73	0.043	27	0.016		
111	1-TSP-16	6/14/2005	10	29.92	16.4	1.03	16.7	1429	1688.9	91	0.054	29	0.017		
115	2-TSP-16	6/14/2005	11	29.92	16.4	1.03	17.3	1412	1665.9	90	0.054	41	0.025		
119	4-TSP-16	6/14/2005	13	29.92	16.4	1.03	12.8	1426	1703.1	70	0.041	29	0.017		
123	1-TSP-17	6/15/2005	10	29.97	15.1	1.04	17.2	1440	1706.8	47	0.028	0	0.000		
127	2-TSP-17	6/15/2005	11	29.97	15.1	1.04	17.2	1350	1599.9	81	0.051	68	0.043		
131	3-TSP-17	6/15/2005	12	29.97	15.1	1.04	16.6	1190	1412.6	64	0.045	41	0.029		
135	1-TSP-18	6/16/2005	10	29.99	16.4	1.03	17.2	1404	1661.0	73	0.044	55	0.033		
139	2-TSP-18	6/16/2005	11	29.99	16.4	1.03	17.5	1469	1736.7	36	0.021	0	0.000		
143	3-TSP-18	6/16/2005	12	29.99	16.4	1.03	17.0	1543	1826.6	29	0.016	0	0.000		
147	1-TSP-19	6/20/2005	10	30.06	16.9	1.03	17.4	1482	1754.9	27	0.015	0	0.000		
151	2-TSP-19	6/20/2005	11	30.06	16.9	1.03	17.2	1497	1773.6	56	0.032	38	0.021		
155	3-TSP-19	6/20/2005	12	30.06	16.9	1.03	17.4	1500	1776.5	197	0.111	140	0.079		
159	4-TSP-19	6/20/2005	13	30.06	16.9	1.03	14.9	1466	1747.6	31	0.018	0	0.000		
163	1-TSP-20	6/21/2005	10	30.05	17.5	1.03	17.1	1397	1653.1	31	0.019	0	0.000		

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
167	2-TSP-20	6/21/2005	11	30.05	17.5	1.03	17.4	1394	1648.3	29	0.018	0	0.000		
171	3-TSP-20	6/21/2005	12	30.05	17.5	1.03	17.4	1373	1623.7	95	0.059	60	0.037		
175	4-TSP-20	6/21/2005	13	30.05	17.5	1.03	17.0	1410	1669.2	41	0.025	28	0.017		
179	1-TSP-21	6/22/2005	10	29.98	18.4	1.02	16.9	1376	1622.4	62	0.038	0	0.000		
183	2-TSP-21	6/22/2005	11	29.98	18.4	1.02	19.7	1367	1599.7	67	0.042	29	0.018		
187	3-TSP-21	6/22/2005	12	29.98	18.4	1.02	17.2	1362	1604.6	68	0.042	30	0.019		
191	4-TSP-21	6/22/2005	13	29.98	18.4	1.02	16.9	480	566.0	23	0.041	0	0.000		
195	1-TSP-22	6/23/2005	10	29.95	15.0	1.04	17.1	1525	1807.2	49	0.027	0	0.000		
199	2-TSP-22	6/23/2005	11	29.95	15.0	1.04	17.3	1523	1803.8	48	0.027	0	0.000		
203	3-TSP-22	6/23/2005	12	29.95	15.0	1.04	17.3	1526	1807.4	163	0.090	100	0.055		
207	4-TSP-22	6/23/2005	13	29.95	15.0	1.04	14.0	1493	1784.0	42	0.024	0	0.000		
211	1-TSP-23	6/27/2005	10	29.96	14.2	1.04	16.9	1440	1710.3	18	0.011	0	0.000		
215	2-TSP-23	6/27/2005	11	29.96	14.2	1.04	17.1	1487	1765.5	25	0.014	0	0.000		
219	3-TSP-23	6/27/2005	12	29.96	14.2	1.04	16.2	1531	1821.9	178	0.098	120	0.066		
223	4-TSP-23	6/27/2005	13	29.96	14.2	1.04	16.4	1390	1653.4	20	0.012	0	0.000		
227	1-TSP-24	6/28/2005	10	29.96	15.8	1.03	16.4	1484	1759.6	33	0.019	0	0.000		
231	2-TSP-24	6/28/2005	11	29.96	15.8	1.03	17.3	1487	1759.1	83	0.047	60	0.034		
235	3-TSP-24	6/28/2005	12	29.96	15.8	1.03	16.3	1471	1744.6	150	0.086	63	0.036		
239	4-TSP-24	6/28/2005	13	29.96	15.8	1.03	8.8	1496	1810.3	20	0.011	0	0.000		
243	1-TSP-25	6/29/2005	10	29.92	15.3	1.03	16.6	1379	1633.5	21	0.013	0	0.000		
247	2-TSP-25	6/29/2005	11	29.92	15.3	1.03	16.7	1387	1642.7	150	0.091	130	0.079		
251	3-TSP-25	6/29/2005	12	29.92	15.3	1.03	16.6	1406	1665.7	96	0.058	50	0.030		
255	4-TSP-25	6/29/2005	13	29.92	15.3	1.03	16.4	1379	1634.6	34	0.021	0	0.000		
259	1-TSP-26	6/30/2005	10	29.91	16.4	1.03	17.1	351	414.3	16	0.039	0	0.000		
263	2-TSP-26	6/30/2005	11	29.91	16.4	1.03	16.6	298	352.1	64	0.182	63	0.179		
267	3-TSP-26	6/30/2005	12	29.91	16.4	1.03	17.0	254	299.8	47	0.157	34	0.113		
271	4-TSP-26	6/30/2005	13	29.91	16.4	1.03	16.9	375	442.8	14	0.032	0	0.000		
275	1-TSP-27	7/5/2005	10	29.99	16.1	1.03	17.0	1511	1789.8	19	0.011	0	0.000		
279	2-TSP-27	7/5/2005	11	29.99	16.1	1.03	12.0	1424	1709.4	32	0.019	28	0.016		
283	3-TSP-27	7/5/2005	12	29.99	16.1	1.03	16.8	1474	1746.9	83	0.048	48	0.027		
287	4-TSP-27	7/5/2005	13	29.99	16.1	1.03	16.0	1444	1715.0	19	0.011	0	0.000		
291	1-TSP-28	7/6/2005	10	29.98	16.4	1.03	17.9	1370	1617.1	175	0.108	130	0.080		
295	2-TSP-28	7/6/2005	11	29.98	16.4	1.03	16.9	1466	1735.1	133	0.077	100	0.058		
299	3-TSP-28	7/6/2005	12	29.98	16.4	1.03	17.1	1461	1728.3	99	0.057	53	0.031		
303	4-TSP-28	7/6/2005	13	29.98	16.4	1.03	17.1	1430	1691.6	73	0.043	48	0.028		
307	5-TSP-28	7/6/2005	14	29.98	16.4	1.03	19.6	1216	1429.0	200	0.140	180	0.126		
311	1-TSP-29	7/7/2005	10	30.00	16.7	1.03	17.7	442	522.1	195	0.374	140	0.268		
315	2-TSP-29	7/7/2005	11	30.00	16.7	1.03	17.4	400	472.9	85	0.180	73	0.154		
319	3-TSP-29	7/7/2005	12	30.00	16.7	1.03	17.1	370	437.8	84	0.192	34	0.078		
323	4-TSP-29	7/7/2005	13	30.00	16.7	1.03	16.9	473	559.9	32	0.057	0	0.000		
327	5-TSP-29	7/7/2005	14	30.00	16.7	1.03	19.1	458	538.9	141	0.262	120	0.223		
331	1-TSP-30	7/11/2005	10	29.98	15.0	1.04	18.7	1411	1666.4	247	0.148	170	0.102		
335	2-TSP-30	7/11/2005	11	29.98	15.0	1.04	17.9	1429	1691.3	148	0.088	130	0.077		

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
339	3-TSP-30	7/11/2005	12	29.98	15.0	1.04	17.4	1436	1701.9	101	0.059	38	0.022		
343	4-TSP-30	7/11/2005	13	29.98	15.0	1.04	15.9	1375	1636.2	47	0.029	0	0.000		
347	5-TSP-30	7/11/2005	14	29.98	15.0	1.04	18.4	1388	1640.5	226	0.138	230	0.140		
351	1-TSP-31	7/12/2005	10	29.96	15.6	1.03	19.0	780	918.7	151	0.164	86	0.094		
355	2-TSP-31	7/12/2005	11	29.96	15.6	1.03	20.2	1359	1595.7	70	0.044	42	0.026		
359	3-TSP-31	7/12/2005	12	29.96	15.6	1.03	17.8	1323	1563.6	144	0.092	62	0.040		
363	4-TSP-31	7/12/2005	13	29.96	15.6	1.03	16.9	1464	1734.2	79	0.046	0	0.000		
367	5-TSP-31	7/12/2005	14	29.96	15.6	1.03	19.1	1444	1700.6	218	0.128	170	0.100		
371	1-TSP-32	7/13/2005	10	29.94	15.8	1.03	19.1	1348	1585.6	241	0.152	300	0.189		
375	2-TSP-32	7/13/2005	11	29.94	15.8	1.03	18.9	1428	1680.8	166	0.099	150	0.089		
379	3-TSP-32	7/13/2005	12	29.94	15.8	1.03	17.8	1472	1737.6	171	0.098	180	0.104		
383	4-TSP-32	7/13/2005	13	29.94	15.8	1.03	17.0	1260	1490.5	40	0.027	38	0.025		
387	5-TSP-32	7/13/2005	14	29.94	15.8	1.03	19.7	1450	1703.0	258	0.151	0	0.000		
391	1-TSP-33	7/14/2005	10	29.90	17.0	1.03	17.6	1643	1933.6	135	0.070	62	0.032		
395	2-TSP-33	7/14/2005	11	29.90	17.0	1.03	17.8	1595	1876.1	174	0.093	76	0.041		
399	3-TSP-33	7/14/2005	12	29.90	17.0	1.03	17.4	1549	1823.7	84	0.046	170	0.093		
403	4-TSP-33	7/14/2005	13	29.90	17.0	1.03	17.2	1367	1610.3	37	0.023	64	0.040		
407	5-TSP-33	7/14/2005	14	29.90	17.0	1.03	18.6	1498	1757.9	362	0.206	0	0.000		
411	1-TSP-34	7/18/2005	10	29.88	16.5	1.03	17.0	1362	1605.7	87	0.054	67	0.042		
415	2-TSP-34	7/18/2005	11	29.88	16.5	1.03	17.8	1364	1604.5	42	0.026	48	0.030		
419	3-TSP-34	7/18/2005	12	29.88	16.5	1.03	17.3	1423	1676.4	105	0.063	68	0.041		
423	4-TSP-34	7/18/2005	13	29.88	16.5	1.03	17.0	992	1169.5	24	0.021	0	0.000		
427	5-TSP-34	7/18/2005	14	29.88	16.5	1.03	18.1	1345	1580.9	133	0.084	120	0.076		
431	1-TSP-35	7/19/2005	10	29.87	15.8	1.03	17.9	1491	1755.2	137	0.078	95	0.054		
435	2-TSP-35	7/19/2005	11	29.87	15.8	1.03	17.6	1497	1763.7	59	0.033	66	0.037		
439	3-TSP-35	7/19/2005	12	29.87	15.8	1.03	17.7	1441	1697.3	67	0.039	33	0.019		
443	4-TSP-35	7/19/2005	13	29.87	15.8	1.03	16.7	812	959.0	15	0.016	0	0.000		
447	5-TSP-35	7/19/2005	14	29.87	15.8	1.03	18.3	1499	1762.7	215	0.122	190	0.108		
451	1-TSP-36	7/20/2005	10	29.88	15.6	1.03	17.3	1365	1610.7	116	0.072	95	0.059		
455	2-TSP-36	7/20/2005	11	29.88	15.6	1.03	17.2	1355	1599.3	122	0.076	120	0.075		
459	3-TSP-36	7/20/2005	12	29.88	15.6	1.03	17.1	1350	1593.8	50	0.031	33	0.021		
463	4-TSP-36	7/20/2005	13	29.88	15.6	1.03	16.7	289	341.6	6	0.018	0	0.000		
467	5-TSP-36	7/20/2005	14	29.88	15.6	1.03	19.0	1348	1583.3	337	0.213	300	0.189		
471	1-TSP-37	7/21/2005	10	29.92	16.4	1.03	17.9	1486	1750.4	120	0.069	74	0.042		
475	2-TSP-37	7/21/2005	11	29.92	16.4	1.03	18.5	1485	1746.4	83	0.048	56	0.032		
479	3-TSP-37	7/21/2005	12	29.92	16.4	1.03	17.0	1488	1757.0	140	0.080	64	0.036		
483	4-TSP-37	7/21/2005	13	29.92	16.4	1.03	17.0	1035	1222.1	31	0.025	0	0.000		
487	5-TSP-37	7/21/2005	14	29.92	16.4	1.03	18.2	1488	1751.3	262	0.150	230	0.131		
491	1-TSP-38	7/22/2005	10	29.92	16.1	1.03	17.7	1466	1729.0	163	0.094	100	0.058		
495	2-TSP-38	7/22/2005	11	29.92	16.1	1.03	17.9	1485	1750.2	120	0.069	120	0.069		
499	3-TSP-38	7/22/2005	12	29.92	16.1	1.03	17.2	1494	1764.4	86	0.049	46	0.026		
503	4-TSP-38	7/22/2005	13	29.92	16.1	1.03	14.3	90	107.1	0	0.000	0	0.000		
507	5-TSP-38	7/22/2005	14	29.92	16.1	1.03	19.3	1453	1706.0	209	0.123	160	0.094		

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
511	1-TSP-39	7/23/2005	10	29.90	16.1	1.03	18.4	1395	1641.0	138	0.084	71	0.043		
515	2-TSP-39	7/23/2005	11	29.90	16.1	1.03	17.7	1391	1639.4	86	0.052	57	0.035		
519	3-TSP-39	7/23/2005	12	29.90	16.1	1.03	17.7	1382	1628.8	76	0.047	26	0.016		
523	4-TSP-39	7/23/2005	13	29.90	16.1	1.03	15.7	330	391.0	9	0.023	0	0.000		
527	5-TSP-39	7/23/2005	14	29.90	16.1	1.03	18.6	1395	1639.9	129	0.079	86	0.052		
531	1-TSP-40	7/24/2005	10	29.93	16.1	1.03	17.3	1455	1718.2	112	0.065	43	0.025		
535	2-TSP-40	7/24/2005	11	29.93	16.1	1.03	17.7	1466	1729.3	82	0.047	27	0.016		
539	3-TSP-40	7/24/2005	12	29.93	16.1	1.03	17.1	1469	1735.7	83	0.048	0	0.000		
543	4-TSP-40	7/24/2005	13	29.93	16.1	1.03	13.5	210	250.5	12	0.048	0	0.000		
547	5-TSP-40	7/24/2005	14	29.93	16.1	1.03	18.6	1464	1722.8	174	0.101	120	0.070		
551	1-TSP-41	7/25/2005	10	29.92	14.4	1.04	17.6	1336	1581.0	178	0.113	110	0.070		
555	2-TSP-41	7/25/2005	11	29.92	14.4	1.04	17.5	1328	1572.0	142	0.090	120	0.076		
559	3-TSP-41	7/25/2005	12	29.92	14.4	1.04	17.3	1327	1571.6	118	0.075	57	0.036		
563	4-TSP-41	7/25/2005	13	29.92	14.4	1.04	17.2	415	491.6	9	0.018	0	0.000		
567	5-TSP-41	7/25/2005	14	29.92	14.4	1.04	21.4	1417	1659.6	71	0.043	57	0.034		
571	1-TSP-42	7/26/2005	10	29.92	14.4	1.04	18.1	1559	1842.4	197	0.107	120	0.065		
575	2-TSP-42	7/26/2005	11	29.92	14.4	1.04	17.7	1495	1768.7	183	0.103	180	0.102		
579	3-TSP-42	7/26/2005	12	29.92	14.4	1.04	17.3	1435	1699.5	77	0.045	43	0.025		
583	4-TSP-42	7/26/2005	13	29.92	14.4	1.04	16.5	255	302.7	14	0.046	0	0.000		
587	5-TSP-42	7/26/2005	14	29.92	14.4	1.04	20.8	1525	1789.1	221	0.124	190	0.106		
591	1-TSP-43	7/27/2005	10	29.94	14.7	1.04	17.6	1437	1700.7	85	0.050	72	0.042		
595	2-TSP-43	7/27/2005	11	29.94	14.7	1.04	17.7	1411	1669.5	115	0.069	130	0.078		
599	3-TSP-43	7/27/2005	12	29.94	14.7	1.04	17.3	1403	1661.8	127	0.076	76	0.046		
603	4-TSP-43	7/27/2005	13	29.94	14.7	1.04	17.0	1383	1639.5	36	0.022	26	0.016		
607	5-TSP-43	7/27/2005	14	29.94	14.7	1.04	19.2	1441	1698.1	185	0.109	160	0.094		
611	1-TSP-44	7/28/2005	10	29.95	14.7	1.04	18.4	1368	1616.1	100	0.062	72	0.045		
615	2-TSP-44	7/28/2005	11	29.95	14.7	1.04	18.0	1457	1723.1	94	0.055	96	0.056		
619	3-TSP-44	7/28/2005	12	29.95	14.7	1.04	17.0	1490	1766.9	190	0.108	86	0.049		
623	4-TSP-44	7/28/2005	13	29.95	14.7	1.04	17.1	1352	1602.9	36	0.022	0	0.000		
627	5-TSP-44	7/28/2005	14	29.95	14.7	1.04	18.8	1342	1583.7	153	0.097	140	0.088		
631	1-TSP-45	7/29/2005	10	29.99	15.0	1.04	18.0	1389	1644.1	100	0.061	67	0.041		
635	2-TSP-45	7/29/2005	11	29.99	15.0	1.04	18.0	1361	1610.9	150	0.093	120	0.074		
639	4-TSP-45	7/29/2005	13	29.99	15.0	1.04	17.1	1423	1688.4	38	0.023	0	0.000		
643	1-TSP-46	7/30/2005	10	30.00	18.3	1.03	18.5	427	501.8	46	0.092	26	0.052		
647	2-TSP-46	7/30/2005	11	30.00	18.3	1.03	18.0	448	527.1	57	0.108	62	0.118		
651	4-TSP-46	7/30/2005	13	30.00	18.3	1.03	18.2	407	478.6	10	0.021	0	0.000		
655	1-TSP-47	8/1/2005	10	29.95	13.9	1.04	18.0	1422	1684.3	68	0.040	49	0.029		
659	2-TSP-47	8/1/2005	11	29.95	13.9	1.04	17.7	1419	1682.2	414	0.246	380	0.226		
663	3-TSP-47	8/1/2005	12	29.95	13.9	1.04	18.1	1420	1681.5	76	0.045	66	0.039		
667	4-TSP-47	8/1/2005	13	29.95	13.9	1.04	19.0	1429	1688.1	37	0.022	34	0.020		
671	5-TSP-47	8/1/2005	14	29.95	13.9	1.04	17.4	1420	1684.7	211	0.125	180	0.107		
675	1-TSP-48	8/2/2005	10	29.94	16.4	1.03	17.8	1581	1864.1	93	0.050	43	0.023		
679	2-TSP-48	8/2/2005	11	29.94	16.4	1.03	18.0	1380	1626.2	132	0.081	110	0.068		

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
683	3-TSP-48	8/2/2005	12	29.94	16.4	1.03	18.0	1581	1863.1	158	0.085	75	0.040		
687	4-TSP-48	8/2/2005	13	29.94	16.4	1.03	18.7	1580	1858.4	81	0.044	44	0.024		
691	5-TSP-48	8/2/2005	14	29.94	16.4	1.03	18.0	1571	1851.3	232	0.125	170	0.092		
695	1-TSP-49	8/3/2005	10	29.97	17.8	1.03	17.9	1331	1566.4	57	0.036	29	0.019		
699	2-TSP-49	8/3/2005	11	29.97	17.8	1.03	17.6	1230	1448.7	202	0.139	200	0.138		
703	3-TSP-49	8/3/2005	12	29.97	17.8	1.03	17.8	1387	1632.7	134	0.082	56	0.034		
707	4-TSP-49	8/3/2005	13	29.97	17.8	1.03	17.5	1242	1463.2	55	0.038	31	0.021		
711	5-TSP-49	8/3/2005	14	29.97	17.8	1.03	18.5	1293	1519.2	247	0.163	190	0.125		
715	1-TSP-50	8/4/2005	10	30.00	15.6	1.04	18.4	1439	1700.1	64	0.038	33	0.019		
719	2-TSP-50	8/4/2005	11	30.00	15.6	1.04	17.1	1452	1721.4	286	0.166	320	0.186		
723	3-TSP-50	8/4/2005	12	30.00	15.6	1.04	16.6	1455	1727.3	37	0.021	38	0.022		
727	4-TSP-50	8/4/2005	13	30.00	15.6	1.04	16.4	1443	1714.0	38	0.022	0	0.000		
731	5-TSP-50	8/4/2005	14	30.00	15.6	1.04	19.0	1446	1705.6	170	0.100	130	0.076		
735	1-TSP-51	8/5/2005	10	30.00	17.2	1.03	18.0	487	574.2	34	0.059	25	0.044		
739	2-TSP-51	8/5/2005	11	30.00	17.2	1.03	17.0	482	569.9	272	0.477	290	0.509		
743	3-TSP-51	8/5/2005	12	30.00	17.2	1.03	16.3	452	535.4	44	0.082	29	0.054		
747	4-TSP-51	8/5/2005	13	30.00	17.2	1.03	16.5	517	612.1	27	0.044	0	0.000		
751	5-TSP-51	8/5/2005	14	30.00	17.2	1.03	18.4	509	599.5	166	0.277	130	0.217		
755	1-TSP-52	8/8/2005	10	29.94	14.2	1.04	19.6	1390	1637.8	41	0.025	33	0.020		
759	2-TSP-52	8/8/2005	11	29.94	14.2	1.04	17.0	1472	1746.7	121	0.069	160	0.092		
763	3-TSP-52	8/8/2005	12	29.94	14.2	1.04	16.4	1475	1753.1	189	0.108	73	0.042		
767	4-TSP-52	8/8/2005	13	29.94	14.2	1.04	16.2	1378	1638.7	35	0.021	27	0.016		
771	5-TSP-52	8/8/2005	14	29.94	14.2	1.04	17.7	1383	1638.0	177	0.108	140	0.085		
775	1-TSP-53	8/9/2005	10	29.98	14.2	1.04	19.5	1435	1693.7	85	0.050	66	0.039		
779	2-TSP-53	8/9/2005	11	29.98	14.2	1.04	16.7	1436	1707.7	124	0.073	140	0.082		
783	3-TSP-53	8/9/2005	12	29.98	14.2	1.04	16.9	1435	1705.6	298	0.175	100	0.059		
787	4-TSP-53	8/9/2005	13	29.98	14.2	1.04	16.5	1441	1714.6	35	0.020	27	0.016		
791	5-TSP-53	8/9/2005	14	29.98	14.2	1.04	18.0	1439	1705.3	205	0.120	170	0.100		
795	1-TSP-54	8/10/2005	10	30.00	15.3	1.04	19.0	1490	1758.5	95	0.054	47	0.027		
799	2-TSP-54	8/10/2005	11	30.00	15.3	1.04	17.3	1395	1653.9	155	0.094	150	0.091		
803	3-TSP-54	8/10/2005	12	30.00	15.3	1.04	17.1	1350	1601.4	100	0.062	38	0.024		
807	4-TSP-54	8/10/2005	13	30.00	15.3	1.04	16.6	1426	1693.9	61	0.036	33	0.019		
811	5-TSP-54	8/10/2005	14	30.00	15.3	1.04	18.0	1425	1686.3	191	0.113	130	0.077		
815	1-TSP-55	8/11/2005	10	29.92	18.3	1.02	17.6	390	458.1	80	0.175	58	0.127		
819	2-TSP-55	8/11/2005	11	29.92	18.3	1.02	17.6	381	447.5	56	0.125	55	0.123		
823	3-TSP-55	8/11/2005	12	29.92	18.3	1.02	17.1	376	442.3	43	0.097	25	0.057		
827	4-TSP-55	8/11/2005	13	29.92	18.3	1.02	16.8	435	512.1	30	0.059	0	0.000		
831	5-TSP-55	8/11/2005	14	29.92	18.3	1.02	17.7	424	497.9	112	0.225	83	0.167		
835	1-TSP-56	8/15/2005	10	29.98	17.2	1.03	17.8	1553	1830.9	122	0.067	79	0.043		
839	2-TSP-56	8/15/2005	11	29.98	17.2	1.03	18.0	1544	1819.3	95	0.052	110	0.060		
843	3-TSP-56	8/15/2005	12	29.98	17.2	1.03	17.3	1544	1822.7	92	0.050	48	0.026		
847	4-TSP-56	8/15/2005	13	29.98	17.2	1.03	16.9	1523	1799.8	51	0.028	33	0.018		
851	5-TSP-56	8/15/2005	14	29.98	17.2	1.03	18.7	1496	1759.4	96	0.055	64	0.036		

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
855	1-TSP-57	8/16/2005	10	29.96	15.6	1.03	16.6	1210	1434.5	160	0.112	90	0.063		
859	2-TSP-57	8/16/2005	11	29.96	15.6	1.03	17.5	1218	1440.5	95	0.066	100	0.069		
863	3-TSP-57	8/16/2005	12	29.96	15.6	1.03	17.0	1214	1437.7	88	0.061	49	0.034		
867	4-TSP-57	8/16/2005	13	29.96	15.6	1.03	16.8	1237	1465.7	38	0.026	0	0.000		
871	5-TSP-57	8/16/2005	14	29.96	15.6	1.03	18.0	60	70.9	18	0.254	0	0.000		
875	3-TSP-58	8/17/2005	12	29.96	14.2	1.04	16.0	1466	1745.5	64	0.037	42	0.024	0	0.000
883	5-TSP-58	8/17/2005	14	29.96	14.2	1.04	17.5	1441	1708.8	131	0.077	69	0.040	170	0.099
887	3-TSP-59	8/18/2005	12	29.97	14.4	1.04	18.5	1420	1679.3	61	0.036	34	0.020	0	0.000
891	4-TSP-59	8/18/2005	13	29.97	14.4	1.04	17.1	1418	1683.2	15	0.009	0	0.000	0	0.000
895	5-TSP-59	8/18/2005	14	29.97	14.4	1.04	17.7	1428	1692.4	86	0.051	74	0.044	180	0.106
899	2-TSP-60	8/19/2005	11	29.95	13.9	1.04	16.8	443	526.4	31	0.059	42	0.080	77	0.146
903	3-TSP-60	8/19/2005	12	29.95	13.9	1.04	17.4	373	442.5	27	0.061	0	0.000	0	0.000
907	4-TSP-60	8/19/2005	13	29.95	13.9	1.04	17.0	472	560.6	13	0.023	0	0.000	0	0.000
911	5-TSP-60	8/19/2005	14	29.95	13.9	1.04	17.4	476	564.7	101	0.179	77	0.136	230	0.407
915	2-TSP-61	8/20/2005	11	30.02	14.4	1.04	17.4	493	585.8	49	0.084	52	0.089	97	0.166
919	3-TSP-61	8/20/2005	12	30.02	14.4	1.04	17.0	440	523.4	58	0.111	0	0.000	0	0.000
923	4-TSP-61	8/20/2005	13	30.02	14.4	1.04	16.8	15	17.9	2	0.112	0	0.000	0	0.000
927	5-TSP-61	8/20/2005	14	30.02	14.4	1.04	17.4	389	462.2	57	0.123	29	0.063	73	0.158
931	1-TSP-62	8/22/2005	10	29.86	14.4	1.03	18.0	1227	1447.4	103	0.071	68	0.047	93	0.064
935	2-TSP-62	8/22/2005	11	29.86	14.4	1.03	17.3	1247	1473.8	177	0.120	280	0.190	560	0.380
939	3-TSP-62	8/22/2005	12	29.86	14.4	1.03	17.4	1233	1456.8	142	0.097	73	0.050	37	0.025
943	4-TSP-62	8/22/2005	13	29.86	14.4	1.03	17.2	1237	1462.4	22	0.015	0	0.000	0	0.000
947	5-TSP-62	8/22/2005	14	29.86	14.4	1.03	17.3	1229	1452.5	299	0.206	250	0.172	610	0.420
951	1-TSP-63	8/23/2005	10	29.80	13.9	1.03	17.9	1476	1739.6	177	0.102	95	0.055	100	0.057
955	2-TSP-63	8/23/2005	11	29.80	13.9	1.03	17.5	1447	1707.3	139	0.081	120	0.070	170	0.100
959	3-TSP-63	8/23/2005	12	29.80	13.9	1.03	17.6	1459	1721.0	233	0.135	73	0.042	0	0.000
963	4-TSP-63	8/23/2005	13	29.80	13.9	1.03	17.0	1200	1417.8	79	0.056	31	0.022	0	0.000
967	5-TSP-63	8/23/2005	14	29.80	13.9	1.03	17.0	300	354.4	30	0.085	0	0.000	40	0.113
971	1-TSP-64	8/24/2005	10	29.80	15.6	1.03	18.0	1652	1940.2	221	0.114	110	0.057	100	0.052
975	2-TSP-64	8/24/2005	11	29.80	15.6	1.03	18.0	1665	1955.4	130	0.066	83	0.042	96	0.049
979	3-TSP-64	8/24/2005	12	29.80	15.6	1.03	18.5	1684	1975.1	245	0.124	110	0.056	58	0.029
983	4-TSP-64	8/24/2005	13	29.80	15.6	1.03	17.2	8	9.4	4	0.425	0	0.000	0	0.000
987	5-TSP-64	8/24/2005	14	29.80	15.6	1.03	17.8	1652	1941.2	71	0.037	46	0.024	95	0.049
991	1-TSP-65	8/25/2005	10	30.00	19.7	1.02	17.4	1420	1669.1	135	0.081	74	0.044	77	0.046
995	2-TSP-65	8/25/2005	11	30.00	19.7	1.02	18.0	1365	1601.9	111	0.069	110	0.069	170	0.106
999	3-TSP-65	8/25/2005	12	30.00	19.7	1.02	17.2	1327	1560.7	89	0.057	37	0.024	0	0.000
1003	4-TSP-65	8/25/2005	13	30.00	19.7	1.02	18.1	1503	1763.4	46	0.026	0	0.000	0	0.000
1007	5-TSP-65	8/25/2005	14	30.00	19.7	1.02	18.0	128	150.2	34	0.226	27	0.180	82	0.546
1011	1-TSP-66	8/26/2005	10	30.01	16.7	1.03	17.9	1435	1694.7	105	0.062	70	0.041	73	0.043
1015	2-TSP-66	8/26/2005	11	30.01	16.7	1.03	18.2	1246	1470.3	278	0.189	180	0.122	270	0.184
1019	3-TSP-66	8/26/2005	12	30.01	16.7	1.03	18.1	1503	1774.0	87	0.049	48	0.027	0	0.000
1023	4-TSP-66	8/26/2005	13	30.01	16.7	1.03	17.6	1140	1347.4	36	0.027	0	0.000	0	0.000
1027	5-TSP-66	8/26/2005	14	30.01	16.7	1.03	18.2	1243	1466.7	79	0.054	49	0.033	74	0.050

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
1031	2-TSP-67	8/27/2005	11	29.99	13.9	1.04	18.2	1470	1742.7	84	0.048	84	0.048	120	0.069
1035	4-TSP-67	8/27/2005	13	29.99	13.9	1.04	17.5	1507	1789.9	27	0.015	0	0.000	0	0.000
1039	1-TSP-68	8/29/2005	10	29.89	17.5	1.02	17.8	1410	1656.1	215	0.130	110	0.066	130	0.078
1043	2-TSP-68	8/29/2005	11	29.89	17.5	1.02	17.5	1506	1770.3	160	0.090	110	0.062	130	0.073
1047	3-TSP-68	8/29/2005	12	29.89	17.5	1.02	17.9	1442	1693.2	205	0.121	90	0.053	77	0.045
1051	4-TSP-68	8/29/2005	13	29.89	17.5	1.02	20.2	1368	1596.3	100	0.063	51	0.032	0	0.000
1055	5-TSP-68	8/29/2005	14	29.89	17.5	1.02	20.3	476	555.3	178	0.321	130	0.234	400	0.720
1059	1-TSP-69	8/30/2005	10	29.86	19.4	1.02	18.9	1570	1830.0	179	0.098	91	0.050	82	0.045
1063	2-TSP-69	8/30/2005	11	29.86	19.4	1.02	18.0	1453	1697.8	210	0.124	170	0.100	240	0.141
1067	3-TSP-69	8/30/2005	12	29.86	19.4	1.02	18.1	1423	1662.3	126	0.076	55	0.033	29	0.017
1071	4-TSP-69	8/30/2005	13	29.86	19.4	1.02	18.0	1621	1894.1	72	0.038	30	0.016	0	0.000
1075	5-TSP-69	8/30/2005	14	29.86	19.4	1.02	18.0	285	333.0	19	0.057	0	0.000	0	0.000
1079	1-TSP-70	8/31/2005	10	29.86	16.9	1.03	18.3	1380	1618.8	192	0.119	98	0.061	90	0.056
1083	2-TSP-70	8/31/2005	11	29.86	16.9	1.03	18.0	1503	1764.5	227	0.129	180	0.102	250	0.142
1087	3-TSP-70	8/31/2005	12	29.86	16.9	1.03	18.1	1544	1812.2	130	0.072	51	0.028	34	0.019
1091	4-TSP-70	8/31/2005	13	29.86	16.9	1.03	17.5	1323	1555.3	70	0.045	27	0.017	0	0.000
1095	5-TSP-70	8/31/2005	14	29.86	16.9	1.03	18.3	1426	1672.8	164	0.098	94	0.056	140	0.084
1099	1-TSP-71	9/1/2005	10	29.93	16.9	1.03	18.0	290	341.3	36	0.105	0	0.000	41	0.120
1103	2-TSP-71	9/1/2005	11	29.93	16.9	1.03	18.2	285	335.2	63	0.188	62	0.185	84	0.251
1107	3-TSP-71	9/1/2005	12	29.93	16.9	1.03	18.0	200	235.4	46	0.195	33	0.140	0	0.000
1111	4-TSP-71	9/1/2005	13	29.93	16.9	1.03	18.0	300	353.1	12	0.034	0	0.000	0	0.000
1115	5-TSP-71	9/1/2005	14	29.93	16.9	1.03	18.0	191	224.8	60	0.267	51	0.227	110	0.489
1119	1-TSP-72	9/6/2005	10	29.99	14.2	1.04	17.3	1506	1788.7	223	0.125	120	0.067	140	0.078
1123	2-TSP-72	9/6/2005	11	29.99	14.2	1.04	17.4	1487	1765.6	191	0.108	140	0.079	200	0.113
1127	3-TSP-72	9/6/2005	12	29.99	14.2	1.04	17.6	1496	1775.4	432	0.243	130	0.073	52	0.029
1131	4-TSP-72	9/6/2005	13	29.99	14.2	1.04	17.5	1487	1765.4	83	0.047	38	0.022	0	0.000
1135	5-TSP-72	9/6/2005	14	29.99	14.2	1.04	18.1	1488	1763.5	198	0.112	120	0.068	270	0.153
1139	1-TSP-73	9/7/2005	10	30.04	15.3	1.04	19.8	1426	1681.9	151	0.090	100	0.059	130	0.077
1143	2-TSP-73	9/7/2005	11	30.04	15.3	1.04	20.2	1449	1707.2	136	0.080	99	0.058	96	0.056
1147	3-TSP-73	9/7/2005	12	30.04	15.3	1.04	20.1	1431	1686.4	148	0.088	75	0.044	35	0.021
1151	4-TSP-73	9/7/2005	13	30.04	15.3	1.04	19.5	1418	1673.8	38	0.023	0	0.000	0	0.000
1155	5-TSP-73	9/7/2005	14	30.04	15.3	1.04	20.0	1479	1743.2	124	0.071	78	0.045	230	0.132
1159	1-TSP-74	9/8/2005	10	30.09	15.8	1.04	17.0	1432	1702.9	73	0.043	44	0.026	53	0.031
1163	2-TSP-74	9/8/2005	11	30.09	15.8	1.04	18.0	1406	1667.5	134	0.080	99	0.059	98	0.059
1167	3-TSP-74	9/8/2005	12	30.09	15.8	1.04	17.1	1433	1703.8	39	0.023	0	0.000	0	0.000
1171	4-TSP-74	9/8/2005	13	30.09	15.8	1.04	17.8	1429	1695.7	28	0.017	0	0.000	0	0.000
1175	5-TSP-74	9/8/2005	14	30.09	15.8	1.04	18.5	1430	1693.6	50	0.030	30	0.018	49	0.029
1179	1-TSP-75	9/9/2005	10	30.06	15.8	1.04	17.1	430	510.7	30	0.059	0	0.000	35	0.069
1183	2-TSP-75	9/9/2005	11	30.06	15.8	1.04	17.9	456	540.4	24	0.044	0	0.000	0	0.000
1187	3-TSP-75	9/9/2005	12	30.06	15.8	1.04	17.0	344	408.6	37	0.091	0	0.000	0	0.000
1191	4-TSP-75	9/9/2005	13	30.06	15.8	1.04	17.9	431	510.8	12	0.023	0	0.000	0	0.000
1195	5-TSP-75	9/9/2005	14	30.06	15.8	1.04	18.1	446	528.2	44	0.083	36	0.068	74	0.140
1199	1-TSP-76	9/12/2005	10	30.21	12.8	1.05	17.1	1520	1825.1	172	0.094	110	0.060	180	0.099

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
1203	2-TSP-76	9/12/2005	11	30.21	12.8	1.05	18.0	1515	1814.7	209	0.115	190	0.105	210	0.116
1207	3-TSP-76	9/12/2005	12	30.21	12.8	1.05	17.0	1520	1825.6	226	0.124	94	0.051	39	0.021
1211	4-TSP-76	9/12/2005	13	30.21	12.8	1.05	17.4	1497	1796.0	39	0.022	0	0.000	0	0.000
1215	5-TSP-76	9/12/2005	14	30.21	12.8	1.05	18.1	1507	1804.9	232	0.129	190	0.105	430	0.238
1219	1-TSP-77	9/13/2005	10	30.21	13.1	1.05	17.1	1420	1704.2	140	0.082	100	0.059	140	0.082
1223	2-TSP-77	9/13/2005	11	30.21	13.1	1.05	18.0	1421	1701.1	250	0.147	250	0.147	210	0.123
1227	3-TSP-77	9/13/2005	12	30.21	13.1	1.05	17.1	1420	1704.0	336	0.197	180	0.106	52	0.031
1231	4-TSP-77	9/13/2005	13	30.21	13.1	1.05	17.6	1408	1687.4	38	0.023	0	0.000	0	0.000
1235	5-TSP-77	9/13/2005	14	30.21	13.1	1.05	18.1	1407	1684.1	71	0.042	57	0.034	110	0.065
1239	1-TSP-78	9/14/2005	10	30.16	13.6	1.05	17.0	1511	1808.8	123	0.068	87	0.048	96	0.053
1243	2-TSP-78	9/14/2005	11	30.16	13.6	1.05	17.9	1515	1809.2	104	0.057	92	0.051	110	0.061
1251	4-TSP-78	9/14/2005	13	30.16	13.6	1.05	18.0	1532	1829.0	39	0.021	0	0.000	0	0.000
1259	1-TSP-79	9/15/2005	10	30.15	14.2	1.05	17.2	1362	1627.1	127	0.078	87	0.053	120	0.074
1263	2-TSP-79	9/15/2005	11	30.15	14.2	1.05	18.8	1337	1590.6	175	0.110	170	0.107	180	0.113
1267	3-TSP-79	9/15/2005	12	30.15	14.2	1.05	17.7	1313	1566.5	194	0.124	130	0.083	32	0.020
1271	4-TSP-79	9/15/2005	13	30.15	14.2	1.05	19.9	1408	1669.9	38	0.023	0	0.000	0	0.000
1275	5-TSP-79	9/15/2005	14	30.15	14.2	1.05	18.0	1393	1660.6	27	0.016	0	0.000	29	0.017
1279	1-TSP-80	9/16/2005	10	30.11	16.4	1.04	17.0	502	596.7	69	0.116	47	0.079	71	0.119
1283	2-TSP-80	9/16/2005	11	30.11	16.4	1.04	19.9	524	618.1	172	0.278	130	0.210	97	0.157
1287	3-TSP-80	9/16/2005	12	30.11	16.4	1.04	20.3	373	439.5	68	0.155	39	0.089	0	0.000
1291	4-TSP-80	9/16/2005	13	30.11	16.4	1.04	19.9	270	318.5	15	0.047	0	0.000	0	0.000
1295	5-TSP-80	9/16/2005	14	30.11	16.4	1.04	20.1	352	414.9	71	0.171	51	0.123	110	0.265
1303	2-TSP-81	9/17/2005	11	30.12	15.4	1.04	20.0	360	425.4	50	0.118	38	0.089	42	0.099
1307	3-TSP-81	9/17/2005	12	30.12	15.4	1.04	20.1	1036	1223.9	117	0.096	47	0.038	0	0.000
1311	4-TSP-81	9/17/2005	13	30.12	15.4	1.04	19.8	480	567.5	13	0.023	0	0.000	0	0.000
1315	5-TSP-81	9/17/2005	14	30.12	15.4	1.04	18.6	490	581.2	49	0.084	38	0.065	60	0.103
1323	2-TSP-82	9/18/2005	11	30.13	14.4	1.04	19.8	893	1058.3	137	0.129	120	0.113	120	0.113
1331	4-TSP-82	9/18/2005	13	30.13	14.4	1.04	19.7	1490	1766.4	57	0.032	0	0.000	0	0.000
1339	1-TSP-83	9/19/2005	10	30.18	16.4	1.04	18.8	1469	1742.1	170	0.098	110	0.063	130	0.075
1343	2-TSP-83	9/19/2005	11	30.18	16.4	1.04	20.3	1468	1733.7	141	0.081	120	0.069	220	0.127
1347	3-TSP-83	9/19/2005	12	30.18	16.4	1.04	20.3	1468	1733.9	68	0.039	27	0.016	0	0.000
1351	4-TSP-83	9/19/2005	13	30.18	16.4	1.04	19.8	1443	1706.7	71	0.042	33	0.019	33	0.019
1355	5-TSP-83	9/19/2005	14	30.18	16.4	1.04	19.6	1437	1700.3	89	0.052	47	0.028	70	0.041
1359	1-TSP-84	9/20/2005	10	30.19	19.2	1.03	20.8	1560	1831.0	309	0.169	210	0.115	260	0.142
1363	2-TSP-84	9/20/2005	11	30.19	19.2	1.03	19.8	1569	1846.6	143	0.077	120	0.065	230	0.125
1367	3-TSP-84	9/20/2005	12	30.19	19.2	1.03	19.9	1573	1850.5	90	0.049	32	0.017	0	0.000
1371	4-TSP-84	9/20/2005	13	30.19	19.2	1.03	20.5	1603	1883.0	74	0.039	34	0.018	0	0.000
1375	5-TSP-84	9/20/2005	14	30.19	19.2	1.03	17.8	1609	1903.9	139	0.073	72	0.038	100	0.053
1379	1-TSP-85	9/21/2005	10	30.16	17.5	1.03	20.5	1243	1463.1	152	0.104	98	0.067	120	0.082
1383	2-TSP-85	9/21/2005	11	30.16	17.5	1.03	20.0	1228	1447.6	135	0.093	130	0.090	250	0.173
1387	3-TSP-85	9/21/2005	12	30.16	17.5	1.03	19.5	1231	1452.9	69	0.047	27	0.019	0	0.000
1391	4-TSP-85	9/21/2005	13	30.16	17.5	1.03	19.5	1226	1447.2	49	0.034	0	0.000	0	0.000
1395	5-TSP-85	9/21/2005	14	30.16	17.5	1.03	19.0	1225	1447.8	88	0.061	64	0.044	43	0.030

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
1399	1-TSP-86	9/22/2005	10	30.07	16.1	1.04	20.0	450	530.2	153	0.289	130	0.245	180	0.339
1403	2-TSP-86	9/22/2005	11	30.07	16.1	1.04	20.0	446	525.5	52	0.099	42	0.080	66	0.126
1411	4-TSP-86	9/22/2005	13	30.07	16.1	1.04	19.6	470	554.3	22	0.040	0	0.000	0	0.000
1419	1-TSP-87	9/23/2005	10	30.01	17.8	1.03	20.1	1264	1480.8	242	0.163	170	0.115	230	0.155
1423	2-TSP-87	9/23/2005	11	30.01	17.8	1.03	20.1	1297	1519.4	168	0.111	110	0.072	190	0.125
1431	4-TSP-87	9/23/2005	13	30.01	17.8	1.03	20.0	1323	1550.3	133	0.086	58	0.037	0	0.000
1439	1-TSP-88	9/26/2005	10	30.08	17.8	1.03	20.5	585	686.3	287	0.418	250	0.364	360	0.525
1443	2-TSP-88	9/26/2005	11	30.08	17.8	1.03	20.4	522	612.5	123	0.201	130	0.212	240	0.392
1451	4-TSP-88	9/26/2005	13	30.08	17.8	1.03	19.9	525	617.0	42	0.068	0	0.000	0	0.000
1459	1-TSP-89	9/27/2005	10	30.16	21.1	1.02	20.7	1452	1696.7	214	0.126	150	0.088	240	0.141
1463	2-TSP-89	9/27/2005	11	30.16	21.1	1.02	21.0	1456	1700.0	208	0.122	170	0.100	300	0.176
1471	4-TSP-89	9/27/2005	13	30.16	21.1	1.02	20.2	1409	1648.9	67	0.041	0	0.000	0	0.000
1479	1-TSP-90	9/28/2005	10	30.17	21.1	1.02	20.1	1497	1752.7	164	0.094	110	0.063	170	0.097
1483	2-TSP-90	9/28/2005	11	30.17	21.1	1.02	20.3	1495	1749.4	135	0.077	110	0.063	170	0.097
1491	4-TSP-90	9/28/2005	13	30.17	21.1	1.02	20.2	1505	1761.8	76	0.043	35	0.020	0	0.000
1499	1-TSP-91	9/29/2005	10	30.07	26.7	1.00	21.1	1301	1498.5	151	0.101	99	0.066	120	0.080
1503	2-TSP-91	9/29/2005	11	30.07	26.7	1.00	21.3	1321	1520.5	126	0.083	72	0.047	77	0.051
1511	4-TSP-91	9/29/2005	13	30.07	26.7	1.00	20.5	1308	1508.8	83	0.055	30	0.020	0	0.000
1519	1-TSP-92	9/30/2005	10	29.98	28.9	0.99	20.9	1525	1744.8	266	0.152	240	0.138	410	0.235
1523	2-TSP-92	9/30/2005	11	29.98	28.9	0.99	20.8	1511	1729.5	156	0.090	130	0.075	230	0.133
1531	4-TSP-92	9/30/2005	13	29.98	28.9	0.99	20.5	1509	1728.3	97	0.056	44	0.025	0	0.000
1539	1-TSP-93	10/3/2005	10	30.14	16.4	1.04	19.9	585	690.8	301	0.436	290	0.420	520	0.753
1543	2-TSP-93	10/3/2005	11	30.14	16.4	1.04	18.8	592	701.0	129	0.184	170	0.243	350	0.499
1551	4-TSP-93	10/3/2005	13	30.14	16.4	1.04	19.2	570	674.2	17	0.025	27	0.040	0	0.000
1559	1-TSP-94	10/4/2005	10	30.15	21.1	1.02	19.7	1395	1633.9	115	0.070	90	0.055	140	0.086
1571	4-TSP-94	10/4/2005	13	30.15	21.1	1.02	20.0	1382	1617.4	55	0.034	44	0.027	0	0.000
1579	1-TSP-95	10/5/2005	10	30.14	23.6	1.01	20.5	1460	1698.1	217	0.128	170	0.100	280	0.165
1583	2-TSP-95	10/5/2005	11	30.14	23.6	1.01	21.0	1311	1522.6	101	0.066	77	0.051	120	0.079
1591	4-TSP-95	10/5/2005	13	30.14	23.6	1.01	20.1	1454	1693.0	85	0.050	64	0.038	0	0.000
1603	2-TSP-96	10/6/2005	11	30.05	22.5	1.01	20.1	1433	1666.4	171	0.103	140	0.084	260	0.156
1611	4-TSP-96	10/6/2005	13	30.05	22.5	1.01	20.0	1445	1680.8	85	0.051	55	0.033	0	0.000
1619	1-TSP-97	10/7/2005	10	29.99	18.6	1.02	20.0	1204	1407.7	116	0.082	82	0.058	110	0.078
1623	2-TSP-97	10/7/2005	11	29.99	18.6	1.02	20.0	1289	1507.1	102	0.068	100	0.066	200	0.133
1631	4-TSP-97	10/7/2005	13	29.99	18.6	1.02	19.5	1289	1509.2	41	0.027	0	0.000	0	0.000
1639	1-TSP-98	10/10/2005	10	30.07	20.8	1.02	20.0	609	711.1	125	0.176	72	0.101	98	0.138
1643	2-TSP-98	10/10/2005	11	30.07	20.8	1.02	19.8	590	689.3	97	0.141	81	0.118	140	0.203
1651	4-TSP-98	10/10/2005	13	30.07	20.8	1.02	19.4	635	742.8	52	0.070	0	0.000	0	0.000
1659	1-TSP-99	10/11/2005	10	30.08	21.6	1.02	20.1	1372	1600.0	165	0.103	91	0.057	140	0.087
1663	2-TSP-99	10/11/2005	11	30.08	21.6	1.02	20.7	1340	1560.0	137	0.088	120	0.077	220	0.141
1671	4-TSP-99	10/11/2005	13	30.08	21.6	1.02	19.8	1301	1518.5	55	0.036	0	0.000	0	0.000
1679	1-TSP-100	10/12/2005	10	30.12	21.6	1.02	20.5	1387	1617.8	118	0.073	60	0.037	68	0.042
1683	2-TSP-100	10/12/2005	11	30.12	21.6	1.02	20.4	1386	1617.1	114	0.070	82	0.051	150	0.093
1691	4-TSP-100	10/12/2005	13	30.12	21.6	1.02	20.1	1415	1652.3	71	0.043	0	0.000	0	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
1699	1-TSP-101	10/13/2005	10	30.13	23.6	1.01	20.7	1422	1652.2	119	0.072	66	0.040	73	0.044
1703	2-TSP-101	10/13/2005	11	30.13	23.6	1.01	20.8	1425	1655.5	102	0.062	61	0.037	71	0.043
1711	4-TSP-101	10/13/2005	13	30.13	23.6	1.01	20.1	1419	1651.4	73	0.044	35	0.021	0	0.000
1719	1-TSP-102	10/14/2005	10	30.12	22.7	1.01	14.0	1420	1682.0	147	0.087	100	0.059	130	0.077
1723	2-TSP-102	10/14/2005	11	30.12	22.7	1.01	20.8	1455	1692.5	117	0.069	110	0.065	160	0.095
1731	4-TSP-102	10/14/2005	13	30.12	22.7	1.01	20.8	1443	1678.5	52	0.031	27	0.016	0	0.000
1739	1-TSP-103	10/17/2005	10	30.01	21.6	1.01	19.6	495	576.6	70	0.121	47	0.082	45	0.078
1743	2-TSP-103	10/17/2005	11	30.01	21.6	1.01	20.1	507	589.7	52	0.088	48	0.081	78	0.132
1751	4-TSP-103	10/17/2005	13	30.01	21.6	1.01	19.7	588	684.7	33	0.048	0	0.000	0	0.000
1759	1-TSP-104	10/18/2005	10	29.99	19.7	1.02	19.5	1318	1539.9	122	0.079	73	0.047	82	0.053
1763	2-TSP-104	10/18/2005	11	29.99	19.7	1.02	20.5	1304	1519.5	79	0.052	41	0.027	44	0.029
1771	4-TSP-104	10/18/2005	13	29.99	19.7	1.02	19.7	1309	1528.6	80	0.052	39	0.026	0	0.000
1779	1-TSP-105	10/19/2005	10	30.17	17.7	1.03	19.4	1462	1726.2	129	0.075	99	0.057	130	0.075
1783	2-TSP-105	10/19/2005	11	30.17	17.7	1.03	20.0	1461	1722.0	80	0.046	130	0.075	74	0.043
1791	4-TSP-105	10/19/2005	13	30.17	17.7	1.03	19.8	1456	1717.0	36	0.021	0	0.000	0	0.000
1799	1-TSP-106	10/20/2005	10	30.24	18.1	1.03	19.6	1415	1672.4	92	0.055	49	0.029	48	0.029
1803	2-TSP-106	10/20/2005	11	30.24	18.1	1.03	19.1	1421	1681.9	82	0.049	76	0.045	140	0.083
1811	4-TSP-106	10/20/2005	13	30.24	18.1	1.03	19.5	1412	1669.3	54	0.032	27	0.016	0	0.000
1819	1-TSP-107	10/21/2005	10	30.16	18.6	1.03	20.0	1427	1678.5	73	0.043	42	0.025	38	0.023
1823	2-TSP-107	10/21/2005	11	30.16	18.6	1.03	19.7	1425	1677.5	61	0.036	43	0.026	72	0.043
1831	4-TSP-107	10/21/2005	13	30.16	18.6	1.03	19.8	1425	1677.2	43	0.026	0	0.000	0	0.000
1839	1-TSP-108	10/24/2005	10	30.14	13.6	1.05	19.3	357	424.4	53	0.125	40	0.094	55	0.130
1843	2-TSP-108	10/24/2005	11	30.14	13.6	1.05	19.5	508	603.6	32	0.053	34	0.056	69	0.114
1847	3-TSP-108	10/24/2005	12	30.14	13.6	1.05	21.0	320	378.7	76	0.201	48	0.127	49	0.129
1851	4-TSP-108	10/24/2005	13	30.14	13.6	1.05	19.5	500	594.2	14	0.024	0	0.000	0	0.000
1859	1-TSP-109	10/25/2005	10	30.21	16.6	1.04	19.5	1417	1678.2	93	0.055	65	0.039	93	0.055
1863	2-TSP-109	10/25/2005	11	30.21	16.6	1.04	19.8	1424	1685.1	40	0.024	44	0.026	100	0.059
1867	3-TSP-109	10/25/2005	12	30.21	16.6	1.04	21.3	1440	1697.4	98	0.058	61	0.036	74	0.044
1871	4-TSP-109	10/25/2005	13	30.21	16.6	1.04	20.0	1505	1780.0	25	0.014	0	0.000	0	0.000
1879	1-TSP-110	10/26/2005	10	30.21	17.7	1.04	20.0	1545	1823.5	37	0.020	0	0.000	0	0.000
1883	2-TSP-110	10/26/2005	11	30.21	17.7	1.04	20.3	1540	1816.4	51	0.028	0	0.000	29	0.016
1887	3-TSP-110	10/26/2005	12	30.21	17.7	1.04	21.2	1425	1676.5	40	0.024	0	0.000	0	0.000
1891	4-TSP-110	10/26/2005	13	30.21	17.7	1.04	20.5	1489	1755.1	24	0.014	0	0.000	0	0.000
1899	1-TSP-111	10/27/2005	10	30.13	17.2	1.03	20.5	1285	1511.8	70	0.046	34	0.022	35	0.023
1903	2-TSP-111	10/27/2005	11	30.13	17.2	1.03	20.3	1284	1511.7	54	0.036	0	0.000	0	0.000
1907	3-TSP-111	10/27/2005	12	30.13	17.2	1.03	20.0	1402	1651.7	54	0.033	0	0.000	0	0.000
1919	1-TSP-112	10/28/2005	10	30.33	18.6	1.04	20.4	1432	1692.5	78	0.046	36	0.021	30	0.018
1923	2-TSP-112	10/28/2005	11	30.33	18.6	1.04	20.9	1392	1643.0	39	0.024	0	0.000	0	0.000
1927	3-TSP-112	10/28/2005	12	30.33	18.6	1.04	21.7	1205	1419.4	41	0.029	0	0.000	0	0.000
1931	4-TSP-112	10/28/2005	13	30.33	18.6	1.04	20.1	1428	1689.2	24	0.014	0	0.000	0	0.000
1935	1-TSP-113	10/29/2005	10	30.25	18.6	1.03	19.4	1399	1653.4	31	0.019	0	0.000	0	0.000
1939	3-TSP-113	10/29/2005	12	30.25	18.6	1.03	21.3	1393	1637.9	36	0.022	0	0.000	0	0.000
1943	4-TSP-113	10/29/2005	13	30.25	18.6	1.03	20.0	1395	1646.2	33	0.020	0	0.000	0	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
1947	3-TSP-114	10/30/2005	12	30.22	21.1	1.02	21.4	1435	1677.4	61	0.036	0	0.000	0	0.000
1951	4-TSP-114	10/30/2005	13	30.22	21.1	1.02	19.8	1494	1753.7	50	0.029	0	0.000	30	0.017
1955	1-TSP-115	10/31/2005	10	30.25	18.6	1.03	19.3	1459	1725.0	72	0.042	38	0.022	43	0.025
1959	2-TSP-115	10/31/2005	11	30.25	18.6	1.03	20.0	1449	1709.7	74	0.043	52	0.030	95	0.056
1963	3-TSP-115	10/31/2005	12	30.25	18.6	1.03	21.8	1443	1694.6	66	0.039	0	0.000	0	0.000
1967	4-TSP-115	10/31/2005	13	30.25	18.6	1.03	20.5	1444	1701.5	73	0.043	35	0.021	53	0.031
1971	1-TSP-116	11/1/2005	10	30.25	17.7	1.04	20.5	1395	1646.6	240	0.146	170	0.103	150	0.091
1975	2-TSP-116	11/1/2005	11	30.25	17.7	1.04	20.3	1445	1706.7	104	0.061	93	0.054	150	0.088
1979	3-TSP-116	11/1/2005	12	30.25	17.7	1.04	21.0	1449	1708.2	117	0.068	58	0.034	30	0.018
1983	4-TSP-116	11/1/2005	13	30.25	17.7	1.04	20.0	1410	1666.5	78	0.047	59	0.035	0	0.000
1987	1-TSP-117	11/2/2005	10	30.15	16.1	1.04	19.5	1313	1553.3	297	0.191	220	0.142	180	0.116
1991	2-TSP-117	11/2/2005	11	30.15	16.1	1.04	20.0	1314	1552.3	79	0.051	92	0.059	210	0.135
1995	3-TSP-117	11/2/2005	12	30.15	16.1	1.04	21.5	1317	1549.6	109	0.070	42	0.027	30	0.019
1999	4-TSP-117	11/2/2005	13	30.15	16.1	1.04	20.0	1265	1494.5	41	0.027	26	0.017	0	0.000
2003	1-TSP-118	11/3/2005	10	30.21	17.7	1.04	19.5	1492	1763.3	81	0.046	42	0.024	45	0.026
2007	2-TSP-118	11/3/2005	11	30.21	17.7	1.04	20.1	1499	1768.8	54	0.031	32	0.018	44	0.025
2011	3-TSP-118	11/3/2005	12	30.21	17.7	1.04	21.2	1525	1794.1	54	0.030	0	0.000	0	0.000
2015	4-TSP-118	11/3/2005	13	30.21	17.7	1.04	19.4	1442	1704.9	36	0.021	0	0.000	0	0.000
2019	1-TSP-119	11/4/2005	10	30.27	16.4	1.04	20.5	1420	1681.4	107	0.064	53	0.032	44	0.026
2023	2-TSP-119	11/4/2005	11	30.27	16.4	1.04	20.0	1417	1680.1	42	0.025	0	0.000	39	0.023
2027	4-TSP-119	11/4/2005	13	30.27	16.4	1.04	20.1	1410	1671.3	25	0.015	0	0.000	0	0.000
2031	5-TSP-119	11/4/2005	14	30.27	16.4	1.04	20.0	1393	1651.6	42	0.025	0	0.000	0	0.000
2035	1-TSP-120	11/8/2005	10	30.00	19.4	1.02	19.8	1437	1679.4	37	0.022	0	0.000	0	0.000
2039	2-TSP-120	11/8/2005	11	30.00	19.4	1.02	20.8	1432	1669.0	23	0.014	0	0.000	0	0.000
2043	3-TSP-120	11/8/2005	12	30.00	19.4	1.02	21.3	1427	1660.9	22	0.013	0	0.000	0	0.000
2047	4-TSP-120	11/8/2005	13	30.00	19.4	1.02	20.5	1413	1648.0	23	0.014	0	0.000	0	0.000
2051	5-TSP-120	11/8/2005	14	30.00	19.4	1.02	20.3	1407	1642.1	25	0.015	0	0.000	0	0.000
2055	1-TSP-121	11/9/2005	10	30.03	21.6	1.02	20.5	1446	1681.6	111	0.066	58	0.034	28	0.017
2059	2-TSP-121	11/9/2005	11	30.03	21.6	1.02	20.5	1500	1744.1	67	0.038	33	0.019	35	0.020
2063	4-TSP-121	11/9/2005	13	30.03	21.6	1.02	21.1	1424	1653.3	39	0.024	0	0.000	0	0.000
2067	5-TSP-121	11/9/2005	14	30.03	21.6	1.02	20.4	1459	1697.1	77	0.045	36	0.021	0	0.000
2071	1-TSP-122	11/10/2005	10	30.15	16.3	1.04	17.5	1417	1684.7	43	0.026	0	0.000	0	0.000
2075	2-TSP-122	11/10/2005	11	30.15	16.3	1.04	22.1	1373	1612.2	50	0.031	26	0.016	26	0.016
2079	4-TSP-122	11/10/2005	13	30.15	16.3	1.04	20.2	1465	1729.4	47	0.027	26	0.015	0	0.000
2083	5-TSP-122	11/10/2005	14	30.15	16.3	1.04	20.1	1432	1690.6	40	0.024	0	0.000	0	0.000
2087	1-TSP-123	11/11/2005	10	30.24	15.0	1.05	19.6	1401	1665.6	34	0.020	0	0.000	0	0.000
2091	2-TSP-123	11/11/2005	11	30.24	15.0	1.05	20.0	1403	1666.2	28	0.017	0	0.000	0	0.000
2095	4-TSP-123	11/11/2005	13	30.24	15.0	1.05	19.8	1409	1674.5	26	0.016	0	0.000	0	0.000
2099	5-TSP-123	11/11/2005	14	30.24	15.0	1.05	19.9	1411	1676.4	31	0.018	0	0.000	0	0.000
3003	1-TSP-124	11/15/2005	10	30.23	19.7	1.03	19.5	1507	1775.6	127	0.072	89	0.050	30	0.017
3007	2-TSP-124	11/15/2005	11	30.23	19.7	1.03	20.0	1494	1757.9	114	0.065	78	0.044	30	0.017
3011	3-TSP-124	11/15/2005	12	30.23	19.7	1.03	21.0	1495	1754.4	71	0.040	34	0.019	0	0.000
3015	4-TSP-124	11/15/2005	13	30.23	19.7	1.03	20.4	1483	1743.1	84	0.048	47	0.027	0	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
3019	5-TSP-124	11/15/2005	14	30.23	19.7	1.03	21.0	1483	1740.3	73	0.042	38	0.022	0	0.000
3023	1-TSP-125	11/16/2005	10	30.25	19.2	1.03	20.0	1432	1687.7	145	0.086	98	0.058	44	0.026
3027	2-TSP-125	11/16/2005	11	30.25	19.2	1.03	20.0	1428	1683.0	90	0.053	48	0.029	0	0.000
3031	3-TSP-125	11/16/2005	12	30.25	19.2	1.03	22.0	1433	1679.8	80	0.048	45	0.027	0	0.000
3035	4-TSP-125	11/16/2005	13	30.25	19.2	1.03	21.0	1430	1680.8	77	0.046	52	0.031	0	0.000
3039	5-TSP-125	11/16/2005	14	30.25	19.2	1.03	21.0	1427	1677.3	45	0.027	30	0.018	0	0.000
3043	1-TSP-126	11/17/2005	10	30.25	20.3	1.03	20.1	1386	1629.7	135	0.083	88	0.054	38	0.023
3047	2-TSP-126	11/17/2005	11	30.25	20.3	1.03	20.1	1392	1637.0	94	0.057	58	0.035	25	0.015
3051	3-TSP-126	11/17/2005	12	30.25	20.3	1.03	20.0	1388	1632.7	131	0.080	79	0.048	33	0.020
3055	4-TSP-126	11/17/2005	13	30.25	20.3	1.03	21.0	1403	1645.7	122	0.074	100	0.061	31	0.019
3059	5-TSP-126	11/17/2005	14	30.25	20.3	1.03	20.0	1405	1652.5	122	0.074	87	0.053	34	0.021
3067	2-TSP-127	11/18/2005	11	30.26	24.7	1.01	20.1	1390	1621.8	102	0.063	59	0.036	35	0.022
3071	4-TSP-127	11/18/2005	13	30.26	24.7	1.01	20.7	1350	1572.8	131	0.083	110	0.070	31	0.020
3075	1-TSP-128	11/19/2005	10	30.29	24.2	1.02	20.5	1420	1658.2	96	0.058	54	0.033	45	0.027
3079	4-TSP-128	11/19/2005	13	30.29	24.2	1.02	20.7	1425	1663.4	129	0.078	80	0.048	58	0.035
3083	1-TSP-129	11/22/2005	10	30.21	16.6	1.04	20.8	1497	1767.0	153	0.087	99	0.056	45	0.025
3087	4-TSP-129	11/22/2005	13	30.21	16.6	1.04	20.6	1485	1753.5	146	0.083	100	0.057	48	0.027
3091	1-TSP-130	11/23/2005	10	30.18	18.1	1.03	19.5	1145	1350.8	95	0.070	54	0.040	42	0.031
3095	4-TSP-130	11/23/2005	13	30.18	18.1	1.03	19.9	1160	1367.2	85	0.062	50	0.037	0	0.000
3099	1-TSP-131	11/28/2005	10	30.35	10.3	1.07	19.6	592	713.1	20	0.028	0	0.000	0	0.000
4003	4-TSP-131	11/28/2005	13	30.35	10.3	1.07	19.8	506	609.1	9	0.015	0	0.000	0	0.000
4007	1-TSP-132	11/29/2005	10	30.29	11.9	1.06	19.8	1410	1688.4	22	0.013	0	0.000	0	0.000
4015	2-TSP-133	11/30/2005	11	30.11	14.3	1.04	20.0	1490	1763.9	39	0.022	0	0.000	0	0.000
4019	4-TSP-133	11/30/2005	13	30.11	14.3	1.04	20.0	1550	1834.9	30	0.016	0	0.000	0	0.000
4023	1-TSP-134	12/5/2005	10	30.45	11.1	1.07	17.8	1685	2043.2	85	0.042	59	0.029	34	0.017
4027	2-TSP-134	12/5/2005	11	30.45	11.1	1.07	21.3	1668	2003.8	83	0.041	52	0.026	42	0.021
4031	4-TSP-134	12/5/2005	13	30.45	11.1	1.07	20.3	1643	1979.1	94	0.047	81	0.041	31	0.016
4035	1-TSP-135	12/6/2005	10	30.29	12.3	1.06	17.7	1539	1852.1	80	0.043	53	0.029	34	0.018
4039	2-TSP-135	12/6/2005	11	30.29	12.3	1.06	21.1	1672	1993.9	63	0.032	39	0.020	28	0.014
4043	4-TSP-135	12/6/2005	13	30.29	12.3	1.06	19.9	1613	1929.5	76	0.039	57	0.030	25	0.013
4047	1-TSP-136	12/7/2005	10	30.21	13.5	1.05	18.5	1541	1840.9	115	0.062	36	0.020	0	0.000
4051	2-TSP-136	12/7/2005	11	30.21	13.5	1.05	20.1	1543	1835.3	94	0.051	26	0.014	0	0.000
4055	4-TSP-136	12/7/2005	13	30.21	13.5	1.05	20.0	1489	1771.6	98	0.055	28	0.016	0	0.000
4059	1-TSP-137	12/9/2005	10	30.26	18.3	1.03	17.8	1405	1669.3	119	0.071	62	0.037	29	0.017
4063	4-TSP-137	12/9/2005	13	30.26	18.3	1.03	20.2	1416	1671.4	55	0.033	0	0.000	0	0.000
4067	1-TSP-138	12/10/2005	10	30.28	21.2	1.03	18.0	1380	1630.8	109	0.067	73	0.045	42	0.026
4071	4-TSP-138	12/10/2005	13	30.28	21.2	1.03	20.0	1387	1630.3	83	0.051	62	0.038	30	0.018
4075	1-TSP-139	12/12/2005	10	30.23	12.0	1.06	18.5	1795	2152.0	28	0.013	0	0.000	0	0.000
4079	2-TSP-139	12/12/2005	11	30.23	12.0	1.06	20.0	1800	2149.4	17	0.008	0	0.000	0	0.000
4083	4-TSP-139	12/12/2005	13	30.23	12.0	1.06	20.5	1790	2134.5	12	0.006	0	0.000	0	0.000
4087	1-TSP-140	12/13/2005	10	30.26	12.4	1.06	18.5	1425	1708.9	51	0.030	0	0.000	0	0.000
4091	2-TSP-140	12/13/2005	11	30.26	12.4	1.06	20.0	1420	1696.1	47	0.028	0	0.000	0	0.000
4095	4-TSP-140	12/13/2005	13	30.26	12.4	1.06	19.8	1408	1682.9	54	0.032	0	0.000	0	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
4099	1-TSP-141	12/14/2005	10	30.28	12.9	1.05	19.6	1435	1715.3	76	0.044	36	0.021	0	0.000
5003	4-TSP-141	12/14/2005	13	30.28	12.9	1.05	20.0	1430	1707.5	93	0.054	51	0.030	0	0.000
5007	1-TSP-142	12/15/2005	10	30.47	14.3	1.06	20.1	1419	1700.5	80	0.047	35	0.021	42	0.025
5011	2-TSP-142	12/15/2005	11	30.47	14.3	1.06	20.1	1414	1694.6	74	0.044	26	0.015	30	0.018
5015	3-TSP-142	12/15/2005	12	30.47	14.3	1.06	21.1	1395	1667.3	84	0.050	0	0.000	34	0.020
5019	4-TSP-142	12/15/2005	13	30.47	14.3	1.06	19.6	1394	1673.0	72	0.043	33	0.020	35	0.021
5023	1-TSP-143	12/16/2005	10	30.55	12.2	1.07	20.2	1426	1720.4	92	0.053	28	0.016	0	0.000
5027	2-TSP-143	12/16/2005	11	30.55	12.2	1.07	20.0	1469	1773.2	61	0.034	0	0.000	0	0.000
5031	3-TSP-143	12/16/2005	12	30.55	12.2	1.07	21.9	1495	1795.5	90	0.050	0	0.000	0	0.000
5035	4-TSP-143	12/16/2005	13	30.55	12.2	1.07	20.3	1479	1783.6	92	0.052	33	0.019	0	0.000
5039	1-TSP-144	12/17/2005	10	30.80	10.4	1.08	19.4	1309	1601.6	100	0.062	0	0.000	0	0.000
5043	2-TSP-144	12/17/2005	11	30.80	10.4	1.08	19.7	1246	1523.6	84	0.055	0	0.000	0	0.000
5047	3-TSP-144	12/17/2005	12	30.80	10.4	1.08	21.2	1376	1675.6	65	0.039	0	0.000	0	0.000
5051	4-TSP-144	12/17/2005	13	30.80	10.4	1.08	20.0	1431	1748.4	103	0.059	0	0.000	0	0.000
5055	3-TSP-145	12/19/2005	12	30.70	10.6	1.08	21.1	1064	1291.1	72	0.056	0	0.000	0	0.000
5059	4-TSP-145	12/19/2005	13	30.70	10.6	1.08	20.4	955	1161.1	33	0.028	0	0.000	0	0.000
5063	3-TSP-146	12/20/2005	12	30.37	16.9	1.04	21.4	1510	1788.1	53	0.030	0	0.000	0	0.000
5067	4-TSP-146	12/20/2005	13	30.37	16.9	1.04	21.0	1515	1796.0	48	0.027	26	0.014	0	0.000
5071	2-TSP-147	12/21/2005	11	30.30	16.6	1.04	20.7	1560	1847.4	44	0.024	0	0.000	0	0.000
5075	3-TSP-147	12/21/2005	12	30.30	16.6	1.04	21.5	1509	1783.4	48	0.027	0	0.000	0	0.000
5079	4-TSP-147	12/21/2005	13	30.30	16.6	1.04	20.2	1498	1776.4	34	0.019	0	0.000	0	0.000
5083	1-TSP-148	12/22/2005	10	30.22	16.6	1.04	20.7	1417	1673.6	25	0.015	0	0.000	0	0.000
5087	4-TSP-148	12/22/2005	13	30.22	16.6	1.04	19.9	1442	1706.8	5	0.003	0	0.000	0	0.000
5092	1-TSP-149	12/23/2005	10	30.26	16.1	1.04	60.0	1320	1397.1	26	0.019	0	0.000	0	0.000
5096	4-TSP-149	12/23/2005	13	30.26	16.1	1.04	60.0	1318	1395.0	22	0.016	0	0.000	0	0.000
6000	1-TSP-150	1/6/2006	10	30.32	13.8	1.05	59.0	323	345.2	86	0.249	34	0.098	28	0.081
6004	2-TSP-150	1/6/2006	11	30.32	13.8	1.05	57.5	361	387.6	86	0.222	36	0.093	50	0.129
6008	4-TSP-150	1/6/2006	13	30.32	13.8	1.05	58.0	486	521.0	92	0.177	79	0.152	33	0.063
6012	1-TSP-151	2/22/2006	10	30.30	10.2	1.07	19.4	1443	1736.2	105	0.060	60	0.035	32	0.018
6016	4-TSP-151	2/22/2006	13	30.30	10.2	1.07	25.0	1445	1712.5	26	0.015	0	0.000	0	0.000
6020	1-TSP-152	2/23/2006	10	30.20	11.9	1.06	20.0	1448	1727.6	111	0.064	65	0.038	0	0.000
6024	4-TSP-152	2/23/2006	13	30.20	11.9	1.06	19.4	1451	1734.2	91	0.052	47	0.027	0	0.000
6028	1-TSP-153	2/24/2006	10	30.30	13.1	1.05	21.0	1496	1782.1	105	0.059	42	0.024	0	0.000
6032	4-TSP-153	2/24/2006	13	30.30	13.1	1.05	18.8	1481	1774.9	98	0.055	37	0.021	0	0.000
6036	1-TSP-154	2/25/2006	10	30.20	11.7	1.06	20.8	1335	1590.2	105	0.066	37	0.023	33	0.021
6040	4-TSP-154	2/25/2006	13	30.20	11.7	1.06	19.2	1342	1605.2	69	0.043	0	0.000	0	0.000
6044	1-TSP-155	2/26/2006	10	30.00	12.3	1.05	20.2	1439	1702.8	74	0.043	0	0.000	0	0.000
6048	4-TSP-155	2/26/2006	13	30.00	12.3	1.05	18.2	1441	1714.5	55	0.032	0	0.000	0	0.000
6052	1-TSP-156	3/22/2006	10	30.38	15.6	1.05	20.3	1497	1783.3	84	0.047	32	0.018	0	0.000
6056	2-TSP-156	3/22/2006	11	30.38	15.6	1.05	14.0	1498	1814.3	52	0.029	0	0.000	0	0.000
6060	4-TSP-156	3/22/2006	13	30.38	15.6	1.05	19.5	1608	1919.6	64	0.033	0	0.000	0	0.000
6064	1-TSP-157	3/23/2006	10	30.24	16.7	1.04	20.2	1645	1946.2	50	0.026	25	0.013	0	0.000
6072	4-TSP-157	3/23/2006	13	30.24	16.7	1.04	17.5	1581	1884.1	24	0.013	0	0.000	0	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
6076	5-TSP-157	3/23/2006	15	30.24	16.7	1.04	20.3	1603	1896.3	44	0.023	0	0.000	0	0.000
6080	1-TSP-158	3/28/2006	10	29.93	13.6	1.04	20.2	1379	1623.7	54	0.033	0	0.000	0	0.000
6084	2-TSP-158	3/28/2006	11	29.93	13.6	1.04	13.0	311	373.3	14	0.038	0	0.000	0	0.000
6088	4-TSP-158	3/28/2006	13	29.93	13.6	1.04	19.1	1474	1740.5	30	0.017	0	0.000	0	0.000
6092	5-TSP-158	3/28/2006	15	29.93	13.6	1.04	19.5	1488	1755.2	33	0.019	0	0.000	0	0.000
6096	1-TSP-159	4/19/2006	10	30.23	17.8	1.04	18.8	1727	2046.2	172	0.084	96	0.047	64	0.031
6100	4-TSP-159	4/19/2006	13	30.23	17.8	1.04	19.0	1793	2123.0	100	0.047	53	0.025	0	0.000
6104	1-TSP-160	4/20/2006	10	30.04	18.9	1.02	19.0	1443	1693.8	93	0.055	54	0.032	43	0.025
6108	4-TSP-160	4/20/2006	13	30.04	18.9	1.02	19.1	1425	1672.2	61	0.036	31	0.019	0	0.000
6112	1-TSP-161	4/21/2006	10	30.01	17.5	1.03	20.3	1400	1640.4	171	0.104	130	0.079	100	0.061
6116	2-TSP-161	4/21/2006	11	30.01	17.5	1.03	20.0	1442	1690.7	82	0.049	73	0.043	120	0.071
6120	4-TSP-161	4/21/2006	13	30.01	17.5	1.03	19.3	1451	1704.7	67	0.039	41	0.024	0	0.000
6124	1-TSP-162	4/25/2006	10	30.22	13.9	1.05	20.0	1581	1880.3	211	0.112	150	0.080	130	0.069
6128	2-TSP-162	4/25/2006	11	30.22	13.9	1.05	16.2	1578	1895.9	54	0.028	59	0.031	100	0.053
6132	4-TSP-162	4/25/2006	13	30.22	13.9	1.05	19.0	1578	1881.7	38	0.020	32	0.017	0	0.000
6136	1-TSP-163	4/26/2006	10	30.10	16.4	1.04	19.8	1568	1849.4	228	0.123	110	0.059	98	0.053
6140	2-TSP-163	4/26/2006	11	30.10	16.4	1.04	20.5	1567	1844.4	135	0.073	110	0.060	250	0.136
6144	4-TSP-163	4/26/2006	13	30.10	16.4	1.04	19.0	1567	1851.9	54	0.029	0	0.000	0	0.000
6148	1-TSP-164	4/27/2006	10	30.12	18.1	1.03	19.1	1505	1773.7	208	0.117	88	0.050	70	0.039
6152	2-TSP-164	4/27/2006	11	30.12	18.1	1.03	18.8	1505	1775.4	188	0.106	110	0.062	230	0.130
6156	4-TSP-164	4/27/2006	13	30.12	18.1	1.03	19.0	1490	1756.5	116	0.066	26	0.015	0	0.000
6160	1-TSP-165	4/28/2006	10	30.09	18.9	1.03	19.1	1225	1440.0	106	0.074	53	0.037	43	0.030
6164	2-TSP-165	4/28/2006	11	30.09	18.9	1.03	19.0	1235	1452.2	210	0.145	100	0.069	150	0.103
6168	4-TSP-165	4/28/2006	13	30.09	18.9	1.03	19.3	1250	1468.8	71	0.048	0	0.000	0	0.000
6172	1-TSP-166	5/1/2006	10	30.05	20.8	1.02	21.0	1707	1986.5	283	0.142	120	0.060	110	0.055
6176	2-TSP-166	5/1/2006	11	30.05	20.8	1.02	20.0	1682	1962.7	239	0.122	190	0.097	410	0.209
6184	1-TSP-167	5/2/2006	10	30.02	18.3	1.03	20.0	1470	1721.5	195	0.113	84	0.049	85	0.049
6188	2-TSP-167	5/2/2006	11	30.02	18.3	1.03	20.8	1441	1683.9	163	0.097	110	0.065	240	0.143
6196	5-TSP-167	5/2/2006	15	30.02	18.3	1.03	21.0	1463	1708.7	215	0.126	87	0.051	91	0.053
6200	2-TSP-168	5/3/2006	11	30.07	17.2	1.03	19.2	1351	1591.7	105	0.066	90	0.057	47	0.030
6204	4-TSP-168	5/3/2006	13	30.07	17.2	1.03	19.2	900	1060.4	43	0.041	0	0.000	0	0.000
6208	5-TSP-168	5/3/2006	15	30.07	17.2	1.03	19.6	1395	1641.8	102	0.062	34	0.021	29	0.018
6212	1-TSP-169	5/4/2006	10	30.11	19.2	1.03	20.8	1401	1639.8	442	0.270	250	0.152	210	0.128
6216	2-TSP-169	5/4/2006	11	30.11	19.2	1.03	20.5	1362	1595.5	345	0.216	310	0.194	760	0.476
6220	4-TSP-169	5/4/2006	13	30.11	19.2	1.03	20.0	1380	1618.5	165	0.102	42	0.026	0	0.000
6228	1-TSP-170	5/9/2006	10	30.05	23.1	1.01	20.8	1565	1814.7	217	0.120	97	0.053	74	0.041
6232	2-TSP-170	5/9/2006	11	30.05	23.1	1.01	20.8	1468	1702.2	103	0.061	160	0.094	320	0.188
6236	4-TSP-170	5/9/2006	13	30.05	23.1	1.01	21.0	1427	1653.6	143	0.086	40	0.024	31	0.019
6240	1-TSP-171	5/10/2006	10	30.10	21.9	1.02	20.1	1445	1685.2	217	0.129	93	0.055	74	0.044
6244	2-TSP-171	5/10/2006	11	30.10	21.9	1.02	21.0	1580	1838.1	227	0.123	58	0.032	110	0.060
6248	4-TSP-171	5/10/2006	13	30.10	21.9	1.02	20.5	1575	1834.8	123	0.067	32	0.017	0	0.000
6252	1-TSP-172	5/11/2006	10	30.08	20.0	1.02	20.5	1316	1537.4	223	0.145	110	0.072	92	0.060
6256	2-TSP-172	5/11/2006	11	30.08	20.0	1.02	21.0	1433	1671.9	146	0.087	120	0.072	240	0.144

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
6260	4-TSP-172	5/11/2006	13	30.08	20.0	1.02	21.0	1302	1519.0	82	0.054	0	0.000	0	0.000
6268	4-TSP-173	5/15/2006	13	30.20	16.7	1.04	21.0	1728	2037.2	117	0.057	50	0.025	0	0.000
6276	2-TSP-174	5/16/2006	11	30.15	18.1	1.03	20.7	1642	1928.8	210	0.109	260	0.135	590	0.306
6280	4-TSP-174	5/16/2006	13	30.15	18.1	1.03	20.2	1579	1857.3	49	0.026	26	0.014	0	0.000
6288	2-TSP-175	5/17/2006	11	30.09	17.5	1.03	20.2	1434	1685.4	94	0.056	130	0.077	280	0.166
6292	4-TSP-175	5/17/2006	13	30.09	17.5	1.03	20.0	1378	1620.2	37	0.023	0	0.000	0	0.000
6296	1-TSP-176	5/18/2006	10	30.19	19.2	1.03	20.7	5165	6063.2	189	0.031	44	0.007	52	0.009
6300	2-TSP-176	5/18/2006	11	30.19	19.2	1.03	23.8	6985	8132.2	219	0.027	110	0.014	190	0.023
6304	4-TSP-176	5/18/2006	13	30.19	19.2	1.03	20.6	6901	8103.3	155	0.019	62	0.008	47	0.006
6308	1-TSP-177	5/24/2006	10	30.18	19.7	1.03	21.8	2829	3307.3	252	0.076	120	0.036	31	0.009
6312	2-TSP-177	5/24/2006	11	30.18	19.7	1.03	20.9	2844	3332.9	232	0.070	300	0.090	570	0.171
6316	4-TSP-177	5/24/2006	13	30.18	19.7	1.03	20.0	2825	3318.3	137	0.041	88	0.027	0	0.000
6320	1-TSP-178	6/1/2006	10	30.24	18.3	1.03	21.5	3002	3528.6	336	0.095	180	0.051	110	0.031
6324	2-TSP-178	6/1/2006	11	30.24	18.3	1.03	21.2	2982	3507.9	232	0.066	320	0.091	740	0.211
6328	4-TSP-178	6/1/2006	13	30.24	18.3	1.03	20.8	2957	3482.7	120	0.034	72	0.021	0	0.000
6332	1-TSP-180	6/9/2006	10	30.34	18.1	1.04	21.0	1827	2158.7	283	0.131	91	0.042	58	0.027
6336	2-TSP-180	6/9/2006	11	30.34	18.1	1.04	21.0	1820	2150.4	181	0.084	200	0.093	380	0.177
6340	4-TSP-180	6/9/2006	13	30.34	18.1	1.04	20.0	1856	2198.9	114	0.052	31	0.014	0	0.000
6344	1-TSP-181	6/14/2006	10	30.18	18.3	1.03	21.8	3062	3589.1	213	0.059	100	0.028	82	0.023
6348	2-TSP-181	6/14/2006	11	30.18	18.3	1.03	21.4	3096	3632.6	166	0.046	140	0.039	310	0.085
6352	4-TSP-181	6/14/2006	13	30.18	18.3	1.03	21.3	3076	3610.4	136	0.038	92	0.025	28	0.008
6356	1-TSP-182	6/16/2006	10	30.20	22.5	1.02	21.8	3025	3520.5	321	0.091	150	0.043	110	0.031
6360	2-TSP-182	6/16/2006	11	30.20	22.5	1.02	21.4	3013	3510.1	248	0.071	200	0.057	360	0.103
6364	4-TSP-182	6/16/2006	13	30.20	22.5	1.02	21.3	3045	3548.6	212	0.060	100	0.028	40	0.011
6368	1-TSP-183	6/21/2006	10	30.12	22.2	1.02	22.2	3045	3531.5	437	0.124	150	0.042	120	0.034
6372	2-TSP-183	6/21/2006	11	30.12	22.2	1.02	21.6	3053	3546.5	201	0.057	130	0.037	240	0.068
6376	4-TSP-183	6/21/2006	13	30.12	22.2	1.02	21.8	3053	3544.6	286	0.081	84	0.024	27	0.008
6380	1-TSP-184	6/23/2006	10	30.06	20.3	1.02	23.2	3164	3664.7	523	0.143	280	0.076	200	0.055
6388	4-TSP-184	6/23/2006	13	30.06	20.3	1.02	21.2	3181	3704.5	288	0.078	130	0.035	48	0.013
6392	1-TSP-185	6/28/2006	10	30.12	21.9	1.02	21.7	3099	3601.0	202	0.056	120	0.033	100	0.028
6396	2-TSP-185	6/28/2006	11	30.12	21.9	1.02	21.5	3074	3573.9	186	0.052	240	0.067	530	0.148
6400	4-TSP-185	6/28/2006	13	30.12	21.9	1.02	21.5	3094	3597.2	188	0.052	100	0.028	28	0.008
6404	1-TSP-186	6/30/2006	10	30.19	19.8	1.03	21.0	2948	3454.0	286	0.083	130	0.038	150	0.043
6408	2-TSP-186	6/30/2006	11	30.19	19.8	1.03	21.4	2925	3423.5	159	0.046	170	0.050	330	0.096
6412	4-TSP-186	6/30/2006	13	30.19	19.8	1.03	20.5	2945	3455.1	143	0.041	100	0.029	26	0.008
6416	5-TSP-186	6/30/2006	15	30.19	19.8	1.03	19.3	1662	1956.5	280	0.143	190	0.097	600	0.307
6420	1-TSP-187	7/7/2006	10	30.21	21.1	1.02	21.3	3219	3761.9	525	0.140	250	0.066	240	0.064
6424	2-TSP-187	7/7/2006	11	30.21	21.1	1.02	21.0	3221	3767.3	309	0.082	380	0.101	860	0.228
6428	4-TSP-187	7/7/2006	13	30.21	21.1	1.02	21.0	3224	3770.8	196	0.052	61	0.016	34	0.009
6432	5-TSP-187	7/7/2006	15	30.21	21.1	1.02	15.5	3229	3832.8	191	0.050	110	0.029	240	0.063
6436	1-TSP-188	7/12/2006	10	30.13	18.1	1.03	21.3	3090	3621.4	402	0.111	170	0.047	200	0.055
6440	2-TSP-188	7/12/2006	11	30.13	18.1	1.03	21.0	3109	3646.6	253	0.069	360	0.099	770	0.211
6444	4-TSP-188	7/12/2006	13	30.13	18.1	1.03	20.0	3085	3628.2	99	0.027	46	0.013	0	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
6448	5-TSP-188	7/12/2006	15	30.13	18.1	1.03	19.3	3082	3631.6	548	0.151	370	0.102	840	0.231
6452	1-TSP-189	7/14/2006	10	30.17	19.7	1.03	21.0	3030	3548.2	389	0.110	220	0.062	240	0.068
6456	2-TSP-189	7/14/2006	11	30.17	19.7	1.03	21.5	3021	3532.9	203	0.057	220	0.062	460	0.130
6460	4-TSP-189	7/14/2006	13	30.17	19.7	1.03	19.5	3057	3594.4	87	0.024	55	0.015	0	0.000
6464	5-TSP-189	7/14/2006	15	30.17	19.7	1.03	20.0	3050	3581.3	298	0.083	200	0.056	320	0.089
6468	1-TSP-190	7/19/2006	10	30.07	22.2	1.01	22.3	2989	3459.5	421	0.122	190	0.055	120	0.035
6472	2-TSP-190	7/19/2006	11	30.07	22.2	1.01	22.0	3000	3475.1	390	0.112	230	0.066	460	0.132
6476	4-TSP-190	7/19/2006	13	30.07	22.2	1.01	21.8	2979	3452.6	330	0.096	120	0.035	44	0.013
6480	1-TSP-191	7/21/2006	10	30.04	25.3	1.00	22.5	3070	3527.4	515	0.146	310	0.088	360	0.102
6484	2-TSP-191	7/21/2006	11	30.04	25.3	1.00	22.0	3043	3501.2	305	0.087	240	0.069	430	0.123
6488	3-TSP-191	7/21/2006	12	30.04	25.3	1.00	23.8	3009	3445.1	205	0.060	89	0.026	79	0.023
6492	4-TSP-191	7/21/2006	13	30.04	25.3	1.00	21.3	3046	3511.3	172	0.049	90	0.026	40	0.011
6496	1-TSP-193	7/28/2006	10	30.04	20.8	1.02	22.0	2718	3153.3	191	0.061	130	0.041	99	0.031
6500	2-TSP-193	7/28/2006	11	30.04	20.8	1.02	21.5	2671	3103.0	152	0.049	170	0.055	360	0.116
6504	3-TSP-193	7/28/2006	12	30.04	20.8	1.02	22.3	2674	3099.7	225	0.073	79	0.025	86	0.028
6508	4-TSP-193	7/28/2006	13	30.04	20.8	1.02	21.3	2773	3223.2	191	0.059	110	0.034	41	0.013
6512	1-TSP-194	8/2/2006	10	30.09	18.3	1.03	21.8	3083	3601.8	457	0.127	290	0.081	170	0.047
6516	2-TSP-194	8/2/2006	11	30.09	18.3	1.03	21.8	3051	3564.4	424	0.119	470	0.132	1000	0.281
6520	3-TSP-194	8/2/2006	12	30.09	18.3	1.03	23.3	3023	3517.3	416	0.118	220	0.063	310	0.088
6524	4-TSP-194	8/2/2006	13	30.09	18.3	1.03	21.8	3107	3629.9	467	0.129	220	0.061	310	0.085
6528	1-TSP-195	8/4/2006	10	30.09	22.2	1.02	22.0	3055	3541.3	411	0.116	200	0.056	100	0.028
6532	2-TSP-195	8/4/2006	11	30.09	22.2	1.02	22.0	3060	3547.1	336	0.095	360	0.101	650	0.183
6536	3-TSP-195	8/4/2006	12	30.09	22.2	1.02	23.5	3072	3546.5	242	0.068	110	0.031	150	0.042
6540	4-TSP-195	8/4/2006	13	30.09	22.2	1.02	21.5	3043	3532.2	488	0.138	250	0.071	110	0.031
6560	1-TSP-197	8/11/2006	10	30.09	23.6	1.01	22.0	3059	3536.8	395	0.112	200	0.057	89	0.025
6564	2-TSP-197	8/11/2006	11	30.09	23.6	1.01	21.5	3064	3547.4	376	0.106	310	0.087	580	0.164
6568	3-TSP-197	8/11/2006	12	30.09	23.6	1.01	20.5	3082	3577.9	314	0.088	130	0.036	180	0.050
6572	4-TSP-197	8/11/2006	13	30.09	23.6	1.01	21.3	3051	3534.2	326	0.092	120	0.034	72	0.020
6576	1-TSP-198	8/16/2006	10	30.15	17.5	1.03	21.5	3045	3573.2	356	0.100	150	0.042	120	0.034
6580	2-TSP-198	8/16/2006	11	30.15	17.5	1.03	21.5	3058	3588.5	223	0.062	220	0.061	490	0.137
6584	3-TSP-198	8/16/2006	12	30.15	17.5	1.03	23.0	3067	3584.4	188	0.052	90	0.025	110	0.031
6588	4-TSP-198	8/16/2006	13	30.15	17.5	1.03	21.3	3097	3636.2	169	0.046	77	0.021	120	0.033
6592	1-TSP-199	8/18/2006	10	30.15	18.6	1.03	21.0	2996	3513.2	407	0.116	180	0.051	150	0.043
6596	2-TSP-199	8/18/2006	11	30.15	18.6	1.03	21.3	2946	3451.8	162	0.047	100	0.029	210	0.061
6600	3-TSP-199	8/18/2006	12	30.15	18.6	1.03	21.3	2904	3402.6	246	0.072	85	0.025	83	0.024
6604	4-TSP-199	8/18/2006	13	30.15	18.6	1.03	20.5	2996	3518.0	270	0.077	100	0.028	77	0.022
6608	1-TSP-202	8/25/2006	10	30.10	19.4	1.03	19.5	3000	3520.7	541	0.154	240	0.068	130	0.037
6612	2-TSP-202	8/25/2006	11	30.10	19.4	1.03	16.0	2994	3546.9	206	0.058	200	0.056	400	0.113
6616	3-TSP-202	8/25/2006	12	30.10	19.4	1.03	19.0	2947	3463.2	213	0.062	96	0.028	100	0.029
6620	4-TSP-202	8/25/2006	13	30.10	19.4	1.03	18.8	3022	3553.2	204	0.057	95	0.027	100	0.028
6624	1-TSP-203	8/30/2006	10	30.07	18.1	1.03	19.5	3041	3573.8	363	0.102	180	0.050	120	0.034
6628	3-TSP-203	8/30/2006	12	30.07	18.1	1.03	19.0	3061	3602.2	226	0.063	130	0.036	170	0.047
6632	4-TSP-203	8/30/2006	13	30.07	18.1	1.03	18.8	3030	3567.6	138	0.039	66	0.018	76	0.021

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
6636	1-TSP-204	9/1/2006	10	30.06	20.8	1.02	19.0	2994	3504.3	456	0.130	160	0.046	120	0.034
6640	2-TSP-204	9/1/2006	11	30.06	20.8	1.02	21.8	2985	3467.4	329	0.095	150	0.043	260	0.075
6644	4-TSP-204	9/1/2006	13	30.06	20.8	1.02	18.3	3004	3522.7	303	0.086	120	0.034	51	0.014
6648	1-TSP-205	9/7/2006	10	30.11	15.3	1.04	18.8	2951	3498.0	537	0.154	180	0.051	140	0.040
6652	2-TSP-205	9/7/2006	11	30.11	15.3	1.04	21.5	2961	3484.4	163	0.047	130	0.037	210	0.060
6656	4-TSP-205	9/7/2006	13	30.11	15.3	1.04	20.3	2936	3466.2	167	0.048	89	0.026	30	0.009
6660	1-TSP-206	9/8/2006	10	30.01	15.3	1.04	19.3	1782	2102.1	302	0.144	110	0.052	78	0.037
6664	2-TSP-206	9/8/2006	11	30.01	15.3	1.04	21.8	1780	2085.5	165	0.079	120	0.058	220	0.105
6668	4-TSP-206	9/8/2006	13	30.01	15.3	1.04	15.0	1800	2148.1	109	0.051	54	0.025	78	0.036
6672	1-TSP-207	9/13/2006	10	30.07	17.2	1.03	19.3	3048	3590.1	348	0.097	160	0.045	120	0.033
6676	2-TSP-207	9/13/2006	11	30.07	17.2	1.03	22.5	3050	3561.4	277	0.078	160	0.045	170	0.048
6680	4-TSP-207	9/13/2006	13	30.07	17.2	1.03	18.5	18	20.7	173	8.375	87	4.212	49	2.372
6684	1-TSP-208	9/15/2006	10	30.02	18.5	1.03	19.3	2939	3447.2	455	0.132	190	0.055	170	0.049
6688	2-TSP-208	9/15/2006	11	30.02	18.5	1.03	23.0	2941	3415.0	281	0.082	180	0.053	360	0.105
6692	4-TSP-208	9/15/2006	13	30.02	18.5	1.03	18.3	2942	3460.0	258	0.075	110	0.032	210	0.061
6696	1-TSP-209	9/20/2006	10	30.13	20.0	1.02	19.8	3050	3576.2	370	0.103	120	0.034	80	0.022
6700	2-TSP-209	9/20/2006	11	30.13	20.0	1.02	23.3	3054	3547.1	155	0.044	91	0.026	130	0.037
6704	4-TSP-209	9/20/2006	13	30.13	20.0	1.02	21.5	3037	3544.6	217	0.061	95	0.027	63	0.018
6708	1-TSP-210	9/22/2006	10	30.02	25.1	1.00	19.0	3016	3497.3	435	0.124	190	0.054	150	0.043
6712	2-TSP-210	9/22/2006	11	30.02	25.1	1.00	23.0	3012	3454.9	349	0.101	240	0.069	390	0.113
6716	4-TSP-210	9/22/2006	13	30.02	25.1	1.00	15.5	3021	3536.2	220	0.062	110	0.031	52	0.015
6720	1-TSP-211	9/27/2006	10	30.19	17.4	1.04	18.5	3062	3628.1	293	0.081	190	0.052	120	0.033
6724	2-TSP-211	9/27/2006	11	30.19	17.4	1.04	21.8	3069	3604.2	273	0.076	320	0.089	210	0.058
6728	4-TSP-211	9/27/2006	13	30.19	17.4	1.04	20.8	3046	3586.9	229	0.064	140	0.039	110	0.031
6732	1-TSP-212	9/29/2006	10	30.20	18.0	1.03	19.0	3058	3615.7	215	0.059	87	0.024	61	0.017
6736	2-TSP-212	9/29/2006	11	30.20	18.0	1.03	21.8	3052	3581.4	182	0.051	130	0.036	230	0.064
6740	4-TSP-212	9/29/2006	13	30.20	18.0	1.03	18.8	3085	3649.6	125	0.034	60	0.016	0	0.000
6744	1-TSP-214	10/6/2006	10	30.14	15.8	1.04	18.0	3031	3600.9	55	0.015	0	0.000	0	0.000
6748	2-TSP-214	10/6/2006	11	30.14	15.8	1.04	21.3	3026	3563.1	78	0.022	33	0.009	47	0.013
6752	3-TSP-214	10/6/2006	3	30.14	15.8	1.04	20.5	2937	3465.8	84	0.024	32	0.009	0	0.000
6756	4-TSP-214	10/6/2006	13	30.14	15.8	1.04	19.0	3038	3599.5	54	0.015	29	0.008	0	0.000
6760	5-TSP-214	10/6/2006	5	30.14	15.8	1.04	17.5	2937	3493.9	43	0.012	0	0.000	0	0.000
6764	3-TSP-215	10/7/2006	3	30.15	19.2	1.03	21.8	1411	1649.1	93	0.056	37	0.022	0	0.000
6768	5-TSP-215	10/7/2006	5	30.15	19.2	1.03	18.0	1410	1665.0	44	0.026	0	0.000	0	0.000
6772	1-TSP-216	10/11/2006	10	30.09	19.7	1.02	20.0	3050	3571.3	275	0.077	120	0.034	56	0.016
6776	2-TSP-216	10/11/2006	11	30.09	19.7	1.02	23.0	3052	3544.6	257	0.073	170	0.048	240	0.068
6780	3-TSP-216	10/11/2006	3	30.09	19.7	1.02	22.0	3075	3581.1	257	0.072	140	0.039	29	0.008
6784	4-TSP-216	10/11/2006	13	30.09	19.7	1.02	20.5	3030	3543.1	137	0.039	54	0.015	29	0.008
6788	5-TSP-216	10/11/2006	5	30.09	19.7	1.02	19.0	3072	3606.8	184	0.051	85	0.024	27	0.007
6792	2-TSP-217	10/13/2006	11	30.02	19.6	1.02	19.3	2994	3504.4	284	0.081	180	0.051	350	0.100
6796	3-TSP-217	10/13/2006	3	30.02	19.6	1.02	17.5	2992	3519.1	182	0.052	78	0.022	0	0.000
6800	4-TSP-217	10/13/2006	13	30.02	19.6	1.02	19.3	3027	3543.0	69	0.019	33	0.009	0	0.000
6808	3-TSP-218	10/15/2006	3	29.98	16.1	1.03	17.3	2858	3380.9	99	0.029	0	0.000	0	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
6812	5-TSP-218	10/15/2006	5	29.98	16.1	1.03	16.5	2847	3375.2	153	0.045	73	0.022	33	0.010
6816	2-TSP-219	10/18/2006	11	30.15	18.6	1.03	20.3	3048	3580.9	266	0.074	280	0.078	480	0.134
6820	3-TSP-219	10/18/2006	3	30.15	18.6	1.03	19.0	3056	3603.0	181	0.050	110	0.031	26	0.007
6824	4-TSP-219	10/18/2006	13	30.15	18.6	1.03	18.0	3021	3571.3	140	0.039	130	0.036	52	0.015
6828	5-TSP-219	10/18/2006	5	30.15	18.6	1.03	17.0	3092	3665.0	196	0.053	150	0.041	52	0.014
6832	2-TSP-220	10/20/2006	11	30.13	25.5	1.01	20.0	3052	3540.5	203	0.057	97	0.027	120	0.034
6836	3-TSP-220	10/20/2006	3	30.13	25.5	1.01	19.0	2938	3417.5	245	0.072	120	0.035	32	0.009
6840	4-TSP-220	10/20/2006	13	30.13	25.5	1.01	18.3	3081	3590.6	191	0.053	98	0.027	33	0.009
6844	5-TSP-220	10/20/2006	5	30.13	25.5	1.01	17.0	2941	3439.4	205	0.060	110	0.032	46	0.013
6856	2-TSP-222	10/25/2006	11	30.19	16.1	1.04	19.0	3019	3581.2	279	0.078	130	0.036	150	0.042
6860	3-TSP-222	10/25/2006	3	30.19	16.1	1.04	17.8	3057	3638.0	228	0.063	88	0.024	0	0.000
6864	4-TSP-222	10/25/2006	13	30.19	16.1	1.04	17.3	3130	3729.9	204	0.055	82	0.022	0	0.000
6868	5-TSP-222	10/25/2006	5	30.19	16.1	1.04	17.0	3058	3647.0	198	0.054	65	0.018	26	0.007
6876	3-TSP-223	10/27/2006	3	30.31	22.0	1.02	18.0	2768	3269.6	302	0.092	180	0.055	26	0.008
6884	5-TSP-223	10/27/2006	5	30.31	22.0	1.02	17.0	2757	3265.3	232	0.071	160	0.049	0	0.000
6888	2-TSP-224	11/1/2006	11	30.20	15.7	1.04	18.0	3022	3598.4	153	0.043	69	0.019	110	0.031
6892	4-TSP-224	11/1/2006	13	30.20	15.7	1.04	17.5	3017	3597.3	118	0.033	47	0.013	0	0.000
6904	2-TSP-227	11/8/2006	11	30.23	17.6	1.04	17.0	2918	3474.9	101	0.029	73	0.021	110	0.032
6908	3-TSP-227	11/8/2006	3	30.23	17.6	1.04	18.0	2923	3471.6	77	0.022	31	0.009	0	0.000
6912	4-TSP-227	11/8/2006	13	30.23	17.6	1.04	17.0	2902	3455.9	59	0.017	34	0.010	0	0.000
6916	5-TSP-227	11/8/2006	5	30.23	17.6	1.04	17.0	2918	3474.9	116	0.033	62	0.018	0	0.000
6920	3-TSP-228	11/10/2006	3	30.15	17.2	1.03	17.9	3028	3590.0	116	0.032	39	0.011	27	0.008
6924	5-TSP-228	11/10/2006	5	30.15	17.2	1.03	16.9	3017	3586.6	176	0.049	75	0.021	38	0.011
6936	3-TSP-230	11/18/2006	3	30.23	18.4	1.03	16.5	1683	2003.9	74	0.037	39	0.019	0	0.000
6940	5-TSP-230	11/18/2006	5	30.23	18.4	1.03	17.9	1657	1965.5	69	0.035	33	0.017	0	0.000
6944	3-TSP-231	11/21/2006	3	30.23	16.6	1.04	16.4	1509	1803.3	92	0.051	46	0.026	0	0.000
6948	5-TSP-231	11/21/2006	5	30.23	16.6	1.04	17.2	1492	1779.2	75	0.042	30	0.017	0	0.000
6952	2-TSP-233	12/1/2006	11	30.62	7.4	1.09	17.8	1883	2313.2	127	0.055	60	0.026	0	0.000
6956	4-TSP-233	12/1/2006	13	30.62	7.4	1.09	17.6	1885	2316.9	137	0.059	91	0.039	29	0.013
6960	2-TSP-234	12/6/2006	11	30.43	12.0	1.06	19.0	2949	3555.4	212	0.060	84	0.024	56	0.016
6964	3-TSP-234	12/6/2006	3	30.43	12.0	1.06	18.8	3056	3686.4	245	0.066	120	0.033	52	0.014
6968	4-TSP-234	12/6/2006	13	30.43	12.0	1.06	18.2	2939	3550.9	245	0.069	150	0.042	67	0.019
6972	5-TSP-234	12/6/2006	5	30.43	12.0	1.06	17.9	3041	3677.1	180	0.049	75	0.020	47	0.013
6996	3-TSP-237	12/20/2006	3	30.51	7.4	1.08	18.7	2927	3573.7	137	0.038	66	0.018	44	0.012
7004	5-TSP-237	12/20/2006	5	30.51	7.4	1.08	15.7	2923	3597.2	105	0.029	42	0.012	25	0.007
7008	3-TSP-238	12/21/2006	3	30.47	8.4	1.08	18.0	1384	1687.2	107	0.063	45	0.027	0	0.000
7012	5-TSP-238	12/21/2006	5	30.47	8.4	1.08	13.9	1378	1698.2	58	0.034	0	0.000	0	0.000
7016	3-TSP-241	1/13/2007	3	30.46	8.7	1.08	18.4	3070	3735.1	82	0.022	46	0.012	0	0.000
7020	5-TSP-241	1/13/2007	5	30.46	8.7	1.08	16.4	3055	3736.7	63	0.017	39	0.010	0	0.000
7024	3-TSP-242	1/18/2007	3	30.45	10.4	1.07	20.4	3165	3816.1	119	0.031	65	0.017	37	0.010
7028	5-TSP-242	1/18/2007	5	30.45	10.4	1.07	17.0	3197	3889.7	98	0.025	35	0.009	0	0.000
7032	3-TSP-243	1/24/2007	3	30.41	11.4	1.06	20.6	3127	3755.7	223	0.059	86	0.023	43	0.011
7036	5-TSP-243	1/24/2007	5	30.41	11.4	1.06	16.8	3135	3803.6	174	0.046	70	0.018	41	0.011

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
7040	3-TSP-244	1/26/2007	3	30.26	11.6	1.06	20.5	2847	3401.2	207	0.061	82	0.0241	28	0.0082
7044	5-TSP-244	1/26/2007	5	30.26	11.6	1.06	17.2	2835	3417.0	150	0.044	43	0.0126	0	0.0000
7048	3-TSP-246	2/15/2007	3	30.45	13.6	1.06	20.4	3182	3812.8	122	0.032	35	0.0092	0	0.0000
7052	5-TSP-246	2/15/2007	5	30.45	13.6	1.06	17.1	3146	3802.9	101	0.027	28	0.0074	0	0.0000
7056	3-TSP-247	2/17/2007	3	30.41	20.4	1.03	19.0	3008	3566.5	98	0.027	36	0.0101	0	0.0000
7060	5-TSP-247	2/17/2007	5	30.41	20.4	1.03	18.8	2981	3536.3	86	0.024	38	0.0107	0	0.0000
7064	3-TSP-249	3/3/2007	3	30.43	16.7	1.05	20.0	1634	1947.1	141	0.072	50	0.0257	0	0.0000
7068	5-TSP-249	3/3/2007	5	30.43	16.7	1.05	17.7	1524	1827.1	40	0.022	0	0.0000	0	0.0000
7072	3-TSP-250	3/7/2007	3	30.30	13.9	1.05	19.2	3074	3673.9	102	0.028	41	0.0112	0	0.0000
7076	5-TSP-250	3/7/2007	5	30.30	13.9	1.05	17.3	2844	3416.4	117	0.034	54	0.0158	0	0.0000
7080	3-TSP-251	3/9/2007	3	30.28	15.7	1.04	19.3	3071	3654.2	68	0.019	0	0.0000	0	0.0000
7084	5-TSP-251	3/9/2007	5	30.28	15.7	1.04	18.1	3066	3660.0	117	0.032	68	0.0186	0	0.0000
7088	3-TSP-252	3/14/2007	3	30.22	16.9	1.04	18.9	3094	3669.4	119	0.032	41	0.0112	0	0.0000
7092	5-TSP-252	3/14/2007	5	30.22	16.9	1.04	16.9	3099	3695.1	21	0.006	110	0.0298	27	0.0073
7096	3-TSP-253	3/16/2007	3	30.23	23.1	1.02	18.9	3064	3593.2	156	0.043	55	0.0153	0	0.0000
7100	5-TSP-253	3/16/2007	5	30.23	23.1	1.02	18.2	3043	3575.3	188	0.053	82	0.0229	0	0.0000
7104	3-TSP-254	3/21/2007	3	30.20	16.1	1.04	18.4	3097	3681.0	62	0.017	0	0.0000	0	0.0000
7108	5-TSP-254	3/21/2007	5	30.20	16.1	1.04	18.0	3100	3688.5	88	0.024	38	0.0103	0	0.0000
1	3-TSP-255	3/23/2007	3	30.14	21.1	1.02	19.6	3,031	3,549.8	158	0.045	45	0.0127	0	0.0000
4	5-TSP-255	3/23/2007	5	30.14	21.1	1.02	18.3	3,022	3,551.7	212	0.060	74	0.0208	26	0.0073
7	3-TSP-256	3/30/2007	3	30.38	15.0	1.05	18.8	3,168	3,792.8	124	0.033	44	0.0116	0	0.0000
10	5-TSP-256	3/30/2007	5	30.38	15.0	1.05	20.3	3,183	3,795.5	180	0.047	86	0.0227	27	0.0071
13	3-TSP-257	4/6/2007	3	30.16	11.7	1.06	18.5	1,585	1,896.8	32	0.017	0	0.0000	0	0.0000
16	3-TSP-258	4/11/2007	3	30.23	15.0	1.05	18.8	3,091	3,681.4	105	0.029	32	0.0087	0	0.0000
19	5-TSP-258	4/11/2007	5	30.23	15.0	1.05	19.9	3,081	3,658.7	226	0.062	140	0.0383	49	0.0134
22	5-TSP-259	4/13/2007	5	30.24	17.8	1.04	20.1	3,013	3,558.3	175	0.049	79	0.0222	0	0.0000
25	3-TSP-260	5/3/2007	3	30.24	14.2	1.05	19.3	6,130	7,304.9	65	0.009	0	0.0000	0	0.0000
31	3-TSP-261	5/5/2007	3	30.21	21.7	1.02	18.7	2,880	3,385.6	66	0.020	0	0.0000	0	0.0000
34	5-TSP-261	5/5/2007	5	30.21	21.7	1.02	20.5	2,874	3,362.3	75	0.022	0	0.0000	0	0.0000
37	3-TSP-262	5/9/2007	3	30.14	22.5	1.02	19.5	2,962	3,460.9	115	0.033	52	0.0150	0	0.0000
40	5-TSP-262	5/9/2007	5	30.14	22.5	1.02	19.9	2,968	3,464.2	138	0.040	76	0.0219	0	0.0000
43	3-TSP-263	5/11/2007	3	30.17	16.4	1.04	19.9	3,066	3,623.6	100	0.028	0	0.0000	0	0.0000
46	5-TSP-263	5/11/2007	5	30.17	16.4	1.04	18.9	3,066	3,633.3	199	0.055	100	0.0275	35	0.0096
49	3-TSP-264	5/12/2007	3	30.22	15.6	1.04	19.8	1,453	1,723.3	52	0.030	0	0.0000	0	0.0000
52	5-TSP-264	5/12/2007	5	30.22	15.6	1.04	19.1	1,474	1,751.5	131	0.075	83	0.0474	34	0.0194
55	3-TSP-265	5/16/2007	3	30.19	15.8	1.04	19.7	3,094	3,665.4	128	0.035	0	0.0000	0	0.0000
58	5-TSP-265	5/16/2007	5	30.19	15.8	1.04	19.9	2,926	3,464.5	344	0.099	230	0.0664	98	0.0283
64	5-TSP-266	5/18/2007	5	30.16	17.4	1.03	17.5	3,121	3,704.1	235	0.063	130	0.0351	45	0.0121
70	5-TSP-267	5/19/2007	5	30.22	18.6	1.03	19.8	1,197	1,411.6	45	0.032	28	0.0198	0	0.0000
73	3-TSP-268	5/23/2007	3	30.10	21.8	1.02	20.7	2,928	3,409.8	214	0.063	98	0.0287	0	0.0000
76	5-TSP-268	5/23/2007	5	30.10	21.8	1.02	18.9	2,929	3,427.6	308	0.090	180	0.0525	46	0.0134
79	3-TSP-269	5/25/2007	3	30.10	22.3	1.02	19.4	3,164	3,694.2	130	0.035	47	0.0127	0	0.0000
82	5-TSP-269	5/25/2007	5	30.10	22.3	1.02	18.6	3,156	3,692.8	208	0.056	110	0.0298	30	0.0081

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
85	5-TSP-270	6/1/2007	5	30.16	14.1	1.05	19.3	3,162	3,758.3	197	0.052	140	0.0373	42	0.0112
88	5-TSP-271	6/2/2007	5	30.08	14.6	1.04	20.0	1,653	1,953.7	65	0.033	44	0.0225	0	0.0000
91	5-TSP-272	6/6/2007	5	30.17	14.7	1.04	19.5	2,957	3,509.9	135	0.039	100	0.0285	29	0.0083
94	5-TSP-273	6/8/2007	5	30.15	18.5	1.03	20.3	2,945	3,460.6	164	0.047	58	0.0168	0	0.0000
97	5-TSP-275	6/15/2007	5	30.07	22.6	1.01	21.3	2,980	3,455.9	327	0.095	140	0.0405	38	0.0110
100	3-TSP-276	6/16/2007	3	30.05	21.6	1.02	19.4	1,738	2,028.3	92	0.045	31	0.0153	0	0.0000
103	5-TSP-276	6/16/2007	5	30.05	21.6	1.02	17.6	1,685	1,976.0	102	0.052	51	0.0258	0	0.0000
106	5-TSP-277	6/20/2007	5	30.13	17.5	1.03	18.7	2,983	3,524.6	191	0.054	95	0.0270	34	0.0096
109	3-TSP-278	6/22/2007	3	30.21	20.0	1.03	21.5	2,970	3,476.2	111	0.032	36	0.0104	0	0.0000
112	5-TSP-278	6/22/2007	5	30.21	20.0	1.03	17.0	2,930	3,471.1	153	0.044	63	0.0181	0	0.0000
115	3-TSP-279	6/23/2007	3	30.13	21.4	1.02	21.0	1,464	1,706.6	112	0.066	33	0.0193	0	0.0000
118	5-TSP-279	6/23/2007	5	30.13	21.4	1.02	17.0	1,485	1,749.8	153	0.087	70	0.0400	28	0.0160
121	3-TSP-280	6/27/2007	3	30.18	15.5	1.04	21.0	3,063	3,616.8	170	0.047	43	0.0119	0	0.0000
124	5-TSP-280	6/27/2007	5	30.18	15.5	1.04	17.0	3,057	3,648.7	230	0.063	99	0.0271	33	0.0090
127	3-TSP-281	6/29/2007	3	30.21	16.8	1.04	21.3	2,809	3,309.4	64	0.019	34	0.0103	0	0.0000
130	3-TSP-282	6/30/2007	3	30.24	19.0	1.03	20.8	1,625	1,911.1	54	0.028	29	0.0152	0	0.0000
133	5-TSP-282	6/30/2007	5	30.24	19.0	1.03	18.2	1,568	1,857.0	53	0.029	35	0.0188	0	0.0000
136	3-TSP-283	7/3/2007	3	30.22	17.8	1.04	21.9	1,853	2,176.2	58	0.027	41	0.0188	0	0.0000
139	5-TSP-283	7/3/2007	5	30.22	17.8	1.04	21.2	1,844	2,169.7	109	0.050	92	0.0424	26	0.0120
142	3-TSP-284	7/6/2007	3	30.00	18.9	1.02	21.8	1,865	2,169.5	64	0.030	34	0.0157	0	0.0000
145	5-TSP-284	7/6/2007	5	30.00	18.9	1.02	16.3	1,913	2,258.7	138	0.061	130	0.0576	48	0.0213
148	3-TSP-285	7/11/2007	3	30.10	19.3	1.03	22.0	1,582	1,844.4	85	0.046	27	0.0146	0	0.0000
151	5-TSP-285	7/11/2007	5	30.10	19.3	1.03	20.0	3,147	3,688.9	112	0.030	68	0.0184	25	0.0068
154	3-TSP-286	7/13/2007	3	30.18	24.3	1.01	23.2	2,992	3,454.6	83	0.024	41	0.0119	28	0.0081
157	5-TSP-286	7/13/2007	5	30.18	24.3	1.01	16.5	2,984	3,508.1	106	0.030	97	0.0277	35	0.0100
160	2-TSP-287	7/20/2007	2	30.10	21.5	1.02	21.9	1,787	2,075.4	158	0.076	210	0.1012	44	0.0212
163	2-TSP-288	7/25/2007	2	30.10	17.1	1.03	20.8	3,173	3,726.8	240	0.064	190	0.0510	42	0.0113
166	2-TSP-289	7/27/2007	2	30.07	19.3	1.02	21.7	3,110	3,625.0	247	0.068	210	0.0579	42	0.0116
169	1-TSP-290	8/1/2007	1	29.98	19.3	1.02	20.1	3,115	3,635.1	203	0.056	81	0.0223	26	0.0072
172	2-TSP-290	8/1/2007	2	29.98	19.3	1.02	22.0	3,119	3,621.0	230	0.064	140	0.0387	27	0.0075
175	1-TSP-291	8/3/2007	1	30.04	20.6	1.02	20.1	3,134	3,656.1	187	0.051	100	0.0274	33	0.0090
178	2-TSP-291	8/3/2007	2	30.04	20.6	1.02	21.8	3,101	3,600.9	174	0.048	120	0.0333	28	0.0078
181	1-TSP-292	8/8/2007	1	30.13	16.0	1.04	18.9	3,176	3,761.3	195	0.052	140	0.0372	44	0.0117
184	2-TSP-292	8/8/2007	2	30.13	16.0	1.04	20.9	3,172	3,736.4	149	0.040	100	0.0268	0	0.0000
187	1-TSP-293	8/10/2007	1	30.10	18.6	1.03	19.5	3,107	3,651.8	275	0.075	140	0.0383	42	0.0115
190	2-TSP-293	8/10/2007	2	30.10	18.6	1.03	21.4	3,113	3,640.1	169	0.046	120	0.0330	28	0.0077
193	1-TSP-294	8/15/2007	1	30.14	17.9	1.03	20.0	3,185	3,748.6	319	0.085	230	0.0614	59	0.0157
196	1-TSP-295	8/17/2007	1	30.06	20.2	1.02	18.7	3,059	3,587.3	212	0.059	170	0.0474	37	0.0103
199	2-TSP-295	8/17/2007	2	30.06	20.2	1.02	22.1	3,087	3,586.9	136	0.038	85	0.0237	26	0.0072
202	1-TSP-296	8/22/2007	1	30.02	20.4	1.02	20.4	3,166	3,689.2	366	0.099	230	0.0623	53	0.0144
205	2-TSP-296	8/22/2007	2	30.02	20.4	1.02	22.1	3,160	3,665.2	216	0.059	140	0.0382	28	0.0076
208	1-TSP-297	8/24/2007	1	29.91	23.9	1.00	19.7	3,063	3,539.2	440	0.124	280	0.0791	62	0.0175
211	2-TSP-297	8/24/2007	2	29.91	23.9	1.00	22.5	3,077	3,528.3	261	0.074	170	0.0482	41	0.0116

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
214	1-TSP-298	8/29/2007	1	30.00	21.9	1.01	21.6	3,164	3,662.0	381	0.104	230	0.0628	54	0.0147
217	2-TSP-298	8/29/2007	2	30.00	21.9	1.01	22.5	3,157	3,645.0	172	0.047	100	0.0274	30	0.0082
220	1-TSP-299	8/30/2007	1	30.01	27.9	0.99	20.9	1,698	1,948.3	191	0.098	130	0.0667	30	0.0154
223	2-TSP-299	8/30/2007	2	30.01	27.9	0.99	21.9	1,711	1,957.8	104	0.053	62	0.0317	0	0.0000
226	1-TSP-300	9/6/2007	1	30.03	21.7	1.01	21.2	3,137	3,639.9	167	0.046	220	0.0604	58	0.0159
229	2-TSP-300	9/6/2007	2	30.03	21.7	1.01	22.5	3,112	3,598.2	110	0.031	140	0.0389	46	0.0128
232	1-TSP-301	9/14/2007	1	30.16	20.8	1.02	18.9	3,203	3,763.1	211	0.056	120	0.0319	26	0.0069
235	2-TSP-301	9/14/2007	2	30.16	20.8	1.02	20.9	3,203	3,742.8	136	0.036	87	0.0232	0	0.0000
238	5-TSP-301	9/14/2007	5	30.16	20.8	1.02	21.4	3,199	3,733.1	130	0.035	68	0.0182	0	0.0000
241	1-TSP-303	10/3/2007	1	30.17	19.1	1.03	17.8	3,145	3,718.9	461	0.124	280	0.0753	56	0.0151
244	2-TSP-303	10/3/2007	2	30.17	19.1	1.03	19.5	3,165	3,725.5	319	0.086	270	0.0725	47	0.0126
247	3-TSP-303	10/3/2007	3	30.17	19.1	1.03	23.5	3,160	3,679.6	157	0.043	63	0.0171	26	0.0071
250	5-TSP-303	10/3/2007	5	30.17	19.1	1.03	20.3	3,170	3,723.4	57	0.015	42	0.0113	0	0.0000
253	1-TSP-307	10/24/2007	1	30.33	20.0	1.03	15.6	3,166	3,780.3	462	0.122	250	0.0661	65	0.0172
256	2-TSP-307	10/24/2007	2	30.33	20.0	1.03	19.8	3,167	3,739.4	180	0.048	85	0.0227	27	0.0072
259	1-TSP-308	10/26/2007	1	30.14	22.5	1.02	14.8	3,116	3,687.0	664	0.180	290	0.0787	76	0.0206
265	1-TSP-309	11/7/2007	1	30.19	15.0	1.04	15.4	3,036	3,643.9	400	0.110	150	0.0412	47	0.0129
268	2-TSP-309	11/7/2007	2	30.19	15.0	1.04	15.6	3,041	3,648.0	153	0.042	56	0.0154	27	0.0074
271	1-TSP-310	11/9/2007	1	30.15	17.5	1.03	15.7	3,013	3,591.3	262	0.073	100	0.0278	37	0.0103
274	2-TSP-310	11/9/2007	2	30.15	17.5	1.03	15.5	2,998	3,575.3	106	0.030	42	0.0117	26	0.0073
277	1-TSP-311	11/14/2007	1	30.26	17.2	1.04	15.8	3,159	3,780.7	198	0.052	110	0.0291	37	0.0098
280	2-TSP-311	11/14/2007	2	30.26	17.2	1.04	16.2	3,165	3,783.9	92	0.024	34	0.0090	0	0.0000
283	1-TSP-312	11/15/2007	1	30.19	19.2	1.03	15.5	1,546	1,840.3	292	0.159	150	0.0815	44	0.0239
286	2-TSP-312	11/15/2007	2	30.19	19.2	1.03	16.2	1,544	1,834.5	87	0.047	52	0.0283	30	0.0164
289	1-TSP-313	11/21/2007	1	30.25	14.4	1.05	15.7	3,125	3,759.8	199	0.053	120	0.0319	37	0.0098
292	5-TSP-313	11/21/2007	5	30.25	14.4	1.05	15.4	3,108	3,742.3	139	0.037	56	0.0150	27	0.0072
295	1-TSP-314	11/28/2007	1	30.37	14.4	1.05	15.9	3,195	3,857.9	292	0.076	140	0.0363	43	0.0111
298	5-TSP-314	11/28/2007	5	30.37	14.4	1.05	15.2	3,180	3,846.9	141	0.037	75	0.0195	48	0.0125
301	1-TSP-315	11/30/2007	1	30.17	17.5	1.03	15.9	2,979	3,551.3	287	0.081	120	0.0338	34	0.0096
304	2-TSP-315	11/30/2007	2	30.17	17.5	1.03	16.1	3,019	3,597.1	156	0.043	82	0.0228	0	0.0000
310	1-TSP-316	12/12/2007	1	30.32	11.9	1.06	22.2	3,240	3,858.8	223	0.058	130	0.0337	44	0.0114
313	1-TSP-317	12/14/2007	2	30.40	15.0	1.05	22.0	2,907	3,453.0	304	0.088	170	0.0492	56	0.0162
319	1-TSP-318	1/16/2008	1	30.33	12.5	1.06	9.2	3,195	3,935.5	127	0.032	38	0.0097	45	0.0114
322	2-TSP-318	1/16/2008	2	30.33	12.5	1.06	21.6	3,200	3,814.2	276	0.072	220	0.0577	92	0.0241
325	1-TSP-319	1/17/2008	1	30.24	15.8	1.04	9.6	1,465	1,785.8	91	0.051	48	0.0269	0	0.0000
328	2-TSP-319	1/17/2008	2	30.24	15.8	1.04	21.4	1,450	1,712.9	24	0.014	0	0.0000	0	0.0000
331	1-TSP-320	2/7/2008	1	30.32	13.6	1.05	12.6	3,180	3,872.7	362	0.094	160	0.0413	45	0.0116
334	1-TSP-321	2/8/2008	1	30.40	14.7	1.05	12.6	1,555	1,894.9	199	0.105	110	0.0581	28	0.0148
337	2-TSP-321	2/8/2008	2	30.40	14.7	1.05	21.1	1,556	1,853.8	55	0.030	0	0.0000	0	0.0000
340	1-TSP-322	2/13/2008	1	30.36	12.7	1.06	11.3	3,205	3,928.7	319	0.081	190	0.0484	43	0.0109
343	2-TSP-322	2/13/2008	2	30.36	12.7	1.06	21.2	3,155	3,767.1	148	0.039	52	0.0138	0	0.0000
346	3-TSP-322	2/13/2008	3	30.36	12.7	1.06	23.2	3,135	3,723.1	142	0.038	46	0.0124	0	0.0000
349	5-TSP-322	2/13/2008	5	30.36	12.7	1.06	21.3	3,145	3,754.2	152	0.041	60	0.0160	0	0.0000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
352	1-TSP-323	2/15/2008	1	30.14	18.6	1.03	23.0	2,879	3,356.6	334	0.100	150	0.0447	36	0.0107
355	2-TSP-323	2/15/2008	2	30.14	18.6	1.03	22.5	2,875	3,356.4	133	0.040	61	0.0182	0	0.0000
358	3-TSP-323	2/15/2008	3	30.14	18.6	1.03	23.4	2,900	3,377.4	143	0.042	79	0.0234	0	0.0000
361	5-TSP-323	2/15/2008	5	30.14	18.6	1.03	21.5	2,886	3,378.5	112	0.033	46	0.0136	26	0.0077
364	1-TSP-324	2/20/2008	1	30.24	11.9	1.06	22.6	3,020	3,582.9	86	0.024	28	0.0078	0	0.0000
367	3-TSP-324	2/20/2008	3	30.24	11.9	1.06	23.1	3,060	3,625.4	48	0.013	0	0.0000	0	0.0000
370	5-TSP-324	2/20/2008	5	30.24	11.9	1.06	21.6	3,063	3,643.7	60	0.017	0	0.0000	0	0.0000
373	1-TSP-325	2/29/2008	1	30.30	13.6	1.05	23.1	3,180	3,763.1	431	0.115	170	0.0452	41	0.0109
376	1-TSP-326	3/5/2008	1	30.34	18.6	1.04	23.5	3,117	3,654.7	391	0.107	150	0.0410	40	0.0109
379	2-TSP-326	3/5/2008	2	30.34	18.6	1.04	23.2	3,135	3,678.8	187	0.051	64	0.0174	0	0.0000
382	5-TSP-326	3/5/2008	5	30.34	18.6	1.04	23.0	3,140	3,686.7	173	0.047	50	0.0136	0	0.0000
385	1-TSP-327	3/7/2008	1	30.22	23.3	1.02	23.3	2,942	3,406.9	318	0.093	130	0.0382	49	0.0144
388	2-TSP-327	3/7/2008	2	30.22	23.3	1.02	22.5	2,920	3,388.8	182	0.054	67	0.0198	31	0.0091
391	3-TSP-327	3/7/2008	3	30.22	23.3	1.02	24.5	2,910	3,358.9	162	0.048	68	0.0202	43	0.0128
394	5-TSP-327	3/7/2008	5	30.22	23.3	1.02	21.9	2,882	3,350.1	199	0.059	75	0.0224	33	0.0099
397	3-TSP-328	3/12/2008	3	30.37	15.8	1.05	24.4	3,035	3,572.6	147	0.041	41	0.0115	25	0.0070
400	5-TSP-328	3/12/2008	5	30.37	15.8	1.05	22.6	3,032	3,586.4	149	0.042	48	0.0134	0	0.0000
406	2-TSP-329	3/20/2008	2	30.43	16.3	1.05	22.8	3,110	3,680.9	173	0.047	65	0.0177	0	0.0000
409	3-TSP-329	3/20/2008	3	30.43	16.3	1.05	22.9	3,125	3,697.7	95	0.026	28	0.0076	0	0.0000
412	5-TSP-329	3/20/2008	5	30.43	16.3	1.05	22.5	3,120	3,695.7	134	0.036	50	0.0135	0	0.0000
415	1-TSP-330	3/21/2008	1	30.44	15.6	1.05	23.2	1,515	1,794.2	102	0.057	51	0.0284	0	0.0000
418	2-TSP-330	3/21/2008	2	30.44	15.6	1.05	22.5	1,495	1,773.9	62	0.035	34	0.0192	0	0.0000
421	1-TSP-331	3/26/2008	1	30.37	13.3	1.06	23.4	3,175	3,765.5	144	0.038	94	0.0250	0	0.0000
424	2-TSP-331	3/26/2008	2	30.37	13.3	1.06	22.8	3,190	3,789.5	162	0.043	79	0.0208	0	0.0000
430	5-TSP-331	3/26/2008	5	30.37	13.3	1.06	22.6	3,200	3,803.4	104	0.027	54	0.0142	0	0.0000
433	1-TSP-332	3/28/2008	1	30.29	18.0	1.04	23.2	2,895	3,395.1	161	0.047	57	0.0168	0	0.0000
436	2-TSP-332	3/28/2008	2	30.29	18.0	1.04	23.6	2,890	3,385.5	111	0.033	43	0.0127	0	0.0000
442	5-TSP-332	3/28/2008	5	30.29	18.0	1.04	22.9	2,835	3,327.4	104	0.031	34	0.0102	0	0.0000
445	1-TSP-333	4/2/2008	1	30.26	11.9	1.06	22.8	3,165	3,755.5	201	0.054	75	0.0200	0	0.0000
448	2-TSP-333	4/2/2008	2	30.26	11.9	1.06	22.1	3,165	3,762.6	130	0.035	55	0.0146	0	0.0000
451	1-TSP-335	4/26/2008	1	30.10	18.0	1.03	22.9	2,927	3,412.5	207	0.061	71	0.0208	0	0.0000
454	2-TSP-335	4/26/2008	2	30.10	18.0	1.03	23.5	2,918	3,396.4	177	0.052	65	0.0191	0	0.0000
457	2-TSP-336	4/30/2008	2	29.97	11.9	1.05	22.0	2,992	3,521.8	135	0.038	63	0.0179	0	0.0000
460	1-TSP-337	5/2/2008	1	30.17	12.5	1.05	23.9	3,086	3,635.0	241.8	0.067	79	0.0217	25	0.0069
463	2-TSP-337	5/2/2008	2	30.17	12.5	1.05	19.2	3,083	3,678.0	180	0.049	76	0.0207	0	0.0000
466	1-TSP-338	5/3/2008	1	29.94	13.0	1.04	23.2	1,380	1,613.9	107.7	0.067	37	0.0229	0	0.0000
469	2-TSP-338	5/3/2008	2	29.94	13.0	1.04	21.6	1,370	1,609.2	79.5	0.049	37	0.0230	0	0.0000
472	1-TSP-339	5/7/2008	1	29.86	14.1	1.04	23.8	3,158	3,668.8	265.5	0.072	140	0.0382	35	0.0095
475	2-TSP-339	5/7/2008	2	29.86	14.1	1.04	21.5	3,154	3,687.3	181.7	0.049	71	0.0193	0	0.0000
481	1-TSP-340	5/9/2008	1	29.92	15.3	1.03	22.8	2,920	3,401.0	386.6	0.114	140	0.0412	36	0.0106
484	2-TSP-340	5/9/2008	2	29.92	15.3	1.03	21.9	2,913	3,401.3	234.8	0.069	76	0.0223	0	0.0000
487	5-TSP-340	5/9/2008	5	29.92	15.3	1.03	20.9	2,913	3,410.6	267.4	0.078	98	0.0287	26	0.0076
490	1-TSP-341	5/10/2008	1	29.89	14.7	1.03	23.3	1,440	1,675.1	190.2	0.114	74	0.0442	0	0.0000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
493	2-TSP-341	5/10/2008	2	29.89	14.7	1.03	21.8	1,435	1,676.1	128.9	0.077	62	0.0370	0	0.0000
499	2-TSP-342	5/14/2008	2	29.88	20.3	1.01	22.8	3,305	3,807.8	236.5	0.062	100	0.0263	27	0.0071
502	5-TSP-342	5/14/2008	5	29.88	20.3	1.01	21.6	3,295	3,808.8	311.4	0.082	170	0.0446	47	0.0123
505	1-TSP-343	5/16/2008	1	29.89	29.7	0.98	23.9	2,870	3,241.7	267	0.082	210	0.0648	44	0.0136
508	2-TSP-343	5/16/2008	2	29.89	29.7	0.98	23.0	2,875	3,255.4	182.1	0.056	98	0.0301	0	0.0000
514	1-TSP-344	5/17/2008	1	29.93	24.6	1.00	24.0	1,396	1,593.2	136.1	0.085	53	0.0333	0	0.0000
517	2-TSP-344	5/17/2008	2	29.93	24.6	1.00	23.0	1,395	1,596.5	92.1	0.058	53	0.0332	0	0.0000
529	1-TSP-346	5/23/2008	1	29.68	16.6	1.02	25.1	2,993	3,425.9	426.3	0.124	170	0.0496	43	0.0126
532	2-TSP-346	5/23/2008	2	29.68	16.6	1.02	23.0	2,982	3,433.2	319.1	0.093	110	0.0320	56	0.0163
535	5-TSP-346	5/23/2008	5	29.68	16.6	1.02	23.6	2,997	3,444.8	311.2	0.090	130	0.0377	65	0.0189
538	1-TSP-347	5/29/2008	1	29.95	13.8	1.04	23.4	3,173	3,704.2	177.8	0.048	140	0.0378	39	0.0105
544	5-TSP-347	5/29/2008	5	29.95	13.8	1.04	21.0	3,171	3,726.3	144.4	0.039	88	0.0236	27	0.0072
547	1-TSP-348	5/31/2008	1	30.02	14.1	1.04	23.7	2,868	3,351.8	191.6	0.057	100	0.0298	71	0.0212
550	2-TSP-348	5/31/2008	2	30.02	14.1	1.04	22.2	2,865	3,362.1	118.3	0.035	67	0.0199	0	0.0000
553	5-TSP-348	5/31/2008	5	30.02	14.1	1.04	20.4	2,870	3,384.5	103.4	0.031	75	0.0222	25	0.0074
556	1-TSP-349	6/4/2008	1	29.89	14.4	1.04	23.1	3,121	3,634.6	265.5	0.073	150	0.0413	48	0.0132
559	2-TSP-349	6/4/2008	2	29.89	14.4	1.04	21.8	3,115	3,640.5	181.5	0.050	92	0.0253	37	0.0102
562	5-TSP-349	6/4/2008	5	29.89	14.4	1.04	21.9	3,116	3,640.7	194.7	0.054	100	0.0275	34	0.0093
565	1-TSP-350	6/6/2008	1	29.83	17.9	1.02	23.6	2,933	3,381.0	253	0.075	93	0.0275	29	0.0086
568	2-TSP-350	6/6/2008	2	29.83	17.9	1.02	22.6	2,954	3,414.6	216	0.063	120	0.0351	64	0.0187
571	1-TSP-351	6/7/2008	1	29.85	18.6	1.02	23.4	1,479	1,704.8	147.8	0.087	55	0.0323	0	0.0000
574	2-TSP-351	6/7/2008	2	29.85	18.6	1.02	22.1	1,466	1,695.9	154.8	0.091	78	0.0460	41	0.0242
577	1-TSP-352	6/11/2008	1	29.84	19.1	1.02	24.8	3,039	3,485.0	309	0.089	93	0.0267	44	0.0126
580	2-TSP-352	6/11/2008	2	29.84	19.1	1.02	23.2	3,040	3,501.5	225	0.064	79	0.0226	61	0.0174
583	1-TSP-353	6/13/2008	1	29.85	18.8	1.02	24.6	3,190	3,663.5	350	0.096	160	0.0437	54	0.0147
586	2-TSP-353	6/13/2008	2	29.85	18.8	1.02	23.8	3,170	3,648.6	256	0.070	120	0.0329	43	0.0118
589	1-TSP-354	6/16/2008	1	29.90	10.2	1.05	23.1	2,880	3,382.6	188	0.056	88	0.0260	37	0.0109
592	2-TSP-354	6/16/2008	2	29.90	10.2	1.05	22.4	2,879	3,387.9	131	0.039	45	0.0133	0	0.0000
595	1-TSP-355	6/18/2008	1	29.94	16.1	1.03	24.0	3,089	3,583.1	239	0.067	100	0.0279	42	0.0117
598	2-TSP-355	6/18/2008	2	29.94	16.1	1.03	23.0	3,186	3,705.8	222	0.060	88	0.0237	73	0.0197
601	1-TSP-356	6/20/2008	1	29.89	28.4	0.99	25.7	3,068	3,456.3	220	0.064	96	0.0278	36	0.0104
604	2-TSP-356	6/20/2008	2	29.89	28.4	0.99	23.8	3,040	3,442.7	168	0.049	82	0.0238	44	0.0128
607	3-TSP-356	6/20/2008	3	29.89	28.4	0.99	21.8	3,048	3,470.8	146	0.042	63	0.0182	35	0.0101
610	5-TSP-356	6/20/2008	5	29.89	28.4	0.99	24.0	3,050	3,452.1	161	0.047	71	0.0206	43	0.0125
616	2-TSP-357	6/23/2008	2	29.92	20.0	1.02	23.0	3,090	3,565.2	151	0.042	69	0.0194	27	0.0076
619	3-TSP-357	6/23/2008	3	29.92	20.0	1.02	21.5	3,100	3,591.5	96	0.027	31	0.0086	0	0.0000
622	5-TSP-357	6/23/2008	5	29.92	20.0	1.02	20.3	3,085	3,585.8	153	0.043	61	0.0170	0	0.0000
625	1-TSP-358	6/25/2008	1	29.90	20.0	1.02	22.4	3,040	3,510.8	275	0.078	81	0.0231	0	0.0000
628	2-TSP-358	6/25/2008	2	29.90	20.0	1.02	22.9	3,037	3,502.5	278	0.079	130	0.0371	26	0.0074
631	3-TSP-358	6/25/2008	3	29.90	20.0	1.02	21.7	3,006	3,478.2	246	0.071	85	0.0244	37	0.0106
634	5-TSP-358	6/25/2008	5	29.90	20.0	1.02	22.0	3,070	3,549.4	274	0.077	110	0.0310	0	0.0000
637	1-TSP-359	6/27/2008	1	29.77	15.0	1.03	23.0	2,750	3,186.1	239	0.075	85	0.0267	0	0.0000
640	2-TSP-359	6/27/2008	2	29.77	15.0	1.03	23.3	2,750	3,183.4	278	0.087	110	0.0346	0	0.0000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
643	3-TSP-359	6/27/2008	3	29.77	15.0	1.03	22.4	2,760	3,202.9	201	0.063	61	0.0190	0	0.0000
646	5-TSP-359	6/27/2008	5	29.77	15.0	1.03	22.6	2,715	3,149.0	216	0.069	71	0.0225	25	0.0079
649	1-TSP-360	6/28/2008	1	29.77	15.0	1.03	22.3	1,742	2,022.1	206	0.102	93	0.0460	27	0.0134
652	2-TSP-360	6/28/2008	2	29.77	15.0	1.03	22.1	1,713	1,989.5	169	0.085	98	0.0493	0	0.0000
655	3-TSP-360	6/28/2008	3	29.77	15.0	1.03	21.6	1,663	1,934.1	125	0.065	45	0.0233	0	0.0000
658	5-TSP-360	6/28/2008	5	29.77	15.0	1.03	22.2	1,690	1,962.3	179	0.091	98	0.0499	33	0.0168
661	1-TSP-362	7/9/2008	1	29.31	24.5	0.98	23.5	3,202	3,579.4	307	0.086	60	0.0168	25	0.0070
664	2-TSP-362	7/9/2008	2	29.31	24.5	0.98	23.3	3,178	3,554.6	245	0.069	100	0.0281	33	0.0093
667	1-TSP-363	7/11/2008	1	29.79	21.8	1.01	22.7	2,995	3,431.0	226	0.066	110	0.0321	35	0.0102
670	2-TSP-363	7/11/2008	2	29.79	21.8	1.01	22.9	3,000	3,434.8	234	0.068	160	0.0466	38	0.0111
673	1-TSP-364	7/12/2008	1	29.91	20.0	1.02	22.5	1,435	1,657.4	81	0.049	61	0.0368	0	0.0000
679	1-TSP-365	7/16/2008	1	29.98	16.8	1.03	23.2	3,189	3,707.6	197	0.053	110	0.0297	29	0.0078
682	2-TSP-365	7/16/2008	2	29.98	16.8	1.03	22.2	3,184	3,711.9	197	0.053	120	0.0323	26	0.0070
685	1-TSP-366	7/18/2008	1	29.98	16.8	1.03	22.5	2,795	3,255.7	293	0.090	190	0.0584	59	0.0181
688	2-TSP-366	7/18/2008	2	29.98	16.8	1.03	22.5	2,790	3,249.9	234	0.072	170	0.0523	39	0.0120
691	1-TSP-367	7/19/2008	1	29.92	20.0	1.02	22.5	1,605	1,854.4	104	0.056	55	0.0297	0	0.0000
694	2-TSP-367	7/19/2008	2	29.92	20.0	1.02	23.1	1,605	1,851.3	147	0.079	83	0.0448	0	0.0000
697	1-TSP-368	7/23/2008	1	29.80	18.3	1.02	23.0	3,060	3,526.8	196	0.056	100	0.0284	36	0.0102
700	2-TSP-368	7/23/2008	2	29.80	18.3	1.02	23.7	3,055	3,514.3	366	0.104	390	0.1110	110	0.0313
703	1-TSP-369	7/25/2008	1	29.80	18.3	1.02	22.7	2,900	3,345.2	270	0.081	140	0.0419	52	0.0155
706	2-TSP-369	7/25/2008	2	29.80	18.3	1.02	23.0	2,905	3,348.2	312	0.093	220	0.0657	84	0.0251
709	1-TSP-370	7/30/2008	1	29.89	16.7	1.03	22.1	3,195	3,714.6	158	0.043	100	0.0269	50	0.0135
712	2-TSP-370	7/30/2008	2	29.89	16.7	1.03	22.3	3,195	3,712.6	142	0.038	100	0.0269	29	0.0078
715	1-TSP-371	8/1/2008	1	29.88	17.2	1.03	22.7	2,990	3,466.0	133	0.038	74	0.0214	27	0.0078
718	2-TSP-371	8/1/2008	2	29.88	17.2	1.03	22.8	2,995	3,470.9	147	0.042	75	0.0216	0	0.0000
721	1-TSP-372	8/2/2008	1	29.86	17.7	1.02	22.8	1,445	1,671.8	88	0.053	62	0.0371	0	0.0000
724	2-TSP-372	8/2/2008	2	29.86	17.7	1.02	22.7	1,415	1,637.6	64	0.039	46	0.0281	0	0.0000
727	1-TSP-373	8/6/2008	1	29.92	15.0	1.03	21.8	3,315	3,873.9	113	0.029	67	0.0173	29	0.0075
730	2-TSP-373	8/4/2008	2	29.92	14.4	1.04	22.2	500	584.3	103.2	0.177	75	0.1284	0	0.0000
733	1-TSP-374	8/8/2008	1	29.92	15.8	1.03	22.3	2,890	3,367.5	87.1	0.026	48	0.0143	0	0.0000
736	2-TSP-374	8/8/2008	2	29.92	15.8	1.03	23.0	2,870	3,337.8	74.7	0.022	52	0.0156	0	0.0000
739	1-TSP-375	8/9/2008	1	29.92	16.7	1.03	23.2	1,425	1,653.5	44.7	0.027	27	0.0163	0	0.0000
742	2-TSP-375	8/9/2008	2	29.92	16.7	1.03	22.1	1,425	1,658.5	47.9	0.029	48	0.0289	0	0.0000
745	1-TSP-376	8/13/2008	1	29.92	20.0	1.02	22.3	2,920	3,375.6	200.3	0.059	100	0.0296	37	0.0110
748	2-TSP-376	8/13/2008	2	29.92	20.0	1.02	22.0	2,908	3,364.4	136.6	0.041	82	0.0244	0	0.0000
751	1-TSP-377	8/15/2008	1	29.92	17.2	1.03	23.0	1,350	1,565.9	196.1	0.125	110	0.0702	44	0.0281
754	2-TSP-377	8/15/2008	2	29.92	17.2	1.03	23.1	3,145	3,646.9	138.7	0.038	97	0.0266	27	0.0074
760	2-TSP-378	8/20/2008	2	29.92	18.7	1.02	22.5	3,155	3,654.1	111.2	0.030	72	0.0197	0	0.0000
763	1-TSP-379	8/22/2008	1	29.92	17.8	1.02	23.3	3,115	3,606.0	147.9	0.041	72	0.0200	29	0.0080
766	2-TSP-379	8/22/2008	2	29.92	17.8	1.02	23.6	3,115	3,603.0	169.7	0.047	89	0.0247	31	0.0086
769	1-TSP-380	8/23/2008	1	29.92	18.3	1.02	22.8	1,405	1,627.2	73.9	0.045	28	0.0172	0	0.0000
772	2-TSP-380	8/23/2008	2	29.92	18.3	1.02	22.7	1,410	1,633.4	57.5	0.035	0	0.0000	0	0.0000
778	1-TSP-383	9/5/2008	1	29.74	22.9	1.00	23.8	3,170	3,606.6	280	0.078	130	0.0360	31	0.0086

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
781	1-TSP-384	9/6/2008	1	29.72	28.6	0.98	23.4	1,500	1,689.7	133	0.079	63	0.0373	0	0.0000
784	1-TSP-385	9/10/2008	1	29.72	15.8	1.02	23.1	3,094	3,571.7	180	0.050	98	0.0274	47	0.0132
787	2-TSP-385	9/10/2008	2	29.72	15.8	1.02	23.3	3,110	3,588.2	147	0.041	80	0.0223	0	0.0000
790	1-TSP-386	9/12/2008	1	29.78	14.4	1.03	22.8	3,039	3,528.1	234	0.066	100	0.0283	42	0.0119
793	2-TSP-386	9/12/2008	2	29.78	14.4	1.03	23.9	3,036	3,514.0	223	0.064	100	0.0285	35	0.0100
796	1-TSP-387	9/13/2008	1	29.72	15.7	1.03	21.9	1,445	1,674.0	73	0.044	34	0.0203	0	0.0000
799	2-TSP-387	9/13/2008	2	29.72	15.7	1.03	24.1	1,435	1,652.3	64	0.039	36	0.0218	0	0.0000
802	1-TSP-388	9/17/2008	1	29.94	14.6	1.04	23.2	3,236	3,772.7	239	0.063	160	0.0424	82	0.0217
805	2-TSP-388	9/17/2008	2	29.94	14.6	1.04	23.5	3,233	3,766.1	173	0.046	75	0.0199	0	0.0000
808	1-TSP-389	9/19/2008	1	29.93	17.8	1.03	22.8	2,895	3,357.1	179	0.053	110	0.0328	42	0.0125
811	2-TSP-389	9/19/2008	2	29.93	17.8	1.03	24.5	2,915	3,364.6	122	0.036	62	0.0184	0	0.0000
814	1-TSP-390	9/20/2008	1	29.93	18.7	1.02	23.2	1,425	1,647.9	49	0.030	28	0.0170	0	0.0000
817	2-TSP-390	9/20/2008	2	29.93	18.7	1.02	23.7	1,420	1,639.8	33	0.020	0	0.0000	0	0.0000
820	1-TSP-391	9/24/2008	1	29.90	17.8	1.02	23.4	3,120	3,608.2	203	0.056	110	0.0305	36	0.0100
823	2-TSP-391	9/24/2008	2	29.90	17.8	1.02	24.2	3,125	3,606.1	182	0.051	71	0.0197	0	0.0000
826	1-TSP-392	9/26/2008	1	29.85	20.6	1.01	23.5	3,033	3,482.1	274	0.079	130	0.0373	38	0.0109
829	2-TSP-392	9/26/2008	2	29.85	20.6	1.01	23.0	3,001	3,450.1	169	0.049	78	0.0226	29	0.0084
832	1-TSP-393	10/1/2008	1	29.87	17.6	1.02	23.3	3,161	3,654.1	203	0.056	91	0.0249	31	0.0085
835	2-TSP-393	10/1/2008	2	29.87	17.6	1.02	23.4	3,160	3,652.0	130	0.036	74	0.0203	26	0.0071
838	1-TSP-394	10/3/2008	1	29.79	20.9	1.01	22.8	2,965	3,401.4	297	0.087	170	0.0500	50	0.0147
841	2-TSP-394	10/3/2008	2	29.79	20.9	1.01	23.4	2,975	3,407.2	93	0.027	49	0.0144	0	0.0000
844	1-TSP-395	10/8/2008	1	29.83	15.8	1.03	23.7	3,195	3,696.7	303	0.082	130	0.0352	41	0.0111
847	2-TSP-395	10/8/2008	2	29.83	15.8	1.03	23.3	3,200	3,706.6	157	0.042	76	0.0205	31	0.0084
850	1-TSP-396	10/10/2008	1	29.79	16.4	1.03	24.0	2,960	3,413.2	298	0.087	130	0.0381	39	0.0114
853	2-TSP-396	10/10/2008	2	29.79	16.4	1.03	24.1	2,950	3,400.7	189	0.056	78	0.0229	0	0.0000
856	1-TSP-397	10/15/2008	1	30.03	20.6	1.02	24.2	3,260	3,759.5	230	0.061	120	0.0319	32	0.0085
862	1-TSP-398	10/17/2008	1	29.90	25.2	1.00	24.8	2,920	3,318.0	350	0.106	120	0.0362	33	0.0099
865	2-TSP-398	10/17/2008	2	29.90	25.2	1.00	23.4	2,920	3,330.9	203	0.061	76	0.0228	0	0.0000
868	1-TSP-399	10/22/2008	1	30.02	18.0	1.03	23.6	3,265	3,788.5	154	0.041	77	0.0203	26	0.0069
871	2-TSP-399	10/22/2008	2	30.02	18.0	1.03	23.2	3,270	3,798.5	260	0.068	130	0.0342	42	0.0111
877	2-TSP-400	10/24/2008	2	29.97	25.0	1.00	24.3	2,935	3,349.3	193	0.058	100	0.0299	0	0.0000
880	1-TSP-401	10/29/2008	1	30.10	10.2	1.06	24.3	3,230	3,808.2	229	0.060	56	0.0147	0	0.0000
883	2-TSP-401	10/29/2008	2	30.10	10.2	1.06	21.9	3,245	3,851.0	100	0.026	49	0.0127	0	0.0000
886	1-TSP-402	10/31/2008	1	30.03	18.9	1.02	24.9	2,910	3,360.1	190	0.057	78	0.0232	28	0.0083
889	2-TSP-402	10/31/2008	2	30.03	18.9	1.02	23.3	2,905	3,369.1	116	0.034	45	0.0134	0	0.0000
892	1-TSP-404	11/12/2008	1	30.07	14.1	1.04	24.5	3,250	3,796.7	234	0.062	95	0.0250	27	0.0071
895	2-TSP-404	11/12/2008	2	30.07	14.1	1.04	22.8	3,240	3,802.6	114	0.030	38	0.0100	0	0.0000
898	1-TSP-405	11/14/2008	1	30.04	20.9	1.02	24.6	2,915	3,357.3	131	0.039	66	0.0197	0	0.0000
901	2-TSP-405	11/14/2008	2	30.04	20.9	1.02	22.7	2,918	3,378.2	103	0.031	58	0.0172	0	0.0000
904	1-TSP-406	11/19/2008	1	30.06	14.9	1.04	24.5	3,024	3,526.0	267	0.076	140	0.0397	46	0.0130
907	2-TSP-406	11/19/2008	2	30.06	14.9	1.04	22.4	3,031	3,554.5	180	0.051	75	0.0211	28	0.0079
910	1-TSP-407	11/21/2008	1	30.05	12.1	1.05	24.4	3,005	3,522.5	185	0.053	72	0.0204	0	0.0000
913	2-TSP-407	11/21/2008	2	30.05	12.1	1.05	22.4	3,000	3,536.0	85	0.024	35	0.0099	0	0.0000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
916	1-TSP-408	11/24/2008	1	29.90	16.6	1.03	24.5	2,988	3,453.0	228	0.066	100	0.0290	31	0.0090
919	2-TSP-408	11/24/2008	2	29.90	16.6	1.03	22.6	2,988	3,471.1	130	0.038	35	0.0101	0	0.0000
922	1-TSP-409	11/26/2008	1	29.90	16.6	1.03	24.6	2,895	3,344.6	287	0.086	100	0.0299	36	0.0108
925	2-TSP-409	11/26/2008	2	29.90	16.6	1.03	22.8	2,885	3,349.6	189	0.056	33	0.0099	0	0.0000
928	1-TSP-410	12/3/2008	1	30.05	10.8	1.05	24.2	3,185	3,745.1	234	0.063	92	0.0246	28	0.0075
931	2-TSP-410	12/3/2008	2	30.05	10.8	1.05	22.9	3,185	3,758.4	113	0.030	50	0.0133	0	0.0000
934	1-TSP-411	12/5/2008	1	30.06	13.5	1.04	24.6	3,069	3,587.1	154	0.043	95	0.0265	27	0.0075
937	2-TSP-411	12/5/2008	2	30.06	13.5	1.04	23.1	3,043	3,571.4	123	0.034	35	0.0098	0	0.0000
940	1-TSP-412	12/8/2008	1	30.08	9.7	1.06	24.3	2,856	3,368.2	248	0.074	86	0.0255	27	0.0080
946	1-TSP-413	12/10/2008	1	30.22	13.8	1.05	21.3	3,280	3,888.0	283	0.073	170	0.0437	48	0.0123
952	1-TSP-414	12/12/2008	1	30.22	13.8	1.05	21.0	2,910	3,452.2	276	0.080	140	0.0406	45	0.0130
955	2-TSP-414	12/12/2008	2	30.22	13.8	1.05	19.4	2,911	3,468.3	197	0.057	91	0.0262	34	0.0098
958	1-TSP-416	1/8/2009	1	30.14	9.3	1.06	21.2	3,165	3,775.2	168	0.045	52	0.0138	0	0.0000
961	2-TSP-416	1/8/2009	2	30.14	9.3	1.06	18.4	3,160	3,797.8	112	0.030	0	0.0000	0	0.0000
964	1-TSP-417	1/10/2009	1	30.09	10.9	1.06	21.2	3,010	3,572.7	118	0.033	50	0.0140	0	0.0000
967	2-TSP-417	1/10/2009	2	30.09	10.9	1.06	18.8	3,000	3,584.0	61	0.017	0	0.0000	0	0.0000
970	1-TSP-418	1/14/2009	1	30.19	18.3	1.03	21.0	3,170	3,724.6	249	0.067	100	0.0268	65	0.0175
973	2-TSP-418	1/14/2009	2	30.19	18.3	1.03	19.3	3,180	3,753.5	130	0.035	57	0.0152	26	0.0069
976	1-TSP-419	1/16/2009	1	30.08	18.4	1.03	21.9	2,990	3,490.3	270	0.077	120	0.0344	53	0.0152
979	2-TSP-419	1/16/2009	2	30.08	18.4	1.03	19.8	2,990	3,510.3	157	0.045	52	0.0148	29	0.0083
982	1-TSP-420	1/17/2009	1	30.08	16.6	1.03	21.3	1,385	1,624.9	122	0.075	57	0.0351	0	0.0000
985	2-TSP-420	1/17/2009	2	30.08	16.6	1.03	19.3	1,390	1,639.7	72	0.044	29	0.0177	0	0.0000
988	1-TSP-421	1/21/2009	1	30.08	11.9	1.05	20.8	3,216	3,812.6	295	0.077	170	0.0446	63	0.0165
991	2-TSP-421	1/21/2009	2	30.08	11.9	1.05	19.1	3,214	3,827.8	162	0.042	95	0.0248	32	0.0084
994	1-TSP-422	1/28/2009	1	30.14	9.8	1.06	21.4	3,190	3,799.2	268	0.071	170	0.0447	63	0.0166
997	2-TSP-422	1/28/2009	2	30.14	9.8	1.06	19.1	3,185	3,816.9	96	0.025	47	0.0123	0	0.0000
1000	1-TSP-423	1/30/2009	1	30.20	13.7	1.05	21.4	2,920	3,458.5	243	0.070	110	0.0318	38	0.0110
1003	2-TSP-423	1/30/2009	2	30.20	13.7	1.05	19.4	2,925	3,483.2	107	0.031	36	0.0103	0	0.0000
1006	1-TSP-424	2/4/2009	1	30.01	10.7	1.05	21.1	3,180	3,766.4	335	0.089	170	0.0451	54	0.0143
1009	2-TSP-424	2/4/2009	2	30.01	10.7	1.05	19.1	3,185	3,792.8	185	0.049	59	0.0156	0	0.0000
1012	1-TSP-425	2/6/2009	1	29.80	11.7	1.04	20.4	2,725	3,203.5	88	0.028	37	0.0115	0	0.0000
1015	2-TSP-425	2/6/2009	2	29.80	11.7	1.04	19.1	2,720	3,209.0	58	0.018	0	0.0000	0	0.0000
1018	1-TSP-426	2/12/2009	1	30.09	7.8	1.07	20.0	3,280	3,929.8	84	0.021	26	0.0066	34	0.0087
1021	2-TSP-426	2/12/2009	2	30.09	7.8	1.07	18.6	3,275	3,938.7	67	0.017	0	0.0000	0	0.0000
1024	1-TSP-427	3/11/2009	1	30.05	14.4	1.04	20.8	3,270	3,853.8	252	0.065	88	0.0228	28	0.0073
1027	2-TSP-427	3/11/2009	2	30.05	14.4	1.04	19.3	3,260	3,857.7	115	0.030	52	0.0135	0	0.0000
1030	1-TSP-428	3/13/2009	1	30.01	11.8	1.05	20.8	2,995	3,542.5	180	0.051	99	0.0279	31	0.0088
1033	2-TSP-428	3/13/2009	2	30.01	11.8	1.05	19.3	2,995	3,557.0	183	0.051	100	0.0281	26	0.0073
1036	1-TSP-429	3/16/2009	1	29.96	9.2	1.06	20.6	3,135	3,722.6	76	0.020	37	0.0099	0	0.0000
1039	2-TSP-429	3/16/2009	2	29.96	9.2	1.06	19.2	3,130	3,730.8	89	0.024	51	0.0137	0	0.0000
1042	1-TSP-430	3/18/2009	1	30.16	13.3	1.05	21.0	2,950	3,495.7	131	0.038	62	0.0177	0	0.0000
1045	2-TSP-430	3/18/2009	2	30.16	13.3	1.05	19.5	2,960	3,521.7	90	0.026	44	0.0125	0	0.0000
1048	6-TSP-430	3/18/2009	6	30.16	13.3	1.05	20.9	2,975	3,526.2	123	0.035	52	0.0147	0	0.0000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
1051	2-TSP-431	3/20/2009	2	29.98	12.1	1.05	19.4	2,910	3,449.5	241	0.070	110	0.0319	27	0.0078
1054	6-TSP-431	3/20/2009	6	29.98	12.1	1.05	21.4	2,905	3,424.9	410	0.120	200	0.0584	35	0.0102
1057	1-TSP-432	3/25/2009	1	30.16	12.5	1.05	20.1	3,086	3,671.4	192	0.052	96	0.0261	39	0.0106
1060	2-TSP-432	3/25/2009	2	30.16	12.5	1.05	19.5	3,155	3,759.6	206	0.055	130	0.0346	26	0.0069
1063	6-TSP-432	3/25/2009	6	30.16	12.5	1.05	20.6	3,151	3,743.7	243	0.065	150	0.0401	26	0.0069
1066	2-TSP-433	3/27/2009	2	29.96	17.1	1.03	20.0	2,936	3,439.0	224	0.065	140	0.0407	26	0.0076
1069	6-TSP-433	3/27/2009	6	29.96	17.1	1.03	21.2	2,889	3,372.9	392	0.116	230	0.0682	34	0.0101
1072	1-TSP-434	4/1/2009	1	29.94	13.9	1.04	21.1	3,202	3,759.6	257	0.068	130	0.0346	43	0.0114
1075	2-TSP-434	4/1/2009	2	29.94	13.9	1.04	19.7	3,198	3,769.3	262	0.070	140	0.0371	32	0.0085
1078	6-TSP-434	4/1/2009	6	29.94	13.9	1.04	20.5	3,188	3,749.3	259	0.069	170	0.0453	29	0.0077
1081	1-TSP-435	4/3/2009	1	29.89	13.7	1.04	21.4	2,982	3,493.6	373	0.107	200	0.0572	100	0.0286
1084	2-TSP-435	4/3/2009	2	29.89	13.7	1.04	19.9	2,985	3,511.5	389	0.111	270	0.0769	53	0.0151
1087	6-TSP-435	4/3/2009	6	29.89	13.7	1.04	21.6	2,987	3,497.6	401	0.115	210	0.0600	34	0.0097
1090	1-TSP-436	4/8/2009	1	29.97	14.1	1.04	20.6	3,200	3,764.9	154	0.041	32	0.0085	0	0.0000
1093	2-TSP-436	4/8/2009	2	29.97	14.1	1.04	19.2	3,200	3,779.3	137	0.036	27	0.0071	0	0.0000
1096	6-TSP-436	4/8/2009	6	29.97	14.1	1.04	20.4	3,191	3,756.4	220	0.059	63	0.0168	0	0.0000
1099	2-TSP-437	4/10/2009	2	29.90	12.6	1.04	19.4	2,975	3,513.2	64	0.018	0	0.0000	0	0.0000
1105	1-TSP-438	4/15/2009	1	29.89	11.9	1.04	20.4	3,293	3,882.1	434	0.112	96	0.0247	84	0.0216
1111	6-TSP-438	4/15/2009	6	29.89	11.9	1.04	20.9	3,285	3,867.3	346	0.090	92	0.0238	0	0.0000
1114	1-TSP-439	4/17/2009	1	30.05	15.7	1.04	19.8	2,885	3,400.8	176	0.052	68	0.0200	31	0.0091
1117	2-TSP-439	4/17/2009	2	30.05	15.7	1.04	19.6	2,911	3,433.3	162	0.047	70	0.0204	0	0.0000
1120	6-TSP-439	4/17/2009	6	30.05	15.7	1.04	20.4	2,910	3,424.7	182	0.053	77	0.0225	0	0.0000
1123	1-TSP-440	4/22/2009	1	29.89	20.2	1.02	20.3	3,106	3,605.1	201	0.056	86	0.0239	26	0.0072
1126	2-TSP-440	4/22/2009	2	29.89	20.2	1.02	19.9	3,165	3,677.5	194	0.053	95	0.0258	0	0.0000
1129	6-TSP-440	4/22/2009	6	29.89	20.2	1.02	20.9	3,157	3,658.3	168	0.046	79	0.0216	0	0.0000
1132	1-TSP-441	4/24/2009	1	29.88	15.5	1.03	20.0	2,994	3,507.7	355	0.101	130	0.0371	75	0.0214
1135	2-TSP-441	4/24/2009	2	29.88	15.5	1.03	20.0	2,980	3,491.3	239	0.069	110	0.0315	0	0.0000
1138	6-TSP-441	4/24/2009	6	29.88	15.5	1.03	20.6	2,976	3,480.9	278	0.080	99	0.0284	0	0.0000
1141	1-TSP-442	4/29/2009	1	29.98	10.9	1.05	19.4	3,210	3,814.0	203	0.053	100	0.0262	64	0.0168
1144	2-TSP-442	4/29/2009	2	29.98	10.9	1.05	19.1	3,230	3,840.9	172	0.045	93	0.0242	0	0.0000
1147	6-TSP-442	4/29/2009	6	29.98	10.9	1.05	20.7	3,220	3,812.4	277	0.073	150	0.0393	26	0.0068
1150	1-TSP-443	5/1/2009	1	29.98	12.8	1.04	19.4	2,940	3,480.3	145	0.042	70	0.0201	40	0.0115
1153	2-TSP-443	5/1/2009	2	29.98	12.8	1.04	19.2	2,934	3,475.1	116	0.033	62	0.0178	0	0.0000
1156	6-TSP-443	5/1/2009	6	29.98	12.8	1.04	21.0	2,959	3,487.6	195	0.056	110	0.0315	0	0.0000
1168	1-TSP-445	5/8/2009	1	29.96	18.2	1.02	19.9	3,034	3,547.3	158	0.045	66	0.0186	26	0.0073
1171	2-TSP-445	5/8/2009	2	29.96	18.2	1.02	20.0	3,013	3,521.8	160	0.045	71	0.0202	0	0.0000
1174	6-TSP-445	5/8/2009	6	29.96	18.2	1.02	20.8	2,994	3,492.0	229	0.066	92	0.0263	0	0.0000
1177	1-TSP-446	5/13/2009	1	29.94	15.7	1.03	20.0	3,185	3,738.0	252	0.067	110	0.0294	77	0.0206
1180	2-TSP-446	5/13/2009	2	29.94	15.7	1.03	19.6	3,202	3,762.0	261	0.069	130	0.0346	28	0.0074
1183	6-TSP-446	5/13/2009	6	29.94	15.7	1.03	21.5	3,222	3,766.0	390	0.104	180	0.0478	29	0.0077
1186	1-TSP-447	5/15/2009	1	29.90	16.4	1.03	20.2	2,957	3,459.0	285	0.082	160	0.0463	250	0.0723
1189	2-TSP-447	5/15/2009	2	29.90	16.4	1.03	19.5	2,954	3,462.1	264	0.076	170	0.0491	37	0.0107
1192	6-TSP-447	5/15/2009	6	29.90	16.4	1.03	21.3	2,944	3,433.4	263	0.077	180	0.0524	27	0.0079

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
1195	1-TSP-448	5/20/2009	1	29.83	12.3	1.04	19.7	3,208	3,778.1	228	0.060	120	0.0318	390	0.1032
1198	2-TSP-448	5/20/2009	2	29.83	12.3	1.04	19.0	3,210	3,787.7	214	0.057	93	0.0246	27	0.0071
1201	6-TSP-448	5/20/2009	6	29.83	12.3	1.04	19.4	3,216	3,790.6	240	0.063	98	0.0259	0	0.0000
1204	1-TSP-449	5/22/2009	1	29.85	14.3	1.03	19.7	3,005	3,527.9	262	0.074	86	0.0244	190	0.0539
1207	2-TSP-449	5/22/2009	2	29.85	14.3	1.03	19.9	3,000	3,520.1	224	0.064	89	0.0253	25	0.0071
1210	6-TSP-449	5/22/2009	6	29.85	14.3	1.03	20.8	2,990	3,499.7	245	0.070	90	0.0257	0	0.0000
1213	1-TSP-450	5/28/2009	1	29.81	13.4	1.04	19.8	3,228	3,789.9	272	0.072	120	0.0317	180	0.0475
1216	2-TSP-450	5/28/2009	2	29.81	13.4	1.04	19.8	3,229	3,791.0	225	0.059	110	0.0290	34	0.0090
1219	6-TSP-450	5/28/2009	6	29.81	13.4	1.04	20.7	3,219	3,770.0	221	0.059	76	0.0202	0	0.0000
1222	1-TSP-451	5/29/2009	1	29.86	16.0	1.03	19.6	1,564	1,831.3	106	0.058	53	0.0289	130	0.0710
1225	2-TSP-451	5/29/2009	2	29.86	16.0	1.03	19.9	1,561	1,826.3	224	0.123	56	0.0307	26	0.0142
1228	6-TSP-451	5/29/2009	6	29.86	16.0	1.03	21.0	1,559	1,818.5	255	0.140	45	0.0247	0	0.0000
1231	1-TSP-452	6/3/2009	1	29.82	14.2	1.03	19.6	3,208	3,763.9	257	0.068	80	0.0213	140	0.0372
1234	2-TSP-452	6/3/2009	2	29.82	14.2	1.03	19.8	3,216	3,771.3	271	0.072	54	0.0143	0	0.0000
1237	6-TSP-452	6/3/2009	6	29.82	14.2	1.03	20.0	3,221	3,775.1	249	0.066	45	0.0119	0	0.0000
1240	1-TSP-453	6/5/2009	1	29.84	17.6	1.02	19.7	2,989	3,485.8	155	0.045	94	0.0270	99	0.0284
1243	2-TSP-453	6/5/2009	2	29.84	17.6	1.02	19.5	2,985	3,483.0	101	0.029	67	0.0192	0	0.0000
1246	6-TSP-453	6/5/2009	6	29.84	17.6	1.02	20.6	2,976	3,462.1	101	0.029	56	0.0162	0	0.0000
1249	1-TSP-454	6/10/2009	1	29.84	14.9	1.03	19.7	3,218	3,772.2	205	0.054	77	0.0204	120	0.0318
1252	2-TSP-454	6/10/2009	2	29.84	14.9	1.03	19.3	3,224	3,783.4	115	0.030	44	0.0116	0	0.0000
1255	6-TSP-454	6/10/2009	6	29.84	14.9	1.03	20.0	3,225	3,777.4	95	0.025	49	0.0130	0	0.0000
1258	1-TSP-455	6/12/2009	1	29.86	16.9	1.03	20.4	3,000	3,499.1	217	0.062	92	0.0263	110	0.0314
1261	2-TSP-455	6/12/2009	2	29.86	16.9	1.03	18.9	2,990	3,501.7	133	0.038	67	0.0191	0	0.0000
1264	6-TSP-455	6/12/2009	6	29.86	16.9	1.03	20.7	2,985	3,478.7	136	0.039	48	0.0138	0	0.0000
1267	1-TSP-456	6/17/2009	1	29.85	15.1	1.03	19.6	3,123	3,661.8	204	0.056	110	0.0300	120	0.0328
1270	2-TSP-456	6/17/2009	2	29.85	15.1	1.03	19.3	3,125	3,667.1	158	0.043	86	0.0235	0	0.0000
1273	6-TSP-456	6/17/2009	6	29.85	15.1	1.03	20.5	3,165	3,701.9	138	0.037	56	0.0151	0	0.0000
1276	1-TSP-457	6/19/2009	1	29.75	16.8	1.02	20.1	3,064	3,563.4	337	0.095	160	0.0449	190	0.0533
1279	2-TSP-457	6/19/2009	2	29.75	16.8	1.02	20.0	3,063	3,563.2	249	0.070	120	0.0337	33	0.0093
1282	6-TSP-457	6/19/2009	6	29.75	16.8	1.02	21.2	3,016	3,497.0	272	0.078	140	0.0400	29	0.0083
1285	1-TSP-458	6/24/2009	1	29.77	16.2	1.03	20.1	3,218	3,749.5	326	0.087	110	0.0293	110	0.0293
1288	2-TSP-458	6/24/2009	2	29.77	16.2	1.03	19.4	3,220	3,759.0	238	0.063	65	0.0173	0	0.0000
1291	6-TSP-458	6/24/2009	6	29.77	16.2	1.03	21.6	3,197	3,709.7	248	0.067	62	0.0167	0	0.0000
1294	1-TSP-459	6/26/2009	1	29.80	19.1	1.02	20.3	2,992	3,468.9	224	0.065	83	0.0239	71	0.0205
1297	2-TSP-459	6/26/2009	2	29.80	19.1	1.02	19.5	2,990	3,474.1	175	0.050	53	0.0153	0	0.0000
1300	6-TSP-459	6/26/2009	6	29.80	19.1	1.02	21.4	2,983	3,448.0	226	0.066	83	0.0241	0	0.0000
1303	1-TSP-460	7/1/2009	1	29.74	15.7	1.03	19.7	3,178	3,706.5	245	0.066	90	0.0243	78	0.0210
1309	6-TSP-460	7/1/2009	6	29.74	15.7	1.03	21.4	2,995	3,476.8	229	0.066	83	0.0239	0	0.0000
1312	1-TSP-461	7/2/2009	1	29.78	18.3	1.02	21.2	1,558	1,803.3	155	0.086	90	0.0499	81	0.0449
1315	2-TSP-461	7/2/2009	2	29.78	18.3	1.02	19.3	1,550	1,803.4	100	0.056	45	0.0250	0	0.0000
1318	1-TSP-462	7/8/2009	1	29.90	16.2	1.03	20.1	3,185	3,728.1	250	0.067	130	0.0349	100	0.0268
1321	2-TSP-462	7/8/2009	2	29.90	16.2	1.03	19.3	3,174	3,723.3	178	0.048	81	0.0218	0	0.0000
1324	1-TSP-463	7/10/2009	1	29.89	17.8	1.02	19.8	2,991	3,492.0	220	0.063	130	0.0372	98	0.0281

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
1327	2-TSP-463	7/10/2009	2	29.89	17.8	1.02	20.1	2,990	3,488.0	251	0.072	110	0.0315	31	0.0089
1330	1-TSP-464	7/15/2009	1	29.90	15.9	1.03	20.2	3,145	3,682.4	254	0.069	69	0.0187	39	0.0106
1333	2-TSP-464	7/15/2009	2	29.90	15.9	1.03	19.4	3,152	3,698.6	215	0.058	57	0.0154	0	0.0000
1336	6-TSP-464	7/15/2009	6	29.90	15.9	1.03	21.5	3,152	3,677.5	261	0.071	77	0.0209	0	0.0000
1339	1-TSP-465	7/17/2009	1	29.88	18.6	1.02	20.5	3,029	3,523.1	161	0.046	91	0.0258	59	0.0167
1342	2-TSP-465	7/17/2009	2	29.88	18.6	1.02	19.4	3,021	3,524.3	135	0.038	93	0.0264	0	0.0000
1348	1-TSP-466	7/22/2009	1	29.87	12.9	1.04	20.3	3,221	3,788.2	154	0.041	72	0.0190	48	0.0127
1351	2-TSP-466	7/22/2009	2	29.87	12.9	1.04	18.9	3,223	3,805.0	131	0.034	71	0.0187	0	0.0000
1354	6-TSP-466	7/22/2009	6	29.87	12.9	1.04	19.4	3,221	3,797.5	116	0.031	53	0.0140	0	0.0000
1357	1-TSP-467	7/24/2009	1	29.88	13.6	1.04	19.8	2,746	3,230.7	100	0.031	42	0.0130	31	0.0096
1360	2-TSP-467	7/24/2009	2	29.88	13.6	1.04	19.3	2,740	3,228.0	100	0.031	62	0.0192	0	0.0000
1363	6-TSP-467	7/24/2009	6	29.88	13.6	1.04	19.1	2,735	3,223.9	116	0.036	60	0.0186	0	0.0000
1366	1-TSP-468	7/29/2009	1	29.84	14.4	1.03	20.0	3,192	3,742.3	118	0.032	72	0.0192	57	0.0152
1369	2-TSP-468	7/29/2009	2	29.84	14.4	1.03	19.6	3,200	3,755.8	110	0.029	49	0.0130	0	0.0000
1372	6-TSP-468	7/29/2009	6	29.84	14.4	1.03	19.2	3,199	3,758.7	142	0.038	110	0.0293	0	0.0000
1375	1-TSP-469	7/31/2009	1	29.83	17.0	1.02	19.7	2,991	3,490.9	155	0.044	110	0.0315	83	0.0238
1378	2-TSP-469	7/31/2009	2	29.83	17.0	1.02	19.3	2,984	3,486.5	84	0.024	73	0.0209	0	0.0000
1381	6-TSP-469	7/31/2009	6	29.83	17.0	1.02	19.7	2,977	3,474.5	116	0.033	91	0.0262	0	0.0000
1384	1-TSP-470	8/5/2009	1	29.93	16.2	1.03	19.6	3,194	3,747.7	220	0.059	140	0.0374	100	0.0267
1387	2-TSP-470	8/5/2009	2	29.93	16.2	1.03	19.2	3,197	3,755.3	100	0.027	98	0.0261	0	0.0000
1390	6-TSP-470	8/5/2009	6	29.93	16.2	1.03	19.7	3,195	3,747.9	214	0.057	99	0.0264	0	0.0000
1393	1-TSP-471	8/7/2009	1	29.95	18.7	1.02	19.9	2,950	3,444.7	152	0.044	65	0.0189	43	0.0125
1396	2-TSP-471	8/7/2009	2	29.95	18.7	1.02	19.3	2,949	3,449.1	132	0.038	56	0.0162	0	0.0000
1399	1-TSP-472	8/12/2009	1	29.86	19.1	1.02	20.4	3,180	3,693.6	175	0.047	93	0.0252	48	0.0130
1402	2-TSP-472	8/12/2009	2	29.86	19.1	1.02	19.5	3,181	3,703.9	166	0.045	78	0.0211	0	0.0000
1405	6-TSP-472	8/12/2009	6	29.86	19.1	1.02	18.8	3,173	3,701.6	157	0.042	0	0.0000	0	0.0000
1408	1-TSP-473	8/14/2009	1	29.89	20.7	1.01	20.3	3,002	3,481.1	228	0.066	86	0.0247	53	0.0152
1411	2-TSP-473	8/14/2009	2	29.89	20.7	1.01	19.7	3,001	3,485.6	272	0.078	180	0.0516	42	0.0120
1414	6-TSP-473	8/14/2009	6	29.89	20.7	1.01	19.3	3,002	3,490.6	382	0.109	280	0.0802	44	0.0126
1417	1-TSP-474	8/19/2009	1	29.80	14.9	1.03	19.1	3,218	3,773.1	127	0.034	65	0.0172	40	0.0106
1420	2-TSP-474	8/19/2009	2	29.80	14.9	1.03	19.9	3,215	3,761.3	136	0.036	80	0.0213	0	0.0000
1423	6-TSP-474	8/19/2009	6	29.80	14.9	1.03	18.4	3,218	3,780.3	210	0.056	110	0.0291	0	0.0000
1426	1-TSP-475	8/21/2009	1	29.77	20.3	1.01	19.6	3,000	3,473.3	101	0.029	59	0.0170	29	0.0083
1429	2-TSP-475	8/21/2009	2	29.77	20.3	1.01	19.9	3,005	3,476.2	100	0.029	56	0.0161	0	0.0000
1432	6-TSP-475	8/21/2009	6	29.77	20.3	1.01	17.9	2,995	3,483.6	178	0.051	92	0.0264	0	0.0000
1435	1-TSP-476	8/26/2009	1	29.89	14.7	1.03	19.1	3,205	3,771.2	132	0.035	72	0.0191	32	0.0085
1438	2-TSP-476	8/26/2009	2	29.89	14.7	1.03	19.3	3,184	3,744.5	128	0.034	70	0.0187	0	0.0000
1441	6-TSP-476	8/26/2009	6	29.89	14.7	1.03	17.4	3,161	3,736.6	165	0.044	110	0.0294	0	0.0000
1444	1-TSP-477	8/28/2009	1	29.90	24.6	1.00	20.6	3,012	3,466.0	161	0.047	75	0.0216	30	0.0087
1447	2-TSP-477	8/28/2009	2	29.90	24.6	1.00	20.3	3,026	3,485.0	148	0.043	100	0.0287	26	0.0075
1450	6-TSP-477	8/28/2009	6	29.90	24.6	1.00	19.4	3,046	3,516.6	150	0.043	91	0.0259	0	0.0000
1453	1-TSP-478	9/2/2009	1	29.81	19.0	1.02	20.0	3,202	3,717.4	141	0.038	84	0.0226	28	0.0075
1456	2-TSP-478	9/2/2009	2	29.81	19.0	1.02	19.6	3,201	3,720.3	136	0.037	87	0.0234	0	0.0000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
1459	6-TSP-478	9/2/2009	6	29.81	19.0	1.02	18.8	3,204	3,731.9	177	0.047	92	0.0247	0	0.0000
1462	1-TSP-479	9/3/2009	1	29.84	25.3	1.00	20.4	1,541	1,768.2	115	0.065	36	0.0204	0	0.0000
1465	2-TSP-479	9/3/2009	2	29.84	25.3	1.00	20.3	1,540	1,767.6	101	0.057	32	0.0181	0	0.0000
1468	6-TSP-479	9/3/2009	6	29.84	25.3	1.00	19.3	1,534	1,765.5	122	0.069	33	0.0187	0	0.0000
1471	1-TSP-480	9/10/2009	1	29.83	16.6	1.03	19.6	3,198	3,736.3	148	0.040	45	0.0120	0	0.0000
1474	2-TSP-480	9/10/2009	2	29.83	16.6	1.03	19.5	3,211	3,752.5	157	0.042	59	0.0157	0	0.0000
1477	6-TSP-480	9/10/2009	6	29.83	16.6	1.03	18.5	3,201	3,751.1	270	0.072	130	0.0347	31	0.0083
1480	1-TSP-481	9/11/2009	1	29.84	22.2	1.01	20.6	1,558	1,797.0	76	0.042	38	0.0211	0	0.0000
1483	2-TSP-481	9/11/2009	2	29.84	22.2	1.01	19.4	1,551	1,794.8	78	0.044	49	0.0273	0	0.0000
1486	6-TSP-481	9/11/2009	6	29.84	22.2	1.01	18.6	1,541	1,787.1	83	0.046	59	0.0330	0	0.0000
1489	1-TSP-482	9/16/2009	1	29.91	17.1	1.03	19.7	3,201	3,745.8	95	0.025	41	0.0109	0	0.0000
1492	2-TSP-482	9/16/2009	2	29.91	17.1	1.03	19.2	3,204	3,754.4	107	0.029	54	0.0144	0	0.0000
1495	6-TSP-482	9/16/2009	6	29.91	17.1	1.03	18.6	3,211	3,768.8	154	0.041	86	0.0228	0	0.0000
1498	1-TSP-483	9/18/2009	1	29.83	23.9	1.00	21.2	2,933	3,365.6	134	0.040	41	0.0122	0	0.0000
1501	2-TSP-483	9/18/2009	2	29.83	23.9	1.00	19.8	2,933	3,378.5	155	0.046	34	0.0101	0	0.0000
1504	6-TSP-483	9/18/2009	6	29.83	23.9	1.00	19.8	2,929	3,373.9	251	0.074	110	0.0326	51	0.0151
1507	1-TSP-484	9/23/2009	1	29.94	14.4	1.04	19.3	3,194	3,765.0	104	0.028	45	0.0120	0	0.0000
1510	2-TSP-484	9/23/2009	2	29.94	14.4	1.04	19.2	3,200	3,773.1	142	0.038	89	0.0236	0	0.0000
1513	6-TSP-484	9/23/2009	6	29.94	14.4	1.04	18.2	3,200	3,783.4	201	0.053	87	0.0230	0	0.0000
1519	2-TSP-485	9/25/2009	2	29.85	19.9	1.02	19.2	2,999	3,488.3	130	0.037	58	0.0166	0	0.0000
1522	6-TSP-485	9/25/2009	6	29.85	19.9	1.02	18.6	2,991	3,484.7	145	0.042	58	0.0166	31	0.0089
1525	1-TSP-486	9/30/2009	1	29.90	15.3	1.03	19.0	3,210	3,775.1	181	0.048	61	0.0162	44	0.0117
1528	2-TSP-486	9/30/2009	2	29.90	15.3	1.03	19.1	3,234	3,802.3	223	0.059	90	0.0237	0	0.0000
1531	6-TSP-486	9/30/2009	6	29.90	15.3	1.03	18.2	3,257	3,838.7	284	0.074	120	0.0313	34	0.0089
1534	1-TSP-487	10/2/2009	1	29.93	19.8	1.02	19.4	3,003	3,501.6	215	0.061	33	0.0094	0	0.0000
1537	2-TSP-487	10/2/2009	2	29.93	19.8	1.02	19.6	2,998	3,493.9	202	0.058	86	0.0246	0	0.0000
1552	1-TSP-489	10/9/2009	1	29.85	17.5	1.02	18.7	3,025	3,539.3	147	0.042	55	0.0155	28	0.0079
1561	1-TSP-490	10/16/2009	1	29.94	20.5	1.02	19.3	1,884	2,195.3	64	0.029	29	0.0132	0	0.0000
1564	2-TSP-490	10/16/2009	2	29.94	20.5	1.02	17.7	1,884	2,204.8	51	0.023	0	0.0000	0	0.0000
1567	6-TSP-490	10/16/2009	6	29.94	20.5	1.02	20.2	1,880	2,185.3	50	0.023	0	0.0000	0	0.0000
1570	1-TSP-491	10/21/2009	1	29.87	16.1	1.03	19.0	3,352	3,931.9	143	0.036	63	0.0160	33	0.0084
1573	2-TSP-491	10/21/2009	2	29.87	16.1	1.03	17.0	3,349	3,949.8	58	0.015	0	0.0000	0	0.0000
1576	6-TSP-491	10/21/2009	6	29.87	16.1	1.03	19.7	3,349	3,920.9	92	0.024	36	0.0092	0	0.0000
1579	1-TSP-492	10/23/2009	1	29.90	19.5	1.02	18.9	2,880	3,361.1	295	0.088	110	0.0327	47	0.0140
1582	2-TSP-492	10/23/2009	2	29.90	19.5	1.02	17.7	2,876	3,367.4	135	0.040	47	0.0140	0	0.0000
1585	6-TSP-492	10/23/2009	6	29.90	19.5	1.02	20.7	2,872	3,335.4	189	0.057	71	0.0213	25	0.0075
1588	1-TSP-493	10/28/2009	1	29.95	14.9	1.04	19.0	3,191	3,762.3	295	0.078	150	0.0399	52	0.0138
1591	2-TSP-493	10/28/2009	2	29.95	14.9	1.04	17.4	3,195	3,783.3	165	0.044	74	0.0196	0	0.0000
1594	6-TSP-493	10/28/2009	6	29.95	14.9	1.04	20.1	3,195	3,755.7	228	0.061	110	0.0293	0	0.0000
1597	1-TSP-494	10/30/2009	1	30.00	17.4	1.03	19.7	2,975	3,490.4	259	0.074	120	0.0344	33	0.0095
1600	2-TSP-494	10/30/2009	2	30.00	17.4	1.03	17.7	2,971	3,504.6	128	0.037	53	0.0151	0	0.0000
1603	6-TSP-494	10/30/2009	6	30.00	17.4	1.03	20.6	2,963	3,467.9	137	0.040	52	0.0150	0	0.0000
1606	1-TSP-495	11/4/2009	1	29.92	15.4	1.03	19.3	3,217	3,782.2	259	0.069	110	0.0291	33	0.0087

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
1609	2-TSP-495	11/4/2009	2	29.92	15.4	1.03	17.6	3,215	3,797.3	149	0.039	52	0.0137	0	0.0000
1612	6-TSP-495	11/4/2009	6	29.92	15.4	1.03	20.2	3,217	3,773.0	189	0.050	73	0.0193	0	0.0000
1615	1-TSP-496	11/6/2009	1	29.91	15.9	1.03	18.6	2,961	3,483.3	89	0.026	34	0.0098	0	0.0000
1618	2-TSP-496	11/6/2009	2	29.91	15.9	1.03	17.3	2,960	3,494.4	35	0.010	0	0.0000	0	0.0000
1621	6-TSP-496	11/6/2009	6	29.91	15.9	1.03	19.9	2,954	3,462.8	97	0.028	45	0.0130	0	0.0000
1624	1-TSP-497	11/11/2009	1	29.92	12.7	1.04	19.0	3,202	3,787.3	254	0.067	86	0.0227	30	0.0079
1627	2-TSP-497	11/11/2009	2	29.92	12.7	1.04	17.1	3,203	3,808.0	117	0.031	42	0.0110	28	0.0074
1630	6-TSP-497	11/11/2009	6	29.92	12.7	1.04	20.8	3,204	3,771.1	157	0.042	61	0.0162	41	0.0109
1633	1-TSP-498	11/13/2009	1	29.86	14.4	1.03	19.0	3,012	3,543.4	189	0.053	77	0.0217	58	0.0164
1636	2-TSP-498	11/13/2009	2	29.86	14.4	1.03	17.5	3,017	3,563.8	109	0.031	42	0.0118	31	0.0087
1639	6-TSP-498	11/13/2009	6	29.86	14.4	1.03	21.0	3,013	3,525.3	104	0.030	31	0.0088	31	0.0088
1642	1-TSP-499	11/18/2009	1	30.08	10.7	1.06	18.9	3,209	3,832.9	186	0.049	75	0.0196	35	0.0091
1645	2-TSP-499	11/18/2009	2	30.08	10.7	1.06	17.2	3,215	3,857.6	78	0.020	28	0.0073	0	0.0000
1648	6-TSP-499	11/18/2009	6	30.08	10.7	1.06	20.3	3,216	3,826.7	118	0.031	47	0.0123	37	0.0097
1651	1-TSP-500	11/20/2009	1	29.92	12.2	1.04	19.4	2,776	3,283.0	251	0.077	63	0.0192	36	0.0110
1654	2-TSP-500	11/20/2009	2	29.92	12.2	1.04	18.1	2,802	3,325.5	184	0.055	51	0.0153	30	0.0090
1657	6-TSP-500	11/20/2009	6	29.92	12.2	1.04	20.2	2,801	3,305.4	206	0.062	110	0.0333	52	0.0157
1660	1-TSP-501	11/24/2009	1	30.07	12.7	1.05	19.0	1,852	2,202.1	101	0.046	50	0.0227	69	0.0313
1663	2-TSP-501	11/24/2009	2	30.07	12.7	1.05	19.3	1,866	2,216.9	59	0.027	34	0.0153	53	0.0239
1666	6-TSP-501	11/24/2009	6	30.07	12.7	1.05	20.1	1,863	2,208.6	63	0.029	34	0.0154	94	0.0426
1669	1-TSP-502	12/2/2009	1	29.95	9.7	1.06	18.8	3,204	3,818.0	210	0.055	73	0.0191	40	0.0105
1672	2-TSP-502	12/2/2009	2	29.95	9.7	1.06	19.4	3,199	3,805.9	125	0.033	44	0.0116	58	0.0152
1675	6-TSP-502	12/2/2009	6	29.95	9.7	1.06	20.2	3,195	3,792.9	167	0.044	56	0.0148	65	0.0171
1678	1-TSP-503	12/4/2009	1	29.95	9.9	1.05	18.9	2,993	3,564.2	138	0.039	53	0.0149	0	0.0000
1681	2-TSP-503	12/4/2009	2	29.95	9.9	1.05	19.5	2,982	3,545.4	86	0.024	0	0.0000	0	0.0000
1684	6-TSP-503	12/4/2009	6	29.95	9.9	1.05	20.1	2,980	3,537.2	179	0.051	68	0.0192	0	0.0000
1687	1-TSP-504	12/9/2009	1	29.80	5.7	1.06	19.1	3,228	3,853.8	106	0.028	30	0.0078	0	0.0000
1690	2-TSP-504	12/9/2009	2	29.80	5.7	1.06	19.3	3,263	3,893.5	78	0.020	0	0.0000	0	0.0000
1696	1-TSP-505	12/11/2009	1	29.90	7.1	1.06	18.6	2,988	3,574.7	98	0.027	0	0.0000	0	0.0000
1699	2-TSP-505	12/11/2009	2	29.90	7.1	1.06	19.0	2,957	3,533.8	86	0.024	0	0.0000	0	0.0000
1705	1-TSP-506	12/16/2009	1	30.09	10.4	1.06	18.4	3,179	3,805.7	66	0.017	0	0.0000	35	0.0092
1708	2-TSP-506	12/16/2009	2	30.09	10.4	1.06	19.1	3,177	3,796.2	52	0.014	0	0.0000	30	0.0079
1714	2-TSP-507	12/18/2009	2	30.09	12.7	1.05	19.1	2,961	3,522.2	64	0.018	0	0.0000	38	0.0108
1717	1-TSP-508	1/6/2010	1	30.04	8.3	1.06	18.9	3,175	3,804.9	239	0.063	88	0.0231	61	0.0160
1720	2-TSP-508	1/6/2010	2	30.04	8.3	1.06	19.4	3,172	3,796.2	152	0.040	30	0.0079	33	0.0087
1723	1-TSP-509	1/8/2010	1	30.03	10.0	1.06	18.5	3,033	3,625.2	270	0.075	76	0.0210	25	0.0069
1726	2-TSP-509	1/8/2010	2	30.03	10.0	1.06	19.1	3,030	3,615.8	158	0.044	30	0.0083	0	0.0000
1729	1-TSP-510	1/13/2010	1	30.05	11.5	1.05	19.8	3,229	3,837.3	108	0.028	29	0.0076	0	0.0000
1735	1-TSP-511	1/15/2010	1	30.03	12.8	1.05	18.8	2,968	3,525.3	152	0.043	46	0.0130	81	0.0230
1738	2-TSP-511	1/15/2010	2	30.03	12.8	1.05	19.2	2,967	3,520.3	109	0.031	26	0.0074	110	0.0312
1741	1-TSP-512	1/28/2010	1	29.86	11.2	1.05	18.3	3,183	3,775.0	76	0.020	0	0.0000	0	0.0000
1744	2-TSP-512	1/28/2010	2	29.86	11.2	1.05	18.0	3,183	3,778.1	59	0.016	0	0.0000	0	0.0000
1747	1-TSP-513	1/29/2010	1	29.91	12.6	1.04	18.9	1,500	1,774.4	106	0.060	47	0.0265	37	0.0209

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
1750	2-TSP-513	1/29/2010	2	29.91	12.6	1.04	18.4	1,500	1,776.8	59	0.033	0	0.0000	34	0.0191
1753	2-TSP-514	2/3/2010	2	29.80	11.6	1.04	17.5	3,172	3,759.3	86	0.023	34	0.0090	0	0.0000
1759	9-TSP-514	2/3/2010	9	29.80	11.6	1.04	18.9	3,065	3,618.7	103	0.029	46	0.0127	0	0.0000
1762	2-TSP-515	2/5/2010	2	29.73	14.8	1.03	18.5	2,982	3,494.1	57	0.016	0	0.0000	0	0.0000
1765	8-TSP-515	2/5/2010	8	29.73	14.8	1.03	19.0	2,991	3,499.9	73	0.021	28	0.0080	0	0.0000
1768	9-TSP-515	2/5/2010	9	29.73	14.8	1.03	18.4	2,986	3,499.8	78	0.022	31	0.0089	0	0.0000
1771	2-TSP-516	2/10/2010	2	29.97	10.9	1.05	18.0	3,198	3,812.8	85	0.022	33	0.0087	0	0.0000
1774	8-TSP-516	2/10/2010	8	29.97	10.9	1.05	18.3	3,196	3,807.3	48	0.013	0	0.0000	0	0.0000
1777	9-TSP-516	2/10/2010	9	29.97	10.9	1.05	18.4	3,196	3,806.3	57	0.015	0	0.0000	0	0.0000
1780	2-TSP-517	2/12/2010	2	30.03	13.9	1.04	18.2	3,007	3,569.8	53	0.015	0	0.0000	0	0.0000
1783	8-TSP-517	2/12/2010	8	30.03	13.9	1.04	18.1	3,007	3,570.8	39	0.011	0	0.0000	0	0.0000
1786	9-TSP-517	2/12/2010	9	30.03	13.9	1.04	18.5	3,003	3,562.2	58	0.016	0	0.0000	0	0.0000
1789	2-TSP-518	2/17/2010	2	29.96	11.3	1.05	18.0	3,215	3,828.8	80	0.021	26	0.0068	38	0.0099
1792	8-TSP-518	2/17/2010	8	29.96	11.3	1.05	18.4	3,192	3,797.3	78	0.021	0	0.0000	26	0.0068
1795	9-TSP-518	2/17/2010	9	29.96	11.3	1.05	18.5	3,213	3,821.2	89	0.023	31	0.0081	31	0.0081
1798	2-TSP-519	2/19/2010	2	29.81	12.6	1.04	18.2	2,996	3,538.3	101	0.029	31	0.0088	0	0.0000
1801	8-TSP-519	2/19/2010	8	29.81	12.6	1.04	18.4	3,029	3,575.3	93	0.026	35	0.0098	0	0.0000
1804	9-TSP-519	2/19/2010	9	29.81	12.6	1.04	18.7	3,005	3,544.1	82	0.023	29	0.0082	0	0.0000
1807	2-TSP-520	2/24/2010	2	30.02	11.3	1.05	18.0	3,174	3,787.9	63	0.017	0	0.0000	0	0.0000
1810	8-TSP-520	2/24/2010	8	30.02	11.3	1.05	18.6	3,229	3,847.3	66	0.017	0	0.0000	0	0.0000
1813	9-TSP-520	2/24/2010	9	30.02	11.3	1.05	18.5	3,199	3,812.6	62	0.016	0	0.0000	0	0.0000
1816	2-TSP-521	2/26/2010	2	29.85	13.2	1.04	19.0	2,940	3,465.5	96	0.028	28	0.0081	0	0.0000
1819	8-TSP-521	2/26/2010	8	29.85	13.2	1.04	19.3	2,894	3,408.5	80	0.024	0	0.0000	0	0.0000
1822	9-TSP-521	2/26/2010	9	29.85	13.2	1.04	18.0	2,918	3,448.9	102	0.030	33	0.0096	0	0.0000
1894	2-TSP-530	31-Mar-10	2	29.88	12.3	1.04	19.1	3,196	3,776.8	70	0.019	0	0.0000	0	0.0000
1897	8-TSP-530	31-Mar-10	8	29.88	12.3	1.04	19.4	3,184	3,759.5	68	0.018	0	0.0000	0	0.0000
1900	9-TSP-530	31-Mar-10	9	29.88	12.3	1.04	18.8	3,190	3,772.8	69	0.018	0	0.0000	0	0.0000
1903	2-TSP-531	02-Apr-10	2	29.84	12.3	1.04	18.9	2,988	3,527.9	112	0.032	36	0.0102	0	0.0000
1909	9-TSP-531	02-Apr-10	9	29.84	12.3	1.04	18.7	2,993	3,535.8	69	0.020	0	0.0000	0	0.0000
1912	2-TSP-532	07-Apr-10	2	29.92	12.5	1.04	19.1	3,296	3,898.9	124	0.032	43	0.0110	0	0.0000
1915	8-TSP-532	07-Apr-10	8	29.92	12.5	1.04	20.1	3,286	3,876.5	99	0.026	0	0.0000	0	0.0000
1918	9-TSP-532	07-Apr-10	9	29.92	12.5	1.04	18.8	3,289	3,893.8	108	0.028	37	0.0095	0	0.0000
1921	2-TSP-533	09-Apr-10	2	29.91	18.4	1.02	20.2	2,909	3,391.2	242	0.071	79	0.0233	0	0.0000
1924	8-TSP-533	09-Apr-10	8	29.91	18.4	1.02	21.0	2,931	3,409.4	168	0.049	34	0.0100	0	0.0000
1927	9-TSP-533	09-Apr-10	9	29.91	18.4	1.02	19.5	2,925	3,416.3	186	0.054	49	0.0143	0	0.0000
1930	2-TSP-534	15-Apr-10	2	29.94	12.9	1.04	19.4	3,207	3,790.3	160	0.042	60	0.0158	0	0.0000
1933	8-TSP-534	15-Apr-10	8	29.94	12.9	1.04	20.6	3,195	3,763.8	103	0.027	28	0.0074	0	0.0000
1936	9-TSP-534	15-Apr-10	9	29.94	12.9	1.04	19.2	3,200	3,784.1	103	0.027	29	0.0077	0	0.0000
1939	2-TSP-535	16-Apr-10	2	29.96	16.4	1.03	19.3	1,546	1,816.7	62	0.034	35	0.0193	0	0.0000
1942	8-TSP-535	16-Apr-10	8	29.96	16.4	1.03	20.6	1,555	1,820.8	53	0.029	20	0.0110	0	0.0000
1945	9-TSP-535	16-Apr-10	9	29.96	16.4	1.03	19.3	1,549	1,820.2	44	0.024	0	0.0000	0	0.0000
1948	2-TSP-536	21-Apr-10	2	29.77	10.3	1.05	18.6	3,165	3,745.4	117	0.031	49	0.0131	0	0.0000
1951	8-TSP-536	21-Apr-10	8	29.77	10.3	1.05	19.8	3,169	3,737.8	99	0.027	0	0.0000	0	0.0000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
1954	9-TSP-536	21-Apr-10	9	29.77	10.3	1.05	18.7	3,170	3,750.3	108	0.029	42	0.0112	0	0.0000
1957	2-TSP-537	23-Apr-10	2	29.82	12.2	1.04	19.3	3,009	3,547.0	255	0.072	86	0.0242	33	0.0093
1960	8-TSP-537	23-Apr-10	8	29.82	12.2	1.04	19.6	3,011	3,546.5	179	0.051	35	0.0099	0	0.0000
1963	9-TSP-537	23-Apr-10	9	29.82	12.2	1.04	19.9	3,011	3,543.6	186	0.053	43	0.0121	0	0.0000
1966	2-TSP-538	28-Apr-10	2	29.90	10.4	1.05	19.5	3,209	3,804.8	143	0.038	69	0.0181	0	0.0000
1969	8-TSP-538	28-Apr-10	8	29.90	10.4	1.05	20.3	3,198	3,783.5	96	0.025	26	0.0069	0	0.0000
1972	9-TSP-538	28-Apr-10	9	29.90	10.4	1.05	19.0	3,203	3,802.8	93	0.025	34	0.0089	0	0.0000
1975	2-TSP-539	30-Apr-10	2	29.92	13.9	1.04	19.6	3,002	3,536.7	172	0.049	86	0.0243	0	0.0000
1978	8-TSP-539	30-Apr-10	8	29.92	13.9	1.04	20.0	3,048	3,587.0	106	0.030	28	0.0078	0	0.0000
1981	9-TSP-539	30-Apr-10	9	29.92	13.9	1.04	19.1	3,024	3,567.5	142	0.040	53	0.0149	0	0.0000
1984	2-TSP-540	05-May-10	2	30.02	15.7	1.04	19.6	3,183	3,750.2	282	0.075	100	0.0267	0	0.0000
1987	8-TSP-540	05-May-10	8	30.02	15.7	1.04	20.9	3,193	3,748.7	200	0.053	46	0.0123	0	0.0000
1990	9-TSP-540	05-May-10	9	30.02	15.7	1.04	19.4	3,179	3,747.5	275	0.073	94	0.0251	31	0.0083
1993	2-TSP-541	07-May-10	2	29.98	15.2	1.04	19.5	3,001	3,535.1	228	0.065	110	0.0311	0	0.0000
1996	8-TSP-541	07-May-10	8	29.98	15.2	1.04	21.2	3,022	3,543.5	210	0.059	65	0.0183	31	0.0087
1999	9-TSP-541	07-May-10	9	29.98	15.2	1.04	20.5	3,012	3,538.5	220	0.062	82	0.0232	0	0.0000
2002	2-TSP-542	12-May-10	2	29.98	13.3	1.04	19.5	3,174	3,752.6	165	0.044	67	0.0179	0	0.0000
2005	8-TSP-542	12-May-10	8	29.98	13.3	1.04	20.5	3,172	3,740.1	203	0.054	28	0.0075	31	0.0083
2008	9-TSP-542	12-May-10	9	29.98	13.3	1.04	19.9	3,172	3,746.2	146	0.039	36	0.0096	0	0.0000
2011	2-TSP-543	14-May-10	2	29.95	14.3	1.04	19.3	3,020	3,561.9	237	0.067	66	0.0185	0	0.0000
2014	8-TSP-543	14-May-10	8	29.95	14.3	1.04	20.2	3,020	3,553.2	173	0.049	32	0.0090	0	0.0000
2020	2-TSP-544	19-May-10	2	29.89	13.0	1.04	19.6	3,216	3,791.4	45	0.012	0	0.0000	0	0.0000
2023	8-TSP-544	19-May-10	8	29.89	13.0	1.04	20.4	3,218	3,785.5	69	0.018	0	0.0000	0	0.0000
2026	9-TSP-544	19-May-10	9	29.89	13.0	1.04	18.2	3,214	3,803.5	41	0.011	0	0.0000	0	0.0000
2029	2-TSP-545	21-May-10	2	30.01	14.5	1.04	20.3	2,974	3,504.1	155	0.044	60	0.0171	0	0.0000
2032	8-TSP-545	21-May-10	8	30.01	14.5	1.04	21.4	2,984	3,505.4	147	0.042	31	0.0088	0	0.0000
2035	9-TSP-545	21-May-10	9	30.01	14.5	1.04	18.5	2,977	3,524.8	115	0.033	32	0.0091	0	0.0000
2038	2-TSP-546	26-May-10	2	29.89	12.5	1.04	19.8	3,205	3,780.1	36	0.010	0	0.0000	0	0.0000
2041	8-TSP-546	26-May-10	8	29.89	12.5	1.04	21.2	3,208	3,769.2	84	0.022	0	0.0000	45	0.0119
2044	9-TSP-546	26-May-10	9	29.89	12.5	1.04	18.6	3,203	3,790.1	45	0.012	0	0.0000	0	0.0000
2047	2-TSP-547	28-May-10	2	29.97	15.1	1.04	19.5	2,984	3,514.6	46	0.013	0	0.0000	0	0.0000
2050	9-TSP-547	28-May-10	9	29.97	15.1	1.04	2.0	2,986	3,683.8	36	0.010	0	0.0000	0	0.0000
2059	9-TSP-548	02-Jun-10	9	29.90	15.7	1.03	18.7	3,187	3,748.3	141	0.0376	78	0.0208	31	0.0083
2062	2-TSP-549	04-Jun-10	2	29.91	19.8	1.02	19.5	1,500	1,747.4	57	0.0326	38	0.0217	0	0.0000
2065	8-TSP-549	04-Jun-10	8	29.91	19.8	1.02	19.2	1,565	1,824.6	58	0.0318	29	0.0159	0	0.0000
2068	9-TSP-549	04-Jun-10	9	29.91	19.8	1.02	20.2	1,529	1,777.7	55	0.0309	39	0.0219	0	0.0000
2071	2-TSP-550	09-Jun-10	2	29.96	15.0	1.04	18.7	3,151	3,718.7	328	0.0882	130	0.0350	0	0.0000
2074	8-TSP-550	09-Jun-10	8	29.96	15.0	1.04	18.3	3,213	3,796.0	168	0.0443	60	0.0158	0	0.0000
2077	9-TSP-550	09-Jun-10	9	29.96	15.0	1.04	19.1	3,185	3,754.8	202	0.0538	76	0.0202	0	0.0000
2080	2-TSP-551	11-Jun-10	2	29.91	18.9	1.02	19.3	3,042	3,551.5	272	0.0766	160	0.0451	50	0.0141
2083	8-TSP-551	11-Jun-10	8	29.91	18.9	1.02	18.6	2,994	3,502.1	161	0.0460	47	0.0134	0	0.0000
2086	2-TSP-552	16-Jun-10	2	29.89	14.6	1.04	19.0	3,165	3,725.9	320	0.0859	110	0.0295	0	0.0000
2089	8-TSP-552	16-Jun-10	8	29.89	14.6	1.04	18.8	3,184	3,750.3	412	0.1099	95	0.0253	0	0.0000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
2092	9-TSP-552	16-Jun-10	9	29.89	14.6	1.04	18.6	3,182	3,750.0	291	0.0776	69	0.0184	0	0.0000
2095	2-TSP-553	18-Jun-10	2	29.87	16.0	1.03	18.8	3,031	3,558.0	268	0.0753	96	0.0270	0	0.0000
2098	8-TSP-553	18-Jun-10	8	29.87	16.0	1.03	19.5	3,034	3,554.8	211	0.0594	56	0.0158	0	0.0000
2101	9-TSP-553	18-Jun-10	9	29.87	16.0	1.03	19.5	3,034	3,554.8	239	0.0672	81	0.0228	0	0.0000
2104	2-TSP-554	23-Jun-10	2	29.88	13.2	1.04	19.3	3,154	3,718.6	230	0.0619	130	0.0350	40	0.0108
2107	8-TSP-554	23-Jun-10	8	29.88	13.2	1.04	19.2	3,159	3,725.5	127	0.0341	44	0.0118	0	0.0000
2110	9-TSP-554	23-Jun-10	9	29.88	13.2	1.04	19.4	3,156	3,720.0	183	0.0492	120	0.0323	87	0.0234
2113	2-TSP-555	25-Jun-10	2	29.88	15.8	1.03	20.5	2,986	3,491.6	115	0.0329	68	0.0195	0	0.0000
2116	8-TSP-555	25-Jun-10	8	29.88	15.8	1.03	20.6	2,990	3,495.3	61	0.0175	33	0.0094	0	0.0000
2119	9-TSP-555	25-Jun-10	9	29.88	15.8	1.03	20.2	2,987	3,495.6	131	0.0375	78	0.0223	0	0.0000
2122	8-TSP-556	30-Jun-10	8	29.74	15.6	1.03	20.7	3,211	3,735.5	169	0.0452	39	0.0104	0	0.0000
2125	9-TSP-556	30-Jun-10	9	29.74	15.6	1.03	30.5	3,212	3,636.2	287	0.0789	140	0.0385	0	0.0000
2128	8-TSP-557	02-Jul-10	8	29.79	16.6	1.02	21.0	2,978	3,461.1	166	0.0480	46	0.0133	0	0.0000
2131	9-TSP-557	02-Jul-10	9	29.79	16.6	1.02	20.4	2,977	3,465.6	240	0.0693	84	0.0242	0	0.0000
2134	8-TSP-558	08-Jul-10	8	29.81	14.2	1.03	21.0	3,210	3,750.6	94	0.0251	31	0.0083	0	0.0000
2137	9-TSP-558	08-Jul-10	9	29.81	14.2	1.03	20.5	3,213	3,759.2	164	0.0436	82	0.0218	0	0.0000
2140	2-TSP-559	09-Jul-10	2	29.84	16.2	1.03	20.6	1,561	1,820.8	77	0.0423	56	0.0308	0	0.0000
2149	2-TSP-560	14-Jul-10	2	29.86	16.8	1.03	20.3	3,238	3,778.4	141	0.0373	63	0.0167	32	0.0085
2152	8-TSP-560	14-Jul-10	8	29.86	16.8	1.03	20.8	3,240	3,775.6	98	0.0260	36	0.0095	0	0.0000
2158	2-TSP-561	16-Jul-10	2	29.87	18.7	1.02	20.8	2,939	3,413.8	106	0.0311	98	0.0287	0	0.0000
2161	8-TSP-561	16-Jul-10	8	29.87	18.7	1.02	22.0	2,944	3,408.4	58	0.0170	25	0.0073	0	0.0000
2164	9-TSP-561	16-Jul-10	9	29.87	18.7	1.02	20.6	2,895	3,364.5	73	0.0217	59	0.0175	0	0.0000
2095	2-TSP-553	18-Jun-10	2	29.87	16.0	1.03	18.8	3,031	3,558.0	268	0.0753	96	0.0270	0	0.0000
2098	8-TSP-553	18-Jun-10	8	29.87	16.0	1.03	19.5	3,034	3,554.8	211	0.0594	56	0.0158	0	0.0000
2101	9-TSP-553	18-Jun-10	9	29.87	16.0	1.03	19.5	3,034	3,554.8	239	0.0672	81	0.0228	0	0.0000
2104	2-TSP-554	23-Jun-10	2	29.88	13.2	1.04	19.3	3,154	3,718.6	230	0.0619	130	0.0350	40	0.0108
2107	8-TSP-554	23-Jun-10	8	29.88	13.2	1.04	19.2	3,159	3,725.5	127	0.0341	44	0.0118	0	0.0000
2110	9-TSP-554	23-Jun-10	9	29.88	13.2	1.04	19.4	3,156	3,720.0	183	0.0492	120	0.0323	87	0.0234
2113	2-TSP-555	25-Jun-10	2	29.88	15.8	1.03	20.5	2,986	3,491.6	115	0.0329	68	0.0195	0	0.0000
2116	8-TSP-555	25-Jun-10	8	29.88	15.8	1.03	20.6	2,990	3,495.3	61	0.0175	33	0.0094	0	0.0000
2119	9-TSP-555	25-Jun-10	9	29.88	15.8	1.03	20.2	2,987	3,495.6	131	0.0375	78	0.0223	0	0.0000
2122	8-TSP-556	30-Jun-10	8	29.74	15.6	1.03	20.7	3,211	3,735.5	169	0.0452	39	0.0104	0	0.0000
2125	9-TSP-556	30-Jun-10	9	29.74	15.6	1.03	30.5	3,212	3,636.2	287	0.0789	140	0.0385	0	0.0000
2128	8-TSP-557	02-Jul-10	8	29.79	16.6	1.02	21.0	2,978	3,461.1	166	0.0480	46	0.0133	0	0.0000
2131	9-TSP-557	02-Jul-10	9	29.79	16.6	1.02	20.4	2,977	3,465.6	240	0.0693	84	0.0242	0	0.0000
2134	8-TSP-558	08-Jul-10	8	29.81	14.2	1.03	21.0	3,210	3,750.6	94	0.0251	31	0.0083	0	0.0000
2137	9-TSP-558	08-Jul-10	9	29.81	14.2	1.03	20.5	3,213	3,759.2	164	0.0436	82	0.0218	0	0.0000
2140	2-TSP-559	09-Jul-10	2	29.84	16.2	1.03	20.6	1,561	1,820.8	77	0.0423	56	0.0308	0	0.0000
2149	2-TSP-560	14-Jul-10	2	29.86	16.8	1.03	20.3	3,238	3,778.4	141	0.0373	63	0.0167	32	0.0085
2152	8-TSP-560	14-Jul-10	8	29.86	16.8	1.03	20.8	3,240	3,775.6	98	0.0260	36	0.0095	0	0.0000
2158	2-TSP-561	16-Jul-10	2	29.87	18.7	1.02	20.8	2,939	3,413.8	106	0.0311	98	0.0287	0	0.0000
2161	8-TSP-561	16-Jul-10	8	29.87	18.7	1.02	22.0	2,944	3,408.4	58	0.0170	25	0.0073	0	0.0000
2164	9-TSP-561	16-Jul-10	9	29.87	18.7	1.02	20.6	2,895	3,364.5	73	0.0217	59	0.0175	0	0.0000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
2167	2-TSP-562	21-Jul-10	2	29.81	12.7	1.04	20.0	3,210	3,771.8	220	0.0583	91	0.0241	0	0.0000
2170	7-TSP-562	21-Jul-10	7	29.81	12.7	1.04	21.5	3,174	3,714.2	146	0.0393	54	0.0145	0	0.0000
2173	9-TSP-562	21-Jul-10	9	29.81	12.7	1.04	20.4	3,242	3,805.2	206	0.0541	95	0.0250	0	0.0000
2176	2-TSP-563	23-Jul-10	2	29.81	15.0	1.03	20.5	2,980	3,481.3	104	0.0299	55	0.0158	0	0.0000
2179	7-TSP-563	23-Jul-10	7	29.81	15.0	1.03	21.0	2,988	3,485.8	188	0.0539	110	0.0316	0	0.0000
2182	9-TSP-563	23-Jul-10	9	29.81	15.0	1.03	20.7	2,950	3,444.3	80	0.0232	45	0.0131	0	0.0000
2185	2-TSP-564	28-Jul-10	2	29.86	15.0	1.03	20.8	3,248	3,797.9	92	0.0242	51	0.0134	0	0.0000
2188	7-TSP-564	28-Jul-10	7	29.86	15.0	1.03	21.2	3,244	3,789.1	154	0.0406	93	0.0245	0	0.0000
2191	9-TSP-564	28-Jul-10	9	29.86	15.0	1.03	20.8	3,271	3,824.8	83	0.0217	40	0.0105	0	0.0000
2194	2-TSP-565	30-Jul-10	2	29.89	16.9	1.03	20.3	2,968	3,466.4	81	0.0234	65	0.0188	0	0.0000
2197	9-TSP-565	30-Jul-10	9	29.89	16.9	1.03	20.6	2,947	3,439.0	73	0.0212	48	0.0140	0	0.0000
2200	2-TSP-566	04-Aug-10	2	29.88	13.3	1.04	20.7	3,196	3,753.1	78	0.0208	55	0.0147	0	0.0000
2203	7-TSP-566	04-Aug-10	7	29.88	13.3	1.04	20.7	3,193	3,749.6	96	0.0256	84	0.0224	0	0.0000
2206	9-TSP-566	04-Aug-10	9	29.88	13.3	1.04	20.5	3,196	3,755.1	78	0.0208	47	0.0125	0	0.0000
2209	2-TSP-567	06-Aug-10	2	29.81	16.1	1.03	20.2	2,984	3,481.5	96	0.0276	57	0.0164	0	0.0000
2212	7-TSP-567	06-Aug-10	7	29.81	16.1	1.03	21.8	2,804	3,257.1	79	0.0243	61	0.0187	0	0.0000
2215	9-TSP-567	06-Aug-10	9	29.81	16.1	1.03	21.3	2,985	3,472.2	66	0.0190	42	0.0121	0	0.0000
2218	2-TSP-568	11-Aug-10	2	29.85	13.8	1.04	20.4	3,233	3,791.9	89	0.0235	72	0.0190	0	0.0000
2221	7-TSP-568	11-Aug-10	7	29.85	13.8	1.04	21.8	3,229	3,772.8	86	0.0228	75	0.0199	0	0.0000
2224	9-TSP-568	11-Aug-10	9	29.85	13.8	1.04	20.6	3,232	3,788.7	77	0.0203	54	0.0143	0	0.0000
2227	2-TSP-569	13-Aug-10	2	29.82	16.1	1.03	20.8	2,951	3,438.5	87	0.0253	54	0.0157	0	0.0000
2230	7-TSP-569	13-Aug-10	7	29.82	16.1	1.03	21.6	2,977	3,461.2	106	0.0306	49	0.0142	0	0.0000
2233	9-TSP-569	13-Aug-10	9	29.82	16.1	1.03	21.1	2,953	3,438.0	67	0.0195	45	0.0131	0	0.0000
2236	2-TSP-570	18-Aug-10	2	29.87	15.3	1.03	20.3	3,154	3,692.3	91	0.0246	93	0.0252	0	0.0000
2239	7-TSP-570	18-Aug-10	7	29.87	15.3	1.03	21.5	3,218	3,754.8	78	0.0208	72	0.0192	28	0.0075
2242	9-TSP-570	18-Aug-10	9	29.87	15.3	1.03	20.6	3,180	3,719.6	82	0.0220	76	0.0204	0	0.0000
2245	2-TSP-571	20-Aug-10	2	29.79	17.5	1.02	21.1	3,033	3,518.1	113	0.0321	70	0.0199	0	0.0000
2248	7-TSP-571	20-Aug-10	7	29.79	17.5	1.02	21.6	2,975	3,446.0	85	0.0247	46	0.0133	0	0.0000
2251	9-TSP-571	20-Aug-10	9	29.79	17.5	1.02	20.9	3,006	3,488.6	95	0.0272	43	0.0123	0	0.0000
2254	2-TSP-572	25-Aug-10	2	29.90	27.2	0.99	21.6	3,216	3,673.3	209	0.0569	100	0.0272	0	0.0000
2257	7-TSP-572	25-Aug-10	7	29.90	27.2	0.99	22.7	3,209	3,654.3	242	0.0662	120	0.0328	28	0.0077
2260	9-TSP-572	25-Aug-10	9	29.90	27.2	0.99	21.7	3,217	3,673.4	238	0.0648	120	0.0327	0	0.0000
2263	2-TSP-573	27-Aug-10	2	29.86	21.7	1.01	21.1	2,969	3,425.3	215	0.0628	120	0.0350	0	0.0000
2266	9-TSP-573	27-Aug-10	9	29.86	21.7	1.01	21.7	3,025	3,484.2	184	0.0528	76	0.0218	0	0.0000
2269	2-TSP-574	01-Sep-10	2	29.98	19.9	1.02	19.3	3,219	3,760.4	115	0.0306	81	0.0215	0	0.0000
2272	9-TSP-574	01-Sep-10	9	29.98	19.9	1.02	20.0	3,191	3,720.6	163	0.0438	110	0.0296	0	0.0000
2275	2-TSP-575	02-Sep-10	2	29.84	26.1	0.99	20.1	1,540	1,766.0	104	0.0589	43	0.0243	0	0.0000
2278	7-TSP-575	02-Sep-10	7	29.84	26.1	0.99	21.0	1,553	1,776.5	77	0.0433	43	0.0242	0	0.0000
2281	9-TSP-575	02-Sep-10	9	29.84	26.1	0.99	20.4	1,552	1,778.3	120	0.0675	73	0.0411	0	0.0000
2287	9-TSP-576	09-Sep-10	9	29.90	17.2	1.03	19.1	3,141	3,679.6	109	0.0296	51	0.0139	0	0.0000
2290	2-TSP-577	10-Sep-10	2	29.99	19.1	1.02	19.3	1,553	1,817.6	65	0.0358	31	0.0171	45	0.0248
2293	9-TSP-577	10-Sep-10	9	29.99	19.1	1.02	20.0	1,550	1,810.6	47	0.0260	48	0.0265	50	0.0276
2296	2-TSP-578	15-Sep-10	2	30.01	16.9	1.03	19.1	3,178	3,739.5	75	0.0201	38	0.0102	0	0.0000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Total Suspended Particulate (mg)	Conc TSP (mg/m3)	Manganese (ug)	Conc Mang (ug/m3)	Lead (ug)	Conc Lead (ug/m3)
2299	9-TSP-578	15-Sep-10	9	30.01	16.9	1.03	19.1	3,179	3,740.7	99	0.0265	46	0.0123	0	0.0000
2302	2-TSP-579	17-Sep-10	2	29.96	19.4	1.02	18.9	2,960	3,462.4	96	0.0277	59	0.0170	0	0.0000
2305	8-TSP-579	17-Sep-10	8	29.96	19.4	1.02	20.6	2,880	3,353.3	77	0.0230	47	0.0140	0	0.0000
2308	9-TSP-579	17-Sep-10	9	29.96	19.4	1.02	19.1	2,941	3,438.3	82	0.0238	56	0.0163	0	0.0000
2311	2-TSP-580	22-Sep-10	2	29.82	18.9	1.02	18.9	3,244	3,779.5	180	0.0476	75	0.0198	0	0.0000
2314	8-TSP-580	22-Sep-10	8	29.82	18.9	1.02	20.6	3,253	3,772.4	154	0.0408	100	0.0265	0	0.0000
2320	2-TSP-581	24-Sep-10	2	29.99	19.2	1.02	19.7	2,948	3,445.8	125	0.0363	54	0.0157	27	0.0078
2323	6-TSP-581	24-Sep-10	6	29.99	19.2	1.02	19.6	2,997	3,504.0	226	0.0645	100	0.0285	29	0.0083
2326	8-TSP-581	24-Sep-10	8	29.99	19.2	1.02	21.7	2,954	3,434.1	138	0.0402	66	0.0192	0	0.0000
2329	2-TSP-582	29-Sep-10	2	29.82	24.2	1.00	21.8	3,193	3,654.6	191	0.0523	94	0.0257	25	0.0068
2332	8-TSP-582	29-Sep-10	8	29.82	24.2	1.00	21.6	3,146	3,602.8	332	0.0922	200	0.0555	53	0.0147
2335	9-TSP-582	29-Sep-10	9	29.82	24.2	1.00	20.0	3,169	3,645.0	318	0.0872	220	0.0604	35	0.0096
2338	2-TSP-583	01-Oct-10	2	29.87	21.7	1.01	21.7	2,989	3,443.9	96	0.0279	62	0.0180	0	0.0000
2341	8-TSP-583	01-Oct-10	8	29.87	21.7	1.01	23.1	2,987	3,428.4	69	0.0201	41	0.0120	0	0.0000
2344	9-TSP-583	01-Oct-10	9	29.87	21.7	1.01	20.4	2,986	3,452.7	145	0.0420	120	0.0348	0	0.0000
2347	2-TSP-584	06-Oct-10	2	29.95	18.6	1.02	21.4	3,167	3,683.7	213	0.0578	70	0.0190	0	0.0000
2350	8-TSP-584	06-Oct-10	8	29.95	18.6	1.02	23.0	3,183	3,686.1	241	0.0654	99	0.0269	27	0.0073
2353	9-TSP-584	06-Oct-10	9	29.95	18.6	1.02	21.5	3,159	3,673.4	237	0.0645	90	0.0245	0	0.0000
2356	2-TSP-585	08-Oct-10	2	30.12	18.6	1.03	21.7	2,989	3,494.7	129	0.0369	57	0.0163	0	0.0000
2359	8-TSP-585	08-Oct-10	8	30.12	18.6	1.03	23.0	2,975	3,466.0	141	0.0407	65	0.0188	0	0.0000
2362	9-TSP-585	08-Oct-10	9	30.12	18.6	1.03	21.8	2,997	3,503.1	152	0.0434	61	0.0174	0	0.0000
2365	2-TSP-586	13-Oct-10	2	30.02	25.8	1.00	22.1	3,213	3,689.8	223	0.0604	110	0.0298	36	0.0098
2368	8-TSP-586	13-Oct-10	8	30.02	25.8	1.00	22.9	3,178	3,641.6	291	0.0799	140	0.0384	64	0.0176
2371	9-TSP-586	13-Oct-10	9	30.02	25.8	1.00	22.2	3,180	3,650.9	369	0.1011	200	0.0548	59	0.0162
2374	2-TSP-587	15-Oct-10	2	30.01	23.6	1.01	22.2	2,978	3,431.6	196	0.0571	120	0.0350	42	0.0122
2377	8-TSP-587	15-Oct-10	8	30.01	23.6	1.01	24.0	2,857	3,276.0	262	0.0800	130	0.0397	44	0.0134
2380	9-TSP-587	15-Oct-10	9	30.01	23.6	1.01	22.5	2,877	3,312.5	222	0.0670	110	0.0332	39	0.0118
2383	2-TSP-588	20-Oct-10	2	29.98	16.4	1.03	20.0	3,204	3,760.5	116	0.0308	37	0.0098	0	0.0000
2386	8-TSP-588	20-Oct-10	8	29.98	16.4	1.03	22.5	3,197	3,726.8	123	0.0330	39	0.0105	0	0.0000
2389	9-TSP-588	20-Oct-10	9	29.98	16.4	1.03	21.2	3,196	3,738.9	99	0.0265	52	0.0139	0	0.0000
2392	2-TSP-589	22-Oct-10	2	30.02	18.3	1.03	21.3	2,995	3,495.2	70	0.0200	33	0.0094	0	0.0000
2395	8-TSP-589	22-Oct-10	8	30.02	18.3	1.03	20.1	2,994	3,505.4	103	0.0294	46	0.0131	0	0.0000
2398	9-TSP-589	22-Oct-10	9	30.02	18.3	1.03	19.0	3,000	3,522.9	99	0.0281	49	0.0139	0	0.0000
2401	8-TSP-590	27-Oct-10	8	30.12	14.8	1.04	20.1	3,168	3,747.0	116	0.0310	38	0.0101	0	0.0000
2404	9-TSP-590	27-Oct-10	9	30.12	14.8	1.04	18.5	3,171	3,766.8	171	0.0454	62	0.0165	0	0.0000
2407	8-TSP-591	29-Oct-10	8	30.04	14.8	1.04	20.4	2,986	3,519.0	161	0.0458	65	0.0185	0	0.0000
2410	9-TSP-591	29-Oct-10	9	30.04	14.8	1.04	19.2	3,006	3,554.1	195	0.0549	100	0.0281	28	0.0079

Cal-OSHA Permissible Exposure Limit: 5,000 ug/m3

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
2	2-PM10-1	5/14/2005	11	30.05	17.7	1.03	2	20.2	493	575.0	3.5
6	2-PM10-2	5/15/2005	11	29.98	18.8	1.02	0	20.1	536	622.4	0.0
10	2-PM10-3	5/20/2005	11	30.11	18.4	1.03	14	19.8	525	613.3	22.8
14	2-PM10-4	5/21/2005	11	30.10	19.6	1.02	20	19.6	524	610.9	32.7
18	2-PM10-5	5/22/2005	11	30.06	20.2	1.02	14	19.4	555	645.8	21.7
22	1-PM10-6	5/25/2005	10	29.93	19.2	1.02	33	20.9	535	618.4	53.4
26	2-PM10-6	5/25/2005	11	29.93	19.2	1.02	30	19.1	539	626.0	47.9
30	1-PM10-7	5/26/2005	10	29.95	16.1	1.03	10	21.7	518	601.3	16.6
34	2-PM10-7	5/26/2005	11	29.95	16.1	1.03	13	19.0	520	608.0	21.4
38	1-PM10-8	5/31/2005	10	29.96	18.9	1.02	28	21.0	525	607.6	46.1
42	2-PM10-8	5/31/2005	11	29.96	18.9	1.02	29	19.4	526	611.4	47.4
46	1-PM10-9	6/1/2005	10	29.86	19.2	1.02	29	21.1	549	632.6	45.8
50	2-PM10-9	6/1/2005	11	29.86	19.2	1.02	31	20.0	587	678.5	45.7
54	1-PM10-10	6/2/2005	10	29.82	17.7	1.02	30	20.9	506	584.2	51.4
58	2-PM10-10	6/2/2005	11	29.82	17.7	1.02	27	18.9	538	624.5	43.2
62	1-PM10-11	6/3/2005	10	29.88	16.8	1.03	29	21.5	509	588.9	49.2
66	2-PM10-11	6/3/2005	11	29.88	16.8	1.03	28	19.6	510	593.2	47.2
70	1-PM10-12	6/6/2005	10	30.06	16.0	1.04	25	20.9	518	605.1	41.3
74	2-PM10-12	6/6/2005	11	30.06	16.0	1.04	16	19.3	514	603.0	26.5
78	1-PM10-13	6/7/2005	10	30.07	15.3	1.04	15	20.7	530	620.4	24.2
82	2-PM10-13	6/7/2005	11	30.07	15.3	1.04	15	19.4	537	630.9	23.8
86	1-PM10-14	6/9/2005	10	29.95	17.1	1.03	14	20.5	1513	1758.6	8.0
90	2-PM10-14	6/9/2005	11	29.95	17.1	1.03	11	19.0	1521	1775.1	6.2
94	4-PM10-14	6/9/2005	13	29.95	17.1	1.03	16	19.1	1468	1712.8	9.3
98	1-PM10-15	6/13/2005	10	29.90	16.9	1.03	58	21.2	1469	1702.1	34.1
102	2-PM10-15	6/13/2005	11	29.90	16.9	1.03	73	19.4	1546	1800.1	40.6
106	4-PM10-15	6/13/2005	13	29.90	16.9	1.03	57	17.8	1445	1689.8	33.7
110	1-PM10-16	6/14/2005	10	29.92	16.4	1.03	63	20.9	1429	1659.6	38.0
114	2-PM10-16	6/14/2005	11	29.92	16.4	1.03	54	19.2	1412	1647.5	32.8
118	4-PM10-16	6/14/2005	13	29.92	16.4	1.03	65	18.8	1426	1665.9	39.0
122	1-PM10-17	6/15/2005	10	29.97	15.1	1.04	30	21.1	1440	1678.6	17.9
126	2-PM10-17	6/15/2005	11	29.97	15.1	1.04	29	19.3	1350	1581.6	18.3
130	3-PM10-17	6/15/2005	12	29.97	15.1	1.04	35	19.1	1190	1394.9	25.1
134	1-PM10-18	6/16/2005	10	29.99	16.4	1.03	30	20.9	1404	1634.6	18.4

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
138	2-PM10-18	6/16/2005	11	29.99	16.4	1.03	20	19.6	1469	1716.3	11.7
142	3-PM10-18	6/16/2005	12	29.99	16.4	1.03	24	19.4	1543	1804.0	13.3
146	1-PM10-19	6/20/2005	10	30.06	16.9	1.03	18	21.2	1482	1726.9	10.4
150	2-PM10-19	6/20/2005	11	30.06	16.9	1.03	21	19.0	1497	1754.5	12.0
154	3-PM10-19	6/20/2005	12	30.06	16.9	1.03	79	19.3	1500	1756.6	45.0
158	4-PM10-19	6/20/2005	13	30.06	16.9	1.03	23	19.0	1466	1718.2	13.4
162	1-PM10-20	6/21/2005	10	30.05	17.5	1.03	20	20.8	1397	1627.0	12.3
166	2-PM10-20	6/21/2005	11	30.05	17.5	1.03	16	19.6	1394	1628.8	9.8
170	3-PM10-20	6/21/2005	12	30.05	17.5	1.03	79	19.5	1373	1604.7	49.2
174	4-PM10-20	6/21/2005	13	30.05	17.5	1.03	26	18.5	1410	1652.4	15.7
178	1-PM10-21	6/22/2005	10	29.98	18.4	1.02	39	21.1	1376	1594.8	24.5
182	2-PM10-21	6/22/2005	11	29.98	18.4	1.02	35	19.6	1367	1590.8	22.0
186	3-PM10-21	6/22/2005	12	29.98	18.4	1.02	38	19.8	1362	1583.9	24.0
190	4-PM10-21	6/22/2005	13	29.98	18.4	1.02	14	18.5	480	560.2	25.0
194	1-PM10-22	6/23/2005	10	29.95	15.0	1.04	34	20.8	1525	1778.2	19.1
198	2-PM10-22	6/23/2005	11	29.95	15.0	1.04	29	18.9	1523	1785.1	16.2
202	3-PM10-22	6/23/2005	12	29.95	15.0	1.04	60	20.0	1526	1783.2	33.6
206	4-PM10-22	6/23/2005	13	29.95	15.0	1.04	35	18.8	1493	1750.6	20.0
210	1-PM10-23	6/27/2005	10	29.96	14.2	1.04	12	20.2	1440	1685.0	7.1
214	2-PM10-23	6/27/2005	11	29.96	14.2	1.04	11	19.2	1487	1744.7	6.3
218	3-PM10-23	6/27/2005	12	29.96	14.2	1.04	49	19.1	1531	1797.1	27.3
222	4-PM10-23	6/27/2005	13	29.96	14.2	1.04	13	18.0	1390	1636.2	7.9
226	1-PM10-24	6/28/2005	10	29.96	15.8	1.03	27	20.4	1484	1730.5	15.6
230	2-PM10-24	6/28/2005	11	29.96	15.8	1.03	31	19.3	1487	1739.2	17.8
234	3-PM10-24	6/28/2005	12	29.96	15.8	1.03	58	19.0	1471	1721.6	33.7
238	4-PM10-24	6/28/2005	13	29.96	15.8	1.03	27	18.5	1496	1753.3	15.4
242	1-PM10-25	6/29/2005	10	29.92	15.3	1.03	17	20.5	1379	1606.7	10.6
246	2-PM10-25	6/29/2005	11	29.92	15.3	1.03	47	19.2	1387	1621.7	29.0
250	3-PM10-25	6/29/2005	12	29.92	15.3	1.03	45	19.8	1406	1641.5	27.4
254	4-PM10-25	6/29/2005	13	29.92	15.3	1.03	22	19.5	1379	1611.0	13.7
258	1-PM10-26	6/30/2005	10	29.91	16.4	1.03	9	21.1	351	407.3	22.1
262	2-PM10-26	6/30/2005	11	29.91	16.4	1.03	16	19.9	298	346.9	46.1
266	3-PM10-26	6/30/2005	12	29.91	16.4	1.03	40	20.2	254	295.5	135.4
270	4-PM10-26	6/30/2005	13	29.91	16.4	1.03	9	18.5	375	438.2	20.5
274	1-PM10-27	7/5/2005	10	29.99	16.1	1.03	17	21.0	1511	1760.0	9.7
278	2-PM10-27	7/5/2005	11	29.99	16.1	1.03	16	19.6	1424	1664.9	9.6

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated	Volume (m3)	Conc PM10 (ug/m3)
282	3-PM10-27	7/5/2005	12	29.99	16.1	1.03	32	19.8	1474	1722.5	18.6
286	4-PM10-27	7/5/2005	13	29.99	16.1	1.03	18	19.5	1444	1688.6	10.7
290	1-PM10-28	7/6/2005	10	29.98	16.4	1.03	85	21.6	1370	1591.6	53.4
294	2-PM10-28	7/6/2005	11	29.98	16.4	1.03	49	20.3	1466	1709.0	28.7
298	3-PM10-28	7/6/2005	12	29.98	16.4	1.03	53	20.2	1461	1703.6	31.1
302	4-PM10-28	7/6/2005	13	29.98	16.4	1.03	40	18.0	1430	1677.4	23.8
306	5-PM10-28	7/6/2005	14	29.98	16.4	1.03	98	20.0	1216	1418.7	69.1
310	1-PM10-29	7/7/2005	10	30.00	16.7	1.03	86	21.6	442	513.5	167.5
314	2-PM10-29	7/7/2005	11	30.00	16.7	1.03	25	20.0	400	466.8	53.6
318	3-PM10-29	7/7/2005	12	30.00	16.7	1.03	30	19.8	370	432.0	69.4
322	4-PM10-29	7/7/2005	13	30.00	16.7	1.03	18	20.0	473	551.9	32.6
326	5-PM10-29	7/7/2005	14	30.00	16.7	1.03	47	18.4	458	536.8	87.6
330	1-PM10-30	7/11/2005	10	29.98	15.0	1.04	113	22.7	1411	1638.5	69.0
334	2-PM10-30	7/11/2005	11	29.98	15.0	1.04	61	21.5	1429	1665.1	36.6
338	3-PM10-30	7/11/2005	12	29.98	15.0	1.04	50	20.4	1436	1678.0	29.8
342	4-PM10-30	7/11/2005	13	29.98	15.0	1.04	37	18.0	1375	1617.2	22.9
346	5-PM10-30	7/11/2005	14	29.98	15.0	1.04	85	20.0	1388	1623.9	52.3
350	1-PM10-31	7/12/2005	10	29.96	15.6	1.03	72	22.1	780	905.6	79.5
354	2-PM10-31	7/12/2005	11	29.96	15.6	1.03	168	17.8	1359	1596.5	105.2
358	3-PM10-31	7/12/2005	12	29.96	15.6	1.03	75	20.7	1324	1543.0	48.6
362	4-PM10-31	7/12/2005	13	29.96	15.6	1.03	59	20.1	1464	1709.0	34.5
366	5-PM10-31	7/12/2005	14	29.96	15.6	1.03	98	19.9	1444	1686.5	58.1
370	1-PM10-32	7/13/2005	10	29.94	15.8	1.03	94	22.1	1348	1563.5	60.1
374	2-PM10-32	7/13/2005	11	29.94	15.8	1.03	59	19.2	1428	1669.4	35.3
378	3-PM10-32	7/13/2005	12	29.94	15.8	1.03	47	20.2	1472	1716.0	27.4
382	4-PM10-32	7/13/2005	13	29.94	15.8	1.03	34	18.8	1260	1474.6	23.1
386	5-PM10-32	7/13/2005	14	29.94	15.8	1.03	85	20.1	1450	1690.8	50.3
390	1-PM10-33	7/14/2005	10	29.90	17.0	1.03	55	21.0	1643	1904.1	28.9
394	2-PM10-33	7/14/2005	11	29.90	17.0	1.03	61	21.0	1595	1848.8	33.0
398	3-PM10-33	7/14/2005	12	29.90	17.0	1.03	44	19.4	1549	1803.0	24.4
402	4-PM10-33	7/14/2005	13	29.90	17.0	1.03	31	19.8	1367	1589.7	19.5
406	5-PM10-33	7/14/2005	14	29.90	17.0	1.03	122	19.7	1498	1742.5	70.0
410	1-PM10-34	7/18/2005	10	29.88	16.5	1.03	39	20.5	1352	1569.4	24.9
414	2-PM10-34	7/18/2005	11	29.88	16.5	1.03	17	20.5	1364	1583.5	10.7
418	3-PM10-34	7/18/2005	12	29.88	16.5	1.03	39	20.1	1423	1653.8	23.6
422	4-PM10-34	7/18/2005	13	29.88	16.5	1.03	17	18.5	992	1157.8	14.7

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
426	5-PM10-34	7/18/2005	14	29.88	16.5	1.03	48	19.5	1345	1565.5	30.7
430	1-PM10-35	7/19/2005	10	29.87	15.8	1.03	52	21.7	1491	1726.8	30.1
434	2-PM10-35	7/19/2005	11	29.87	15.8	1.03	21	18.7	1497	1747.9	12.0
438	3-PM10-35	7/19/2005	12	29.87	15.8	1.03	31	20.0	1441	1676.6	18.5
442	4-PM10-35	7/19/2005	13	29.87	15.8	1.03	15	18.0	812	949.9	15.8
446	5-PM10-35	7/19/2005	14	29.87	15.8	1.03	71	18.4	1499	1751.7	40.5
450	1-PM10-36	7/20/2005	10	29.88	15.6	1.03	52	20.3	1365	1588.1	32.7
454	2-PM10-36	7/20/2005	11	29.88	15.6	1.03	34	19.5	1355	1579.9	21.5
458	3-PM10-36	7/20/2005	12	29.88	15.6	1.03	25	19.7	1350	1573.2	15.9
462	4-PM10-36	7/20/2005	13	29.88	15.6	1.03	7	17.0	289	339.3	20.6
466	5-PM10-36	7/20/2005	14	29.88	15.6	1.03	95	18.4	1348	1576.4	60.3
470	1-PM10-37	7/21/2005	10	29.92	16.4	1.03	59	22.1	1486	1720.2	34.3
474	2-PM10-37	7/21/2005	11	29.92	16.4	1.03	41	19.5	1485	1731.2	23.7
478	3-PM10-37	7/21/2005	12	29.92	16.4	1.03	61	18.9	1488	1737.6	35.1
482	4-PM10-37	7/21/2005	13	29.92	16.4	1.03	33	17.5	1035	1213.2	27.2
486	5-PM10-37	7/21/2005	14	29.92	16.4	1.03	116	16.5	1492	1753.6	66.1
490	1-PM10-38	7/22/2005	10	29.92	16.1	1.03	82	20.9	1466	1703.6	48.1
494	2-PM10-38	7/22/2005	11	29.92	16.1	1.03	50	20.3	1485	1728.5	28.9
498	3-PM10-38	7/22/2005	12	29.92	16.1	1.03	49	19.9	1494	1740.8	28.1
502	4-PM10-38	7/22/2005	13	29.92	16.1	1.03	6	17.5	90	105.6	56.8
506	5-PM10-38	7/22/2005	14	29.92	16.1	1.03	85	18.3	1453	1700.7	50.0
510	1-PM10-39	7/23/2005	10	29.90	16.1	1.03	75	21.4	1395	1617.9	46.4
514	2-PM10-39	7/22/2005	11	29.92	16.1	1.03	51	20.0	1391	1620.4	31.5
518	3-PM10-39	7/23/2005	12	29.90	16.1	1.03	54	20.1	1382	1608.3	33.6
522	4-PM10-39	7/23/2005	13	29.90	16.1	1.03	15	19.0	330	385.2	38.9
526	5-PM10-39	7/23/2005	14	29.90	16.1	1.03	61	19.6	1393	1623.6	37.6
530	1-PM10-40	7/24/2005	10	29.93	16.1	1.03	71	20.9	1455	1691.4	42.0
534	2-PM10-40	7/24/2005	11	29.93	16.1	1.03	57	19.9	1466	1708.8	33.4
538	3-PM10-40	7/24/2005	12	29.93	16.1	1.03	64	19.2	1469	1715.6	37.3
542	4-PM10-40	7/24/2005	13	29.93	16.1	1.03	17	18.5	210	245.7	69.2
546	5-PM10-40	7/24/2005	14	29.93	16.1	1.03	86	19.1	1464	1710.2	50.3
550	1-PM10-41	7/25/2005	10	29.92	14.4	1.04	82	21.4	1336	1555.4	52.7
554	2-PM10-41	7/25/2005	11	29.92	14.4	1.04	60	18.5	1328	1558.3	38.5
558	3-PM10-41	7/25/2005	12	29.92	14.4	1.04	64	20.0	1327	1550.8	41.3
562	4-PM10-41	7/25/2005	13	29.92	14.4	1.04	10	17.0	415	489.0	20.5
566	5-PM10-41	7/25/2005	14	29.92	14.4	1.04	210	16.2	1417	1673.1	125.5

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
570	1-PM10-42	7/26/2005	10	29.92	14.4	1.04	85	20.5	1559	1819.5	46.7
574	2-PM10-42	7/26/2005	11	29.92	14.4	1.04	65	19.4	1495	1750.0	37.1
578	3-PM10-42	7/26/2005	12	29.92	14.4	1.04	48	20.0	1435	1677.1	28.6
582	4-PM10-42	7/26/2005	13	29.92	14.4	1.04	11	19.3	255	298.6	36.8
586	5-PM10-42	7/26/2005	14	29.92	14.4	1.04	83	17.5	1525	1794.4	46.3
590	1-PM10-43	7/27/2005	10	29.94	14.7	1.04	33	21.5	1437	1672.8	19.7
594	2-PM10-43	7/27/2005	11	29.94	14.7	1.04	42	19.5	1411	1651.5	25.4
598	3-PM10-43	7/27/2005	12	29.94	14.7	1.04	49	22.5	1403	1628.7	30.1
602	4-PM10-43	7/27/2005	13	29.94	14.7	1.04	32	21.9	1383	1608.1	19.9
606	5-PM10-43	7/27/2005	14	29.94	14.7	1.04	70	19.5	1441	1686.6	41.5
610	1-PM10-44	7/28/2005	10	29.95	14.7	1.04	52	21.8	1368	1591.7	32.7
614	2-PM10-44	7/28/2005	11	29.95	14.7	1.04	37	20.2	1457	1702.7	21.7
618	3-PM10-44	7/28/2005	12	29.95	14.7	1.04	68	20.7	1490	1738.9	39.1
622	4-PM10-44	7/28/2005	13	29.95	14.7	1.04	30	20.0	1352	1580.8	19.0
626	5-PM10-44	7/28/2005	14	29.95	14.7	1.04	61	20.4	1342	1567.4	38.9
630	1-PM10-45	7/29/2005	10	29.99	15.0	1.04	44	20.3	1389	1624.1	27.1
634	2-PM10-45	7/29/2005	11	29.99	15.0	1.04	43	20.2	1361	1591.8	27.0
638	4-PM10-45	7/29/2005	13	29.99	15.0	1.04	26	20.0	1423	1665.2	15.6
642	1-PM10-46	7/30/2005	10	30.00	18.3	1.03	20	21.2	429	497.5	40.2
646	2-PM10-46	7/30/2005	11	30.00	18.3	1.03	24	20.2	448	520.9	46.1
650	4-PM10-46	7/30/2005	13	30.00	18.3	1.03	10	20.0	407	473.5	21.1
654	1-PM10-47	8/1/2005	10	29.95	13.9	1.04	39	21.8	1422	1657.1	23.5
658	2-PM10-47	8/1/2005	11	29.95	13.9	1.04	99	20.1	1419	1661.2	59.6
662	3-PM10-47	8/1/2005	12	29.95	13.9	1.04	31	20.7	1420	1659.7	18.7
666	4-PM10-47	8/1/2005	13	29.95	13.9	1.04	22	20.3	1429	1672.0	13.2
670	5-PM10-47	8/1/2005	14	29.95	13.9	1.04	67	18.0	1420	1671.9	40.1
674	1-PM10-48	8/2/2005	10	29.94	16.4	1.03	71	21.1	1581	1836.4	38.7
678	2-PM10-48	8/2/2005	11	29.94	16.4	1.03	77	20.0	1582	1843.1	41.8
682	3-PM10-48	8/2/2005	12	29.94	16.4	1.03	77	20.0	1581	1842.0	41.8
686	4-PM10-48	8/2/2005	13	29.94	16.4	1.03	64	20.0	1580	1840.8	34.8
690	5-PM10-48	8/2/2005	14	29.94	16.4	1.03	93	18.1	1571	1839.8	50.5
694	2-PM10-49	8/3/2005	10	29.97	17.8	1.03	45	20.5	1331	1546.1	29.1
698	2-PM10-49	8/3/2005	11	29.97	17.8	1.03	72	18.5	1355	1582.6	45.5
702	3-PM10-49	8/3/2005	12	29.97	17.8	1.03	64	20.0	1387	1613.4	39.7
706	4-PM10-49	8/3/2005	13	29.97	17.8	1.03	52	20.0	1242	1444.7	36.0
710	5-PM10-49	8/3/2005	14	29.97	17.8	1.03	84	19.0	1293	1508.1	55.7

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
714	1-PM10-50	8/4/2005	10	30.00	15.6	1.04	36	22.1	1439	1673.0	21.5
718	2-PM10-50	8/4/2005	11	30.00	15.6	1.04	78	19.1	1452	1702.0	45.8
722	3-PM10-50	8/4/2005	12	30.00	15.6	1.04	28	20.0	1455	1701.3	16.5
726	4-PM10-50	8/4/2005	13	30.00	15.6	1.04	29	19.5	1443	1689.6	17.2
730	5-PM10-50	8/4/2005	14	30.00	15.6	1.04	59	20.0	1446	1690.8	34.9
734	1-PM10-51	8/5/2005	10	30.00	17.2	1.03	21	21.5	487	565.4	37.1
738	2-PM10-51	8/5/2005	11	30.00	17.2	1.03	78	19.1	482	563.3	138.5
742	3-PM10-51	8/5/2005	12	30.00	17.2	1.03	20	19.9	452	527.1	37.9
746	4-PM10-51	8/5/2005	13	30.00	17.2	1.03	15	20.0	517	602.7	24.9
750	5-PM10-51	8/5/2005	14	30.00	17.2	1.03	59	19.7	509	593.9	99.4
754	1-PM10-52	8/8/2005	10	29.94	14.2	1.04	124	20.1	1390	1625.8	76.3
758	2-PM10-52	8/8/2005	11	29.94	14.2	1.04	36	20.3	1472	1720.8	20.9
762	3-PM10-52	8/8/2005	12	29.94	14.2	1.04	56	19.9	1475	1726.1	32.4
766	4-PM10-52	8/8/2005	13	29.94	14.2	1.04	22	20.0	1378	1612.2	13.6
770	5-PM10-52	8/8/2005	14	29.94	14.2	1.04	53	19.1	1383	1622.0	32.7
774	1-PM10-53	8/9/2005	10	29.98	14.2	1.04	35	20.0	1435	1681.2	20.8
778	2-PM10-53	8/9/2005	11	29.98	14.2	1.04	44	19.9	1436	1682.9	26.1
782	3-PM10-53	8/9/2005	12	29.98	14.2	1.04	92	20.0	1435	1681.2	54.7
786	4-PM10-53	8/9/2005	13	29.98	14.2	1.04	29	20.0	1441	1688.3	17.2
790	5-PM10-53	8/9/2005	14	29.98	14.2	1.04	64	19.3	1439	1689.1	37.9
794	1-PM10-54	8/10/2005	10	30.00	15.3	1.04	58	20.0	1490	1743.2	33.3
798	2-PM10-54	8/10/2005	11	30.00	15.3	1.04	61	20.0	1395	1632.1	37.4
802	3-PM10-54	8/10/2005	12	30.00	15.3	1.04	57	20.0	1350	1579.4	36.1
806	4-PM10-54	8/10/2005	13	30.00	15.3	1.04	49	20.0	1426	1668.4	29.4
810	5-PM10-54	8/10/2005	14	30.00	15.3	1.04	79	20.0	1425	1667.2	47.4
814	1-PM10-55	8/11/2005	10	29.92	18.3	1.02	44	19.0	390	453.7	97.0
818	2-PM10-55	8/11/2005	11	29.92	18.3	1.02	30	19.0	381	443.2	67.7
822	3-PM10-55	8/11/2005	12	29.92	18.3	1.02	32	20.0	376	436.2	73.4
826	4-PM10-55	8/11/2005	13	29.92	18.3	1.02	25	20.0	435	504.6	49.5
830	5-PM10-55	8/11/2005	14	29.92	18.3	1.02	46	20.1	424	491.7	93.5
834	1-PM10-56	8/15/2005	10	29.98	17.2	1.03	59	20.7	1553	1805.7	32.7
838	2-PM10-56	8/15/2005	11	29.98	17.2	1.03	27	11.9	1544	1838.2	14.7
842	3-PM10-56	8/15/2005	12	29.98	17.2	1.03	39	18.7	1544	1805.0	21.6
846	4-PM10-56	8/15/2005	13	29.98	17.2	1.03	35	18.0	1523	1783.8	19.6
850	5-PM10-56	8/15/2005	14	29.98	17.2	1.03	46	18.5	1496	1749.8	26.3
854	1-PM10-57	8/16/2005	10	29.96	15.6	1.03	62	17.7	1210	1421.7	43.6

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
858	2-PM10-57	8/16/2005	11	29.96	15.6	1.03	38	18.9	1218	1426.5	26.6
862	3-PM10-57	8/16/2005	12	29.96	15.6	1.03	39	18.3	1214	1424.1	27.4
866	4-PM10-57	8/16/2005	13	29.96	15.6	1.03	25	14.0	1237	1467.9	17.0
870	5-PM10-57	8/16/2005	14	29.96	15.6	1.03	7	18.7	60	70.3	99.6
874	3-PM10-58	8/17/2005	12	29.96	14.2	1.04	62	18.3	1466	1724.3	36.0
878	4-PM10-58	8/17/2005	13	29.96	14.2	1.04	18	14.0	1463	1740.8	10.3
882	5-PM10-58	8/17/2005	14	29.96	14.2	1.04	52	18.2	1441	1695.3	30.7
886	3-PM10-59	8/18/2005	12	29.97	14.4	1.04	16	18.0	1420	1671.5	9.6
890	4-PM10-59	8/18/2005	13	29.97	14.4	1.04	12	14.5	1418	1684.9	7.1
894	5-PM10-59	8/18/2005	14	29.97	14.4	1.04	29	17.7	1428	1682.3	17.2
898	2-PM10-60	8/19/2005	11	29.95	13.9	1.04	11	18.1	443	521.4	21.1
902	3-PM10-60	8/19/2005	12	29.95	13.9	1.04	14	17.3	373	440.0	31.8
906	4-PM10-60	8/19/2005	13	29.95	13.9	1.04	9	14.0	472	561.7	16.0
910	5-PM10-60	8/19/2005	14	29.95	13.9	1.04	37	17.3	476	561.5	65.9
914	2-PM10-61	8/20/2005	11	30.02	14.4	1.04	21	18.3	493	580.9	36.2
918	3-PM10-61	8/20/2005	12	30.02	14.4	1.04	20	17.7	440	519.3	38.5
922	4-PM10-61	8/20/2005	13	30.02	14.4	1.04	2	15.2	15	17.8	112.2
926	5-PM10-61	8/20/2005	14	30.02	14.4	1.04	18	17.2	389	459.7	39.2
930	1-PM10-62	8/22/2005	10	29.86	14.4	1.03	47	19.0	1227	1434.8	32.8
934	2-PM10-62	8/22/2005	11	29.86	14.4	1.03	49	15.9	1247	1470.5	33.3
938	3-PM10-62	8/22/2005	12	29.86	14.4	1.03	45	17.8	1233	1446.6	31.1
942	4-PM10-62	8/22/2005	13	29.86	14.4	1.03	18	15.0	1237	1462.3	12.3
946	5-PM10-62	8/22/2005	14	29.86	14.4	1.03	105	17.7	1229	1442.3	72.8
950	1-PM10-63	8/23/2005	10	29.80	13.9	1.03	105	18.9	1476	1724.5	60.9
954	2-PM10-63	8/23/2005	11	29.80	13.9	1.03	71	16.7	1447	1700.7	41.7
958	3-PM10-63	8/23/2005	12	29.80	13.9	1.03	101	17.7	1459	1710.2	59.1
962	4-PM10-63	8/23/2005	13	29.80	13.9	1.03	57	15.0	1200	1416.9	40.2
966	5-PM10-63	8/23/2005	14	29.80	13.9	1.03	9	17.9	300	351.5	25.6
970	1-PM10-64	8/24/2005	10	29.80	15.6	1.03	107	20.0	1652	1918.1	55.8
974	2-PM10-64	8/24/2005	11	29.80	15.6	1.03	72	19.1	1665	1937.9	37.2
978	3-PM10-64	8/24/2005	12	29.80	15.6	1.03	102	19.0	1684	1960.6	52.0
982	4-PM10-64	8/24/2005	13	29.80	15.6	1.03	6	17.0	8	9.4	640.7
986	5-PM10-64	8/24/2005	14	29.80	15.6	1.03	36	18.3	1652	1927.0	18.7
990	1-PM10-65	8/25/2005	10	30.00	19.7	1.02	73	19.7	1420	1649.0	44.3
994	2-PM10-65	8/25/2005	11	30.00	19.7	1.02	23	18.6	1365	1589.8	14.5
998	3-PM10-65	8/25/2005	12	30.00	19.7	1.02	53	18.0	1327	1548.1	34.2

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
1002	4-PM10-65	8/25/2005	13	30.00	19.7	1.02	80	17.8	1503	1754.4	45.6
1006	5-PM10-65	8/25/2005	14	30.00	19.7	1.02	18	18.3	128	149.2	120.6
1010	1-PM10-66	8/26/2005	10	30.01	16.7	1.03	58	19.8	1435	1675.9	34.6
1018	3-PM10-66	8/26/2005	12	30.01	16.7	1.03	45	18.8	1503	1760.1	25.6
1022	4-PM10-66	8/26/2005	13	30.01	16.7	1.03	31	18.3	1140	1336.8	23.2
1026	5-PM10-66	8/26/2005	14	30.01	16.7	1.03	42	18.3	1243	1457.6	28.8
1034	4-PM10-67	8/27/2005	13	29.99	13.9	1.04	26	17.8	1507	1777.8	14.6
1038	1-PM10-68	8/29/2005	10	29.89	17.5	1.02	105	20.2	1410	1635.5	64.2
1042	2-PM10-68	8/29/2005	11	29.89	17.5	1.02	84	19.4	1446	1681.0	50.0
1046	3-PM10-68	8/29/2005	12	29.89	17.5	1.02	94	18.4	1442	1680.9	55.9
1050	4-PM10-68	8/29/2005	13	29.89	17.5	1.02	72	17.3	1368	1599.4	45.0
1054	5-PM10-68	8/29/2005	14	29.89	17.5	1.02	69	18.1	476	555.3	124.3
1058	1-PM10-69	8/30/2005	10	29.86	19.4	1.02	108	20.0	1570	1813.7	59.5
1062	2-PM10-69	8/30/2005	11	29.86	19.4	1.02	101	19.0	1453	1683.2	60.0
1066	3-PM10-69	8/30/2005	12	29.86	19.4	1.02	73	18.4	1423	1651.1	44.2
1070	4-PM10-69	8/30/2005	13	29.86	19.4	1.02	78	16.0	1621	1893.1	41.2
1074	5-PM10-69	8/30/2005	14	29.86	19.4	1.02	14	18.1	285	331.0	42.3
1078	1-PM10-70	8/31/2005	10	29.86	16.9	1.03	97	19.5	1380	1603.9	60.5
1082	2-PM10-70	8/31/2005	11	29.86	16.9	1.03	99	19.0	1503	1749.3	56.6
1086	3-PM10-70	8/31/2005	12	29.86	16.9	1.03	75	19.0	1544	1797.0	41.7
1090	4-PM10-70	8/31/2005	13	29.86	16.9	1.03	56	17.0	1323	1548.1	36.2
1094	5-PM10-70	8/31/2005	14	29.86	16.9	1.03	77	18.0	1426	1664.2	46.3
1098	1-PM10-71	9/1/2005	10	29.93	16.9	1.03	22	18.9	290	338.4	65.0
1102	2-PM10-71	9/1/2005	11	29.93	16.9	1.03	22	19.0	285	332.5	66.2
1106	3-PM10-71	9/1/2005	12	29.93	16.9	1.03	17	18.8	210	245.1	69.3
1110	4-PM10-71	9/1/2005	13	29.93	16.9	1.03	9	17.8	300	351.2	25.6
1114	5-PM10-71	9/1/2005	14	29.93	16.9	1.03	22	18.1	191	223.4	98.5
1118	1-PM10-72	9/6/2005	10	29.99	14.2	1.04	107	19.1	1506	1769.6	60.5
1122	2-PM10-72	9/6/2005	11	29.99	14.2	1.04	80	17.3	1487	1755.6	45.6
1126	3-PM10-72	9/6/2005	12	29.99	14.2	1.04	134	17.8	1496	1764.0	76.0
1130	4-PM10-72	9/6/2005	13	29.99	14.2	1.04	65	15.5	1487	1764.1	36.8
1134	5-PM10-72	9/6/2005	14	29.99	14.2	1.04	95	17.9	1488	1753.9	54.2
1142	2-PM10-73	9/7/2005	11	30.04	15.3	1.04	46	18.5	1449	1704.8	27.0
1146	3-PM10-73	9/7/2005	12	30.04	15.3	1.04	55	18.4	1431	1683.8	32.7
1150	4-PM10-73	9/7/2005	13	30.04	15.3	1.04	37	15.0	1418	1683.9	22.0
1154	5-PM10-73	9/7/2005	14	30.04	15.3	1.04	53	17.0	1479	1747.1	30.3

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated	Volume (m3)	Conc PM10 (ug/m3)
1158	1-PM10-74	9/8/2005	10	30.09	15.8	1.04	40	19.5	1432	1681.4	23.8
1162	2-PM10-74	9/8/2005	11	30.09	15.8	1.04	40	18.1	1406	1657.1	24.1
1166	3-PM10-74	9/8/2005	12	30.09	15.8	1.04	26	18.5	1433	1687.3	15.4
1170	4-PM10-74	9/8/2005	13	30.09	15.8	1.04	26	15.0	1429	1698.2	15.3
1174	5-PM10-74	9/8/2005	14	30.09	15.8	1.04	27	18.0	1430	1686.0	16.0
1178	1-PM10-75	9/9/2005	10	30.06	15.8	1.04	16	18.8	430	505.3	31.7
1182	2-PM10-75	9/9/2005	11	30.06	15.8	1.04	9	18.0	456	537.0	16.8
1186	3-PM10-75	9/9/2005	12	30.06	15.8	1.04	13	18.3	344	404.8	32.1
1190	4-PM10-75	9/9/2005	13	30.06	15.8	1.04	10	14.5	431	512.4	19.5
1194	5-PM10-75	9/9/2005	14	30.06	15.8	1.04	17	18.0	446	525.2	32.4
1198	1-PM10-76	9/12/2005	10	30.21	12.8	1.05	73	19.0	1520	1805.2	40.4
1202	2-PM10-76	9/12/2005	11	30.21	12.8	1.05	57	18.0	1515	1804.1	31.6
1206	3-PM10-76	9/12/2005	12	30.21	12.8	1.05	69	18.2	1520	1808.8	38.1
1210	4-PM10-76	9/12/2005	13	30.21	12.8	1.05	36	14.0	1497	1801.5	20.0
1214	5-PM10-76	9/12/2005	14	30.21	12.8	1.05	93	18.0	1507	1794.5	51.8
1218	1-PM10-77	9/13/2005	10	30.21	13.1	1.05	60	18.7	1420	1686.6	35.6
1222	2-PM10-77	9/13/2005	11	30.21	13.1	1.05	62	17.7	1421	1692.3	36.6
1226	3-PM10-77	9/13/2005	12	30.21	13.1	1.05	105	18.0	1420	1689.7	62.1
1230	4-PM10-77	9/13/2005	13	30.21	13.1	1.05	24	14.0	1408	1693.4	14.2
1234	5-PM10-77	9/13/2005	14	30.21	13.1	1.05	39	18.0	1407	1674.3	23.3
1238	1-PM10-78	9/14/2005	10	30.16	13.6	1.05	105	18.1	1511	1792.7	58.6
1242	2-PM10-78	9/14/2005	11	30.16	13.6	1.05	39	18.1	1515	1797.7	21.7
1250	4-PM10-78	9/14/2005	13	30.16	13.6	1.05	36	14.5	1532	1835.2	19.6
1258	1-PM10-79	9/15/2005	10	30.15	14.2	1.05	4	17.9	1362	1614.4	2.5
1262	2-PM10-79	9/15/2005	11	30.15	14.2	1.05	51	18.3	1337	1583.2	32.2
1266	3-PM10-79	9/15/2005	12	30.15	14.2	1.05	75	18.2	1313	1555.0	48.2
1270	4-PM10-79	9/15/2005	13	30.15	14.2	1.05	34	14.0	1408	1686.4	20.2
1274	5-PM10-79	9/15/2005	14	30.15	14.2	1.05	68	18.3	1393	1649.6	41.2
1278	1-PM10-80	9/16/2005	10	30.11	16.4	1.04	35	18.0	502	591.5	59.2
1282	2-PM10-80	9/16/2005	11	30.11	16.4	1.04	50	19.1	524	615.6	81.2
1286	3-PM10-80	9/16/2005	12	30.11	16.4	1.04	33	19.1	373	438.2	75.3
1290	4-PM10-80	9/16/2005	13	30.11	16.4	1.04	18	17.0	270	319.0	56.4
1294	5-PM10-80	9/16/2005	14	30.11	16.4	1.04	36	19.9	352	412.7	87.2
1302	2-PM10-81	9/17/2005	11	30.12	15.4	1.04	8	19.4	360	423.6	18.9
1306	3-PM10-81	9/17/2005	12	30.12	15.4	1.04	45	20.0	1036	1217.0	37.0
1310	4-PM10-81	9/17/2005	13	30.12	15.4	1.04	8	17.8	480	567.3	14.1

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
1314	5-PM10-81	9/17/2005	14	30.12	15.4	1.04	13	18.1	490	578.5	22.5
1322	2-PM10-82	9/18/2005	11	30.13	14.4	1.04	59	19.7	893	1052.2	56.1
1330	4-PM10-82	9/18/2005	13	30.13	14.4	1.04	45	18.3	1490	1762.5	25.5
1338	1-PM10-83	9/19/2005	10	30.18	16.4	1.04	75	19.0	1469	1730.6	43.3
1342	2-PM10-83	9/19/2005	11	30.18	16.4	1.04	51	20.1	1468	1724.5	29.6
1346	3-PM10-83	9/19/2005	12	30.18	16.4	1.04	37	19.9	1468	1725.5	21.4
1350	4-PM10-83	9/19/2005	13	30.18	16.4	1.04	35	19.0	1443	1700.0	20.6
1354	5-PM10-83	9/19/2005	14	30.18	16.4	1.04	26	20.0	1437	1688.3	15.4
1358	1-PM10-84	9/20/2005	10	30.19	19.2	1.03	144	20.3	1560	1822.6	79.0
1362	2-PM10-84	9/20/2005	11	30.19	19.2	1.03	59	19.5	1569	1836.9	32.1
1366	3-PM10-84	9/20/2005	12	30.19	19.2	1.03	53	19.6	1573	1841.0	28.8
1370	4-PM10-84	9/20/2005	13	30.19	19.2	1.03	52	18.3	1603	1883.0	27.6
1378	1-PM10-85	9/21/2005	10	30.16	17.5	1.03	81	20.0	1243	1456.4	55.6
1382	2-PM10-85	9/21/2005	11	30.16	17.5	1.03	54	19.9	1228	1439.2	37.5
1386	3-PM10-85	9/21/2005	12	30.16	17.5	1.03	41	18.8	1231	1447.2	28.3
1390	4-PM10-85	9/21/2005	13	30.16	17.5	1.03	37	17.0	1226	1448.1	25.6
1398	1-PM10-86	9/22/2005	10	30.07	16.1	1.04	72	19.8	450	527.3	136.6
1402	2-PM10-86	9/22/2005	11	30.07	16.1	1.04	23	19.0	446	523.8	43.9
1410	4-PM10-86	9/22/2005	13	30.07	16.1	1.04	19	14.0	470	559.3	34.0
1418	1-PM10-87	9/23/2005	10	30.01	17.8	1.03	211	19.8	1264	1473.4	143.2
1422	2-PM10-87	9/23/2005	11	30.01	17.8	1.03	75	19.8	1297	1511.6	49.6
1430	4-PM10-87	9/23/2005	13	30.01	17.8	1.03	73	20.0	1323	1541.1	47.4
1438	1-PM10-88	9/26/2005	10	30.08	17.8	1.03	131	21.5	585	680.3	192.6
1442	2-PM10-88	9/26/2005	11	30.08	17.8	1.03	51	19.3	522	610.8	83.5
1450	4-PM10-88	9/26/2005	13	30.08	17.8	1.03	25	19.0	525	614.7	40.7
1458	1-PM10-89	9/27/2005	10	30.16	21.1	1.02	110	22.4	1452	1678.9	65.5
1462	2-PM10-89	9/27/2005	11	30.16	21.1	1.02	98	20.9	1456	1690.4	58.0
1470	4-PM10-89	9/27/2005	13	30.16	21.1	1.02	48	21.5	1409	1633.2	29.4
1478	1-PM10-90	9/28/2005	10	30.17	21.1	1.02	79	23.6	1497	1726.1	45.8
1482	2-PM10-90	9/28/2005	11	30.17	21.1	1.02	65	21.8	1495	1732.3	37.5
1490	4-PM10-90	9/28/2005	13	30.17	21.1	1.02	51	21.0	1505	1747.4	29.2
1498	1-PM10-91	9/29/2005	10	30.07	26.7	1.00	87	23.3	1301	1480.7	58.8
1502	2-PM10-91	9/29/2005	11	30.07	26.7	1.00	62	22.3	1321	1507.5	41.1
1510	4-PM10-91	9/29/2005	13	30.07	26.7	1.00	56	22.0	1308	1493.9	37.5
1518	1-PM10-92	9/30/2005	10	29.98	28.9	0.99	142	23.7	1525	1721.4	82.5
1522	2-PM10-92	9/30/2005	11	29.98	28.9	0.99	83	21.9	1511	1714.0	48.4

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
1530	4-PM10-92	9/30/2005	13	29.98	28.9	0.99	64	22.0	1509	1711.3	37.4
1538	1-PM10-93	10/3/2005	10	30.14	16.4	1.04	175	23.6	585	679.7	257.5
1542	2-PM10-93	10/3/2005	11	30.14	16.4	1.04	52	20.8	592	693.2	75.0
1550	4-PM10-93	10/3/2005	13	30.14	16.4	1.04	17	19.5	570	669.7	25.4
1558	1-PM10-94	10/4/2005	10	30.15	21.1	1.02	63	20.5	1395	1620.7	38.9
1562	2-PM10-94	10/4/2005	11	30.15	21.1	1.02	40	21.2	1376	1595.6	25.1
1570	4-PM10-94	10/4/2005	13	30.15	21.1	1.02	32	20.5	1382	1605.6	19.9
1578	1-PM10-95	10/5/2005	10	30.14	23.6	1.01	104	20.5	1460	1687.9	61.6
1582	2-PM10-95	10/5/2005	11	30.14	23.6	1.01	60	21.0	1455	1679.8	35.7
1590	4-PM10-95	10/5/2005	13	30.14	23.6	1.01	55	21.0	1454	1678.7	32.8
1598	1-PM10-96	10/6/2005	10	30.05	22.5	1.01	143	20.0	1422	1644.3	87.0
1602	2-PM10-96	10/6/2005	11	30.05	22.5	1.01	79	20.0	1433	1657.0	47.7
1610	4-PM10-96	10/6/2005	13	30.05	22.5	1.01	59	20.0	1445	1670.9	35.3
1618	1-PM10-97	10/7/2005	10	29.99	18.6	1.02	53	21.5	1315	1522.2	34.8
1622	2-PM10-97	10/7/2005	11	29.99	18.6	1.02	45	20.5	1289	1496.2	30.1
1630	4-PM10-97	10/7/2005	13	29.99	18.6	1.02	33	20.0	1289	1498.2	22.0
1638	1-PM10-98	10/10/2005	10	30.07	20.8	1.02	50	22.0	609	703.1	71.1
1642	2-PM10-98	10/10/2005	11	30.07	20.8	1.02	36	20.5	590	683.9	52.6
1650	4-PM10-98	10/10/2005	13	30.07	20.8	1.02	30	20.0	635	737.1	40.7
1658	1-PM10-99	10/11/2005	10	30.08	21.6	1.02	79	24.0	1372	1573.6	50.2
1662	2-PM10-99	10/11/2005	11	30.08	21.6	1.02	58	20.8	1340	1550.5	37.4
1670	4-PM10-99	10/11/2005	13	30.08	21.6	1.02	43	20.0	1301	1508.5	28.5
1678	1-PM10-100	10/12/2005	10	30.12	21.6	1.02	75	21.0	1387	1606.1	46.7
1682	2-PM10-100	10/12/2005	11	30.12	21.6	1.02	63	20.0	1386	1609.3	39.1
1690	4-PM10-100	10/12/2005	13	30.12	21.6	1.02	56	19.8	1415	1644.1	34.1
1698	1-PM10-101	10/13/2005	10	30.13	23.6	1.01	0	23.3	1422	1630.9	0.0
1702	2-PM10-101	10/13/2005	11	30.13	23.6	1.01	54	20.9	1425	1645.3	32.8
1710	4-PM10-101	10/13/2005	13	30.13	23.6	1.01	51	20.5	1419	1639.9	31.1
1718	1-PM10-102	10/14/2005	10	30.12	22.7	1.01	142	22.9	1420	1632.5	87.0
1722	2-PM10-102	10/14/2005	11	30.12	22.7	1.01	56	21.2	1455	1680.7	33.3
1730	4-PM10-102	10/14/2005	13	30.12	22.7	1.01	92	19.5	1443	1674.3	54.9
1738	1-PM10-103	10/17/2005	10	30.01	21.6	1.01	40	21.2	495	570.7	70.1
1742	2-PM10-103	10/17/2005	11	30.01	21.6	1.01	13	20.9	507	585.1	22.2
1750	4-PM10-103	10/17/2005	13	30.01	21.6	1.01	21	19.8	588	680.6	30.9
1758	1-PM10-104	10/18/2005	10	29.99	19.7	1.02	59	20.5	1318	1526.9	38.6
1762	2-PM10-104	10/18/2005	11	29.99	19.7	1.02	1	20.0	1304	1512.5	0.7

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
1770	4-PM10-104	10/18/2005	13	29.99	19.7	1.02	48	20.5	1309	1516.2	31.7
1778	1-PM10-105	10/19/2005	10	30.17	17.7	1.03	64	20.0	1462	1712.9	37.4
1782	2-PM10-105	10/19/2005	11	30.17	17.7	1.03	30	19.8	1461	1712.9	17.5
1790	4-PM10-105	10/19/2005	13	30.17	17.7	1.03	27	20.0	1456	1705.9	15.8
1798	1-PM10-106	10/20/2005	10	30.24	18.1	1.03	48	20.0	1415	1660.6	28.9
1802	2-PM10-106	10/20/2005	11	30.24	18.1	1.03	16	19.9	1421	1668.4	9.6
1810	4-PM10-106	10/20/2005	13	30.24	18.1	1.03	33	20.0	1412	1657.1	19.9
1818	1-PM10-107	10/21/2005	10	30.16	18.6	1.03	39	20.0	1427	1668.5	23.4
1822	2-PM10-107	10/21/2005	11	30.16	18.6	1.03	3	20.0	1425	1666.2	1.8
1830	4-PM10-107	10/21/2005	13	30.16	18.6	1.03	26	20.0	1425	1666.2	15.6
1838	1-PM10-108	10/24/2005	10	30.14	13.6	1.05	24	22.0	357	418.8	57.3
1842	2-PM10-108	10/24/2005	11	30.14	13.6	1.05	10	20.1	508	599.0	16.7
1846	3-PM10-108	10/24/2005	12	30.14	13.6	1.05	26	20.0	320	377.5	68.9
1858	1-PM10-109	10/25/2005	10	30.21	16.6	1.04	44	20.0	1417	1666.0	26.4
1862	2-PM10-109	10/25/2005	11	30.21	16.6	1.04	21	20.3	1424	1673.1	12.6
1866	3-PM10-109	10/25/2005	12	30.21	16.6	1.04	37	21.0	1440	1688.7	21.9
1870	4-PM10-109	10/25/2005	13	30.21	16.6	1.04	22	19.0	1505	1774.2	12.4
1878	1-PM10-110	10/26/2005	10	30.21	17.7	1.04	30	21.5	1545	1805.4	16.6
1882	2-PM10-110	10/26/2005	11	30.21	17.7	1.04	49	20.8	1540	1803.2	27.2
1886	3-PM10-110	10/26/2005	12	30.21	17.7	1.04	25	21.0	1425	1667.4	15.0
1890	4-PM10-110	10/26/2005	13	30.21	17.7	1.04	26	20.0	1489	1747.0	14.9
1898	1-PM10-111	10/27/2005	10	30.13	17.2	1.03	19	20.5	1285	1502.8	12.6
1902	2-PM10-111	10/27/2005	11	30.13	17.2	1.03	30	21.0	1284	1499.6	20.0
1906	3-PM10-111	10/27/2005	12	30.13	17.2	1.03	30	20.8	1402	1638.5	18.3
1910	4-PM10-111	10/27/2005	13	30.13	17.2	1.03	31	20.5	1276	1492.3	20.8
1918	1-PM10-112	10/28/2005	10	30.33	18.6	1.04	32	20.9	1432	1680.2	19.0
1922	2-PM10-112	10/28/2005	11	30.33	18.6	1.04	27	21.0	1392	1633.1	16.5
1926	3-PM10-112	10/28/2005	12	30.33	18.6	1.04	22	20.9	1205	1413.9	15.6
1930	4-PM10-112	10/28/2005	13	30.33	18.6	1.04	24	20.0	1428	1679.6	14.3
1934	1-PM10-113	10/29/2005	10	30.25	18.6	1.03	21	20.7	1399	1637.8	12.8
1938	3-PM10-113	10/29/2005	12	30.25	18.6	1.03	19	21.1	1393	1629.2	11.7
1942	4-PM10-113	10/29/2005	13	30.25	18.6	1.03	25	19.8	1395	1637.3	15.3
1946	3-PM10-114	10/30/2005	12	30.22	21.1	1.02	47	17.8	1435	1683.7	27.9
1950	4-PM10-114	10/30/2005	13	30.22	21.1	1.02	40	19.5	1494	1744.7	22.9
1954	1-PM10-115	10/31/2005	10	30.25	18.6	1.03	42	20.0	1459	1711.3	24.5
1958	2-PM10-115	10/31/2005	11	30.25	18.6	1.03	38	20.0	1449	1699.5	22.4

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
1962	3-PM10-115	10/31/2005	12	30.25	18.6	1.03	35	20.5	1443	1690.2	20.7
1966	4-PM10-115	10/31/2005	13	30.25	18.6	1.03	48	20.8	1444	1690.3	28.4
1970	1-PM10-116	11/1/2005	10	30.25	17.7	1.04	90	20.0	1395	1639.0	54.9
1974	2-PM10-116	11/1/2005	11	30.25	17.7	1.04	49	21.0	1445	1693.2	28.9
1978	3-PM10-116	11/1/2005	12	30.25	17.7	1.04	50	20.3	1449	1701.3	29.4
1982	4-PM10-116	11/1/2005	13	30.25	17.7	1.04	51	20.0	1410	1656.6	30.8
1986	1-PM10-117	11/2/2005	10	30.15	16.1	1.04	139	20.0	1313	1541.9	90.1
1990	2-PM10-117	11/2/2005	11	30.15	16.1	1.04	34	20.0	1314	1543.1	22.0
1994	3-PM10-117	11/2/2005	12	30.15	16.1	1.04	42	20.0	1317	1546.6	27.2
1998	4-PM10-117	11/2/2005	13	30.15	16.1	1.04	27	19.5	1265	1487.5	18.2
2002	1-PM10-118	11/2/2005	10	30.15	16.1	1.04	50	20.0	1492	1752.1	28.5
2006	2-PM10-118	11/2/2005	10	30.15	16.1	1.04	31	20.2	1499	1759.4	17.6
2010	3-PM10-118	11/2/2005	12	30.15	16.1	1.04	34	20.0	1525	1790.9	19.0
2014	4-PM10-118	11/2/2005	13	30.15	16.1	1.04	33	20.0	1442	1693.4	19.5
2018	1-PM10-119	11/4/2005	10	30.27	16.4	1.04	45	20.1	1420	1673.2	26.9
2022	2-PM10-119	11/4/2005	11	30.27	16.4	1.04	32	20.0	1417	1670.1	19.2
2026	4-PM10-119	11/4/2005	13	30.27	16.4	1.04	25	19.8	1410	1662.9	15.0
2030	5-PM10-119	11/4/2005	14	30.27	16.4	1.04	32	20.1	1393	1641.3	19.5
2034	1-PM10-120	11/8/2005	10	30.00	19.4	1.02	19	20.0	1437	1668.3	11.4
2038	2-PM10-120	11/8/2005	11	30.00	19.4	1.02	11	21.0	1432	1658.0	6.6
2042	3-PM10-120	11/8/2005	12	30.00	19.4	1.02	13	20.0	1427	1656.7	7.8
2046	4-PM10-120	11/8/2005	13	30.00	19.4	1.02	14	19.5	1413	1642.7	8.5
2050	5-PM10-120	11/8/2005	14	30.00	19.4	1.02	14	21.0	1407	1629.0	8.6
2054	1-PM10-121	11/9/2005	10	30.03	21.6	1.02	47	21.1	1446	1668.7	28.2
2058	2-PM10-121	11/9/2005	11	30.03	21.6	1.02	32	20.9	1500	1732.2	18.5
2062	4-PM10-121	11/9/2005	13	30.03	21.6	1.02	64	19.5	1424	1650.4	38.8
2066	5-PM10-121	11/9/2005	14	30.03	21.6	1.02	35	20.7	1459	1685.7	20.8
2070	1-PM10-122	11/10/2005	10	30.15	16.3	1.04	31	21.1	1417	1658.7	18.7
2074	2-PM10-122	11/10/2005	11	30.15	16.3	1.04	28	20.9	1373	1608.1	17.4
2078	4-PM10-122	11/10/2005	13	30.15	16.3	1.04	31	19.5	1465	1722.1	18.0
2082	5-PM10-122	11/10/2005	14	30.15	16.3	1.04	26	21.4	1432	1674.9	15.5
2086	1-PM10-123	11/11/2005	10	30.24	15.0	1.05	26	20.0	1401	1653.9	15.7
2090	2-PM10-123	11/11/2005	11	30.24	15.0	1.05	18	21.0	1403	1651.8	10.9
2094	4-PM10-123	11/11/2005	13	30.24	15.0	1.05	24	19.5	1409	1665.6	14.4
2098	5-PM10-123	11/11/2005	14	30.24	15.0	1.05	22	20.1	1411	1665.5	13.2
3002	1-PM10-124	11/15/2005	10	30.23	19.7	1.03	64	20.4	1507	1761.1	36.3

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
3006	2-PM10-124	11/15/2005	11	30.23	19.7	1.03	27	21.2	1494	1741.9	15.5
3010	3-PM10-124	11/15/2005	12	30.23	19.7	1.03	37	21.8	1495	1740.4	21.3
3014	4-PM10-124	11/15/2005	13	30.23	19.7	1.03	48	20.5	1483	1732.3	27.7
3018	5-PM10-124	11/15/2005	14	30.23	19.7	1.03	47	21.3	1483	1728.8	27.2
3022	1-PM10-125	11/16/2005	10	30.25	19.2	1.03	71	20.5	1432	1675.5	42.4
3026	2-PM10-125	11/16/2005	11	30.25	19.2	1.03	50	20.5	1428	1670.8	29.9
3030	3-PM10-125	11/16/2005	12	30.25	19.2	1.03	44	21.1	1433	1673.9	26.3
3034	4-PM10-125	11/16/2005	13	30.25	19.2	1.03	47	19.5	1430	1677.6	28.0
3038	5-PM10-125	11/16/2005	14	30.25	19.2	1.03	82	21.5	1427	1665.1	49.2
3042	1-PM10-126	11/17/2005	10	30.25	20.3	1.03	89	20.9	1386	1616.6	55.1
3046	2-PM10-126	11/17/2005	11	30.25	20.3	1.03	56	21.1	1392	1622.7	34.5
3050	3-PM10-126	11/17/2005	12	30.25	20.3	1.03	68	20.1	1388	1622.4	41.9
3054	4-PM10-126	11/17/2005	13	30.25	20.3	1.03	76	20.0	1403	1640.4	46.3
3058	5-PM10-126	11/17/2005	14	30.25	20.3	1.03	80	20.9	1405	1638.7	48.8
3062	1-PM10-127	11/18/2005	10	30.26	24.7	1.01	81	30.9	1390	1565.4	51.7
3066	2-PM10-127	11/18/2005	11	30.26	24.7	1.01	67	19.9	1390	1613.1	41.5
3070	4-PM10-127	11/18/2005	13	30.26	24.7	1.01	88	20.6	1350	1563.7	56.3
3074	1-PM10-128	11/19/2005	10	30.29	24.2	1.02	65	21.0	1420	1646.3	39.5
3078	4-PM10-128	11/19/2005	13	30.29	24.2	1.02	79	20.5	1425	1654.3	47.8
3082	1-PM10-129	11/22/2005	10	30.21	16.6	1.04	96	19.4	1497	1762.9	54.5
3086	4-PM10-129	11/22/2005	13	30.21	16.6	1.04	90	18.8	1485	1751.8	51.4
3090	1-PM10-130	11/23/2005	10	30.18	18.1	1.03	56	19.8	1145	1341.7	41.7
3094	4-PM10-130	11/23/2005	13	30.18	18.1	1.03	55	19.5	1160	1360.4	40.4
3098	1-PM10-131	11/28/2005	10	30.35	10.3	1.07	21	20.3	592	707.4	29.7
4002	4-PM10-131	11/28/2005	13	30.35	10.3	1.07	10	17.0	506	610.0	16.4
4006	1-PM10-132	11/29/2005	10	30.29	11.9	1.06	23	20.0	1410	1677.4	13.7
4014	2-PM10-133	11/30/2005	11	30.11	14.3	1.04	22	20.0	1490	1753.3	12.5
4018	4-PM10-133	11/30/2005	13	30.11	14.3	1.04	18	17.5	1415	1676.3	10.7
4022	1-PM10-134	12/5/2005	10	30.45	11.1	1.07	59	20.0	1685	2018.8	29.2
4026	2-PM10-134	12/5/2005	11	30.45	11.1	1.07	56	20.1	1668	1997.9	28.0
4030	4-PM10-134	12/5/2005	13	30.45	11.1	1.07	62	18.0	1643	1979.0	31.3
4034	1-PM10-135	12/6/2005	10	30.29	12.3	1.06	49	20.1	1539	1828.9	26.8
4038	2-PM10-135	12/6/2005	11	30.29	12.3	1.06	41	20.0	1672	1987.5	20.6
4042	4-PM10-135	12/6/2005	13	30.29	12.3	1.06	50	16.5	1613	1935.4	25.8
4046	1-PM10-136	12/7/2005	10	30.21	13.5	1.05	89	20.0	1541	1822.5	48.8
4050	2-PM10-136	12/7/2005	11	30.21	13.5	1.05	86	20.0	1543	1824.8	47.1

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
4054	4-PM10-136	12/7/2005	13	30.21	13.5	1.05	86	19.0	1489	1765.7	48.7
4058	1-PM10-137	12/9/2005	10	30.26	18.3	1.03	77	19.9	1405	1649.9	46.7
4062	4-PM10-137	12/9/2005	13	30.26	18.3	1.03	55	19.0	1416	1666.8	33.0
4066	1-PM10-138	12/10/2005	10	30.28	21.2	1.03	63	19.8	1380	1613.6	39.0
4070	4-PM10-138	12/10/2005	13	30.28	21.2	1.03	59	19.1	1387	1624.6	36.3
4074	1-PM10-139	12/12/2005	10	30.23	12.0	1.06	16	19.1	1795	2135.7	7.5
4078	2-PM10-139	12/12/2005	11	30.23	12.0	1.06	11	20.5	1800	2133.6	5.2
4082	4-PM10-139	12/12/2005	13	30.23	12.0	1.06	10	19.5	1790	2127.4	4.7
4086	1-PM10-140	12/13/2005	10	30.26	12.4	1.06	36	18.5	1425	1698.6	21.2
4090	2-PM10-140	12/13/2005	11	30.26	12.4	1.06	32	20.0	1420	1685.9	19.0
4094	4-PM10-140	12/13/2005	13	30.26	12.4	1.06	41	19.0	1408	1676.1	24.5
4098	1-PM10-141	12/14/2005	10	30.28	12.9	1.05	17	19.0	1435	1707.8	10.0
5002	4-PM10-141	12/14/2005	13	30.28	12.9	1.05	64	15.5	1430	1717.8	37.3
5006	1-PM10-142	12/15/2005	10	30.47	14.3	1.06	49	19.5	1368	1632.2	30.0
5010	2-PM10-142	12/15/2005	11	30.47	14.3	1.06	55	20.3	1414	1683.7	32.7
5014	3-PM10-142	12/15/2005	12	30.47	14.3	1.06	56	20.8	1395	1658.7	33.8
5018	4-PM10-142	12/15/2005	13	30.47	14.3	1.06	57	17.3	1394	1673.2	34.1
5022	1-PM10-143	12/16/2005	10	30.55	12.2	1.07	61	17.1	1426	1724.2	35.4
5026	2-PM10-143	12/16/2005	11	30.55	12.2	1.07	102	20.3	1469	1760.9	57.9
5030	3-PM10-143	12/16/2005	12	30.55	12.2	1.07	66	19.5	1485	1783.9	37.0
5034	4-PM10-143	12/16/2005	13	30.55	12.2	1.07	71	18.0	1479	1783.8	39.8
5038	1-PM10-144	12/17/2005	10	30.80	10.4	1.08	100	17.1	1309	1601.7	62.4
5042	2-PM10-144	12/17/2005	11	30.80	10.4	1.08	84	18.9	1246	1517.4	55.4
5046	3-PM10-144	12/17/2005	12	30.80	10.4	1.08	65	19.6	1376	1672.8	38.9
5050	4-PM10-144	12/17/2005	13	30.80	10.4	1.08	103	17.8	1431	1747.9	58.9
5054	3-PM10-145	12/19/2005	12	30.70	10.6	1.08	52	19.5	1064	1288.8	40.3
5058	4-PM10-145	12/19/2005	13	30.70	10.6	1.08	29	18.8	955	1159.0	25.0
5062	3-PM10-146	12/20/2005	12	30.37	16.9	1.04	38	21.7	1510	1776.1	21.4
5066	4-PM10-146	12/20/2005	13	30.37	16.9	1.04	38	19.5	1515	1792.5	21.2
5070	2-PM10-147	12/21/2005	11	30.30	16.6	1.04	33	19.8	1560	1840.8	17.9
5074	3-PM10-147	12/21/2005	12	30.30	16.6	1.04	35	21.2	1509	1774.0	19.7
5078	4-PM10-147	12/21/2005	13	30.30	16.6	1.04	30	19.0	1498	1771.5	16.9
5082	1-PM10-148	12/22/2005	10	30.22	16.6	1.04	20	18.2	1417	1674.8	11.9
5086	4-PM10-148	12/22/2005	13	30.22	16.6	1.04	9	19.0	1442	1700.5	5.3
5091	1-PM10-149	12/23/2005	10	30.26	16.1	1.04	18	21.0	1320	1552.1	11.6
5095	4-PM10-149	12/23/2005	13	30.26	16.1	1.04	20	19.0	1318	1557.9	12.8

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated	Volume (m3)	Conc PM10 (ug/m3)
5099	1-PM10-150	1/6/2006	10	30.32	13.8	1.05	61	20.4	323	382.8	159.3
6003	2-PM10-150	1/6/2006	11	30.32	13.8	1.05	69	21.3	361	426.9	161.6
6007	4-PM10-150	1/6/2006	13	30.32	13.8	1.05	73	20.5	486	575.9	126.7
6011	1-PM10-151	2/22/2006	10	30.30	10.2	1.07	51	19.1	1443	1727.3	29.5
6015	4-PM10-151	2/22/2006	13	30.30	10.2	1.07	42	19.0	1445	1729.9	24.3
6019	1-PM10-152	2/23/2006	10	30.20	11.9	1.06	88	21.1	1448	1712.1	51.4
6023	4-PM10-152	2/23/2006	13	30.20	11.9	1.06	72	18.0	1451	1730.0	41.6
6027	1-PM10-153	2/24/2006	10	30.30	13.1	1.05	86	18.1	1496	1785.5	48.2
6031	4-PM10-153	2/24/2006	13	30.30	13.1	1.05	73	19.0	1481	1763.1	41.4
6035	1-PM10-154	2/25/2006	10	30.20	11.7	1.06	65	19.5	1335	1586.1	41.0
6039	4-PM10-154	2/26/2006	13	30.00	12.3	1.05	64	18.0	1342	1587.7	40.3
6043	1-PM10-155	2/26/2006	10	30.00	12.3	1.05	49	18.7	1439	1699.3	28.8
6047	4-PM10-155	2/26/2006	13	30.00	12.3	1.05	43	18.0	1441	1704.9	25.2
6051	1-PM10-156	3/22/2006	10	30.38	15.6	1.05	51	16.8	1497	1789.3	28.5
6055	2-PM10-156	3/22/2006	11	30.38	15.6	1.05	54	19.3	1498	1778.3	30.4
6059	4-PM10-156	3/22/2006	13	30.38	15.6	1.05	48	19.5	1608	1908.1	25.2
6063	1-PM10-157	3/23/2006	10	30.24	16.7	1.04	31	17.8	1645	1947.4	15.9
6067	2-PM10-157	3/23/2006	11	30.24	16.7	1.04	36	19.5	1642	1935.0	18.6
6071	4-PM10-157	3/23/2006	13	30.24	16.7	1.04	26	15.0	1581	1885.4	13.8
6075	5-PM10-157	3/23/2006	14	30.24	16.7	1.04	31	19.5	1603	1888.8	16.4
6079	1-PM10-158	3/28/2006	10	29.93	13.6	1.04	31	16.9	1379	1628.3	19.0
6083	2-PM10-158	3/28/2006	11	29.93	13.6	1.04	14	19.7	311	364.4	38.4
6087	4-PM10-158	3/28/2006	13	29.93	13.6	1.04	28	15.5	1474	1747.0	16.0
6091	5-PM10-158	3/28/2006	14	29.93	13.6	1.04	31	19.8	1488	1743.5	17.8
6095	1-PM10-159	4/19/2006	10	30.23	17.8	1.04	76	18.0	1727	2038.2	37.3
6099	4-PM10-159	4/19/2006	13	30.23	17.8	1.04	62	16.0	1793	2127.4	29.1
6103	1-PM10-160	4/20/2006	10	30.04	18.9	1.02	53	18.0	1443	1688.5	31.4
6107	4-PM10-160	4/20/2006	13	30.04	18.9	1.02	45	18.0	1425	1667.2	27.0
6111	1-PM10-161	4/21/2006	10	30.01	17.5	1.03	71	19.0	1400	1636.1	43.4
6115	2-PM10-161	4/21/2006	11	30.01	17.5	1.03	46	19.3	1442	1684.1	27.3
6119	4-PM10-161	4/21/2006	13	30.01	17.5	1.03	45	18.0	1411	1653.5	27.2
6123	1-PM10-162	4/25/2006	10	30.22	13.9	1.05	74	17.1	1581	1883.9	39.3
6127	2-PM10-162	4/25/2006	11	30.22	13.9	1.05	38	19.7	1578	1867.0	20.4
6135	1-PM10-163	4/26/2006	10	30.10	16.4	1.04	99	17.8	1568	1848.3	53.6
6139	2-PM10-163	4/26/2006	11	30.10	16.4	1.04	70	19.8	1567	1837.2	38.1
6143	4-PM10-163	4/26/2006	13	30.10	16.4	1.04	40	20.0	1384	1621.5	24.7

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
6147	1-PM10-164	4/27/2006	10	30.12	18.1	1.03	99	17.0	1505	1773.1	55.8
6151	2-PM10-164	4/27/2006	11	30.12	18.1	1.03	109	19.1	1505	1763.2	61.8
6155	4-PM10-164	4/27/2006	13	30.12	18.1	1.03	85	20.0	1490	1741.4	48.8
6159	1-PM10-165	4/28/2006	10	30.09	18.9	1.03	64	17.0	1225	1439.6	44.5
6163	2-PM10-165	4/28/2006	11	30.09	18.9	1.03	73	19.0	1235	1443.6	50.6
6167	4-PM10-165	4/28/2006	13	30.09	18.9	1.03	58	20.0	1250	1457.1	39.8
6171	1-PM10-166	5/1/2006	10	30.05	20.8	1.02	146	17.8	1707	1992.1	73.3
6175	2-PM10-166	5/1/2006	11	30.05	20.8	1.02	155	19.8	1682	1952.4	79.4
6183	1-PM10-167	5/2/2006	10	30.02	18.3	1.03	105	18.3	1470	1719.2	61.1
6187	2-PM10-167	5/2/2006	11	30.02	18.3	1.03	93	20.0	1441	1677.6	55.4
6191	4-PM10-167	5/2/2006	13	30.02	18.3	1.03	82	20.0	1460	1699.7	48.2
6195	5-PM10-167	5/2/2006	14	30.02	18.3	1.03	111	19.8	1463	1704.1	65.1
6199	2-PM10-168	5/3/2006	11	30.07	17.2	1.03	59	19.1	1351	1582.7	37.3
6203	4-PM10-168	5/3/2006	13	30.07	17.2	1.03	40	20.0	900	1051.8	38.0
6207	5-PM10-168	5/3/2006	14	30.07	17.2	1.03	64	19.0	1395	1634.6	39.2
6211	1-PM10-169	5/4/2006	10	30.11	19.2	1.03	190	18.4	1401	1640.7	115.8
6215	2-PM10-169	5/4/2006	11	30.11	19.2	1.03	181	19.5	1362	1590.1	113.8
6219	4-PM10-169	5/4/2006	13	30.11	19.2	1.03	102	20.0	1380	1608.9	63.4
6227	1-PM10-170	5/9/2006	10	30.05	23.1	1.01	106	19.3	1565	1811.4	58.5
6231	2-PM10-170	5/9/2006	11	30.05	23.1	1.01	231	20.8	1468	1692.2	136.5
6235	4-PM10-170	5/9/2006	13	30.05	23.1	1.01	93	20.0	1427	1648.3	56.4
6239	1-PM10-171	5/10/2006	10	30.10	21.9	1.02	110	19.0	1445	1680.2	65.5
6247	4-PM10-171	5/10/2006	13	30.10	21.9	1.02	91	20.0	1575	1826.4	49.8
6251	1-PM10-172	5/11/2006	10	30.08	20.0	1.02	99	18.5	1316	1536.6	64.4
6259	4-PM10-172	5/11/2006	13	30.08	20.0	1.02	70	20.0	1302	1514.1	46.2
6267	4-PM10-173	5/15/2006	13	30.20	16.7	1.04	68	20.0	1728	2030.5	33.5
6271	1-PM10-174	5/16/2006	10	30.15	18.1	1.03	94	18.9	1652	1938.7	48.5
6275	2-PM10-174	5/16/2006	11	30.15	18.1	1.03	106	19.5	1642	1923.6	55.1
6279	4-PM10-174	5/16/2006	13	30.15	18.1	1.03	49	20.0	1579	1847.3	26.5
6283	1-PM10-175	5/17/2006	10	30.09	17.5	1.03	94	20.0	1435	1677.2	56.0
6287	2-PM10-175	5/17/2006	11	30.09	17.5	1.03	51	20.0	1434	1676.0	30.4
6291	4-PM10-175	5/17/2006	13	30.09	17.5	1.03	34	20.0	1378	1610.6	21.1
6295	1-PM10-176	5/18/2006	10	30.19	19.2	1.03	94	20.3	5165	6034.6	15.6
6299	2-PM10-176	5/18/2006	11	30.19	19.2	1.03	125	22.3	6985	8116.9	15.4
6303	4-PM10-176	5/18/2006	13	30.19	19.2	1.03	110	20.3	6901	8062.8	13.6
6311	2-PM10-177	5/24/2006	11	30.18	19.7	1.03	153	20.5	2844	3316.3	46.1

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
6315	4-PM10-177	5/24/2006	13	30.18	19.7	1.03	91	20.0	2825	3298.6	27.6
6319	1-PM10-178	6/1/2006	10	30.24	18.3	1.03	160	21.0	3002	3512.3	45.6
6323	2-PM10-178	6/1/2006	11	30.24	18.3	1.03	95	19.5	2982	3503.1	27.1
6327	4-PM10-178	6/1/2006	13	30.24	18.3	1.03	46	18.3	2957	3485.4	13.2
6331	1-PM10-180	6/9/2006	10	30.34	18.1	1.04	133	18.8	1827	2158.9	61.6
6335	2-PM10-180	6/9/2006	11	30.34	18.1	1.04	93	20.0	1820	2143.4	43.4
6339	4-PM10-180	6/9/2006	13	30.34	18.1	1.04	96	20.0	1856	2185.8	43.9
6343	1-PM10-181	6/14/2006	10	30.18	18.3	1.03	85	19.3	3062	3592.0	23.7
6347	2-PM10-181	6/14/2006	11	30.18	18.3	1.03	79	21.4	3096	3611.1	21.9
6351	4-PM10-181	6/14/2006	13	30.18	18.3	1.03	71	19.0	3076	3610.8	19.7
6355	1-PM10-182	6/16/2006	10	30.20	22.5	1.02	174	19.3	3025	3523.5	49.4
6359	2-PM10-182	6/16/2006	11	30.20	22.5	1.02	127	19.8	3013	3504.8	36.2
6363	4-PM10-182	6/16/2006	13	30.20	22.5	1.02	117	19.0	3045	3549.1	33.0
6367	1-PM10-183	6/21/2006	10	30.12	22.2	1.02	230	20.7	3045	3525.0	65.2
6371	2-PM10-183	6/21/2006	11	30.12	22.2	1.02	117	19.7	3057	3548.4	33.0
6375	4-PM10-183	6/21/2006	13	30.12	22.2	1.02	205	19.0	3053	3550.5	57.7
6379	1-PM10-184	6/23/2006	10	30.06	20.3	1.02	239	19.6	3164	3678.8	65.0
6383	2-PM10-184	6/23/2006	11	30.06	20.3	1.02	207	19.8	3143	3652.4	56.7
6387	4-PM10-184	6/23/2006	13	30.06	20.3	1.02	184	20.0	3181	3694.6	49.8
6403	1-PM10-186	6/30/2006	10	30.19	19.8	1.03	109	19.5	2948	3447.4	31.6
6411	4-PM10-186	6/30/2006	13	30.19	19.8	1.03	70	17.8	2945	3459.7	20.2
6415	5-PM10-186	6/30/2006	14	30.19	19.8	1.03	108	18.0	1662	1951.4	55.3
6419	1-PM10-187	7/7/2006	10	30.21	21.1	1.02	215	20.0	3219	3752.8	57.3
6423	2-PM10-187	7/7/2006	11	30.21	21.1	1.02	165	20.3	3221	3752.1	44.0
6427	4-PM10-187	7/7/2006	13	30.21	21.1	1.02	140	19.0	3224	3768.8	37.1
6431	5-PM10-187	7/7/2006	14	30.21	21.1	1.02	389	18.8	3229	3776.7	103.0
6435	1-PM10-188	7/12/2006	10	30.13	18.1	1.03	174	20.0	3090	3612.5	48.2
6439	2-PM10-188	7/12/2006	11	30.13	18.1	1.03	108	19.9	3109	3635.7	29.7
6443	4-PM10-188	7/12/2006	13	30.13	18.1	1.03	75	17.5	3085	3631.0	20.7
6447	5-PM10-188	7/12/2006	14	30.13	18.1	1.03	175	18.3	3082	3619.7	48.3
6451	1-PM10-189	7/14/2006	10	30.17	19.7	1.03	143	19.8	3030	3538.6	40.4
6455	2-PM10-189	7/14/2006	11	30.17	19.7	1.03	79	20.0	3021	3526.2	22.4
6459	4-PM10-189	7/14/2006	13	30.17	19.7	1.03	52	19.3	3057	3575.0	14.5
6463	5-PM10-189	7/14/2006	14	30.17	19.7	1.03	104	18.5	3050	3574.5	29.1
6467	1-PM10-190	7/19/2006	10	30.07	22.2	1.01	216	20.3	2989	3457.8	62.5
6471	2-PM10-190	7/19/2006	11	30.07	22.2	1.01	229	20.3	3000	3470.6	66.0

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated	Volume (m3)	Conc PM10 (ug/m3)
6475	4-PM10-190	7/19/2006	13	30.07	22.2	1.01	235	18.0	2979	3467.7	67.8
6479	1-PM10-191	7/21/2006	10	30.04	25.3	1.00	234	21.0	3070	3521.1	66.5
6483	2-PM10-191	7/21/2006	11	30.04	25.3	1.00	154	20.8	3043	3492.0	44.1
6487	3-PM10-191	7/21/2006	13	30.04	25.3	1.00	173	20.8	3009	3453.0	50.1
6491	4-PM10-191	7/21/2006	13	30.04	25.3	1.00	79	18.0	3046	3522.0	22.4
6495	1-PM10-193	7/28/2006	10	30.04	20.8	1.02	90	20.5	2718	3147.4	28.6
6499	2-PM10-193	7/28/2006	11	30.04	20.8	1.02	73	18.0	2671	3114.0	23.4
6503	3-PM10-193	7/28/2006	12	30.04	20.8	1.02	116	19.0	2674	3109.1	37.3
6507	4-PM10-193	7/28/2006	13	30.04	20.8	1.02	74	17.5	2773	3237.3	22.9
6511	1-PM10-194	8/2/2006	10	30.09	18.3	1.03	274	19.5	3183	3719.7	73.7
6515	2-PM10-194	8/2/2006	11	30.09	18.3	1.03	297	21.5	3051	3546.1	83.8
6519	3-PM10-194	8/2/2006	12	30.09	18.3	1.03	440	20.3	3023	3525.1	124.8
6523	4-PM10-194	8/2/2006	13	30.09	18.3	1.03	349	16.5	3107	3660.3	95.3
6527	1-PM10-195	8/4/2006	10	30.09	22.2	1.02	182	19.5	3055	3544.3	51.3
6531	2-PM10-195	8/4/2006	11	30.09	22.2	1.02	154	20.3	3060	3542.4	43.5
6535	3-PM10-195	8/4/2006	12	30.09	22.2	1.02	139	19.3	3072	3566.0	39.0
6539	4-PM10-195	8/4/2006	13	30.09	22.2	1.02	187	17.5	3043	3549.5	52.7
6543	1-PM10-196	8/9/2006	10	30.14	23.6	1.01	145	19.0	3002	3484.7	41.6
6547	2-PM10-196	8/9/2006	11	30.14	23.6	1.01	104	20.8	3010	3477.0	29.9
6551	3-PM10-196	8/9/2006	12	30.14	23.6	1.01	92	20.0	2994	3466.0	26.5
6555	4-PM10-196	8/9/2006	13	30.14	23.6	1.01	71	18.0	3002	3494.1	20.3
6563	2-PM10-197	8/11/2006	11	30.09	23.6	1.01	173	19.3	3064	3547.6	48.8
6567	3-PM10-197	8/11/2006	12	30.09	23.6	1.01	244	20.8	3082	3554.0	68.7
6571	4-PM10-197	8/11/2006	13	30.09	23.6	1.01	144	18.3	3051	3542.1	40.7
6575	1-PM10-198	8/16/2006	10	30.15	17.5	1.03	185	18.5	3045	3580.9	51.7
6579	2-PM10-198	8/16/2006	11	30.15	17.5	1.03	107	19.3	3058	3588.4	29.8
6583	3-PM10-198	8/16/2006	12	30.15	17.5	1.03	122	19.0	3067	3601.9	33.9
6587	4-PM10-198	8/16/2006	13	30.15	17.5	1.03	80	17.5	3097	3651.8	21.9
6591	1-PM10-199	8/18/2006	10	30.15	18.6	1.03	176	19.0	2996	3511.3	50.1
6595	2-PM10-199	8/18/2006	11	30.15	18.6	1.03	111	19.5	2946	3448.0	32.2
6603	4-PM10-199	8/18/2006	13	30.15	18.6	1.03	120	17.0	2996	3530.2	34.0
6607	1-PM10-202	8/25/2006	10	30.10	19.4	1.03	195	19.5	3000	3499.8	55.7
6611	2-PM10-202	8/25/2006	11	30.10	19.4	1.03	115	18.0	2994	3507.0	32.8
6615	3-PM10-202	8/25/2006	12	30.10	19.4	1.03	118	19.0	2947	3442.7	34.3
6619	4-PM10-202	8/25/2006	13	30.10	19.4	1.03	104	15.0	3022	3568.4	29.1
6623	1-PM10-203	8/30/2006	10	30.07	18.1	1.03	136	19.5	3041	3552.6	38.3

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated	Volume (m3)	Conc PM10 (ug/m3)
6627	3-PM10-203	8/30/2006	12	30.07	18.1	1.03	107	18.8	3061	3582.7	29.9
6631	4-PM10-203	8/30/2006	13	30.07	18.1	1.03	62	15.0	3030	3582.8	17.3
6635	1-PM10-204	9/1/2006	10	30.06	20.8	1.02	226	19.0	2994	3483.6	64.9
6639	2-PM10-204	9/1/2006	11	30.06	20.8	1.02	195	19.5	2985	3468.4	56.2
6643	4-PM10-204	9/1/2006	13	30.06	20.8	1.02	166	15.0	3004	3533.0	47.0
6647	1-PM10-205	9/7/2006	10	30.11	15.3	1.04	188	19.0	2951	3475.3	54.1
6651	2-PM10-205	9/7/2006	11	30.11	15.3	1.04	76	19.0	2961	3487.1	21.8
6655	4-PM10-205	9/7/2006	13	30.11	15.3	1.04	79	16.0	2936	3485.6	22.7
6659	1-PM10-206	9/8/2006	10	30.01	15.3	1.04	125	19.3	1782	2089.6	59.8
6663	2-PM10-206	9/8/2006	11	30.01	15.3	1.04	82	18.5	1780	2091.7	39.2
6667	4-PM10-206	9/8/2006	13	30.01	15.3	1.04	83	18.0	1800	2118.1	39.2
6671	1-PM10-207	9/13/2006	10	30.07	17.2	1.03	155	19.5	3048	3566.8	43.5
6675	2-PM10-207	9/13/2006	11	30.07	17.2	1.03	128	19.0	3050	3574.0	35.8
6679	4-PM10-207	9/13/2006	13	30.07	17.2	1.03	99	18.5	3048	3576.4	27.7
6683	1-PM10-208	9/15/2006	10	30.02	18.5	1.03	251	19.5	2939	3424.8	73.3
6687	2-PM10-208	9/15/2006	11	30.02	18.5	1.03	115	17.0	2941	3450.4	33.3
6691	4-PM10-208	9/15/2006	13	30.02	18.5	1.03	140	18.5	2942	3437.6	40.7
6707	1-PM10-210	9/22/2006	10	30.02	25.1	1.00	265	19.8	3016	3469.2	76.4
6711	2-PM10-210	9/22/2006	11	30.02	25.1	1.00	172	18.3	3012	3478.7	49.4
6715	4-PM10-210	9/22/2006	13	30.02	25.1	1.00	164	18.0	3021	3492.0	47.0
6719	1-PM10-211	9/27/2006	10	30.19	17.4	1.04	134	18.0	3062	3611.4	37.1
6723	2-PM10-211	9/27/2006	11	30.19	17.4	1.04	112	17.3	3069	3626.5	30.9
6727	4-PM10-211	9/27/2006	13	30.19	17.4	1.04	114	17.3	3046	3599.3	31.7
6731	1-PM10-212	9/29/2006	10	30.20	18.0	1.03	99	18.3	3058	3601.0	27.5
6735	2-PM10-212	9/29/2006	11	30.20	18.0	1.03	87	17.5	3052	3601.6	24.2
6739	4-PM10-212	9/29/2006	13	30.20	18.0	1.03	85	17.5	3085	3640.6	23.3
6743	1-PM10-214	10/6/2006	10	30.14	15.8	1.04	38	18.3	3031	3576.6	10.6
6747	2-PM10-214	10/6/2006	11	30.14	15.8	1.04	6	17.3	3026	3580.3	1.7
6751	3-PM10-214	10/6/2006	3	30.14	15.8	1.04	54	18.3	2937	3465.6	15.6
6755	4-PM10-214	10/6/2006	13	30.14	15.8	1.04	40	18.0	3038	3587.7	11.1
6759	5-PM10-214	10/6/2006	5	30.14	15.8	1.04	55	17.5	2937	3473.1	15.8
6763	3-PM10-215	10/7/2006	3	30.15	19.2	1.03	64	18.8	1411	1652.7	38.7
6767	5-PM10-215	10/7/2006	5	30.15	19.2	1.03	56	19.0	1410	1650.6	33.9
6779	3-PM10-216	10/11/2006	3	30.09	19.7	1.02	121	17.5	3075	3603.4	33.6
6787	5-PM10-216	10/11/2006	5	30.09	19.7	1.02	110	19.3	3072	3582.5	30.7
6791	2-PM10-217	10/13/2006	11	30.02	19.6	1.02	149	17.8	2994	3497.8	42.6

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
6795	3-PM10-217	10/13/2006	3	30.02	19.6	1.02	100	19.3	2992	3481.3	28.7
6799	4-PM10-217	10/13/2006	13	30.02	19.6	1.02	139	19.3	3027	3522.1	39.5
6803	5-PM10-217	10/13/2006	5	30.02	19.6	1.02	132	18.0	2995	3497.1	37.7
6807	3-PM10-218	10/15/2006	3	29.98	16.1	1.03	60	19.3	2858	3342.7	17.9
6811	5-PM10-218	10/15/2006	5	29.98	16.1	1.03	74	18.0	2847	3341.5	22.1
6815	2-PM10-219	10/18/2006	11	30.15	18.6	1.03	129	18.8	3048	3574.1	36.1
6819	3-PM10-219	10/18/2006	3	30.15	18.6	1.03	95	17.8	3056	3593.1	26.4
6823	4-PM10-219	10/18/2006	13	30.15	18.6	1.03	79	18.0	3021	3550.1	22.3
6827	5-PM10-219	10/18/2006	5	30.15	18.6	1.03	98	19.0	3092	3623.8	27.0
6831	2-PM10-220	10/20/2006	11	30.13	25.5	1.01	99	18.5	3052	3534.0	28.0
6835	3-PM10-220	10/20/2006	3	30.13	25.5	1.01	114	20.5	2938	3383.7	33.7
6839	4-PM10-220	10/20/2006	13	30.13	25.5	1.01	93	18.0	3081	3572.4	26.0
6843	5-PM10-220	10/20/2006	5	30.13	25.5	1.01	108	19.5	2941	3396.3	31.8
6847	3-PM10-221	10/21/2006	3	29.98	28.8	0.99	69	20.3	1443	1644.3	42.0
6851	5-PM10-221	10/21/2006	5	29.98	28.8	0.99	58	20.0	1440	1642.2	35.3
6855	2-PM10-222	10/25/2006	11	30.19	16.1	1.04	134	18.5	3019	3564.7	37.6
6859	3-PM10-222	10/25/2006	3	30.19	16.1	1.04	135	19.8	3057	3596.9	37.5
6863	4-TSP-222	10/25/2006	13	30.19	16.1	1.04	118	17.3	3130	3707.6	31.8
6867	5-PM10-222	10/25/2006	5	30.19	16.1	1.04	167	18.0	3058	3615.6	46.2
6871	2-PM10-223	10/27/2006	11	30.31	22.0	1.02	199	19.0	3047	3568.3	55.8
6879	4-PM10-223	10/27/2006	13	30.31	22.0	1.02	198	18.8	3064	3590.2	55.2
6887	2-PM10-224	11/1/2006	11	30.20	15.7	1.04	84	17.8	3022	3578.9	23.5
6891	4-PM10-224	11/1/2006	13	30.20	15.7	1.04	76	17.5	3017	3575.8	21.3
6895	3-PM10-226	11/4/2006	3	30.28	18.2	1.04	37	19.5	1694	1993.2	18.6
6899	5-PM10-226	11/4/2006	5	30.28	18.2	1.04	47	16.5	1683	1996.2	23.5
6903	2-PM10-227	11/8/2006	11	30.23	17.6	1.04	39	17.3	2918	3451.5	11.3
6907	3-PM10-227	11/8/2006	3	30.23	17.6	1.04	42	20.0	2923	3432.5	12.2
6911	4-PM10-227	11/8/2006	13	30.23	17.6	1.04	32	18.0	2902	3426.2	9.3
6915	5-PM10-227	11/8/2006	5	30.23	17.6	1.04	55	18.0	2918	3445.0	16.0
6927	3-PM10-229	11/17/2006	3	30.24	14.5	1.05	74	20.7	3056	3604.3	20.5
6931	5-PM10-229	11/17/2006	5	30.24	14.5	1.05	67	17.3	3058	3639.7	18.4
6935	3-PM10-230	11/18/2006	3	30.23	18.4	1.03	57	20.7	1683	1969.6	28.9
6939	5-PM10-230	11/18/2006	5	30.23	18.4	1.03	53	18.0	1657	1953.3	27.1
6943	3-PM10-231	11/21/2006	3	30.23	16.6	1.04	69	20.6	1509	1772.5	38.9
6947	5-PM10-231	11/21/2006	5	30.23	16.6	1.04	66	17.5	1492	1767.2	37.3
6951	2-PM10-233	12/1/2006	11	30.62	7.4	1.09	84	17.7	1883	2299.8	36.5

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
6955	4-PM10-233	12/1/2006	13	30.62	7.4	1.09	81	18.1	1885	2299.8	35.2
6959	2-PM10-234	12/6/2006	11	30.43	12.0	1.06	141	19.2	2949	3532.2	39.9
6963	3-PM10-234	12/6/2006	3	30.43	12.0	1.06	164	20.4	3056	3648.6	44.9
6967	4-PM10-234	12/6/2006	13	30.43	12.0	1.06	147	17.0	2939	3540.8	41.5
6971	5-PM10-234	12/6/2006	5	30.43	12.0	1.06	153	17.0	3041	3663.7	41.8
6975	2-PM10-235	12/8/2006	11	30.18	16.9	1.04	207	20.2	3012	3533.6	58.6
6979	3-PM10-235	12/8/2006	3	30.18	16.9	1.04	221	21.5	2921	3414.8	64.7
6983	4-PM10-235	12/8/2006	13	30.18	16.9	1.04	104	19.0	3013	3546.2	29.3
6987	5-PM10-235	12/8/2006	5	30.18	16.9	1.04	221	19.0	2904	3417.9	64.7
6991	2-PM10-237	12/20/2006	11	30.51	7.4	1.08	111	19.6	2890	3498.7	31.7
6995	3-PM10-237	12/20/2006	3	30.51	7.4	1.08	112	18.8	2927	3551.1	31.5
6999	4-A-237	12/20/2006	13	30.51	7.4	1.08	99	15.5	2883	3528.4	28.1
7003	5-PM10-237	12/20/2006	5	30.51	7.4	1.08	110	17.5	2923	3558.5	30.9
7015	3-PM10-241	1/13/2007	3	30.46	8.7	1.08	54	20.5	3070	3691.8	14.6
7019	5-PM10-241	1/13/2007	5	30.46	8.7	1.08	37	18.5	3055	3693.5	10.0
7023	3-PM10-242	1/18/2007	3	30.45	10.4	1.07	93	21.0	3165	3787.0	24.6
7027	5-PM10-242	1/18/2007	5	30.45	10.4	1.07	82	19.4	3197	3841.7	21.3
7031	3-PM10-243	1/24/2007	3	30.41	11.4	1.06	154	21.5	3127	3724.1	41.4
7035	5-PM10-243	1/24/2007	5	30.41	11.4	1.06	173	19.6	3135	3752.7	46.1
7039	3-PM10-244	1/26/2007	3	30.26	11.6	1.06	160	21.3	2847	3373.5	47.4
7043	5-PM10-244	1/26/2007	5	30.26	11.6	1.06	142	19.2	2835	3378.3	42.0
7047	3-PM10-246	2/15/2007	3	30.45	13.6	1.06	80	21.1	3182	3782.9	21.1
7051	5-PM10-246	2/15/2007	5	30.45	13.6	1.06	68	17.1	3146	3780.2	18.0
7055	3-PM10-247	2/17/2007	3	30.41	20.4	1.03	72	20.0	3008	3535.9	20.4
7059	5-PM10-247	2/17/2007	5	30.41	20.4	1.03	58	20.6	2981	3498.5	16.6
7067	3-PM10-249	3/3/2007	3	30.43	16.7	1.05	113	20.2	1634	1934.4	58.4
7071	5-PM10-249	3/3/2007	5	30.43	16.7	1.05	26	19.5	1524	1807.6	14.4
7075	3-PM10-250	3/7/2007	3	30.30	13.9	1.05	82	19.7	3074	3647.1	22.5
7079	5-PM10-250	3/7/2007	5	30.30	13.9	1.05	68	19.6	2844	3375.1	20.1
7083	3-PM10-251	3/9/2007	3	30.28	15.7	1.04	70	19.6	3071	3629.4	19.3
7087	5-PM10-251	3/9/2007	5	30.28	15.7	1.04	66	20.2	3066	3617.7	18.2
7091	3-PM10-252	3/14/2007	3	30.22	16.9	1.04	99	19.6	3094	3640.7	27.2
7095	5-PM10-252	3/14/2007	5	30.22	16.9	1.04	287	19.7	3099	3645.6	78.7
7099	3-PM10-253	3/16/2007	3	30.23	23.1	1.02	129	20.0	3064	3561.5	36.2
7103	5-PM10-253	3/16/2007	5	30.23	23.1	1.02	117	19.8	3043	3539.0	33.1
7107	3-PM10-254	3/21/2007	3	30.20	16.1	1.04	48	17.6	3097	3666.9	13.1

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
7111	5-PM10-254	3/21/2007	5	30.20	16.1	1.04	37	19.8	3100	3648.8	10.1
2	3-PM10-255	3/23/2007	3	30.14	21.1	1.02	128	19.7	3,031	3,527.9	36.3
8	3-PM10-256	3/30/2007	3	30.38	15.0	1.05	100	19.4	3,158	3,752.2	26.7
11	5-PM10-256	3/30/2007	5	30.38	15.0	1.05	122	20.9	3,183	3,766.8	32.4
14	3-PM10-257	4/6/2007	3	30.16	11.7	1.06	26	17.5	1,585	1,890.4	13.8
17	3-PM10-258	4/11/2007	3	30.23	15.0	1.05	77	17.4	3,091	3,673.2	21.0
20	5-PM10-258	4/11/2007	5	30.23	15.0	1.05	86	20.7	3,081	3,629.0	23.7
23	5-PM10-259	4/13/2007	5	30.24	17.8	1.04	90	21.0	3,013	3,528.5	25.5
26	3-PM10-260	5/3/2007	3	30.24	14.2	1.05	57	18.7	3,160	3,749.2	15.2
29	5-PM10-260	5/3/2007	5	30.24	14.2	1.05	63	20.5	3,179	3,753.5	16.8
32	3-PM10-261	5/5/2007	3	30.21	21.7	1.02	53	19.0	2,880	3,362.9	15.8
35	5-PM10-261	5/5/2007	5	30.21	21.7	1.02	46	21.3	2,874	3,335.2	13.8
38	3-PM10-262	5/9/2007	3	30.14	22.5	1.02	75	19.7	2,962	3,438.7	21.8
41	5-PM10-262	5/9/2007	5	30.14	22.5	1.02	69	21.5	2,968	3,428.9	20.1
44	3-PM10-263	5/11/2007	3	30.17	16.4	1.04	88	19.1	3,066	3,609.8	24.4
47	5-PM10-263	5/11/2007	5	30.17	16.4	1.04	99	20.3	3,063	3,594.6	27.5
50	3-PM10-264	5/12/2007	3	30.22	15.6	1.04	43	18.5	1,453	1,719.0	25.0
53	5-PM10-264	5/12/2007	5	30.22	15.6	1.04	52	20.2	1,474	1,735.9	30.0
56	3-PM10-265	5/16/2007	3	30.19	15.8	1.04	100	18.9	3,094	3,651.4	27.4
59	5-PM10-265	5/16/2007	5	30.19	15.8	1.04	137	20.4	2,926	3,439.2	39.8
62	3-PM10-266	5/18/2007	3	30.16	17.4	1.03	75	17.8	3,142	3,703.9	20.2
65	5-PM10-266	5/18/2007	5	30.16	17.4	1.03	123	20.9	3,121	3,648.5	33.7
68	3-PM10-267	5/19/2007	3	30.22	18.6	1.03	22	18.7	1,194	1,403.9	15.7
74	3-PM10-268	5/23/2007	3	30.10	21.8	1.02	129	19.7	2,928	3,398.8	38.0
80	3-PM10-269	5/25/2007	3	30.10	22.3	1.02	93	19.6	3,164	3,670.4	25.3
86	5-PM10-270	6/1/2007	5	30.16	14.1	1.05	75	18.5	3,162	3,743.9	20.0
89	5-PM10-271	6/2/2007	5	30.08	14.6	1.04	25	18.5	1,653	1,949.9	12.8
92	5-PM10-272	6/6/2007	5	30.17	14.7	1.04	58	18.5	2,957	3,498.3	16.6
95	5-PM10-273	6/8/2007	5	30.15	18.5	1.03	82	18.5	2,945	3,456.8	23.7
98	5-PM10-275	6/15/2007	5	30.07	22.6	1.01	174	19.2	2,980	3,455.2	50.4
101	3-PM10-276	6/16/2007	3	30.05	21.6	1.02	73	19.2	1,738	2,017.4	36.2
104	5-PM10-276	6/16/2007	5	30.05	21.6	1.02	61	18.8	1,685	1,958.0	31.2
107	5-PM10-277	6/20/2007	5	30.13	17.5	1.03	101	18.8	2,983	3,502.7	28.8
110	3-PM10-278	6/22/2007	3	30.21	20.0	1.03	64	18.8	2,970	3,480.8	18.4
113	5-PM10-278	6/22/2007	5	30.21	20.0	1.03	70	18.8	2,930	3,434.0	20.4
116	3-PM10-279	6/23/2007	3	30.13	21.4	1.02	61	19.1	1,464	1,705.2	35.8

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
119	5-PM10-279	6/23/2007	5	30.13	21.4	1.02	64	18.8	1,485	1,731.1	37.0
122	3-PM10-280	6/27/2007	3	30.18	15.5	1.04	106	18.9	3,063	3,615.6	29.3
125	5-PM10-280	6/27/2007	5	30.18	15.5	1.04	123	18.7	3,057	3,610.5	34.1
128	3-PM10-281	6/29/2007	3	30.21	16.8	1.04	36	19.5	2,809	3,305.7	10.9
131	3-PM10-282	6/30/2007	3	30.24	19.0	1.03	34	18.8	1,625	1,910.0	17.8
134	5-PM10-282	6/30/2007	5	30.24	19.0	1.03	27	18.7	1,568	1,843.5	14.6
137	3-PM10-283	7/3/2007	3	30.22	17.8	1.04	32	18.4	1,853	2,183.8	14.7
140	5-PM10-283	7/3/2007	5	30.22	17.8	1.04	40	19.1	1,844	2,169.1	18.4
146	5-PM10-284	7/6/2007	5	30.00	18.9	1.02	92	18.4	1,913	2,232.6	41.2
149	3-PM10-185	7/11/2007	3	30.10	19.3	1.03	44	19.2	3,142	3,669.2	12.0
152	5-PM10-285	7/11/2007	5	30.10	19.3	1.03	44	19.0	3,147	3,677.0	12.0
155	3-PM10-286	7/13/2007	3	30.18	24.3	1.01	46	20.0	2,992	3,464.1	13.3
158	5-PM10-286	7/13/2007	5	30.18	24.3	1.01	54	19.0	2,984	3,464.2	15.6
161	2-PM10-287	7/20/2007	2	30.10	21.5	1.02	58	17.8	1,787	2,086.2	27.8
164	2-PM10-288	7/25/2007	2	30.10	17.1	1.03	72	17.7	3,173	3,735.8	19.3
167	2-PM10-289	7/27/2007	2	30.07	19.3	1.02	80	17.6	3,110	3,643.7	22.0
170	1-PM10-290	8/1/2007	1	29.98	19.3	1.02	135	18.9	3,115	3,625.3	37.2
173	2-PM10-290	8/1/2007	2	29.98	19.3	1.02	102	17.9	3,119	3,639.8	28.0
176	1-PM10-291	8/3/2007	1	30.04	20.6	1.02	58	19.2	3,134	3,643.3	15.9
179	2-PM10-291	8/3/2007	2	30.04	20.6	1.02	84	18.1	3,101	3,615.7	23.2
182	1-PM10-292	8/8/2007	1	30.13	16.0	1.04	96	18.7	3,176	3,740.9	25.7
185	2-PM10-292	8/8/2007	2	30.13	16.0	1.04	56	18.0	3,172	3,743.2	15.0
188	1-PM10-293	8/10/2007	1	30.10	18.6	1.03	137	19.1	3,107	3,634.0	37.7
191	2-PM10-293	8/10/2007	2	30.10	18.6	1.03	70	18.0	3,113	3,651.8	19.2
194	1-PM10-294	8/15/2007	1	30.14	17.9	1.03	150	19.2	3,185	3,734.3	40.2
197	1-PM10-295	8/17/2007	1	30.06	20.2	1.02	325	22.0	3,059	3,534.3	92.0
200	2-PM10-295	8/17/2007	2	30.06	20.2	1.02	87	21.2	3,087	3,574.4	24.3
206	2-PM10-296	8/22/2007	2	30.02	20.4	1.02	94	20.3	3,160	3,661.4	25.7
209	1-PM10-297	8/24/2007	1	29.91	23.9	1.00	181	20.1	3,063	3,514.5	51.5
212	2-PM10-297	8/24/2007	2	29.91	23.9	1.00	117	20.2	3,077	3,529.6	33.1
215	1-PM10-298	8/29/2007	1	30.00	21.9	1.01	156	19.6	3,164	3,660.3	42.6
218	2-PM10-298	8/29/2007	2	30.00	21.9	1.01	69	20.0	3,157	3,648.2	18.9
221	1-PM10-299	8/30/2007	1	30.01	27.9	0.99	95	19.7	1,698	1,943.2	48.9
224	2-PM10-299	8/30/2007	2	30.01	27.9	0.99	44	20.2	1,711	1,955.4	22.5
227	1-PM10-300	9/6/2007	1	30.03	21.7	1.01	167	20.2	3,137	3,628.3	46.0
230	2-PM10-300	9/6/2007	2	30.03	21.7	1.01	110	19.8	3,112	3,603.3	30.5

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
233	1-PM10-301	9/14/2007	1	30.16	20.8	1.02	101	18.3	3,203	3,746.9	27.0
236	2-PM10-301	9/14/2007	2	30.16	20.8	1.02	66	19.8	3,203	3,731.8	17.7
239	5-PM10-301	9/14/2007	5	30.16	20.8	1.02	61	18.4	3,199	3,741.2	16.3
242	1-PM10-303	10/3/2007	1	30.17	19.1	1.03	102	16.8	3,145	3,707.3	27.5
245	2-PM10-303	10/3/2007	2	30.17	19.1	1.03	119	20.0	3,165	3,698.5	32.2
248	3-PM10-303	10/3/2007	3	30.17	19.1	1.03	83	16.0	3,160	3,732.5	22.2
251	5-PM10-303	10/3/2007	5	30.17	19.1	1.03	19	18.6	3,170	3,718.3	5.1
254	1-PM10-307	10/24/2007	1	30.33	20.0	1.03	238	21.1	3,166	3,703.1	64.3
257	2-PM10-307	10/24/2007	2	30.33	20.0	1.03	106	19.9	3,167	3,716.2	28.5
260	1-PM10-308	10/26/2007	1	30.14	22.5	1.02	221	20.5	3,116	3,609.7	61.2
263	2-PM10-308	10/26/2007	2	30.14	22.5	1.02	120	21.6	3,148	3,635.9	33.0
266	1-PM10-309	11/7/2007	1	30.19	15.0	1.04	221	21.2	3,036	3,566.2	62.0
269	2-PM10-309	11/7/2007	2	30.19	15.0	1.04	93	21.3	3,041	3,571.1	26.0
272	1-PM10-310	11/9/2007	1	30.15	17.5	1.03	106	21.9	3,013	3,510.8	30.2
275	2-PM10-310	11/9/2007	2	30.15	17.5	1.03	68	20.9	2,998	3,502.8	19.4
278	1-PM10-311	11/14/2007	1	30.26	17.2	1.04	91	21.4	3,159	3,702.3	24.6
281	2-PM10-311	11/14/2007	2	30.26	17.2	1.04	60	21.4	3,165	3,709.3	16.2
284	1-PM10-312	11/15/2007	1	30.19	19.2	1.03	191	22.1	1,546	1,797.3	106.3
287	2-PM10-312	11/15/2007	2	30.19	19.2	1.03	46	21.0	1,544	1,800.3	25.6
290	1-PM10-313	11/21/2007	1	30.25	14.4	1.05	107	22.3	3,125	3,671.7	29.1
293	5-PM10-313	11/21/2007	5	30.25	14.4	1.05	63	23.1	3,108	3,643.8	17.3
296	1-PM10-314	11/28/2007	1	30.37	14.4	1.05	126	21.8	3,195	3,774.8	33.4
299	5-PM10-314	11/28/2007	5	30.37	14.4	1.05	85	20.0	3,180	3,775.3	22.5
302	1-PM10-315	11/30/2007	1	30.17	17.5	1.03	124	21.5	2,979	3,477.4	35.7
305	2-PM10-315	11/30/2007	2	30.17	17.5	1.03	88	21.2	3,019	3,527.0	25.0
311	1-PM10-316	12/12/2007	1	30.32	11.9	1.06	183	21.1	3,240	3,847.0	47.6
314	1-PM10-317	12/14/2007	1	30.40	15.0	1.05	139	21.8	2,907	3,434.2	40.5
320	1-PM10-318	1/16/2008	1	30.33	12.5	1.06	96	19.4	3,195	3,807.9	25.2
323	2-PM10-318	1/16/2008	2	30.33	12.5	1.06	165	20.5	3,200	3,802.6	43.4
326	1-PM10-319	1/17/2008	1	30.24	15.8	1.04	55	20.2	1,465	1,725.9	31.9
329	2-PM10-319	1/17/2008	2	30.24	15.8	1.04	17	20.3	1,450	1,707.8	10.0
332	1-PM10-320	2/7/2008	1	30.32	13.6	1.05	163	19.6	3,180	3,778.6	43.1
335	1-PM10-321	2/8/2008	1	30.40	14.7	1.05	67	20.1	1,555	1,846.5	36.3
338	2-PM10-321	2/8/2008	2	30.40	14.7	1.05	42	20.3	1,556	1,846.7	22.7
341	1-PM10-322	2/13/2008	1	30.36	12.7	1.06	206	19.6	3,205	3,820.2	53.9
344	2-PM10-322	2/13/2008	2	30.36	12.7	1.06	84	21.3	3,155	3,743.5	22.4

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
347	3-PM10-322	2/13/2008	3	30.36	12.7	1.06	57	12.5	3,135	3,807.8	15.0
350	5-PM10-322	2/13/2008	5	30.36	12.7	1.06	59	19.5	3,145	3,749.7	15.7
353	1-PM10-323	2/15/2008	1	30.14	18.6	1.03	159	20.7	2,879	3,357.5	47.4
356	2-PM10-323	2/15/2008	2	30.14	18.6	1.03	71	20.6	2,875	3,353.8	21.2
359	3-PM10-323	2/15/2008	3	30.14	18.6	1.03	87	21.2	2,900	3,377.4	25.8
365	1-PM10-324	2/20/2008	1	30.24	11.9	1.06	46	20.0	3,020	3,586.4	12.8
371	5-PM10-324	2/20/2008	5	30.24	11.9	1.06	42	21.6	3,063	3,621.8	11.6
374	1-PM10-325	2/29/2008	1	30.30	13.6	1.05	201	19.5	3,180	3,777.0	53.2
377	1-PM10-326	3/5/2008	1	30.34	18.6	1.04	215	20.9	3,117	3,658.6	58.8
380	2-PM10-326	3/5/2008	2	30.34	18.6	1.04	108	21.8	3,135	3,670.8	29.4
383	5-PM10-326	3/5/2008	5	30.34	18.6	1.04	103	21.2	3,160	3,706.0	27.8
386	1-PM10-327	3/7/2008	1	30.22	23.3	1.02	191	20.5	2,942	3,412.6	56.0
389	2-PM10-327	3/7/2008	2	30.22	23.3	1.02	105	20.5	2,920	3,387.1	31.0
392	3-PM10-327	3/7/2008	3	30.22	23.3	1.02	117	21.2	2,910	3,369.1	34.7
395	5-PM10-327	3/7/2008	5	30.22	23.3	1.02	109	21.4	2,882	3,334.9	32.7
398	3-PM10-328	3/12/2008	3	30.37	15.8	1.05	101	21.7	3,035	3,577.2	28.2
401	5-PM10-328	3/12/2008	5	30.37	15.8	1.05	165	23.8	3,032	3,553.5	46.4
404	1-PM10-329	3/20/2008	1	30.43	16.3	1.05	119	23.1	3,110	3,656.0	32.5
407	2-TSP-329	3/20/2008	2	30.43	16.3	1.05	80	21.7	3,110	3,669.8	21.8
410	3-TSP-329	3/20/2008	3	30.43	16.3	1.05	69	18.8	3,125	3,716.2	18.6
413	5-PM10-329	3/20/2008	5	30.43	16.3	1.05	96	23.3	3,120	3,665.8	26.2
416	1-PM10-330	3/21/2008	1	30.44	15.6	1.05	67	23.4	1,515	1,782.5	37.6
419	2-PM10-330	3/21/2008	2	30.44	15.6	1.05	36	22.0	1,495	1,765.6	20.4
425	2-PM10-331	3/26/2008	2	30.37	13.3	1.06	69	20.7	3,190	3,788.1	18.2
428	3-PM10-331	3/26/2008	3	30.37	13.3	1.06	58	20.8	3,210	3,810.8	15.2
431	5-PM10-331	3/26/2008	5	30.37	13.3	1.06	74	22.1	3,200	3,785.7	19.5
434	1-PM10-332	3/28/2008	1	30.29	18.0	1.04	88	18.3	2,885	3,407.9	25.8
440	3-PM10-332	3/28/2008	3	30.29	18.0	1.04	67	20.7	2,805	3,292.1	20.4
443	5-PM10-332	3/28/2008	5	30.29	18.0	1.04	70	21.5	2,835	3,320.1	21.1
446	1-PM10-333	4/2/2008	1	30.26	11.9	1.06	97	18.9	3,165	3,772.4	25.7
449	2-PM10-333	4/2/2008	2	30.26	11.9	1.06	69	22.5	3,165	3,736.0	18.5
452	1-PM10-335	4/26/2008	1	30.10	18.0	1.03	96	17.9	2,927	3,438.4	27.9
455	2-PM10-335	4/26/2008	2	30.10	18.0	1.03	106	23.8	2,918	3,373.5	31.4
458	2-PM10-336	4/30/2008	2	29.97	11.9	1.05	97	23.8	2,992	3,483.4	27.8
461	1-PM10-337	5/2/2008	1	30.17	12.5	1.05	126	22.6	3,086	3,626.0	34.9
464	2-PM10-337	5/2/2008	2	30.17	12.5	1.05	117	22.8	3,083	3,620.5	32.3

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
467	1-PM10-338	5/3/2008	1	29.94	13.0	1.04	57	21.4	1,380	1,612.1	35.2
470	2-PM10-338	5/3/2008	2	29.94	13.0	1.04	50	22.6	1,370	1,595.2	31.2
473	1-PM10-339	5/7/2008	1	29.86	14.1	1.04	207	21.9	3,158	3,665.9	56.4
476	2-PM10-339	5/7/2008	2	29.86	14.1	1.04	118	22.8	3,154	3,652.2	32.2
482	1-PM10-340	5/9/2008	1	29.92	15.3	1.03	231	23.1	2,920	3,377.9	68.3
485	2-PM10-340	5/9/2008	2	29.92	15.3	1.03	167	22.6	2,913	3,374.5	49.5
488	5-PM10-340	5/9/2008	5	29.92	15.3	1.03	181	21.6	2,913	3,383.7	53.6
491	1-PM10-341	5/10/2008	1	29.89	14.7	1.03	91	20.6	1,440	1,677.4	54.4
494	2-PM10-341	5/10/2008	2	29.89	14.7	1.03	75	20.6	1,435	1,671.6	45.1
500	2-PM10-342	5/14/2008	2	29.88	20.3	1.01	182	22.9	3,305	3,784.2	48.0
503	5-PM10-342	5/14/2008	5	29.88	20.3	1.01	188	21.7	3,295	3,785.2	49.6
506	1-PM10-343	5/16/2008	1	29.89	29.7	0.98	191	24.0	2,870	3,222.0	59.4
509	2-PM10-343	5/16/2008	2	29.89	29.7	0.98	115	24.3	2,875	3,224.9	35.7
515	1-PM10-344	5/17/2008	1	29.93	24.6	1.00	70	19.8	1,396	1,602.2	43.4
518	2-PM10-344	5/17/2008	2	29.93	24.6	1.00	57	21.4	1,395	1,594.1	35.9
530	1-PM10-346	5/23/2008	1	29.68	16.6	1.02	210	19.3	2,993	3,460.4	60.7
533	2-PM10-346	5/23/2008	2	29.68	16.6	1.02	185	20.8	2,982	3,433.5	53.9
536	5-PM10-346	5/23/2008	5	29.68	16.6	1.02	178	21.9	2,997	3,440.4	51.6
539	1-PM10-347	5/29/2008	1	29.95	13.8	1.04	90	18.7	3,173	3,729.5	24.1
545	5-PM10-347	5/29/2008	5	29.95	13.8	1.04	56	18.5	3,171	3,729.2	15.0
548	1-PM10-348	5/31/2008	1	30.02	14.1	1.04	93	18.7	2,868	3,377.4	27.5
557	1-PM10-349	6/4/2008	1	29.89	14.4	1.04	143	19.0	3,121	3,653.5	39.2
560	2-PM10-349	6/4/2008	2	29.89	14.4	1.04	89	18.1	3,115	3,655.4	24.4
563	5-PM10-349	6/4/2008	5	29.89	14.4	1.04	90	18.8	3,116	3,649.7	24.6
566	1-PM10-350	6/6/2008	1	29.83	17.9	1.02	155	20.2	2,933	3,392.4	45.6
569	2-PM10-350	6/6/2008	2	29.83	17.9	1.02	138	19.1	2,954	3,427.0	40.3
572	1-PM10-351	6/7/2008	1	29.85	18.6	1.02	88	19.6	1,479	1,712.4	51.5
575	2-PM10-351	6/7/2008	2	29.85	18.6	1.02	96	19.0	1,466	1,700.2	56.6
578	1-PM10-352	6/11/2008	1	29.84	19.1	1.02	181	20.0	3,039	3,510.3	51.6
581	2-PM10-352	6/11/2008	2	29.84	19.1	1.02	142	18.9	3,040	3,522.0	40.3
584	1-TSP-353	6/13/2008	1	29.85	18.8	1.02	197	19.9	3,190	3,689.1	53.4
587	2-PM10-353	6/13/2008	2	29.85	18.8	1.02	161	19.0	3,170	3,674.9	43.8
590	1-PM10-354	6/16/2008	1	29.90	10.2	1.05	106	21.3	2,880	3,378.8	31.4
593	2-PM10-354	6/16/2008	2	29.90	10.2	1.05	78	20.6	2,879	3,384.1	23.0
596	1-PM10-355	6/18/2008	1	29.94	16.1	1.03	164	22.1	3,189	3,696.3	44.4
599	2-PM10-355	6/18/2008	2	29.94	16.1	1.03	132	21.7	3,186	3,696.8	35.7

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
602	1-PM10-356	6/20/2008	1	29.89	28.4	0.99	141	23.3	3,068	3,458.9	40.8
605	2-PM10-356	6/20/2008	2	29.89	28.4	0.99	114	21.8	3,040	3,441.4	33.1
608	3-PM10-356	6/20/2008	3	29.89	28.4	0.99	109	20.4	3,048	3,463.7	31.5
611	5-PM10-356	6/20/2008	5	29.89	28.4	0.99	110	22.9	3,050	3,442.4	32.0
614	1-PM10-357	6/23/2008	1	29.92	20.0	1.02	113	19.4	3,070	3,556.0	31.8
617	2-PM10-357	6/23/2008	2	29.92	20.0	1.02	93	21.1	3,090	3,562.6	26.1
623	5-PM10-357	6/23/2008	5	29.92	20.0	1.02	94	19.7	3,085	3,570.4	26.3
626	1-PM10-358	6/25/2008	1	29.90	20.0	1.02	168	21.4	3,040	3,499.6	48.0
629	2-PM10-358	6/25/2008	2	29.90	20.0	1.02	162	21.9	3,037	3,491.3	46.4
632	3-PM10-358	6/25/2008	3	29.90	20.0	1.02	157	18.1	3,006	3,491.7	45.0
635	5-PM10-358	6/25/2008	5	29.90	20.0	1.02	152	21.6	3,070	3,532.2	43.0
638	1-PM10-359	6/27/2008	1	29.77	15.0	1.03	128	21.0	2,750	3,184.5	40.2
641	2-PM10-359	6/27/2008	2	29.77	15.0	1.03	154	21.5	2,750	3,180.1	48.4
644	3-PM10-359	6/27/2008	3	29.77	15.0	1.03	137	20.7	2,760	3,198.7	42.8
647	5-PM10-359	6/27/2008	5	29.77	15.0	1.03	137	21.9	2,715	3,136.2	43.7
650	1-PM10-360	6/28/2008	1	29.77	15.0	1.03	92	18.8	1,742	2,029.4	45.3
653	2-PM10-360	6/28/2008	2	29.77	15.0	1.03	90	21.2	1,713	1,982.6	45.4
656	3-PM10-360	6/28/2008	3	29.77	15.0	1.03	84	20.7	1,663	1,927.3	43.6
659	5-PM10-360	6/28/2008	5	29.77	15.0	1.03	98	21.0	1,690	1,957.0	50.1
662	1-PM10-362	7/9/2008	1	29.31	24.5	0.98	165	20.4	3,202	3,589.3	46.0
665	2-PM10-362	7/9/2008	2	29.31	24.5	0.98	186	23.4	3,178	3,532.7	52.7
668	1-PM10-363	7/11/2008	1	29.79	21.8	1.01	138	19.9	2,995	3,437.0	40.2
671	2-PM10-363	7/11/2008	2	29.79	21.8	1.01	137	22.9	3,000	3,414.5	40.1
674	1-PM10-364	7/12/2008	1	29.91	20.0	1.02	35	20.5	1,435	1,656.6	21.1
680	1-PM10-365	7/16/2008	1	29.98	16.8	1.03	92	20.2	3,189	3,715.8	24.8
683	2-PM10-365	7/16/2008	2	29.98	16.8	1.03	96	23.1	3,184	3,680.7	26.1
686	1-PM10-366	7/18/2008	1	29.98	16.8	1.03	107	19.3	2,795	3,264.7	32.8
689	2-PM10-366	7/18/2008	2	29.98	16.8	1.03	89	22.2	2,790	3,233.2	27.5
692	1-PM10-367	7/19/2008	1	29.92	20.0	1.02	66	20.7	1,605	1,852.5	35.6
695	2-PM10-367	7/19/2008	2	29.92	20.0	1.02	66	22.1	1,605	1,845.4	35.8
698	1-PM10-368	7/23/2008	1	29.80	18.3	1.02	110	20.7	3,060	3,528.1	31.2
701	2-PM10-368	7/23/2008	2	29.80	18.3	1.02	179	22.7	3,055	3,503.0	51.1
704	1-PM10-369	7/25/2008	1	29.80	18.3	1.02	176	21.7	2,900	3,334.4	52.8
707	2-PM10-369	7/25/2008	2	29.80	18.3	1.02	185	22.4	3,005	3,448.5	53.6
710	1-PM10-370	7/30/2008	1	29.89	16.7	1.03	92	20.0	3,195	3,713.7	24.8
713	2-PM10-370	7/30/2008	2	29.89	16.7	1.03	77	22.2	3,195	3,691.4	20.9

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
716	1-PM10-371	8/1/2008	1	29.88	17.2	1.03	104	19.5	2,990	3,475.7	29.9
719	2-PM10-371	8/1/2008	2	29.88	17.2	1.03	93	22.8	2,995	3,450.2	27.0
722	1-PM10-372	8/2/2008	1	29.86	17.7	1.02	39	20.5	1,445	1,672.4	23.3
725	2-PM10-372	8/2/2008	2	29.86	17.7	1.02	37	22.4	141	162.3	227.9
728	1-PM10-373	8/6/2008	1	29.92	15.0	1.03	73	18.9	3,315	3,881.3	18.7
731	2-PM10-373	8/4/2008	2	29.92	14.4	1.04	62	21.9	500	581.3	106.8
734	1-PM10-374	8/8/2008	1	29.92	15.8	1.03	54	18.2	2,890	3,385.0	16.1
737	2-PM10-374	8/8/2008	2	29.92	15.8	1.03	43	19.2	2,870	3,352.5	12.9
740	1-PM10-375	8/9/2008	1	29.92	16.7	1.03	19	15.9	1,425	1,676.6	11.5
743	2-PM10-375	8/9/2008	2	29.92	16.7	1.03	23	16.7	1,425	1,673.0	13.7
746	1-PM10-376	8/13/2008	1	29.92	20.0	1.02	106	20.1	2,920	3,375.8	31.3
752	1-PM10-377	8/15/2008	1	29.92	17.2	1.03	91	20.0	1,350	1,569.4	58.1
755	2-PM10-377	8/15/2008	2	29.92	17.2	1.03	84	19.3	3,145	3,663.0	22.8
758	1-PM10-378	8/20/2008	1	29.92	18.7	1.02	57	19.6	3,150	3,655.5	15.7
761	2-PM10-378	8/20/2008	2	29.92	18.7	1.02	62	18.9	3,155	3,668.3	16.9
764	1-PM10-379	8/22/2008	1	29.92	17.8	1.02	114	20.1	3,115	3,616.1	31.6
767	2-PM10-379	8/22/2008	2	29.92	17.8	1.02	130	19.3	3,115	3,623.9	35.8
770	1-PM10-380	8/23/2008	1	29.92	18.3	1.02	45	20.1	1,405	1,629.5	27.8
773	2-PM10-380	8/23/2008	2	29.92	18.3	1.02	39	20.0	1,410	1,635.7	23.7
776	2-PM10-381	8/27/2008	2	29.92	20.1	1.02	131	19.6	3,080	3,564.9	36.7
779	1-PM10-383	9/5/2008	1	29.74	22.9	1.00	161	21.5	3,170	3,608.2	44.6
782	1-PM10-384	9/6/2008	1	29.72	28.6	0.98	81	19.2	1,500	1,699.3	47.7
785	1-PM10-385	9/10/2008	1	29.72	15.8	1.02	89	18.7	3,094	3,593.6	24.8
788	2-PM10-385	9/10/2008	2	29.72	15.8	1.02	63	18.6	3,110	3,613.2	17.4
791	1-PM10-386	9/12/2008	1	29.78	14.4	1.03	115	18.7	3,039	3,546.7	32.4
794	2-PM10-386	9/12/2008	2	29.78	14.4	1.03	85	18.9	3,036	3,541.2	24.0
797	1-PM10-387	9/13/2008	1	29.72	15.7	1.03	39	21.7	1,445	1,664.9	23.4
800	2-PM10-387	9/13/2008	2	29.72	15.7	1.03	18	21.3	1,435	1,655.2	10.9
803	1-PM10-388	9/17/2008	1	29.94	14.6	1.04	115	21.8	3,236	3,764.5	30.5
806	2-PM10-388	9/17/2008	2	29.94	14.6	1.04	73	22.2	3,233	3,756.9	19.4
809	1-PM10-389	9/19/2008	1	29.93	17.8	1.03	95	22.7	2,895	3,338.1	28.5
812	2-PM10-389	9/19/2008	2	29.93	17.8	1.03	46	22.6	2,915	3,362.0	13.7
815	1-PM10-390	9/20/2008	1	29.93	18.7	1.02	26	22.6	1,425	1,640.8	15.8
818	2-PM10-390	9/20/2008	2	29.93	18.7	1.02	19	22.6	1,420	1,635.0	11.6
821	1-PM10-391	9/24/2008	1	29.90	17.8	1.02	152	22.3	3,120	3,597.6	42.3
824	2-PM10-391	9/24/2008	2	29.90	17.8	1.02	100	22.7	3,125	3,599.4	27.8

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated	Volume (m3)	Conc PM10 (ug/m3)
827	1-PM10-392	9/26/2008	1	29.85	20.6	1.01	168	22.5	3,033	3,471.0	48.4
830	2-PM10-392	9/26/2008	2	29.85	20.6	1.01	97	23.2	3,001	3,427.7	28.3
833	1-PM10-393	10/1/2008	1	29.87	17.6	1.02	121	22.6	3,161	3,639.4	33.2
836	2-PM10-393	10/1/2008	2	29.87	17.6	1.02	64	22.6	3,160	3,638.2	17.6
839	1-PM10-394	10/3/2008	1	29.79	20.9	1.01	136	25.5	2,965	3,356.1	40.5
842	2-PM10-394	10/3/2008	2	29.79	20.9	1.01	42	21.6	2,975	3,403.9	12.3
845	1-PM10-395	10/8/2008	1	29.83	15.8	1.03	144	22.4	3,195	3,687.8	39.0
848	2-PM10-395	10/8/2008	2	29.83	15.8	1.03	72	22.2	3,200	3,695.6	19.5
851	1-PM10-396	10/10/2008	1	29.79	16.4	1.03	197	22.6	2,960	3,406.0	57.8
854	2-PM10-396	10/10/2008	2	29.79	16.4	1.03	111	22.6	2,950	3,394.5	32.7
857	1-PM10-397	10/15/2008	1	30.03	20.6	1.02	61	23.1	3,280	3,771.5	16.2
860	2-PM10-397	10/15/2008	2	30.03	20.6	1.02	124	22.2	3,255	3,752.0	33.1
863	1-PM10-398	10/17/2008	1	29.90	25.2	1.00	209	23.7	2,920	3,308.6	63.2
866	2-PM10-398	10/17/2008	2	29.90	25.2	1.00	122	22.9	2,920	3,315.8	36.8
869	1-PM10-399	10/22/2008	1	30.02	18.0	1.03	172	23.1	3,265	3,771.2	45.6
872	2-PM10-399	10/22/2008	2	30.02	18.0	1.03	82	22.2	3,270	3,786.2	21.7
878	2-PM10-400	10/24/2008	2	29.97	25.0	1.00	133	22.9	2,935	3,342.4	39.8
881	1-PM10-401	10/29/2008	1	30.10	10.2	1.06	95	21.3	3,230	3,816.3	24.9
884	2-PM10-401	10/29/2008	2	30.10	10.2	1.06	50	21.8	3,245	3,828.8	13.1
887	1-PM10-402	10/31/2008	1	30.03	18.9	1.02	88	23.2	2,910	3,355.7	26.2
890	2-PM10-402	10/31/2008	2	30.03	18.9	1.02	61	21.7	2,905	3,363.7	18.1
893	1-PM10-404	11/12/2008	1	30.07	14.1	1.04	112	22.3	3,250	3,796.7	29.5
896	2-PM10-404	11/12/2008	2	30.07	14.1	1.04	68	22.0	3,240	3,788.1	18.0
899	1-PM10-405	11/14/2008	1	30.04	20.9	1.02	84	23.2	2,915	3,350.2	25.1
902	2-PM10-405	11/14/2008	2	30.04	20.9	1.02	63	22.2	2,918	3,362.8	18.7
905	1-PM10-406	11/19/2008	1	30.06	14.9	1.04	142	22.6	3,024	3,523.1	40.3
908	2-PM10-406	11/19/2008	2	30.06	14.9	1.04	109	22.0	3,031	3,537.1	30.8
911	1-PM10-407	11/21/2008	1	30.05	12.1	1.05	101	22.3	3,005	3,521.5	28.7
914	2-PM10-407	11/21/2008	2	30.05	12.1	1.05	53	22.1	3,000	3,517.6	15.1
917	1-PM10-408	11/24/2008	1	29.90	16.6	1.03	147	22.0	2,988	3,456.0	42.5
920	2-PM10-408	11/24/2008	2	29.90	16.6	1.03	109	21.3	2,988	3,462.7	31.5
923	1-PM10-409	11/26/2008	1	29.90	16.6	1.03	200	22.6	2,895	3,343.0	59.8
929	1-PM10-410	12/3/2008	1	30.05	10.8	1.05	145	22.2	3,185	3,742.9	38.7
932	2-PM10-410	12/3/2008	2	30.05	10.8	1.05	89	20.8	3,185	3,757.2	23.7
938	2-PM10-411	12/5/2008	2	30.06	13.5	1.04	112	21.7	3,043	3,563.5	31.4
941	1-PM10-412	12/8/2008	1	30.08	9.7	1.06	145	21.8	2,856	3,370.7	43.0

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
944	2-PM10-412	12/8/2008	2	30.08	9.7	1.06	119	22.1	2,857	3,369.2	35.3
947	1-PM10-413	12/10/2008	1	30.22	13.8	1.05	154	22.4	3,280	3,853.2	40.0
950	2-PM10-413	12/10/2008	2	30.22	13.8	1.05	105	21.2	3,270	3,853.9	27.2
953	1-PM10-414	12/12/2008	1	30.22	13.8	1.05	149	22.5	2,910	3,417.6	43.6
956	2-PM10-414	12/12/2008	2	30.22	13.8	1.05	129	22.4	2,911	3,419.7	37.7
959	1-PM10-416	1/8/2009	1	30.14	9.3	1.06	110	22.0	3,165	3,744.2	29.4
962	2-PM10-416	1/8/2009	2	30.14	9.3	1.06	94	21.6	3,170	3,754.2	25.0
965	1-PM10-417	1/10/2009	1	30.09	10.9	1.06	66	21.5	3,010	3,548.3	18.6
968	2-PM10-417	1/10/2009	2	30.09	10.9	1.06	39	21.7	3,000	3,534.6	11.0
971	1-PM10-418	1/14/2009	1	30.19	18.3	1.03	138	22.4	3,170	3,688.4	37.4
974	2-PM10-418	1/14/2009	2	30.19	18.3	1.03	82	22.0	3,180	3,704.1	22.1
977	1-PM10-419	1/16/2009	1	30.08	18.4	1.03	152	22.2	2,990	3,466.8	43.8
980	2-PM10-419	1/16/2009	2	30.08	18.4	1.03	105	22.2	2,990	3,466.8	30.3
983	1-PM10-420	1/17/2009	1	30.08	16.6	1.03	73	22.6	1,385	1,609.5	45.4
986	2-PM10-420	1/17/2009	2	30.08	16.6	1.03	55	21.6	1,390	1,619.8	34.0
989	1-PM10-421	1/21/2009	1	30.08	11.9	1.05	145	21.5	3,216	3,782.5	38.3
992	2-PM10-421	1/21/2009	2	30.08	11.9	1.05	97	21.2	3,214	3,783.2	25.6
995	1-PM10-422	1/28/2009	1	30.14	9.8	1.06	147	22.1	3,190	3,769.1	39.0
998	2-PM10-422	1/28/2009	2	30.14	9.8	1.06	48	21.9	3,185	3,765.2	12.7
1001	1-PM10-423	1/30/2009	1	30.20	13.7	1.05	143	22.3	2,920	3,429.4	41.7
1004	2-PM10-423	1/30/2009	2	30.20	13.7	1.05	78	21.8	2,925	3,440.0	22.7
1007	1-PM10-424	2/4/2009	1	30.01	10.7	1.05	201	22.1	3,180	3,733.5	53.8
1010	2-PM10-424	2/4/2009	2	30.01	10.7	1.05	123	21.7	3,185	3,743.5	32.9
1013	1-PM10-425	2/6/2009	1	29.80	11.7	1.04	54	22.1	2,725	3,169.4	17.0
1016	2-PM10-425	2/6/2009	2	29.80	11.7	1.04	39	21.6	2,720	3,167.9	12.3
1019	1-PM10-426	2/12/2009	1	30.09	7.8	1.07	65	20.8	3,280	3,897.6	16.7
1022	2-PM10-426	2/12/2009	2	30.09	7.8	1.07	41	21.3	3,275	3,886.4	10.6
1025	1-PM10-427	3/11/2009	1	30.05	14.4	1.04	152	21.6	3,270	3,822.4	39.8
1028	2-PM10-427	3/11/2009	2	30.05	14.4	1.04	64	21.3	3,260	3,813.9	16.8
1031	1-PM10-428	3/13/2009	1	30.01	11.8	1.05	130	21.8	2,995	3,511.7	37.0
1034	2-PM10-428	3/13/2009	2	30.01	11.8	1.05	94	21.3	2,995	3,516.5	26.7
1037	1-PM10-429	3/16/2009	1	29.96	9.2	1.06	61	21.9	3,135	3,687.0	16.5
1040	2-PM10-429	3/16/2009	2	29.96	9.2	1.06	35	21.4	3,130	3,686.1	9.5
1043	1-PM10-430	3/18/2009	1	30.16	13.3	1.05	95	21.9	2,950	3,466.2	27.4
1046	2-PM10-430	3/18/2009	2	30.16	13.3	1.05	39	21.8	2,960	3,478.9	11.2
1049	6-PM10-430	3/18/2009	6	30.16	13.3	1.05	83	20.2	2,975	3,511.7	23.6

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
1052	2-PM10-431	3/20/2009	2	29.98	12.1	1.05	95	22.2	2,910	3,402.7	27.9
1055	6-PM10-431	3/20/2009	6	29.98	12.1	1.05	158	20.6	2,905	3,411.7	46.3
1058	1-PM10-432	3/25/2009	1	30.16	12.5	1.05	91	21.9	3,086	3,631.6	25.1
1061	2-PM10-432	3/25/2009	2	30.16	12.5	1.05	121	21.7	3,155	3,714.8	32.6
1064	6-PM10-432	3/25/2009	6	30.16	12.5	1.05	196	20.7	3,151	3,720.2	52.7
1067	2-PM10-433	3/27/2009	2	29.96	17.1	1.03	113	21.9	2,936	3,400.8	33.2
1070	6-PM10-433	3/27/2009	6	29.96	17.1	1.03	181	21.0	2,889	3,354.6	54.0
1073	1-PM10-434	4/1/2009	1	29.94	13.9	1.04	166	22.2	3,202	3,725.9	44.6
1079	6-PM10-434	4/1/2009	6	29.94	13.9	1.04	160	20.0	3,188	3,731.9	42.9
1082	1-PM10-435	4/3/2009	1	29.89	13.7	1.04	227	22.7	2,978	3,455.7	65.7
1085	2-PM10-435	4/3/2009	2	29.89	13.7	1.04	212	21.6	2,985	3,474.3	61.0
1088	6-PM10-435	4/3/2009	6	29.89	13.7	1.04	343	22.2	2,987	3,470.9	98.8
1091	1-PM10-436	4/8/2009	1	29.97	14.1	1.04	110	21.6	3,200	3,732.2	29.5
1094	2-PM10-436	4/8/2009	2	29.97	14.1	1.04	76	21.8	3,200	3,730.2	20.4
1097	6-PM10-436	4/8/2009	6	29.97	14.1	1.04	192	20.5	3,191	3,732.9	51.4
1100	2-PM10-437	4/10/2009	2	29.90	12.6	1.04	40	21.8	2,975	3,469.3	11.5
1103	6-PM10-437	4/10/2009	6	29.90	12.6	1.04	81	21.1	2,975	3,476.0	23.3
1109	2-PM10-438	4/15/2009	2	29.89	11.9	1.04	225	21.7	3,295	3,847.4	58.5
1112	6-PM10-438	4/15/2009	6	29.89	11.9	1.04	361	21.4	3,285	3,838.8	94.0
1118	2-PM10-439	4/17/2009	2	30.05	15.7	1.04	100	22.9	2,911	3,382.4	29.6
1121	6-PM10-439	4/17/2009	6	30.05	15.7	1.04	156	21.4	2,910	3,395.1	45.9
1124	1-PM10-440	4/22/2009	1	29.89	20.2	1.02	116	18.3	3,106	3,603.3	32.2
1127	2-PM10-440	4/22/2009	2	29.89	20.2	1.02	127	22.8	3,165	3,626.9	35.0
1130	6-PM10-440	4/22/2009	6	29.89	20.2	1.02	142	22.0	3,157	3,625.7	39.2
1133	1-PM10-441	4/24/2009	1	29.88	15.5	1.03	232	22.4	2,994	3,464.0	67.0
1136	2-PM10-441	4/24/2009	2	29.88	15.5	1.03	156	22.9	2,980	3,443.0	45.3
1139	6-PM10-441	4/24/2009	6	29.88	15.5	1.03	213	17.6	2,976	3,488.5	61.1
1142	1-PM10-442	4/29/2009	1	29.98	10.9	1.05	162	22.6	3,210	3,758.1	43.1
1145	2-PM10-442	4/29/2009	2	29.98	10.9	1.05	128	22.4	3,230	3,783.6	33.8
1148	6-PM10-442	4/29/2009	6	29.98	10.9	1.05	227	20.4	3,220	3,792.5	59.9
1151	1-PM10-443	5/1/2009	1	29.98	12.8	1.04	78	21.4	2,940	3,440.6	22.7
1154	2-PM10-443	5/1/2009	2	29.98	12.8	1.04	65	22.7	2,934	3,421.4	19.0
1157	6-PM10-443	5/1/2009	6	29.98	12.8	1.04	143	20.1	2,959	3,475.2	41.1
1160	1-PM10-444	5/6/2009	1	30.01	17.8	1.03	20	22.8	3,137	3,626.4	5.5
1163	2-PM10-444	5/6/2009	2	30.01	17.8	1.03	13	23.5	3,146	3,629.8	3.6
1166	6-PM10-444	5/6/2009	6	30.01	17.8	1.03	37	20.0	3,174	3,697.2	10.0

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
1169	1-PM10-445	5/8/2009	1	29.96	18.2	1.02	110	23.0	3,034	3,496.5	31.5
1172	2-PM10-445	5/8/2009	2	29.96	18.2	1.02	85	22.8	3,013	3,474.3	24.5
1175	6-PM10-445	5/8/2009	6	29.96	18.2	1.02	165	21.1	2,994	3,468.4	47.6
1178	1-PM10-446	5/13/2009	1	29.94	15.7	1.03	205	20.8	3,185	3,707.6	55.3
1181	2-PM10-446	5/13/2009	2	29.94	15.7	1.03	166	20.6	3,202	3,729.4	44.5
1184	6-PM10-446	5/13/2009	6	29.94	15.7	1.03	210	21.9	3,222	3,739.4	56.2
1187	1-PM10-447	5/15/2009	1	29.90	16.4	1.03	182	22.4	2,957	3,417.7	53.3
1190	2-PM10-447	5/15/2009	2	29.90	16.4	1.03	120	23.3	2,954	3,405.8	35.2
1193	6-PM10-447	5/15/2009	6	29.90	16.4	1.03	138	21.1	2,944	3,414.8	40.4
1196	1-PM10-448	5/20/2009	1	29.83	12.3	1.04	146	21.7	3,208	3,734.9	39.1
1199	2-PM10-448	5/20/2009	2	29.83	12.3	1.04	99	22.8	3,220	3,737.6	26.5
1202	6-PM10-448	5/20/2009	6	29.83	12.3	1.04	94	21.9	3,216	3,742.2	25.1
1205	1-PM10-449	5/22/2009	1	29.85	14.3	1.03	153	21.9	3,005	3,485.7	43.9
1208	2-PM10-449	5/22/2009	2	29.85	14.3	1.03	116	22.7	3,000	3,472.3	33.4
1211	6-PM10-449	5/22/2009	6	29.85	14.3	1.03	134	20.6	2,990	3,480.7	38.5
1214	1-PM10-450	5/28/2009	1	29.81	13.4	1.04	174	20.9	3,228	3,755.8	46.3
1217	2-PM10-450	5/28/2009	2	29.81	13.4	1.04	143	20.9	3,229	3,757.0	38.1
1220	6-PM10-450	5/28/2009	6	29.81	13.4	1.04	133	19.9	3,219	3,755.6	35.4
1223	1-PM10-451	5/29/2009	1	29.86	16.0	1.03	59	21.2	1,564	1,812.4	32.6
1226	2-PM10-451	5/29/2009	2	29.86	16.0	1.03	49	21.7	1,561	1,806.5	27.1
1229	6-PM10-451	5/29/2009	6	29.86	16.0	1.03	47	19.4	1,559	1,815.6	25.9
1232	1-PM10-452	6/3/2009	1	29.82	14.2	1.03	98	20.9	3,208	3,728.2	26.3
1235	2-PM10-452	6/3/2009	2	29.82	14.2	1.03	65	21.7	3,216	3,729.3	17.4
1238	6-PM10-452	6/3/2009	6	29.82	14.2	1.03	69	17.4	3,221	3,779.1	18.3
1241	1-PM10-453	6/5/2009	1	29.84	17.6	1.02	90	20.1	2,989	3,461.3	26.0
1244	2-PM10-453	6/5/2009	2	29.84	17.6	1.02	59	21.8	2,985	3,440.6	17.1
1247	6-PM10-453	6/5/2009	6	29.84	17.6	1.02	73	18.5	2,976	3,461.3	21.1
1250	1-PM10-454	6/10/2009	1	29.84	14.9	1.03	90	17.6	3,218	3,771.2	23.9
1253	2-PM10-454	6/10/2009	2	29.84	14.9	1.03	50	20.7	3,224	3,746.4	13.3
1256	6-PM10-454	6/10/2009	6	29.84	14.9	1.03	74	18.4	3,225	3,771.2	19.6
1259	1-PM10-455	6/12/2009	1	29.86	16.9	1.03	120	20.5	3,000	3,477.3	34.5
1262	2-PM10-455	6/12/2009	2	29.86	16.9	1.03	78	20.8	2,990	3,462.9	22.5
1265	6-PM10-455	6/12/2009	6	29.86	16.9	1.03	76	19.1	2,985	3,473.1	21.9
1268	1-PM10-456	6/17/2009	1	29.85	15.1	1.03	118	20.5	3,124	3,632.1	32.5
1271	2-PM10-456	6/17/2009	2	29.85	15.1	1.03	72	20.5	3,125	3,633.3	19.8
1274	6-PM10-456	6/17/2009	6	29.85	15.1	1.03	86	19.4	3,165	3,690.9	23.3

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
1277	1-PM10-457	6/19/2009	1	29.75	16.8	1.02	232	20.6	3,064	3,537.4	65.6
1280	2-PM10-457	6/19/2009	2	29.75	16.8	1.02	161	24.1	3,063	3,502.2	46.0
1283	6-PM10-457	6/19/2009	6	29.75	16.8	1.02	115	23.2	3,016	3,457.1	33.3
1286	1-PM10-458	6/24/2009	1	29.77	16.2	1.03	214	23.2	3,218	3,695.5	57.9
1289	2-PM10-458	6/24/2009	2	29.77	16.2	1.03	160	23.5	3,220	3,694.7	43.3
1292	6-PM10-458	6/24/2009	6	29.77	16.2	1.03	156	23.2	3,197	3,671.4	42.5
1295	1-PM10-459	6/26/2009	1	29.80	19.1	1.02	142	24.0	2,992	3,413.4	41.6
1298	2-PM10-459	6/26/2009	2	29.80	19.1	1.02	94	23.3	2,990	3,417.7	27.5
1301	6-PM10-459	6/26/2009	6	29.80	19.1	1.02	120	23.2	2,983	3,410.6	35.2
1304	1-PM10-460	7/1/2009	1	29.74	15.7	1.03	151	24.0	3,178	3,641.0	41.5
1307	2-PM10-460	7/1/2009	2	29.74	15.7	1.03	138	23.8	3,183	3,648.8	37.8
1310	6-PM10-460	7/1/2009	6	29.74	15.7	1.03	138	22.8	2,995	3,442.8	40.1
1313	1-PM10-461	7/2/2009	1	29.78	18.3	1.02	132	23.9	1,558	1,779.3	74.2
1319	1-PM10-462	7/8/2009	1	29.90	16.2	1.03	130	22.7	3,185	3,679.6	35.3
1322	2-PM10-462	7/8/2009		29.90	16.2	1.03	101	22.9	3,174	3,664.9	27.6
1328	2-PM10-463	7/10/2009	2	29.89	17.8	1.02	110	23.6	2,990	3,434.2	32.0
1331	1-PM10-464	7/15/2009	1	29.90	15.9	1.03	145	23.7	3,145	3,625.5	40.0
1334	2-PM10-464	7/15/2009	2	29.90	15.9	1.03	126	22.7	3,152	3,643.6	34.6
1337	6-PM10-464	7/15/2009	6	29.90	15.9	1.03	149	23.2	3,152	3,638.6	41.0
1340	1-PM10-465	7/17/2009	1	29.88	18.6	1.02	76	23.5	3,029	3,473.5	21.9
1343	2-PM10-465	7/17/2009	2	29.88	18.6	1.02	42	23.0	3,021	3,469.1	12.1
1346	6-PM10-465	7/17/2009	6	29.88	18.6	1.02	55	22.8	3,015	3,464.1	15.9
1349	1-PM10-466	7/22/2009	1	29.87	12.9	1.04	60	23.1	3,221	3,736.7	16.1
1352	2-PM10-466	7/22/2009	2	29.87	12.9	1.04	22	21.2	3,223	3,758.5	5.9
1355	6-PM10-466	7/22/2009	6	29.87	12.9	1.04	54	20.5	3,221	3,763.4	14.3
1358	1-PM10-467	7/24/2009	1	29.88	13.6	1.04	43	20.7	2,746	3,203.5	13.4
1361	2-PM10-467	7/24/2009	2	29.88	13.6	1.04	31	21.5	2,740	3,189.5	9.7
1364	6-PM10-467	7/24/2009	6	29.88	13.6	1.04	48	21.4	2,735	3,184.5	15.1
1367	1-PM10-468	7/29/2009	1	29.84	14.4	1.03	73	20.6	3,192	3,713.8	19.7
1370	2-PM10-468	7/29/2009	2	29.84	14.4	1.03	36	21.4	3,200	3,715.0	9.7
1373	6-PM10-468	7/29/2009	6	29.84	14.4	1.03	62	21.1	3,199	3,716.9	16.7
1376	1-PM10-469	7/31/2009	1	29.83	17.0	1.02	74	20.5	2,991	3,462.5	21.4
1379	2-PM10-469	7/31/2009	2	29.83	17.0	1.02	27	21.9	2,984	3,441.2	7.8
1382	6-PM10-469	7/31/2009	6	29.83	17.0	1.02	48	21.2	2,977	3,439.7	14.0
1385	1-PM10-470	8/5/2009	1	29.93	16.2	1.03	98	20.5	3,194	3,716.2	26.4
1388	2-PM10-470	8/5/2009	2	29.93	16.2	1.03	35	21.6	3,197	3,708.6	9.4

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated	Volume (m3)	Conc PM10 (ug/m3)
1391	6-PM10-470	8/5/2009	6	29.93	16.2	1.03	60	21.3	3,195	3,709.3	16.2
1394	1-PM10-471	8/7/2009	1	29.95	18.7	1.02	71	21.4	2,950	3,410.3	20.8
1397	2-PM10-471	8/7/2009	2	29.95	18.7	1.02	52	21.9	2,949	3,404.4	15.3
1400	1-PM10-472	8/12/2009	1	29.86	19.1	1.02	79	22.0	3,180	3,655.7	21.6
1403	2-PM10-472	8/12/2009	2	29.86	19.1	1.02	69	21.7	3,181	3,659.8	18.9
1406	6-PM10-472	8/12/2009	6	29.86	19.1	1.02	84	21.6	3,173	3,651.6	23.0
1409	1-PM10-473	8/14/2009	1	29.89	20.7	1.01	129	21.7	3,002	3,447.3	37.4
1412	2-PM10-473	8/14/2009	2	29.89	20.7	1.01	128	22.3	3,001	3,440.5	37.2
1415	6-PM10-473	8/14/2009	6	29.89	20.7	1.01	218	22.2	3,002	3,442.6	63.3
1418	1-PM10-474	8/19/2009	1	29.80	14.9	1.03	65	21.9	3,218	3,721.9	17.5
1421	2-PM10-474	8/19/2009	2	29.80	14.9	1.03	66	21.0	3,215	3,727.6	17.7
1424	6-PM10-474	8/19/2009	6	29.80	14.9	1.03	101	21.1	3,218	3,730.1	27.1
1427	1-PM10-475	8/21/2009	1	29.77	20.3	1.01	53	21.3	3,000	3,436.7	15.4
1430	2-PM10-475	8/21/2009	2	29.77	20.3	1.01	42	21.9	3,005	3,436.7	12.2
1433	6-PM10-475	8/21/2009	6	29.77	20.3	1.01	76	20.6	2,995	3,437.5	22.1
1436	1-PM10-476	8/26/2009	1	29.89	14.7	1.03	66	20.6	3,205	3,733.4	17.7
1439	2-PM10-476	8/26/2009	2	29.89	14.7	1.03	63	21.5	3,184	3,699.8	17.0
1442	6-PM10-476	8/26/2009	6	29.89	14.7	1.03	94	21.2	3,161	3,676.1	25.6
1445	1-PM10-477	8/28/2009	1	29.90	24.6	1.00	74	21.8	3,012	3,434.4	21.5
1448	2-PM10-477	8/28/2009	2	29.90	24.6	1.00	62	21.9	3,026	3,449.4	18.0
1451	6-PM10-477	8/28/2009	6	29.90	24.6	1.00	84	21.7	3,046	3,474.1	24.2
1454	1-PM10-478	9/2/2009	1	29.81	19.0	1.02	67	21.4	3,202	3,681.2	18.2
1457	2-PM10-478	9/2/2009	2	29.81	19.0	1.02	63	21.9	3,201	3,675.0	17.1
1460	6-PM10-478	9/2/2009	6	29.81	19.0	1.02	85	21.0	3,204	3,687.5	23.1
1463	1-PM10-479	9/3/2009	1	29.84	25.3	1.00	65	22.4	1,541	1,748.3	37.2
1466	2-PM10-479	9/3/2009	2	29.84	25.3	1.00	58	22.5	1,540	1,746.6	33.2
1469	6-PM10-479	9/3/2009	6	29.84	25.3	1.00	70	21.3	1,534	1,745.6	40.1
1472	1-PM10-480	9/10/2009	1	29.83	16.6	1.03	81	21.4	3,198	3,695.8	21.9
1475	2-PM10-480	9/10/2009	2	29.83	16.6	1.03	85	22.0	3,211	3,704.8	22.9
1481	1-PM10-481	9/11/2009	1	29.84	22.2	1.01	44	21.7	1,558	1,781.0	24.7
1484	2-PM10-481	9/11/2009	2	29.84	22.2	1.01	29	22.1	1,551	1,771.0	16.4
1487	6-PM10-481	9/11/2009	6	29.84	22.2	1.01	48	20.0	1,541	1,769.8	27.1
1490	1-PM10-482	9/16/2009	1	29.91	17.1	1.03	54	21.0	3,201	3,710.4	14.6
1493	2-PM10-482	9/16/2009	2	29.91	17.1	1.03	56	21.9	3,204	3,704.7	15.1
1496	6-PM10-482	9/16/2009	6	29.91	17.1	1.03	86	20.7	3,211	3,725.0	23.1
1499	1-PM10-483	9/18/2009	1	29.83	23.9	1.00	91	21.7	2,933	3,341.2	27.2

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
1502	2-PM10-483	9/18/2009	2	29.83	23.9	1.00	92	22.7	2,933	3,332.0	27.6
1505	6-PM10-483	9/18/2009	6	29.83	23.9	1.00	126	22.8	2,929	3,326.6	37.9
1508	1-PM10-484	9/23/2009	1	29.94	14.4	1.04	55	20.6	3,194	3,729.3	14.7
1511	2-PM10-484	9/23/2009	2	29.94	14.4	1.04	67	21.6	3,200	3,726.1	18.0
1514	6-PM10-484	9/23/2009	6	29.94	14.4	1.04	83	20.8	3,200	3,734.3	22.2
1517	1-PM10-485	9/25/2009	1	29.85	19.9	1.02	73	20.5	3,005	3,462.3	21.1
1520	2-PM10-485	9/25/2009	2	29.85	19.9	1.02	58	21.8	2,999	3,443.1	16.8
1523	6-PM10-485	9/25/2009	6	29.85	19.9	1.02	72	21.3	2,991	3,438.7	20.9
1526	1-PM10-486	9/30/2009	1	29.90	15.3	1.03	162	20.3	3,210	3,739.3	43.3
1529	2-PM10-486	9/30/2009	2	29.90	15.3	1.03	160	21.7	3,234	3,752.9	42.6
1532	6-PM10-486	9/30/2009	6	29.90	15.3	1.03	186	20.7	3,257	3,789.9	49.1
1535	1-PM10-487	10/2/2009	1	29.93	19.8	1.02	126	21.5	3,003	3,461.0	36.4
1541	6-PM10-487	10/2/2009	6	29.93	19.8	1.02	142	21.8	2,992	3,445.5	41.2
1544	1-PM10-488	10/7/2009	1	29.83	14.7	1.03	141	21.1	3,167	3,676.3	38.4
1547	2-PM10-488	10/7/2009	2	29.83	14.7	1.03	122	18.6	3,163	3,696.8	33.0
1550	6-PM10-488	10/7/2009	6	29.83	14.7	1.03	165	21.7	3,167	3,670.2	45.0
1556	2-PM10-489	10/9/2009	2	29.85	17.5	1.02	57	18.5	3,024	3,519.0	16.2
1559	6-PM10-489	10/9/2009	6	29.85	17.5	1.02	101	21.2	3,026	3,495.5	28.9
1562	1-PM10-490	10/16/2009	1	29.94	20.5	1.02	42	21.3	1,884	2,170.5	19.4
1565	2-PM10-490	10/16/2009	2	29.94	20.5	1.02	31	18.1	1,884	2,189.4	14.2
1568	6-PM10-490	10/16/2009	6	29.94	20.5	1.02	36	21.3	1,880	2,165.9	16.6
1571	1-PM10-491	10/21/2009	1	29.87	16.1	1.03	66	21.2	3,352	3,885.1	17.0
1574	2-PM10-491	10/21/2009	2	29.87	16.1	1.03	37	17.9	3,349	3,916.7	9.4
1577	6-PM10-491	10/21/2009	6	29.87	16.1	1.03	60	20.8	3,349	3,885.9	15.4
1580	1-PM10-492	10/23/2009	1	29.90	19.5	1.02	133	21.7	2,880	3,315.8	40.1
1583	2-PM10-492	10/23/2009	2	29.90	19.5	1.02	72	18.8	2,876	3,337.4	21.6
1586	6-PM10-492	10/23/2009	6	29.90	19.5	1.02	96	21.8	2,872	3,305.6	29.0
1589	1-PM10-493	10/28/2009	1	29.95	14.9	1.04	161	21.1	3,191	3,718.5	43.3
1592	2-PM10-493	10/28/2009	2	29.95	14.9	1.04	71	18.3	3,195	3,751.6	18.9
1595	6-PM10-493	10/28/2009	6	29.95	14.9	1.04	98	21.2	3,195	3,722.1	26.3
1598	1-PM10-494	10/30/2009	1	30.00	17.4	1.03	134	21.6	2,975	3,451.8	38.8
1601	2-PM10-494	10/30/2009	2	30.00	17.4	1.03	76	18.8	2,971	3,473.4	21.9
1604	6-PM10-494	10/30/2009	6	30.00	17.4	1.03	94	21.6	2,963	3,437.8	27.3
1607	1-PM10-495	11/4/2009	1	29.92	15.4	1.03	121	21.4	3,217	3,738.2	32.4
1610	2-PM10-495	11/4/2009	2	29.92	15.4	1.03	82	18.6	3,215	3,764.4	21.8
1616	1-PM10-496	11/6/2009	1	29.91	15.9	1.03	54	21.8	2,961	3,432.5	15.7

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
1619	2-PM10-496	11/6/2009	2	29.91	15.9	1.03	31	18.6	2,960	3,461.4	9.0
1622	6-PM10-496	11/6/2009	6	29.91	15.9	1.03	57	21.0	2,954	3,431.8	16.6
1625	1-PM10-497	11/11/2009	1	29.92	12.7	1.04	112	21.2	3,202	3,742.1	29.9
1628	2-PM10-497	11/11/2009	2	29.92	12.7	1.04	70	18.7	3,203	3,768.8	18.6
1631	6-PM10-497	11/11/2009	6	29.92	12.7	1.04	93	20.9	3,204	3,747.5	24.8
1634	1-PM10-498	11/13/2009	1	29.86	14.4	1.03	91	21.7	3,012	3,496.3	26.0
1637	2-PM10-498	11/13/2009	2	29.86	14.4	1.03	59	19.1	3,017	3,527.1	16.7
1640	6-PM10-498	11/13/2009	6	29.86	14.4	1.03	71	21.2	3,013	3,502.3	20.3
1643	1-PM10-499	11/18/2009	1	30.08	10.7	1.06	84	21.4	3,209	3,784.1	22.2
1646	2-PM10-499	11/18/2009	2	30.08	10.7	1.06	48	18.6	3,215	3,820.0	12.6
1649	6-PM10-499	11/18/2009	6	30.08	10.7	1.06	68	20.7	3,216	3,799.5	17.9
1652	1-PM10-500	11/20/2009	1	29.92	12.2	1.04	90	21.5	2,776	3,244.7	27.7
1655	2-PM10-500	11/20/2009	2	29.92	12.2	1.04	51	19.0	2,802	3,297.5	15.5
1658	6-PM10-500	11/20/2009	6	29.92	12.2	1.04	114	20.8	2,801	3,280.2	34.8
1661	1-PM10-501	11/24/2009	1	30.07	12.7	1.05	66	21.0	1,852	2,177.0	30.3
1664	2-PM10-501	11/24/2009	2	30.07	12.7	1.05	32	18.8	1,866	2,206.6	14.5
1667	6-PM10-501	11/24/2009	6	30.07	12.7	1.05	37	20.9	1,863	2,190.6	16.9
1670	1-PM10-502	12/2/2009	1	29.95	9.7	1.06	116	20.9	3,204	3,773.4	30.7
1673	2-PM10-502	12/2/2009	2	29.95	9.7	1.06	88	18.4	3,199	3,793.2	23.2
1676	6-PM10-502	12/2/2009	6	29.95	9.7	1.06	103	20.6	3,195	3,765.9	27.4
1679	1-PM10-503	12/4/2009	1	29.95	9.9	1.05	79	21.0	2,993	3,522.6	22.4
1682	2-PM10-503	12/4/2009	2	29.95	9.9	1.05	58	18.5	2,982	3,533.5	16.4
1685	6-PM10-503	12/4/2009	6	29.95	9.9	1.05	89	21.0	2,980	3,507.3	25.4
1688	1-PM10-504	12/9/2009	1	29.80	5.7	1.06	64	20.4	3,228	3,816.8	16.8
1691	2-PM10-504	12/9/2009	2	29.80	5.7	1.06	50	18.5	3,263	3,878.3	12.9
1694	6-PM10-504	12/9/2009	6	29.80	5.7	1.06	59	20.0	3,259	3,857.7	15.3
1697	1-PM10-505	12/11/2009	1	29.90	7.1	1.06	95	21.0	2,988	3,529.9	26.9
1703	6-PM10-505	12/11/2009	6	29.90	7.1	1.06	95	20.8	2,951	3,488.1	27.2
1706	1-PM10-506	12/16/2009	1	30.09	10.4	1.06	53	20.2	3,179	3,764.4	14.1
1709	2-PM10-506	12/16/2009	2	30.09	10.4	1.06	38	18.7	3,177	3,777.4	10.1
1712	1-PM10-507	12/18/2009	1	30.09	12.7	1.05	78	21.2	2,980	3,503.6	22.3
1715	2-PM10-507	12/18/2009	2	30.09	12.7	1.05	50	19.4	2,961	3,498.2	14.3
1718	1-PM10-508	1/6/2010	1	30.04	8.3	1.06	157	20.5	3,175	3,765.6	41.7
1721	2-PM10-508	1/6/2010	2	30.04	8.3	1.06	133	19.3	3,172	3,774.3	35.2
1727	2-PM10-509	1/8/2010	2	30.03	10.0	1.06	134	19.1	3,030	3,594.0	37.3
1730	1-PM10-510	1/13/2010	1	30.05	11.5	1.05	81	23.7	3,229	3,774.0	21.5

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated	Volume (m3)	Conc PM10 (ug/m3)
1733	2-PM10-510	1/13/2010	2	30.05	11.5	1.05	50	19.5	3,235	3,824.5	13.1
1736	1-PM10-511	1/15/2010	1	30.03	12.8	1.05	105	22.3	2,968	3,471.0	30.3
1739	2-PM10-511	1/15/2010	2	30.03	12.8	1.05	104	20.1	2,967	3,490.7	29.8
1742	1-PM10-512	1/28/2010	1	29.86	11.2	1.05	67	20.7	3,183	3,727.9	18.0
1745	2-PM10-512	1/28/2010	2	29.86	11.2	1.05	57	19.6	3,183	3,739.1	15.2
1748	1-PM10-513	1/29/2010	1	29.91	12.6	1.04	76	21.5	1,500	1,751.3	43.4
1751	2-PM10-513	1/29/2010	2	29.91	12.6	1.04	59	19.6	1,500	1,760.4	33.5
1754	2-PM10-514	2/3/2010	2	29.80	11.6	1.04	62	19.3	3,172	3,718.4	16.7
1757	8-PM10-514	2/3/2010	8	29.80	11.6	1.04	78	20.7	3,134	3,659.9	21.3
1760	9-PM10-514	2/3/2010	9	29.80	11.6	1.04	70	21.0	3,065	3,576.3	19.6
1763	2-PM10-515	2/5/2010	2	29.73	14.8	1.03	49	19.2	2,982	3,466.6	14.1
1766	8-PM10-515	2/5/2010	8	29.73	14.8	1.03	58	21.5	2,991	3,455.2	16.8
1769	9-PM10-515	2/5/2010	9	29.73	14.8	1.03	60	21.3	2,986	3,451.3	17.4
1772	2-PM10-516	2/10/2010	2	29.97	10.9	1.05	38	18.2	3,198	3,787.8	10.0
1775	8-PM10-516	2/10/2010	8	29.97	10.9	1.05	38	20.4	3,196	3,762.9	10.1
1778	9-PM10-516	2/10/2010	9	29.97	10.9	1.05	42	21.5	3,196	3,751.7	11.2
1784	8-PM10-517	2/12/2010	8	30.03	13.9	1.04	38	20.8	3,007	3,523.6	10.8
1787	9-PM10-517	2/12/2010	9	30.03	13.9	1.04	45	21.3	3,003	3,514.1	12.8
1790	2-PM10-518	2/17/2010	2	29.96	11.3	1.05	86	18.9	3,215	3,796.5	22.7
1793	8-PM10-518	2/17/2010	8	29.96	11.3	1.05	64	20.7	3,192	3,750.9	17.1
1796	9-PM10-518	2/17/2010	9	29.96	11.3	1.05	67	21.2	3,213	3,770.5	17.8
1799	2-PM10-519	2/19/2010	2	29.81	12.6	1.04	61	20.0	2,996	3,499.9	17.4
1802	8-PM10-519	2/19/2010	8	29.81	12.6	1.04	67	22.5	3,029	3,514.2	19.1
1805	9-PM10-519	2/19/2010	9	29.81	12.6	1.04	61	23.3	3,005	3,478.7	17.5
1808	2-PM10-520	2/24/2010	2	30.02	11.3	1.05	41	21.2	3,174	3,732.6	11.0
1811	8-PM10-520	2/24/2010	8	30.02	11.3	1.05	55	22.0	3,229	3,789.0	14.5
1814	9-PM10-520	2/24/2010	9	30.02	11.3	1.05	53	23.0	3,199	3,743.6	14.2
1817	2-PM10-521	2/26/2010	2	29.85	13.2	1.04	55	21.5	2,940	3,421.3	16.1
1820	8-PM10-521	2/26/2010	8	29.85	13.2	1.04	58	22.1	2,894	3,362.2	17.3
1823	9-PM10-521	2/26/2010	9	29.85	13.2	1.04	57	21.7	2,918	3,393.8	16.8
1826	2-PM10-522	03-Mar-10	2	29.87	11.8	1.04	38	20.6	3,216	3,764.5	10.1
1829	8-PM10-522	03-Mar-10	8	29.87	11.8	1.04	45	22.2	3,210	3,741.1	12.0
1832	9-PM10-522	03-Mar-10	9	29.87	11.8	1.04	45	22.3	3,215	3,745.9	12.0
1835	2-PM10-523	05-Mar-10	2	29.80	12.8	1.04	29	20.7	3,010	3,506.9	8.3
1838	8-PM10-523	05-Mar-10	8	29.80	12.8	1.04	37	20.7	3,012	3,509.2	10.5
1841	9-PM10-523	05-Mar-10	9	29.80	12.8	1.04	35	22.5	3,005	3,483.8	10.0

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated	Volume (m3)	Conc PM10 (ug/m3)
1844	2-PM10-524	10-Mar-10	2	30.00	10.6	1.05	57	21.0	3,253	3,830.1	14.9
1847	8-PM10-524	10-Mar-10	8	30.00	10.6	1.05	46	21.6	3,249	3,819.1	12.0
1850	9-PM10-524	10-Mar-10	9	30.00	10.6	1.05	48	22.9	3,251	3,807.9	12.6
1853	8-PM10-525	12-Mar-10	8	29.97	11.5	1.05	57	21.9	2,884	3,377.8	16.9
1856	9-PM10-525	12-Mar-10	9	29.97	11.5	1.05	59	23.4	2,870	3,347.6	17.6
1859	2-PM10-526	17-Mar-10	2	30.07	11.4	1.05	96	21.6	3,046	3,583.8	26.8
1862	8-PM10-526	17-Mar-10	8	30.07	11.4	1.05	110	22.4	3,106	3,646.4	30.2
1865	9-PM10-526	17-Mar-10	9	30.07	11.4	1.05	106	22.7	3,083	3,616.5	29.3
1874	9-PM10-527	19-Mar-10	9	29.99	19.0	1.02	123	24.0	3,097	3,557.8	34.6
1877	2-PM10-528	24-Mar-10	2	29.98	12.5	1.05	95	20.7	3,171	3,720.2	25.5
1880	8-PM10-528	24-Mar-10	8	29.98	12.5	1.05	95	22.0	3,165	3,700.0	25.7
1883	9-PM10-528	24-Mar-10	9	29.98	12.5	1.05	115	22.6	3,169	3,698.6	31.1
1886	2-PM10-529	26-Mar-10	2	30.03	14.8	1.04	54	20.5	2,973	3,480.6	15.5
1889	8-PM10-529	26-Mar-10	8	30.03	14.8	1.04	58	22.2	2,989	3,483.1	16.7
1895	2-PM10-530	31-Mar-10	2	29.88	12.3	1.04	41	20.9	3,196	3,735.7	11.0
1898	8-PM10-530	31-Mar-10	8	29.88	12.3	1.04	51	22.0	3,184	3,710.5	13.7
1901	9-PM10-530	31-Mar-10	9	29.88	12.3	1.04	45	21.7	3,190	3,720.6	12.1
1904	2-PM10-531	02-Apr-10	2	29.84	12.3	1.04	45	20.4	2,988	3,492.4	12.9
1907	8-PM10-531	02-Apr-10	8	29.84	12.3	1.04	44	22.4	3,000	3,487.3	12.6
1910	9-PM10-531	02-Apr-10	9	29.84	12.3	1.04	39	21.6	2,993	3,486.8	11.2
1913	2-PM10-532	07-Apr-10	2	29.92	12.5	1.04	67	21.3	3,296	3,852.4	17.4
1916	8-PM10-532	07-Apr-10	8	29.92	12.5	1.04	69	22.0	3,286	3,833.3	18.0
1919	9-PM10-532	07-Apr-10	9	29.92	12.5	1.04	74	22.2	3,289	3,834.7	19.3
1922	2-PM10-533	09-Apr-10	2	29.91	18.4	1.02	123	21.4	2,909	3,360.0	36.6
1925	8-PM10-533	09-Apr-10	8	29.91	18.4	1.02	110	22.8	2,931	3,372.4	32.6
1928	9-PM10-533	09-Apr-10	9	29.91	18.4	1.02	112	22.7	2,925	3,366.5	33.3
1931	2-PM10-534	15-Apr-10	2	29.94	12.9	1.04	81	21.2	3,207	3,749.1	21.6
1934	8-PM10-534	15-Apr-10	8	29.94	12.9	1.04	74	22.2	3,195	3,724.9	19.9
1937	9-PM10-534	15-Apr-10	9	29.94	12.9	1.04	73	22.0	3,200	3,732.8	19.6
1940	2-PM10-535	16-Apr-10	2	29.96	16.4	1.03	34	21.4	1,546	1,795.6	18.9
1943	8-PM10-535	16-Apr-10	8	29.96	16.4	1.03	35	22.7	1,555	1,799.6	19.4
1946	9-PM10-535	16-Apr-10	9	29.96	16.4	1.03	32	22.2	1,549	1,795.2	17.8
1949	2-PM10-536	21-Apr-10	2	29.77	10.3	1.05	49	21.1	3,165	3,697.4	13.3
1952	8-PM10-536	21-Apr-10	8	29.77	10.3	1.05	56	21.9	3,169	3,694.0	15.2
1955	9-PM10-536	21-Apr-10	9	29.77	10.3	1.05	47	21.8	3,170	3,696.1	12.7
1958	2-PM10-537	23-Apr-10	2	29.82	12.2	1.04	131	21.7	3,009	3,502.7	37.4

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
1961	8-PM10-537	23-Apr-10	8	29.82	12.2	1.04	119	22.1	3,011	3,501.2	34.0
1964	9-PM10-537	23-Apr-10	9	29.82	12.2	1.04	117	22.3	3,011	3,499.2	33.4
1967	2-PM10-538	28-Apr-10	2	29.90	10.4	1.05	77	21.7	3,209	3,759.2	20.5
1970	8-PM10-538	28-Apr-10	8	29.90	10.4	1.05	59	22.2	3,198	3,741.2	15.8
1973	9-PM10-538	28-Apr-10	9	29.90	10.4	1.05	60	22.0	3,203	3,749.1	16.0
1976	2-PM10-539	30-Apr-10	2	29.92	13.9	1.04	95	21.4	3,002	3,498.4	27.2
1979	8-PM10-539	30-Apr-10	8	29.92	13.9	1.04	56	22.7	3,048	3,539.3	15.8
1982	9-PM10-539	30-Apr-10	9	29.92	13.9	1.04	74	22.0	3,024	3,518.2	21.0
1985	2-PM10-540	05-May-10	2	30.02	15.7	1.04	142	21.9	3,183	3,704.6	38.3
1988	8-PM10-540	05-May-10	8	30.02	15.7	1.04	112	22.8	3,193	3,707.1	30.2
1994	2-PM10-541	07-May-10	2	29.98	15.2	1.04	117	21.4	3,001	3,495.9	33.5
1997	8-PM10-541	07-May-10	8	29.98	15.2	1.04	100	22.9	3,022	3,506.0	28.5
2000	9-PM10-541	07-May-10	9	29.98	15.2	1.04	114	23.1	3,012	3,492.5	32.6
2003	2-PM10-542	12-May-10	2	29.98	13.3	1.04	83	21.1	3,174	3,714.0	22.3
2006	8-PM10-542	12-May-10	8	29.98	13.3	1.04	93	22.2	3,172	3,700.5	25.1
2009	9-PM10-542	12-May-10	9	29.98	13.3	1.04	77	22.9	3,172	3,693.4	20.8
2012	2-PM10-543	14-May-10	2	29.95	14.3	1.04	113	21.8	3,020	3,516.5	32.1
2015	8-PM10-543	14-May-10	8	29.95	14.3	1.04	101	22.0	3,020	3,514.6	28.7
2018	9-PM10-543	14-May-10	9	29.95	14.3	1.04	103	22.6	3,022	3,511.2	29.3
2021	2-PM10-544	19-May-10	2	29.89	13.0	1.04	25	21.6	3,216	3,748.2	6.7
2024	8-PM10-544	19-May-10	8	29.89	13.0	1.04	37	21.6	3,218	3,750.5	9.9
2027	9-PM10-544	19-May-10	9	29.89	13.0	1.04	32	22.3	3,214	3,738.7	8.6
2030	2-PM10-545	21-May-10	2	30.01	14.5	1.04	83	21.2	2,974	3,474.7	23.9
2033	8-PM10-545	21-May-10	8	30.01	14.5	1.04	71	22.4	2,984	3,475.0	20.4
2036	9-PM10-545	21-May-10	9	30.01	14.5	1.04	66	22.5	2,977	3,465.9	19.0
2039	2-PM10-546	26-May-10	2	29.89	12.5	1.04	25	21.2	3,205	3,743.1	6.7
2045	9-PM10-546	26-May-10	9	29.89	12.5	1.04	41	22.6	3,203	3,726.4	11.0
2048	2-PM10-547	28-May-10	2	29.97	15.1	1.04	28	21.1	2,984	3,478.4	8.1
2051	9-PM10-547	28-May-10	9	29.97	15.1	1.04	40	22.9	2,986	3,463.6	11.5
2054	2-PM10-548	02-Jun-10	2	29.90	15.7	1.03	69	20.9	3,225	3,747.8	18.4
2057	8-PM10-548	02-Jun-10	8	29.90	15.7	1.03	48	21.9	3,187	3,693.5	13.0
2060	9-PM10-548	02-Jun-10	9	29.90	15.7	1.03	67	22.6	3,187	3,686.4	18.2
2063	2-PM10-549	04-Jun-10	2	29.91	19.8	1.02	22	21.4	1,500	1,728.0	12.7
2066	8-PM10-549	04-Jun-10	8	29.91	19.8	1.02	30	22.4	1,565	1,798.0	16.7
2069	9-PM10-549	04-Jun-10	9	29.91	19.8	1.02	24	23.0	1,529	1,753.7	13.7
2072	2-PM10-550	09-Jun-10	2	29.96	15.0	1.04	134	21.0	3,151	3,673.5	36.5

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated	Volume (m3)	Conc PM10 (ug/m3)
2075	8-PM10-550	09-Jun-10	8	29.96	15.0	1.04	94	22.2	3,213	3,733.5	25.2
2078	9-PM10-550	09-Jun-10	9	29.96	15.0	1.04	103	22.2	3,185	3,701.0	27.8
2081	2-PM10-551	11-Jun-10	2	29.91	18.9	1.02	130	22.0	3,042	3,504.6	37.1
2084	8-PM10-551	11-Jun-10	8	29.91	18.9	1.02	98	21.7	2,994	3,452.1	28.4
2087	2-PM10-552	16-Jun-10	2	29.89	14.6	1.04	67	21.5	3,165	3,678.4	18.2
2090	8-PM10-552	16-Jun-10	8	29.89	14.6	1.04	218	22.2	3,184	3,693.4	59.0
2093	9-PM10-552	16-Jun-10	9	29.89	14.6	1.04	176	22.1	3,182	3,692.1	47.7
2096	2-PM10-553	18-Jun-10	2	29.87	16.0	1.03	159	21.1	3,031	3,514.7	45.2
2099	8-PM10-553	18-Jun-10	8	29.87	16.0	1.03	138	22.2	3,034	3,507.6	39.3
2105	2-PM10-554	23-Jun-10	2	29.88	13.2	1.04	120	21.2	3,154	3,677.2	32.6
2108	8-PM10-554	23-Jun-10	8	29.88	13.2	1.04	84	22.2	3,159	3,673.0	22.9
2111	9-PM10-554	23-Jun-10	9	29.88	13.2	1.04	102	22.2	3,156	3,669.5	27.8
2114	2-PM10-555	25-Jun-10	2	29.88	15.8	1.03	48	20.4	2,986	3,471.7	13.8
2117	8-PM10-555	25-Jun-10	8	29.88	15.8	1.03	60	21.9	2,990	3,462.1	17.3
2120	9-PM10-555	25-Jun-10	9	29.88	15.8	1.03	53	22.9	2,987	3,449.1	15.4
2123	8-PM10-556	30-Jun-10	8	29.74	15.6	1.03	118	21.9	3,211	3,700.9	31.9
2126	9-PM10-556	30-Jun-10	9	29.74	15.6	1.03	145	23.0	3,212	3,690.9	39.3
2129	8-PM10-557	02-Jul-10	8	29.79	16.6	1.02	107	21.6	2,977	3,433.7	31.2
2132	9-PM10-557	02-Jul-10	9	29.79	16.6	1.02	126	22.4	2,977	3,426.1	36.8
2135	8-PM10-558	08-Jul-10	8	29.81	14.2	1.03	58	21.7	3,210	3,721.0	15.6
2138	9-PM10-558	08-Jul-10	9	29.81	14.2	1.03	66	21.8	3,213	3,723.4	17.7
2141	2-PM10-559	09-Jul-10	2	29.84	16.2	1.03	30	20.8	1,561	1,809.0	16.6
2144	8-PM10-559	09-Jul-10	8	29.84	16.2	1.03	19	22.2	1,570	1,812.4	10.5
2147	9-PM10-559	09-Jul-10	9	29.84	16.2	1.03	28	22.7	1,563	1,801.9	15.5
2150	2-PM10-560	14-Jul-10	2	29.86	16.8	1.03	64	21.0	3,238	3,748.7	17.1
2153	8-PM10-560	14-Jul-10	8	29.86	16.8	1.03	50	22.0	3,240	3,740.8	13.4
2159	2-PM10-561	16-Jul-10	2	29.87	18.7	1.02	97	21.4	2,939	3,387.9	28.6
2162	8-PM10-561	16-Jul-10	8	29.87	18.7	1.02	52	22.6	2,944	3,382.5	15.4
2165	9-PM10-561	16-Jul-10	9	29.87	18.7	1.02	58	22.4	2,895	3,328.1	17.4
2168	2-PM10-562	21-Jul-10	2	29.81	12.7	1.04	116	21.7	3,210	3,731.7	31.1
2171	7-PM10-562	21-Jul-10	7	29.81	12.7	1.04	98	22.2	3,174	3,684.8	26.6
2174	9-PM10-562	21-Jul-10	9	29.81	12.7	1.04	109	21.7	3,242	3,768.9	28.9
2177	2-PM10-563	23-Jul-10	2	29.81	15.0	1.03	47	21.4	2,980	3,451.9	13.6
2180	7-PM10-563	23-Jul-10	7	29.81	15.0	1.03	79	21.7	2,988	3,458.4	22.8
2183	9-PM10-563	23-Jul-10	9	29.81	15.0	1.03	42	21.7	2,950	3,414.4	12.3
2186	2-PM10-564	28-Jul-10	2	29.86	15.0	1.03	48	20.7	3,248	3,776.3	12.7

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
2192	9-PM10-564	28-Jul-10	9	29.86	15.0	1.03	41	21.7	3,271	3,792.6	10.8
2195	2-PM10-565	30-Jul-10	2	29.89	16.9	1.03	36	20.8	2,968	3,441.0	10.5
2198	9-PM10-565	30-Jul-10	9	29.89	16.9	1.03	34	21.8	2,947	3,407.4	10.0
2201	2-PM10-566	04-Aug-10	3	29.88	13.3	1.04	50	20.7	3,196	3,730.6	13.4
2204	7-PM10-566	04-Aug-10	7	29.88	13.3	1.04	55	22.4	3,193	3,709.8	14.8
2207	9-PM10-566	04-Aug-10	9	29.88	13.3	1.04	44	21.6	3,196	3,721.4	11.8
2210	2-PM10-567	06-Aug-10	2	29.81	16.1	1.03	42	21.2	2,984	3,451.2	12.2
2213	7-PM10-567	06-Aug-10	7	29.81	16.1	1.03	31	22.2	2,804	3,234.2	9.6
2216	9-PM10-567	06-Aug-10	9	29.81	16.1	1.03	38	21.6	2,985	3,448.6	11.0
2219	2-PM10-568	11-Aug-10	2	29.85	13.8	1.04	42	20.6	3,233	3,767.2	11.1
2222	7-PM10-568	11-Aug-10	7	29.85	13.8	1.04	43	21.5	3,229	3,753.3	11.5
2225	9-PM10-568	11-Aug-10	9	29.85	13.8	1.04	35	21.1	3,232	3,760.9	9.3
2228	2-PM10-569	13-Aug-10	2	29.82	16.1	1.03	31	21.1	2,951	3,415.2	9.1
2231	7-PM10-569	13-Aug-10	7	29.82	16.1	1.03	32	21.9	2,977	3,437.8	9.3
2234	9-PM10-569	13-Aug-10	9	29.82	16.1	1.03	30	21.0	2,953	3,418.5	8.8
2237	2-PM10-570	18-Aug-10	2	29.87	15.3	1.03	41	20.8	3,154	3,665.2	11.2
2240	7-PM10-570	18-Aug-10	7	29.87	15.3	1.03	36	22.0	3,218	3,727.3	9.7
2243	9-PM10-570	18-Aug-10	9	29.87	15.3	1.03	35	20.6	3,180	3,697.4	9.5
2246	2-PM10-571	20-Aug-10	2	29.79	17.5	1.02	47	20.1	3,033	3,506.7	13.4
2249	7-PM10-571	20-Aug-10	7	29.79	17.5	1.02	39	22.7	2,975	3,415.2	11.4
2252	9-PM10-571	20-Aug-10	9	29.79	17.5	1.02	41	21.0	3,006	3,466.9	11.8
2255	2-PM10-572	25-Aug-10	2	29.90	27.2	0.99	128	21.0	3,216	3,657.8	35.0
2258	7-PM10-572	25-Aug-10	7	29.90	27.2	0.99	136	23.8	3,209	3,621.9	37.5
2261	9-PM10-572	25-Aug-10	9	29.90	27.2	0.99	133	21.9	3,217	3,649.9	36.4
2264	2-PM10-573	27-Aug-10	2	29.86	21.7	1.01	119	21.1	2,969	3,405.1	34.9
2267	9-PM10-573	27-Aug-10	9	29.86	21.7	1.01	92	22.3	3,025	3,457.9	26.6
2270	2-PM10-574	01-Sep-10	2	29.98	19.9	1.02	57	21.1	3,219	3,719.9	15.3
2273	9-PM10-574	01-Sep-10	9	29.98	19.9	1.02	78	22.3	3,191	3,675.5	21.2
2276	2-PM10-575	02-Sep-10	2	29.84	26.1	0.99	62	21.0	1,540	1,751.3	35.4
2279	7-TSP-575	02-Sep-10	7	29.84	26.1	0.99	44	23.6	1,553	1,753.5	25.1
2282	9-PM10-575	02-Sep-10	9	29.84	26.1	0.99	63	22.6	1,552	1,757.2	35.9
2285	2-PM10-576	09-Sep-10	2	29.90	17.2	1.03	50	20.7	3,117	3,614.0	13.8
2288	9-PM10-576	09-Sep-10	9	29.90	17.2	1.03	45	20.9	3,141	3,639.8	12.4
2291	2-PM10-577	10-Sep-10	2	29.99	19.1	1.02	37	21.0	1,553	1,798.4	20.6
2294	9-PM10-577	10-Sep-10	9	29.99	19.1	1.02	47	22.1	1,550	1,789.6	26.3
2297	2-PM10-578	15-Sep-10	2	30.01	16.9	1.03	31	20.5	3,178	3,703.2	8.4

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	PM10 (mg)	Ave Mag Pressure (in H2O)	Minutes Operated (min)	Volume (m3)	Conc PM10 (ug/m3)
2300	9-PM10-578	15-Sep-10	9	30.01	16.9	1.03	41	20.6	3,179	3,703.3	11.1
2303	2-PM10-579	17-Sep-10	2	29.96	19.4	1.02	20	20.7	2,960	3,425.1	5.8
2306	8-PM10-579	17-Sep-10	8	29.96	19.4	1.02	19	20.3	2,880	3,336.1	5.7
2309	9-PM10-579	17-Sep-10	9	29.96	19.4	1.02	23	21.3	2,941	3,397.5	6.8
2312	2-PM10-580	22-Sep-10	2	29.82	18.9	1.02	78	20.1	3,244	3,744.8	20.8
2315	8-PM10-580	22-Sep-10	8	29.82	18.9	1.02	72	21.0	3,253	3,746.0	19.2
2321	2-PM10-581	24-Sep-10	2	29.99	19.2	1.02	62	21.3	2,948	3,410.5	18.2
2324	6-PM10-581	24-Sep-10	6	29.99	19.2	1.02	112	21.9	2,997	3,461.5	32.4
2327	8-PM10-581	24-Sep-10	8	29.99	19.2	1.02	76	21.7	2,954	3,413.7	22.3
2330	2-PM10-582	29-Sep-10	2	29.82	24.2	1.00	106	19.6	3,193	3,655.0	29.0
2333	8-PM10-582	29-Sep-10	8	29.82	24.2	1.00	151	21.2	3,146	3,585.5	42.1
2336	9-PM10-582	29-Sep-10	9	29.82	24.2	1.00	163	23.2	3,169	3,591.9	45.4
2342	8-PM10-583	01-Oct-10	8	29.87	21.7	1.01	36	20.4	2,987	3,433.5	10.5
2345	9-PM10-583	01-Oct-10	9	29.87	21.7	1.01	69	19.6	2,986	3,439.8	20.1
2348	2-PM10-584	06-Oct-10	2	29.95	18.6	1.02	120	19.9	3,167	3,676.8	32.6
2351	8-PM10-584	06-Oct-10	8	29.95	18.6	1.02	113	20.1	3,183	3,693.4	30.6
2354	9-PM10-584	06-Oct-10	9	29.95	18.6	1.02	124	21.2	3,159	3,654.5	33.9
2357	2-PM10-585	08-Oct-10	2	30.12	18.6	1.03	69	20.2	2,989	3,488.1	19.8
2360	8-PM10-585	08-Oct-10	8	30.12	18.6	1.03	67	20.8	2,975	3,466.1	19.3
2363	9-PM10-585	08-Oct-10	9	30.12	18.6	1.03	75	21.8	2,997	3,482.3	21.5
2366	2-PM10-586	13-Oct-10	2	30.02	25.8	1.00	133	20.8	3,213	3,681.2	36.1
2369	8-PM10-586	13-Oct-10	8	30.02	25.8	1.00	150	22.5	3,178	3,624.2	41.4
2372	9-PM10-586	13-Oct-10	9	30.02	25.8	1.00	194	21.1	3,180	3,640.4	53.3
2375	2-PM10-587	15-Oct-10	2	30.01	23.6	1.01	102	20.7	2,978	3,425.3	29.8
2378	8-PM10-587	15-Oct-10	8	30.01	23.6	1.01	119	20.7	2,857	3,286.1	36.2
2381	9-PM10-587	15-Oct-10	9	30.01	23.6	1.01	114	22.2	2,877	3,295.6	34.6
2384	2-PM10-588	20-Oct-10	2	29.98	16.4	1.03	80	20.0	3,204	3,738.1	21.4
2387	8-PM10-588	20-Oct-10	8	29.98	16.4	1.03	75	19.9	3,197	3,731.0	20.1
2390	9-PM10-588	20-Oct-10	9	29.98	16.4	1.03	79	21.1	3,196	3,717.6	21.3
2393	2-PM10-589	22-Oct-10	2	30.02	18.3	1.03	54	20.8	2,995	3,479.1	15.5
2396	8-PM10-589	22-Oct-10	8	30.02	18.3	1.03	58	21.0	2,994	3,476.1	16.7
2399	9-PM10-589	22-Oct-10	9	30.02	18.3	1.03	64	21.6	3,000	3,477.3	18.4
2402	8-PM10-590	27-Oct-10	8	30.12	14.8	1.04	72	20.8	3,168	3,717.6	19.4
2405	9-PM10-590	27-Oct-10	9	30.12	14.8	1.04	109	21.7	3,171	3,712.0	29.4
2408	8-PM10-591	29-Oct-10	8	30.04	14.8	1.04	78	20.2	2,986	3,499.9	22.3
2411	9-PM10-591	29-Oct-10	9	30.04	14.8	1.04	92	19.2	3,006	3,532.9	26.0

Cal-OSHA Permissible Exposure Limit: 0.1 fiber/cc

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-0001	2-A-1	5/14/2005	11	30.05	17.7	1.03	0	2.00	493	1.02	0.000
0039-0005	2-A-2	5/15/2005	11	29.98	18.8	1.02	0	2.10	536	1.15	0.000
0039-0009	2-A-3	5/20/2005	11	30.11	18.4	1.03	0	2.00	525	1.08	0.000
0039-0013	2-A-4	5/21/2005	11	30.10	19.6	1.02	0	2.00	524	1.07	0.000
0039-0017	2-A-5	5/22/2005	11	30.06	20.2	1.02	0	2.18	555	1.23	0.000
0039-0021	1-A-6	5/25/2005	10	29.93	19.2	1.02	0	2.10	535	1.15	0.000
0039-0025	2-A-6	5/25/2005	11	29.93	19.2	1.02	0	2.10	539	1.15	0.000
0039-0029	1-A-7	5/26/2005	10	29.95	16.1	1.03	0	2.10	518	1.12	0.000
0039-0033	2-A-7	5/26/2005	11	29.95	16.1	1.03	0	2.10	520	1.13	0.000
0039-0037	1-A-8	5/31/2005	10	29.96	18.9	1.02	0	2.15	525	1.15	0.000
0039-0041	2-A-8	5/31/2005	11	29.96	18.9	1.02	0	1.25	526	0.67	0.000
0039-0045	1-A-9	6/1/2005	10	29.86	19.2	1.02	0	2.15	549	1.20	0.000
0039-0049	2-A-9	6/1/2005	11	29.86	19.2	1.02	0	2.10	587	1.25	0.000
0039-0053	1-A-10	6/2/2005	10	29.82	17.7	1.02	0	2.15	506	1.11	0.000
0039-0057	2-A-10	6/2/2005	11	29.82	17.7	1.02	0	2.00	538	1.10	0.000
0039-0061	1-A-11	6/3/2005	10	29.88	16.8	1.03	0	2.10	509	1.10	0.000
0039-0065	2-A-11	6/3/2005	11	29.88	16.8	1.03	0	2.00	510	1.05	0.000
0039-0069	1-A-12	6/6/2005	10	30.06	16.0	1.04	0	2.10	518	1.13	0.000
0039-0073	2-A-12	6/6/2005	11	30.06	16.0	1.04	0	2.00	514	1.06	0.000
0039-0077	1-A-13	6/7/2005	10	30.07	15.3	1.04	0	2.15	530	1.18	0.000
0039-0081	2-A-13	6/7/2005	11	30.07	15.3	1.04	0	2.15	537	1.20	0.000
0039-0085	1-A-14	6/9/2005	10	29.95	17.1	1.03	0	2.05	1513	3.19	0.000
0039-0089	2-A-14	6/9/2005	11	29.95	17.1	1.03	0	2.10	1521	3.28	0.000
0039-0093	4-A-14	6/9/2005	13	29.95	17.1	1.03	0	2.10	1468	3.17	0.000
0039-0097	1-A-15	6/13/2005	10	29.90	16.9	1.03	0	2.10	1469	3.17	0.000
0039-0101	2-A-15	6/13/2005	11	29.90	16.9	1.03	1411	2.05	1506	3.17	0.000
0039-0105	4-A-15	6/13/2005	13	29.90	16.9	1.03	0	2.10	1445	3.12	0.000
0039-0109	1-A-16	6/14/2005	10	29.92	16.4	1.03	0	2.10	1429	3.09	0.000
0039-0113	2-A-16	6/14/2005	11	29.92	16.4	1.03	0	1.90	1412	2.76	0.000
0039-0117	4-A-16	6/14/2005	13	29.92	16.4	1.03	0	2.25	1426	3.30	0.000
0039-0121	1-A-17	6/15/2005	10	29.97	15.1	1.04	0	2.05	1440	3.06	0.000
0039-0125	2-A-17	6/15/2005	11	29.97	15.1	1.04	0	1.90	1350	2.66	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-0129	3-A-17	6/15/2005	12	29.97	15.1	1.04	0	2.05	1190	2.53	0.000
0039-0133	1-A-18	6/16/2005	10	29.99	16.4	1.03	0	2.10	1404	3.04	0.000
0039-0137	2-A-18	6/16/2005	11	29.99	16.4	1.03	0	1.90	1469	2.88	0.000
0039-0141	3-A-18	6/16/2005	12	29.99	16.4	1.03	0	2.10	1543	3.34	0.000
0039-0145	1-A-19	6/20/2005	10	30.06	16.9	1.03	0	2.00	1482	3.06	0.000
0039-0149	2-A-19	6/20/2005	11	30.06	16.9	1.03	0	2.00	1497	3.09	0.000
0039-0153	3-A-19	6/20/2005	12	30.06	16.9	1.03	8718	2.00	1500	3.10	0.003
0039-0157	4-A-19	6/20/2005	13	30.06	16.9	1.03	0	2.05	1466	3.10	0.000
0039-0161	1-A-20	6/21/2005	10	30.05	17.5	1.03	4948	2.05	1397	2.95	0.002
0039-0165	2-A-20	6/21/2005	11	30.05	17.5	1.03	0	2.00	1394	2.87	0.000
0039-0169	3-A-20	6/21/2005	12	30.05	17.5	1.03	0	2.00	1373	2.83	0.000
0039-0173	4-A-20	6/21/2005	13	30.05	17.5	1.03	0	1.95	1410	2.83	0.000
0039-0177	1-A-21	6/22/2005	10	29.98	18.4	1.02	0	2.00	1376	2.82	0.000
0039-0181	2-A-21	6/22/2005	11	29.98	18.4	1.02	0	1.90	1367	2.66	0.000
0039-0185	3-A-21	6/22/2005	12	29.98	18.4	1.02	9425	2.05	1362	2.86	0.003
0039-0189	4-A-21	6/22/2005	13	29.98	18.4	1.02	0	2.00	480	0.98	0.000
0039-0193	1-A-22	6/23/2005	10	29.95	15.0	1.04	0	2.00	1525	3.16	0.000
0039-0197	2-A-22	6/23/2005	11	29.95	15.0	1.04	0	1.90	1523	3.00	0.000
0039-0201	3-A-22	6/23/2005	12	29.95	15.0	1.04	4241	2.00	1522	3.15	0.001
0039-0205	4-A-22	6/23/2005	13	29.95	15.0	1.04	0	2.00	1493	3.09	0.000
0039-0209	1-A-23	6/27/2005	10	29.96	14.2	1.04	0	2.05	1440	3.07	0.000
0039-0213	2-A-23	6/27/2005	11	29.96	14.2	1.04	0	2.10	1491	3.25	0.000
0039-0217	3-A-23	6/27/2005	12	29.96	14.2	1.04	0	2.00	1531	3.18	0.000
0039-0221	4-A-23	6/27/2005	13	29.96	14.2	1.04	0	2.05	1390	2.96	0.000
0039-0225	1-A-24	6/28/2005	10	29.96	15.8	1.03	0	2.00	1484	3.07	0.000
0039-0229	2-A-24	6/28/2005	11	29.96	15.8	1.03	2827	1.90	1487	2.92	0.001
0039-0233	3-A-24	6/28/2005	12	29.96	15.8	1.03	0	2.00	1471	3.04	0.000
0039-0237	4-A-24	6/28/2005	13	29.96	15.8	1.03	0	2.00	1496	3.09	0.000
0039-0241	1-A-25	6/29/2005	10	29.92	15.3	1.03	0	2.00	1379	2.85	0.000
0039-0245	2-A-25	6/29/2005	11	29.92	15.3	1.03	0	2.00	1387	2.87	0.000
0039-0249	3-A-25	6/29/2005	12	29.92	15.3	1.03	4712	2.05	1406	2.98	0.002
0039-0253	4-A-25	6/29/2005	13	29.92	15.3	1.03	0	1.90	1379	2.71	0.000
0039-0257	1-A-26	6/30/2005	10	29.91	16.4	1.03	0	2.00	351	0.72	0.000
0039-0261	2-A-26	6/30/2005	11	29.91	16.4	1.03	0	2.00	318	0.65	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-0265	3-A-26	6/30/2005	12	29.91	16.4	1.03	0	2.05	254	0.54	0.000
0039-0269	4-A-26	6/30/2005	13	29.91	16.4	1.03	0	2.05	375	0.79	0.000
0039-0273	1-A-27	7/5/2005	10	29.99	16.1	1.03	0	2.00	1511	3.12	0.000
0039-0277	2-A-27	7/5/2005	11	29.99	16.1	1.03	0	2.05	1424	3.02	0.000
0039-0281	3-A-27	7/5/2005	12	29.99	16.1	1.03	4948	2.05	1474	3.12	0.002
0039-0285	4-A-27	7/5/2005	13	29.99	16.1	1.03	0	2.00	1444	2.98	0.000
0039-0289	1-A-28	7/6/2005	10	29.98	16.4	1.03	12252	2.00	1370	2.83	0.004
0039-0293	2-A-28	7/6/2005	11	29.98	16.4	1.03	0	2.00	1466	3.03	0.000
0039-0297	3-A-28	7/6/2005	12	29.98	16.4	1.03	0	2.05	1461	3.09	0.000
0039-0301	4-A-28	7/6/2005	13	29.98	16.4	1.03	0	2.00	1430	2.95	0.000
0039-0305	5-A-28	7/6/2005	14	29.98	16.4	1.03	0	2.00	1216	2.51	0.000
0039-0309	1-A-29	7/7/2005	10	30.00	16.7	1.03	17436	2.05	442	0.93	0.019
0039-0313	2-A-29	7/7/2005	11	30.00	16.7	1.03	0	1.95	400	0.80	0.000
0039-0317	3-A-29	7/7/2005	12	30.00	16.7	1.03	0	2.00	370	0.76	0.000
0039-0321	4-A-29	7/7/2005	13	30.00	16.7	1.03	0	2.00	473	0.98	0.000
0039-0325	5-A-29	7/7/2005	14	30.00	16.7	1.03	0	2.00	458	0.94	0.000
0039-0329	1-A-30	7/11/2005	10	29.98	15.0	1.04	12488	2.00	1411	2.93	0.004
0039-0333	2-A-30	7/11/2005	11	29.98	15.0	1.04	0	2.05	1429	3.04	0.000
0039-0337	3-A-30	7/11/2005	12	29.98	15.0	1.04	0	2.00	1436	2.98	0.000
0039-0341	4-A-30	7/11/2005	13	29.98	15.0	1.04	0	2.00	1375	2.85	0.000
0039-0345	5-A-30	7/11/2005	14	29.98	15.0	1.04	0	2.00	1388	2.88	0.000
0039-0349	1-A-31	7/12/2005	10	29.96	15.6	1.03	11310	2.00	780	1.61	0.007
0039-0353	2-A-31	7/12/2005	11	29.96	15.6	1.03	0	2.00	1359	2.81	0.000
0039-0357	3-A-31	7/12/2005	12	29.96	15.6	1.03	0	2.00	1324	2.74	0.000
0039-0361	4-A-31	7/12/2005	13	29.96	15.6	1.03	0	1.95	1464	2.95	0.000
0039-0365	5-A-31	7/12/2005	14	29.96	15.6	1.03	0	2.00	1444	2.99	0.000
0039-0369	1-A-32	7/13/2005	10	29.94	15.8	1.03	5419	2.05	1348	2.85	0.002
0039-0373	2-A-32	7/13/2005	11	29.94	15.8	1.03	0	1.85	1428	2.73	0.000
0039-0377	3-A-32	7/13/2005	12	29.94	15.8	1.03	0	2.10	1472	3.19	0.000
0039-0381	4-A-32	7/13/2005	13	29.94	15.8	1.03	0	1.75	1260	2.28	0.000
0039-0385	5-A-32	7/13/2005	14	29.94	15.8	1.03	0	2.00	1450	2.99	0.000
0039-0389	1-A-33	7/14/2005	10	29.90	17.0	1.03	0	2.00	1643	3.37	0.000
0039-0393	2-A-33	7/14/2005	11	29.90	17.0	1.03	0	2.00	1595	3.28	0.000
0039-0397	3-A-33	7/14/2005	12	29.90	17.0	1.03	0	2.00	1549	3.18	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-0401	4-A-33	7/14/2005	13	29.90	17.0	1.03	0	1.95	1367	2.74	0.000
0039-0405	5-A-33	7/14/2005	14	29.90	17.0	1.03	3063	2.00	1498	3.08	0.001
0039-0409	1-A-34	7/18/2005	10	29.88	16.5	1.03	8011	2.00	1348	2.77	0.003
0039-0413	2-A-34	7/18/2005	11	29.88	16.5	1.03	0	2.00	1364	2.80	0.000
0039-0417	3-A-34	7/18/2005	12	29.88	16.5	1.03	3299	2.00	1423	2.93	0.001
0039-0421	4-A-34	7/18/2005	13	29.88	16.5	1.03	0	2.00	992	2.04	0.000
0039-0425	5-A-34	7/18/2005	14	29.88	16.5	1.03	0	2.00	1345	2.77	0.000
0039-0429	1-A-35	7/19/2005	10	29.87	15.8	1.03	5419	2.00	1491	3.07	0.002
0039-0433	2-A-35	7/19/2005	11	29.87	15.8	1.03	4241	2.00	1497	3.08	0.001
0039-0437	3-A-35	7/19/2005	12	29.87	15.8	1.03	0	2.00	1441	2.97	0.000
0039-0441	4-A-35	7/19/2005	13	29.87	15.8	1.03	0	2.00	812	1.67	0.000
0039-0445	5-A-35	7/19/2005	14	29.87	15.8	1.03	0	2.00	1499	3.09	0.000
0039-0449	1-A-36	7/20/2005	10	29.88	15.6	1.03	8011	2.05	1365	2.89	0.003
0039-0453	2-A-36	7/20/2005	11	29.88	15.6	1.03	4241	2.00	1355	2.79	0.002
0039-0457	3-A-36	7/20/2005	12	29.88	15.6	1.03	3299	2.00	1350	2.78	0.001
0039-0461	4-A-36	7/20/2005	13	29.88	15.6	1.03	0	2.00	289	0.60	0.000
0039-0465	5-A-36	7/20/2005	14	29.88	15.6	1.03	0	2.00	1348	2.78	0.000
0039-0469	1-A-37	7/21/2005	10	29.92	16.4	1.03	6362	2.00	1486	3.06	0.002
0039-0473	2-A-37	7/21/2005	11	29.92	16.4	1.03	0	2.00	1485	3.06	0.000
0039-0477	3-A-37	7/21/2005	12	29.92	16.4	1.03	2827	2.00	1488	3.06	0.001
0039-0481	4-A-37	7/21/2005	13	29.92	16.4	1.03	0	2.00	1035	2.13	0.000
0039-0485	5-A-37	7/21/2005	14	29.92	16.4	1.03	0	2.00	1492	3.07	0.000
0039-0489	1-A-38	7/22/2005	10	29.92	16.1	1.03	8718	2.00	1466	3.02	0.003
0039-0493	2-A-38	7/22/2005	11	29.92	16.1	1.03	0	2.00	1485	3.06	0.000
0039-0497	3-A-38	7/22/2005	12	29.92	16.1	1.03	2827	2.00	1494	3.08	0.001
0039-0501	4-A-38	7/22/2005	13	29.92	16.1	1.03	0	2.00	90	0.19	0.000
0039-0505	5-A-38	7/22/2005	14	29.92	16.1	1.03	0	2.00	1453	3.00	0.000
0039-0509	1-A-39	7/23/2005	10	29.90	16.1	1.03	4948	2.00	1395	2.87	0.002
0039-0513	2-A-39	7/23/2005	11	29.90	16.1	1.03	0	2.00	1391	2.87	0.000
0039-0517	3-A-39	7/23/2005	12	29.90	16.1	1.03	0	2.00	1382	2.85	0.000
0039-0521	4-A-39	7/23/2005	13	29.90	16.1	1.03	0	2.00	330	0.68	0.000
0039-0525	5-A-39	7/23/2005	14	29.90	16.1	1.03	0	2.00	1393	2.87	0.000
0039-0529	1-A-40	7/24/2005	10	29.93	16.1	1.03	5655	2.00	1455	3.00	0.002
0039-0533	2-A-40	7/24/2005	11	29.93	16.1	1.03	0	2.00	1466	3.02	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-0537	3-A-40	7/24/2005	12	29.93	16.1	1.03	0	2.00	1469	3.03	0.000
0039-0541	4-A-40	7/24/2005	13	29.93	16.1	1.03	0	2.00	210	0.43	0.000
0039-0545	5-A-40	7/24/2005	14	29.93	16.1	1.03	0	2.00	1464	3.02	0.000
0039-0549	1-A-41	7/24/2005	10	29.93	16.1	1.03	6833	2.00	1336	2.76	0.002
0039-0553	2-A-41	7/25/2005	11	29.92	14.4	1.04	0	2.00	1328	2.75	0.000
0039-0557	3-A-41	7/25/2005	12	29.92	14.4	1.04	0	2.00	1327	2.75	0.000
0039-0561	4-A-41	7/25/2005	13	29.92	14.4	1.04	0	2.00	415	0.86	0.000
0039-0565	5-A-41	7/25/2005	14	29.92	14.4	1.04	0	2.00	1417	2.94	0.000
0039-0569	1-A-42	7/26/2005	10	29.92	14.4	1.04	6126	2.00	1559	3.23	0.002
0039-0573	2-A-42	7/26/2005	11	29.92	14.4	1.04	3534	2.00	1495	3.10	0.001
0039-0577	3-A-42	7/26/2005	12	29.92	14.4	1.04	0	2.00	1435	2.98	0.000
0039-0581	4-A-42	7/26/2005	13	29.92	14.4	1.04	0	2.00	255	0.53	0.000
0039-0585	5-A-42	7/26/2005	14	29.92	14.4	1.04	3063	2.00	1525	3.16	0.001
0039-0589	1-A-43	7/27/2005	10	29.94	14.7	1.04	8718	2.00	1437	2.98	0.003
0039-0593	2-A-43	7/27/2005	11	29.94	14.7	1.04	4006	2.00	1411	2.92	0.001
0039-0597	3-A-43	7/27/2005	12	29.94	14.7	1.04	0	2.00	1403	2.91	0.000
0039-0601	4-A-43	7/27/2005	13	29.94	14.7	1.04	0	2.00	1383	2.87	0.000
0039-0605	5-A-43	7/27/2005	14	29.94	14.7	1.04	0	2.00	1441	2.99	0.000
0039-0609	1-A-44	7/28/2005	10	29.95	14.7	1.04	10367	2.00	1368	2.84	0.004
0039-0613	2-A-44	7/28/2005	11	29.95	14.7	1.04	3063	2.00	1457	3.02	0.001
0039-0617	3-A-44	7/28/2005	12	29.95	14.7	1.04	0	2.00	1490	3.09	0.000
0039-0621	4-A-44	7/28/2005	13	29.95	14.7	1.04	0	2.00	1352	2.80	0.000
0039-0625	5-A-44	7/28/2005	14	29.95	14.7	1.04	0	2.00	1342	2.78	0.000
0039-0629	1-A-45	7/29/2005	10	29.99	15.0	1.04	5890	2.00	1389	2.88	0.002
0039-0633	2-A-45	7/29/2005	11	29.99	15.0	1.04	0	2.00	1361	2.82	0.000
0039-0637	4-A-45	7/29/2005	13	29.99	15.0	1.04	0	2.00	1423	2.95	0.000
0039-0641	1-A-46	7/30/2005	10	30.00	18.3	1.03	10367	2.00	427	0.88	0.012
0039-0645	2-A-46	7/30/2005	11	30.00	18.3	1.03	0	2.00	448	0.92	0.000
0039-0649	4-A-46	7/30/2005	13	30.00	18.3	1.03	0	2.00	407	0.83	0.000
0039-0653	1-A-47	8/1/2005	10	29.95	13.9	1.04	0	2.00	1422	2.96	0.000
0039-0657	2-A-47	8/1/2005	11	29.95	13.9	1.04	4712	2.00	1419	2.95	0.002
0039-0661	3-A-47	8/1/2005	12	29.95	13.9	1.04	3063	2.00	1420	2.95	0.001
0039-0665	4-A-47	8/1/2005	13	29.95	13.9	1.04	0	2.00	1429	2.97	0.000
0039-0669	5-A-47	8/1/2005	14	29.95	13.9	1.04	0	2.00	1420	2.95	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-0673	1-A-48	8/2/2005	10	29.94	16.4	1.03	0	2.00	1581	3.26	0.000
0039-0677	2-A--48	8/2/2005	11	29.94	16.4	1.03	4006	2.00	1582	3.26	0.001
0039-0681	3-A-48	8/2/2005	12	29.94	16.4	1.03	0	2.00	1581	3.26	0.000
0039-0685	4-A-48	8/2/2005	13	29.94	16.4	1.03	0	2.00	1580	3.26	0.000
0039-0689	5-A-48	8/2/2005	14	29.94	16.4	1.03	0	2.00	1571	3.24	0.000
0039-0693	1-A-49	8/3/2005	10	29.97	17.8	1.03	0	2.00	1331	2.73	0.000
0039-0697	2-A-49	8/3/2005	11	29.97	17.8	1.03	3534	2.00	1355	2.78	0.001
0039-0701	3-A-49	8/3/2005	12	29.97	17.8	1.03	0	2.00	1387	2.85	0.000
0039-0705	4-A-49	8/3/2005	13	29.97	17.8	1.03	0	2.00	1242	2.55	0.000
0039-0709	5-A-49	8/3/2005	14	29.97	17.8	1.03	0	2.00	1293	2.65	0.000
0039-0713	1-A-50	8/4/2005	10	30.00	15.6	1.04	3299	2.00	1439	2.98	0.001
0039-0717	2-A-50	8/4/2005	11	30.00	15.6	1.04	7540	2.00	1452	3.01	0.003
0039-0721	3-A-50	8/4/2005	12	30.00	15.6	1.04	0	2.00	1455	3.01	0.000
0039-0725	4-A-50	8/4/2005	13	30.00	15.6	1.04	0	2.00	1443	2.99	0.000
0039-0729	5-A-50	8/4/2005	14	30.00	15.6	1.04	3063	2.00	1446	2.99	0.001
0039-0733	1-A-51	8/5/2005	10	30.00	17.2	1.03	0	2.00	487	1.00	0.000
0039-0737	2-A-51	8/5/2005	11	30.00	17.2	1.03	5655	2.00	482	0.99	0.006
0039-0741	3-A-51	8/5/2005	12	30.00	17.2	1.03	0	2.00	452	0.93	0.000
0039-0745	4-A-51	8/5/2005	13	30.00	17.2	1.03	0	2.00	517	1.06	0.000
0039-0749	5-A-51	8/5/2005	14	30.00	17.2	1.03	3534	2.00	509	1.05	0.003
0039-0753	1-A-52	8/8/2005	10	29.94	14.2	1.04	12959	2.00	1390	2.89	0.004
0039-0757	2-A-52	8/8/2005	11	29.94	14.2	1.04	0	2.00	1472	3.06	0.000
0039-0761	3-A-52	8/8/2005	12	29.94	14.2	1.04	0	2.00	1475	3.06	0.000
0039-0765	4-A-52	8/8/2005	13	29.94	14.2	1.04	0	2.00	1378	2.86	0.000
0039-0769	5-A-52	8/8/2005	14	29.94	14.2	1.04	4006	2.00	1383	2.87	0.001
0039-0773	1-A-53	8/9/2005	10	29.98	14.2	1.04	5419	2.00	1435	2.98	0.002
0039-0777	2-A-53	8/9/2005	11	29.98	14.2	1.04	4712	2.00	1436	2.99	0.002
0039-0781	3-A-53	8/9/2005	12	29.98	14.2	1.04	5184	2.00	1435	2.98	0.002
0039-0785	4-A-53	8/9/2005	13	29.98	14.2	1.04	7540	2.00	1441	3.00	0.003
0039-0789	5-A-53	8/9/2005	14	29.98	14.2	1.04	3063	2.00	1439	2.99	0.001
0039-0793	1-A-54	8/10/2005	10	30.00	15.3	1.04	0	2.00	1490	3.09	0.000
0039-0797	2-A-54	8/10/2005	11	30.00	15.3	1.04	5655	2.00	1395	2.89	0.002
0039-0801	3-A-54	8/10/2005	12	30.00	15.3	1.04	0	2.00	1350	2.80	0.000
0039-0805	4-A-54	8/10/2005	13	30.00	15.3	1.04	0	2.00	1426	2.96	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-0809	5-A-54	8/10/2005	14	30.00	15.3	1.04	4712	2.00	1425	2.95	0.002
0039-0813	1-A-55	8/11/2005	10	29.92	18.3	1.02	7069	2.00	390	0.80	0.009
0039-0817	2-A-55	8/11/2005	11	29.92	18.3	1.02	3770	2.00	381	0.78	0.005
0039-0821	3-A-55	8/11/2005	12	29.92	18.3	1.02	0	2.00	376	0.77	0.000
0039-0825	4-A-55	8/11/2005	13	29.92	18.3	1.02	4712	2.00	435	0.89	0.005
0039-0829	5-A-55	8/11/2005	14	29.92	18.3	1.02	0	2.00	424	0.87	0.000
0039-0833	1-A-56	8/15/2005	10	29.98	17.2	1.03	14608	2.00	1553	3.20	0.005
0039-0837	2-A-56	8/15/2005	11	29.98	17.2	1.03	0	2.00	1544	3.18	0.000
0039-0841	3-A-56	8/15/2005	12	29.98	17.2	1.03	3063	2.00	1544	3.18	0.001
0039-0845	4-A-56	8/15/2005	13	29.98	17.2	1.03	0	2.00	1523	3.13	0.000
0039-0849	5-A-56	8/15/2005	14	29.98	17.2	1.03	0	2.00	1496	3.08	0.000
0039-0853	1-A-57	8/16/2005	10	29.96	15.6	1.03	16965	2.00	1210	2.50	0.007
0039-0857	2-A-57	8/16/2005	11	29.96	15.6	1.03	0	2.00	1218	2.52	0.000
0039-0861	3-A-57	8/16/2005	12	29.96	15.6	1.03	0	2.00	1214	2.51	0.000
0039-0865	4-A-57	8/16/2005	13	29.96	15.6	1.03	0	2.00	1237	2.56	0.000
0039-0869	5-A-57	8/16/2005	14	29.96	15.6	1.03	0	2.00	60	0.12	0.000
0039-0873	3-A-58	8/17/2005	12	29.96	14.2	1.04	0	2.00	1466	3.05	0.000
0039-0877	4-A-58	8/17/2005	13	29.96	14.2	1.04	0	1.90	1463	2.89	0.000
0039-0881	5-A-58	8/17/2005	14	29.96	14.2	1.04	0	2.00	1441	2.99	0.000
0039-0885	3-A-59	8/18/2005	12	29.97	14.4	1.04	4477	2.00	1420	2.95	0.002
0039-0889	4-A-59	8/18/2005	13	29.97	14.4	1.04	0	2.00	1418	2.95	0.000
0039-0893	5-A-59	8/18/2005	14	29.97	14.4	1.04	0	2.00	1428	2.97	0.000
0039-0897	2-A-60	8/19/2005	11	29.95	13.9	1.04	0	2.00	443	0.92	0.000
0039-0901	3-A-60	8/19/2005	12	29.95	13.9	1.04	2827	2.00	373	0.78	0.004
0039-0905	4-A-60	8/19/2005	13	29.95	13.9	1.04	0	2.00	472	0.98	0.000
0039-0909	5-A-60	8/19/2005	14	29.95	13.9	1.04	0	2.00	476	0.99	0.000
0039-0913	2-A-61	8/20/2005	11	30.02	14.4	1.04	0	2.00	493	1.03	0.000
0039-0917	3-A-61	8/20/2005	12	30.02	14.4	1.04	4241	2.00	440	0.92	0.005
0039-0921	4-A-61	8/20/2005	13	30.02	14.4	1.04	0	2.00	15	0.03	0.000
0039-0925	5-A-61	8/20/2005	14	30.02	14.4	1.04	0	2.00	389	0.81	0.000
0039-0929	1-A-62	8/22/2005	10	29.86	14.4	1.03	0	1.90	1227	2.41	0.000
0039-0933	2-A-62	8/22/2005	11	29.86	14.4	1.03	4241	2.00	1247	2.58	0.002
0039-0937	3-A-62	8/22/2005	12	29.86	14.4	1.03	0	2.00	1233	2.55	0.000
0039-0941	4-A-62	8/22/2005	13	29.86	14.4	1.03	3063	2.00	1237	2.56	0.001

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-0945	5-A-62	8/22/2005	14	29.86	14.4	1.03	0	2.00	1229	2.54	0.000
0039-0949	1-A-63	8/23/2005	10	29.80	13.9	1.03	0	2.00	1476	3.05	0.000
0039-0953	2-A-63	8/23/2005	11	29.80	13.9	1.03	0	2.00	1447	2.99	0.000
0039-0957	3-A-63	8/23/2005	12	29.80	13.9	1.03	0	2.00	1459	3.02	0.000
0039-0961	4-A-63	8/23/2005	13	29.80	13.9	1.03	0	2.00	1200	2.48	0.000
0039-0965	5-A-63	8/23/2005	14	29.80	13.9	1.03	0	2.00	300	0.62	0.000
0039-0969	1-A-64	8/24/2005	10	29.80	15.6	1.03	7775	2.00	1652	3.40	0.002
0039-0973	2-A-64	8/24/2005	11	29.80	15.6	1.03	0	1.90	1665	3.25	0.000
0039-0977	3-A-64	8/24/2005	12	29.80	15.6	1.03	0	2.00	1684	3.46	0.000
0039-0981	4-A-64	8/24/2005	13	29.80	15.6	1.03	0	1.80	8	0.01	0.000
0039-0985	5-A-64	8/24/2005	14	29.80	15.6	1.03	0	2.00	1652	3.40	0.000
0039-0989	1-A-65	8/25/2005	10	30.00	19.7	1.02	4948	2.05	1420	2.97	0.002
0039-0993	2-A-65	8/25/2005	11	30.00	19.7	1.02	0	2.00	1365	2.79	0.000
0039-0997	3-A-65	8/25/2005	12	30.00	19.7	1.02	0	2.10	1327	2.84	0.000
0039-1001	4-A-65	8/25/2005	13	30.00	19.7	1.02	0	2.00	1503	3.07	0.000
0039-1005	5-A-65	8/25/2005	14	30.00	19.7	1.02	0	2.00	128	0.26	0.000
0039-1009	1-A-66	8/26/2005	10	30.01	16.7	1.03	3299	1.90	1435	2.81	0.001
0039-1013	2-A-66	8/26/2005	11	30.01	16.7	1.03	0	2.00	1246	2.57	0.000
0039-1017	3-A-66	8/26/2005	12	30.01	16.7	1.03	0	2.00	1503	3.10	0.000
0039-1021	4-A-66	8/26/2005	13	30.01	16.7	1.03	0	2.00	1140	2.35	0.000
0039-1025	5-A-66	8/26/2005	14	30.01	16.7	1.03	0	2.00	1243	2.56	0.000
0039-1029	2-A-67	8/27/2005	11	29.99	13.9	1.04	4241	2.00	1470	3.06	0.001
0039-1033	4-A-67	8/27/2005	13	29.99	13.9	1.04	0	2.00	1507	3.14	0.000
0039-1037	1-A-68	8/29/2005	10	29.89	17.5	1.02	24033	2.00	1410	2.89	0.008
0039-1041	2-A-68	8/29/2005	11	29.89	17.5	1.02	0	2.00	1446	2.96	0.000
0039-1045	3-A-68	8/29/2005	12	29.89	17.5	1.02	10838	2.00	1442	2.96	0.004
0039-1049	4-A-68	8/29/2005	13	29.89	17.5	1.02	0	2.00	1368	2.80	0.000
0039-1053	5-A-68	8/29/2005	14	29.89	17.5	1.02	0	2.00	476	0.98	0.000
0039-1057	1-A-69	8/30/2005	10	29.86	19.4	1.02	7775	2.00	1570	3.19	0.002
0039-1061	2-A-69	8/30/2005	11	29.86	19.4	1.02	5655	2.00	1453	2.96	0.002
0039-1065	3-A-69	8/30/2005	12	29.86	19.4	1.02	5419	2.00	1423	2.89	0.002
0039-1069	4-A-69	8/30/2005	13	29.86	19.4	1.02	0	2.00	1621	3.30	0.000
0039-1073	5-A-69	8/30/2005	14	29.86	19.4	1.02	0	2.00	285	0.58	0.000
0039-1077	1-A-70	8/31/2005	10	29.86	16.9	1.03	9425	2.00	1380	2.83	0.003

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-1081	2-A-70	8/31/2005	11	29.86	16.9	1.03	3063	2.00	1503	3.08	0.001
0039-1085	3-A-70	8/31/2005	12	29.86	16.9	1.03	0	2.00	1544	3.17	0.000
0039-1089	4-A-70	8/31/2005	13	29.86	16.9	1.03	0	2.00	1323	2.71	0.000
0039-1093	5-A-70	8/31/2005	14	29.86	16.9	1.03	0	2.00	1426	2.93	0.000
0039-1097	1-A-71	9/1/2005	10	29.93	16.9	1.03	8718	2.00	290	0.60	0.015
0039-1101	2-A-71	9/1/2005	11	29.93	16.9	1.03	0	2.00	285	0.59	0.000
0039-1105	3-A-71	9/1/2005	12	29.93	16.9	1.03	0	2.00	200	0.41	0.000
0039-1109	4-A-71	9/1/2005	13	29.93	16.9	1.03	0	2.00	300	0.62	0.000
0039-1113	5-A-71	9/1/2005	14	29.93	16.9	1.03	0	2.00	191	0.39	0.000
0039-1117	1-A-72	9/6/2005	10	29.99	14.2	1.04	14137	2.00	1506	3.13	0.005
0039-1121	2-A-72	9/6/2005	11	29.99	14.2	1.04	0	2.00	1487	3.09	0.000
0039-1125	3-A-72	9/6/2005	12	29.99	14.2	1.04	3770	2.00	1496	3.11	0.001
0039-1129	4-A-72	9/6/2005	13	29.99	14.2	1.04	0	2.00	1487	3.09	0.000
0039-1133	5-A-72	9/6/2005	14	29.99	14.2	1.04	0	2.00	1488	3.10	0.000
0039-1137	1-A-73	9/7/2005	10	30.04	15.3	1.04	16493	2.00	1426	2.96	0.006
0039-1141	2-A-73	9/7/2005	11	30.04	15.3	1.04	0	2.00	1449	3.01	0.000
0039-1145	3-A-73	9/7/2005	12	30.04	15.3	1.04	0	2.00	1431	2.97	0.000
0039-1149	4-A-73	9/7/2005	13	30.04	15.3	1.04	0	2.00	1418	2.94	0.000
0039-1153	5-A-73	9/7/2005	14	30.04	15.3	1.04	0	2.00	1479	3.07	0.000
0039-1157	1-A-74	9/8/2005	10	30.09	15.8	1.04	3534	2.00	1432	2.97	0.001
0039-1161	2-A-74	9/8/2005	11	30.09	15.8	1.04	0	2.00	1406	2.92	0.000
0039-1165	3-A-74	9/8/2005	12	30.09	15.8	1.04	0	2.00	1433	2.97	0.000
0039-1169	4-A-74	9/8/2005	13	30.09	15.8	1.04	0	2.00	1429	2.97	0.000
0039-1173	5-A-74	9/8/2005	14	30.09	15.8	1.04	0	2.00	1430	2.97	0.000
0039-1177	1-A-75	9/9/2005	10	30.06	15.8	1.04	5655	2.00	430	0.89	0.006
0039-1181	2-A-75	9/9/2005	11	30.06	15.8	1.04	0	2.00	456	0.95	0.000
0039-1185	3-A-75	9/9/2005	12	30.06	15.8	1.04	2827	2.00	344	0.71	0.004
0039-1189	4-A-75	9/9/2005	13	30.06	15.8	1.04	0	2.00	431	0.89	0.000
0039-1193	5-A-75	9/9/2005	14	30.06	15.8	1.04	0	2.00	446	0.92	0.000
0039-1197	1-A-76	9/12/2005	10	30.21	12.8	1.05	15786	2.00	1520	3.20	0.005
0039-1201	2-A-76	9/12/2005	11	30.21	12.8	1.05	0	2.00	1515	3.19	0.000
0039-1205	3-A-76	9/12/2005	12	30.21	12.8	1.05	0	2.00	1520	3.20	0.000
0039-1209	4-A-76	9/12/2005	13	30.21	12.8	1.05	0	2.00	1497	3.15	0.000
0039-1213	5-A-76	9/12/2005	14	30.21	12.8	1.05	0	2.00	1507	3.17	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-1217	1-A-77	9/13/2005	10	30.21	13.1	1.05	8011	2.00	1420	2.99	0.003
0039-1221	2-A-77	9/13/2005	11	30.21	13.1	1.05	3299	2.00	1421	2.99	0.001
0039-1225	3-A-77	9/13/2005	12	30.21	13.1	1.05	3063	2.00	1420	2.99	0.001
0039-1229	4-A-77	9/13/2005	13	30.21	13.1	1.05	0	2.00	1408	2.96	0.000
0039-1233	5-A-77	9/13/2005	14	30.21	13.1	1.05	0	2.00	1407	2.96	0.000
0039-1237	1-A-78	9/14/2005	10	30.16	13.6	1.05	3063	2.00	1511	3.17	0.001
0039-1241	2-A-78	9/14/2005	11	30.16	13.6	1.05	0	2.00	1515	3.18	0.000
0039-1249	4-A-78	9/14/2005	13	30.16	13.6	1.05	0	2.00	1532	3.21	0.000
0039-1257	1-A-79	9/15/2005	10	30.15	14.2	1.05	7304	2.00	1362	2.85	0.003
0039-1261	2-A-79	9/15/2005	11	30.15	14.2	1.05	3299	2.00	1337	2.80	0.001
0039-1265	3-A-79	9/15/2005	12	30.15	14.2	1.05	3063	2.00	1313	2.75	0.001
0039-1269	4-A-79	9/15/2005	13	30.15	14.2	1.05	0	2.00	1408	2.94	0.000
0039-1273	5-A-79	9/15/2005	14	30.15	14.2	1.05	0	2.00	1393	2.91	0.000
0039-1277	1-A-80	9/16/2005	10	30.11	16.4	1.04	11310	2.00	502	1.04	0.011
0039-1281	2-A-80	9/16/2005	11	30.11	16.4	1.04	0	2.00	524	1.09	0.000
0039-1285	3-A-80	9/16/2005	12	30.11	16.4	1.04	3770	2.00	373	0.77	0.005
0039-1289	4-A-80	9/16/2005	13	30.11	16.4	1.04	0	2.00	270	0.56	0.000
0039-1293	5-A-80	9/16/2005	14	30.11	16.4	1.04	0	2.00	352	0.73	0.000
0039-1301	2-A-81	9/17/2005	11	30.12	15.4	1.04	0	1.90	360	0.71	0.000
0039-1305	3-A-81	9/17/2005	12	30.12	15.4	1.04	0	2.00	1036	2.16	0.000
0039-1309	4-A-81	9/17/2005	13	30.12	15.4	1.04	0	2.00	480	1.00	0.000
0039-1313	5-A-81	9/17/2005	14	30.12	15.4	1.04	0	2.00	490	1.02	0.000
0039-1321	2-A-82	9/18/2005	11	30.13	14.4	1.04	0	2.00	893	1.86	0.000
0039-1329	4-A-82	9/18/2005	13	30.13	14.4	1.04	0	2.00	1490	3.11	0.000
0039-1337	1-A-83	9/19/2005	10	30.18	16.4	1.04	13430	2.00	1469	3.05	0.004
0039-1341	2-A-83	9/19/2005	11	30.18	16.4	1.04	2827	2.00	1468	3.05	0.001
0039-1345	3-A-83	9/19/2005	12	30.18	16.4	1.04	0	2.00	1468	3.05	0.000
0039-1349	4-A-83	9/19/2005	13	30.18	16.4	1.04	0	2.00	1443	3.00	0.000
0039-1353	5-A-83	9/19/2005	14	30.18	16.4	1.04	0	2.00	1437	2.99	0.000
0039-1357	1-A-84	9/20/2005	10	30.19	19.2	1.03	10132	2.00	1560	3.21	0.003
0039-1361	2-A-84	9/20/2005	11	30.19	19.2	1.03	0	2.00	1569	3.23	0.000
0039-1365	3-A-84	9/20/2005	12	30.19	19.2	1.03	0	2.00	1573	3.24	0.000
0039-1369	4-A-84	9/20/2005	13	30.19	19.2	1.03	0	2.00	1603	3.30	0.000
0039-1373	5-A-84	9/20/2005	14	30.19	19.2	1.03	0	2.00	1609	3.31	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-1377	1-A-85	9/21/2005	10	30.16	17.5	1.03	0	2.00	1243	2.57	0.000
0039-1381	2-A-85	9/21/2005	11	30.16	17.5	1.03	0	2.00	1228	2.54	0.000
0039-1385	3-A-85	9/21/2005	12	30.16	17.5	1.03	0	2.00	1231	2.55	0.000
0039-1389	4-A-85	9/21/2005	13	30.16	17.5	1.03	0	2.00	1226	2.54	0.000
0039-1393	5-A-85	9/21/2005	14	30.16	17.5	1.03	0	2.00	1225	2.53	0.000
0039-1397	1-A-86	9/22/2005	10	30.07	16.1	1.04	17671	2.00	450	0.93	0.019
0039-1401	2-A-86	9/22/2005	11	30.07	16.1	1.04	0	2.00	446	0.92	0.000
0039-1409	4-A-86	9/22/2005	13	30.07	16.1	1.04	0	2.00	470	0.97	0.000
0039-1417	1-A-87	9/23/2005	10	30.01	17.8	1.03	25918	2.00	1264	2.60	0.010
0039-1421	2-A-87	9/23/2005	11	30.01	17.8	1.03	3299	2.00	1297	2.67	0.001
0039-1429	4-A-87	9/23/2005	13	30.01	17.8	1.03	0	2.00	1323	2.72	0.000
0039-1437	1-A-88	9/26/2005	10	30.08	17.8	1.03	27567	2.00	585	1.21	0.023
0039-1441	2-A-88	9/26/2005	11	30.08	17.8	1.03	4477	2.00	522	1.08	0.004
0039-1449	4-A-88	9/26/2005	13	30.08	17.8	1.03	0	2.00	525	1.08	0.000
0039-1457	1-A-89	9/27/2005	10	30.16	21.1	1.02	12017	2.00	1452	2.97	0.004
0039-1461	2-A-89	9/27/2005	11	30.16	21.1	1.02	2827	2.00	1456	2.97	0.001
0039-1469	4-A-89	9/27/2005	13	30.16	21.1	1.02	0	2.00	1409	2.88	0.000
0039-1477	1-A-90	9/28/2005	10	30.17	21.1	1.02	0	2.00	1497	3.06	0.000
0039-1481	2-A-90	9/28/2005	11	30.17	21.1	1.02	5184	2.00	1495	3.05	0.002
0039-1489	4-A-90	9/28/2005	13	30.17	21.1	1.02	0	2.00	1505	3.08	0.000
0039-1497	1-A-91	9/29/2005	10	30.07	26.7	1.00	3299	2.00	1301	2.60	0.001
0039-1501	2-A-91	9/29/2005	11	30.07	26.7	1.00	3770	2.00	1321	2.64	0.001
0039-1509	4-A-91	9/29/2005	13	30.07	26.7	1.00	0	2.00	1308	2.61	0.000
0039-1517	1-A-92	9/30/2005	10	29.98	28.9	0.99	7069	2.00	1525	3.02	0.002
0039-1521	2-A-92	9/30/2005	11	29.98	28.9	0.99	9896	2.00	1511	2.99	0.003
0039-1529	4-A-92	9/30/2005	13	29.98	28.9	0.99	0	2.00	1509	2.99	0.000
0039-1537	1-A-93	10/3/2005	10	30.14	16.4	1.04	18143	2.00	585	1.21	0.015
0039-1541	2-A-93	10/3/2005	11	30.14	16.4	1.04	12959	2.00	592	1.23	0.011
0039-1549	4-A-93	10/3/2005	13	30.14	16.4	1.04	0	2.00	570	1.18	0.000
0039-1557	1-A-94	10/4/2005	10	30.15	21.1	1.02	7069	2.00	1395	2.85	0.002
0039-1561	2-A-94	10/4/2005	11	30.15	21.1	1.02	7069	2.00	1376	2.81	0.003
0039-1569	4-A-94	10/4/2005	13	30.15	21.1	1.02	0	2.00	1382	2.82	0.000
0039-1577	1-A-95	10/5/2005	10	30.14	23.6	1.01	5184	2.00	1460	2.96	0.002
0039-1581	2-A-95	10/5/2005	11	30.14	23.6	1.01	0	2.00	1455	2.95	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-1589	4-A-95	10/5/2005	11	30.14	23.6	1.01	0	2.00	1454	2.94	0.000
0039-1597	1-A-96	10/6/2005	10	30.05	22.5	1.01	4241	2.00	1422	2.88	0.001
0039-1601	2-A-96	10/6/2005	11	30.05	22.5	1.01	3299	2.00	1433	2.90	0.001
0039-1609	4-A-96	10/6/2005	13	30.05	22.5	1.01	0	2.00	1445	2.93	0.000
0039-1617	1-A-97	10/7/2005	10	29.99	18.6	1.02	0	2.00	1315	2.69	0.000
0039-1621	2-A-97	10/7/2005	11	29.99	18.6	1.02	6362	2.00	1289	2.64	0.002
0039-1629	4-A-97	10/7/2005	13	29.99	18.6	1.02	0	2.00	1289	2.64	0.000
0039-1637	1-A-98	10/10/2005	10	30.07	20.8	1.02	0	2.00	609	1.24	0.000
0039-1641	2-A-98	10/10/2005	11	30.07	20.8	1.02	0	2.00	590	1.20	0.000
0039-1649	4-A-98	10/10/2005	13	30.07	20.8	1.02	0	2.20	635	1.42	0.000
0039-1657	1-A-99	10/11/2005	10	30.08	21.6	1.02	4477	2.00	1372	2.79	0.002
0039-1661	2-A-99	10/11/2005	11	30.08	21.6	1.02	3063	2.00	1340	2.73	0.001
0039-1669	4-A-99	10/11/2005	13	30.08	21.6	1.02	0	2.00	1301	2.65	0.000
0039-1677	1-A-100	10/12/2005	10	30.12	21.6	1.02	3534	2.00	1387	2.82	0.001
0039-1681	2-A-100	10/12/2005	11	30.12	21.6	1.02	0	2.00	1386	2.82	0.000
0039-1689	4-A-100	10/12/2005	13	30.12	21.6	1.02	0	2.00	1415	2.88	0.000
0039-1697	1-A-101	10/13/2005	10	30.13	23.6	1.01	0	2.00	1422	2.88	0.000
0039-1701	2-A-101	10/13/2005	11	30.13	23.6	1.01	3534	2.15	1425	3.10	0.001
0039-1709	4-A-101	10/13/2005	13	30.13	23.6	1.01	0	2.00	1419	2.87	0.000
0039-1717	1-A-102	10/14/2005	10	30.12	22.7	1.01	4712	2.00	1420	2.88	0.002
0039-1721	2-A-102	10/14/2005	11	30.12	22.7	1.01	3770	2.30	1455	3.40	0.001
0039-1729	4-A-102	10/14/2005	13	30.12	22.7	1.01	0	2.20	1443	3.22	0.000
0039-1737	1-A-103	10/17/2005	10	30.01	21.6	1.01	3770	2.00	495	1.00	0.004
0039-1741	2-A-103	10/17/2005	11	30.01	21.6	1.01	0	2.15	507	1.11	0.000
0039-1749	4-A-103	10/17/2005	13	30.01	21.6	1.01	0	2.00	588	1.19	0.000
0039-1757	1-A-104	10/18/2005	10	29.99	19.7	1.02	0	2.00	1318	2.69	0.000
0039-1761	2-A-104	10/18/2005	11	29.99	19.7	1.02	0	2.00	1304	2.66	0.000
0039-1769	4-A-104	10/18/2005	13	29.99	19.7	1.02	2827	2.00	1309	2.67	0.001
0039-1777	1-A-105	10/19/2005	10	30.17	17.7	1.03	6833	2.00	1462	3.02	0.002
0039-1781	2-A-105	10/19/2005	11	30.17	17.7	1.03	0	2.00	1461	3.02	0.000
0039-1789	4-A-105	10/19/2005	13	30.17	17.7	1.03	0	2.00	1456	3.01	0.000
0039-1797	1-A-106	10/20/2005	10	30.24	18.1	1.03	0	2.00	1415	2.93	0.000
0039-1801	2-A-106	10/20/2005	11	30.24	18.1	1.03	0	2.00	1421	2.94	0.000
0039-1809	4-A-106	10/20/2005	13	30.24	18.1	1.03	0	2.00	1412	2.92	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-1817	1-A-107	10/21/2005	10	30.16	18.6	1.03	0	2.00	1427	2.94	0.000
0039-1821	2-A-107	10/21/2005	11	30.16	18.6	1.03	3063	2.00	1425	2.94	0.001
0039-1829	4-A-107	10/21/2005	13	30.16	18.6	1.03	0	2.00	1425	2.94	0.000
0039-1837	1-A-108	10/24/2005	10	30.14	13.6	1.05	0	2.00	357	0.75	0.000
0039-1841	2-A-108	10/24/2005	11	30.14	13.6	1.05	0	2.00	508	1.06	0.000
0039-1845	3-A-108	10/24/2005	12	30.14	13.6	1.05	0	2.00	320	0.67	0.000
0039-1849	4-A-108	10/24/2005	13	30.14	13.6	1.05	0	2.00	500	1.05	0.000
0039-1857	1-A-109	10/25/2005	10	30.21	16.6	1.04	0	2.00	1417	2.94	0.000
0039-1861	2-A-109	10/25/2005	11	30.21	16.6	1.04	0	2.00	1424	2.96	0.000
0039-1865	3-A-109	10/25/2005	12	30.21	16.6	1.04	0	2.00	1440	2.99	0.000
0039-1869	4-A-109	10/25/2005	13	30.21	16.6	1.04	0	2.00	1505	3.13	0.000
0039-1877	1-A-110	10/26/2005	10	30.21	17.7	1.04	0	2.00	1545	3.20	0.000
0039-1881	2-A-110	10/26/2005	11	30.21	17.7	1.04	0	2.00	1540	3.19	0.000
0039-1885	3-A-110	10/26/2005	12	30.21	17.7	1.04	0	2.00	1425	2.95	0.000
0039-1889	4-A-110	10/26/2005	13	30.21	17.7	1.04	0	2.00	1489	3.08	0.000
0039-1893	5-A-110	10/26/2005	14	30.21	17.7	1.04	0	2.00	1490	3.08	0.000
0039-1897	1-A-111	10/27/2005	10	30.13	17.2	1.03	0	2.00	1285	2.66	0.000
0039-1901	2-A-111	10/27/2005	11	30.13	17.2	1.03	0	2.00	1284	2.66	0.000
0039-1905	3-A-111	10/27/2005	12	30.13	17.2	1.03	0	2.00	1402	2.90	0.000
0039-1909	4-A-111	10/27/2005	13	30.13	17.2	1.03	0	2.00	1276	2.64	0.000
0039-1913	5-A-111	10/27/2005	14	30.13	17.2	1.03	0	2.00	1278	2.64	0.000
0039-1917	1-A-112	10/28/2005	10	30.33	18.6	1.04	4241	2.00	1432	2.97	0.001
0039-1921	2-A-112	10/28/2005	11	30.33	18.6	1.04	0	2.00	1392	2.88	0.000
0039-1925	3-A-112	10/28/2005	12	30.33	18.6	1.04	0	2.00	1205	2.50	0.000
0039-1929	4-A-112	10/28/2005	13	30.33	18.6	1.04	0	1.75	1428	2.59	0.000
0039-1933	1-A-113	10/29/2005	10	30.25	18.6	1.03	3063	2.00	1399	2.89	0.001
0039-1937	3-A-113	10/29/2005	12	30.25	18.6	1.03	0	2.00	1393	2.88	0.000
0039-1941	4-A-113	10/29/2005	13	30.25	18.6	1.03	0	1.90	1395	2.74	0.000
0039-1945	3-A-114	10/30/2005	12	30.22	21.1	1.02	0	2.00	1435	2.94	0.000
0039-1949	4-A-114	10/30/2005	13	30.22	21.1	1.02	0	2.00	1494	3.06	0.000
0039-1953	1-A-115	10/31/2005	10	30.25	18.6	1.03	3534	2.00	1459	3.01	0.001
0039-1957	2-A-115	10/31/2005	11	30.25	18.6	1.03	0	2.00	1449	2.99	0.000
0039-1961	3-A-115	10/31/2005	12	30.25	18.6	1.03	0	2.00	1443	2.98	0.000
0039-1965	4-A-115	10/31/2005	13	30.25	18.6	1.03	0	2.00	1444	2.98	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-1969	1-A-116	11/1/2005	10	30.25	17.7	1.04	0	2.00	1395	2.89	0.000
0039-1973	2-A-116	11/1/2005	11	30.25	17.7	1.04	3299	2.00	1445	3.00	0.001
0039-1977	3-A-116	11/1/2005	12	30.25	17.7	1.04	0	2.00	1449	3.00	0.000
0039-1981	4-A-116	11/1/2005	13	30.25	17.7	1.04	0	2.00	1410	2.92	0.000
0039-1985	1-A-117	11/2/2005	10	30.15	16.1	1.04	3063	2.00	1313	2.73	0.001
0039-1989	2-A-117	11/2/2005	11	30.15	16.1	1.04	4477	2.00	1314	2.73	0.002
0039-1993	3-A-117	11/2/2005	12	30.15	16.1	1.04	0	2.00	1317	2.74	0.000
0039-1997	4-A-117	11/2/2005	13	30.15	16.1	1.04	0	2.00	1265	2.63	0.000
0039-2001	1-A-118	11/3/2005	10	30.21	17.7	1.04	6362	2.00	1492	3.09	0.002
0039-2005	2-A-118	11/3/2005	11	30.21	17.7	1.04	0	2.00	1499	3.10	0.000
0039-2009	3-A-118	11/3/2005	12	30.21	17.7	1.04	0	2.00	1525	3.16	0.000
0039-2013	4-A-118	11/3/2005	13	30.21	17.7	1.04	0	2.00	1442	2.99	0.000
0039-2017	1-A-119	11/4/2005	10	30.27	16.4	1.04	0	2.00	1420	2.96	0.000
0039-2021	2-A-119	11/4/2005	11	30.27	16.4	1.04	0	2.00	1417	2.95	0.000
0039-2025	4-A-119	11/4/2005	13	30.27	16.4	1.04	0	2.00	1410	2.94	0.000
0039-2029	5-A-119	11/4/2005	14	30.27	16.4	1.04	0	2.00	1393	2.90	0.000
0039-2033	1-A-120	11/8/2005	10	30.00	19.4	1.02	0	2.00	1437	2.94	0.000
0039-2037	2-A-120	11/8/2005	11	30.00	19.4	1.02	0	2.00	1432	2.93	0.000
0039-2041	3-A-120	11/8/2005	12	30.00	19.4	1.02	0	2.00	1427	2.92	0.000
0039-2045	4-A-120	11/8/2005	13	30.00	19.4	1.02	0	2.00	1413	2.89	0.000
0039-2049	5-A-120	11/8/2005	14	30.00	19.4	1.02	0	2.00	1407	2.88	0.000
0039-2053	1-A-121	11/9/2005	10	30.03	21.6	1.02	0	2.00	1446	2.94	0.000
0039-2057	2-A-121	11/9/2005	11	30.03	21.6	1.02	0	2.00	1500	3.05	0.000
0039-2061	4-A-121	11/9/2005	13	30.03	21.6	1.02	0	1.85	1424	2.67	0.000
0039-2065	5-A-121	11/9/2005	14	30.03	21.6	1.02	0	2.10	1459	3.11	0.000
0039-2069	1-A-122	11/10/2005	10	30.15	16.3	1.04	0	2.00	1417	2.94	0.000
0039-2073	2-A-122	11/10/2005	11	30.15	16.3	1.04	0	2.00	1373	2.85	0.000
0039-2077	4-A-122	11/10/2005	13	30.15	16.3	1.04	0	2.00	1465	3.04	0.000
0039-2081	5-A-122	11/10/2005	14	30.15	16.3	1.04	0	2.00	1432	2.97	0.000
0039-2085	1-A-123	11/11/2005	10	30.24	15.0	1.05	0	2.00	1401	2.93	0.000
0039-2089	2-A-123	11/11/2005	11	30.24	15.0	1.05	0	2.00	1403	2.93	0.000
0039-2093	4-A-123	11/11/2005	13	30.24	15.0	1.05	0	2.00	1409	2.95	0.000
0039-2097	5-A-123	11/11/2005	14	30.24	15.0	1.05	0	2.00	1411	2.95	0.000
0039-3001	1-A-124	11/15/2005	10	30.23	19.7	1.03	0	2.00	1507	3.10	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-3005	2-A-124	11/15/2005	11	30.23	19.7	1.03	0	2.00	1494	3.07	0.000
0039-3009	3-A-124	11/15/2005	12	30.23	19.7	1.03	0	2.00	1495	3.08	0.000
0039-3013	4-A-124	11/15/2005	13	30.23	19.7	1.03	4712	2.00	1483	3.05	0.002
0039-3017	5-A-124	11/15/2005	14	30.23	19.7	1.03	0	2.00	1483	3.05	0.000
0039-3021	1-A-125	11/16/2005	10	30.25	19.2	1.03	0	2.00	1432	2.95	0.000
0039-3025	2-A-125	11/16/2005	11	30.25	19.2	1.03	4006	2.00	1428	2.94	0.001
0039-3029	3-A-125	11/16/2005	12	30.25	19.2	1.03	0	2.00	1433	2.96	0.000
0039-3033	4-A-125	11/16/2005	13	30.25	19.2	1.03	0	2.00	1430	2.95	0.000
0039-3037	5-A-125	11/16/2005	14	30.25	19.2	1.03	0	2.00	1427	2.94	0.000
0039-3041	1-A-126	11/17/2005	10	30.25	20.3	1.03	0	2.00	1386	2.85	0.000
0039-3045	2-A-126	11/17/2005	11	30.25	20.3	1.03	0	2.00	1392	2.86	0.000
0039-3049	3-A-126	11/17/2005	12	30.25	20.3	1.03	3299	2.00	1388	2.85	0.001
0039-3053	4-A-126	11/17/2005	13	30.25	20.3	1.03	0	2.00	1403	2.88	0.000
0039-3057	5-A-126	11/17/2005	14	30.25	20.3	1.03	0	2.00	1405	2.89	0.000
0039-3061	1-A-127	11/18/2005	10	30.26	24.7	1.01	0	2.00	1390	2.81	0.000
0039-3065	2-A-127	11/18/2005	11	30.26	24.7	1.01	4006	2.00	1390	2.81	0.001
0039-3069	4-A-127	11/18/2005	13	30.26	24.7	1.01	0	2.00	1350	2.73	0.000
0039-3073	1-A-128	11/19/2005	10	30.29	24.2	1.02	0	2.00	1420	2.88	0.000
0039-3077	4-A-128	11/19/2005	13	30.29	24.2	1.02	0	2.00	1425	2.89	0.000
0039-3081	1-A-129	11/22/2005	10	30.21	16.6	1.04	0	2.00	1497	3.11	0.000
0039-3085	4-A-129	11/22/2005	13	30.21	16.6	1.04	0	2.00	1485	3.09	0.000
0039-3089	1-A-130	11/23/2005	10	30.18	18.1	1.03	0	2.00	1145	2.36	0.000
0039-3093	4-A-130	11/23/2005	13	30.18	18.1	1.03	3063	1.75	1160	2.10	0.001
0039-3097	1-A-131	11/28/2005	10	30.35	10.3	1.07	0	2.00	592	1.26	0.000
0039-4001	4-A-131	11/28/2005	13	30.35	10.3	1.07	0	2.00	506	1.08	0.000
0039-4005	1-A-132	11/29/2005	10	30.29	11.9	1.06	0	2.00	1410	2.99	0.000
0039-4013	2-A-133	11/30/2005	11	30.11	14.3	1.04	0	2.00	1490	3.11	0.000
0039-4017	4-A-133	11/30/2005	13	30.11	14.3	1.04	0	2.00	1550	3.24	0.000
0039-4021	1-A-134	12/5/2005	10	30.45	11.1	1.07	0	2.00	1685	3.60	0.000
0039-4025	2-A-134	12/5/2005	11	30.45	11.1	1.07	0	2.00	1668	3.56	0.000
0039-4029	4-A-134	12/5/2005	13	30.45	11.1	1.07	0	2.00	1643	3.51	0.000
0039-4033	1-A-135	12/6/2005	10	30.29	12.3	1.06	0	2.00	1539	3.25	0.000
0039-4037	2-A-135	12/6/2005	11	30.29	12.3	1.06	0	2.00	1672	3.54	0.000
0039-4041	4-A-135	12/6/2005	13	30.29	12.3	1.06	0	2.00	1613	3.41	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-4045	1-A-136	12/7/2005	10	30.21	13.5	1.05	0	2.00	1541	3.24	0.000
0039-4049	2-A-136	12/7/2005	11	30.21	13.5	1.05	0	2.00	1543	3.24	0.000
0039-4053	4-A-136	12/7/2005	13	30.21	13.5	1.05	0	2.00	1489	3.13	0.000
0039-4057	1-A-137	12/9/2005	10	30.26	18.3	1.03	0	2.00	1405	2.91	0.000
0039-4061	4-A-137	12/9/2005	13	30.26	18.3	1.03	2827	2.00	1416	2.93	0.001
0039-4065	1-A-138	12/10/2005	10	30.28	21.2	1.03	0	2.00	1380	2.83	0.000
0039-4069	4-A-138	12/10/2005	13	30.28	21.2	1.03	0	2.00	1387	2.84	0.000
0039-4073	1-A-139	12/12/2005	10	30.23	12.0	1.06	0	2.00	1795	3.79	0.000
0039-4077	2-A-139	12/12/2005	10	30.23	12.0	1.06	0	2.00	1800	3.80	0.000
0039-4081	4-A-139	12/12/2005	13	30.23	12.0	1.06	0	2.00	1790	3.78	0.000
0039-4085	1-A-140	12/13/2005	10	30.26	12.4	1.06	0	2.00	1425	3.01	0.000
0039-4089	2-A-140	12/13/2005	11	30.26	12.4	1.06	0	2.00	1420	3.00	0.000
0039-4093	4-A-140	12/13/2005	13	30.26	12.4	1.06	0	2.00	1408	2.97	0.000
0039-4097	1-A-141	12/14/2005	10	30.28	12.9	1.05	0	2.00	1435	3.03	0.000
0039-5001	4-A-141	12/14/2005	13	30.28	12.9	1.05	0	2.00	1430	3.02	0.000
0039-5005	1-A-142	12/15/2005	10	30.47	14.3	1.06	0	2.00	1419	3.00	0.000
0039-5009	2-A-142	12/15/2005	11	30.47	14.3	1.06	0	2.00	1414	2.99	0.000
0039-5013	3-A-142	12/15/2005	12	30.47	14.3	1.06	0	2.00	1395	2.95	0.000
0039-5017	4-A-142	12/15/2005	13	30.47	14.3	1.06	0	2.00	1394	2.94	0.000
0039-5021	1-A-143	12/16/2005	10	30.55	12.2	1.07	0	2.00	1426	3.04	0.000
0039-5025	2-A-143	12/16/2005	11	30.55	12.2	1.07	0	2.00	1469	3.13	0.000
0039-5029	3-A-143	12/16/2005	12	30.55	12.2	1.07	0	2.00	1485	3.17	0.000
0039-5033	4-A-143	12/16/2005	13	30.55	12.2	1.07	0	2.00	1479	3.16	0.000
0039-5037	1-A-144	12/17/2005	10	30.80	10.4	1.08	0	2.00	1309	2.83	0.000
0039-5041	2-A-144	12/17/2005	11	30.80	10.4	1.08	0	2.00	1446	3.13	0.000
0039-5045	3-A-144	12/17/2005	12	30.80	10.4	1.08	0	2.00	1376	2.98	0.000
0039-5049	4-A-144	12/17/2005	13	30.80	10.4	1.08	0	2.00	1431	3.10	0.000
0039-5053	3-A-145	12/19/2005	12	30.70	10.6	1.08	0	2.00	1064	2.29	0.000
0039-5061	3-A-146	12/20/2005	12	30.37	16.9	1.04	0	2.00	1510	3.15	0.000
0039-5065	4-A-146	12/20/2005	13	30.37	16.9	1.04	0	2.00	1515	3.16	0.000
0039-5069	2-A-147	12/21/2005	11	30.30	16.6	1.04	0	2.00	1560	3.25	0.000
0039-5073	3-A-147	12/21/2005	12	30.30	16.6	1.04	0	2.00	1509	3.14	0.000
0039-5077	4-A-147	12/21/2005	13	30.30	16.6	1.04	0	2.00	1498	3.12	0.000
0039-5081	1-A-148	12/22/2005	10	30.22	16.6	1.04	0	2.00	1417	2.95	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-5085	4-A-148	12/22/2005	13	30.22	16.6	1.04	0	2.00	1442	3.00	0.000
0039-5089	1-A-149	12/23/2005	10	30.26	16.1	1.04	0	2.00	1320	2.75	0.000
0039-5093	4-A-149	12/23/2005	13	30.26	16.1	1.04	3770	2.50	1318	3.43	0.001
0039-5097	1-A-150	1/6/2006	10	30.32	13.8	1.05	0	2.00	323	0.68	0.000
0039-6001	2-A-150	1/6/2006	11	30.32	13.8	1.05	0	2.00	361	0.76	0.000
0039-6005	4-A-150	1/6/2006	13	30.32	13.8	1.05	0	1.00	486	0.51	0.000
0039-6009	1-A-151	2/22/2006	10	30.30	10.2	1.07	0	2.00	1443	3.08	0.000
0039-6013	4-A-151	2/22/2006	13	30.30	10.2	1.07	0	2.00	1445	3.08	0.000
0039-6017	1-A-152	2/23/2006	10	30.20	11.9	1.06	0	2.00	1448	3.06	0.000
0039-6021	4-A-152	2/23/2006	13	30.20	11.9	1.06	0	2.00	1451	3.06	0.000
0039-6025	1-A-153	2/24/2006	10	30.30	13.1	1.05	0	1.85	1496	2.92	0.000
0039-6029	4-A-153	2/24/2006	13	30.30	13.1	1.05	0	2.00	1481	3.12	0.000
0039-6033	1-A-154	2/25/2006	10	30.20	11.7	1.06	0	1.95	1335	2.75	0.000
0039-6037	4-A-154	2/25/2006	13	30.20	11.7	1.06	0	2.00	1342	2.84	0.000
0039-6041	1-A-155	2/26/2006	10	30.00	12.3	1.05	0	2.00	1439	3.01	0.000
0039-6045	4-A-155	2/26/2006	13	30.00	12.3	1.05	0	2.00	1441	3.02	0.000
0039-6049	1-A-156	3/22/2006	10	30.38	15.6	1.05	0	2.00	1437	3.01	0.000
0039-6053	2-A-156	3/22/2006	11	30.38	15.6	1.05	2827	2.00	1498	3.14	0.001
0039-6057	4-A-156	3/22/2006	13	30.38	15.6	1.05	3534	2.00	1608	3.37	0.001
0039-6061	1-A-157	3/23/2006	10	30.24	16.7	1.04	3299	2.00	1645	3.42	0.001
0039-6065	2-A-157	3/23/2006	11	30.24	16.7	1.04	0	2.00	1642	3.41	0.000
0039-6069	4-A-157	3/23/2006	13	30.24	16.7	1.04	0	2.00	1581	3.29	0.000
0039-6073	5-A-157	3/23/2006	14	30.24	16.7	1.04	0	2.00	1603	3.33	0.000
0039-6077	1-A-158	3/28/2006	10	29.93	13.6	1.04	0	2.00	1379	2.87	0.000
0039-6081	2-A-158	3/28/2006	11	29.93	13.6	1.04	0	2.00	311	0.65	0.000
0039-6085	4-A-158	3/28/2006	13	29.93	13.6	1.04	0	2.00	1474	3.07	0.000
0039-6089	5-A-158	3/28/2006	14	29.93	13.6	1.04	0	2.00	1488	3.10	0.000
0039-6093	1-A-159	4/19/2006	10	30.23	17.8	1.04	8247	2.00	1727	3.58	0.002
0039-6097	4-A-159	4/19/2006	13	30.23	17.8	1.04	0	2.00	1793	3.71	0.000
0039-6105	4-A-160	4/20/2006	13	30.04	18.9	1.02	3063	2.00	1425	2.92	0.001
0039-6109	1-A-161	4/21/2006	10	30.01	17.5	1.03	11310	2.00	1400	2.88	0.004
0039-6113	2-A-161	4/21/2006	11	30.01	17.5	1.03	4241	2.00	1442	2.97	0.001
0039-6117	4-A-161	4/21/2006	13	30.01	17.5	1.03	0	2.00	1451	2.99	0.000
0039-6121	1-A-162	4/25/2006	10	30.22	13.9	1.05	14137	2.00	1581	3.32	0.004

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-6125	2-A-162	4/25/2006	11	30.22	13.9	1.05	4477	2.00	1578	3.31	0.001
0039-6129	4-A-162	4/25/2006	13	30.22	13.9	1.05	0	2.00	1578	3.31	0.000
0039-6133	1-A-163	4/26/2006	10	30.10	16.4	1.04	12017	2.00	1568	3.25	0.004
0039-6137	2-A-163	4/26/2006	11	30.10	16.4	1.04	10838	2.00	1567	3.25	0.003
0039-6141	4-A-163	4/26/2006	13	30.10	16.4	1.04	0	2.00	1567	3.25	0.000
0039-6145	1-A-164	4/27/2006	10	30.12	18.1	1.03	5419	2.00	1505	3.10	0.002
0039-6149	2-A-164	4/27/2006	11	30.12	18.1	1.03	5655	2.00	1505	3.10	0.002
0039-6153	4-A-164	4/27/2006	13	30.12	18.1	1.03	0	2.00	1490	3.07	0.000
0039-6157	1-A-165	4/28/2006	10	30.09	18.9	1.03	0	2.00	1225	2.52	0.000
0039-6161	2-A-165	4/28/2006	11	30.09	18.9	1.03	8718	2.00	1235	2.54	0.003
0039-6165	4-A-165	4/28/2006	13	30.09	18.9	1.03	0	1.90	1250	2.44	0.000
0039-6169	1-A-166	5/1/2006	10	30.05	20.8	1.02	8011	2.00	1707	3.48	0.002
0039-6173	2-A-166	5/1/2006	11	30.05	20.8	1.02	11545	2.00	1682	3.43	0.003
0039-6177	4-A-166	5/1/2006	13	30.05	20.8	1.02	0	2.00	1554	3.17	0.000
0039-6181	1-A-167	5/2/2006	10	30.02	18.3	1.03	6833	2.00	1470	3.02	0.002
0039-6185	2-A-167	5/2/2006	11	30.02	18.3	1.03	5890	2.00	1441	2.96	0.002
0039-6189	4-A-167	5/2/2006	13	30.02	18.3	1.03	0	2.00	1460	3.00	0.000
0039-6193	5-A-167	5/2/2006	14	30.02	18.3	1.03	0	2.00	1463	3.00	0.000
0039-6197	2-A-168	5/3/2006	11	30.07	17.2	1.03	3299	2.00	1351	2.79	0.001
0039-6201	4-A-168	5/3/2006	13	30.07	17.2	1.03	0	2.00	900	1.86	0.000
0039-6205	5-A-168	5/3/2006	14	30.07	17.2	1.03	0	2.00	1395	2.88	0.000
0039-6209	1-A-169	5/4/2006	10	30.11	19.2	1.03	0	2.00	1401	2.88	0.000
0039-6213	2-A-169	5/4/2006	11	30.11	19.2	1.03	18849	2.00	1362	2.80	0.007
0039-6217	4-A-169	5/4/2006	13	30.11	19.2	1.03	0	2.00	1380	2.83	0.000
0039-6225	1-A-170	5/9/2006	10	30.05	23.1	1.01	3299	2.00	1565	3.16	0.001
0039-6229	2-A-170	5/9/2006	11	30.05	23.1	1.01	8953	2.00	1468	2.97	0.003
0039-6233	4-A-170	5/9/2006	13	30.05	23.1	1.01	0	2.00	1427	2.88	0.000
0039-6237	1-A-171	5/10/2006	10	30.10	21.9	1.02	3299	2.00	1445	2.94	0.001
0039-6241	2-A-171	5/10/2006	11	30.10	21.9	1.02	8247	2.00	1580	3.21	0.003
0039-6245	4-A-171	5/10/2006	13	30.10	21.9	1.02	0	2.00	1575	3.20	0.000
0039-6249	1-A-172	5/11/2006	10	30.08	20.0	1.02	7304	2.00	1316	2.69	0.003
0039-6253	2-A-172	5/11/2006	11	30.08	20.0	1.02	4477	2.00	1433	2.93	0.002
0039-6257	4-A-172	5/11/2006	13	30.08	20.0	1.02	0	2.00	1302	2.66	0.000
0039-6261	2-A-173	5/15/2006	11	30.20	16.7	1.04	11310	2.00	1682	3.49	0.003

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-6265	4-A-173	5/15/2006	13	30.20	16.7	1.04	0	2.00	1728	3.59	0.000
0039-6269	1-A-174	5/16/2006	10	30.15	18.1	1.03	13195	2.00	1652	3.41	0.004
0039-6273	2-A-174	5/16/2006	11	30.15	18.1	1.03	16729	2.00	1642	3.39	0.005
0039-6277	4-A-174	5/16/2006	13	30.15	18.1	1.03	0	2.00	1579	3.26	0.000
0039-6281	1-A-175	5/17/2006	10	30.09	17.5	1.03	9896	2.00	1435	2.96	0.003
0039-6285	2-A-175	5/17/2006	11	30.09	17.5	1.03	9896	2.00	1434	2.96	0.003
0039-6289	4-A-175	5/17/2006	13	30.09	17.5	1.03	0	2.00	1378	2.84	0.000
0039-6293	1-A-176	5/18/2006	10	30.19	19.2	1.03	3063	2.00	5165	10.63	0.000
0039-6297	2-A-176	5/18/2006	11	30.19	19.2	1.03	0	2.00	6985	14.38	0.000
0039-6301	4-A-176	5/18/2006	13	30.19	19.2	1.03	0	2.00	6901	14.20	0.000
0039-6305	1-A-177	5/24/2006	10	30.18	19.7	1.03	13666	1.25	2829	3.63	0.004
0039-6309	2-A-177	5/24/2006	11	30.18	19.7	1.03	10603	1.25	2844	3.65	0.003
0039-6313	4-A-177	5/24/2006	13	30.18	19.7	1.03	0	1.25	2825	3.63	0.000
0039-6317	1-A-178	6/1/2006	10	30.24	18.3	1.03	19085	1.25	3002	3.88	0.005
0039-6321	2-A-178	6/1/2006	11	30.24	18.3	1.03	17436	1.25	1982	2.56	0.007
0039-6325	4-A-178	6/1/2006	13	30.24	18.3	1.03	0	1.25	2957	3.82	0.000
0039-6329	1-A-180	6/9/2006	10	30.34	18.1	1.04	16965	1.25	1827	2.37	0.007
0039-6333	2-A-180	6/9/2006	11	30.34	18.1	1.04	0	0.75	1820	1.42	0.000
0039-6337	4-A-180	6/9/2006	13	30.34	18.1	1.04	0	1.00	1856	1.93	0.000
0039-6341	1-A-181	6/14/2006	10	30.18	18.3	1.03	8718	1.25	3062	3.95	0.002
0039-6345	2-A-181	6/14/2006	11	30.18	18.3	1.03	8011	1.25	3096	3.99	0.002
0039-6353	1-A-182	6/16/2006	10	30.20	22.5	1.02	19792	1.25	3025	3.85	0.005
0039-6357	2-A-182	6/16/2006	11	30.20	22.5	1.02	4712	1.25	3013	3.83	0.001
0039-6361	4-A-182	6/16/2006	13	30.20	22.5	1.02	0	1.25	3045	3.87	0.000
0039-6365	1-A-183	6/21/2006	10	30.12	22.2	1.02	6597	1.25	3045	3.87	0.002
0039-6369	2-A-183	6/21/2006	11	30.12	22.2	1.02	4006	1.25	3053	3.88	0.001
0039-6373	4-A-183	6/21/2006	13	30.12	22.2	1.02	0	2.13	3053	6.59	0.000
0039-6377	1-A-184	6/23/2006	10	30.06	20.3	1.02	14373	1.25	3164	4.04	0.004
0039-6381	2-A-184	6/23/2006	11	30.06	20.3	1.02	0	1.25	3143	4.01	0.000
0039-6385	4-A-184	6/23/2006	13	30.06	20.3	1.02	0	1.25	3181	4.06	0.000
0039-6389	1-A-185	6/28/2006	10	30.12	21.9	1.02	8953	1.25	3099	3.94	0.002
0039-6393	2-A-185	6/28/2006	11	30.12	21.9	1.02	10603	1.25	3074	3.91	0.003
0039-6397	4-A-185	6/28/2006	13	30.12	21.9	1.02	0	1.25	3094	3.93	0.000
0039-6401	1-A-186	6/30/2006	10	30.19	19.8	1.03	3770	1.25	2948	3.78	0.001

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-6405	2-A-186	6/30/2006	11	30.19	19.8	1.03	0	1.25	2925	3.75	0.000
0039-6409	4-A-186	6/30/2006	13	30.19	19.8	1.03	4477	1.25	2945	3.78	0.001
0039-6413	5-A-186	6/30/2006	14	30.19	19.8	1.03	9425	1.25	1662	2.13	0.004
0039-6417	1-A-187	7/7/2006	10	30.21	21.1	1.02	15080	1.25	3219	4.12	0.004
0039-6421	2-A-187	7/7/2006	11	30.21	21.1	1.02	17907	1.25	3221	4.12	0.004
0039-6425	4-A-187	7/7/2006	13	30.21	21.1	1.02	0	1.25	3224	4.12	0.000
0039-6429	5-A-187	7/7/2006	14	30.21	21.1	1.02	3534	1.25	3229	4.13	0.001
0039-6433	1-A-188	7/12/2006	10	30.13	18.1	1.03	16022	1.25	3090	3.98	0.004
0039-6437	2-A-188	7/12/2006	11	30.13	18.1	1.03	14844	1.25	3109	4.01	0.004
0039-6441	4-A-188	7/12/2006	13	30.13	18.1	1.03	0	1.25	3085	3.98	0.000
0039-6445	5-A-188	7/12/2006	14	30.13	18.1	1.03	2827	1.25	3082	3.97	0.001
0039-6449	1-A-189	7/14/2006	10	30.17	19.7	1.03	9189	1.25	3030	3.89	0.002
0039-6453	2-A-189	7/14/2006	11	30.17	19.7	1.03	5419	1.25	3021	3.88	0.001
0039-6457	4-A-189	7/14/2006	13	30.17	19.7	1.03	0	1.25	3057	3.92	0.000
0039-6461	5-A-189	7/14/2006	14	30.17	19.7	1.03	0	1.25	3050	3.91	0.000
0039-6465	1-A-190	7/19/2006	10	30.07	22.2	1.01	13901	1.25	2989	3.79	0.004
0039-6469	2-A-190	7/19/2006	11	30.07	22.2	1.01	10367	1.25	3000	3.80	0.003
0039-6473	4-A-190	7/19/2006	13	30.07	22.2	1.01	0	1.25	2979	3.78	0.000
0039-6477	1-A-191	7/21/2006	10	30.04	25.3	1.00	21206	1.25	3070	3.85	0.006
0039-6481	2-A-191	7/21/2006	11	30.04	25.3	1.00	9660	1.25	3043	3.82	0.003
0039-6485	3-A-191	7/21/2006	12	30.04	25.3	1.00	0	1.25	3009	3.77	0.000
0039-6489	4-A-191	7/21/2006	13	30.04	25.3	1.00	0	1.25	3046	3.82	0.000
0039-6493	1-A-193	7/28/2006	10	30.04	20.8	1.02	4006	1.25	2723	3.47	0.001
0039-6497	2-A-193	7/28/2006	11	30.04	20.8	1.02	4712	1.25	2671	3.40	0.001
0039-6501	3-A-193	7/28/2006	12	30.04	20.8	1.02	3299	1.25	2666	3.39	0.001
0039-6505	4-A-193	7/28/2006	13	30.04	20.8	1.02	0	1.25	2773	3.53	0.000
0039-6509	1-A-194	8/2/2006	10	30.09	18.3	1.03	5419	1.25	3083	3.96	0.001
0039-6513	2-A-194	8/2/2006	11	30.09	18.3	1.03	13195	1.25	3051	3.92	0.003
0039-6517	3-A-194	8/2/2006	12	30.09	18.3	1.03	2827	1.25	3023	3.89	0.001
0039-6521	4-A-194	8/2/2006	13	30.09	18.3	1.03	0	1.25	3107	4.00	0.000
0039-6525	1-A-195	8/4/2006	10	30.09	22.2	1.02	5655	1.25	3055	3.88	0.001
0039-6529	2-A-195	8/4/2006	11	30.09	22.2	1.02	6126	1.25	3060	3.88	0.002
0039-6533	3-A-195	8/4/2006	12	30.09	22.2	1.02	0	1.25	3072	3.90	0.000
0039-6537	4-A-195	8/4/2006	13	30.09	22.2	1.02	0	1.25	3043	3.86	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-6541	1-A-196	8/9/2006	10	30.14	23.6	1.01	4948	1.25	3002	3.80	0.001
0039-6545	2-A-196	8/9/2006	11	30.14	23.6	1.01	5419	1.25	3010	3.81	0.001
0039-6549	3-A-196	8/9/2006	12	30.14	23.6	1.01	5655	1.25	2994	3.79	0.001
0039-6553	4-A-196	8/9/2006	13	30.14	23.6	1.01	0	1.25	3002	3.80	0.000
0039-6557	1-A-197	8/11/2006	10	30.09	23.6	1.01	4477	1.25	3059	3.86	0.001
0039-6561	2-A-197	8/11/2006	11	30.09	23.6	1.01	6362	1.25	3064	3.87	0.002
0039-6565	3-A-197	8/11/2006	12	30.09	23.6	1.01	3770	1.25	3082	3.89	0.001
0039-6569	4-A-197	8/11/2006	13	30.09	23.6	1.01	0	1.25	3051	3.85	0.000
0039-6573	1-A-198	8/16/2006	10	30.15	17.5	1.03	7304	1.25	3045	3.93	0.002
0039-6577	2-A-198	8/16/2006	11	30.15	17.5	1.03	5890	1.25	3058	3.95	0.001
0039-6581	3-A-198	8/16/2006	12	30.15	17.5	1.03	4948	1.25	3067	3.96	0.001
0039-6585	4-A-198	8/16/2006	13	30.15	17.5	1.03	0	1.25	3097	4.00	0.000
0039-6589	1-A-199	8/18/2006	10	30.15	18.6	1.03	7069	1.25	2996	3.86	0.002
0039-6593	2-A-199	8/18/2006	11	30.15	18.6	1.03	3299	1.25	2946	3.79	0.001
0039-6597	3-A-199	8/18/2006	12	30.15	18.6	1.03	0	1.25	2904	3.74	0.000
0039-6601	4-A-199	8/18/2006	13	30.15	18.6	1.03	0	1.25	2996	3.86	0.000
0039-6605	1-A-202	8/25/2006	10	30.10	19.4	1.03	6126	1.25	3000	3.84	0.002
0039-6609	2-A-202	8/25/2006	11	30.10	19.4	1.03	3770	1.25	2994	3.84	0.001
0039-6613	3-A-202	8/25/2006	12	30.10	19.4	1.03	0	1.25	2947	3.78	0.000
0039-6617	4-A-202	8/25/2006	13	30.10	19.4	1.03	2827	1.25	3022	3.87	0.001
0039-6621	1-A-203	8/30/2006	10	30.07	18.1	1.03	5184	1.25	3041	3.91	0.001
0039-6625	3-A-203	8/30/2006	12	30.07	18.1	1.03	5184	1.25	3061	3.94	0.001
0039-6629	4-A-203	8/30/2006	13	30.07	18.1	1.03	0	1.25	3030	3.90	0.000
0039-6633	1-A-204	9/1/2006	10	30.06	20.8	1.02	8482	1.25	2994	3.81	0.002
0039-6637	2-A-204	9/1/2006	11	30.06	20.8	1.02	7304	1.25	2985	3.80	0.002
0039-6641	4-A-204	9/1/2006	13	30.06	20.8	1.02	0	1.25	3004	3.83	0.000
0039-6645	1-A-205	9/7/2006	10	30.11	15.3	1.04	10838	1.25	2951	3.84	0.003
0039-6649	2-A-205	9/7/2006	11	30.11	15.3	1.04	0	1.25	2961	3.85	0.000
0039-6653	4-A-205	9/7/2006	13	30.11	15.3	1.04	0	1.25	2936	3.82	0.000
0039-6657	1-A-206	9/8/2006	10	30.01	15.3	1.04	4477	1.25	1782	2.31	0.002
0039-6661	2-A-206	9/8/2006	11	30.01	15.3	1.04	0	1.25	1780	2.31	0.000
0039-6665	4-A-206	9/8/2006	13	30.01	15.3	1.04	0	1.25	1800	2.33	0.000
0039-6669	1-A-207	9/13/2006	10	30.07	17.2	1.03	4948	1.25	3048	3.93	0.001
0039-6673	2-A-207	9/13/2006	11	30.07	17.2	1.03	4241	1.25	3048	3.93	0.001

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-6677	4-A-207	9/13/2006	13	30.07	17.2	1.03	0	1.25	3048	3.93	0.000
0039-6681	1-A-208	9/15/2006	10	30.02	18.5	1.03	11781	1.25	2939	3.77	0.003
0039-6685	2-A-208	9/15/2006	11	30.02	18.5	1.03	10367	1.25	2941	3.77	0.003
0039-6689	4-A-208	9/15/2006	13	30.02	18.5	1.03	0	1.25	2942	3.77	0.000
0039-6693	1-A-209	9/20/2006	10	30.13	20.0	1.02	11074	1.25	3050	3.90	0.003
0039-6697	2-A-209	9/20/2006	11	30.13	20.0	1.02	0	1.25	3054	3.91	0.000
0039-6701	4-A-209	9/20/2006	13	30.13	20.0	1.02	0	1.25	3037	3.89	0.000
0039-6705	1-A-210	9/22/2006	10	30.02	25.1	1.00	25447	1.25	3016	3.78	0.007
0039-6709	2-A-210	9/22/2006	11	30.02	25.1	1.00	15551	1.25	3012	3.78	0.004
0039-6713	4-A-210	9/22/2006	13	30.02	25.1	1.00	0	1.25	3021	3.79	0.000
0039-6717	1-A-211	9/27/2006	10	30.19	17.4	1.04	0	1.25	3062	3.96	0.000
0039-6721	2-A-211	9/27/2006	11	30.19	17.4	1.04	2827	1.25	3069	3.97	0.001
0039-6725	4-A-211	9/27/2006	13	30.19	17.4	1.04	0	1.25	3046	3.94	0.000
0039-6729	1-A-212	9/29/2006	10	30.20	18.0	1.03	0	1.25	3058	3.95	0.000
0039-6733	2-A-212	9/29/2006	11	30.20	18.0	1.03	3534	1.25	3052	3.94	0.001
0039-6737	4-A-212	9/29/2006	13	30.20	18.0	1.03	0	1.25	3085	3.99	0.000
0039-6741	1-A-214	10/6/2006	10	30.14	15.8	1.04	0	1.25	3031	3.94	0.000
0039-6745	2-A-214	10/6/2006	11	30.14	15.8	1.04	0	1.25	3026	3.93	0.000
0039-6753	4-A-214	10/6/2006	13	30.14	15.8	1.04	0	1.25	3038	3.95	0.000
0039-6757	5-A-214	10/6/2006	5	30.14	15.8	1.04	0	1.25	2937	3.82	0.000
0039-6761	3-A-215	10/7/2006	3	30.15	19.2	1.03	0	1.25	1411	1.81	0.000
0039-6765	5-A-215	10/7/2006	5	30.15	19.2	1.03	0	1.25	1410	1.81	0.000
0039-6769	1-A-216	10/11/2006	10	30.09	19.7	1.02	4006	1.25	3040	3.89	0.001
0039-6773	2-A-216	10/11/2006	11	30.09	19.7	1.02	4948	1.25	3052	3.91	0.001
0039-6777	3-A-216	10/11/2006	3	30.09	19.7	1.02	0	1.25	3075	3.94	0.000
0039-6781	4-A-216	10/11/2006	13	30.09	19.7	1.02	0	1.25	3030	3.88	0.000
0039-6785	5-A-216	10/11/2006	5	30.09	19.7	1.02	0	1.25	3072	3.93	0.000
0039-6789	2-A-217	10/13/2006	11	30.02	19.6	1.02	11310	1.25	2994	3.82	0.003
0039-6793	3-A-217	10/13/2006	3	30.02	19.6	1.02	0	1.25	2992	3.82	0.000
0039-6797	4-A-217	10/13/2006	13	30.02	19.6	1.02	0	1.25	3027	3.87	0.000
0039-6801	5-A-217	10/13/2006	5	30.02	19.6	1.02	0	1.25	2995	3.83	0.000
0039-6805	3-A-218	10/15/2006	3	29.98	16.1	1.03	0	1.25	2858	3.69	0.000
0039-6809	5-A-218	10/15/2006	5	29.98	16.1	1.03	0	1.25	2847	3.68	0.000
0039-6813	2-A-219	10/18/2006	11	30.15	18.6	1.03	15080	1.25	3048	3.92	0.004

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-6817	3-A-219	10/18/2006	3	30.15	18.6	1.03	4477	1.25	3056	3.93	0.001
0039-6821	4-A-219	10/18/2006	13	30.15	18.6	1.03	4006	1.25	3021	3.89	0.001
0039-6825	5-A-219	10/18/2006	5	30.15	18.6	1.03	0	1.25	3092	3.98	0.000
0039-6829	2-A-220	10/20/2006	11	30.13	25.5	1.01	4241	1.25	3052	3.84	0.001
0039-6833	3-A-220	10/20/2006	3	30.13	25.5	1.01	0	1.25	2938	3.69	0.000
0039-6837	4-A-220	10/20/2006	13	30.13	25.5	1.01	4241	1.25	3081	3.87	0.001
0039-6841	5-A-220	10/20/2006	5	30.13	25.5	1.01	3770	1.25	2941	3.70	0.001
0039-6845	3-A-221	10/21/2006	3	29.98	28.8	0.99	3063	1.25	1443	1.78	0.002
0039-6849	5-A-221	10/21/2006	5	29.98	28.8	0.99	0	1.25	1440	1.78	0.000
0039-6853	2-A-222	10/25/2006	11	30.19	16.1	1.04	4712	1.25	3019	3.92	0.001
0039-6857	3-A-222	10/25/2006	3	30.19	16.1	1.04	0	1.25	3057	3.97	0.000
0039-6861	4-A-222	10/25/2006	13	30.19	16.1	1.04	6362	1.25	3130	4.07	0.002
0039-6865	5-A-222	10/25/2006	5	30.19	16.1	1.04	0	1.25	2958	3.85	0.000
0039-6869	2-A-223	10/27/2006	11	30.31	22.0	1.02	15551	1.25	3047	3.90	0.004
0039-6873	3-A-223	10/27/2006	3	30.31	22.0	1.02	4241	1.25	2768	3.54	0.001
0039-6877	4-A-223	10/27/2006	13	30.31	22.0	1.02	24269	1.25	3064	3.92	0.006
0039-6881	5-A-223	10/27/2006	5	30.31	22.0	1.02	4241	1.25	2757	3.53	0.001
0039-6885	2-A-224	11/1/2006	11	30.20	15.7	1.04	0	1.25	3022	3.94	0.000
0039-6889	4-A-224	11/1/2006	13	30.20	15.7	1.04	3299	1.25	3017	3.93	0.001
0039-6893	3-A-226	11/4/2006	3	30.28	18.2	1.04	0	1.25	1694	2.19	0.000
0039-6897	5-A-226	11/4/2006	5	30.28	18.2	1.04	0	1.25	1683	2.18	0.000
0039-6901	2-A-227	11/8/2006	11	30.23	17.6	1.04	4712	1.25	2918	3.78	0.001
0039-6905	3-A-227	11/8/2006	3	30.23	17.6	1.04	0	1.25	2923	3.79	0.000
0039-6909	4-A-227	11/8/2006	13	30.23	17.6	1.04	0	1.25	2902	3.76	0.000
0039-6913	5-A-227	11/8/2006	5	30.23	17.6	1.04	0	1.25	2918	3.78	0.000
0039-6917	3-A-228	11/10/2006	3	30.15	17.2	1.03	0	1.25	3028	3.92	0.000
0039-6921	5-A-228	11/10/2006	5	30.15	17.2	1.03	4948	1.25	3017	3.90	0.001
0039-6925	3-A-229	11/17/2006	3	30.24	14.5	1.05	0	2.00	3056	6.40	0.000
0039-6929	5-A-229	11/17/2006	5	30.24	14.5	1.05	0	2.00	3062	6.42	0.000
0039-6933	3-A-230	11/18/2006	3	30.23	18.4	1.03	0	1.90	1683	3.30	0.000
0039-6937	5-A-230	11/18/2006	5	30.23	18.4	1.03	2827	2.00	1657	3.42	0.001
0039-6941	3-A-231	11/21/2006	3	30.23	16.6	1.04	0	2.00	1509	3.14	0.000
0039-6945	5-A-231	11/21/2006	5	30.23	16.6	1.04	0	2.00	1492	3.10	0.000
0039-6949	2-A-233	12/1/2006	11	30.62	7.4	1.09	0	2.00	1883	4.10	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-6953	4-A-233	12/1/2006	13	30.62	7.4	1.09	0	2.00	1885	4.10	0.000
0039-6957	2-A-234	12/6/2006	11	30.43	12.0	1.06	3534	2.00	2949	6.27	0.001
0039-6961	3-A-234	12/6/2006	3	30.43	12.0	1.06	0	2.00	3056	6.50	0.000
0039-6965	4-A-234	12/6/2006	13	30.43	12.0	1.06	4712	2.00	2939	6.25	0.001
0039-6969	5-A-234	12/6/2006	5	30.43	12.0	1.06	3770	2.00	3041	6.47	0.001
0039-6973	2-A-235	12/8/2006	11	30.18	16.9	1.04	0	2.00	3012	6.25	0.000
0039-6977	3-A-235	12/8/2006	3	30.18	16.9	1.04	0	2.00	2921	6.06	0.000
0039-6981	4-A-235	12/8/2006	13	30.18	16.9	1.04	5655	2.00	3013	6.25	0.001
0039-6985	5-A-235	12/8/2006	5	30.18	16.9	1.04	4948	2.00	2904	6.02	0.001
0039-6993	3-A-237	12/20/2006	3	30.51	7.4	1.08	0	2.00	2927	6.34	0.000
0039-7001	5-A-237	12/20/2006	5	30.51	7.4	1.08	0	2.00	2923	6.34	0.000
0039-7005	3-A-238	12/21/2006	3	30.47	8.4	1.08	0	2.00	1384	2.99	0.000
0039-7009	5-A-238	12/21/2006	5	30.47	8.4	1.08	0	2.00	1378	2.97	0.000
0039-7013	3-A-241	1/13/2007	3	30.46	8.7	1.08	0	2.00	3070	6.61	0.000
0039-7017	5-A-241	1/13/2007	5	30.46	8.7	1.08	0	2.00	3055	6.58	0.000
0039-7021	3-A-242	1/18/2007	3	30.45	10.4	1.07	2827	2.00	3165	6.77	0.000
0039-7025	5-A-242	1/18/2007	5	30.45	10.4	1.07	0	2.00	3197	6.84	0.000
0039-7029	3-A-243	1/24/2007	3	30.41	11.4	1.06	5419	2.00	3127	6.66	0.001
0039-7033	5-A-243	1/24/2007	5	30.41	11.4	1.06	0	2.00	3135	6.68	0.000
0039-7045	3-A-246	2/15/2007	3	30.45	13.6	1.06	0	2.00	3182	6.73	0.000
0039-7049	5-A-246	2/15/2007	5	30.45	13.6	1.06	0	2.00	3146	6.66	0.000
0039-7061	3-A-248	2/21/2007	3	30.17	13.4	1.05	0	2.00	3074	6.45	0.000
0039-7065	3-A-249	3/3/2007	3	30.43	16.7	1.05	0	2.00	1634	3.42	0.000
0039-7069	5-A-249	3/3/2007	5	30.43	16.7	1.05	0	2.00	1524	3.19	0.000
0039-7073	3-A-250	3/7/2007	3	30.30	13.9	1.05	0	2.00	3074	6.47	0.000
0039-7077	5-A-250	3/7/2007	5	30.30	13.9	1.05	0	2.00	2844	5.98	0.000
0039-7081	3-A-251	3/9/2007	3	30.28	15.7	1.04	0	2.00	3071	6.42	0.000
0039-7085	5-A-251	3/9/2007	5	30.28	15.7	1.04	3770	2.00	3066	6.41	0.001
0039-7089	3-A-252	3/14/2007	3	30.22	16.9	1.04	0	2.00	3094	6.42	0.000
0039-7093	5-A-252	3/14/2007	5	30.22	16.9	1.04	3534	2.00	3099	6.43	0.001
0039-7097	3-A-253	3/16/2007	3	30.23	23.1	1.02	0	2.00	3064	6.23	0.000
0039-7101	5-A-253	3/16/2007	5	30.23	23.1	1.02	0	2.00	3043	6.19	0.000
0039-7105	3-A-254	3/21/2007	3	30.20	16.1	1.04	0	2.00	3097	6.44	0.000
0039-7109	5-A-254	3/21/2007	5	30.20	16.1	1.04	0	2.00	3100	6.45	0.000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-0003	3-A-255	3/23/2007	3	30.14	21.1	1.02	2,827	2.00	3,031	6.19	0.0005
0039-0006	5-A-255	3/23/2007	5	30.14	21.1	1.02	3,299	2.00	3,022	6.17	0.0005
0039-0009	3-A-256	3/30/2007	3	30.38	15.0	1.05	0	2.00	3,158	6.64	0.0000
0039-0012	5-A-256	3/30/2007	5	30.38	15.0	1.05	0	2.00	3,183	6.69	0.0000
0039-0015	3-A-257	4/6/2007	3	30.16	11.7	1.06	0	2.00	1,585	3.34	0.0000
0039-0018	3-A-258	4/11/2007	3	30.23	15.0	1.05	3,063	2.00	3,091	6.46	0.0005
0039-0021	5-A-258	4/11/2007	5	30.23	15.0	1.05	5,655	2.00	3,081	6.44	0.0009
0039-0024	5-A-259	4/13/2007	5	30.24	17.8	1.04	3,063	2.00	3,013	6.24	0.0005
0039-0027	3-A-260	5/3/2007	3	30.24	14.2	1.05	0	2.00	3,160	6.63	0.0000
0039-0030	5-A-260	5/3/2007	5	30.24	14.2	1.05	0	2.00	3,179	6.67	0.0000
0039-0033	3-A-261	5/5/2007	3	30.21	21.7	1.02	0	2.00	2,880	5.88	0.0000
0039-0036	5-A-261	5/5/2007	5	30.21	21.7	1.02	0	2.00	2,874	5.87	0.0000
0039-0039	3-A-262	5/9/2007	3	30.14	22.5	1.02	3,534	2.00	2,962	6.02	0.0006
0039-0042	5-A-262	5/9/2007	5	30.14	22.5	1.02	4,477	2.00	2,968	6.03	0.0007
0039-0045	3-A-263	5/11/2007	3	30.17	16.4	1.04	0	2.00	3,066	6.37	0.0000
0039-0048	5-A-263	5/11/2007	5	30.17	16.4	1.04	0	2.00	3,066	6.37	0.0000
0039-0051	3-A-264	5/12/2007	3	30.22	15.6	1.04	0	2.00	1,453	3.03	0.0000
0039-0054	5-A-264	5/12/2007	5	30.22	15.6	1.04	0	2.00	1,474	3.07	0.0000
0039-0057	3-A-265	5/16/2007	3	30.19	15.8	1.04	0	2.00	3,094	6.44	0.0000
0039-0060	5-A-265	5/16/2007	5	30.19	15.8	1.04	2,827	2.00	2,926	6.09	0.0005
0039-0063	3-A-266	5/18/2007	3	30.16	17.4	1.03	0	2.00	3,142	6.50	0.0000
0039-0066	5-A-266	5/18/2007	5	30.16	17.4	1.03	3,770	2.00	3,121	6.46	0.0006
0039-0069	3-A-267	5/19/2007	3	30.22	18.6	1.03	0	2.00	1,194	2.46	0.0000
0039-0072	5-A-267	5/19/2007	5	30.22	18.6	1.03	0	2.00	1,197	2.47	0.0000
0039-0075	3-A-268	5/23/2007	3	30.10	21.8	1.02	4,241	2.00	2,928	5.96	0.0007
0039-0078	5-A-268	5/23/2007	5	30.10	21.8	1.02	5,184	2.00	2,929	5.96	0.0009
0039-0081	3-A-269	5/25/2007	3	30.10	22.3	1.02	0	2.00	3,164	6.42	0.0000
0039-0084	5-A-269	5/25/2007	5	30.10	22.3	1.02	0	2.00	3,156	6.41	0.0000
0039-0087	5-A-270	6/1/2007	5	30.16	14.1	1.05	0	2.00	3,162	6.62	0.0000
0039-0090	5-A-271	6/2/2007	5	30.08	14.6	1.04	0	2.00	1,653	3.44	0.0000
0039-0093	5-A-272	6/6/2007	5	30.17	14.7	1.04	0	2.00	2,957	6.18	0.0000
0039-0096	5-A-273	6/8/2007	5	30.15	18.5	1.03	5,890	2.00	2,945	6.07	0.0010
0039-0099	5-A-275	6/15/2007	5	30.07	22.6	1.01	8,718	2.00	2,980	6.04	0.0014
0039-0102	3-A-276	6/16/2007	3	30.05	21.6	1.02	0	2.00	1,738	3.53	0.0000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-0105	5-A-276	6/16/2007	5	30.05	21.6	1.02	4,006	2.00	1,685	3.42	0.0012
0039-0108	5-A-277	6/20/2007	5	30.13	17.5	1.03	3,063	2.00	2,983	6.16	0.0005
0039-0111	3-A-278	6/22/2007	3	30.21	20.0	1.03	0	2.00	2,970	6.10	0.0000
0039-0114	5-A-278	6/22/2007	5	30.21	20.0	1.03	4,241	2.00	2,930	6.02	0.0007
0039-0117	3-A-279	6/23/2007	3	30.13	21.4	1.02	0	2.00	1,464	2.98	0.0000
0039-0123	3-A-280	6/27/2007	3	30.18	15.5	1.04	3,770	2.00	3,063	6.38	0.0006
0039-0129	3-A-281	6/29/2007	3	30.21	16.8	1.04	3,770	2.00	2,809	5.83	0.0006
0039-0132	3-A-282	6/30/2007	3	30.24	19.0	1.03	5,184	2.00	1,625	3.35	0.0015
0039-0135	5-A-282	6/30/2007	5	30.24	19.0	1.03	0	2.00	1,568	3.23	0.0000
0039-0138	3-A-283	7/3/2007	3	30.22	17.8	1.04	4,948	2.00	1,853	3.84	0.0013
0039-0141	5-A-283	7/3/2007	5	30.22	17.8	1.04	3,299	2.00	1,844	3.82	0.0009
0039-0144	3-A-284	7/6/2007	3	30.00	18.9	1.02	0	2.00	1,865	3.82	0.0000
0039-0147	5-A-284	7/6/2007	5	30.00	18.9	1.02	11,310	2.00	1,913	3.92	0.0029
0039-0150	3-A-285	7/11/2007	3	30.10	19.3	1.03	0	2.00	3,142	6.45	0.0000
0039-0153	5-A-285	7/11/2007	5	30.10	19.3	1.03	3,770	2.00	3,147	6.46	0.0006
0039-0156	3-A-286	7/13/2007	3	30.18	24.3	1.01	0	2.00	2,992	6.05	0.0000
0039-0159	5-A-286	7/13/2007	5	30.18	24.3	1.01	0	2.00	2,984	6.03	0.0000
0039-0162	2-A-287	7/20/2007	2	30.10	21.5	1.02	0	2.00	1,787	3.64	0.0000
0039-0165	2-A-288	7/25/2007	2	30.10	17.1	1.03	4,006	2.00	3,173	6.56	0.0006
0039-0168	2-A-289	7/27/2007	2	30.07	19.3	1.02	0	2.00	3,110	6.37	0.0000
0039-0171	1-A-290	8/1/2007	1	29.98	19.3	1.02	12,488	2.00	3,115	6.36	0.0020
0039-0174	2-A-290	8/1/2007	2	29.98	19.3	1.02	2,827	2.00	3,119	6.37	0.0004
0039-0177	1-A-291	8/3/2007	1	30.04	20.6	1.02	11,545	2.00	3,134	6.39	0.0018
0039-0180	2-A-291	8/3/2007	2	30.04	20.6	1.02	0	2.00	3,101	6.32	0.0000
0039-0183	1-A-292	8/8/2007	1	30.13	16.0	1.04	10,132	2.00	3,176	6.60	0.0015
0039-0186	2-A-292	8/8/2007	2	30.13	16.0	1.04	4,948	2.00	3,172	6.59	0.0008
0039-0189	1-A-293	8/10/2007	1	30.10	18.6	1.03	14,844	2.00	3,107	6.39	0.0023
0039-0192	2-A-293	8/10/2007	2	30.10	18.6	1.03	0	2.00	3,113	6.40	0.0000
0039-0195	1-A-294	8/15/2007	1	30.14	17.9	1.03	14,844	2.00	3,185	6.57	0.0023
0039-0198	1-A-295	8/17/2007	1	30.06	20.2	1.02	12,017	2.00	3,059	6.25	0.0019
0039-0201	2-A-295	8/17/2007	2	30.06	20.2	1.02	5,419	2.10	3,087	6.62	0.0008
0039-0204	1-A-296	8/22/2007	1	30.02	20.4	1.02	13,666	2.00	3,166	6.45	0.0021
0039-0207	2-A-296	8/22/2007	2	30.02	20.4	1.02	4,241	2.00	3,160	6.44	0.0007
0039-0210	1-A-297	8/24/2007	1	29.91	23.9	1.00	7,775	2.00	3,063	6.15	0.0013

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-0213	2-A-297	8/24/2007	2	29.91	23.9	1.00	3,299	2.00	3,077	6.17	0.0005
0039-0216	1-A-298	8/29/2007	1	30.00	21.9	1.01	0	2.00	3,164	6.41	0.0000
0039-0219	2-A-298	8/29/2007	2	30.00	21.9	1.01	9,660	2.00	3,157	6.40	0.0015
0039-0222	1-A-299	8/30/2007	1	30.01	27.9	0.99	4,712	2.00	1,698	3.37	0.0014
0039-0225	2-A-299	8/30/2007	2	30.01	27.9	0.99	0	2.00	1,711	3.40	0.0000
0039-0228	1-A-300	9/6/2007	1	30.03	21.7	1.01	13,666	2.00	3,138	6.37	0.0021
0039-0231	2-A-300	9/6/2007	2	30.03	21.7	1.01	3,299	2.00	3,112	6.32	0.0005
0039-0234	1-A-301	9/14/2007	1	30.16	20.8	1.02	8,718	2.00	3,203	6.55	0.0013
0039-0237	2-A-301	9/14/2007	2	30.16	20.8	1.02	2,827	2.00	3,203	6.55	0.0004
0039-0240	5-A-301	9/14/2007	5	30.16	20.8	1.02	0	2.00	3,199	6.54	0.0000
0039-0243	1-A-303	10/3/2007	1	30.17	19.1	1.03	4,006	2.00	3,145	6.47	0.0006
0039-0246	2-A-303	10/3/2007	2	30.17	19.1	1.03	4,712	2.00	3,105	6.39	0.0007
0039-0249	3-A-303	10/3/2007	3	30.17	19.1	1.03	3,063	2.00	3,160	6.50	0.0005
0039-0252	5-A-303	10/3/2007	5	30.17	19.1	1.03	0	2.00	3,170	6.52	0.0000
0039-0255	1-A-307	10/24/2007	1	30.33	20.0	1.03	10,132	2.00	3,166	6.53	0.0016
0039-0258	2-A-307	10/24/2007	2	30.33	20.0	1.03	5,184	2.00	3,167	6.53	0.0008
0039-0261	1-A-308	10/26/2007	1	30.14	22.5	1.02	3,770	2.00	3,116	6.33	0.0006
0039-0264	2-A-308	10/26/2007	2	30.14	22.5	1.02	2,827	2.00	3,148	6.40	0.0004
0039-0267	1-A-309	11/7/2007	1	30.19	15.0	1.04	8,953	2.00	3,036	6.34	0.0014
0039-0270	2-A-309	11/7/2007	2	30.19	15.0	1.04	0	2.00	3,041	6.35	0.0000
0039-0273	1-A-310	11/9/2007	1	30.15	17.5	1.03	0	2.00	3,013	6.23	0.0000
0039-0276	2-A-310	11/9/2007	2	30.15	17.5	1.03	0	2.00	2,998	6.20	0.0000
0039-0279	1-A-311	11/14/2007	1	30.26	17.2	1.04	4,948	2.00	3,159	6.56	0.0008
0039-0282	2-A-311	11/14/2007	2	30.26	17.2	1.04	4,006	2.00	3,165	6.57	0.0006
0039-0285	1-A-312	11/15/2007	1	30.19	19.2	1.03	6,833	2.00	1,546	3.18	0.0021
0039-0288	2-A-312	11/15/2007	2	30.19	19.2	1.03	0	2.00	1,544	3.18	0.0000
0039-0291	1-A-313	11/21/2007	1	30.25	14.4	1.05	7,069	2.00	3,125	6.55	0.0011
0039-0294	5-A-313	11/21/2007	5	30.25	14.4	1.05	2,827	2.00	3,108	6.52	0.0004
0039-0297	1-A-314	11/28/2007	1	30.37	14.4	1.05	5,184	2.00	3,195	6.73	0.0008
0039-0300	5-A-314	11/28/2007	5	30.37	14.4	1.05	7,069	2.00	3,180	6.69	0.0011
0039-0303	1-A-315	11/30/2007	1	30.17	17.5	1.03	8,011	2.00	2,979	6.16	0.0013
0039-0306	2-A-315	11/30/2007	2	30.17	17.5	1.03	0	2.00	3,019	6.25	0.0000
0039-0309	5-A-315	11/30/2007	5	30.17	17.5	1.03	0	2.00	3,000	6.21	0.0000
0039-0315	1-A-317	12/14/2007	1	30.40	15.0	1.05	6,362	2.00	2,907	6.11	0.0010

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-0318	2-A-317	12/14/2007	2	30.40	15.0	1.05	5,184	2.00	2,912	6.12	0.0008
0039-0321	1-A-318	1/16/2008	1	30.33	12.5	1.06	0	2.00	3,195	6.76	0.0000
0039-0324	2-A-318	1/16/2008	2	30.33	12.5	1.06	0	2.00	3,200	6.77	0.0000
0039-0327	1-A-319	1/17/2008	1	30.24	15.8	1.04	4,477	2.00	1,465	3.06	0.0015
0039-0330	2-A-319	1/17/2008	2	30.24	15.8	1.04	4,948	2.00	1,450	3.02	0.0016
0039-0333	1-A-320	2/7/2008	1	30.32	13.6	1.05	4,948	2.00	3,180	6.70	0.0007
0039-0336	1-A-321	2/8/2008	1	30.40	14.7	1.05	0	2.00	1,555	3.27	0.0000
0039-0339	2-A-321	2/8/2008	2	30.40	14.7	1.05	0	2.00	1,556	3.28	0.0000
0039-0342	1-A-322	2/13/2008	1	30.36	12.7	1.06	5,890	2.00	3,205	6.78	0.0009
0039-0345	2-A-322	2/13/2008	2	30.36	12.7	1.06	0	2.00	3,155	6.68	0.0000
0039-0348	3-A-322	2/13/2008	3	30.36	12.7	1.06	0	2.00	3,135	6.64	0.0000
0039-0351	5-A-322	2/13/2008	5	30.36	12.7	1.06	0	2.00	3,145	6.66	0.0000
0039-0354	1-A-323	2/15/2008	1	30.14	18.6	1.03	4,006	2.00	2,879	5.93	0.0007
0039-0357	2-A-323	2/15/2008	2	30.14	18.6	1.03	0	2.00	2,875	5.92	0.0000
0039-0360	3-A-323	2/15/2008	3	30.14	18.6	1.03	0	1.50	2,900	4.48	0.0000
0039-0363	5-A-323	2/15/2008	5	30.14	18.6	1.03	0	2.10	2,886	6.24	0.0000
0039-0366	1-A-324	2/20/2008	1	30.24	11.9	1.06	0	2.00	3,020	6.39	0.0000
0039-0369	3-A-324	2/20/2008	3	30.24	11.9	1.06	0	1.50	3,060	4.85	0.0000
0039-0372	5-A-324	2/20/2008	5	30.24	11.9	1.06	0	2.00	3,063	6.48	0.0000
0039-0375	1-A-325	2/29/2008	1	30.30	13.6	1.05	5,890	2.00	3,180	6.70	0.0009
0039-0378	1-A-326	3/5/2008	1	30.34	18.6	1.04	4,948	2.00	3,117	6.46	0.0008
0039-0381	2-A-326	3/5/2008	2	30.34	18.6	1.04	0	2.00	3,135	6.50	0.0000
0039-0384	5-A-326	3/5/2008	5	30.34	18.6	1.04	0	2.00	3,140	6.51	0.0000
0039-0387	1-A-327	3/7/2008	1	30.22	23.3	1.02	7,069	2.00	2,942	5.98	0.0012
0039-0390	2-A-327	3/7/2008	2	30.22	23.3	1.02	0	2.00	2,920	5.93	0.0000
0039-0393	3-A-327	3/7/2008	3	30.22	23.3	1.02	2,827	2.00	2,910	5.91	0.0005
0039-0396	5-A-327	3/7/2008	5	30.22	23.3	1.02	0	2.00	2,882	5.86	0.0000
0039-0399	3-A-328	3/12/2008	3	30.37	15.8	1.05	0	2.00	3,035	6.36	0.0000
0039-0402	5-A-328	3/12/2008	5	30.37	15.8	1.05	0	2.00	3,032	6.35	0.0000
0039-0405	1-A-329	3/20/2008	1	30.43	16.3	1.05	5,184	2.00	3,110	6.52	0.0008
0039-0408	2-A-329	3/20/2008	2	30.43	16.3	1.05	0	2.00	3,110	6.52	0.0000
0039-0411	3-A-329	3/20/2008	3	30.43	16.3	1.05	0	2.00	3,125	6.55	0.0000
0039-0414	5-A-329	3/20/2008	5	30.43	16.3	1.05	3,063	2.00	3,120	6.54	0.0005
0039-0417	1-A-330	3/21/2008	1	30.44	15.6	1.05	3,299	2.00	1,515	3.18	0.0010

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-0423	1-A-331	3/26/2008	1	30.37	13.3	1.06	5,890	2.00	3,175	6.71	0.0009
0039-0429	3-A-331	3/26/2008	3	30.37	13.3	1.06	0	2.00	3,205	6.77	0.0000
0039-0432	5-A-331	3/26/2008	5	30.37	13.3	1.06	0	2.00	3,200	6.76	0.0000
0039-0435	1-A-332	3/28/2008	1	30.29	18.0	1.04	9,896	2.00	2,895	6.00	0.0016
0039-0441	3-A-332	3/28/2008	3	30.29	18.0	1.04	0	2.00	2,805	5.82	0.0000
0039-0444	5-A-332	3/28/2008	5	30.29	18.0	1.04	3,063	2.00	2,835	5.88	0.0005
0039-0447	1-A-333	4/2/2008	1	30.26	11.9	1.06	7,540	2.00	3,165	6.70	0.0011
0039-0453	1-A-335	4/26/2008	1	30.10	18.0	1.03	5,890	2.00	2,927	6.03	0.0010
0039-0459	2-A-336	4/30/2008	2	29.97	11.9	1.05	0	2.00	2,992	6.27	0.0000
0039-0462	1-A-337	5/2/2008	1	30.17	12.5	1.05	4,006	2.00	3,086	6.50	0.0006
0039-0465	2-A-337	5/2/2008	2	30.17	12.5	1.05	4,006	2.00	3,083	6.49	0.0006
0039-0468	1-A-338	5/3/2008	1	29.94	13.0	1.04	0	2.00	1,380	2.88	0.0000
0039-0471	2-A-338	5/3/2008	2	29.94	13.0	1.04	0	2.00	1,370	2.86	0.0000
0039-0474	1-A-339	5/7/2008	1	29.86	14.1	1.04	5,655	2.00	3,158	6.54	0.0009
0039-0477	2-A-339	5/7/2008	2	29.86	14.1	1.04	0	2.00	3,154	6.53	0.0000
0039-0483	1-A-340	5/9/2008	1	29.92	15.3	1.03	3,063	2.00	2,920	6.04	0.0005
0039-0486	2-A-340	5/9/2008	2	29.92	15.3	1.03	0	2.00	2,913	6.02	0.0000
0039-0489	5-A-340	5/9/2008	5	29.92	15.3	1.03	0	2.00	2,913	6.02	0.0000
0039-0492	1-A-341	5/10/2008	1	29.89	14.7	1.03	4,006	2.00	1,440	2.98	0.0013
0039-0495	2-A-341	5/10/2008	2	29.89	14.7	1.03	0	2.00	1,435	2.97	0.0000
0039-0501	2-A-342	5/14/2008	2	29.88	20.3	1.01	6,126	2.00	3,305	6.71	0.0009
0039-0504	5-A-342	5/14/2008	5	29.88	20.3	1.01	3,063	2.00	3,295	6.69	0.0005
0039-0507	1-A-343	5/16/2008	1	29.89	29.7	0.98	18,378	2.00	2,870	5.65	0.0033
0039-0510	2-A-343	5/16/2008	2	29.89	29.7	0.98	0	2.00	2,875	5.66	0.0000
0039-0516	1-A-344	5/17/2008	1	29.93	24.6	1.00	5,184	2.00	1,396	2.80	0.0019
0039-0519	2-A-344	5/17/2008	2	29.93	24.6	1.00	0	2.00	1,395	2.79	0.0000
0039-0522	1-A-345	5/21/2008	1	29.88	14.3	1.04	14,373	2.00	3,142	6.51	0.0022
0039-0525	2-A-345	5/21/2008	2	29.88	14.3	1.04	0	2.00	3,160	6.55	0.0000
0039-0528	5-A-345	5/21/2008	5	29.88	14.3	1.04	0	2.00	3,145	6.52	0.0000
0039-0531	1-A-346	5/23/2008	1	29.68	16.6	1.02	8,953	2.00	2,993	6.11	0.0015
0039-0534	2-A-346	5/23/2008	2	29.68	16.6	1.02	0	2.00	2,982	6.09	0.0000
0039-0537	5-A-346	5/23/2008	5	29.68	16.6	1.02	3,063	2.00	2,997	6.12	0.0005
0039-0540	1-A-347	5/29/2008	1	29.95	13.8	1.04	7,775	2.00	3,173	6.60	0.0012
0039-0546	5-A-347	5/29/2008	5	29.95	13.8	1.04	5,184	2.00	3,171	6.60	0.0008

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-0549	1-A-348	5/31/2008	1	30.02	14.1	1.04	2,827	2.00	2,868	5.97	0.0005
0039-0552	2-A-348	5/31/2008	2	30.02	14.1	1.04	0	2.00	2,865	5.97	0.0000
0039-0555	5-A-348	5/31/2008	5	30.02	14.1	1.04	3,770	2.00	2,870	5.98	0.0006
0039-0558	1-A-349	6/4/2008	1	29.89	14.4	1.04	7,540	2.00	3,121	6.47	0.0012
0039-0561	2-A-349	6/4/2008	2	29.89	14.4	1.04	0	2.00	3,115	6.45	0.0000
0039-0564	5-A-349	6/4/2008	5	29.89	14.4	1.04	3,299	2.00	3,116	6.46	0.0005
0039-0567	1-A-350	6/6/2008	1	29.83	17.9	1.02	4,241	2.00	2,933	5.99	0.0007
0039-0570	2-A-350	6/6/2008	2	29.83	17.9	1.02	0	2.00	2,954	6.03	0.0000
0039-0573	1-A-351	6/7/2008	1	29.85	18.6	1.02	2,827	2.00	1,479	3.02	0.0009
0039-0576	2-A-351	6/7/2008	2	29.85	18.6	1.02	3,770	2.00	1,466	2.99	0.0013
0039-0579	1-A-352	6/11/2008	1	29.84	19.1	1.02	4,477	2.00	3,039	6.18	0.0007
0039-0582	2-A-352	6/11/2008	2	29.84	19.1	1.02	0	2.00	3,040	6.19	0.0000
0039-0585	1-A-353	6/13/2008	1	29.85	18.8	1.02	10,132	2.00	3,190	6.50	0.0016
0039-0588	2-A-353	6/13/2008	2	29.85	18.8	1.02	0	2.00	3,170	6.46	0.0000
0039-0591	1-A-354	6/16/2008	1	29.90	10.2	1.05	2,827	2.00	2,880	6.06	0.0005
0039-0594	2-A-354	6/16/2008	2	29.90	10.2	1.05	0	2.00	2,879	6.05	0.0000
0039-0597	1-A-355	6/18/2008	1	29.94	16.1	1.03	5,655	2.00	3,189	6.58	0.0009
0039-0600	2-A-355	6/18/2008	2	29.94	16.1	1.03	3,063	2.00	3,186	6.57	0.0005
0039-0603	1-A-356	6/20/2008	1	29.89	28.4	0.99	8,718	2.00	3,068	6.06	0.0014
0039-0606	2-A-356	6/20/2008	2	29.89	28.4	0.99	4,006	2.00	3,040	6.01	0.0007
0039-0612	5-A-356	6/20/2008	5	29.89	28.4	0.99	4,241	2.00	3,050	6.03	0.0007
0039-0615	1-A-357	6/23/2008	1	29.92	20.0	1.02	6,597	2.00	3,070	6.24	0.0011
0039-0618	2-A-357	6/23/2008	2	29.92	20.0	1.02	4,241	2.00	3,090	6.29	0.0007
0039-0624	5-A-357	6/23/2008	5	29.92	20.0	1.02	0	2.00	3,085	6.28	0.0000
0039-0627	1-A-358	6/25/2008	1	29.90	20.0	1.02	5,890	2.00	3,040	6.18	0.0010
0039-0630	2-A-358	6/25/2008	2	29.90	20.0	1.02	3,534	2.00	3,037	6.17	0.0006
0039-0636	5-A-358	6/25/2008	5	29.90	20.0	1.02	4,006	2.00	3,070	6.24	0.0006
0039-0639	1-A-359	6/27/2008	1	29.77	15.0	1.03	6,362	2.00	2,750	5.66	0.0011
0039-0648	5-A-359	6/27/2008	5	29.77	15.0	1.03	0	2.00	2,715	5.59	0.0000
0039-0651	1-A-360	6/28/2008	1	29.77	15.0	1.03	4,712	2.00	1,742	3.59	0.0013
0039-0654	2-A--360	6/28/2008	2	29.77	15.0	1.03	0	2.00	1,713	3.53	0.0000
0039-0660	5-A-360	6/28/2008	5	29.77	15.0	1.03	0	2.00	1,690	3.48	0.0000
0039-0663	1-A-362	7/9/2008	1	29.31	24.5	0.98	7,540	2.00	3,202	6.28	0.0012
0039-0666	2-A-362	7/9/2008	2	29.31	24.5	0.98	0	1.75	3,178	5.46	0.0000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-0669	1-A-363	7/11/2008	1	29.79	21.8	1.01	12,723	2.00	2,995	6.03	0.0021
0039-0672	2-A-363	7/11/2008	2	29.79	21.8	1.01	0	2.00	3,000	6.04	0.0000
0039-0675	1-A-364	7/12/2008	1	29.91	20.0	1.02	3,534	2.00	1,435	2.92	0.0012
0039-0681	1-A-365	7/16/2008	1	29.98	16.8	1.03	7,540	2.00	3,189	6.57	0.0011
0039-0684	2-A-365	7/16/2008	2	29.98	16.8	1.03	0	1.88	3,184	6.17	0.0000
0039-0687	1-A-366	7/18/2008	1	29.98	16.8	1.03	9,896	2.00	2,785	5.74	0.0017
0039-0690	2-A-366	7/18/2008	2	29.98	16.8	1.03	0	1.88	2,790	5.40	0.0000
0039-0693	1-A-367	7/19/2008	1	29.92	20.0	1.02	4,241	2.00	1,605	3.26	0.0013
0039-0696	2-A-367	7/19/2008	2	29.92	20.0	1.02	0	1.75	1,605	2.86	0.0000
0039-0699	1-A-368	7/23/2008	1	29.80	18.3	1.02	7,775	2.00	3,060	6.24	0.0012
0039-0702	2-A-368	7/23/2008	2	29.80	18.3	1.02	0	1.75	3,055	5.45	0.0000
0039-0705	1-A-369	7/25/2008	1	29.80	18.3	1.02	9,660	2.00	2,900	5.91	0.0016
0039-0708	2-A-369	7/25/2008	2	29.80	18.3	1.02	3,299	1.88	2,905	5.56	0.0006
0039-0711	1-A-370	7/30/2008	1	29.89	16.7	1.03	14,608	2.00	3,195	6.57	0.0022
0039-0714	2-A-370	7/30/2008	2	29.89	16.7	1.03	0	1.88	3,195	6.17	0.0000
0039-0717	1-A-371	8/1/2008	1	29.88	17.2	1.03	8,953	2.00	2,990	6.13	0.0015
0039-0720	2-A-371	8/1/2008	2	29.88	17.2	1.03	0	1.88	2,995	5.77	0.0000
0039-0723	1-A-372	8/2/2008	1	29.86	17.7	1.02	4,948	2.00	1,445	2.96	0.0017
0039-0726	2-A-372	8/2/2008	2	29.86	17.7	1.02	0	1.93	1,415	2.79	0.0000
0039-0729	1-A-373	8/6/2008	1	29.92	15.0	1.03	9,425	2.00	3,315	6.86	0.0014
0039-0732	2-A-373	8/6/2008	2	29.92	15.0	1.03	0	1.90	500	0.98	0.0000
0039-0735	1-A-374	8/8/2008	1	29.92	15.8	1.03	0	2.00	2,890	5.96	0.0000
0039-0738	2-A-374	8/8/2008	2	29.92	15.8	1.03	0	1.90	2,870	5.63	0.0000
0039-0741	1-A-375	8/9/2008	1	29.92	16.7	1.03	0	2.00	1,425	2.93	0.0000
0039-0744	2-A-375	8/9/2008	2	29.92	16.7	1.03	0	2.00	1,425	2.93	0.0000
0039-0747	1-A-376	8/13/2008	1	29.92	20.0	1.02	7,540	2.00	2,920	5.94	0.0013
0039-0750	2-A-376	8/13/2008	2	29.92	20.0	1.02	0	2.00	2,908	5.92	0.0000
0039-0753	1-A-377	8/15/2008	1	29.92	17.2	1.03	4,241	2.00	1,350	2.77	0.0015
0039-0756	2-A-377	8/15/2008	2	29.92	17.2	1.03	3,063	1.90	3,145	6.14	0.0005
0039-0759	1-A-378	8/20/2008	1	29.92	18.7	1.02	4,712	2.00	3,150	6.44	0.0007
0039-0762	2-A-378	8/20/2008	2	29.92	18.7	1.02	0	2.00	3,155	6.45	0.0000
0039-0765	1-A-379	8/22/2008	1	29.92	17.8	1.02	6,362	2.00	3,115	6.38	0.0010
0039-0768	2-A-379	8/22/2008	2	29.92	17.8	1.02	0	2.00	3,115	6.38	0.0000
0039-0771	1-A-380	8/23/2008	1	29.92	18.3	1.02	3,534	2.00	1,405	2.87	0.0012

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-0774	2-A-380	8/23/2008	2	29.92	18.3	1.02	0	2.00	1,410	2.88	0.0000
0039-0777	2-A-381	8/27/2008	2	29.92	20.1	1.02	0	2.00	3,080	6.26	0.0000
0039-0780	1-A-383	9/5/2008	1	29.74	22.9	1.00	11,310	2.00	3,170	6.35	0.0018
0039-0783	1-A-384	9/6/2008	1	29.72	28.6	0.98	5,890	2.00	1,500	2.94	0.0020
0039-0786	1-A-385	9/10/2008	1	29.72	15.8	1.02	8,953	2.00	3,094	6.34	0.0014
0039-0789	2-A-385	9/10/2008	2	29.72	15.8	1.02	0	2.00	3,110	6.38	0.0000
0039-0792	1-A-386	9/12/2008	1	29.78	14.4	1.03	7,069	2.00	3,039	6.27	0.0011
0039-0795	2-A-386	9/12/2008	2	29.78	14.4	1.03	0	2.00	3,036	6.27	0.0000
0039-0798	1-A-387	9/13/2008	1	29.72	15.7	1.03	0	2.00	1,445	2.96	0.0000
0039-0801	2-A-387	9/13/2008	2	29.72	15.7	1.03	0	2.00	1,435	2.94	0.0000
0039-0804	1-A-388	9/17/2008	1	29.94	14.6	1.04	8,482	2.00	3,236	6.71	0.0013
0039-0807	2-A-388	9/17/2008	2	29.94	14.6	1.04	0	1.88	3,233	6.30	0.0000
0039-0810	1-A-389	9/19/2008	1	29.93	17.8	1.03	5,419	2.00	2,895	5.94	0.0009
0039-0813	2-A-389	9/19/2008	2	29.93	17.8	1.03	2,827	2.00	2,915	5.98	0.0005
0039-0816	1-A-390	9/20/2008	1	29.93	18.7	1.02	2,827	2.00	1,425	2.91	0.0010
0039-0819	2-A-390	9/20/2008	2	29.93	18.7	1.02	0	2.00	1,420	2.90	0.0000
0039-0822	1-A-391	9/24/2008	1	29.90	17.8	1.02	6,597	2.00	3,120	6.39	0.0010
0039-0825	2-A-391	9/24/2008	2	29.90	17.8	1.02	0	2.00	3,125	6.40	0.0000
0039-0828	1-A-392	9/26/2008	1	29.85	20.6	1.01	11,074	2.00	3,033	6.14	0.0018
0039-0831	2-A-392	9/26/2008	2	29.85	20.6	1.01	3,063	2.00	3,001	6.08	0.0005
0039-0834	1-A-393	10/1/2008	1	29.87	17.6	1.02	10,838	2.00	3,161	6.47	0.0017
0039-0837	2-A-393	10/1/2008	2	29.87	17.6	1.02	0	2.00	3,160	6.47	0.0000
0039-0840	1-A-394	10/3/2008	1	29.79	20.9	1.01	14,844	2.00	2,965	5.99	0.0025
0039-0843	2-A-394	10/3/2008	2	29.79	20.9	1.01	0	2.00	2,975	6.01	0.0000
0039-0846	1-A-395	10/8/2008	1	29.83	15.8	1.03	4,006	2.00	3,195	6.57	0.0006
0039-0849	2-A-395	10/8/2008	2	29.83	15.8	1.03	2,827	2.00	3,200	6.58	0.0004
0039-0852	1-A-396	10/10/2008	1	29.79	16.4	1.03	8,247	2.00	2,980	6.11	0.0013
0039-0855	2-A-396	10/10/2008	2	29.79	16.4	1.03	5,419	2.00	2,950	6.05	0.0009
0039-0858	1-A-397	10/15/2008	1	30.03	20.6	1.02	9,896	2.00	3,260	6.64	0.0015
0039-0861	2-A-397	10/15/2008	2	30.03	20.6	1.02	4,948	2.00	3,255	6.63	0.0007
0039-0864	1-A-398	10/17/2008	1	29.90	25.2	1.00	8,953	2.00	2,920	5.83	0.0015
0039-0867	2-A-398	10/17/2008	2	29.90	25.2	1.00	7,304	2.00	2,920	5.83	0.0013
0039-0870	1-A-399	10/22/2008	1	30.02	18.0	1.03	16,729	2.00	3,265	6.71	0.0025
0039-0873	2-A-399	10/22/2008	2	30.02	18.0	1.03	0	2.00	3,270	6.72	0.0000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-0879	2-A-400	10/24/2008	2	29.97	25.0	1.00	4,006	2.00	2,935	5.88	0.0007
0039-0882	1-A-401	10/29/2008	1	30.10	10.2	1.06	0	2.00	3,230	6.84	0.0000
0039-0885	2-A-401	10/29/2008	2	30.10	10.2	1.06	2,827	2.00	3,245	6.87	0.0004
0039-0888	1-A-402	10/31/2008	1	30.03	18.9	1.02	8,953	2.00	2,910	5.96	0.0015
0039-0891	2-A-402	10/31/2008	2	30.03	18.9	1.02	0	2.00	2,905	5.95	0.0000
0039-0894	1-A-404	11/12/2008	1	30.07	14.1	1.04	6,126	2.00	3,250	6.78	0.0009
0039-0897	2-A-404	11/12/2008	2	30.07	14.1	1.04	0	2.00	3,240	6.76	0.0000
0039-0900	1-A-405	11/14/2008	1	30.04	20.9	1.02	3,534	2.00	2,915	5.93	0.0006
0039-0903	2-A-405	11/14/2008	2	30.04	20.9	1.02	0	2.00	2,918	5.94	0.0000
0039-0906	1-A-406	11/19/2008	1	30.06	14.9	1.04	6,362	2.00	3,024	6.29	0.0010
0039-0909	2-A-406	11/19/2008	2	30.06	14.9	1.04	3,063	2.00	3,031	6.30	0.0005
0039-0912	1-A-407	11/21/2008	1	30.05	12.1	1.05	0	2.00	3,005	6.31	0.0000
0039-0915	2-A-407	11/21/2008	2	30.05	12.1	1.05	0	2.00	3,000	6.30	0.0000
0039-0918	1-A-408	11/24/2008	1	29.90	16.6	1.03	3,770	2.00	2,988	6.15	0.0006
0039-0921	2-A-408	11/24/2008	2	29.90	16.6	1.03	0	2.00	2,988	6.15	0.0000
0039-0924	1-A-409	11/26/2008	1	29.90	16.6	1.03	0	2.00	2,895	5.95	0.0000
0039-0927	2-A-409	11/26/2008	2	29.90	16.6	1.03	0	2.00	2,885	5.93	0.0000
0039-0930	1-A-410	12/3/2008	1	30.05	10.8	1.05	3,534	2.00	3,185	6.72	0.0005
0039-0933	2-A-410	12/3/2008	2	30.05	10.8	1.05	2,827	2.00	3,185	6.72	0.0004
0039-0939	2-A-411	12/5/2008	2	30.06	13.5	1.04	0	2.00	3,043	6.36	0.0000
0039-0945	2-A-412	12/8/2008	2	30.08	9.7	1.06	3,770	2.00	2,857	6.06	0.0006
0039-0951	2-A-413	12/10/2008	2	30.22	13.8	1.05	4,948	2.00	3,270	6.86	0.0007
0039-0957	2-A-414	12/12/2008	2	30.22	13.8	1.05	0	2.00	2,911	6.11	0.0000
0039-0960	1-A-416	1/8/2009	1	30.14	9.3	1.06	5,655	2.75	3,165	9.26	0.0006
0039-0963	2-A-416	1/8/2009	2	30.14	9.3	1.06	0	2.00	3,160	6.72	0.0000
0039-0966	1-A-417	1/10/2009	1	30.09	10.9	1.06	0	2.00	3,010	6.35	0.0000
0039-0969	2-A-417	1/10/2009	2	30.09	10.9	1.06	2,827	2.00	3,000	6.33	0.0004
0039-0972	1-A-418	1/14/2009	1	30.19	18.3	1.03	5,184	2.00	3,170	6.54	0.0008
0039-0975	2-A-418	1/14/2009	2	30.19	18.3	1.03	3,299	2.00	3,180	6.56	0.0005
0039-0978	1-A-419	1/16/2009	1	30.08	18.4	1.03	7,540	2.00	2,990	6.15	0.0012
0039-0981	2-A-419	1/16/2009	2	30.08	18.4	1.03	3,299	2.00	2,990	6.15	0.0005
0039-0984	1-A-420	1/17/2009	1	30.08	16.6	1.03	3,299	2.00	1,385	2.87	0.0012
0039-0987	2-A-420	1/17/2009	2	30.08	16.6	1.03	2,827	2.00	1,390	2.88	0.0010
0039-0990	1-A-421	1/21/2009	1	30.08	11.9	1.05		2.05	3,216	6.93	

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-0993	2-A-421	1/21/2009	2	30.08	11.9	1.05	10,132	2.00	3,214	6.76	0.0015
0039-0996	1-A-422	1/28/2009	1	30.14	9.8	1.06	7,069	2.00	3,190	6.77	0.0010
0039-0999	2-A-422	1/28/2009	2	30.14	9.8	1.06	4,006	2.00	3,185	6.76	0.0006
0039-1002	1-A-423	1/30/2009	1	30.20	13.7	1.05	4,948	2.00	2,920	6.13	0.0008
0039-1005	2-A-423	1/30/2009	2	30.20	13.7	1.05	0	2.00	2,925	6.14	0.0000
0039-1008	1-A-424	2/4/2009	1	30.01	10.7	1.05		3.00	3,180	10.05	
0039-1011	2-A-424	2/4/2009	2	30.01	10.7	1.05	0	2.00	3,185	6.71	0.0000
0039-1014	1-A-425	2/6/2009	1	29.80	11.7	1.04	0	2.00	2,725	5.68	0.0000
0039-1017	2-A-425	2/6/2009	2	29.80	11.7	1.04	0	2.00	2,720	5.67	0.0000
0039-1020	1-A-426	2/12/2009	1	30.09	7.8	1.07	0	2.00	3,280	7.00	0.0000
0039-1023	2-A-426	2/12/2009	2	30.09	7.8	1.07	0	2.00	3,275	6.99	0.0000
0039-1026	1-A-427	3/11/2009	1	30.05	14.4	1.04	10,367	2.38	3,270	8.10	0.0013
0039-1032	1-A-428	3/13/2009	1	30.01	11.8	1.05	2,827	2.00	2,995	6.29	0.0004
0039-1038	1-A-429	3/16/2009	1	29.96	9.2	1.06	0	2.00	3,135	6.63	0.0000
0039-1041	2-A-429	3/16/2009	2	29.96	9.2	1.06	0	2.00	3,130	6.62	0.0000
0039-1044	1-A-430	3/18/2009	1	30.16	13.3	1.05	0	2.00	2,950	6.19	0.0000
0039-1047	2-A-430	3/18/2009	2	30.16	13.3	1.05	0	2.00	2,960	6.21	0.0000
0039-1050	6-A-430	3/18/2009	6	30.16	13.3	1.05	0	2.00	2,975	6.24	0.0000
0039-1053	2-A-431	3/20/2009	2	29.98	12.1	1.05	0	2.00	2,910	6.10	0.0000
0039-1056	6-A-431	3/20/2009	6	29.98	12.1	1.05	0	2.00	2,905	6.08	0.0000
0039-1059	1-A-432	3/25/2009	1	30.16	12.5	1.05	0	2.05	3,086	6.66	0.0000
0039-1062	2-A-432	3/25/2009	2	30.16	12.5	1.05	4,241	2.05	3,150	6.79	0.0006
0039-1065	6-A-432	3/25/2009	6	30.16	12.5	1.05	0	1.95	3,151	6.46	0.0000
0039-1068	2-A-433	3/27/2009	2	29.96	17.1	1.03	0	2.30	2,936	6.95	0.0000
0039-1071	6-A-433	3/27/2009	6	29.96	17.1	1.03	5,184	2.05	2,889	6.09	0.0009
0039-1074	1-A-434	4/1/2009	1	29.94	13.9	1.04	0	2.00	3,202	6.66	0.0000
0039-1077	2-A-434	4/1/2009	2	29.94	13.9	1.04	0	2.00	3,198	6.65	0.0000
0039-1080	6-A-434	4/1/2009	6	29.94	13.9	1.04	4,006	2.15	3,188	7.12	0.0006
0039-1083	1-A-435	4/3/2009	1	29.89	13.7	1.04	3,534	2.00	2,992	6.21	0.0006
0039-1086	2-A-435	4/3/2009	2	29.89	13.7	1.04	0	2.00	2,985	6.20	0.0000
0039-1089	6-A-435	4/3/2009	6	29.89	13.7	1.04	4,948	2.00	2,987	6.20	0.0008
0039-1092	1-A-436	4/8/2009	1	29.97	14.1	1.04	0	2.00	3,200	6.65	0.0000
0039-1095	2-A-436	4/8/2009	2	29.97	14.1	1.04	0	2.00	3,200	6.65	0.0000
0039-1098	6-A-436	4/8/2009	6	29.97	14.1	1.04	0	2.00	3,191	6.64	0.0000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-1101	2-A-437	4/10/2009	2	29.90	12.6	1.04	0	2.00	2,975	6.20	0.0000
0039-1104	6-A-437	4/10/2009	6	29.90	12.6	1.04	0	2.00	2,975	6.20	0.0000
0039-1107	1-A-438	4/15/2009	1	29.89	11.9	1.04	0	2.00	3,293	6.88	0.0000
0039-1110	2-A-438	4/15/2009	2	29.89	11.9	1.04	0	2.00	3,295	6.89	0.0000
0039-1113	6-A-438	4/15/2009	6	29.89	11.9	1.04	0	2.00	3,285	6.87	0.0000
0039-1116	1-A-439	4/17/2009	1	30.05	15.7	1.04	0	1.95	2,885	5.83	0.0000
0039-1119	2-A-439	4/17/2009	2	30.05	15.7	1.04	0	1.95	2,911	5.88	0.0000
0039-1122	6-A-439	4/17/2009	6	30.05	15.7	1.04	0	2.00	2,910	6.03	0.0000
0039-1125	1-A-440	4/22/2009	1	29.89	20.2	1.02	0	1.95	3,106	6.15	0.0000
0039-1128	2-A-440	4/22/2009	2	29.89	20.2	1.02	0	2.00	3,165	6.43	0.0000
0039-1131	6-A-440	4/22/2009	6	29.89	20.2	1.02	0	2.00	3,157	6.41	0.0000
0039-1134	1-A-441	4/24/2009	1	29.88	15.5	1.03	0	2.10	2,994	6.49	0.0000
0039-1137	2-A-441	4/24/2009	2	29.88	15.5	1.03	0	2.00	2,990	6.17	0.0000
0039-1140	6-A-441	4/24/2009	6	29.88	15.5	1.03	0	2.00	2,976	6.14	0.0000
0039-1143	1-A-442	4/29/2009	1	29.98	10.9	1.05	2,827	2.00	3,210	6.75	0.0004
0039-1146	2-A-442	4/29/2009	2	29.98	10.9	1.05	0	2.05	3,230	6.96	0.0000
0039-1149	6-A-442	4/29/2009	6	29.98	10.9	1.05	0	2.00	3,220	6.77	0.0000
0039-1152	1-A-443	5/1/2009	1	29.98	12.8	1.04	0	2.00	2,940	6.14	0.0000
0039-1155	2-A-443	5/1/2009	2	29.98	12.8	1.04	0	2.00	2,934	6.13	0.0000
0039-1158	6-A-443	5/1/2009	6	29.98	12.8	1.04	0	2.00	2,959	6.18	0.0000
0039-1161	1-A-444	5/6/2009	1	30.01	17.8	1.03	0	2.00	3,137	6.45	0.0000
0039-1164	2-A-444	5/6/2009	2	30.01	17.8	1.03	0	2.05	3,146	6.63	0.0000
0039-1167	6-A-444	5/6/2009	6	30.01	17.8	1.03	0	2.00	3,174	6.52	0.0000
0039-1170	1-A-445	5/8/2009	1	29.96	18.2	1.02	0	1.95	3,034	6.06	0.0000
0039-1173	2-A-445	5/8/2009	2	29.96	18.2	1.02	0	1.95	3,013	6.02	0.0000
0039-1176	6-A-445	5/8/2009	6	29.96	18.2	1.02	2,827	2.00	2,994	6.14	0.0005
0039-1179	1-A-446	5/13/2009	1	29.94	15.7	1.03	3,770	2.00	3,185	6.58	0.0006
0039-1182	2-A-446	5/13/2009	2	29.94	15.7	1.03	5,419	2.00	3,202	6.61	0.0008
0039-1185	6-A-446	5/13/2009	6	29.94	15.7	1.03	4,006	2.00	3,222	6.66	0.0006
0039-1188	1-A-447	5/15/2009	1	29.90	16.4	1.03	0	2.00	2,957	6.09	0.0000
0039-1191	2-A-447	5/15/2009	2	29.90	16.4	1.03	0	2.00	2,954	6.08	0.0000
0039-1194	6-A-447	5/15/2009	6	29.90	16.4	1.03	0	2.00	2,944	6.06	0.0000
0039-1197	1-A-448	5/20/2009	1	29.83	12.3	1.04	2,827	1.90	3,208	6.35	0.0004
0039-1200	2-A-448	5/20/2009	2	29.83	12.3	1.04	0	2.00	3,210	6.69	0.0000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-1203	6-A-448	5/20/2009	6	29.83	12.3	1.04	0	2.00	3,216	6.70	0.0000
0039-1206	1-A-449	5/22/2009	1	29.85	14.3	1.03	0	1.90	3,005	5.91	0.0000
0039-1209	2-A-449	5/22/2009	2	29.85	14.3	1.03	0	2.00	3,000	6.21	0.0000
0039-1212	6-A-449	5/22/2009	6	29.85	14.3	1.03	0	2.00	2,990	6.19	0.0000
0039-1215	1-A-450	5/28/2009	1	29.81	13.4	1.04	0	2.00	3,228	6.69	0.0000
0039-1218	2-A-450	5/28/2009	2	29.81	13.4	1.04	0	2.00	3,229	6.69	0.0000
0039-1221	6-A-450	5/28/2009	6	29.81	13.4	1.04	0	2.00	3,219	6.67	0.0000
0039-1224	1-A-451	5/29/2009	1	29.86	16.0	1.03	0	2.00	1,564	3.22	0.0000
0039-1227	2-A-451	5/29/2009	2	29.86	16.0	1.03	0	2.00	1,561	3.21	0.0000
0039-1230	6-A-451	5/29/2009	6	29.86	16.0	1.03	0	2.00	1,559	3.21	0.0000
0039-1233	1-A-452	6/3/2009	1	29.82	14.2	1.03	0	2.00	3,208	6.63	0.0000
0039-1239	6-A-452	6/3/2009	6	29.82	14.2	1.03	0	1.90	3,221	6.33	0.0000
0039-1242	1-A-453	6/5/2009	1	29.84	17.6	1.02	0	1.95	2,989	5.96	0.0000
0039-1245	2-A-453	6/5/2009	2	29.84	17.6	1.02	0	2.00	2,985	6.11	0.0000
0039-1248	6-A-453	6/5/2009	6	29.84	17.6	1.02	0	2.00	2,976	6.09	0.0000
0039-1251	1-A-454	6/10/2009	1	29.84	14.9	1.03	0	2.00	3,218	6.64	0.0000
0039-1254	2-A-454	6/10/2009	2	29.84	14.9	1.03	0	2.00	3,224	6.66	0.0000
0039-1257	6-A-454	6/10/2009	6	29.84	14.9	1.03	0	2.00	3,225	6.66	0.0000
0039-1260	1-A-455	6/12/2009	1	29.86	16.9	1.03	0	2.00	3,000	6.16	0.0000
0039-1263	2-A-455	6/12/2009	2	29.86	16.9	1.03	0	2.00	2,990	6.13	0.0000
0039-1266	6-A-455	6/12/2009	6	29.86	16.9	1.03	0	2.00	2,985	6.12	0.0000
0039-1269	1-A-456	6/17/2009	1	29.85	15.1	1.03	0	2.00	3,123	6.45	0.0000
0039-1272	2-A-456	6/17/2009	2	29.85	15.1	1.03	0	2.00	3,125	6.45	0.0000
0039-1275	6-A-456	6/17/2009	6	29.85	15.1	1.03	0	2.00	3,165	6.53	0.0000
0039-1278	1-A-457	6/19/2009	1	29.75	16.8	1.02	0	1.95	3,064	6.11	0.0000
0039-1281	2-A-457	6/19/2009	2	29.75	16.8	1.02	0	2.00	3,063	6.26	0.0000
0039-1284	6-A-457	6/19/2009	6	29.75	16.8	1.02	0	2.00	3,016	6.17	0.0000
0039-1287	1-A-458	6/24/2009	1	29.77	16.2	1.03	0	2.00	3,218	6.60	0.0000
0039-1290	2-A-458	6/24/2009	2	29.77	16.2	1.03	0	2.00	3,220	6.60	0.0000
0039-1293	6-A-458	6/24/2009	6	29.77	16.2	1.03	0	2.00	3,197	6.56	0.0000
0039-1296	1-A-459	6/26/2009	1	29.80	19.1	1.02	0	2.00	2,992	6.08	0.0000
0039-1299	2-A-459	6/26/2009	2	29.80	19.1	1.02	0	2.00	2,990	6.08	0.0000
0039-1302	6-A-459	6/26/2009	6	29.80	19.1	1.02	0	2.00	2,983	6.06	0.0000
0039-1305	1-A-460	7/1/2009	1	29.74	15.7	1.03	0	2.00	3,178	6.52	0.0000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-1308	2-A-460	7/1/2009	2	29.74	15.7	1.03	0	2.00	3,183	6.53	0.0000
0039-1311	6-A-460	7/1/2009	6	29.74	15.7	1.03	0	2.00	2,995	6.15	0.0000
0039-1314	1-A-461	7/2/2009	1	29.78	18.3	1.02	0	2.00	1,558	3.17	0.0000
0039-1317	2-A-461	7/2/2009	2	29.78	18.3	1.02	0	2.00	1,550	3.16	0.0000
0039-1320	1-A-462	7/8/2009	1	29.90	16.2	1.03	0	2.00	3,185	6.56	0.0000
0039-1323	2-A-462	7/8/2009	2	29.90	16.2	1.03	0	2.00	3,174	6.54	0.0000
0039-1326	1-A-463	7/10/2009	1	29.89	17.8	1.02	0	2.00	2,991	6.12	0.0000
0039-1329	2-A-463	7/10/2009	2	29.89	17.8	1.02	0	2.00	2,990	6.12	0.0000
0039-1332	1-A-464	7/15/2009	1	29.90	15.9	1.03	0	2.00	3,145	6.48	0.0000
0039-1335	2-A-464	7/15/2009	2	29.90	15.9	1.03	0	2.00	3,152	6.50	0.0000
0039-1338	6-A-464	7/15/2009	6	29.90	15.9	1.03	0	2.00	3,152	6.50	0.0000
0039-1341	1-A-465	7/17/2009	1	29.88	18.6	1.02	0	2.00	3,029	6.18	0.0000
0039-1344	2-A-465	7/17/2009	2	29.88	18.6	1.02	0	2.00	3,021	6.17	0.0000
0039-1347	6-A-465	7/17/2009	6	29.88	18.6	1.02	0	1.95	3,015	6.00	0.0000
0039-1350	1-A-466	7/22/2009	1	29.87	12.9	1.04	0	2.00	3,221	6.70	0.0000
0039-1353	2-A-466	7/22/2009	2	29.87	12.9	1.04	0	2.00	3,223	6.71	0.0000
0039-1356	6-A-466	7/22/2009	6	29.87	12.9	1.04	5,655	2.00	3,221	6.70	0.0008
0039-1359	1-A-467	7/24/2009	1	29.88	13.6	1.04	4,477	2.05	2,746	5.85	0.0008
0039-1362	2-A-467	7/24/2009	2	29.88	13.6	1.04	0	2.05	2,740	5.83	0.0000
0039-1365	6-A-468	7/24/2009	6	29.88	13.6	1.04	0	2.00	2,735	5.68	0.0000
0039-1368	1-A-468	7/29/2009	1	29.84	14.4	1.03	0	2.00	3,192	6.60	0.0000
0039-1371	2-A-468	7/29/2009	2	29.84	14.4	1.03	0	2.00	3,200	6.62	0.0000
0039-1374	6-A-468	7/29/2009	6	29.84	14.4	1.03	2,827	1.95	3,199	6.45	0.0004
0039-1377	1-A-469	7/31/2009	1	29.83	17.0	1.02	0	2.00	2,991	6.13	0.0000
0039-1380	2-A-469	7/31/2009	2	29.83	17.0	1.02	0	2.00	2,984	6.11	0.0000
0039-1383	6-A-469	7/31/2009	6	29.83	17.0	1.02	4,241	2.00	2,977	6.10	0.0007
0039-1386	1-A-470	8/5/2009	1	29.93	16.2	1.03	3,770	2.00	3,194	6.58	0.0006
0039-1389	2-A-470	8/5/2009	2	29.93	16.2	1.03	0	2.00	3,197	6.59	0.0000
0039-1392	6-A-470	8/5/2009	6	29.93	16.2	1.03	0	1.95	3,195	6.42	0.0000
0039-1395	1-A-471	8/7/2009	1	29.95	18.7	1.02	0	2.05	2,950	6.18	0.0000
0039-1398	2-A-471	8/7/2009	2	29.95	18.7	1.02	0	2.00	2,949	6.03	0.0000
0039-1401	1-A-472	8/12/2009	1	29.86	19.1	1.02	0	2.00	3,180	6.48	0.0000
0039-1404	2-A-472	8/12/2009	2	29.86	19.1	1.02	0	2.00	3,181	6.48	0.0000
0039-1407	6-A-472	8/12/2009	6	29.86	19.1	1.02	0	1.80	3,173	5.82	0.0000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-1410	1-A-473	8/14/2009	1	29.89	20.7	1.01	0	2.00	3,002	6.09	0.0000
0039-1413	2-A-473	8/14/2009	2	29.89	20.7	1.01	0	1.95	3,001	5.93	0.0000
0039-1416	6-A-473	8/14/2009	6	29.89	20.7	1.01	9,425	1.88	3,002	5.71	0.0017
0039-1419	1-A-474	8/19/2009	1	29.80	14.9	1.03	3,770	2.00	3,218	6.63	0.0006
0039-1422	2-A-474	8/19/2009	2	29.80	14.9	1.03	0	2.00	3,215	6.63	0.0000
0039-1425	6-A-474	8/19/2009	6	29.80	14.9	1.03	4,477	1.80	3,218	5.97	0.0007
0039-1428	1-A-475	8/21/2009	1	29.77	20.3	1.01	0	2.00	3,000	6.07	0.0000
0039-1431	2-A-475	8/21/2009	2	29.77	20.3	1.01	0	2.00	3,005	6.08	0.0000
0039-1434	6-A-475	8/21/2009	6	29.77	20.3	1.01	3,299	2.00	2,995	6.06	0.0005
0039-1437	1-A-476	8/26/2009	1	29.89	14.7	1.03	2,827	2.00	3,205	6.63	0.0004
0039-1440	2-A-476	8/26/2009	2	29.89	14.7	1.03	0	2.00	3,184	6.59	0.0000
0039-1443	6-A-476	8/26/2009	6	29.89	14.7	1.03	0	1.90	3,161	6.21	0.0000
0039-1446	1-A-477	8/28/2009	1	29.90	24.6	1.00	4,006	2.00	3,012	6.03	0.0007
0039-1449	2-A-477	8/28/2009	2	29.90	24.6	1.00	3,299	2.00	3,026	6.06	0.0005
0039-1455	1-A-478	9/2/2009	1	29.81	19.0	1.02	5,655	2.00	3,202	6.51	0.0009
0039-1458	2-A-478	9/2/2009	2	29.81	19.0	1.02	4,006	2.00	3,201	6.51	0.0006
0039-1461	6-A-478	9/2/2009	6	29.81	19.0	1.02	4,006	1.90	3,204	6.19	0.0006
0039-1464	1-A-479	9/3/2009	1	29.84	25.3	1.00	5,419	2.00	1,541	3.07	0.0018
0039-1467	2-A-479	9/3/2009	2	29.84	25.3	1.00	3,063	2.00	1,540	3.07	0.0010
0039-1470	6-A-479	9/3/2009	6	29.84	25.3	1.00	7,775	2.00	1,534	3.06	0.0025
0039-1473	1-A-480	9/10/2009	1	29.83	16.6	1.03	4,948	2.00	3,198	6.56	0.0008
0039-1476	2-A-480	9/10/2009	2	29.83	16.6	1.03	0	2.00	3,211	6.59	0.0000
0039-1479	6-A-480	9/10/2009	6	29.83	16.6	1.03	0	2.00	3,201	6.57	0.0000
0039-1482	1-A-481	9/11/2009	1	29.84	22.2	1.01	6,126	2.00	1,558	3.14	0.0020
0039-1485	2-A-481	9/11/2009	2	29.84	22.2	1.01	3,063	2.00	1,551	3.12	0.0010
0039-1488	6-A-481	9/11/2009	6	29.84	22.2	1.01	3,770	1.95	1,537	3.02	0.0012
0039-1491	1-A-482	9/16/2009	1	29.91	17.1	1.03	0	2.00	3,201	6.57	0.0000
0039-1494	2-A-482	9/16/2009	2	29.91	17.1	1.03	0	2.00	3,204	6.58	0.0000
0039-1497	6-A-482	9/16/2009	6	29.91	17.1	1.03	4,712	2.00	3,211	6.59	0.0007
0039-1500	1-A-483	9/18/2009	1	29.83	23.9	1.00	3,299	2.00	2,933	5.87	0.0006
0039-1503	2-A-483	9/18/2009	2	29.83	23.9	1.00	0	2.00	2,933	5.87	0.0000
0039-1506	6-A-483	9/18/2009	6	29.83	23.9	1.00	3,534	1.90	2,929	5.57	0.0006
0039-1509	1-A-484	9/23/2009	1	29.94	14.4	1.04	3,770	2.00	3,194	6.63	0.0006
0039-1512	2-A-484	9/23/2009	2	29.94	14.4	1.04	0	2.00	3,200	6.64	0.0000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-1515	6-A-484	9/23/2009	6	29.94	14.4	1.04	0	1.85	3,200	6.14	0.0000
0039-1518	1-A-485	9/25/2009	1	29.85	19.9	1.02	3,299	2.00	3,005	6.10	0.0005
0039-1521	2-A-485	9/25/2009	2	29.85	19.9	1.02	0	2.10	2,999	6.39	0.0000
0039-1524	6-A-485	9/25/2009	6	29.85	19.9	1.02	0	2.00	2,991	6.07	0.0000
0039-1527	1-A-486	9/30/2009	1	29.90	15.3	1.03	4,006	2.00	3,210	6.63	0.0006
0039-1530	2-A-486	9/30/2009	2	29.90	15.3	1.03	11,310	2.10	3,234	7.02	0.0016
0039-1533	6-A-486	9/30/2009	6	29.90	15.3	1.03	12,017	1.90	3,257	6.39	0.0019
0039-1536	1-A-487	10/2/2009	1	29.93	19.8	1.02	4,241	2.00	3,003	6.11	0.0007
0039-1539	2-A-487	10/2/2009	2	29.93	19.8	1.02	3,534	1.90	2,998	5.80	0.0006
0039-1542	6-A-487	10/2/2009	6	29.93	19.8	1.02	5,890	2.00	2,992	6.09	0.0010
0039-1545	1-A-488	10/7/2009	1	29.83	14.7	1.03	10,838	2.00	3,167	6.54	0.0017
0039-1548	2-A-488	10/7/2009	2	29.83	14.7	1.03	15,315	2.00	3,163	6.53	0.0023
0039-1551	6-A-488	10/7/2009	6	29.83	14.7	1.03	12,017	1.88	3,167	6.13	0.0020
0039-1554	1-A-489	10/9/2009	1	29.85	17.5	1.02	4,241	2.00	3,025	6.19	0.0007
0039-1557	2-A-489	10/9/2009	2	29.85	17.5	1.02	3,299	2.00	3,024	6.19	0.0005
0039-1563	1-A-490	10/16/2009	1	29.94	20.5	1.02	0	2.00	1,884	3.83	0.0000
0039-1566	2-A-490	10/16/2009	2	29.94	20.5	1.02	0	2.00	1,884	3.83	0.0000
0039-1569	6-A-490	10/16/2009	6	29.94	20.5	1.02	3,063	2.00	1,880	3.82	0.0008
0039-1572	1-A-491	10/21/2009	1	29.87	16.1	1.03	0	2.00	3,352	6.90	0.0000
0039-1575	2-A-491	10/21/2009	2	29.87	16.1	1.03	0	2.00	3,349	6.89	0.0000
0039-1578	6-A-491	10/21/2009	6	29.87	16.1	1.03	0	1.90	3,349	6.55	0.0000
0039-1581	1-A-492	10/23/2009	1	29.90	19.5	1.02	3,299	1.95	2,880	5.72	0.0006
0039-1584	2-A-492	10/23/2009	2	29.90	19.5	1.02	0	2.00	2,876	5.86	0.0000
0039-1587	6-A-492	10/23/2009	6	29.90	19.5	1.02	0	2.00	2,872	5.85	0.0000
0039-1590	1-A-493	10/28/2009	1	29.95	14.9	1.04	5,184	2.00	3,191	6.61	0.0008
0039-1593	2-A-493	10/28/2009	2	29.95	14.9	1.04	5,890	2.00	3,195	6.62	0.0009
0039-1596	6-A-493	10/28/2009	6	29.95	14.9	1.04	4,948	1.90	3,195	6.29	0.0008
0039-1599	1-A-494	10/30/2009	1	30.00	17.4	1.03	3,063	1.95	2,975	5.97	0.0005
0039-1602	2-A-494	10/30/2009	2	30.00	17.4	1.03	0	2.00	2,971	6.11	0.0000
0039-1605	6-A-494	10/30/2009	6	30.00	17.4	1.03	4,477	2.00	2,963	6.10	0.0007
0039-1608	1-A-495	11/4/2009	1	29.92	15.4	1.03	0	2.00	3,217	6.65	0.0000
0039-1611	2-A-495	11/4/2009	2	29.92	15.4	1.03	4,712	2.00	3,215	6.64	0.0007
0039-1614	6-A-495	11/4/2009	6	29.92	15.4	1.03	4,712	1.88	3,217	6.23	0.0008
0039-1617	1-A-496	11/6/2009	1	29.91	15.9	1.03	6,833	2.00	2,961	6.11	0.0011

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-1620	2-A-496	11/6/2009	2	29.91	15.9	1.03	0	2.00	2,960	6.10	0.0000
0039-1623	6-A-496	11/6/2009	6	29.91	15.9	1.03	4,241	1.95	2,954	5.94	0.0007
0039-1626	1-A-497	11/11/2009	1	29.92	12.7	1.04	4,712	2.10	3,202	7.01	0.0007
0039-1629	2-A-497	11/11/2009	2	29.92	12.7	1.04	3,299	2.00	3,203	6.68	0.0005
0039-1632	6-A-497	11/11/2009	6	29.92	12.7	1.04	3,063	1.90	3,204	6.35	0.0005
0039-1635	1-A-498	11/13/2009	1	29.86	14.4	1.03	0	1.95	3,012	6.08	0.0000
0039-1638	2-A-498	11/13/2009	2	29.86	14.4	1.03	0	2.00	3,017	6.24	0.0000
0039-1641	6-A-498	11/13/2009	6	29.86	14.4	1.03	4,712	2.00	3,013	6.24	0.0008
0039-1644	1-A-499	11/18/2009	1	30.08	10.7	1.06	7,540	2.10	3,209	7.12	0.0011
0039-1647	2-A-499	11/18/2009	2	30.08	10.7	1.06	3,770	2.00	3,215	6.79	0.0006
0039-1650	6-A-499	11/18/2009	6	30.08	10.7	1.06	8,247	1.90	3,216	6.45	0.0013
0039-1653	1-A-500	11/20/2009	1	29.92	12.2	1.04	3,063	2.00	2,776	5.80	0.0005
0039-1656	2-A-500	11/20/2009	2	29.92	12.2	1.04	2,827	2.00	2,802	5.86	0.0005
0039-1659	6-A-500	11/20/2009	6	29.92	12.2	1.04	7,304	2.00	2,801	5.85	0.0012
0039-1662	1-A-501	11/24/2009	1	30.07	12.7	1.05	3,534	2.10	1,852	4.08	0.0009
0039-1665	2-A-501	11/24/2009	2	30.07	12.7	1.05	4,477	2.00	1,866	3.91	0.0011
0039-1668	6-A-501	11/24/2009	6	30.07	12.7	1.05	4,006	2.00	1,863	3.91	0.0010
0039-1671	1-A-502	12/2/2009	1	29.95	9.7	1.06	4,712	2.10	3,204	7.10	0.0007
0039-1674	2-A-502	12/2/2009	2	29.95	9.7	1.06	2,827	2.00	3,199	6.75	0.0004
0039-1677	6-A-502	12/2/2009	6	29.95	9.7	1.06	3,770	1.90	3,195	6.41	0.0006
0039-1680	1-A-503	12/4/2009	1	29.95	9.9	1.05	2,827	1.95	2,993	6.15	0.0005
0039-1683	2-A-503	12/4/2009	2	29.95	9.9	1.05	3,299	2.00	2,982	6.29	0.0005
0039-1686	6-A-503	12/4/2009	6	29.95	9.9	1.05	3,299	2.00	2,980	6.28	0.0005
0039-1689	1-A-504	12/9/2009	1	29.80	5.7	1.06	4,477	2.10	3,228	7.22	0.0006
0039-1692	2-A-504	12/9/2009	2	29.80	5.7	1.06	3,299	2.00	3,263	6.95	0.0005
0039-1695	6-A-504	12/9/2009	6	29.80	5.7	1.06	0	2.00	3,259	6.94	0.0000
0039-1698	1-A-505	12/11/2009	1	29.90	7.1	1.06	3,770	2.00	2,988	6.35	0.0006
0039-1701	2-A-505	12/11/2009	2	29.90	7.1	1.06	4,006	2.00	2,957	6.29	0.0006
0039-1704	6-A-505	12/11/2009	6	29.90	7.1	1.06	5,419	2.00	2,951	6.27	0.0009
0039-1707	1-A-506	12/16/2009	1	30.09	10.4	1.06	0	2.10	3,179	7.06	0.0000
0039-1710	2-A-506	12/16/2009	2	30.09	10.4	1.06	0	2.00	3,177	6.72	0.0000
0039-1713	1-A-507	12/18/2009	1	30.09	12.7	1.05	7,069	2.00	2,980	6.25	0.0011
0039-1716	2-A-507	12/18/2009	2	30.09	12.7	1.05	3,534	2.00	2,961	6.21	0.0006
0039-1719	1-A-508	1/6/2010	1	30.04	8.3	1.06	4,477	2.00	3,175	6.75	0.0007

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-1722	2-A-508	1/6/2010	2	30.04	8.3	1.06	2,827	2.00	3,172	6.75	0.0004
0039-1725	1-A-509	1/8/2010	1	30.03	10.0	1.06	3,534	2.00	3,033	6.41	0.0006
0039-1728	2-A-509	1/8/2010	2	30.03	10.0	1.06	0	2.00	3,030	6.40	0.0000
0039-1731	1-A-510	1/13/2010	1	30.05	11.5	1.05	0	2.00	3,229	6.79	0.0000
0039-1734	2-A-510	1/13/2010	2	30.05	11.5	1.05	0	2.00	3,235	6.81	0.0000
0039-1737	1-A-511	1/15/2010	1	30.03	12.8	1.05	0	2.00	2,968	6.21	0.0000
0039-1740	2-A-511	1/15/2010	2	30.03	12.8	1.05	0	2.00	2,967	6.21	0.0000
0039-1743	1-A-512	1/28/2010	1	29.86	11.2	1.05	3,534	2.00	3,183	6.66	0.0005
0039-1746	2-A-512	1/28/2010	2	29.86	11.2	1.05	0	2.00	3,183	6.66	0.0000
0039-1749	1-A-513	1/29/2010	1	29.91	12.6	1.04	4,241	2.00	1,500	3.13	0.0014
0039-1752	2-A-513	1/29/2010	2	29.91	12.6	1.04	4,241	2.00	1,500	3.13	0.0014
0039-1755	2-A-514	03-Feb-10	2	29.80	11.6	1.04	3,770	2.00	3,172	6.62	0.0006
0039-1758	8-A-514	03-Feb-10	8	29.80	11.6	1.04	3,770	1.90	3,134	6.21	0.0006
0039-1761	9-A-514	03-Feb-10	9	29.80	11.6	1.04	6,362	2.00	3,065	6.39	0.0010
0039-1764	2-A-515	05-Feb-10	2	29.73	14.8	1.03	6,126	2.00	2,982	6.14	0.0010
0039-1767	8-A-515	05-Feb-10	8	29.73	14.8	1.03	6,833	2.00	2,991	6.15	0.0011
0039-1770	9-A-515	05-Feb-10	9	29.73	14.8	1.03	3,770	2.00	2,986	6.14	0.0006
0039-1773	2-A-516	10-Feb-10	2	29.97	10.9	1.05	0	2.00	3,198	6.72	0.0000
0039-1776	8-A-516	10-Feb-10	8	29.97	10.9	1.05	4,006	1.90	3,196	6.38	0.0006
0039-1779	9-A-516	10-Feb-10	9	29.97	10.9	1.05	3,063	2.10	3,196	7.06	0.0004
0039-1782	2-A-517	12-Feb-10	2	30.03	13.9	1.04	2,827	2.00	3,007	6.27	0.0005
0039-1785	8-A-517	12-Feb-10	8	30.03	13.9	1.04	3,534	1.90	3,007	5.96	0.0006
0039-1788	9-A-517	12-Feb-10	9	30.03	13.9	1.04	2,827	2.00	3,003	6.26	0.0005
0039-1791	2-A-518	17-Feb-10	2	29.96	11.3	1.05	6,833	2.00	3,215	6.75	0.0010
0039-1794	8-A-518	17-Feb-10	8	29.96	11.3	1.05	4,712	2.00	3,192	6.70	0.0007
0039-1797	9-A-518	17-Feb-10	9	29.96	11.3	1.05	3,770	1.90	3,213	6.41	0.0006
0039-1800	2-A-519	19-Feb-10	2	29.81	12.6	1.04	7,069	2.00	2,996	6.23	0.0011
0039-1803	8-A-519	19-Feb-10	8	29.81	12.6	1.04	8,247	1.95	3,029	6.14	0.0013
0039-1806	9-A-519	19-Feb-10	9	29.81	12.6	1.04	6,126	1.95	3,005	6.09	0.0010
0039-1809	2-A-520	24-Feb-10	2	30.02	11.3	1.05	0	2.00	3,174	6.68	0.0000
0039-1812	8-A-520	24-Feb-10	8	30.02	11.3	1.05	5,655	5.00	3,229	16.98	0.0003
0039-1815	9-A-520	24-Feb-10	9	30.02	11.3	1.05	3,063	2.00	3,199	6.73	0.0005
0039-1818	2-A-521	26-Feb-10	2	29.85	13.2	1.04	4,241	2.00	2,940	6.11	0.0007
0039-1821	8-A-521	26-Feb-10	8	29.85	13.2	1.04	7,304	5.00	2,894	15.03	0.0005

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-1824	9-A-521	26-Feb-10	9	29.85	13.2	1.04	4,241	2.00	2,918	6.06	0.0007
0039-1827	2-A-522	03-Mar-10	2	29.87	11.8	1.04	0	2.00	3,216	6.72	0.0000
0039-1830	8-A-522	03-Mar-10	8	29.87	11.8	1.04	3,299	2.00	3,210	6.71	0.0005
0039-1833	9-A-522	03-Mar-10	9	29.87	11.8	1.04	0	2.00	3,215	6.72	0.0000
0039-1836	2-A-523	05-Mar-10	2	29.80	12.8	1.04	3,063	2.00	3,010	6.25	0.0005
0039-1839	8-A-523	05-Mar-10	8	29.80	12.8	1.04	6,362	2.00	3,012	6.26	0.0010
0039-1842	9-A-523	05-Mar-10	9	29.80	12.8	1.04	4,477	2.00	3,005	6.24	0.0007
0039-1845	2-A-524	10-Mar-10	2	30.00	10.6	1.05	7,304	2.00	3,253	6.85	0.0011
0039-1848	8-A-524	10-Mar-10	8	30.00	10.6	1.05	6,833	1.90	3,249	6.50	0.0011
0039-1851	9-A-524	10-Mar-10	9	30.00	10.6	1.05	3,534	2.00	3,251	6.85	0.0005
0039-1854	8-A-525	12-Mar-10	8	29.97	11.5	1.05	5,184	2.00	2,884	6.05	0.0009
0039-1857	9-A-525	12-Mar-10	9	29.97	11.5	1.05	5,655	2.00	2,870	6.02	0.0009
0039-1860	2-A-526	17-Mar-10	2	30.07	11.4	1.05	3,534	1.95	3,046	6.25	0.0006
0039-1863	8-A-526	17-Mar-10	8	30.07	11.4	1.05	5,890	1.95	3,106	6.38	0.0009
0039-1866	9-A-526	17-Mar-10	9	30.07	11.4	1.05	4,241	2.00	3,083	6.49	0.0007
0039-1869	2-A-527	19-Mar-10	2	29.99	19.0	1.02	6,597	2.00	3,120	6.38	0.0010
0039-1872	8-A-527	19-Mar-10	8	29.99	19.0	1.02	7,775	1.90	3,078	5.98	0.0013
0039-1875	9-A-527	19-Mar-10	9	29.99	19.0	1.02	7,069	2.10	3,097	6.65	0.0011
0039-1878	2-A-528	24-Mar-10	2	29.98	12.5	1.05	4,948	2.00	3,171	6.63	0.0007
0039-1881	8-A-528	24-Mar-10	8	29.98	12.5	1.05	4,948	2.00	3,165	6.62	0.0007
0039-1884	9-A-528	24-Mar-10	9	29.98	12.5	1.05	4,006	2.00	3,169	6.63	0.0006
0039-1887	2-A-529	26-Mar-10	2	30.03	14.8	1.04	5,419	2.00	2,973	6.18	0.0009
0039-1890	8-A-529	26-Mar-10	8	30.03	14.8	1.04	5,419	2.00	2,989	6.21	0.0009
0039-1893	9-A-529	26-Mar-10	9	30.03	14.8	1.04	4,712	2.00	2,977	6.19	0.0008
0039-1896	2-A-530	31-Mar-10	2	29.88	12.3	1.04	4,006	2.00	3,196	6.67	0.0006
0039-1899	8-A-530	31-Mar-10	8	29.88	12.3	1.04	4,477	1.90	3,184	6.31	0.0007
0039-1902	9-A-530	31-Mar-10	9	29.88	12.3	1.04	5,890	2.00	3,190	6.65	0.0009
0039-1905	2-A-531	02-Apr-10	2	29.84	12.3	1.04	6,126	2.00	2,988	6.23	0.0010
0039-1908	8-A-531	02-Apr-10	8	29.84	12.3	1.04	5,890	2.00	3,000	6.25	0.0009
0039-1911	9-A-531	02-Apr-10	9	29.84	12.3	1.04	5,655	2.00	2,993	6.24	0.0009
0039-1914	2-A-532	07-Apr-10	2	29.92	12.5	1.04	6,597	2.00	3,296	6.88	0.0010
0039-1917	8-A-532	07-Apr-10	8	29.92	12.5	1.04	7,304	2.00	3,286	6.86	0.0011
0039-1920	9-A-532	07-Apr-10	9	29.92	12.5	1.04	8,953	2.05	3,289	7.04	0.0013
0039-1923	2-A-533	09-Apr-10	2	29.91	18.4	1.02	4,006	2.00	2,909	5.95	0.0007

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-1926	8-A-533	09-Apr-10	8	29.91	18.4	1.02	5,890	2.00	2,931	5.99	0.0010
0039-1929	9-A-533	09-Apr-10	9	29.91	18.4	1.02	4,006	2.00	2,925	5.98	0.0007
0039-1932	2-A-534	15-Apr-10	2	29.94	12.9	1.04	6,833	2.00	3,207	6.69	0.0010
0039-1935	8-A-534	15-Apr-10	8	29.94	12.9	1.04	4,477	2.00	3,195	6.66	0.0007
0039-1938	9-A-534	15-Apr-10	9	29.94	12.9	1.04	5,890	2.00	3,200	6.68	0.0009
0039-1941	2-A-535	16-Apr-10	2	29.96	16.4	1.03	4,477	1.90	1,546	3.03	0.0015
0039-1944	8-A-535	16-Apr-10	8	29.96	16.4	1.03	3,770	2.00	1,555	3.21	0.0012
0039-1947	9-A-535	16-Apr-10	9	29.96	16.4	1.03	5,890	2.00	1,549	3.19	0.0018
0039-1950	2-A-536	21-Apr-10	2	29.77	10.3	1.05	6,126	2.00	3,165	6.62	0.0009
0039-1953	8-A-536	21-Apr-10	8	29.77	10.3	1.05	10,367	2.00	3,169	6.63	0.0016
0039-1956	9-A-536	21-Apr-10	9	29.77	10.3	1.05	8,247	2.00	3,170	6.64	0.0012
0039-1959	2-A-537	23-Apr-10	2	29.82	12.2	1.04	5,419	1.95	3,009	6.11	0.0009
0039-1962	8-A-537	23-Apr-10	8	29.82	12.2	1.04	5,419	2.00	3,011	6.27	0.0009
0039-1965	9-A-537	23-Apr-10	9	29.82	12.2	1.04	4,241	2.00	3,011	6.27	0.0007
0039-1968	2-A-538	28-Apr-10	2	29.90	10.4	1.05	10,132	2.00	3,209	6.74	0.0015
0039-1971	8-A-538	28-Apr-10	8	29.90	10.4	1.05	12,488	1.90	3,198	6.38	0.0020
0039-1974	9-A-538	28-Apr-10	9	29.90	10.4	1.05	5,890	2.00	3,203	6.73	0.0009
0039-1977	2-A-539	30-Apr-10	2	29.92	13.9	1.04	9,425	2.00	3,002	6.24	0.0015
0039-1980	8-A-539	30-Apr-10	8	29.92	13.9	1.04	5,890	2.00	3,048	6.33	0.0009
0039-1983	9-A-539	30-Apr-10	9	29.92	13.9	1.04	3,299	2.00	3,024	6.28	0.0005
0039-1986	2-A-540	05-May-10	2	30.02	15.7	1.04	8,953	2.00	3,183	6.59	0.0014
0039-1989	8-A-540	05-May-10	8	30.02	15.7	1.04	6,126	1.90	3,193	6.28	0.0010
0039-1992	9-A-540	05-May-10	9	30.02	15.7	1.04	5,184	2.00	3,179	6.58	0.0008
0039-1995	2-A-541	07-May-10	2	29.98	15.2	1.04	6,126	2.00	3,001	6.22	0.0010
0039-1998	8-A-541	07-May-10	8	29.98	15.2	1.04	4,241	2.00	3,020	6.26	0.0007
0039-2001	9-A-541	07-May-10	9	29.98	15.2	1.04	4,948	2.00	3,012	6.24	0.0008
0039-2004	2-A-542	12-May-10	2	29.98	13.3	1.04	7,069	2.00	3,174	6.62	0.0011
0039-2010	9-A-542	12-May-10	9	29.98	13.3	1.04	3,299	2.00	3,172	6.62	0.0005
0039-2013	2-A-543	14-May-10	2	29.95	14.3	1.04	3,534	2.00	3,020	6.27	0.0006
0039-2016	8-A-543	14-May-10	8	29.95	14.3	1.04	4,712	2.00	3,020	6.27	0.0008
0039-2019	9-A-543	14-May-10	9	29.95	14.3	1.04	0	2.05	3,022	6.43	0.0000
0039-2022	2-A-544	19-May-10	2	29.89	13.0	1.04	0	2.00	3,216	6.70	0.0000
0039-2025	8-A-544	19-May-10	8	29.89	13.0	1.04	6,126	1.90	3,218	6.36	0.0010
0039-2028	9-A-544	19-May-10	9	29.89	13.0	1.04	3,534	2.00	3,214	6.69	0.0005

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-2031	2-A-545	21-May-10	2	30.01	14.5	1.04	4,948	2.00	2,974	6.18	0.0008
0039-2034	8-A-545	21-May-10	8	30.01	14.5	1.04	4,948	2.05	2,984	6.36	0.0008
0039-2037	9-A-545	21-May-10	9	30.01	14.5	1.04	4,241	2.00	2,977	6.19	0.0007
0039-2040	2-A-546	26-May-10	2	29.89	12.5	1.04	0	2.00	3,205	6.68	0.0000
0039-2046	9-A-546	26-May-10	9	29.89	12.5	1.04	3,770	2.00	3,203	6.68	0.0006
0039-2049	2-A-547	28-May-10	2	29.97	15.1	1.04	0	2.00	2,984	6.18	0.0000
0039-2052	9-A-547	28-May-10	9	29.97	15.1	1.04	0	2.00	2,986	6.19	0.0000
0039-2055	2-A-548	02-Jun-10	2	29.90	15.7	1.03	3,063	2.00	3,225	6.65	0.0005
0039-2058	8-A-548	02-Jun-10	8	29.90	15.7	1.03	2,827	1.90	3,187	6.25	0.0005
0039-2061	9-A-548	02-Jun-10	9	29.90	15.7	1.03	3,534	2.00	3,187	6.57	0.0005
0039-2064	2-A-549	04-Jun-10	2	29.91	19.8	1.02	3,299	2.00	1,500	3.05	0.0011
0039-2067	8-A-549	04-Jun-10	8	29.91	19.8	1.02	0	2.00	1,565	3.18	0.0000
0039-2070	9-A-549	04-Jun-10	9	29.91	19.8	1.02	3,770	2.00	1,529	3.11	0.0012
0039-2073	2-A-550	09-Jun-10	2	29.96	15.0	1.04	4,948	2.00	3,151	6.53	0.0008
0039-2076	8-A-550	09-Jun-10	8	29.96	15.0	1.04	5,419	2.00	3,213	6.66	0.0008
0039-2079	9-A-550	09-Jun-10	9	29.96	15.0	1.04	3,534	2.00	3,185	6.60	0.0005
0039-2082	2-A-551	11-Jun-10	2	29.91	18.9	1.02	5,655	2.00	3,042	6.21	0.0009
0039-2085	8-A-551	11-Jun-10	8	29.91	18.9	1.02	3,299	2.05	2,994	6.26	0.0005
0039-2088	2-A-552	16-Jun-10	2	29.89	14.6	1.04	0	2.00	3,165	6.55	0.0000
0039-2091	8-A-552	16-Jun-10	8	29.89	14.6	1.04	4,477	1.90	3,184	6.26	0.0007
0039-2094	9-A-552	16-Jun-10	9	29.89	14.6	1.04	0	2.00	3,182	6.59	0.0000
0039-2097	2-A-553	18-Jun-10	2	29.87	16.0	1.03	3,770	2.00	3,031	6.24	0.0006
0039-2100	8-A-553	18-Jun-10	8	29.87	16.0	1.03	4,948	2.05	3,034	6.40	0.0008
0039-2103	9-A-553	18-Jun-10	9	29.87	16.0	1.03	5,184	2.00	3,030	6.24	0.0008
0039-2106	2-A-554	23-Jun-10	2	29.88	13.2	1.04	3,770	2.00	3,154	6.56	0.0006
0039-2109	8-A-554	23-Jun-10	8	29.88	13.2	1.04	0	1.90	3,159	6.24	0.0000
0039-2112	9-A-554	23-Jun-10	9	29.88	13.2	1.04	4,241	2.00	3,156	6.56	0.0006
0039-2115	2-A-555	25-Jun-10	2	29.88	15.8	1.03	0	1.95	2,986	6.00	0.0000
0039-2118	8-A-555	25-Jun-10	8	29.88	15.8	1.03	3,063	2.10	2,990	6.47	0.0005
0039-2121	9-A-555	25-Jun-10	9	29.88	15.8	1.03	5,419	2.00	2,987	6.16	0.0009
0039-2124	8-A-556	30-Jun-10	8	29.74	15.6	1.03	5,655	1.90	3,211	6.26	0.0009
0039-2127	9-A-556	30-Jun-10	9	29.74	15.6	1.03	5,655	2.00	3,212	6.59	0.0009
0039-2130	8-A-557	02-Jul-10	8	29.79	16.6	1.02	0	2.05	2,978	6.25	0.0000
0039-2133	9-A-557	02-Jul-10	9	29.79	16.6	1.02	3,770	2.00	2,977	6.10	0.0006

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-2136	8-A-558	08-Jul-10	8	29.81	14.2	1.03	0	1.90	3,210	6.30	0.0000
0039-2139	9-A-558	08-Jul-10	9	29.81	14.2	1.03	4,712	2.00	3,213	6.64	0.0007
0039-2142	2-A-559	09-Jul-10	2	29.84	16.2	1.03	2,827	2.00	1,561	3.21	0.0009
0039-2145	8-A-559	09-Jul-10	8	29.84	16.2	1.03	0	2.05	1,570	3.31	0.0000
0039-2148	9-A-559	09-Jul-10	9	29.84	16.2	1.03	0	2.00	1,563	3.21	0.0000
0039-2151	2-A-560	14-Jul-10	2	29.86	16.8	1.03	2,827	2.00	3,238	6.65	0.0004
0039-2154	8-A-560	14-Jul-10	8	29.86	16.8	1.03	4,712	1.90	3,240	6.32	0.0007
0039-2157	9-A-560	14-Jul-10	9	29.86	16.8	1.03	4,948	2.00	3,235	6.64	0.0007
0039-2160	2-A-561	16-Jul-10	2	29.87	18.7	1.02	3,770	2.00	2,939	5.99	0.0006
0039-2163	8-A-561	16-Jul-10	8	29.87	18.7	1.02	6,126	2.05	2,944	6.16	0.0010
0039-2166	9-A-561	16-Jul-10	9	29.87	18.7	1.02	3,299	1.95	2,895	5.76	0.0006
0039-2169	2-A-562	21-Jul-10	2	29.81	12.7	1.04	0	2.00	3,210	6.67	0.0000
0039-2172	7-A-562	21-Jul-10	7	29.81	12.7	1.04	0	2.00	3,174	6.60	0.0000
0039-2175	9-A-562	21-Jul-10	9	29.81	12.7	1.04	0	1.95	3,242	6.57	0.0000
0039-2178	2-A-563	23-Jul-10	2	29.81	15.0	1.03	0	2.00	2,980	6.14	0.0000
0039-2181	7-A-563	23-Jul-10	7	29.81	15.0	1.03	4,948	2.00	2,988	6.16	0.0008
0039-2184	9-A-563	23-Jul-10	9	29.81	15.0	1.03	0	2.00	2,950	6.08	0.0000
0039-2187	2-A-564	28-Jul-10	2	29.86	15.0	1.03	3,770	2.00	3,248	6.71	0.0006
0039-2190	7-A-564	28-Jul-10	7	29.86	15.0	1.03	4,477	2.00	3,244	6.70	0.0007
0039-2193	9-A-564	28-Jul-10	9	29.86	15.0	1.03	4,241	2.00	3,271	6.76	0.0006
0039-2196	2-A-565	30-Jul-10	2	29.89	16.9	1.03	0	2.00	2,968	6.10	0.0000
0039-2199	9-A-565	30-Jul-10	9	29.89	16.9	1.03	3,063	2.00	2,947	6.05	0.0005
0039-2202	2-A-566	04-Aug-10	2	29.88	13.3	1.04	4,477	2.00	3,196	6.64	0.0007
0039-2205	7-A-566	04-Aug-10	7	29.88	13.3	1.04	3,299	1.95	3,193	6.47	0.0005
0039-2208	9-A-566	04-Aug-10	9	29.88	13.3	1.04	0	2.00	3,196	6.64	0.0000
0039-2211	2-A-567	06-Aug-10	2	29.81	16.1	1.03	0	2.00	2,984	6.13	0.0000
0039-2214	7-A-567	06-Aug-10	7	29.81	16.1	1.03	0	1.90	2,804	5.47	0.0000
0039-2217	9-A-567	06-Aug-10	9	29.81	16.1	1.03	0	2.00	2,985	6.13	0.0000
0039-2220	2-A-568	11-Aug-10	2	29.85	13.8	1.04	3,299	2.00	3,233	6.70	0.0005
0039-2223	7-A-568	11-Aug-10	7	29.85	13.8	1.04	0	1.90	3,229	6.36	0.0000
0039-2226	9-A-568	11-Aug-10	9	29.85	13.8	1.04	0	2.00	3,232	6.70	0.0000
0039-2229	2-A-569	13-Aug-10	2	29.82	16.1	1.03	0	2.00	2,951	6.06	0.0000
0039-2232	7-A-569	13-Aug-10	7	29.82	16.1	1.03	3,770	2.10	2,977	6.42	0.0006
0039-2235	9-A-569	13-Aug-10	9	29.82	16.1	1.03	0	2.00	2,953	6.07	0.0000

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-2238	2-A-570	18-Aug-10	2	29.87	15.3	1.03	4,477	2.05	3,154	6.67	0.0007
0039-2241	7-A-570	18-Aug-10	7	29.87	15.3	1.03	0	1.95	3,218	6.48	0.0000
0039-2244	9-A-570	18-Aug-10	9	29.87	15.3	1.03	0	2.00	3,180	6.56	0.0000
0039-2247	2-A-571	20-Aug-10	2	29.79	17.5	1.02	0	2.00	3,033	6.20	0.0000
0039-2250	7-A-571	20-Aug-10	7	29.79	17.5	1.02	3,063	2.05	2,975	6.23	0.0005
0039-2253	9-A-571	20-Aug-10	9	29.79	17.5	1.02	3,534	2.00	3,006	6.14	0.0006
0039-2256	2-A-572	25-Aug-10	2	29.90	27.2	0.99	3,063	2.00	3,216	6.38	0.0005
0039-2259	7-A-572	25-Aug-10	7	29.90	27.2	0.99	4,241	1.95	3,209	6.21	0.0007
0039-2262	9-A-572	25-Aug-10	9	29.90	27.2	0.99	5,184	1.95	3,217	6.22	0.0008
0039-2265	2-A-573	27-Aug-10	2	29.86	21.7	1.01	0	2.00	2,969	5.99	0.0000
0039-2268	9-A-573	27-Aug-10	9	29.86	21.7	1.01	0	2.00	3,025	6.11	0.0000
0039-2271	2-A-574	01-Sep-10	2	29.98	19.9	1.02	3,063	2.0	3,219	6.56	0.0005
0039-2274	9-A-574	01-Sep-10	9	29.98	19.9	1.02	4,006	2.0	3,191	6.51	0.0006
0039-2277	2-A-575	02-Sep-10	2	29.84	26.1	0.99	3,534	2.1	1,540	3.14	0.0011
0039-2280	7-A-575	02-Sep-10	7	29.84	26.1	0.99	3,063	2.0	1,553	3.01	0.0010
0039-2283	9-A-575	02-Sep-10	9	29.84	26.1	0.99	3,063	2.0	1,552	3.08	0.0010
0039-2286	2-A-576	09-Sep-10	2	29.90	17.2	1.03	0	2.1	3,117	6.72	0.0000
0039-2289	9-A-576	09-Sep-10	9	29.90	17.2	1.03	0	2.0	3,141	6.45	0.0000
0039-2292	2-A-577	10-Sep-10	2	29.99	19.1	1.02	0	2.0	1,553	3.10	0.0000
0039-2295	9-A-577	10-Sep-10	9	29.99	19.1	1.02	0	2.0	1,550	3.17	0.0000
0039-2298	2-A-578	15-Sep-10	2	30.01	16.9	1.03	0	2.0	3,178	6.55	0.0000
0039-2301	9-A-578	15-Sep-10	9	30.01	16.9	1.03	0	2.0	3,179	6.56	0.0000
0039-2304	2-A-579	17-Sep-10	2	29.96	19.4	1.02	0	2.0	2,960	6.04	0.0000
0039-2307	8-A-579	17-Sep-10	8	29.96	19.4	1.02	0	2.0	2,880	5.88	0.0000
0039-2310	9-A-579	17-Sep-10	9	29.96	19.4	1.02	0	2.0	2,941	6.00	0.0000
0039-2313	2-A-580	22-Sep-10	2	29.82	18.9	1.02	0	2.1	3,244	6.77	0.0000
0039-2316	8-A-580	22-Sep-10	8	29.82	18.9	1.02	4,967	2.2	3,253	7.28	0.0007
0039-2319	9-A-580	22-Sep-10	9	29.82	18.9	1.02	0	2.0	3,078	6.26	0.0000
0039-2322	2-A-581	24-Sep-10	2	29.99	19.2	1.02	0	2.0	2,948	6.03	0.0000
0039-2325	6-A-581	24-Sep-10	6	29.99	19.2	1.02	0	2.0	2,997	6.13	0.0000
0039-2328	8-A-581	24-Sep-10	8	29.99	19.2	1.02	0	1.7	2,954	5.13	0.0000
0039-2331	2-A-582	29-Sep-10	2	29.82	24.2	1.00	6,584	2.0	3,193	6.38	0.0010
0039-2334	8-A-582	29-Sep-10	8	29.82	24.2	1.00	4,697	2.0	3,146	6.29	0.0007
0039-2337	9-A-582	29-Sep-10	9	29.82	24.2	1.00	5,198	2.0	3,169	6.18	0.0008

Sample ID	Sample Field ID	Sample Date	Sampler Location	Ambient Pressure in (Hg)	Ambient Temperature (C)	Cubic Feet	Asbestos (fibers)	Ave Flow Rate (l/min)	Minutes Operated (min)	Volume (m3)	Conc Asbestos (fibers/cc)
0039-2340	2-A-583	01-Oct-10	2	29.87	21.7	1.01	3,080	2.0	2,989	6.03	0.0005
0039-2343	8-A-583	01-Oct-10	8	29.87	21.7	1.01	5,429	1.6	2,987	4.82	0.0011
0039-2346	9-A-583	01-Oct-10	9	29.87	21.7	1.01	0	2.0	2,986	6.03	0.0000
0039-2349	2-A-584	06-Oct-10	2	29.95	18.6	1.02	0	2.0	3,167	6.48	0.0000
0039-2352	8-A-584	06-Oct-10	8	29.95	18.6	1.02	0	1.5	3,183	4.88	0.0000
0039-2355	9-A-584	06-Oct-10	9	29.95	18.6	1.02	0	2.0	3,159	6.46	0.0000
0039-2358	2-A-585	08-Oct-10	2	30.12	18.6	1.03	0	2.0	2,989	6.00	0.0000
0039-2361	8-A-585	08-Oct-10	8	30.12	18.6	1.03	0	2.3	2,975	6.89	0.0000
0039-2364	9-A-585	08-Oct-10	9	30.12	18.6	1.03	0	2.0	2,997	6.17	0.0000
0039-2367	2-A-586	13-Oct-10	2	30.02	25.8	1.00	3,080	2.1	3,213	6.75	0.0005
0039-2370	8-A-586	13-Oct-10	8	30.02	25.8	1.00	3,311	2.0	3,178	6.20	0.0005
0039-2373	9-A-586	13-Oct-10	9	30.02	25.8	1.00	6,584	1.5	3,180	4.77	0.0014
0039-2376	2-A-587	15-Oct-10	2	30.01	23.6	1.01	4,466	2.0	2,978	6.00	0.0007
0039-2379	8-A-587	15-Oct-10	8	30.01	23.6	1.01	6,122	2.3	2,857	6.62	0.0009
0039-2382	9-A-587	15-Oct-10	9	30.01	23.6	1.01	3,773	2.0	2,877	5.80	0.0007
0039-2385	2-A-588	20-Oct-10	2	29.98	16.4	1.03	0	2.0	3,204	6.61	0.0000
0039-2388	8-A-588	20-Oct-10	8	29.98	16.4	1.03	3,542	1.2	3,197	3.96	0.0009
0039-2391	9-A-588	20-Oct-10	9	29.98	16.4	1.03	3,311	2.0	3,196	6.60	0.0005
0039-2394	2-A-589	22-Oct-10	2	30.02	18.3	1.03	0	2.0	2,995	6.15	0.0000
0039-2397	8-A-589	22-Oct-10	8	30.02	18.3	1.03	0	1.5	2,994	4.61	0.0000
0039-2400	9-A-589	22-Oct-10	9	30.02	18.3	1.03	0	2.0	3,000	6.00	0.0000
0039-2403	8-A-590	27-Oct-10	8	30.12	14.8	1.04	0	1.3	3,168	4.13	0.0000
0039-2406	9-A-590	27-Oct-10	9	30.12	14.8	1.04	0	2.0	3,171	6.61	0.0000
0039-2409	8-A-591	29-Oct-10	8	30.04	14.8	1.04	4,004	2.2	2,986	6.83	0.0006
0039-2412	9-A-591	29-Oct-10	9	30.04	14.8	1.04	0	1.0	3,006	3.12	0.0000