



# The Transitional Care Model: Translating Research into Practice

*Development and Translation of the Transitional Care Model for Older Adults*

**Mary D. Naylor, PhD, RN**

Marian S. Ware Professor in Gerontology

Director, NewCourtland Center for Transitions and Health

University of Pennsylvania, School of Nursing


January 28, 2009

# Transitional Care


***Transitional care*** – range of time limited services and environments designed to ensure health care continuity and avoid preventable poor outcomes among at risk populations as they move from one level of care to another, among multiple providers and/or across settings.

# Context for Transitional Care

## Acute Care Episode:




# The Case for Transitional Care

- High rates of medical errors
  - Serious unmet needs
  - Poor satisfaction with care
  - High rates of preventable readmissions
  - Tremendous human and cost burden
- 

# Different Goals of Evidence-Based Interventions

- Address gaps in care and promote effective “hand-offs”
- Address “root causes” of poor outcomes with focus on longer-term, positive outcomes

# Quality Cost Transitional Care Model (TCM)



# Unique Features

## Care is delivered and coordinated

...by same nurse

...across settings

...7 days per week

...using evidence-based protocol

...with focus on long term outcomes




# Findings from Randomized Clinical Trials



Funding: National Institutes of Health, National Institute of Nursing Research, National Institute on Aging (1990-2010)



# Transitional Care Model Protocol Overview



# Across RCTs, TCM has consistently...

- Increased time to first rehospitalization
- Decreased total all-cause rehospitalizations
- Increased patient satisfaction
- Improved physical function and quality of life\*
- Decreased total health care costs

\*Most recently completed RCT only

# Barriers to Adoption

- Organization of current system of care
- Lack of quality and financial incentives
- Culture of care




# Translating TCM into Practice


Penn research team formed partnerships with Aetna Corporation and Kaiser Permanente to test “real world” applications of research-based model of care for high risk elders.

Funded by The Commonwealth Fund and the following Foundations: Jacob and Valeria Langeloth, The John A. Hartford, Gordon & Betty Moore, and California HealthCare; guided by National Advisory Committee (NAC)

# Project Goals (Aetna)

- Test TCM in defined market
  - Document facilitators and barriers
  - Provide for ongoing NAC input
  - Present findings to Aetna decision makers
  - Widely disseminate findings
- 


# Tools of Translation

- Patient screening and recruitment
  - Orientation of TCNs (web-based modules)
  - Documentation and Quality Monitoring (clinical information system - CIS)
  - Quality improvement (case conferences and CIS)
  - Evaluation
- 

# Integrating TCM within Aetna

- Project team
- Key decisions
  - Link to geriatric case management program
  - Partner with home care agency
  - Target 200 members in mid-Atlantic region
  - Clearly define roles and work flow processes

# Key Indicators of Success

- Decisions by Aetna re: adoption
  - Decisions by other insurers and providers to implement model
  - Use of findings by CMS and insurers to reimburse evidence-based transitional care
- 



$$\text{Value} = \frac{\text{Quality/Satisfaction}}{\text{Health Resource Utilization (Costs)}}$$

**Environment:** Extant comprehensive system of telephonic care management

**Question:** Does the Transitional Care Model offer greater value in this environment?

# Quality (N=172)

***Significant improvements pre- and post-TCM in the following outcomes:***

- self-reported health status (1 item)
- symptom status (Symptom Bother Scale)\*
- depression (Geriatric Depression Scale)
- functional status (SF-12)
- quality of life (one item)

\*improvements in 10/13 symptoms at  $p < 0.05$

# Satisfaction

## ➤ *Members (N=171)*

- Overall high satisfaction - Mean of 3.0 on each of the 15 survey items (1 low - 4 high)

## ➤ *Physicians (N=25)\**

- Overall high satisfaction with APN involvement in members' care – Mean of 3.5 on each of 10 survey items\* (1 strongly disagree – 4 strongly agree)

\*\* Satisfaction data from MDs with at least 3 TCM patients

# Health Resource Utilization

- Quasi-experimental design simulating RCT
- Each elder in TCM matched with “control”
- 155 pairs using stringent criteria (e.g., # of comorbid conditions) were available for final HR analyses
- HR data obtained from Aetna’s claims’ dataset

# Rehospitalization Rates\*

*Significant reductions in readmission rates and hospital days through 3 months*

- 0-3 months, 45 TCM vs. 60 controls (25% decrease; 99 fewer hospital days)
- 0-6 months, 104 TCM vs. 112 controls
- 0-12 months, 184 TCM vs. 203 controls

\*ED rates similar (85 TCM vs. 81 controls at 12 mos.)

# Skilled Nursing Facility Rates

*Trend toward reduced SNF admissions between TCM vs. controls*

- 0-3 months, 5 TCM vs. 11 controls
- 0-6 months, 14 TCM vs. 22 controls
- 0-12 months, 26 TCM vs. 38 controls

# Skilled Home Care Visits

*Trend toward decreased use of home visits for TCM vs. controls*

- 0-3 months, 252 TCM vs. 436 controls
- 0-6 months, 393 TCM vs. 728 controls
- 0-12 months, 658 TCM vs. 1153 controls

# TCN Visits

- Mean # of home visits = 7.26 (2-19); mean length = 50 minutes
- Mean # of MD office visits = 0.7 (0-3); mean length = 62 minutes
- Mean # of patient phone calls = 7.82; mean length = 8 minutes



# Costs

*Significant reductions in total health care costs through 3 months; savings continue thru 12 months*

- \$439 PMPM savings at 3 months
- \$181 PMPM savings at 12 months

# Factors Considered in Interpreting Findings

- Hospital component of TCM was not implemented in applying model with Aetna's members
- Regional variations in service use
  - Comparison group obtained from region with 20% lower utilization rate than mid-Atlantic region

**High Quality**

**+**

**Satisfaction**



**=**


**TCM as High  
Value  
Proposition  
for Aetna**

**Reductions  
in Acute  
Readmissions  
(Costs)**

# Progress to Date

- TCM proposed for expansion as part of Aetna's 2009 Strategic Plan
- Kaiser enrollment complete; data analyses ongoing
- University of Pennsylvania Health System has adopted TCM; Blue Cross plans to reimburse for its members

# Next Steps for Penn Team

- Continue efforts to promote widespread adoption of TCM
  - Use findings to promote needed policy changes
  - Continue to build the science
- 

# How can we improve post-discharge outcomes for hospitalized cognitively impaired elders?

Funding: Marian S. Ware Alzheimer Program, and National Institute on Aging (2005-2010)

# How can we improve transitions of elders in LTC to and from hospitals?

Funding: Rand-Hartford Center for Interdisciplinary Geriatric Health Care Research (2005-2008); National Institute on Aging, National Institute of Nursing Research (2006-2011)

# Acknowledgements

- Research team, nurses and staff
- NewCourtland Center for Transitions and Health
- Translation Partners
- Funders

[www.transitionalcare.info](http://www.transitionalcare.info)