

FILE FOLDER

DESCRIPTION ON TAB:

Service Support School

Outside/inside of actual folder did not contain hand written information

Outside/inside of actual folder did contain hand written information

***Scanned as next image**

IF FOUND PLEASE RETURN TO NREAD
BLDG 1103 CAMP LEJEUNE, NC
PHONE 2083/2195

MC 555

Major Baker

DTS

SSgt Flint
LT McClintock 0444/0445

? / Armory m308

MS M102

SGT BENTLEY

SGT CARR

TTM

MSGT Beckley 0710/0733

Sgt TAYLOR

222

1112

Wings Broken

Right wing

Left wing

0.44/112

Transfer 0.208

0.100

Not better

Not clear

from

most birds

0.10/0.22

24 tanks

M/SGT BECKLEY BIDG m-119 T+M SGC

Cpl Williams PHONE 0710/0738

SGT SOGLE


G/SGT Rink MOTOR TRANSPORT Co.




MIS SGC

LT MESSINGER ITS MAINT (Camp Geiger)

SSgt FORDMAN PHONE 0444

(MISGT HARRIS)





6240
NREAD
DEC 05 1986

From: Commanding General, Marine Corps Base, Camp Lejeune
To: Commanding Officer, Marine Corps Service Support School,
Marine Corps Base, Camp Lejeune

Subj: HAZARDOUS WASTE COMPLIANCE INSPECTION OF MARINE CORPS
SERVICE SUPPORT SCHOOL ON 7 NOV 86

Ref: (a) BO 6240.5
(b) CG/MCB 291625Z Oct/86

Encl: (1) Location of authorized HW Generation and Handling Sites

1. The subject inspection was conducted by Base environmental personnel in accordance with references (a) and (b). Enclosure (1) provides findings, recommendations and supporting information relative to the subject inspection. It should be noted that no violations of Environmental Protection Agency regulations described in reference (a) were observed during the subject inspection.

2. Enclosure (1) was developed based on information provided by the Marine Corps Service Support School HMDO during the subject inspection. Addressee is advised that for the purposes of compliance with reference (a), the sites shown on enclosure (1) will be considered the only authorized locations where hazardous waste may be routinely generated and accumulated by Marine Corps Service Support School. In the event additional sites are required, addressee will make written notification requesting site approval to the Commanding General, Marine Corps Base, attention Director, Natural Resources and Environmental Affairs Division. Except in an emergency, the notification shall be submitted so as to reach Natural Resources and Environmental Affairs Division at least fifteen calendar days prior to using site.

3. Point of contact for this matter is the Base Hazardous Material Disposal Coordinator, Mr. Sammy Gwynn, extension 2083/1690. Mr. Gwynn is available to assist addressee develop a plan of action to correct and to prevent recurrence of cited discrepancies and to maintain compliance with reference (a).

T. J. DALZELL
By direction

DEC 19 1954

Dear Mr. [Name]:

I have your letter of [Date] regarding [Subject].

The information you provided is being reviewed.

I will contact you again once a decision has been reached.

Very truly yours,

[Signature]

[Title]

[Address]

[City, State, Zip]

[Phone Number]

[Fax Number]

[E-mail Address]

[Web Address]

[Social Media]

[Other Contact Info]

[Additional Info]

[Closing Remarks]

[Final Note]

[Signature]

[Title]

[Address]

[City, State, Zip]

[Phone Number]


[Fax Number]

[E-mail Address]

[Web Address]

[Social Media]

[Other Contact Info]



PRIVATE OWNED TRAILERS
GOVERNMENT OWNED TRAILERS

MONTFORD POINT
AREA NO. 3

MONTFORD AREA
POINT NO. 1

MONTFORD POINT
AREA NO. 2

MONTFORD POINT
AREA NO. 2-A

ALL BUILDING NUMBERS
IN MONTFORD POINT AREA
ARE PREFIXED BY - M

MAP OF

MONTFORD POINT AREA

FACED
SURFACED

N
O
R
T
H
E
A
S
T

10

12

N 356,000

E 2,482,000

N 356,000

E 2,478,000

827

244

15

11

17

GALES CREEK

CREEK

KNOX AREA

BLOCK D

BLOCK E

AREA 2

AREA 1

PARPOLI

ROANOKE

ALABAMA

CHOWAN

WILSON

WILSON

WILSON

WILSON

WILSON

WILSON

WILSON

WILSON

WILSON

WILSON

WILSON

WILSON

WILSON

WILSON

WILSON

LEXINGTON COURT

RALEIGH DR

LAUREN DR

CALLER COURT

ROAD

TOLEDO RD

BANK RD

BOSTON

FLORENCE RD

LOUISVILLE RD

CO. ST. D

CO. ST. C

CO. ST. B

CO. ST. A

CO. ST. 1

CO. ST. 2

CO. ST. 3

CO. ST. 4

CO. ST. 5

CO. ST. 6

CO. ST. 7

CO. ST. 8

CO. ST. 9

CO. ST. 10

CO. ST. 11

CO. ST. 12

CO. ST. 13

CO. ST. 14

CO. ST. 15

CO. ST. 16

CO. ST. 17

CO. ST. 18

CO. ST. 19

CO. ST. 20

CO. ST. 21

CO. ST. 22

CO. ST. 23

CO. ST. 24

CO. ST. 25

CO. ST. 26

CO. ST. 27

CO. ST. 28

CO. ST. 29

CO. ST. 30

CO. ST. 31

CO. ST. 32

CO. ST. 33

CO. ST. 34

CO. ST. 35

CO. ST. 36

CO. ST. 37

CO. ST. 38

CO. ST. 39

CO. ST. 40

CO. ST. 41

CO. ST. 42

CO. ST. 43

CO. ST. 44

CO. ST. 45

CO. ST. 46

CO. ST. 47

CO. ST. 48

CO. ST. 49

CO. ST. 50

CO. ST. 51

CO. ST. 52

CO. ST. 53

CO. ST. 54

CO. ST. 55

CO. ST. 56

CO. ST. 57

CO. ST. 58

CO. ST. 59

CO. ST. 60

CO. ST. 61

CO. ST. 62

CO. ST. 63

CO. ST. 64

CO. ST. 65

CO. ST. 66

CO. ST. 67

CO. ST. 68

CO. ST. 69

CO. ST. 70

CO. ST. 71

CO. ST. 72

CO. ST. 73

CO. ST. 74

CO. ST. 75

CO. ST. 76

CO. ST. 77

CO. ST. 78

CO. ST. 79

CO. ST. 80

CO. ST. 81

CO. ST. 82

CO. ST. 83

CO. ST. 84

CO. ST. 85

CO. ST. 86

CO. ST. 87

CO. ST. 88

CO. ST. 89

CO. ST. 90

CO. ST. 91

CO. ST. 92

CO. ST. 93

CO. ST. 94

CO. ST. 95

CO. ST. 96

CO. ST. 97

CO. ST. 98

CO. ST. 99

CO. ST. 100

CO. ST. 101

CO. ST. 102

CO. ST. 103

CO. ST. 104

CO. ST. 105

CO. ST. 106

CO. ST. 107

CO. ST. 108

CO. ST. 109

CO. ST. 110

CO. ST. 111

CO. ST. 112

CO. ST. 113

CO. ST. 114

CO. ST. 115

CO. ST. 116

CO. ST. 117

CO. ST. 118

CO. ST. 119

CO. ST. 120

CO. ST. 121

CO. ST. 122

CO. ST. 123

CO. ST. 124

CO. ST. 125

CO. ST. 126

CO. ST. 127

CO. ST. 128

CO. ST. 129

CO. ST. 130

CO. ST. 131

CO. ST. 132

CO. ST. 133

CO. ST. 134

CO. ST. 135

CO. ST. 136

CO. ST. 137

CO. ST. 138

CO. ST. 139

CO. ST. 140

CO. ST. 141

CO. ST. 142

CO. ST. 143

CO. ST. 144

CO. ST. 145

CO. ST. 146

CO. ST. 147

CO. ST. 148

CO. ST. 149

CO. ST. 150

CO. ST. 151

CO. ST. 152

CO. ST. 153

CO. ST. 154

CO. ST. 155

CO. ST. 156

CO. ST. 157

CO. ST. 158

CO. ST. 159

CO. ST. 160

CO. ST. 161

CO. ST. 162

CO. ST. 163

CO. ST. 164

CO. ST. 165

CO. ST. 166

CO. ST. 167

CO. ST. 168

CO. ST. 169

CO. ST. 170

CO. ST. 171

CO. ST. 172

CO. ST. 173

CO. ST. 174

CO. ST. 175

CO. ST. 176

CO. ST. 177

CO. ST. 178

CO. ST. 179

CO. ST. 180

CO. ST. 181

CO. ST. 182

CO. ST. 183

CO. ST. 184

CO. ST. 185

CO. ST. 186

CO. ST. 187

CO. ST. 188

CO. ST. 189

CO. ST. 190

CO. ST. 191

CO. ST. 192

CO. ST. 193

CO. ST. 194

CO. ST. 195

CO. ST. 196

CO. ST. 197

CO. ST. 198

CO. ST. 199

CO. ST. 200

CO. ST. 201

CO. ST. 202

CO. ST. 203

CO. ST. 204


CO. ST. 205


CO. ST. 206

CO. ST. 207

CO. ST. 208

CO. ST. 209





U S M C AIR STATION

ATLANTIC COAST LINE RAILROAD

CURTIS ROAD

AREA 3

FOR THIS AREA REFER TO SHEET

SUB-STN

COLL STOR

SEVENTH STREET

SIXTH STREET

10

12

13

E.464,000

E.463,000

E.465,000

N.360,000

N.361,000

M. 910.0

M. 915.0

M. 920.0

M. 925.0

M. 930.0

M. 935.0

175' RIGHT OF WAY

PRIVATE DRAINAGE

LINE RAILROAD

50'

50'

S-1212

S-1213

S-1214

S-1215

S-1216

15-1221

15-1222

15-1223

15-1224

15-1225

15-1226

15-1227

15-1228

15-1229

15-1230

15-1231

15-1232

15-1233

15-1234

15-1235

15-1236

15-1237

15-1238

15-1239

15-1240

15-1241

15-1242

15-1243

15-1244

15-1245

15-1246

15-1247

15-1248

15-1249

15-1250

15-1251

15-1252

15-1253

15-1254

15-1255

15-1256

15-1257

15-1258

15-1259

15-1260

15-1261

15-1262

15-1263

15-1264

15-1265

15-1266

15-1267

15-1268

15-1269

15-1270

15-1271

15-1272

15-1273

15-1274

15-1275

15-1276

15-1277

15-1278

15-1279

15-1280

15-1281

15-1282

15-1283

15-1284

15-1285

15-1286

15-1287

15-1288

15-1289

15-1290

15-1291

15-1292

15-1293

15-1294

15-1295

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218


219

220

221

222

223




AUTHORIZED HW GENERATION & STORAGE SITES

AREA 1 Bldg. M119 Generation Site
 M120 Generation & Storage Site

Area 2 Structure M191 Storage Site

AREA 3 DTS Motor Pool Generation & Storage Site



HAZARDOUS WASTE (HW) MANAGEMENT INSPECTION FORM

Date: 7 OCT 84

1. Facility being Inspected: DTS Camp Gage
2. Organization in Charge: MCSJS
3. Inspection Participants/Phone Number: 1st Lt. McClinton / 0444
SSGT Flint / 0445
4. Description of HW Streams: WASTE ELECTROLYTE

5. Are records of HW generation consistent with HW streams? YES

6. HW Training

a. Are job descriptions available for all personnel actively involved in HW management? NO

b. Are training records adequate/current? NO

c. Are alternate personnel assigned to key positions? YES
(If not, explain how unit deals with absence of key personnel)

d. Do contacted personnel demonstrate adequate knowledge of:

- | | |
|--------------------------------|------------|
| (1) Regulatory Requirements | <u>YES</u> |
| (2) Applicable Base Orders | <u>YES</u> |
| (3) Types of HW Handled | <u>YES</u> |
| (4) Proper Containers | <u>YES</u> |
| (5) Proper Labeling | <u>YES</u> |
| (6) Weekly HW Inspections | <u>YES</u> |
| (7) HW Turn-in Procedures | <u>"</u> |
| (8) Health and Safety | <u>"</u> |
| (9) Spill Reporting Procedures | <u>"</u> |
| (10) Spill Response Duties | <u>"</u> |

7. Condition of Storage Facilities

a. Date of last Fire Dept Inspection? 19 SEPT

b. Are spills likely to reach soil or water? YES

c. Are HW protected from weather? YES

d. Are weekly HW inspections conducted properly? YES

1. Facility Name: _____

2. Organization: _____

3. Inspection Party: _____

4. Date: _____

5. Description of HW: _____

6. Quantity: _____

7. Location: _____

8. Date of HW Receipt: _____

9. HW Training: _____

10. Are job descriptions given to the employees involved in HW management? Yes

11. Are training records maintained? Yes

12. Are records maintained for all HW? Yes

13. Do you conduct periodic audits? Yes

14. Regulatory Requirements: _____

15. Applicable State Orders: _____

16. Types of HW Manifest: _____

17. Proper Labeling: _____

18. Weekly HW Inspections: _____

19. HW Transfer Procedures: _____

20. Health and Safety: _____

21. Spill Reporting Procedures: _____

22. Spill Response Plans: _____

23. Condition of Storage Facilities: _____

24. Date of Initial Inspection: _____

25. Date of Final Inspection: _____

- (1) Closed
- (2) Leaking
- (3) Bulging
- (4) Collapsed
- (5) Torn
- (6) Overfilled

Are 20 day...
Are 20 day...
Are 20 day...

HAZARDOUS WASTE (HW) MANAGEMENT INSPECTION FORM

Date: 7 OCT 861. Facility being Inspected: T+M SECTION2. Organization in Charge: MCSSS3. Inspection Participants/Phone Number: MSGT BERKLEYSGT. GULLIAMS4. Description of HW Streams: WASTE ELECTROLYTE FROMUNSERVICEABLE BATTERIES.5. Are records of HW generation consistent with HW streams? YES

6. HW Training

a. Are job descriptions available for all personnel actively involved in HW management? NOb. Are training records adequate/current? NOc. Are alternate personnel assigned to key positions?
(If not, explain how unit deals with absence of key personnel)

d. Do contacted personnel demonstrate adequate knowledge of:

- (1) Regulatory Requirements YES ✓
- (2) Applicable Base Orders ✓
- (3) Types of HW Handled ✓
- (4) Proper Containers ✓
- (5) Proper Labeling ✓
- (6) Weekly HW Inspections ✓
- (7) HW Turn-in Procedures ✓
- (8) Health and Safety ✓
- (9) Spill Reporting Procedures ✓
- (10) Spill Response Duties ✓

7. Condition of Storage Facilities

a. Date of last Fire Dept Inspection? b. Are spills likely to reach soil or water? NOc. Are HW protected from weather? NOd. Are weekly HW inspections conducted properly? NO

1952

1952

1952

1952

1952

1952


1952

1952

1952

1952

1952



HAZARDOUS WASTE (HW) MANAGEMENT INSPECTION FORM

Date: 7 OCT 86

1. Facility being Inspected: MIS
2. Organization in Charge: MC555
3. Inspection Participants/Phone Number: SGT CARR / 0821 / PRIMARY
SGT BENTLEY / ALTERNATE Bldg M102
4. Description of HW Streams: WASTE ELECTROLYTE FROM DROKEN
WET CELL BATTERIES

5. Are records of HW generation consistent with HW streams? YES

6. HW Training

a. Are job descriptions available for all personnel actively involved in HW management? NO

b. Are training records adequate/current? NO

c. Are alternate personnel assigned to key positions? YES
(If not, explain how unit deals with absence of key personnel)

d. Do contacted personnel demonstrate adequate knowledge of:

- | | |
|--------------------------------|------------|
| (1) Regulatory Requirements | <u>YES</u> |
| (2) Applicable Base Orders | <u>✓</u> |
| (3) Types of HW Handled | <u>✓</u> |
| (4) Proper Containers | <u>✓</u> |
| (5) Proper Labeling | <u>✓</u> |
| (6) Weekly HW Inspections | <u>✓</u> |
| (7) HW Turn-in Procedures | <u>✓</u> |
| (8) Health and Safety | <u>✓</u> |
| (9) Spill Reporting Procedures | <u>✓</u> |
| (10) Spill Response Duties | <u>✓</u> |

7. Condition of Storage Facilities

a. Date of last Fire Dept Inspection? 12 SEPT 86

b. Are spills likely to reach soil or water? NO

c. Are HW protected from weather? NO

d. Are weekly HW inspections conducted properly? NOTE 1

1981

1982

1983

1984

1985

1986

1987

1988

1989

1990

1991

1992

1993

1994




State of


182

182

TO THE HONORABLE SENATE OF THE STATE OF
NEW YORK
IN SENATE, JANUARY 18, 1822.
REPORT
OF THE
COMMISSIONERS OF THE LAND OFFICE
IN ANSWER TO A RESOLUTION PASSED
BY THE SENATE, APRIL 18, 1821.

ALBANY: PUBLISHED BY G. BARTHOLOMEW, 1822.





MSGT BECKLEY BIDG M-119 T&M SEC

Cpl Williams PHONE 0710/0738

SGT JEGLE


GYSGT RINK MOTOR TRANSPORT CO.

MIS SEL

LT. MESSINGER DTS MAINT (CAMP GRIGER)

SSgt FORMAN PHONE 0444

(MSGT HARRIS)




INSPECTION FORM FOR HAZARDOUS WASTE HANDLING AND STORAGE AREAS

MIT School / TQM Sec

AREA OF CONCERN	YES	NO	CORRECTIVE ACTION NEEDED (use back of page to log action taken)
A. <u>CONDITION OF CONTAINERS</u> 1. Are containers closed 2. Are containers leaking 3. Are containers bulging 4. Are containers collapsed 5. Are containers corroded 6. Are containers over-filled 7. Other problems present		✓ ✓ ✓ ✓ ✓ ✓	<i>Hard drums needed</i> <i>Bung caps</i>
B. <u>LABELING AND MARKING</u> 1. Are HW labels in place 2. Are HW labels filled out 3. Are hazards (i.e., flammable, corrosive, etc.) labels or markings adequate	✓ ✓ ✓		
C. Are HWs being disposed of by deadlines			
D. <u>SECURITY AND EMERGENCIES</u> 1. Is access limited to authorized personnel only 2. Is emergency response information posted 3. Supplies and equipment readily available	✓ ✓ ✓		

DATE: 21 NOV. 85

SIGNATURE: _____




INSPECTION FORM FOR HAZARDOUS WASTE HANDLING AND STORAGE AREAS

AREA OF CONCERN	YES	NO	CORRECTIVE ACTION NEEDED (use back of page to log action taken)
<p>A. <u>CONDITION OF CONTAINERS</u></p> <p>1. Are containers closed</p> <p>2. Are containers leaking</p> <p>3. Are containers bulging</p> <p>4. Are containers collapsed</p> <p>5. Are containers corroded</p> <p>6. Are containers over-filled</p> <p>7. Other problems present</p>			
<p>B. <u>LABELING AND MARKING</u></p> <p>1. Are HW labels in place</p> <p>2. Are HW labels filled out</p> <p>3. Are hazards (i.e., flammable, corrosive, etc.) labels or markings adequate</p>			
<p>C. Are HWs being disposed of by deadlines</p>			
<p>D. <u>SECURITY AND EMERGENCIES</u></p> <p>1. Is access limited to authorized personnel only</p> <p>2. Is emergency response information posted</p> <p>3. Supplies and equipment readily available</p>			

DATE: _____

SIGNATURE: _____




INSPECTION FORM FOR HAZARDOUS WASTE HANDLING AND STORAGE AREAS

AREA OF CONCERN	YES	NO	CORRECTIVE ACTION NEEDED (use back of page to log action taken)
<p>A. <u>CONDITION OF CONTAINERS</u></p> <p>1. Are containers closed</p> <p>2. Are containers leaking</p> <p>3. Are containers bulging</p> <p>4. Are containers collapsed</p> <p>5. Are containers corroded</p> <p>6. Are containers over-filled</p> <p>7. Other problems present</p>			
<p>B. <u>LABELING AND MARKING</u></p> <p>1. Are HW labels in place</p> <p>2. Are HW labels filled out</p> <p>3. Are hazards (i.e., flammable, corrosive, etc.) labels or markings adequate</p>			
<p>C. Are HWs being disposed of by deadlines</p>			
<p>D. <u>SECURITY AND EMERGENCIES</u></p> <p>1. Is access limited to authorized personnel only</p> <p>2. Is emergency response information posted</p> <p>3. Supplies and equipment readily available</p>			

DATE: _____

SIGNATURE: _____




INSPECTION FORM FOR HAZARDOUS WASTE HANDLING AND STORAGE AREAS

AREA OF CONCERN	YES	NO	CORRECTIVE ACTION NEEDED (use back of page to log action taken)
A. <u>CONDITION OF CONTAINERS</u> 1. Are containers closed 2. Are containers leaking 3. Are containers bulging 4. Are containers collapsed 5. Are containers corroded 6. Are containers over-filled 7. Other problems present			
B. <u>LABELING AND MARKING</u> 1. Are HW labels in place 2. Are HW labels filled out 3. Are hazards (i.e., flammable, corrosive, etc.) labels or markings adequate			
C. Are HWs being disposed of by deadlines			
D. <u>SECURITY AND EMERGENCIES</u> 1. Is access limited to authorized personnel only 2. Is emergency response information posted 3. Supplies and equipment readily available			

DATE: _____

SIGNATURE: _____



ZINOVES Walkthrough inspection w/ MSgt Backley
identified storage sites & pointed out a
couple of minor problems



Handwritten text, likely bleed-through from the reverse side of the page. The text is faint and difficult to decipher but appears to be organized into several lines.

