

BLDG NO

INT. PAINT SQ FT

EXT. PAINT SQ FT

ROOF SQ FT

CONDEN. LINES LIN FT

FACILITY HISTORY RECORD

TC-560

MCBCL 11011/3

JOB ORDER NO	DATE COMPLETED signed	COST	DESCRIPTION
30947	8-30-68	1223	maint + paint - ext
1005	8-11-75	825	Const supply zinc tank training
4737	9-2-77	309	Relocate line + hook up gas service
Cont. # 79-2665	6-80	—	Ext. Paint
4729	Comp	5804	Ext Reprs to bldg before contact pt.
3372	12-10-79	1708	Rplc compressor in heat pump
4685	Comp	269	Rplc brks, wind w glass
3900	Comp	7209	Repair exterior + replace doors.
2123	8-26-83	1929	Install electrical power + vent
3499	1-24-84	5029	REWIRE & REIGHT BLDG.
3563	1-24-84	1359	Dewinterize Central A/C Syst
3209	1-11-91	1169	Repr plaster ceiling in kit
3865	11-8-91	1582	Rplc 100SF SUSPENDED Ceiling PURGED 25 SEPT 95
4744	8-19-94	8811	RPRS TO A/C
4744	8-19-94	0	1st Amd
4744	8-19-94	0	2nd Amd ment
<del>4581</del>	8-7-98	9319	Repl. heat Pump
<del>4581</del>	8-7-98	531	1st Amd Add Wc 63 (20hrs) } 91002 purged
EBFO	1/24/03	5,830	Repl. Chill water pump for AC system 03-2186 Per Page

