



Marina MCAS New Rec. Area

EXISTING	NEW	DESCRIPTION
	—NFM—	NEW FORCE MAIN
	⊙	SEWAGE PUMP BASIN
—X—X—X—		FENCE
—W—W—W—		WATERLINE
—	—	CONNECT
—D—D—D—		DITCH
—S—S—S—		SWALE
□		ROAD SIGN
⊙		FROST PROOF YARD HYDRANT
⊙		GATE VALVE AND CI VALVE BOX
⊙		CHECK VALVE SEE NOTE NUMBER 6
—E—E—E—		OVERHEAD ELECTRICAL LINE
—T—T—T—		TREE LINE

SITE PLAN — WATER AND FORCE MAIN
 SCALES: 1" = 50'

- NOTES: 1) SEPTIC LINES TO REMAIN. PLUG AT DISTRIBUTION BOX OUTLET. REMOVE SEPTIC TANK AND DISTRIBUTION BOX. CONNECT BUILDING SEWER TO NEW SEWAGE PUMP BASIN "A" WITH 4" PVC. PROVIDE NEW CLEANOUT AT CONNECTION WITH A 1% MINIMUM SLOPE.
- 2) SEE ELECTRICAL SITE PLAN FOR NEW OVERHEAD NFM.



