

PURCHASE DESCRIPTION WORKSHEET
MCBCL 4225/2

SPECIFICATIONS

STOCK NO.

4510-000-15589

DRAIN, ^{Contiguous} Multiple waste, end outlet,
1 1/2 in. Slip joint connections, double
inlet, 2 part, 21 in. center to
center, 20 gr. brass, chrome plated,
w/ 4 in. tail piece

Mfg: Bridgeport BRASS (85494)
P/N: 760

SOS: NOLAND OR ATLAS P/N 57-170

P/N: 1813-TT Mfg Code: 32911
Mfg: Kenney Mfg Co.
1170 Main P.O. Box 11159
Newington CT. 06111-3030

*

U/I	EA	U/P	4.90	<input type="checkbox"/> NEW ITEM	<input checked="" type="checkbox"/> SHOP STORES
DATE	AUG	2	1971	<input checked="" type="checkbox"/> DESCRIPTION CHANGE	<input type="checkbox"/> SELF SERVICE CENTER
				Initials fer	



1950-51

1 1/2 in. x 2 1/4 in. joint connecting double
inlet, 2 1/2 in. in center to
center, 2 1/4 in. diameter, threaded
1/4 in. in that pressure

1/4 in. x 2 1/4 in. joint (2000)

2 1/2 in. x 2 1/4 in. joint (2000)

1/4 in. x 2 1/4 in. joint (2000)

1/4 in. x 2 1/4 in. joint (2000)

1/4 in. x 2 1/4 in. joint (2000)

SECTION I

FROM: General Foreman (Maint) I, Emergency/Service Branch

TO: SHOP STORES OFFICER, CENTRAL SHOP STORES BRANCH

DATE: 15 March 1968

1. FSN/MFR PART NO. <u>4510-000-5589</u> <u>SEARS, CAT. # 42-K-1951</u> <u>21"</u>		2. REFERENCE PUBLICATION <u>SEARS, ROEBUCK CATALOG</u> <u>1966 SPRING & SUMMER IS.</u> <u>Page 1110, Item 30</u>		3. MFR MAKE AND MODEL OR EQUIP ID NO.	
4. UNIT PRICE. <u>\$3.59</u>	5. UNIT OF ISSUE <u>EA</u>	6. 30 DAY USAGE <u>3</u>	7. DATE REQUIRED <u>1 May 1968</u>	8. ISSUE POINT REQUIRED <u>MMLV71</u>	

9. DESCRIPTION: CONNECTING WASTE, 1 1/2" Connection, 1 1/2" X 4" tail piece. 20 gauge. Brass tubin, Satin plated, Polyethylene washers, baffled tee. 21" Center to center of outlets. Sears Cat. #42-K-1951 or equal. For kitchen sinks. Needed as replacements in Tarawa Terrace.

SS: Sears, Roebuck & Company, Jacksonville, N. C.

Bridgport Brass

*760 per
RW desc
Jung 7/*

SIGNATURE

L. B. Evans
L. B. EVANS

SECTION II

FROM: SHOP STORES OFFICER, CENTRAL SHOP STORES BRANCH

DATE: _____

TO: TECH AND RESEARCH, STOCK CONTROL BRANCH

CONTROL NO: 1033

RESEARCH

CATALOG

DOCUMENT NUMBER			120 DAY QUANTITY				MARK FOR			
U/I	U/P	MEC	SAC	SMC	MC	RD	O/H	OBLIG	DUE	
<u>EA</u>	<u>3.59</u>	<u>35</u>	<u>1</u>							

REMARKS:

*ok
File*

Cat. 604 + Purch Desc
RESEARCHED BY

(RW)

date APR 9 1968

SIGNATURE _____

OFFICER IN CHARGE, CENTRAL SHOP STORES

4210-600-3281

1993

EA 328 32 1

of the

GA 1004 1004 1004

EA

REQUEST FOR ASSIGNMENT/ADOPTION OF FSN

FROM: Commanding General (MLD) Marine Corps Base Camp Lejeune, North Carolina, 28542		TO: Commanding General MCSA (P840) 1100 S. Broad St. Philadelphia, Pa. 19146	
PART I			
1. REQUEST NO.: MLD-0236-75	2. LOCAL STOCK NO. (If applicable): 4510-00 C00-5589	3. FSN (if known)	
4. ITEM NAME: DRAIN		5. EQUIPMENT APPLICATION/USE (if known): BASE PLUMBING SHOP	
6a. MFR./NON-MFR. NAME(S) & ADDRESS(ES) OR CODE(S): a. 85494		6b. PART/DRAWING NO.(S): b. 760	
7. UNIT OF ISSUE: EA		8. UNIT OF MEASURE:	9. UNIT PRICE: 4.62
10. ITEM IDENTIFICATION: DRAIN, MULTIPLE WASTE, END OUTLET, 1 1/2 INCH SLIP JOINT CONNECTIONS, DOUBLE INLET, 2 PARTS, 2 1 INCH CENTER TO CENTER, 20 GAGE BRASS, CHROME PLATED, WITH 4 INCH TAIL-PIECE			
11. SOURCE OF FSN: CMCR <input type="checkbox"/> OTHER <input type="checkbox"/> IF OTHER, INDICATE SOURCE _____			
12. ANNUAL EST. USAGE: 216	13. REQUESTOR'S NAME: G.W. JONES	14. CODE/PHONE NO.: 21P/ 5143	15. DATE: 29 OCT 1975
PART II			
16. FROM: Commanding General MCSA (P84) 1100 S. Broad St. Philadelphia, Pa. 19146		17. TO: Commanding General (MLD) Marine Corps Base Camp Lejeune, North Carolina 28542	
18. ACTION TAKEN: <input type="checkbox"/> FSN _____ ASSIGNED BY MCSA <input type="checkbox"/> FSN _____ APPLIES <input type="checkbox"/> FSN _____ PHRASE CODE _____ TO NSN _____ <input type="checkbox"/> RETURNED FOR FOLLOWING REASON _____			
19. MANAGEMENT DATA: <u>SoS</u> <u>U/I</u> <u>U/P</u> <u>MEC</u> <u>SAC</u>			
20. ASSIGNOR'S NAME:	21. RELEASED BY:		22. DATE:

12-1-19

THE UNIVERSITY OF MICHIGAN LIBRARY

1910

1910-11

1910-11

1910-11

1910-11

1910-11

1910-11

Cat No	Description	Unfin	Satin Chrome	Std Pkg	Wgt Per C
588 1 1/2" x 1 1/2" 17 Ga		31.80	18.54	25	132
584 1 1/2" x 1 1/2" 17 Ga		11.80	18.54	25	136

With Sweat Outlet Elbow

For 1 1/2" Nom CWT

150 1 1/2" x 1 1/2" 20 Ga		10.82	16.86	25	120
148 1 1/2" x 1 1/2" 20 Ga		11.80	16.86	25	120
551 1 1/2" x 1 1/2" 17 Ga		11.80	18.54	25	136
149 1 1/2" x 1 1/2" 17 Ga		11.80	18.54	25	148

With S.P.S. Outlet Elbow

With Cleanout

147 1 1/2" x 1 1/2" 17 Ga		17.54	21.88	25	116
159 1 1/2" x 1 1/2" 17 Ga		19.09	24.88	25	140
153 1 1/2" x 1 1/2" 17 Ga		19.09	24.88	25	140

SINK TRAPS—Washer Joint, Less Flange

Cast S.P.S. Outlet Elbow

No Cleanout

144 1 1/2" x 1 1/2" 22 Ga		10.38	15.80	25	108
166 1 1/2" x 1 1/2" 20 Ga		10.82	16.86	25	120
168 1 1/2" x 1 1/2" 17 Ga		11.80	18.54	25	128

SINK TRAPS—Reversible S.P.S. Elbow

No Cleanout

162 1 1/2" x 1 1/2" 20 Ga		22.36	26.29	25	128
165 1 1/2" x 1 1/2" 20 Ga		22.36	26.29	25	128
167 1 1/2" x 1 1/2" 17 Ga		24.31	26.76	25	144

SINK TRAP—With 6" Extension for Copper

With Shallow Flange

No Cleanout

135 1 1/2" x 1 1/2" 20 Ga		20.80	25	143
136 1 1/2" x 1 1/2" 17 Ga		22.02	25	157

With Cleanout

137 1 1/2" x 1 1/2" 17 Ga		26.00	25	165
---------------------------	--	-------	----	-----

SINK TRAPS—With Wrot Elbow

Copper Sweat Outlet

170 1 1/2" x 1 1/2" 20 Ga		13.06	13.88	25	98
171 1 1/2" x 1 1/2" 17 Ga		13.96	15.00	25	124

For PVC or ABS Outlet

174 1 1/2" x 20 Ga		13.06	13.88	25	94
175 1 1/2" x 17 Ga		13.96	15.00	25	112

WASHINGTON TRAP

No Cleanout

122 1 1/2" x 1 1/2" 20 Ga		14.56	25	120
132 1 1/2" x 1 1/2" 17 Ga		14.36	25	136
131 1 1/2" x 17 Ga		14.36	25	136

With Cleanout

134 1 1/2" x 1 1/2" 17 Ga		19.16	25	148
133 1 1/2" x 17 Ga		19.16	25	148

ADD FOR BRASS NUT .77 EA
ADD FOR S.P.S. FLANGE .31 EA
ADD FOR DEEP FLANGE .44 EA

CONTINUOUS WASTES

End Outlet—Slip Joint

1-1/2" —22 Gauge		13.74	14.10	25	176
578 21" C to E		16.82	18.12	25	208
579 24" C to E		19.72	20.28	20	230

1-1/2" —20 Gauge

759 16" C to E		18.21	25	200
760 21" C to E		20.65	25	224
761 24" C to E		23.82	20	252

1-1/2" —17 Gauge

859 16" C to E		23.80	25	232
860 21" C to E		25.32	25	268

END OUTLET—Direct Connection

1-1/2" —22 Gauge

583 16" C to E		13.25	14.44	25	168
584 21" C to E		15.88	25	188	
585 24" C to E		19.82	20	220	

1-1/2" —20 Gauge

710 16" C to E		15.91	17.14	25	184
----------------	--	-------	-------	----	-----

Tubular Traps



148-151



147-159



170-171

174-175



122-134

Wastes

Cat No	Description	Unfin	Satin	Std Pkg	Wgt Per C
711 21" C to E			19.25	25	220
712 24" C to E			22.04	20	248

1-1/2" —17 Gauge

810 16" C to E		23.00	25	220
811 21" C to E		27.54	25	304

CENTER OUTLET—Slip Joint

1-1/2" —22 Gauge

580 16" C to C		17.42	17.90	25	176
581 21" C to C		20.90	25	208	
582 24" C to C		25.78	20	230	

1-1/2" —20 Gauge

742 16" C to C		22.98	25	220
743 21" C to C		23.64	25	248
744 24" C to C		27.98	20	315

1-1/2" —17 Gauge

872 16" C to C		28.80	25	240
873 21" C to C		31.72	25	360

CENTER OUTLET—Direct Connection

1-1/2" —22 Gauge

586 16" C to C		14.10	15.07	25	160
587 21" C to C		17.44	25	200	
588 24" C to C		23.42	20	230	

1-1/2" —20 Gauge

714 16" C to C		21.25	25	176
715 21" C to C		23.35	25	212

1-1/2" —17 Gauge

814 16" C to C		27.96	25	220
815 21" C to C		31.18	25	272

THREE PART S & T WASTE

1-1/2" —20 Gauge

763 24" Centers		50.66	6	400
-----------------	--	-------	---	-----

ADD TO LIST PRICE FOR CAST BRASS NUT .77 EACH

DISPOSER WASTES

Direct Connection—With Baffle Tee

589 1 1/2" x 22 Ga x 13" C to E		15.74	25	184
713 1 1/2" x 20 Ga x 13" C to E		16.50	25	212
813 1 1/2" x 17 Ga x 13" C to E		19.90	25	228

CONTINUOUS WASTES

"Tu-Way" End Outlet—Slip Joint

1-1/2" —20 Gauge—With Baffle Tee

746 16" C to E		19.32	25	208
747 21" C to E		21.76	25	240
748 24" C to E		24.92	20	270

1-1/2" —17 Gauge—With Baffle Tee

858 16" C to E		24.90	25	244
857 21" C to E		26.42	25	268

"TU WAY" End Outlet—Direct Connection

1-1/2" —20 Gauge—With Baffle Tee


705 16" C to E		18.19	25	192
706 21" C to E		20.30	25	224
707 24" C to E		23.10	20	232

"TU-WAY" CENTER OUTLET—SLIP JOINT

1-1/2" —20 Gauge—With Baffle Twin Ell

750 16" C to C		24.08	25	220
751 21" C to C		24.73	25	244
752 24" C to C		26.88	20	252

Wastes




583-585
710-712
810-811



580-582
742-744
872-873




586-588
714-715
814-815




763



589-713-813




746-748
856-857













705-707



750-752





TYPE	DESCRIPTION	SIZE	GA.	CAT. No.	PLAIN		SATIN		CHROME	
					Net		Net		Net	
L. A. CODE w/ Brass Nuts	TRAP & WASTE	1 1/2 x 1 1/2	17	160	6.51		6.99		8.70	
		1 1/2 x 1 1/4	17	161	6.54		6.99		8.70	☐
	WASTES - w/TEE	1 1/2	20	566	8.82					
REPAIR TRAPS		1 1/4	20	190			6.63		7.01	
		1 1/2	20	191			7.01		7.52	
RICHMOND KY. CODE	TRAPS - Shallow Flange	1 1/4	17	95	4.85		4.89		5.00	
	Machine Ground Joint	1 1/2	17	93	5.31		5.36		5.57	
	Add for Brass Nut (per nut)				.39		.39		.39	
WASHINGTON SINK TRAPS		1 1/2 x 1 1/4	20	122					6.11	
	For Deep Flange	Add	17	132					6.27	
WASHING MACHINE TRAPS	WASHER JOINT - w/ S.P.S.	1 1/2 x 25 1/2	17	197	10.80		10.86			
	Outlet Elbow	1 1/2 x 25 1/2	22	199	8.15		8.19			
	Sweat Outlet Elbow For	1 1/2 x 25 1/2	17	189	10.80		10.86			
	1 1/2" Nom. C.W.T. For Brass Nut	Add	22	193	8.15		8.19			
					.39		.39			
N.Y. REG.	CAST - S.P.S. Outlet	1 1/4 x 1 1/4		1108			7.82		10.35	
		1 1/2 x 1 1/2		1112			8.18		11.10	
		1 1/2 x 1 1/4		1109			8.18		11.10	
	w/ 3" Sweat Ext.	1 1/2 x 1 1/4		1125					12.06	
	w/ 6" Sweat Ext.	1 1/2 x 1 1/4		1126					13.13	
FT. WORTH CODE	CAST - w/ Swivel and w/ Cleanout	1 1/4 x 1 1/4		1117	12.81		13.19		15.90	
	(Gov't 108 WWP 5-1-B)	1 1/2 x 1 1/2		1121	13.20		14.85		16.67	
		1 1/2 x 1 1/4		1120	13.20		14.85		16.67	
MILW. CODE	CAST CODE BATH TRAP w/ 2" Seal	1 1/2		1208	7.09		7.23			
		1 1/2		1209	7.09		7.23			
	NORFOLK PATTERN Cast Trap	1 1/4 x 1 1/4		1117	12.81		13.19		15.90	
		1 1/2 x 1 1/4		1121	13.20		14.85		16.67	
		1 1/2 x 1 1/2		1120	13.20		14.85		16.67	
CAST "P" TRAPS	"P" TRAPS - w/ Cleanout	1 1/4	20	1182			10.56		11.63	
		1 1/4	17	1183			11.03		12.57	
		1 1/2 x 1 1/2	20	1186			11.88		13.83	
		1 1/2 x 1 1/2	17	1187			13.28		15.11	
		1 1/4 x 1 1/4	17	1185			13.28		15.11	
	"P" TRAPS - Anti-Syphon, w/ Deep Flange	1 1/4	20	1122			23.06		25.17	
		1 1/4	17	1123			23.90		26.06	
		1 1/2 x 1 1/2	20	1270			23.46		25.62	
	1 1/2 x 1 1/2	17	1271			24.45		26.61		
CAST "S" TRAPS	"S" TRAPS - Anti-Syphon w/ Deep Flange 20 1/2 Long	1 1/4	20	1134			23.36		25.25	
		1 1/4	17	1135			21.84		26.85	
		1 1/2 x 1 1/2	20	1282			24.42		26.42	
		1 1/2 x 1 1/2	17	1283			25.92		27.89	
	25 1/2 Long	1 1/4	20	1136			25.26		27.24	
		1 1/4	17	1137			26.85		28.80	
		1 1/2 x 1 1/2	20	1288			26.37		28.35	
	1 1/4 x 1 1/2	17	1289			27.89		29.82		
INLET TUBES	For Anti-Syphon Traps	1 1/4	17	7138					5.18	
		1 1/2	17	11036					5.57	
NOTES	For Cast Brass Nuts	Add Each			.39		.39		.39	
	For S.P.S. Flange	Add			.20		.20		.20	
CONTINUOUS WASTES	END OUTLET w/ Slip Joint	1 1/2 x 16	22	577	5.73		5.97		9.20	
		1 1/2 x 21	22	578	6.75		7.22		10.32	
		1 1/2 x 24	22	579	8.63		9.14		14.06	
	See Cut on Page 347									
		1 1/2 x 16	20	759	7.79		8.22		11.55	
		1 1/2 x 21	20	760	8.52		9.00		12.53	
		1 1/2 x 24	20	761	9.98		10.50		15.33	
		1 1/2 x 16	17	859	9.72		10.32		13.13	
		1 1/2 x 21	17	860	12.14		12.89		15.71	
	w/ Direct Connection	1 1/2 x 16	22	583	5.51		5.87		8.93	
	1 1/2 x 21	22	584	6.45		6.78		9.92		
	1 1/2 x 24	22	585	8.10		8.70		13.26		
	1 1/2 x 16	20	710	7.41		7.73		10.31		
	1 1/2 x 21	20	711	8.18		8.70		12.11		
For Brass nut Add .39	1 1/2 x 24	20	712	9.60		10.19		14.54		
	1 1/2 x 16	17	810	9.38		10.04		12.24		
	1 1/2 x 21	17	811	11.93		12.60		15.89		

55th Revision to Jan. 31, 1979

(57th Issue)

© 1979 BY NOLAND COMPANY

This is illustrative to go with purchase desc. sup 71 RW- 46B. Total 1 month.

(1) 4510-0000 5389 - 1




BRIDGEPORT
TUBULAR BRASS

N-7
347

55th Revision to Jan. 31, 1979

(57th Issue)



TYPE	DESCRIPTION	SIZE, INCHES	GA.	CAT. No.	PLAIN		SATIN		CHROME		
					Net		Net		Net		
CENTER OUTLET w/ Slip Joint		1 1/2 x 16	22	580	7.44		7.62		10.55	☐	
		1 1/2 x 21	22	581	7.95		8.46		11.48		
		1 1/2 x 24	22	582	8.93		9.53		14.46		
		1 1/2 x 16	20	742	9.53		9.98		13.41		
		1 1/2 x 21	20	743	10.80		11.34		13.98		
		1 1/2 x 24	20	744	12.00		12.60		15.72		
		1 1/2 x 16	17	872	12.68		13.26		15.47		
		1 1/2 x 21	17	873	13.73		14.21		16.98		
	w/ Direct Connection		1 1/2 x 16	22	586	5.96		6.44		9.65	
			1 1/2 x 21	22	587	6.77		7.04		9.98	
			1 1/2 x 24	22	588	7.76		8.40		13.50	
			1 1/2 x 16	20	714	8.52		9.39		11.94	
			1 1/2 x 21	20	715	9.56		10.05		13.35	
	WASTES	For Brass Nut Add .39	1 1/2 x 16	17	814	11.42		12.09		14.87	
			1 1/2 x 21	17	815	12.76		13.35		15.83	
THREE PART S. & T. WASTE		1 1/2 x 24	20	763	21.66		23.63		31.35		
DISPOSER WASTES		1 1/2 x 13	22	589	7.14		7.55				
Direct Connection w/ Baffle Tee		1 1/2 x 13	20	713	7.79		8.13				
TU-WAY WASTES	END OUTLET - w/ Slip Joint & Baffle Tee	1 1/2 x 16	20	746			8.70				
		1 1/2 x 21	20	747			9.53				
		1 1/2 x 24	20	748			11.03				
		1 1/2 x 16	17	856			10.86				
		1 1/2 x 21	17	857			13.41				
WASTE ARMS	w/ Direct Connection & Baffle Tee	1 1/2 x 16	20	705			8.25				
	For Brass Nut Add .39	1 1/2 x 21	20	706			9.23				
		1 1/2 x 24	20	707			10.71				
	CENTER OUTLET - w/ Slip Joint & Baffle Twin Ell	1 1/2 x 16	20	750			10.50				
		1 1/2 x 21	20	751			11.85				
SLIP JOINT	w/ Direct Connection & Baffle Twin Ell	1 1/2 x 24	20	752			13.13				
		1 1/2 x 16	20	753			9.92				
		1 1/2 x 12	20	754			10.86				
		1 1/2 x 7	22	570	1.76		1.94		2.33		
		1 1/2 x 11	22	572	2.36		2.54		3.26		
		1 1/2 x 15	22	573	2.78		2.96		3.44		
		1 1/2 x 20	22	574	3.17		3.69		4.56		
		1 1/2 x 23	22	575	3.57		4.32		5.57		
		1 1/2 x 7	20	730	2.64		3.12		3.62		
		1 1/2 x 11	20	773	3.29		3.54		4.25		
		1 1/2 x 15	20	775	3.45		3.78		4.54		
		1 1/2 x 20	20	777	4.20		4.89		5.87		
		1 1/2 x 23	20	779	5.81		6.30		7.74		
		1 1/2 x 29	20	781	6.71		7.08		8.63		
	DIRECT CONNECTION		1 1/2 x 7	17	768	4.14		4.44		5.18	
		1 1/2 x 9 1/2	17	769	4.40		4.89		5.54		
For Brass Nut Add .39		1 1/2 x 15	17	776	4.89		5.52		6.89		
		1 1/2 x 20	17	778	6.57		7.55		8.34		
		1 1/2 x 7	22	561	1.70		1.88		2.28		
		1 1/2 x 11	22	563	2.30		2.48		3.20		
		1 1/2 x 15	22	564	2.72		2.90		3.38		
		1 1/2 x 20	22	567	3.11		3.63		4.50		
		1 1/2 x 23	22	568	3.51		4.26		5.51		
		1 1/2 x 7	20	553	2.58		3.06		3.57		
		1 1/2 x 15	20	557	3.39		3.74		3.99		
		1 1/2 x 20	20	558	4.14		4.83		5.81		
		1 1/2 x 23	20	559	5.73		6.24		7.68		
P. O. PLUGS			1 1/2 x 7	17	537	4.08		4.40		5.12	
			1 1/2 x 9 1/2	17	538	4.34		4.83		5.48	
	For Brass Nut Add .39	1 1/2 x 15	17	540	4.83		5.46		6.83		
		1 1/2 x 20	17	541	6.66		7.49		8.28		
	WROT	1 1/4 x 5	22	250					2.84		
		1 1/4 x 6	22	251					3.38		
		1 1/4 x 8	22	252					3.44		
		1 1/4 x 12	22	253					3.66		
		1 1/4 x 5	17	254					4.58		
	ONE PIECE	1 1/4 x 5	22	235					2.16		
FORGED PLUG	1 1/4 x 8	22	238					2.81			
C. O. PLUG	WROT - w/o Overflow	1 1/4 x 5	22	267					7.05		
		1 1/4 x 5	22	257					2.75		
OVERFLOW DRAIN	BEVERAGE EQUIPMENT Overflow Tube	1 1/4 x 8 1/2	22	279			2.88				
	C.O. Basin w/ Chain and Stopper			259			4.08		4.61		


CONTINUOUS WASTES



WITH THE EXCLUSIVE KEENEY WROUGHT TEE*


DIRECT CONNECTION — END OUTLET — WROUGHT TEE *

Catalog Number	Length	Gauge	Rough Brass	Satin Nickel	Pol. Chrome	Std. Pkg.	Wgt. Lbs.
4553-ATT	25"					25	38
4813-ATT	21"					25	33
4815-ATT	16"					25	28
1553-ATT	25"	20				25	51
1813-ATT	21"	20				25	37
1815-ATT	16"	20				25	34



SLIP JOINT CONNECTION — END OUTLET WROUGHT TEE


Catalog Number	Length	Gauge	Rough Brass	Satin Nickel	Pol. Chrome	Std. Pkg.	Wgt. Lbs.
4553-TT	25"					25	42
4813-TT	21"					25	39
4815-TT	16"					25	32
1553-TT	25"	20				25	52
1813-TT	21"	20				25	45
1815-TT	16"	20				25	40



4510-00005589 - equal to Submitt Brass P/W 760

WROUGHT TEE ONLY — WITH TAILPIECE

Catalog Number	Size	Rough Brass	Satin Nickel	Pol. Chrome	Std. Pkg.	Wgt. Lbs.
540-TT	Tee Slip Joint Conn. E.O.				6	3
540-ATT	Tee Direct Conn. E.O.				6	3



540TT



540ATT

ALL OF THE ABOVE AVAILABLE WITH CAST BRASS NUTS

**USE KEENEY'S WROUGHT TEE
FOR ABSOLUTE TROUBLE-FREE PERFORMANCE
LOWER UNIT COST
INSTALLATION FEATURES**

*Patent Applied For

EYE IT . . . TRY IT . . . YOU'LL CONTINUE TO BUY IT

*1813 TT
1813 TT VBB
1 may 84
acceptable sub
on 4510-00005589*

