

From: Ms. Betz, Quality Control Lab., Environmental Section, NREAB, BMaintDiv

To: Mr. Sharpe, Supervisory Ecologist, Environmental Section, NREAB, BMaintDiv

Subj: Grainger Contract; FY83 Funds for

1. The Grainger contract, covered presently under Purchase Order #M67001-82-M-5084, runs from 1 April 1982 to 31 March 1983, but new money will have to be allotted it 1 October 1982, from FY83 funds. The following paragraphs break down the funds that might be required.

2. All that is required by the SDWA is 4 samples from HP and NR systems. However we have been taking 5 samples per system. The costs show below for both ~~the~~ 4 and 5 samples/system.

	4/WTP	5/WTP
HP & NR Quarterly	\$400	\$500

3. General Cooper had been concerned about the RR WTP system because the old chemical landfill is near it. He had committed us to monthly monitoring that WTP. Adding the costs from the previous paragraph, below shows the cost of monitoring the RR and the total is for RR, HP, and NR.

RR Quarterly	\$200	\$250
Total	\$600	\$750

RR Monthly	(\$600) 400	(\$750) 500
Total	\$1,000	\$1,250

4. The New River Air Station Water System borders on the edge of the limit, so there has been an emphasis to correct it and in doing so it has been monitored monthly. Below lists the costs for the additional monthly sampling and the totals reflect the ~~total~~ costs of the previous two paragraphs.

NR Monthly	\$400	\$500
Total	\$1,400	\$1,750

5. General Cooper had also been concerned about the quality of water in the other systems, even though the populations served by the systems were not large enough to be covered by the SDWA. Below lists the costs for the additional quarterly sampling of the other five systems and again the totals reflect costs of previous paragraphs.

HB, TT, MP, CHB, OB Quarterly	\$1,000	\$1,250
Total	\$2,400	\$3,000

CLW

6. The cost of doing all eight systems quarterly or monthly are showed below.

All Eight Quarterly	\$1,600	\$2,000
All Eight Monthly	\$4,800	\$6,000

0000000612

*Elizabeth Betz*