

FOLLOW UP RECORD OF

OPERATIONS
RECORD

7530-00-222-3525
FEDERAL SUPPLY SERVICE
(GPO)

CLW
000006774

FC

CLW

000006775

CLW

0000006776

9

1

CLW
0000006777

CLW

0000006778

9-9-77 Contacted B.L. about bare line
not being fixed at BA-138. Said
he would take care of,
Plumbing Shop lost Ticket. Turned
in another 9-9-77

10-13-77 NOTIFIED R.N. TO Tell Mr. Samin
to remove bench grinder Ser #
703658 from Property list &
transfer to Stear Gen.

10-19-77 GAVE GAS CARD for forklift
to 'MARINE' DRIVING GAS TRUCK
for CIVILIAN. SAID HE WOULD PUT
IT IN BOX for MR. SANDERS.
TRUCK # 256230

10-27-77 Told Mr. Wilson to get Mr. for
truck saying he stored lines at
C.G. Mr. Wilson said he would
take care of.

2-8-78 Telcon Between me + Warren Sandus
Heavy Equip - P.M. crew Responsible
for Changing Oil in Generator - 670

CLW
0000006779

CLW

0000006780

2-23-78 - Mr. Wilson said he would see Mr. Kitz about tagging all Switch Boxes at all water plants so they can be painted orange

3-1-78 - Installed Battery in 640 well
~~it~~

5-9-78 2 Electricians from M.P. Maint. called to fix fan 670 to Cl₂ Room. Took out + left in floor - told us to take to Electric Shop! Miller took to shop + NOTHING WRONG WITH FAN. TOLD MILTON TO TAKE BACK out to 670 + leave in Cl₂ Room. Called BATCHOR AT M.P. + TOLD HIM.

7-27-78 (1150) Mrs. Barber called from 1242 Meas complaining of water problem. Asked if she had called Housing she said yes. Price said Col. Wood said don't worry about it until Housing calls us. She told me I was the one that she had recorded

That was acting silly on the
phone. Told her I was not.
Said her water ~~had~~ scale in her
pots. Told her ^{left} when she boiled it
that it would do that unless water
was 0 hardness which ours was
not.

M

CLW

0000006781

CLW

0000006782

8-9-78

6-26

6-27

6-38

} Gas
filled up by Parking Lt.

3-21-79-

Sent Continental
Red Seal Pump Book To
Heavy equip.

3-23-79

cut 2 New wells on with
Booth. Set on 150 gpm according
to Booth

5-10-79

Received call from fire Dept
that TC-504 (J) well burned up.
Building + all.

5-14-79

L. Packer notified me he got a
ticket at coterie. Said he had to
go to Bathroom + since he was there
he got a sandwich.

5-18-79

J.W. Shackelford let Barrie
Tank Run over at M.P.
Mett. had to cut off.

5-23-79 B. MONOT 45 Mins late
ON 5-22-79. CONTACTED TODAY
& SAID Friend Died & He was
Helping guys wife on Base to
fill out Papers. Said Tried to
Call But Man would not let
him use phone. Informed him
That next time to Call No
Matter what.

6-6-79 LT. from legal called
about water table. Told ~~to~~ him
That static water table at
Camp Lejeune had remained roughly
same for past years. fall some
in Summer & gain a little
in winter. That Richlands & Fox
Area were on Castle Hayne Aquifer
Duct & Engineer that did study
for that area said had ample
water & new wells in that area
would not hurt supply according
to ^{sup.} paper.

CLW

000006783

Mixing shop
Paint

Light Blue - Precious
Dark " - Antitea
Brown - AURiole

CLW

000006784

CLW

0000006785

5-23-79 E. Riggs DID NOT BACKWASH
#2 POOL ON 8-4.
100 HRS Overage. THIS DATE
4 DAYS

6-11-79 AREA #2 POOL OVER 2.0 P.P.M
CL. ON 6-8-79
L. PARKER LOCKED UP COMPORATOR
IN OFFICE AT POOL. BROUGHT
SAMPLE TO LAB FOR 1500 CHECK.
E. RIGGS ON 4-12. HAD TO CARRY
CHECKS AROUND. CHECKED POOL.
LATE DUE TO COMPORATOR LOCKED
UP & CHECKS. CUT CL₂ OFF
WHEN CHECKED.

6-20-79 E. Riggs DID NOT BACKWASH
#2 POOL ON 8-4. Overage
460 HRS. JAMES CAME ON
P.P. POOL 424 HRS. Overage

6-21-79 Notified E. Pool at NCAS
2½' low on water level in Pool
ROGINS ~~ROGINS~~ & HARTSON

CLW

0000006786

7-12-79 L. PARKER Collected SAMPLES
ON 7-10-79. 8-4 SHIF. T.
7 SAMPLES SHOWED UP WITH
COLIFORM. CALLED PARKER + STATED
HAD NO MATCHES TO FLAME SPIGOTS.
CLARK AT LAB SAID THEY
HAD SUPPLY OF MATCHES FOR
ASKING. PARKER ALSO SAID GOT
BAD SAMPLES FROM OUTSIDE
SPIGOTS

7-12-79 R.C. WETHERINGTON DID NOT
CHECK POOLS OR WELLS ON 12-8
7-8-79. STATED HE WAS SICK
+ THROWING UP. SAID HATCHER
WOULD VERIFY. SAID ONLY
FOUND OUT HE HAD TO COME TO
WORK AT 1100 + DID NOT
FEEL GOOD.

7-16-79 - Mr. ELSTON SAID 1 MAN
CAN CHECK PUBLIC HEAVEN HARD.
EFFECTIVE THIS DATE

M

7-26-79 Suit Wad eaten To Steam
plt.

7-30-79 Changed Miller's Time To 3036
for Mon. & Tues. 7-30-79 + 7-31-79
as per. By Ron Seales. Miller
Working at lab.

8-14-79 INSPECTED T.T. DIET

8-14-79 M.P. GRASS Needs Cutting
PLT. LOOKS good

8-14-79 P. Pool Reported AS 7.0. pH,
(ADKINS)

8-24-79 Received Word from CDR. LASALLE
Preventive Medicine, That Contents of
Sample from P.P. Pool. 41.7% Copper.
Date of Sample 8-8-79. M. Marchello,
added 20 lbs. of Tri-Sodium Phosphate
Supposedly.

CLW

0000006787

CLW

0000006788

8-28-79 Tried To Sample Complaint
from C.K. 1518
No One Home - BAD Dog.
DID NOT Sample

9-10-79 Called Col. KAERNER
to see if P.P. Pool Closed.
Secretary SAID IT WAS.
ALSO O. CLUB SAID IT WAS
CLOSED.

Called Special Services - MCAS
MGSY SAID O Pool closed
AT MCAS. E. Pool Closed
after fire.

10-30-79 Sent A. Reggs PAIR BOOTS
" H. Foy " "

1-10-80 - Poly-Phosphate out ~~at~~ at T.I.
Check Chemical Analysis

1-29-80 Reitt Pick-up SUPPLIES - C.4/B.

2-1-80 T. Cole Called About Meoia
for Septener - Talked to Price,

2-6-80 Horeis Called - Water Septener
at M.P. who is holding up completion
as a contractor. Price to call him.

2-8-80 Called Encee Ch. ON Price for
MURZON ACID. Inform. could not
By a Auth. Buying

2-8-80 Horeis Called About Water Septener
M.P. when complete need R.P.R.

Told Horeis like to wait until
Price gets back. if CONT " call
+ I would take care of it.

2-8-80 - Called Me. Cumley About Rushing
Order for Clr.

2-8-80 - Received Call Rudy Pittman - Question
about Brine Tank. Told him I did
not know. Be here next wed. about
M.P.

CLW

0000006789

2-8-80. Tom Cole Called about fl₂
Price To high for Req. over \$500.00
Told him to cut qty. To 7 Bags.

2-12-80 - Ramsay left cl₂ on #5 Pool.
2.0 P.P.M 4-12.

2-12-80. T. Cole Called about cl₂ Cyl. MCAS.
Had to go competition. Told him
had to go to Jona Chem Because
Their Cyl. were already at MCAS
empty & had to return them.
if went to another Co. had to room
for cyl.

2-13-80 - Called Harris. about R.P.R. M.P.
Septenn. Told R. Pittman Be here
next week

2-13-80. M.R. H. informed me to Relieve
R.P.R. on Septenn. M.P.

2-13-80 - Call Harris Told him were going
to relieve R.P.R.

CLW

000006790

2/21/80 0845 Returned Call from Mr Harris P+C.
for information on quick opening 8" valve
ordered on Doc. # 0045W001, Mr Harris stated
that this valve was no longer provided, I asked
him to substitute it with a #310 Dynasal
ball valve 150 LB WP. He stated that would be
OK he would take care of it. WRP

2/19/80 1600, Called Mr Harris about Pump ordered on
P.O. # 3923 for T.I. 38, subject pump was installed
~~on~~ on Feb. 15-1980 by plumbing shop, pump was designed
to pump 500 GPM but was only doing 350 to 400 GPM.
The plumbers had no success in making adjustments,
Mr Harris said he would call Mr Taylor of TENCARVA
and get back to me. WRP

2/19/80 1615 Mr Harris called stating that Mr
Taylor would meet me at T.I. 38 at 10:00 AM
Wed. Feb. 20-1980.

2/20/80 10:30 AM Mr Taylor came by, after studying
the pump data, he made an ~~adjusted~~ adjustment
adjustment on the impeller, this corrected the
problem the pump is now pumping 500 GPM
and everything is OK. WRP

CLW

000006791

2-21-80

Talked TO L. Poem about being late.

Intermed him happened twice now - Today
& last week. Continued Take other action.

2-21-80 Call IND. Sales for price on plug
valve for T.T.

2-21-80 Called Dillon ^{SUPPLY} on price for plug valve.

2-21-80 Called Mill + Contractors

¹⁴⁰⁰
2-22-80 MR. HARRIS CALLED. NEEDS SIZE ON WKM
VALVE PRICE ORDERED.

2-29-80 L. Cole called from localities
about closing filter Pump at #5
Pool 3-1-80 for Swim Meet.
Terry said O.K.

3-6-80 Mr Harris called, 10:45 stated that he
had placed order for ball valves Doc #
on priority 07 he stated that
this order would be in by the first of
next week. final delivery date 3/14/80

CLW

0000006792

CLW

0000006793

5-6-80

T. Cole Called about fl₂ Order from Dearborn.
Know if same as ordered in Feb. Told him
I would try to find Price.

5-7-80

ISSUED Hatcher can Plugs - (Small)

Sent Barber Re. Boots - MCAS

3-17-80

lent Steam pl^{extra}. Set of Scales from
Booster Pump. Return later

3-17-80 Call Don Hesse about Price for
Pipe Top - $\frac{1}{8}$ " \rightarrow 1"

3-17-80 Called T. Cole on Bag time +
Bulk time due now - When B.T.P?

3-18-80 J. Sprockelood out Sick.
Called me at 1000 - Said Painting
Made him Sick. Went to Doctor
But Doctor out. Be Back Thursday

CLW

0000006794

5-7-80

Progett Has well Book

5-21-80

Sgt Called from Camp Knox. 2315 Alberty
Dr. Said water Tasted like dirt.
Sent Morton + Campbell to check
out after 1300.

5-27-80

T. Hatcher Said To Dis. Continue Checking
Pools.

6-3-80

John Cotton Called from Pub. Wks. & Said
That we Could fill up O.B. Tank on
Thursday - Drain after 24 hrs + re fill.

6-5-80

Called Mr. Wood About Sample Collected
from Schaal. T.I. II. O.K.

M

6-5-80

Received about 15 calls from T.T. Area
Complaining about poor water quality.
Changed camp koox from T.T. TO M.P.
Yesterday.

6-16-80

gave Cold Storage - Plastic Tank
55 gal. Anderson chemical
Tank

6-17-80

Called May 29 + May 26. About
our people checking elevated TANKS one
TO Telemeter out. Guecos said would
in-fam O.D.

7-8-80

Ordered Propane for MCHS.

CLW

000006795

CLW

000006796

7-22-80

lent Steam Weed-eater Bush 7-31-80
lent Sewage Needle Scales

7-28-80

LIME CAME IN - 2300 - TOLD NET TO
UNLOAD UNTIL 0800.

M

Utility Office Said TO Charge
16 HRS per Day per Shift TO Maint.
Running out of Money.

M

Sent 40 ft. ladder TO Sewage 8-26-80

M

1-7-81

Hogan Stayed 30 mins at 670. Told SCOTT TO
Tell him TO go home at 0800. Hogan Said
No Problem when I ASKED Him ABOUT IT. DID
NOT pay overtime

10-1-80

LOCK BROKEN MO9. 2003 -

10-2-80 found Battery Missing.

SENT. JACK + HOIST TO R. LAMIN BY R. VICK.
2-9-81

M

2-13-81

Checked 4 houses in T.T. Complaint from.

TT-2969 + TT-2985

T.T. 2969 - - Cl. O.O. Free

Goldfish Died
Rabbit "

1.1. TOTAL

After 2 mins. 1.0 Free

1.1 TOTAL

House filthy - Dog Piss + Shit in floor
Dishes + Meas all over
Terrible odor - Roaches in sink

T.T. 2965 - Filthy - Free. .6

TOTAL - .9

After - 2 mins. Free 1.0 p.p.m

CLW

0000006797

CLW
0000006798

TT-2973 - 9 yrs No Problem
Original .8 Free - Had Been washing
Dishes

TT-2985 - Filthy - Terrible. No words to explain
.8 Free Residual
Complaining Because Baby was Sick. (Re-Sampled This Date)

95QT. Weinstein - 2228 - B-3

Denied 24 Hrs Ld Due TO well Maint.
16 - Morton - 8 - ODon.
2-24-81

DD FORM 1348 (4-PT) 1 MAR 74	DOCS. IDENT.	ROUT. IDENT.	FSC	NTIN	ADD. UNIT	QUANTITY	REQUISITIONER	DATE	SERIAL	SUPPLEMENTARY ADDRESS	FUND	DISTRIBUTION	PROJECT	PRIORITY	REQ. DEL. DATE	ADJ. STAT.																						
SEND TO:	STOCK NUMBER	DOCUMENT NUMBER	REQUISITION IS FROM:	DOC. IDENT.	ROUTING IDENTIF.	M & S	FSC	NTIN	ADDIT	UNIT OF ISSUE	QUANTITY	DOC. IDENT.	ROUTING IDENTIF.	M & S	FSC	NTIN	ADDIT	UNIT OF ISSUE	QUANTITY																			
A	1	2	3	4	5	6	44	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29		
C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB	AC	AD	AE	AF	AG	AH	AI	AJ	AK	AL	AM	AN	AO
REMARKS	1690528	002298	5988	20 APR 82	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB	AC	AD	AE	AF	AG	AH	AI	AJ	AK	AL	AM	AN	AO	AP	AQ	AR	AS
DOLLARS	CENTS	DOLLARS	CENTS	UNIT PRICE	TOTAL PRICE	ADVICE	RI - TO	67	68	69	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90		

EDITION OF 1 AUG. 61 MAY BE USED UNTIL EXHAUSTED

72
10/20/50

1

CLW
000006799

April 81

2298 - Util Off - Simplicity Rider

C.H.B. - B.P.C. 0006 - 24" Push

McAS - BPC. 0004 - Montgomery Ward - Push

562680 - Comet Rider

422673 - 26" VA200 - Self Propelled

B-20 - 2094 - Simplicity Rider

513793 - 26" VA200 self Propelled

3319 - Simplicity - Push

EXTRA - 472462 - 24" Push

BPC-0105 - 26" VA200 - Self Propelled

RR. 422652 - 26" VA200 - self Propelled

H.B. 512706 - 26" VA200 - self Propelled

368609 - 3 wheel - VA200 - Rider

TT - 91072579 - Comet Rider

(3320) 1690511 - Simplicity Push

M-178 519245 - 26" VA200 - Self Propelled (NOT ON LIST)

CLW

0000006800

4-30-81- 670 Has to wash filters 3 Times
a Day. Due to increased water
usage & bad lines. Since 4-26-81
filters STOPPING UP with bad lines

5-8-81- Told P. To Tell Rittl To order
2 boxes of Lime. 6-20

CLW

000006801

CLW

0000006802

7-15-81

Received 6 Sticks of Shaft from
Machine Room at front creek, 10' Length
1 3/8" Shaft. # 7276-wo12. No Record
at Purchasing 1977. Wade said he knew
nothing about it

9-11-81

Talked with R. Peerin at C.H.O. & said
they would take care of ordering Breaker
for R.R. 225 Amp

9-24-81

Lent Sewage Pt. 3" Pump & hose

10-6-81

263184 Came Back from Motor T. After P.M.
with Dent & Paint on Back Right fender.
Took to Cooper & he put Rubbing Compound
on Back & said it was O.K. Rich
Driver

10-9-81

Meritt Hellamp Picked up Welder this
Date: Mike Rich Michael Rich

12-16-81

Ordered gas for B-20.

KEY TO SBA 108 CHECKED
OUT TO SHOP 52 John M. Horne
KEY BACK in office at 1100 AM 12/13/83 (X.L.)

CLW

000006803

5-20-87 Had Fire DRILL AT B-20

CLW

000006804

CLW

000006805

CLW

000006806

CLW

0000006807

CLW

000006808

CLW

000006809

CLW

000006810

CLW

000006811

CLW

0000006812

CLW

000006813

CLW

000006814

CLW

000006815

CLW

000006816

CLW

000006817

CLW

000006818

CLW

000006819

CLW

000006820

CLW

000006821

CLW

000006822

CLW

000006823

CLW

000006824

CLW

000006825

CLW

0000006826

CLW

000006827

CLW

000006828

CLW

000006829

85280

CLW

0000006830

CLW

0000006831

1787000000

CLW

000006832

CLW

000006833

CLW

000006834

CLW

0000006835

CLW

000006836

CLW

0000006837

CLW

000006838

CLW

0000006839

11 2 2000

CLW

0000006840

CLW
000006841

CLW

000006842

1782000000

CLW

000006843

CLW

000006844

CLW

000006845

CLW

0000006846

CLW

000006847

CLW

000006848

CLW

000006849

CLW

000006850

CLW

000006851

CLW

0000006852

1000000000

CLW

000006853

CLW

000006854

000006854

CLW

0000006855

CLW

000006856

CLW

000006857

CLW

000006858

CLW

000006859

CLW

0000006860

CLW

000006861

CLW

0000006862

181
P. R. ...

CLW

000006863

CLW

000006864

2021

0000000000

CLW

000006865

CLW

0000006866

7/27
1968

CLW

0000006867

0000000000

CLW

0000006868

0000006868

CLW

0000006869

0000000000

CLW

000006870

CLW

000006871

APR 20 1964

CLW

0000006872

CLW
000006873

CLW

0000006874

CLW
000006875

CLW
0000006876

12
00000000

CLW

0000006877

CLW

000006878

878 0000

CLW

000006879

CLW

000006880

CLW

000006881

CLW

000006882

CLW

000006883

2370

CLW

000006884

CLW

000006885

CLW

000006886

CLW

000006887

000000000

CLW

0000006888

088-31-1111

CLW

000006889

CLW

0000006890

CLW

000006891

96000000

CLW

0000006892

CLW

000006893

CLW

006894

CLW

000006895

1973

CLW

000006896

CLW
0000006897

APR
1977

CLW

0000006898

10/10

10/10 0000

CLW

0000006899

1988

CLW
0000006900

CLW

0000006901

0000006901

CLW

0000006902

607800000

CLW

0000006903

WLP

1220000000

CLW

0000006904

0000000000

CLW

000006905

W.H.

1940

CLW

0000006906

CLW

0000006907

0000

CLW
000006908

0000000000

CLW
0000006909

0000000000

CLW

000006910

00000000

CLW
000006911

11-20-08

CLW

0000006912

0000000000

CLW
000006913

CLW
0000006914

01000000

CLW

000006915

CLW

000006916

000006916

CLW
0000006917

0000000000

CLW

0000006918

114823030

CLW

000006919

GLW

0000006920

CLW
000006921

0-4400000

CLW

000006922

0000000000

CLW
000006923

CLW
000006924

CLW
0000006925

10-11
10-11-11

CLW

000006926

CLW

0000006927

0000006927

CLW

0000006928

CLW
0000006929

CLW

0000006930

00000000

CLW
0000006931

CLW

000006932

CLW
0000006933

W
18000000

CLW

000006934

000006934

CLW

000006935

CLW

0000006936

000000

CLW
0000006937

10/20

2000000000

CLW

0000006938

0000000000

CLW
0000006939

CLW
0000006939

CLW
000006940

CLW
0000006941

11/10
11/10/10/10/10

CLW

0000006942

CLW
000006943

CLW

000006944

CLW

0000006945

W.F.

0000

CLW

000006946

CLW
000006947

000006947

CLW

0000006948

CLW
000006949

CLW

0000006950

CLW

000006951

0000000000

CLW

0000006952

CLW

000006953

CLW

000006954

CLW

0000006955

CLW

000006956

CLW

000006957

00000000

CLW

0000006958

CLW

0000006959

CLW

000006960

CLW

0000006961

CLW

0000006962

1000000000

CLW

0000006963

CLW

0000006964

VIT

10343111

CLW
0000006965

CLW

0000006966

2000.000

CLW

000006967

CLW

0000006968

CLW

0000006969

CLW

0000006970

CLW
000006971

CLW
0000006972

CLW
000006973