

SODA ASH (SODIUM CARBONATE) STATISTICS¹

U.S. GEOLOGICAL SURVEY

[All values are in metric tons (t) gross weight unless otherwise noted]

Last modification: October 9, 2012

Year	Production	Imports	Exports	Stocks	Apparent consumption	Unit value (\$/t)	Unit value (98\$/t)	World production
1900	329,000	NA	NA	NA	329,000	NA	NA	NA
1901	NA	NA	NA	NA	365,000	NA	NA	NA
1902	NA	NA	NA	NA	400,000	NA	NA	NA
1903	NA	NA	NA	NA	435,000	NA	NA	NA
1904	471,000	NA	NA	NA	471,000	NA	NA	NA
1905	NA	NA	NA	NA	494,000	NA	NA	NA
1906	NA	NA	NA	NA	517,000	NA	NA	NA
1907	NA	NA	NA	NA	540,000	NA	NA	NA
1908	NA	NA	NA	NA	563,000	NA	NA	NA
1909	586,000	NA	NA	NA	586,000	NA	NA	NA
1910	699,000	NA	NA	NA	699,000	NA	NA	NA
1911	775,000	NA	NA	NA	775,000	NA	NA	NA
1912	849,000	NA	NA	NA	849,000	NA	NA	NA
1913	816,000	NA	NA	NA	816,000	NA	NA	NA
1914	848,000	NA	NA	NA	848,000	NA	NA	NA
1915	1,070,000	NA	NA	NA	1,070,000	NA	NA	NA
1916	1,100,000	NA	NA	NA	1,100,000	NA	NA	NA
1917	1,280,000	936	44,600	NA	1,240,000	NA	NA	NA
1918	1,280,000	0	108,000	NA	1,180,000	NA	NA	NA
1919	918,000	376	45,800	NA	873,000	NA	NA	NA
1920	23,000	688	75,600	NA	775,000	41.70	339	NA
1921	693,000	0	15,900	NA	677,000	38.20	347	NA
1922	30,400	0	13,400	NA	904,000	22.70	220	NA
1923	1,140,000	0	13,200	NA	1,130,000	23.40	223	NA
1924	40,700	0	13,000	NA	1,170,000	20.50	195	NA
1925	1,230,000	0	14,700	NA	1,220,000	22.20	207	NA
1926	51,500	0	17,900	NA	1,270,000	22.40	206	NA
1927	1,330,000	0	18,500	NA	1,320,000	20.60	192	NA
1928	72,400	0	30,200	NA	1,470,000	21.80	208	NA
1929	1,650,000	13,000	35,400	NA	1,630,000	20.50	196	NA
1930	81,900	2,350	29,900	NA	1,480,000	19.40	190	NA
1931	1,360,000	6	25,100	NA	1,340,000	17.20	184	NA
1932	50,200	14	12,500	NA	1,410,000	17.70	210	NA
1933	1,500,000	14	25,800	NA	1,480,000	14.40	180	NA
1934	80,100	64	30,300	NA	1,900,000	15.70	190	NA
1935	2,360,000	18	39,500	NA	2,320,000	13.90	165	NA
1936	93,300	40	40,200	NA	2,540,000	11.90	139	NA
1937	2,800,000	28	49,700	NA	2,760,000	12.50	142	NA
1938	2,340,000	18	46,300	NA	2,300,000	13.60	157	NA
1939	2,770,000	7	72,600	NA	2,700,000	13.50	158	NA
1940	2,910,000	0	53,100	NA	2,840,000	13.80	161	NA
1941	3,410,000	54	75,700	NA	3,330,000	13.70	152	NA
1942	3,570,000	1	58,500	NA	3,500,000	15.70	157	NA
1943	4,150,000	7,650	72,600	NA	4,080,000	16.90	159	NA
1944	4,280,000	8,560	71,700	NA	4,210,000	17.10	158	NA
1945	4,140,000	16,600	63,500	NA	4,080,000	17.20	157	NA
1946	4,080,000	5,340	21,900	NA	4,020,000	17.50	146	NA
1947	4,350,000	615	28,900	NA	4,290,000	22.10	161	NA
1948	4,330,000	28	188,000	NA	4,220,000	25.30	171	NA
1949	3,740,000	15	68,600	NA	3,670,000	23.00	157	NA
1950	3,930,000	43,700	57,600	NA	3,880,000	23.70	160	NA

SODA ASH (SODIUM CARBONATE) STATISTICS¹

U.S. GEOLOGICAL SURVEY

[All values are in metric tons (t) gross weight unless otherwise noted]

Last modification: October 9, 2012

Year	Production	Imports	Exports	Stocks	Apparent consumption	Unit value (\$/t)	Unit value (98\$/t)	World production
1951	4,950,000	0	141,000	NA	4,800,000	26.30	164	NA
1952	4,320,000	0	96,100	NA	4,230,000	26.70	164	NA
1953	4,810,000	0	150,000	NA	4,660,000	28.00	170	NA
1954	4,730,000	0	149,000	NA	4,590,000	28.30	172	NA
1955	5,080,000	0	139,000	NA	4,870,000	26.90	164	12,800,000
1956	5,130,000	0	220,000	NA	4,910,000	29.40	176	NA
1957	4,840,000	0	158,000	NA	4,660,000	30.00	175	NA
1958	4,490,000	0	94,300	NA	4,400,000	29.90	169	NA
1959	5,100,000	0	139,000	NA	4,980,000	28.60	160	14,400,000
1960	4,850,000	0	141,000	NA	4,730,000	28.40	156	NA
1961	4,810,000	0	120,000	NA	4,710,000	28.00	153	NA
1962	5,080,000	0	138,000	NA	4,930,000	27.40	148	NA
1963	5,260,000	0	167,000	NA	5,100,000	27.20	145	NA
1964	5,710,000	0	250,000	NA	5,400,000	26.30	139	NA
1965	5,820,000	0	251,000	NA	5,570,000	25.60	133	NA
1966	6,180,000	0	314,000	NA	5,860,000	25.80	130	NA
1967	5,980,000	0	276,000	NA	5,690,000	25.90	126	NA
1968	6,020,000	0	261,000	NA	5,760,000	22.70	107	NA
1969	6,350,000	0	294,000	NA	6,090,000	22.50	100	NA
1970	6,430,000	0	305,000	51,000	6,130,000	23.20	97.40	19,100,000
1971	6,480,000	0	396,000	24,000	6,100,000	23.40	94.10	19,800,000
1972	6,830,000	0	435,000	48,000	6,390,000	24.60	95.80	20,500,000
1973	6,860,000	9,070	386,000	47,200	6,460,000	28.00	103	21,400,000
1974	6,860,000	29,000	512,000	32,700	6,380,000	37.30	123	22,400,000
1975	6,470,000	1,810	480,000	49,000	5,970,000	46.50	141	23,400,000
1976	6,740,000	0	585,000	92,500	6,230,000	54.80	157	26,100,000
1977	7,290,000	1,270	689,000	91,600	6,610,000	59.70	161	26,400,000
1978	7,510,000	7,050	707,000	68,900	5,480,000	60.10	150	27,200,000
1979	7,490,000	36,600	905,000	61,700	6,630,000	71.20	160	28,200,000
1980	7,510,000	16,600	993,000	121,000	6,470,000	99.00	196	28,300,000
1981	7,510,000	10,700	953,000	239,000	6,450,000	101	180	28,000,000
1982	7,100,000	16,400	1,010,000	294,000	6,050,000	97.40	165	26,800,000
1983	7,680,000	18,100	1,480,000	279,000	6,230,000	84.80	139	27,900,000
1984	7,720,000	15,100	1,500,000	292,000	6,230,000	73.90	116	29,200,000
1985	7,760,000	51,000	1,580,000	356,000	6,120,000	74.80	113	29,100,000
1986	7,650,000	96,100	1,860,000	267,000	5,980,000	72.30	108	29,400,000
1987	8,070,000	136,000	2,020,000	235,000	6,220,000	73.60	106	30,200,000
1988	8,740,000	121,000	2,240,000	261,000	6,590,000	73.80	102	31,300,000
1989	8,990,000	129,000	2,650,000	221,000	6,520,000	85.00	112	31,500,000
1990	9,160,000	146,000	2,390,000	287,000	6,840,000	91.30	114	32,000,000
1991	9,000,000	134,000	2,730,000	234,000	6,480,000	92.80	111	31,200,000
1992	9,380,000	72,000	2,960,000	371,000	6,360,000	89.20	104	30,700,000
1993	8,960,000	89,000	2,800,000	274,000	6,350,000	82.00	92.40	29,500,000
1994	9,320,000	79,000	3,230,000	203,000	6,240,000	77.70	85.40	29,600,000
1995	10,100,000	83,000	3,570,000	306,000	6,510,000	82.10	87.80	31,700,000
1996	10,200,000	107,000	3,840,000	271,000	6,480,000	91.10	94.60	31,800,000
1997	10,700,000	101,000	4,190,000	259,000	6,670,000	85.20	86.50	33,100,000
1998	10,100,000	83,000	3,660,000	273,000	6,560,000	83.00	83.00	32,600,000
1999	10,200,000	92,000	3,620,000	248,000	6,740,000	76.20	74.50	33,500,000
2000	10,200,000	75,000	3,900,000	245,000	6,430,000	73.00	69.10	34,500,000
2001	10,300,000	33,000	4,090,000	226,000	6,310,000	74.70	68.80	35,900,000

SODA ASH (SODIUM CARBONATE) STATISTICS¹**U.S. GEOLOGICAL SURVEY**

[All values are in metric tons (t) gross weight unless otherwise noted]

Last modification: October 9, 2012

Year	Production	Imports	Exports	Stocks	Apparent consumption	Unit value (\$/t)	Unit value (98\$/t)	World production
2002	10,500,000	9,000	4,250,000	222,000	6,250,000	75.00	67.90	37,200,000
2003	10,600,000	5,000	4,450,000	330,000	6,090,000	71.90	63.70	37,100,000
2004	11,000,000	6,000	4,670,000	338,000	6,290,000	70.30	60.60	39,700,000
2005	11,000,000	8,000	4,680,000	243,000	6,380,000	88.40	73.80	41,100,000
2006	11,000,000	7,000	4,820,000	290,000	6,100,000	106.53	86.13	43,700,000
2007	11,100,000	9,000	5,130,000	206,000	6,030,000	114.12	89.72	46,200,000
2008	11,300,000	13,000	5,370,000	259,000	5,860,000	134.60	101.90	47,000,000
2009	9,310,000	6,000	4,410,000	217,000	4,950,000	143.17	108.78	44,400,000
2010	10,600,000	20,000	5,390,000	220,000	5,200,000	128.39	95.97	48,100,000
2011	10,700,000	27,000	5,470,000	282,000	5,220,000	147.24	106.70	51,300,000

NA Not available.

¹Compiled by K.E. Porter (retired) and D.S. Kostick (retired).

Data are calculated, estimated, or reported. See notes for more information.

Soda Ash Worksheet Notes

Data Sources

The sources of data for the soda ash (sodium carbonate) worksheet are the mineral statistics publications of the U.S. Bureau of Mines (USBM) and the U.S. Geological Survey (USGS)—Minerals Yearbook (MYB) and Mineral Commodity Summaries (MCS) and its predecessor, Commodity Data Summaries (CDS). Data on sodium compounds were first reported in the 1932–33 Minerals Yearbook (MYB). Prior to this, the Mineral Resources of the United States (MR) series did not report on sodium compounds. USBM Information Circular 7212 (Harness and Coons, 1942) (IC 7212), published in June 1942, was the primary source of data prior to 1942. Natural soda ash production and stock data were collected and reported by the USBM and USGS. Synthetic soda ash production (prior to 1979), import, and export data were collected and reported by the U.S. Census Bureau and reported in the MYB. The years of publication and corresponding years of data coverage are listed in the references section below.

Production

Production data are the sum of synthetic or manufactured soda ash production by the Solvay process and natural soda ash production from brine deposits (Searles Lake, Trona, CA, and Owens Lake, Lone Pine, CA) and trona deposits (Green River, WY). Natural production data for 1916–40 are from IC 7212. Data for 1900–40 include soda ash, sodium bicarbonate, and trona. Data for 1923–26 and 1930 also include sal soda. Production data for 1935–41 include soda ash, bicarbonate, and trona. Production data for 1942–43 include only soda ash and trona. Synthetic (manufactured) production data from USBM and USGS mineral commodity records for 1909–40 were reported in IC 7212. Production data are not available for manufactured soda ash for 1901–03, 1905–08, 1920, 1922, 1924, 1926, 1928, 1930, 1932, 1934, and 1936 because the data were not reported by the U.S. Census Bureau and Bureau of Foreign and Domestic Commerce. Manufactured soda ash production data for 1941–44 are from the text in the MYB. The MCS reported both natural and manufactured (Solvay) production for 1955–78. Natural and manufactured production data were combined for 1979–86 to keep from disclosing individual company data. U.S. production of soda ash has been 100% from natural sources since 1986.

Imports

The U.S. Census Bureau collected import data for soda ash for 1929–50. Import data were reported for soda ash for 1973 to the most recent year in the MYB. The 1982 MYB reported sodium carbonate and sodium bicarbonate import data (quantity and value) for 1981 and 1982. Subsequent MYB publications only reported the sodium carbonate data.

Exports

Sodium carbonate export data were not reported in the MYB for 1900–36, as they would include mostly manufactured sodium salts and therefore would not be comparable with natural salts contained in the MYB reports. The U.S. Census Bureau collected export data for soda ash for 1917–36. Prior to 1949, exports were not separately classified as natural or manufactured, and sodium sulfate and soda ash were combined. Export data for 1935–47 are included in the “Estimated consumption” table in the MYB.

Stocks

Stocks reported in the MCS and the MYB are for 1970 to the most recent year.

Apparent Consumption

Apparent consumption was estimated for 1900–36 using the following formula:

$$\text{APPARENT CONSUMPTION} = \text{PRIMARY PRODUCTION} + \text{IMPORTS} - \text{EXPORTS} \pm \text{STOCK CHANGES.}$$

Apparent consumption was estimated for 1901–03 and 1905–08 by linear regression. Apparent consumption was also estimated for 1920, 1922, 1924, 1926, 1928, 1930, 1932, 1934, and 1936 by averaging the values for the intervening years. Apparent consumption data for 1937 to the most recent year were reported in the MYB and the MCS.

Unit Value (\$/t)

The “Unit value” was derived by dividing the total revenue received for the sale of all bulk, dense natural soda ash sold on an f.o.b. plant basis, by the quantity of soda ash sold. It was reported in the MYB for 1920 to the most recent year. The average price of sales (natural soda ash) was assumed to apply to both natural and synthetic soda ash production prior to the energy shortage in the early 1970s. List prices were reported in the MYB for Green River (trona), Searles Valley (brine), and synthetic soda ash, but were not used to estimate unit value because negotiated contract prices were always significantly lower than the published prices.

Unit Value (98\$/t)

The Consumer Price Index conversion factor, with 1998 as the base year, is used to adjust unit value in current U.S. dollars to the unit value in constant 1998 U.S. dollars.

World Production

World production of sodium carbonate (both natural and manufactured) was first reported in the 1973 MYB. Prior to 1970, data were incomplete. The combined natural and synthetic soda ash production data were reported in the MYB for 1978–88. The synthetic soda

ash production data were estimated by taking the difference between the total of the production reported in the MYB and the natural production reported in the MCS. Natural and synthetic soda ash production data were reported in the MCS for 1988 to the most recent year, and total sodium carbonate data are reported in the MYB for 1989 to the most recent year.

References

- Harness, C.L., and Coons, A.T., 1942, Sodium carbonate: U.S. Bureau of Mines Information Circular 7212, 35 p.
- U.S. Bureau of Mines, 1933–96, Minerals Yearbook, 1932–94.
- U.S. Bureau of Mines, 1962–77, Commodity Data Summaries, 1962–77.
- U.S. Bureau of Mines, 1978–95, Mineral Commodity Summaries, 1978–95.
- U.S. Geological Survey, 1995–present, Minerals Yearbook, v. I. (Available via <http://minerals.usgs.gov/minerals>.)
- U.S. Geological Survey, 1997–most recent, Mineral Commodity Summaries 1997–most recent. (Available via <http://minerals.usgs.gov/minerals>.)
- U.S. Geological Survey and U.S. Bureau of Mines, 1996, Mineral Commodity Summaries, 1996.

Recommended Citation Format:

U.S. Geological Survey, [year of last update, e.g., 2005], [Mineral commodity, e.g., Gold] statistics, *in* Kelly, T.D., and Matos, G.R., comps., Historical statistics for mineral and material commodities in the United States: U.S. Geological Survey Data Series 140, accessed [date], at <http://pubs.usgs.gov/ds/2005/140/>.

For more information, please contact:

[USGS Soda Ash Commodity Specialist](#)