

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Black MasticDING: Commura Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
3064	600SF	G	
3068	600SF	G	
3069A	800SF	G	
3073	500SF	G	
3093	300SF	G	
3096	300SF	G	
3098	300SF	G	
3099	600SF	G	
3075	300SF	G	
3076	300SF	G	
3074	300SF	G	
3079	300SF	G	
3071	300SF	G	
3082	600SF	G	
3080	300SF	G	
3083	300SF	G	
3085	300SF	G	
3087	200SF	G	
3002	500SF	G	
3087B	800SF	G	
3087C	300SF	G	
3091	300SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Black MasticBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
3001 B	300 SF	G	
3005	200 SF	G	
3007	300 SF	G	
3RD Floor Corridor O	2000 SF	G	
3009	300 SF	G	
3013	300 SF	G	
3015 B	300 SF	G	
3015 A	300 SF	G	
3004	800 SF	G	
3014	1000 SF	G	
3021	600 SF	G	
3106	300 SF	G	
3108	300 SF	G	
3122	2000 SF	G	
3119	1000 SF	G	
3100	400 SF	G	
3114	300 SF	G	
3116	200 SF	G	
3115	300 SF	G	
3113	300 SF	G	
3109	300 SF	G	
3RD Floor Corridor 8	1000 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Black MasticBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
2815	2000 SF	G	
2 ND Floor Upperlevel Auditorium	300 SF	G	
2 ND Floor Auditorium Control Room	300 SF	G	
1069	800 SF	G	
1061	1500 SF	G	
1066	1200 SF	G	
1037	1200 SF	G	
2036	1200 SF	G	
2029	1000 SF	G	
1320	1000 SF	G	
1314	900 SF	G	
317	400 SF	G	
1320	900 SF	G	
325	1200 SF	G	
893	1500 SF	G	
1705	300 SF	G	
1099C	150 SF	G	
1099B	1400 SF	G	
4 RD Floor Corridor 1	1600 SF	G	
3001A	400 SF	G	
3003	300 SF	G	
3011	600 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Black MasticDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
124	2500 SF	G	
1114	100 SF	G	
1109	1800 SF	G	
1108	800 SF	G	
1104	1000 SF	G	
1017	600 SF	G	
1731	300 SF	G	
1099D	1400 SF	G	
093	600 SF	G	
1087	1500 SF	G	
607	1600 SF	G	
001A	800 SF	G	
003	900 SF	G	
006	500 SF	G	
2012	1200 SF	G	
015A	2600 SF	G	
201	300 SF	G	
2202	1200 SF	G	
2213	2200 SF	G	
2225	2000 SF	G	
2224	2000 SF	G	
200 2814B	2000 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Black MasticBUILDING: Commercial Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
1854	2000 SF	G	
1859	600 SF	G	
1863	1500 SF	G	
874	600 SF	G	
528	3000 SF	G	
521	1200 SF	G	
1067	1000 SF	G	
1st Floor Auditorium	5000 SF	G	
003	1600 SF	G	
1008	900 SF	G	
1009	900 SF	G	
1015	2000 SF	G	
1206	800 SF	G	
1211	1200 SF	G	
117	4000 SF	G	
222	800 SF	G	
223 1235			
815	1000 SF	G	
1812	800 SF	G	
1806	900 SF	G	
1805	1000 SF	G	
1800A	1000 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Black MasticBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
SB702	2500 SF	G	
1B099	600 SF	G	
3B093	300 SF	G	
Room Adjacent to Computer Room	1000 SF	G	
3B703	4000 SF	G	
3B894	1000 SF	G	
3B 895	600 SF	G	
pen Area Adjacent to SB894	1000 SF	G	
3B608	300 SF	G	
3B607	1200 SF	G	
3B602	400 SF	G	
subbasement Corridor	1600 SF	G	
041	500 SF	G	
1036	1500 SF	G	
1030C	50 SF	G	
314	1200 SF	G	
317	3000 SF	G	
320	1600 SF	G	
1833	600 SF	G	
1842	1200 SF	G	
839	1600 SF	G	
1851	500 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUED

HOMOGENOUS AREA Black Mastic

BUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
B-918	400SF	G	
B-904	800SF	G	
B 826	1500SF	G	
3841B	300SF	G	
3322	1800SF	G	
3315	1000SF	G	
3307 Men's Room	600SF	G	
3031	1125 SF	G	
3035	220 SF	G	
Aquarium Viewing Area	400 SF	G	
Aquarium Entrance + Office Area	1500SF	G	
B511A	200SF	G	
B511	500SF	G	
Basement Stairway #9	50SF	G	
5896	400SF	G	
5026	600SF	G	
3618	800SF	G	
3099	2500 SF	G	
Basement Mezzanine Records Storage #2	1500SF	G	
3M029A	2000SF	G	
Hallways in Basement Mezzanine	2500SF	G	
Basement Mezzanine Records Storage	1500SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Black MasticBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
Basement - Printing Break Room	250 SF	G	
Basement - Printing Break Room	250 300 SF	G	
3-911	50 LF	G	
3-315	1000 SF	G	
307 (Men's Room)	60 SF	G	
3031	625 SF	G	
Basement Printing Back Room	3500 SF	G	
301B	300 SF	G	
3001	600 SF	G	
3003	1600 SF	G	
3012	2500 SF	G	
3014	1000 SF	G	
3212	400 SF	G	
3211	1000 SF	G	
3214	400 SF	G	
3223	1500 SF	G	
Basement Corridor 9	800 SF	G	
3800	400 SF	G	
3805	250 SF	G	
Room adjacent to B805	150 SF	G	
B815	50 SF	G	
3911	600 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUED

OMOGENOUS AREA Black Mastic

DING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
4410	800 SF	G	
4416	1000 SF	G	
4424	1000 SF	G	
4525	2000 SF	G	
4519	2000 SF	G	
4522	1000 SF	G	
4510	1000 SF	G	
7012	800 SF	G	
4622	800 SF	G	
7628	800 SF	G	
613	800 SF	G	
7628	750 SF	G	
629	700 SF	G	
0095	1200 SF	G	
8107	4000 SF	G	
8012	800 SF	G	
8028	1000 SF	G	
822	1200 SF	G	
1128	4000 SF	G	
assessment Printing Back Room	3500 SF	S G	-exposed where floor tile was damaged
3020A	1405 825 SF	G	
3121 Locker Room	225 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUED

HOMOGENOUS AREA Black Mastic

BUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
4725	3000SF	G	
772	2000SF	G	
1897	2000SF	G	
1896	2000SF	G	
1893	2000SF	G	
1890	2000SF	G	
1883	1000SF	G	
1884	1000 SF	G	
878	2000SF	G	
1881	2000SF	G	
1861	3500SF	G	
1858	3500SF	G	
1843	3500SF	G	
1842	3500SF	G	
816	2000SF	G	
1827	2000SF	G	
1324	1500 SF	G	
320	1500 SF	G	
1312	1500SF	G	
321	2000SF	G	
1311 Mechanical Room	6LF	G	
4411	800SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Black MasticBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
1410	20LF	G	
1 st Floor Southeast Corridor	2400 SF	G	
7114	2000 SF	G	
7106	800 SF	G	
7 th Floor Corridor 1	2000 SF	G	
7215	400 SF	G	
7221	1500 SF	G	
7227	400 SF	G	
7231	800 SF	G	
7420	1500 SF	G	
7417	2000 SF	G	
7414 7 th Floor Corridor 4	250 SF	G	
7 th Floor Corridor 4	500 SF	G	
213	2000 SF	G	
2225	2000 SF	G	
2224	2000 SF	G	
2814B	2000 SF	G	
2815	2000 SF	G	
2810	2000 SF	G	
2807	2000 SF	G	
2806	2000 SF	G	
428	1600 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUED

HOMOGENOUS AREA Black Mastic

BUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
2116	3000SF	G	
2104	400SF	G	
211	1500SF	G	
419	1500SF	G	
830B	3000SF	G	
841	3000SF	G	
854	2000SF	G	
865	3000SF	G	
1 ND Floor Central Mail Room	9000SF	G	
1051	2000SF	G	
4044	2000SF	G	
4065	2000SF	G	
4076	1000SF	G	
4077	1000SF	G	
4082	1000SF	G	
4083	1000SF	G	
4090	3000SF	G	
4091	3000SF	G	
4099A	1000SF	G	
4701	1000SF	G	
4713	3000SF	G	
4708	3000SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Black MasticBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
6013	1500 SF	G	
6012	1500 SF	G	
6006	1200 SF	G	
6204	1000 SF	G	
6022	1500 SF	G	
1 TH Floor Southeast Corridor	2000 SF	G	
2017	3000 SF	G	
2028	2000 SF	G	
2026	1000 SF	G	
2027	1000 SF	G	
2029 B	400 SF	G	
2043	2000 SF	G	
2037	500 SF	G	
2057	800 SF	G	
2054	2000 SF	G	
6065	800 SF	G	
6073	250 SF	G	
6078	1200 SF	G	
2083	400 SF	G	
2086	800 SF	G	
2092	1000 SF	G	
400 6097A	400 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUED

HOMOGENOUS AREA Black Mastic

BUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
099A 6098	1200 SF	G	
099C	1000 SF	G	
101	400 SF	G	
107	4000 SF	G	
116	400 SF	G	
120	800 SF	G	
135A	2000 SF	G	
1895	1200 SF	G	
1889	1000 SF	G	
1829	400 SF	G	
1625	1200 SF	G	
1614	1000 SF	G	
1613	400 SF	G	
1612	500 SF	G	
1611	400 SF	G	
1608	600 SF	G	
0 th Floor Snack Bar # 57	900 SF	G	
1872	800 SF	G	
1869	800 SF	G	
1863	1200 SF	G	
1857	800 SF	G	
1840	200 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUED

IOMOGENOUS AREA Black Mastic

DING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
0839	2000 SF	G	
0827	1000 SF	G	
0828	1000 SF	G	
0822	1200 SF	G	
0823	400 SF	G	
0819	800 SF	G	
0814A	1400 SF	G	
0812	400 SF	G	
0809	2000 SF	G	
8 TH Floor Northwest Corridor	1200 SF	G	
8 TH Floor Corridor 1	1600 SF	G	
0128 (Storage Area)	1600 SF	G	
0128	1600 SF	G	
0111	800 SF	G	
0107	1200 SF	G	
0516	1400 SF	G	
0521	2000 SF	G	
0324	1200 SF	G	
1 TH Floor Corridor 4	20 SF	G	Across Stair #9
0422	1200 SF	G	
0508	800 SF	G	
0521	2000 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Black MasticDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
570	2000 SF	G	
574	400 SF	G	
TH Floor Corridor Offices	4400 SF	G	
1021B	50 SF	G	
1029B	350 SF	G	
7071	600 SF	G	
7077	1000 SF	G	
7081	300 SF	G	
7087	1200 SF	G	
1089	300 SF	G	
7095	200 SF	G	
7097	450 SF	G	
7099C	1200 SF	G	
7703	150 SF	G	
7705	300 SF	G	
7713	1200 SF	G	
7717	1600 SF	G	
7727	800 SF	G	
7723	500 SF	G	
7614	900 SF	G	
7620	1000 SF	G	
7628	600 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Black MasticDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
1898	1200 SF	G	
1892	1200 SF	G	
1886B	1000 SF	G	
1886	400 SF	G	
# 7884	400 SF	G	
7882	400 SF	G	
7876	1200 SF	G	
7870	600 SF	G	
7869	600 SF	G	
7868	600 SF	G	
7862	400 SF	G	
7860	600 SF	G	
7865	300 SF	G	
7863	300 SF	G	
7861	500 SF	G	
7856	1000 SF	G	
7855	1000 SF	G	
7850	600 SF	G	
7849	400 SF	G	
7846	600 SF	G	
7840	600 SF	G	
7838	400 SF	G	

HSA-006

ASBESTOS ASSESSMENT DATA FORM

BLDG NAME: Commerco Bldg. ASSESSMENT DATE: 1-14-03
ADDRESS: 14th & Constitution Ave.
GSA BLDG NO.: DC0013ZZ AMOUNT(S.F./L.F.): _____

Location in Bldg: Attic - Southeast Corridor
(include Functional Space) muddled joint

HOMOGENEOUS AREA: Pipe Elbow Debris, Packing 131-026

Type of Material: Fireproofing Significant High
 Acoustical Plaster Minor Medium
 Acoustical Tile None Low
 Thermal Systems Insulation
 Vinyl Floor Tile
 Other: _____
Air Plenum N
(Y or N)

Friability: High High High High
 Medium Medium Medium Moderate
 Low Low Low Low

Comments: _____

AHERA Classification (see instructions): 1

Sample Number	Sample location	Result
<u>011403-010</u>	<u>Attic Southeast Cor.</u>	<u>20% Chrysotile</u>
<u>-013</u>	<u>Attic wing 7 near NE corner</u>	<u>8% Chrysotile</u>
<u>C011403-17</u>	<u>Attic</u>	<u>19% ↓</u>
<u>-18</u>	<u>↓</u>	<u>25% ↓</u>
<u>-19</u>	<u>↓</u>	<u>20% ↓</u>

NOTE: Use one form per homogeneous area. Consult 40 CFR Part 763 for sampling and analytical protocols and definitions.

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Mudded Elbow Insulation on Fiberglass pipe insulationBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
Basement Printing Room	115	G	
Basement Printing Rack Room	20	SD	
520	20	SD	
5220A	30	G	
Mechanical Room #2 Basement Corridor 9	15	G	
Basement Loading Dock #2	25	G	
5618	1	G	
A-43	20	G	
Hallways in Basement Mezzanine	10	G	
Attic SE Quadrant	43	SD	
Attic East Central	88	MD	
Attic East Central Mezzanine	23	MD	
Attic Northeast Corridor	9	G	
Attic Corridor 7	23	MD	
Attic Northwest Corridor	30	MD	
Attic West Central	40	G	
Attic South West	30	G	
Attic Corridor 2	20	MD	
Attic Corridor 3	50	G	
Attic Corridor 1	20	G	
Attic Corridor 4	5	G	
Attic Corridor 5	13	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Mudded Elbow Insulation on fiberglass pipe insulationBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
Attic - Stair 8	88	MD	
Attic - NE Corridor	8	MD	
Attic - Stair 13/Wing 6	10	MD	
3208 Mechanical Room	10	G	
3724	13	G	
1123	18	G	
7855	2	G	
2210 Mechanical Room	14	G	
2 ND Floor Corridor / Mechanical Room 13		G	
2849 Mechanical Room	50	G	
4311 Mechanical Room	8	G	
5 TH Floor Central East Corridor	2	G	
5526 Mechanical Room	10	G	
6210 Mechanical Room	5	G	
6724	7	G	
6607	8	G	
6 TH Floor Corridor 1	7	G	
6 TH Floor Corridor 4	5	G	
6425 Mechanical Room	15	G	
6432	1	G	
6 TH Floor Corridor 5	3	G	Outside of 6508
Basement Mechanical Room	100	MD ^{BS}	In main room + 2 offshoots
Wing 3 Corridor 0	100	G	

HSA 007

ASBESTOS ASSESSMENT DATA FORM

BLDG NAME: Commerce Bldg. ASSESSMENT DATE: 1-14-03
ADDRESS: 14th & Constitution Ave.
GSA BLDG NO.: DC0013ZZ AMOUNT(S.F./L.F.) _____

Location In Bldg: Attic-East Central Corridor
(include Functional Space)

HOMOGENEOUS AREA: Concrete Mastic ~~10A-007~~

Type of Material Damage Accessibility
 Fireproofing Significant High
 Acoustical Plaster Minor Medium
 Acoustical Tile None Low
 Thermal Systems Insulation
 Vinyl Floor Tile Air Plenum: N
 Other: _____ (Y or N)

Friability Traffic Vibration Potential for Air Erosion
 High High High High
 Medium Medium Medium Moderate
 Low Low Low Low

Comments: _____

AHERA Classification (see instructions): _____

Sample Number	Sample location	Result
CO11403-011	Attic-East Central Cor.	None Detected
070	6th floor: 6840	None Detected
074	4th floor: Rm 4221	None Detected

NOTE: Use one form per homogeneous area. Consult 40 CFR Part 763 for sampling and analytical protocols and definitions.

HSA-008

ASBESTOS ASSESSMENT DATA FORM

BLDG NAME: Commerce Bldg. ASSESSMENT DATE: 1-14-03
ADDRESS: 14th & Constitution Ave.
GSA BLDG NO.: DC0013ZZ AMOUNT(S.F./L.F.) _____

Location in Bldg: Attic NE Corridor
(include Functional Space)

HOMOGENEOUS AREA: Beige mastic on Fiberglass Duct Insulation

Type of Material Damage Accessibility
 Fireproofing Significant High
 Acoustical Plaster Minor Medium
 Acoustical Tile None Low
 Thermal Systems Insulation
 Vinyl Floor Tile Air Plenum N
 Other: _____ (Y or N)

Friability Traffic Vibration Potential for Air Erosion
 High High High High
 Medium Medium Medium Moderate
 Low Low Low Low

Comments: _____

AHERA Classification (see instructions): _____

<u>Sample Number</u>	<u>Sample location</u>	<u>Result</u>
<u>CD11403-012</u>	<u>Attic - NE Corridor</u>	<u>None Detected</u>

NOTE: Use one form per homogeneous area. Consult 40 CFR Part 763 for sampling and analytical protocols and definitions.

HSA 009

ASBESTOS ASSESSMENT DATA FORM

BLDG NAME: Commerce Bldg. ASSESSMENT DATE: 1-14-03
ADDRESS: 14th & Constitution Ave.
GSA BLDG NO.: DC0013ZZ AMOUNT(S.F./L.F.) _____

Location in Bldg: Attic Wing 1 - Near SW Corner
(Include Functional Space)

HOMOGENEOUS AREA: Black Mastic on Metal Duct HSA-009

Type of Material	Damage	Accessibility
<input type="checkbox"/> Fireproofing	<input type="checkbox"/> Significant	<input type="checkbox"/> High
<input type="checkbox"/> Acoustical Plaster	<input type="checkbox"/> Minor	<input type="checkbox"/> Medium
<input type="checkbox"/> Acoustical Tile	<input checked="" type="checkbox"/> None	<input checked="" type="checkbox"/> Low
<input type="checkbox"/> Thermal Systems Insulation		Air Plenum <input checked="" type="checkbox"/> <u>N</u>
<input type="checkbox"/> Vinyl Floor Tile		(Y or N)
<input checked="" type="checkbox"/> Other: _____		

Friability	Traffic	Vibration	Potential for Air Erosion
<input type="checkbox"/> High	<input type="checkbox"/> High	<input type="checkbox"/> High	<input type="checkbox"/> High
<input type="checkbox"/> Medium	<input type="checkbox"/> Medium	<input type="checkbox"/> Medium	<input checked="" type="checkbox"/> Moderate
<input checked="" type="checkbox"/> Low	<input checked="" type="checkbox"/> Low	<input checked="" type="checkbox"/> Low	<input type="checkbox"/> Low

Comments: _____

AHERA Classification (see instructions): Non-Friable

Sample Number	Sample location	Result
<u>0011403-014</u>	<u>Attic - Wing 1</u>	<u>10% Chrysotile</u>

NOTE: Use one form per homogeneous area. Consult 40 CFR Part 763 for sampling and analytical protocols and definitions.

HSA 010

ASBESTOS ASSESSMENT DATA FORM

BLDG NAME: Commerce Bldg. ASSESSMENT DATE: 1-14-03
ADDRESS: 14th & Constitution Ave.
GSA BLDG NO.: DC0013ZZ AMOUNT(S.F./L.F.) _____

Location in Bldg: Attic - East Central Corridor
(include Functional Space) Fiberglass insulation

HOMOGENEOUS AREA: Skim Coat on Mudded Elbow on ~~157-016~~

Type of Material	Damage	Accessibility
<input type="checkbox"/> Fireproofing	<input type="checkbox"/> Significant	<input type="checkbox"/> High
<input type="checkbox"/> Acoustical Plaster	<input type="checkbox"/> Minor	<input type="checkbox"/> Medium
<input type="checkbox"/> Acoustical Tile	<input checked="" type="checkbox"/> None	<input checked="" type="checkbox"/> Low
<input type="checkbox"/> Thermal Systems Insulation		
<input type="checkbox"/> Vinyl Floor Tile		Air Plenum <input checked="" type="checkbox"/>
<input checked="" type="checkbox"/> Other: _____		(Y or N)

Friability	Traffic	Vibration	Potential for Air Erosion
<input type="checkbox"/> High	<input type="checkbox"/> High	<input type="checkbox"/> High	<input type="checkbox"/> High
<input type="checkbox"/> Medium	<input type="checkbox"/> Medium	<input type="checkbox"/> Medium	<input checked="" type="checkbox"/> Moderate
<input checked="" type="checkbox"/> Low	<input checked="" type="checkbox"/> Low	<input checked="" type="checkbox"/> Low	<input type="checkbox"/> Low

Comments: _____

AHERA Classification (see instructions): 7

Sample Number	Sample location	Result
<u>C011403-015</u>	<u>Attic - East Central Cor.</u>	<u>16% Chrysotile</u>
<u>C011403-016</u>	<u>↓</u>	<u>6% Chrysotile</u>
<u>C011403-020</u>	<u>↓</u>	<u>8% Chrysotile</u>

NOTE: Use one form per homogeneous area. Consult 40 CFR Part 763 for sampling and analytical protocols and definitions.

~~10/10/2011~~
HISA-011

ASBESTOS ASSESSMENT DATA FORM

BLDG NAME: Commerce Bldg. ASSESSMENT DATE: _____
ADDRESS: 14th & Constitution Ave.
GSA BLDG NO.: DC0013ZZ AMOUNT(S.F./L.F.) _____

Location in Bldg: _____
(include Functional Space)

HOMOGENEOUS AREA: MAG Boiler Insulation

Type of Material	Damage	Accessibility
<input type="checkbox"/> Fireproofing	<input type="checkbox"/> Significant	<input type="checkbox"/> High
<input type="checkbox"/> Acoustical Plaster	<input checked="" type="checkbox"/> Minor	<input type="checkbox"/> Medium
<input type="checkbox"/> Acoustical Tile	<input checked="" type="checkbox"/> None	<input checked="" type="checkbox"/> Low
<input checked="" type="checkbox"/> Thermal Systems Insulation		Air Plenum <input checked="" type="checkbox"/> (Y or N)
<input type="checkbox"/> Vinyl Floor Tile		
<input type="checkbox"/> Other: _____		

Friability	Traffic	Vibration	Potential for Air Erosion
<input checked="" type="checkbox"/> High	<input type="checkbox"/> High	<input type="checkbox"/> High	<input checked="" type="checkbox"/> High
<input type="checkbox"/> Medium	<input type="checkbox"/> Medium	<input type="checkbox"/> Medium	<input type="checkbox"/> Moderate
<input type="checkbox"/> Low	<input checked="" type="checkbox"/> Low	<input checked="" type="checkbox"/> Low	<input checked="" type="checkbox"/> Low

Comments: _____

AHERA Classification (see instructions): 1

Sample Number	Sample location	Result
	<u>Basement Mech Rm</u>	<u>Assumed</u>

NOTE: Use one form per homogeneous area. Consult 40 CFR Part 763 for sampling and analytical protocols and definitions.

ASBESTOS ASSESSMENT DATA FORM

BLDG NAME: Commerce Bldg. ASSESSMENT DATE: 1-14-02
 ADDRESS: 14th & Constitution Ave.
 GSA BLDG NO.: DC0013ZZ AMOUNT(S.F./L.F.): _____

Location In Bldg: Attic - Wing 5 Near Stairs to MEZZ
 (include Functional Space)

HOMOGENEOUS AREA: Gypsum Wall Board [REDACTED]

Type of Material	Damage	Accessibility
<input type="checkbox"/> Fireproofing	<input type="checkbox"/> Significant	<input type="checkbox"/> High
<input type="checkbox"/> Acoustical Plaster	<input type="checkbox"/> Minor	<input checked="" type="checkbox"/> Medium
<input type="checkbox"/> Acoustical Tile	<input checked="" type="checkbox"/> None	<input type="checkbox"/> Low
<input type="checkbox"/> Thermal Systems Insulation		Air Plenum <u>N</u>
<input type="checkbox"/> Vinyl Floor Tile		(Y or N)
<input checked="" type="checkbox"/> Other: _____		

Friability	Traffic	Vibration	Potential for Air Erosion
<input type="checkbox"/> High	<input type="checkbox"/> High	<input type="checkbox"/> High	<input type="checkbox"/> High
<input type="checkbox"/> Medium	<input checked="" type="checkbox"/> Medium	<input type="checkbox"/> Medium	<input type="checkbox"/> Moderate
<input checked="" type="checkbox"/> Low	<input type="checkbox"/> Low	<input checked="" type="checkbox"/> Low	<input checked="" type="checkbox"/> Low

Comments: _____

AHERA Classification (see instructions): _____

Sample Number	Sample location	Result
(Include percent and type of asbestos in result, e.g. 50% Chrysotile).		
<u>011403-021</u>	<u>Attic - Wing 5</u>	<u>None Detected</u>
<u>-0910</u>	<u>4098B</u>	<u>None Detected</u>
<u>-022</u>	<u>Attic - Wing 5</u>	<u>None Detected</u>

NOTE: Use one form per homogeneous area. Consult 40 CFR Part 763 for sampling and analytical protocols and definitions.

ASBESTOS ASSESSMENT DATA FORM

BLDG NAME: Commerce Bldg. ASSESSMENT DATE: 1-14-02
 ADDRESS: 14th & Constitution Ave.
 GSA BLDG NO.: DC0013ZZ AMOUNT(S.F./L.F.) _____

Location In Bldg: Attic - Wing 5
 (Include Functional Space)

HOMOGENEOUS AREA: Gypsum Wall Board Joint Compound [REDACTED]

Type of Material	Damage	Accessibility
<input type="checkbox"/> Fireproofing	<input type="checkbox"/> Significant	<input type="checkbox"/> High
<input type="checkbox"/> Acoustical Plaster	<input type="checkbox"/> Minor	<input checked="" type="checkbox"/> Medium
<input type="checkbox"/> Acoustical Tile	<input checked="" type="checkbox"/> None	<input type="checkbox"/> Low
<input type="checkbox"/> Thermal Systems Insulation		Air Plenum <u>N</u>
<input type="checkbox"/> Vinyl Floor Tile		(Y or N)
<input checked="" type="checkbox"/> Other: _____		

Friability	Traffic	Vibration	Potential for Air Erosion
<input type="checkbox"/> High	<input type="checkbox"/> High	<input type="checkbox"/> High	<input type="checkbox"/> High
<input type="checkbox"/> Medium	<input checked="" type="checkbox"/> Medium	<input type="checkbox"/> Medium	<input type="checkbox"/> Moderate
<input checked="" type="checkbox"/> Low	<input type="checkbox"/> Low	<input checked="" type="checkbox"/> Low	<input checked="" type="checkbox"/> Low

Comments: _____

AHERA Classification (see instructions): _____

Sample Number	Sample location	Result
<u>011403-022</u>	<u>Attic - Wing 5</u>	<u>None Detected</u>

NOTE: Use one form per homogeneous area. Consult 40 CFR Part 763 for sampling and analytical protocols and definitions.

ASBESTOS ASSESSMENT DATA FORM

BLDG NAME: Commerce Bldg. ASSESSMENT DATE: 1-14-03
 ADDRESS: 14th & Constitution Ave.
 GSA BLDG NO.: DC0013ZZ AMOUNT(S.F./L.F.): _____

Location In Bldg: Attic East Central Corridor
 (include Functional Space)

HOMOGENEOUS AREA: 9" x 9" floor tile w/ brown? white [REDACTED]

Type of Material	Damage	Spots	Accessibility
<input type="checkbox"/> Fireproofing	<input type="checkbox"/> Significant	<input checked="" type="checkbox"/> High	<input checked="" type="checkbox"/> High
<input type="checkbox"/> Acoustical Plaster	<input type="checkbox"/> Minor	<input type="checkbox"/> Medium	<input type="checkbox"/> Medium
<input type="checkbox"/> Acoustical Tile	<input checked="" type="checkbox"/> None	<input type="checkbox"/> Low	<input type="checkbox"/> Low
<input type="checkbox"/> Thermal Systems Insulation			Air Plenum <u>N</u>
<input type="checkbox"/> Vinyl Floor Tile			(Y or N)
<input checked="" type="checkbox"/> Other: _____			

Friability	Traffic	Vibration	Potential for Air Erosion
<input type="checkbox"/> High	<input checked="" type="checkbox"/> High	<input type="checkbox"/> High	<input type="checkbox"/> High
<input type="checkbox"/> Medium	<input type="checkbox"/> Medium	<input type="checkbox"/> Medium	<input type="checkbox"/> Moderate
<input checked="" type="checkbox"/> Low	<input type="checkbox"/> Low	<input checked="" type="checkbox"/> Low	<input checked="" type="checkbox"/> Low

Comments: _____

AHERA Classification (see instructions): Non-friable

Sample Number	Sample location	Result
<u>011403-023</u>	<u>Attic-East Central Cor.</u>	<u>40% Chrysotile</u>

NOTE: Use one form per homogeneous area. Consult 40 CFR Part 763 for sampling and analytical protocols and definitions.

HSA 016

ASBESTOS ASSESSMENT DATA FORM

BLDG NAME: Commerce Bldg. ASSESSMENT DATE: 1-19-03
ADDRESS: 14th & Constitution Ave.
GSA BLDG NO.: DC0013ZZ AMOUNT(S.F./L.F.): _____

Location In Bldg: Attic - East Central Corridor Near Stairs to Mezz
(include Functional Space)

HOMOGENEOUS AREA: Wired Insulation ~~ASBESTOS~~ ~~INSULATION~~

Type of Material	Damage	Accessibility
<input type="checkbox"/> Fireproofing	<input type="checkbox"/> Significant	<input type="checkbox"/> High
<input type="checkbox"/> Acoustical Plaster	<input type="checkbox"/> Minor	<input type="checkbox"/> Medium
<input type="checkbox"/> Acoustical Tile	<input checked="" type="checkbox"/> None	<input checked="" type="checkbox"/> Low
<input type="checkbox"/> Thermal Systems Insulation		
<input type="checkbox"/> Vinyl Floor Tile		Air Plenum _____
<input checked="" type="checkbox"/> Other: _____		(Y or N)

Friability	Traffic	Vibration	Potential for Air Erosion
<input type="checkbox"/> High	<input type="checkbox"/> High	<input type="checkbox"/> High	<input type="checkbox"/> High
<input type="checkbox"/> Medium	<input type="checkbox"/> Medium	<input checked="" type="checkbox"/> Medium	<input type="checkbox"/> Moderate
<input checked="" type="checkbox"/> Low	<input checked="" type="checkbox"/> Low	<input type="checkbox"/> Low	<input checked="" type="checkbox"/> Low

Comments: _____

AHERA Classification (see instructions): _____

Sample Number	Sample location	Result
0011903- 025 025	Attic - East Central Corridor	None Detected

NOTE: Use one form per homogeneous area. Consult 40 CFR Part 763 for sampling and analytical protocols and definitions.

HSA 017
1 of 17

ASBESTOS ASSESSMENT DATA FORM

BLDG NAME: Commerce Bldg. ASSESSMENT DATE: 1-19-03
 ADDRESS: 14th & Constitution Ave.
 GSA BLDG NO.: DC0013ZZ AMOUNT(S.F./L.F.) _____

Location In Bldg: 7th floor Corridor - Intersection of East Corr. and Wing 1
 (include Functional Space)

HOMOGENEOUS AREA: 9'x9" Tan floor Tile w/ Brown & White Streaks [REDACTED] [REDACTED]

Type of Material	Damage	Accessibility
<input type="checkbox"/> Fireproofing	<input type="checkbox"/> Significant	<input checked="" type="checkbox"/> High
<input type="checkbox"/> Acoustical Plaster	<input type="checkbox"/> Minor	<input type="checkbox"/> Medium
<input type="checkbox"/> Acoustical Tile	<input checked="" type="checkbox"/> None	<input type="checkbox"/> Low
<input type="checkbox"/> Thermal Systems Insulation		
<input checked="" type="checkbox"/> Vinyl Floor Tile		Air Plenum _____
<input type="checkbox"/> Other: _____		(Y or N)

Friability	Traffic	Vibration	Potential for Air Erosion
<input type="checkbox"/> High	<input checked="" type="checkbox"/> High	<input type="checkbox"/> High	<input type="checkbox"/> High
<input type="checkbox"/> Medium	<input type="checkbox"/> Medium	<input type="checkbox"/> Medium	<input type="checkbox"/> Moderate
<input checked="" type="checkbox"/> Low	<input type="checkbox"/> Low	<input checked="" type="checkbox"/> Low	<input checked="" type="checkbox"/> Low

Comments: _____

AHERA Classification (see instructions): Non-Friable

Sample Number	Sample location	Result
<u>C011403 - 0261</u>	<u>7th floor Corridor</u>	<u>PLM None Detected</u>
<u>C012203 - 040</u>	<u>Room 4035</u>	<u>None Detected</u>
<u>C012203 - 042</u>	<u>Room 3099C</u>	<u>None Detected</u>

NOTE: Use one form per homogeneous area. Consult 40 CFR Part 763 for sampling and analytical protocols and definitions.

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA 9x9 FT TanBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
4893	2000 SF	G	
4890	2000 SF	G	
4883	1000 SF	G	
4884	1000 SF	G	
4878	2000 SF	G	
4881	2000 SF	G	
4861	3500 SF	G	
4858	3500 SF	G	
4843	3500 SF	G	
4842	3500 SF	G	
4826	2000 SF	G	
4827	2000 SF	G	
4324	1500 SF	G	
4320	1500 SF	G	
4312	1500 SF	G	
4321	2000 SF	G	
4411	800 SF	G	
4410	800 SF	G	
4416	1000 SF	G	
4424	1000 SF	G	
4525	2000 SF	G	
4519	2000 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA 9x9 FT TanBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
1035	600SF	G	
1039	600SF	G	
1036	1500SF	G	
1053	2000SF	G	
1054	2000SF	G	
1057	2000SF	G	
1044	2000SF	G	
1065	2000SF	G	
1076	1000SF	G	
1077	1000SF	G	
1082	1000SF	G	
1083	1000SF	G	
1096	3000SF	G	
1091	3000SF	G	
1099A	1000SF	G	
1101	500SF	G	
1113	3000SF	G	
1108	5000SF	G	
1125	3000SF	G	
1122	2000SF	G	
1197	2000SF	G	
1196	2000SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA 9x9 FT TanBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
1813	1000 SF	G	
1814	1300 SF	G	
1807	300 SF	G	
1800B	1000 SF	G	
1800	1000 SF	G	
1 TH FLOOR Southwest Corridor	1200 SF	G	
1 TH FLOOR Southeast Corridor	1200 SF	G	
1 TH FLOOR Corridor 1	1800 SF	G	
1150	800 SF	G	
1120	1500 SF	G	
1119	800 SF	G	
1112	1500 SF	G	
1113	800 SF	G	
1109	400 SF	G	
1102	1200 SF	G	
11024	800 SF	G	
1023	300 SF	G	
1025	300 SF	G	
1027	300 SF	G	
1029A	500 SF	G	
1029B	800 SF	G	
1035	600 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA 9x9 FT TanBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
2099B	1400 SF	G	
4001	1000 SF	G	
4003	1000 SF	G	
4008	1000 SF	G	
4009	900 SF	G	
4012	600 SF	G	
4015	600 SF	G	
4015C	600 SF	G	
4203	600 SF	G	
4017	300 SF	G	
1019	300 SF	G	
1021	300 SF	G	
1020	1000 SF	G	
204	800 SF	G	
4217	300 SF	G	
4219	300 SF	G	
4221	600 SF	G	
4220	300 SF	G	
4227	300 SF	G	
4226	800 SF	G	
4821	1000 SF	G	
4820	1600 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA 9x9 Floor Tile JanBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
2213	2000SF	G	
2225	2000SF	G	
2224	2000SF	G	
2814B	2000SF	G	
2815	2000SF	G	
2810	2000SF	G	
2807	2000SF	G	
2806	2000SF	G	
2128	1600 SF	G	
2116	3000SF	G	
2104	4000SF	G	
2111	1500 SF	G	
2119	1500SF	G	
2830B	3000SF	G	
2841	3000SF	G	
2854	2000SF	G	
2865	3000SF	G	
Central Mail Room 2 nd floor	9000SF	G	
2320	900SF	G	
1325	1200SF	G	
2893	1500SF	G	
2705	300SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA 9x9 Floor Tile TanBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
1117	1200 SF	G	
1222	800 SF	G	
1815	1000 SF	G	
1800	900 SF	G	
1805	1000 SF	G	
1800A	1000 SF	G	
1124	2500	G	
1114	100 SF	G	
1109	1800 SF	G	
1108	800 SF	G	
1104	1000 SF	G	
1731	300 SF	G	
1099D	1400 SF	G	
1093	600 SF	G	
1087	1500 SF	G	
1607	1600 SF	G	
2001A	800 SF	G	
2003	900 SF	G	
2006	500 SF	G	
2012	1200 SF	G	
2015A	2600 SF	G	
2201	300 SF	G	
2202	1200 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA 9x9 FT Tan w/ Tan & White StreaksBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
3427	900 SF	G	
3527	300 SF	G	
3525	300 SF	G	
3523	300 SF	G	
3521	300 SF	G	
3519	300 SF	G	
3517	300 SF	G	
3515	600 SF	G	
3510	1600 SF	G	
3518	900 SF	G	
7 ^m Floor ^{South East Corridor} All Corridors	2400 SF	G	300 SF per Corridor
7077	1000 SF	G	
7081	300 SF	G	
7087	1200 SF	G	
7089	300 SF	G	
7095	200 SF	G	
7097	450 SF	G	
7099C	1200 SF	G	
7703	150 SF	G	
7705	300 SF	G	
7713	1200 SF	G	
7717	1600 SF	G	
7727	800 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA 9x9 FT TanBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
723	500SF	G	
7614	900SF	G	
7620	1000SF	G	
7628	600SF	G	
7898	1200SF	G	
7892	1200 SF	G	
7886B	1000SF	G	
7886	400SF	G	
7884	400SF	G	
7882	400SF	G	
7876	1200SF	G	
7870	600SF	G	
7869	600SF	G	
7868	600SF	G	
7862	400SF	G	
7860	600SF	G	
7865	300SF	G	
7863	300SF	G	
7861	300SF	G	
7865	1000SF	G	
7855	1000SF	G	
7850	600SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUED

HOMOGENOUS AREA 9x9 FT Tan

BUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
7849	400 SF	G	
7846	600 SF	G	
7840	600 SF	G	
7838	400 SF	G	
7837	1200 SF	G	
7836	400 SF	G	
7832	800 SF	G	
7826	800 SF	G	
7824	600 SF	G	
7816	800 SF	G	
7814C	400 SF	G	
7814A	2000 SF	G	
7800	2000 SF	G	
1 st Floor NW Corridor	1600 SF	G	
1114	2000 SF	G	
106	800 SF	G	
1 st Floor Corridor 1	2000 SF 2500 SF	G	
7215	400 SF	G	
7221	1500 SF	G	
7227	400 SF	G	
7231	800 SF	G	
1 st Floor Corridor 2	1600 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUED

HOMOGENOUS AREA 9x9 FT Tan

BUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
3877	600SF	G	
3875	300SF	G	
3868 A	2000SF	G	
3867	300 SF	G	
3863	1000SF	G	
3862	3500SF	G	
3855	1400 SF	G	
3849	400SF	G	
3845	2000SF	G	
3832	2000SF	G	
3826	900SF	G	
3827	900SF	G	
3327	1000SF	G	
3324	900SF	G	
3319	1500SF	G	
3320	600SF	G	
3316	600 SF	G	
3413	600SF	G	
3412	1500SF	G	
3415	300SF	G	
3421	900SF	G	
3420	300SF	G	
3424	900 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA 9x9 FT TanBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
3079	300 SF	G	
3077	300 SF	G	
3082	600 SF	G	
3080	300 SF	G	
3083	300 SF	G	
3085	300 SF	G	
3087	200 SF	G	
3002	500 SF	G	
3087B	800 SF	G	
3087C 3096	300 SF	G	
3098	300 SF	G	
3099	600 SF	G	
3099B	1000 SF	G	
3898 C	2000 SF	G	
3899C	300 SF	G	
3897	1000 SF	G	
3889	800 SF	G	
3886C	1500 SF	G	
3882	600 SF	G	
3883	1000 SF	G	
3023	600 SF	G	
3018	600 SF	G	
3878	1000 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA 9x9 FT TanBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
3113	300SF	G	
3109	300SF	G	
Corridor B	1100SF	G	
3802	1600SF	G	
3810	1200SF	G	
3814	1000SF	G	
3805	1200SF	G	
3818	1000SF	G	
3215	2500SF	G	
3224	1000SF	G	
3038	2000SF	G	
3058	300 SF	G	
3061	300SF	G	
3060	300SF	G	
3065	600SF	G	
3063	300SF	G	
3064	600SF	G	
3068	600SF	G	
3069 A	800SF	G	
3073	500SF	G	
3075	300SF	G	
3076	300SF	G	
3074	500SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA 9x9 FT TAYBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
3001 A	400 SF	G	
3003	300 SF	G	
3011	600 SF	G	
3001 B	300 SF	G	
3005	200 SF	G	
3007	300 SF	G	
Corridor 0	2000 SF	G	
3009	300 SF	G	
3013	300 SF	G	
3015 B	300 SF	G	
3015 A	300 SF	G	
3004	800 SF	G	
3014	1000 SF	G	
3021	600 SF	G	
Corridor 1	1000 SF	G	
3106	300 SF	G	
3108	300 SF	G	
3122	2000 SF	G	
3119	1000 SF	G	
3100	400 SF	G	
3114	300 SF	G	
3116	200 SF	G	
3115	300 SF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUED

HOMOGENOUS AREA 9x9 Floor Tile Tan

BUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
1041	500SF	G	
1030	1500SF	G	
1314	1200SF	G	
1317	3000SF	G	
1320	1600SF	G	
833	600SF	G	
842	1200SF	G	
1839	1100SF	G	
1851	500SF	G	
854	2000SF	G	
1859	600SF	G	
1863	1500SF	G	
1874	600SF	G	
1528	3000SF	G	
1521	1200SF	G	
1067	1600SF	G	
1st Floor Auditorium	5000SF	G	
1003	1600SF	G	
1008	900SF	G	
1009	900SF	G	
1015	2000SF	G	
1206	800SF	G	
1011	1700SF	G	

ASBESTOS ASSESSMENT DATA FORM

BLDG NAME: Commerce Bldg. ASSESSMENT DATE: 1-14-03
 ADDRESS: 14th & Constitution Ave.
 GSA BLDG NO.: DC0013ZZ AMOUNT(S.F./L.F.): _____

Location in Bldg: 7th floor - Men's Bathroom 7021M
 (include Functional Space)

HOMOGENEOUS AREA: Ceramic Wall-Tile Grout XXXXXXXXXX

Type of Material	Damage	Accessibility
<input type="checkbox"/> Fireproofing	<input type="checkbox"/> Significant	<input checked="" type="checkbox"/> High
<input type="checkbox"/> Acoustical Plaster	<input type="checkbox"/> Minor	<input type="checkbox"/> Medium
<input type="checkbox"/> Acoustical Tile	<input checked="" type="checkbox"/> None	<input type="checkbox"/> Low
<input type="checkbox"/> Thermal Systems Insulation		
<input type="checkbox"/> Vinyl Floor Tile		Air Plenum <u>N</u>
<input checked="" type="checkbox"/> Other: _____		(Y or N)

Friability	Traffic	Vibration	Potential for Air Erosion
<input type="checkbox"/> High	<input type="checkbox"/> High	<input type="checkbox"/> High	<input type="checkbox"/> High
<input type="checkbox"/> Medium	<input type="checkbox"/> Medium	<input type="checkbox"/> Medium	<input type="checkbox"/> Moderate
<input checked="" type="checkbox"/> Low	<input checked="" type="checkbox"/> Low	<input checked="" type="checkbox"/> Low	<input checked="" type="checkbox"/> Low

Comments: _____

AHERA Classification (see instructions): _____

Sample Number	Sample location	Result
<u>C011403 - 027</u>	<u>7th floor - 7021M</u>	<u>None Detected</u>
<u>-051</u>	<u>6th Floor - Rm 622 6229W</u>	<u>None Detected</u>

NOTE: Use one form per homogeneous area. Consult 40 CFR Part 763 for sampling and analytical protocols and definitions.

HBA 019
1 of 25

ASBESTOS ASSESSMENT DATA FORM

BLDG NAME: Commerce Bldg ASSESSMENT DATE: 1-22-03
ADDRESS: 14th & Constitution Ave.
GSA BLDG NO.: DC0013ZZ AMOUNT(S.F./L.F.) _____

Location In Bldg: Room 7019
(include Functional Space)

HOMOGENEOUS AREA: Benoin Mastic on Metal Duct HSA-019

Type of Material	Damage	Accessibility
<input type="checkbox"/> Fireproofing	<input type="checkbox"/> Significant	<input type="checkbox"/> High
<input type="checkbox"/> Acoustical Plaster	<input type="checkbox"/> Minor	<input type="checkbox"/> Medium
<input type="checkbox"/> Acoustical Tile	<input checked="" type="checkbox"/> None	<input checked="" type="checkbox"/> Low
<input type="checkbox"/> Thermal Systems Insulation		
<input type="checkbox"/> Vinyl Floor Tile		Air Plenum <u>N</u>
<input checked="" type="checkbox"/> Other: _____		(Y or N)

Friability	Traffic	Vibration	Potential for Air Erosion
<input type="checkbox"/> High	<input type="checkbox"/> High	<input type="checkbox"/> High	<input type="checkbox"/> High
<input type="checkbox"/> Medium	<input type="checkbox"/> Medium	<input type="checkbox"/> Medium	<input checked="" type="checkbox"/> Moderate
<input checked="" type="checkbox"/> Low	<input checked="" type="checkbox"/> Low	<input checked="" type="checkbox"/> Low	<input type="checkbox"/> Low

Comments: _____

AHERA Classification (see instructions): Non friable

Sample Number	Sample Location	Result
<u>CO12203-029</u>	<u>Room 7019: 7th Flr</u>	<u>3% Chrysotile</u>
<u>-072, 6th Floor</u>	<u>: 6814</u>	<u>4% Chrysotile</u>

NOTE: Use one form per homogeneous area. Consult 40 CFR Part 763 for sampling and analytical protocols and definitions.

ASBESTOS ASSESSMENT DATA FORM - CONTINUED

HOMOGENOUS AREA Brown Mastic on Metal Duct

BUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
60316	30 LF	G	
60321	10 LF	G	
60324	20 LF	G	
60422	30 LF	G	
60416	10 LF	G	
60412	20 LF	G	
60411	20 LF	G	
60508	10 LF	G	
60521	20 LF	G	
60520	20 LF	G	
6074	10 LF	G	
Basement Wing 3 Corridor	100 LF	G	
3315	50 LF	G	
Basement Wing 3 Corridor	55 LF	G	
3021	5 LF	G	
Basement South end of central eastern corridor	50 LF	G	
Basement Cafeteria	50 LF	G	
5099	50 LF	G	
	500		

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENEOUS AREA Brown Mastic on Metal DuctBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
6013	20 LF	G	
6017	10 LF	G	
6011	10 LF	G	
6008	10 LF	G	
6072	20 LF	G	
6869	10 LF	G	
6863	20 LF	G	
6857	30 LF	G	
6840	40 LF	G	
6839	40 LF	G	
6827	20 LF	G	
6828	20 LF	G	
6822	20 LF	G	
6823	10 LF	G	
6819	20 LF	G	
6814A	30 LF	G	
6812	10 LF	G	
6809	50 LF	G	
6128	75 LF	G	
6128	30 LF	G	
6111	10 LF	G	
6107	30 LF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Brown Mastic on Metal DuctBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
60216	20 LF	G	
6037	30 LF	G	
6054	30 LF	G	
6065	20 LF	G	
6073	10 LF	G	
6078	20 LF	G	
6083	10 LF	G	
6087	10 LF	G	
6086	20 LF	G	
6080A	10 LF	G	
6089	20 LF	G	
6092	20 LF	G	
6095	15 LF	G	
6099A	30 LF	G	
6098	10 LF	G	
6099C	20 LF	G	
60701	10 LF	G	
60701	50 LF	G	
60733A	25 LF	G	
60729	10 LF	G	
60725	20 LF	G	
60716	10 LF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Brown Mastic on Metal DuctBING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
5 TH Floor Corridor 5	200LF	G	4" Strips every 12'
5 TH Floor Corridor 4	200LF	G	4" Strips every 12'
5521	10LF	G	
5517	15LF	G	
5511	10LF	G	
5516	20LF	G	
5413	20LF	G	
5414	20LF	G	
5421	15LF	G	
5422	20LF	G	
5425	10 LF	G	
5312	10LF	G	
5321	20 LF	G	
5324	30LF	G	
5327	10 LF	G	
6013	50LF	G	
6012	20LF	G	
6009	20LF	G	
6006	20LF	G	
6204	30LF	G	
6217	70LF	G	
6228	20LF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Brown Mastic on Metal DuctBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
5108	10LF	G	
5111	20LF	G	
5118	20LF	G	
5119	10LF	G	
5128	25LF	G	
5 TH Floor Corridor 1	225LF	G	4" Strip every 12'
5804	20LF	G	
5805	20LF	G	
5810	30LF	G	
5811	20LF	G	
5814A	30LF	G	
5820	20LF	G	
5821	10LF	G	
5 TH Floor Southwest Corridor	100LF	G	
5825	15LF	G	
5824	5LF	G	
5830	20LF	G	
5835	10LF	G	
5870	20LF	G	
5875	20LF	G	
5876	10LF	G	
5 TH Floor West Central Corridor	250LF	G	4" Strip every 12'

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Brown Mastic on Metal DuctBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
5717	20LF	G	
5724	10LF	G	
5727	10LF	G	
5733	10LF	G	
5898C	10LF	G	
5897	10LF	G	
5896	10LF	G	
5893	20LF	G	
5890	20LF	G	
5889	20LF	G	
5886C	20LF	G	
5886	20LF	G	
5883	20LF	G	
5618	10LF	G	
5611	10LF	G	
5612	10LF	G	
5217	30LF	G	
5224	20LF	G	
5230	10LF	G	
5 th Floor Corridor 2	200LF	G	4" Strip every 12'
5102	10LF	G	
5104	10LF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Brown Mastic on Metal DuctBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
5053	20LF	G	
5063	10LF	G	
5067	10LF	G	
5071	10LF	G	
5075	20LF	G	
5080	20LF	G	
5083	20LF	G	
5087	10LF	G	
5086	10LF	G	
5093	20LF	G	
5092	20LF	G	
5098	10LF	G	
5090	20LF	G	
5 TH Floor Northwest Corridor	125LF	G	4" Strip every 12'
7 TH Floor Corridor T	225LF	G	4" Strip about every 12'
7 TH Floor Northwest Corridor	225LF	G	4" Strip about every 12'
7 TH Floor Corridor 6	200LF	G	4" Strip about every 12'
5701A	40LF	G	
5705 5709	10LF	G	
5711	10LF	G	
5712	10LF	G	
5712	10LF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUED

HOMOGENOUS AREA Brown Mastic

BUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
4522	10LF	G	
4510	10LF	G	
4 TH Floor Corridor	60LF	G	
4612	10LF	G	
4622	10LF	G	
4628	10LF	G	
4613	10LF	G	
4625	10LF	G	
4629	10LF	G	
5001	10LF	G	
5005	30LF	G	
5004	20LF	G	
5019	10LF	G	
5016	10LF	G	
5020	10LF	G	
5023	10LF	G	
5027	10LF	G	
5026	10LF	G	
5029 B	20LF	G	
5039	10LF	G	
5040	20LF	G	
5045	10LF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Brown MasticBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
4881	10LF	G	
4 TH Floor West Central Corridor	170LF	G	
4861	20LF	G	
4858	20LF	G	
4843	20LF	G	
4842	20LF	G	
4836	10LF	G	
4826	20LF	G	
4827	20LF	G	
7 TH Floor Corridor 3	60LF	G	
432A	10LF	G	
4320	10LF	G	
4312	10LF	G	
4321	20LF	G	
1 TH Floor Corridor 4	60LF	G	
411	10LF	G	
410	10LF	G	
416	5LF	G	
424	10LF	G	
4 TH Floor Corridor 5	60LF	G	
4525	10LF	G	
4519	20LF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Brown MasticBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
4077	10LF	G	
4082	10LF	G	
4083	10LF	G	
1 TH Floor NE Corridor	10LF	G	
4096	20LF	G	
4091	20LF	G	
4099A	10LF	G	
4701	40LF	G	
4 TH Floor Corridor 7	50LF	G	
4713	10LF	G	
4708	10LF	G	
4725	10LF	G	
4722	10LF	G	
1 TH Floor NW Corridor	50LF	G	
4897	20LF	G	
4896	20LF	G	
4893	10LF	G	
4890	10LF	G	
4 TH Floor NW Corridor	50LF	G	
4883	20LF	G	
4884	20LF	G	
4878	10LF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Brown masticBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
4119	20LF	G	
4112	20LF	G	
4113	20LF	G	
409	10LF	G	
402	20LF	G	
4024	20LF	G	
4023	5LF	G	
4025	5LF	G	
4027	5LF	G	
4029A	5LF	G	
4029B	20LF	G	
4035	10LF	G	
4039	10LF	G	
4 TH Floor East Central Corridor	10LF	G	
4036	5LF	G	
4053	5LF	G	
4054	10LF	G	
4057	10LF	G	
4044	10LF	G	
4 TH Floor Corridor O	50LF	G	
4065	20LF	G	
4076	10LF	G	

ASBESTOS ASSESSMENT DATA FORM - CONTINUEDHOMOGENOUS AREA Brown MasticBUILDING: Commerce Building

LOCATION	APPROX. QUANTITY	CONDITION	NOTES
4015	10LF	G	
4203	10LF	G	
4017	10LF	G	
4019	10LF	G	
4021	10LF	G	
4020	10LF	G	
4204	10LF	G	
4217	10LF	G	
4219	10LF	G	
4221	10LF	G	
4220	10LF	G	
4227	10LF	G	
4226	20LF	G	
4821	20LF	G	
4820	20LF	G	
4813	10LF	G	
4814	30LF	G	
4807	10LF	G	
4800B	20LF	G	
4800	10LF	G	
4130	20LF	G	
4120	20LF	G	