APPROVED JURISDICTIONAL DETERMINATION FORM **U.S. Army Corps of Engineers**

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMATION

- A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): 2012-02-10
- B. DISTRICT OFFICE, FILE NAME, AND NUMBER: JD Form 2 of 2; SAC 2005-04231-4M Sumter County Crew Quarters JD

C. PROJECT LOCATION AND BACKGROUND INFORMATION:

State: South Carolina County/parish/borough: Sumter City: Sumter Center coordinates of site (lat/long in degree decimal format): Lat. 33.9583641° N, Long. -80.364187° W. Universal Transverse Mercator: NAD83

Name of nearest waterbody: Shot Pouch Creek

Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Black River Name of watershed or Hydrologic Unit Code (HUC): 3040205

Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. \boxtimes

Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form.

D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):

- Office (Desk) Determination. Date:
- $\overline{\boxtimes}$ Field Determination. Date(s): 2011-12-19

SECTION II: SUMMARY OF FINDINGS

A. RHA SECTION 10 DETERMINATION OF JURISDICTION.

There Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [Required]

Waters subject to the ebb and flow of the tide.

Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain:

B. CWA SECTION 404 DETERMINATION OF JURISDICTION.

There Are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]

1. Waters of the U.S.

- a. Indicate presence of waters of U.S. in review area (check all that apply): ¹
 - TNWs, including territorial seas
 - Wetlands adjacent to TNWs
 - Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs
 - Non-RPWs that flow directly or indirectly into TNWs
 - Wetlands directly abutting RPWs that flow directly or indirectly into TNWs
 - Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs
 - Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs
 - Impoundments of jurisdictional waters

Isolated (interstate or intrastate) waters, including isolated wetlands

b. Identify (estimate) size of waters of the U.S. in the review area:

Non-wetland waters: 53.0 linear feet: 7.0 width (ft) and/or 0.01 acres. Wetlands: acres.

c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual, Established by OHWM., Pick List Elevation of established OHWM (if known):N/A.

2. Non-regulated waters/wetlands (check if applicable):³

Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain:

Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1. TNW

Identify TNW:

Summarize rationale supporting determination:

2. Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

 (i) General Area Conditions: Watershed size: 171,667 acres; Drainage area: 86 acres Average annual rainfall: 51.0 inches Average annual snowfall: 0 inches

(ii) Physical Characteristics:

(a) <u>Relationship with TNW:</u>

 ☐ Tributary flows directly into TNW.
 ☑ Tributary flows through 4 tributaries before entering TNW.

Project waters are 30 (or more) river miles from TNW.
Project waters are 1 (or less) river miles from RPW.
Project waters are 2-5 aerial (straight) miles from TNW.
Project waters are 1 (or less) aerial (straight) miles from RPW.
Project waters cross or serve as state boundaries. Explain: N/A.

Identify flow route to TNW⁵: The on-site tributary (sRPW#1) flows in a southerly direction until it intercepts the OHWM of an unnamed perennial tributary of Shot Pouch Creek described in Form 1 of 2. The unnamed perennial tributary of Shot Pouch Creek flows un-impeded through multiple culverts at road crossings and

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

directly into Shot Pouch Creek, a perennial RPW. Shot Pouch Creek flows into Green Swamp (pRPW), which flows into the Pocotaligo River (pRPW), which flows into the Black River, a TNW. Tributary stream order, if known: 1.

	Tributary stream order, if known: 1.
(b) been deepend	General Tributary Characteristics (check all that apply): Tributary is: Natural Artificial (man-made). Explain: Natificial (man-made). Explain: Manipulated (man-altered). Explain: The tributary is shown on USGS topo maps and has ed, widened, and straightened. A natural channel exists within the bed of the manipulated canal.
	Tributary properties with respect to top of bank (estimate): Average width: 7 feet Average depth: 8 feet Average side slopes: Vertical (1:1 or less).
	Primary tributary substrate composition (check all that apply): Silts Sands Cobbles Gravel Bedrock Vegetation. Type/% cover: Other. Explain: loamy sub-surface soils.
banks.	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Depositional bars, sloughing and scoured Presence of run/riffle/pool complexes. Explain: Riffles and pools present, but completely dry in the channel . Tributary geometry: Relatively straight . Entirely straight with no bends or turns . Tributary gradient (approximate average slope): 2-5 %
indicators of	Flow: Tributary provides for: Seasonal flow Estimate average number of flow events in review area/year: 11-20 Describe flow regime: Due to the increase of impervious area on the properties which drain to this feature, flow were noted which were consistent with a duration of flow at least seasonally. The tributary was also observed iod of drought conditions. Indicators of flow are listed below Other information on duration and volume: .
	 Surface flow is: Confined. Characteristics: Subsurface flow: Yes. Explain findings: Saturated soils at 12''within a long period of drought conditions. Dye (or other) test performed:
	Tributary has (check all that apply):
	If factors other than the OHWM were used to determine lateral extent of CWA jurisdiction (check all that apply): High Tide Line indicated by: oil or scum line along shore objects fine shell or debris deposits (foreshore) physical markings/characteristics tidal gauges

(iii) Chemical Characteristics:

other (list):

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break. ⁷Ibid.

Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.).
Explain: No water was present in the tributary at the time of the site visit.
Identify specific pollutants, if known: N/A.

(iv) Biological Characteristics. Channel supports (check all that apply):

- Riparian corridor. Characteristics (type, average width):
- Wetland fringe. Characteristics:
- Habitat for:
 - Federally Listed species. Explain findings:
 - Fish/spawn areas. Explain findings:
 - Other environmentally-sensitive species. Explain findings:
 - Aquatic/wildlife diversity. Explain findings: Man-altered seasonal tributary with limited habitat value.

2. Characteristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW

(i) Physical Characteristics:

- (a) <u>General Wetland Characteristics:</u> Properties: Wetland size: 0 acres Wetland type. Explain: Wetland quality. Explain: Project wetlands cross or serve as state boundaries. Explain:
- (b) <u>General Flow Relationship with Non-TNW</u>: Flow is: **Pick List**. Explain:

Surface flow is: Pick List Characteristics:

Subsurface flow: **Pick List**. Explain findings:

- (c) <u>Wetland Adjacency Determination with Non-TNW:</u>
 - Directly abutting
 - □ Not directly abutting
 - Discrete wetland hydrologic connection. Explain:
 - Ecological connection. Explain:
 - Separated by berm/barrier. Explain:

(d) Proximity (Relationship) to TNW

Project wetlands are **Pick List** river miles from TNW. Project waters are **Pick List** aerial (straight) miles from TNW. Flow is from: **Pick List**. Estimate approximate location of wetland as within the **Pick List** floodplain.

(ii) Chemical Characteristics:

Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: . Identify specific pollutants, if known: .

(iii) Biological Characteristics. Wetland supports (check all that apply):

- Riparian buffer. Characteristics (type, average width):
- Vegetation type/percent cover. Explain:
- Habitat for:
 - Federally Listed species. Explain findings:
 - Fish/spawn areas. Explain findings:
 - Other environmentally-sensitive species. Explain findings:
 - Aquatic/wildlife diversity. Explain findings:

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis: **1** Approximately (+/- **86**) acres in total are being considered in the cumulative analysis. For each wetland, specify the following:



Summarize overall biological, chemical and physical functions being performed: **The similarly situated wetlands** contribute vital biological, chemical, and physical functions to the downstream TNW. This wetland system enhances wildlife diversity, acts as catch basins filtering sediment and pollutants from surrounding urban and rural development and silvicultural practices, supports the downstream food web, and provides nutrient fixation, flood attenuation, and flow maintenance functions. See "Documentation for the Record only" below for more details.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- **3.** Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

Documentation for the Record only: Significant nexus findings for seasonal RPWs and/or wetlands abutting seasonal RPWs: Linear Feature #1 was determined to be a seasonal RPW. During an off-site investigation, a hydrologic connection was discovered between the wetland system to the east of the subject property from which this feature flows and an on-site perennial RPW which flows through the review area which was determined to be an unnamed perennial tributary of Shot Pouch Creek (pRPW) which flows through other perennial RPWs into the Black River (TNW). This feature was evaluated at N. Wise Drive, along Frontage Road, and at its confluence with Shot Pouch Creek at the Highway 378 crossing. OHWM was present within the bed and banks. Many other indicators of hydrology were noted and are referenced in a previous section. The forested wetlands adjacent and abutting the seasonal RPW (unnamed tributary of Shot Pouch Creek) include mixed hardwood/pine palustrine forested depressional wetlands which are located northwest of the review area. The wetlands which are similarly situated and adjacent to the seasonal RPW are collectively performing functions consistent with the following: Biological - A variety of biological functions are being performed which include providing breeding grounds, shelter, foraging, nesting, and travel corridors for aquatic and wetland-dependent speciest. They enhance wildlife diversity through timber type changes and the transition between upland and aquatic systems. The wetlands are essential in providing collective primary productivity to downstream waters by supplying organic carbon, resulting in the nourishment of the downstream food web. Chemical - The wetlands and tributary within the review area are providing the important collective functions of removal of excess nutrients which are contributed by runoff from surrounding urban and rural and silvicultural areas, reducing nitrogen and phosphorus loading downstream, and effectively preventing oxygen depletion that can result from eutrophication. Physical - The wetlands and tributary in the review area are collectively filtering sediments and pollutants carried by stormwater runoff from roads, urban and rural development, and silviculture areas. They are providing flood attenuation and flow maintenance functions by retaining runoff and releasing it slowly, which results in the reduction of downstream peak flows (discharge and volumes) and lower continuous flow volumes. Wetlands such as the ones identified in this reach are actively storing stormwater runoff from adjacent development and silvicultural areas. Based on the collective functions described above and their importance to the biological, chemical, and physical integrity of the traditional navigable waters of the Black River, it has been determined that there is a significant nexus between the relevant reach of the tributary and adjacent wetlands to the downstream TNW.

DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL D. THAT APPLY):

- 1. TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area: TNWs: linear feet width (ft), Or, acres Wetlands adjacent to TNWs: acres.
- RPWs that flow directly or indirectly into TNWs. 2.
 - Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial:

Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: Flow of the onsite tributary sRPW#1 (unnamed tributary of Shot Pouch Creek) was determined to have indicators of continuous flow during the wetter months and in response to precipitation events throughout the remainder of the year under normal climatic conditions. The onsite tributary is a man-altered canal which begins off property within wetlands and continues into the review area, then intercepts the OHWM of an unnamed perennial tributary of Shot Pouch Creek (pRPW#1), described on Form 1 of 2, which flows into Shot Pouch Creek (pRPW). Stream geomorphic indicators of seasonal flow were a continuous sinuous channel within bed and banks and the presence of an continuous OHWM above the bottom elevation of the canal. The onsite tributary was saturated within the upper 12" throughout the reach during an extreme drought period. At all observation points, the bottom channel was clear of vegetation and debris with some scouring of the banks adjacent to the channel which is evidence of seasonal flow as well as hydrologic indicators observed. In some areas, last season's leaves were present and waterstained. Very little debris was observed within the channel due to washing downstream and water flowing at increased velocities during and after rainfall events. Topographic maps depict this reach as a blue line stream. It is evident on all available aerial photographs.

Provide estimates for jurisdictional waters in the review area (check all that apply): acres.

- Tributary waters: 53.0 linear feet 7.0 width (ft).
- Other non-wetland waters:

Identify type(s) of waters:

Non-RPWs⁸ that flow directly or indirectly into TNWs. 3.

Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional waters within the review area (check all that apply):

- Tributary waters: linear feet width (ft).
 - Other non-wetland waters: acres.

Identify type(s) of waters:

Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. 4.

- Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.
 - Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:

Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

5. Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.

Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.

Provide acreage estimates for jurisdictional wetlands in the review area: acres.

6. Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs.

Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.

Provide estimates for jurisdictional wetlands in the review area: acres.

7. Impoundments of jurisdictional waters.⁹

- As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.
- Demonstrate that impoundment was created from "waters of the U.S.," or
- Demonstrate that water meets the criteria for one of the categories presented above (1-6), or
- Demonstrate that water is isolated with a nexus to commerce (see E below).

E. ISOLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATERS (CHECK ALL THAT APPLY):¹⁰

which are or could be used by interstate or foreign travelers for recreational or other purposes.

- from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.
- which are or could be used for industrial purposes by industries in interstate commerce.
- Interstate isolated waters. Explain:
- Other factors. Explain:

Identify water body and summarize rationale supporting determination:

Provide estimates for jurisdictional waters in the review area (check all that apply):

Tributary waters: linear feet width (ft).

Other non-wetland waters: acres.

Identify type(s) of waters:

Wetlands: acres.

F. NON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):

- If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers
 Wetland Delineation Manual and/or appropriate Regional Supplements.
- Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.

Prior to the Jan 2001 Supreme Court decision in "*SWANCC*," the review area would have been regulated based <u>solely</u> on the "Migratory Bird Rule" (MBR).

Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain:

Other: (explain, if not covered above):

Provide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR factors (i.e., presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment (check all that apply):

Non-wetland waters (i.e., rivers, streams): linear feet width (ft).
 Lakes/ponds: acres.
 Other non-wetland waters: acres. List type of aquatic resource: .
 Wetlands: acres.

⁹ To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

¹⁰ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA *Memorandum Regarding CWA Act Jurisdiction Following Rapanos*.

Provide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction (check all that apply):

- Non-wetland waters (i.e., rivers, streams): linear feet, width (ft).
- Lakes/ponds: acres.
- Other non-wetland waters: acres. List type of aquatic resource:
- Wetlands: acres.

SECTION IV: DATA SOURCES.

- A. SUPPORTING DATA. Data reviewed for JD (check all that apply checked items shall be included in case file and, where checked and requested, appropriately reference sources below): Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Provided by Mr. Brandon Stutts of SCE&G. \boxtimes Data sheets prepared/submitted by or on behalf of the applicant/consultant. Office concurs with data sheets/delineation report. Office does not concur with data sheets/delineation report. Data sheets prepared by the Corps: **DP#1 dated 2011-12-19**. Corps navigable waters' study: Black River. U.S. Geological Survey Hydrologic Atlas: USGS NHD data. USGS 8 and 12 digit HUC maps. U.S. Geological Survey map(s). Cite scale & quad name: Sumter East. USDA Natural Resources Conservation Service Soil Survey. Citation: Sheet 56, Wagram, Rains, McColl, Norfolk. National wetlands inventory map(s). Cite name: PSS1Bd, U21. State/Local wetland inventory map(s): Sumter County. FEMA/FIRM maps: 100-year Floodplain Elevation is: (National Geodectic Vertical Datum of 1929) Photographs: Aerial (Name & Date): 1989 (1365-004), 1994 (7466-033), 1999 (11204:98), 2006. \square or Other (Name & Date): Site Photography dated 2011-12-19 by USACE. Previous determination(s). File no. and date of response letter: Previous (expired) JD "SAC 81-2005-2156-4" dated March 13, 2006. Applicable/supporting case law: Applicable/supporting scientific literature: Other information (please specify):
 - ADDITIONAL COMMENTS TO SUPPORT JD: The site visit was performed during a drought period on December 19, B. 2011. Potentially jurisdictional features were observed within the review area and were evaluated on two (2) basis forms. Form 1 of 2 contains the basis for jurisdiction of pRPW#1, an unnamed perennial tributary of Shot Pouch Creek (pRPW). Two linear features were also evaluated on Form 1 of 2 and determined to be non-jurisdictional ditches. Another linear feature refered to as sPRW#1 was observed and is evaluated using this form, Form 2 of 2. Flow of the onsite tributary sRPW#1 (unnamed tributary of Shot Pouch Creek) was determined to have indicators of continuous flow during the wetter months and in response to precipitation events throughout the remainder of the year under normal climatic conditions. The onsite tributary is a man-altered canal which begins off property within wetlands and continues into the review area, then intercepts the OHWM of an unnamed perennial tributary of Shot Pouch Creek (pRPW#1), described on Form 1 of 2, which flows into Shot Pouch Creek (pRPW). Stream geomorphic indicators of seasonal flow were a continuous sinuous channel within bed and banks and the presence of an continuous OHWM above the bottom elevation of the canal. The onsite tributary was saturated within the upper 12" throughout the reach during an extreme drought period. At all observation points, the bottom channel was clear of vegetation and debris with some scouring of the banks adjacent to the channel which is evidence of seasonal flow as well as hydrologic indicators observed. In some areas, last season's leaves were present and water-stained. Very little debris was observed within the channel due to washing downstream and water flowing at increased velocities during and after rainfall events. Topographic maps depict this reach as a blue line stream. It is evident on all available aerial photographs The on-site tributary (sRPW#1) flows in a southerly direction until it intercepts the OHWM of an unnamed perennial tributary of Shot Pouch Creek. The unnamed perennial tributary of Shot Pouch Creek flows un-impeded through multiple culverts at road crossings and directly into Shot Pouch Creek, a perennial RPW. Shot Pouch Creek flows into Green Swamp (pRPW), which flows into the Pocotaligo River (pRPW), which flows into the Black River, a TNW. No other potentially jurisdictional features were observed within the review area.