

Table 3. Summary of sampling of the commercial fishery for summer flounder, Northeast Region (Maine to Virginia); landings in metric tons (mt).

Year	Lengths	Ages	ME-VA Landings (mt)	Sampling Intensity (mt/100 lengths)
1982	8,194	2,288	7,536	92
1983	6,893	1,347	10,202	148
1984	5,340	1,794	11,455	215
1985	6,473	1,611	10,767	166
1986	7,840	1,967	9,499	121
1987	6,605	1,788	9,945	151
1988	9,048	2,302	11,615	128
1989	8,411	1,325	6,217	74
1990	3,419	853	2,962	87
1991	4,627	1,089	4,626	100
1992	3,385	899	6,361	188
1993	3,638	844	4,402	121
1994	3,950	956	4,969	126
1995	2,982	682	4,911	165
1996	4,580	1,235	3,947	86
1997	8,855	2,332	3,313	37
1998	10,055	2,641	3,730	37
1999	10,460	3,244	3,550	34
2000	10,952	3,307	3,564	33
2001	10,310	2,838	3,705	36
2002	7,422	1,870	4,723	64
2003	8,687	2,210	4,835	56
2004	13,970	3,560	6,036	43
2005	17,188	4,903	5,985	35
2006	18,118	5,062	4,481	25
2007	19,581	6,247	3,278	17
2008	14,803	4,661	3,043	20
2009	18,560	4,694	3,570	19
2010	15,185	3,510	4,455	29
2011	16,587	3,121	6,232	38