
Genomic Guided Clinical Trials to Evaluate the Clinical Utility of Cancer Pharmacogenomics

Geoffrey S Ginsburg, MD, PhD
Director, Center for Genomic Medicine
Duke Institute for Genome Sciences & Policy

NCI Cancer PGx Workshop July 21, 2009



A Paradigm for Discovery and Development of Cancer PGx Biomarkers



- New signature development
 Genomic Phase II clinical trials
- Signature database


- Phase III clinical trials
- Rx/Dx combinations
- Rx/Dx partnerships



Concept of a Genomic Signature


Biological State A

Biological State B





Lung Cancer *Prognosis* Genomic Signatures: The General Approach





Eligible (N=44)
Analyzed (N=25)
[lack of RNA quality (N=19)]


Eligible (N=91)
Analyzed (N=84)
[lack of RNA quality (N=7)]





A Metagene Predictor of Recurrence















Independent Validation







An Opportunity to Improve Prognosis in Lung Cancer



Stage la: Observation


Stage Ib-III: Adjuvant Therapy







<u>CALGB 30506</u> - A Phase III Trial to Evaluate Genomic Prognosis



Key Points:

- 1. Does the genomic assay accurately predict low vs high risk?
- 2. Do patients predicted to be at high risk for recurrence benefit from chemotherapy?

Approved by NIH/NCI/CTEP

Initiated in May 2009




How Best to Treat? Many Choices But No Guidance

Regimens developed for groups of cancer patients, not individuals




Signatures of Drug Sensitivity





A Panel of Signatures to Guide the Use of Cytotoxic Chemotherapies




> 600 <u>In vivo validations</u> were performed for adriamycin, paclitaxel, gemcitabine, cyclophosphamide and topotecan

(Nature Medicine, 2006)




A Prototype for Clinical Utility Studies: Guiding Standard of Care Therapies



Health and Economic Outcomes




A Breast Cancer Neoadjuvant Trial





EORTC10994 Multicenter Prospective Neoadjuvant Phase III Breast Cancer Trial BLINDED VALIDATION (n = 162)






EORTC10994 Multicenter Prospective Neoadjuvant Phase III Breast Cancer Trial BLINDED VALIDATION (n = 162)

Neoadjuvant FEC

Non-responders
Responders

Accuracy: 73.5%
Samples

<u>ARM B</u> Neoadjuvant ET




FEC predictor

ET predictor




Novel Paradigms for Drug Development



- Identifies patients resistant to standard of care, initiate 2nd line Tx
- Opportunity to move P+G to 1st line




Surrogate Signatures for Pathway Activation Underlying the Oncogenic Phenotype






Linking Pathways Underlying the Oncogenic Phenotype with Therapeutics






Pathway Signature = Drug Sensitivity Signature






Novel Paradigms for Drug Development




- activity
- > If non-resp are SRC- and resp are SRC+, then stratify in phase II



A Multi-Step Strategy for Personalized Cancer Therapy




The Duke Clinical Genomics Studies Unit: Driving Genomics Guided Trials





The Duke Clinical Genomics Studies Unit



Building the Infrastructure to Make this Work

- Biobanking
 - Coordinated efforts
 - Operational and informatics support
 - Standards
- Genomic Technologies
 - Core laboratories
 - Economies of scale
- Informatics
 - Reliable, interoperable EHRs
 - Integration of research, clinical, molecular data
- Biostatistics
 - Critical shortage must be addressed
 - Physician training in quanitative skills
- Decision Making
 - Understanding of human decision making
 - Biological, psychological and social factors
 - Education of health care professionals



Opportunities to Enable Scientific and Clinical Evaluation of Genomic Markers

- Patient registries (common and rare diseases)
 - Longitudinal follow up
 - Robust phenotypes
- Population studies linked to EHRs
- Prospective clinical trials
 - "Genomics Trials Cooperative Group"
- Industry
 - Public-private partnerships
 - Sample collection in phase II-IV trials
- A national virtual sample biorepository linked to research and clinical data