



U.S. Department of the Interior
U.S. Geological Survey

Arizona Water Science Center Yuma Field Office

Lower Colorado River Diversions and Returns

Provisional Data for:
April 2010

On the Web at: <http://az.water.usgs.gov/pubs/yuma.htm>

UNITED STATES DEPARTMENT OF THE INTERIOR - GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

Lower Colorado River - Diversions and Return Flows - Provisional Data

Mean Daily Discharge in Cubic feet per second , except as noted by #.

| | Colorado River at Lees Ferry | Paria River at Lees Ferry | Colorado River near Grand Canyon | Colorado River below Hoover Dam | Colorado River below Davis Dam | Topock Marsh Inlet near Needles, Ca | Topock Marsh Outlet near Needles, Ca | Colorado River Aquaduct near Parker Dam | Bill Williams River below Alamo Dam | Bill Williams River near Parker Dam | CAP Canal at Havasu Pumping Plant |
|--------------|------------------------------|---------------------------|----------------------------------|---------------------------------|--------------------------------|-------------------------------------|--------------------------------------|---|-------------------------------------|-------------------------------------|-----------------------------------|
| Day | 09380000 | 09382000 | 09402500 | *09421500 | 09423000 | 09423550 | *09423650 | #09424150 | 09426000 | 09426620 | #09426650 |
| 1 | 10600 | 78 | 12000 | 18200 | 19400 | 121 | 0 | 3550 | 395 | 376 | 5560 |
| 2 | 10600 | 49 | 12300 | 17800 | 20300 | 135 | 0 | 3530 | 362 | 344 | 5550 |
| 3 | 10100 | 31 | 12400 | 14500 | 17100 | 136 | 0 | 3550 | 352 | 304 | 4760 |
| 4 | 9650 | 27 | 12000 | 12000 | 14100 | 63 | 0 | 3520 | 353 | 279 | 4380 |
| 5 | 10600 | 28 | 11500 | 16700 | 18800 | 88 | 0 | 3540 | 312 | 254 | 5220 |
| 6 | 10700 | 32 | 12200 | 18700 | 18900 | 130 | 0 | 3590 | 293 | 246 | 4720 |
| 7 | 10700 | 33 | 12000 | 19100 | 17000 | 103 | 0 | 3540 | 271 | 224 | 5330 |
| 8 | 10600 | 25 | 12200 | 17700 | 16900 | 102 | 0 | 3560 | 250 | 202 | 5360 |
| 9 | 10600 | 25 | 12400 | 12500 | 16900 | 100 | 0 | 3570 | 222 | 180 | 5610 |
| 10 | 10100 | 31 | 12400 | 11500 | 16600 | 101 | 0 | 3530 | 210 | 152 | 5600 |
| 11 | 9650 | 35 | 11900 | 12600 | 14100 | 86 | 0 | 3550 | 209 | 132 | 5840 |
| 12 | 10700 | 37 | 11200 | 16600 | 16200 | 71 | 0 | 3520 | 164 | 123 | 5740 |
| 13 | 10700 | 40 | 12200 | 15100 | 16900 | 87 | 0 | 795 | 86 | 113 | 5990 |
| 14 | 10500 | 36 | 12300 | 15700 | 16600 | 100 | 0 | 0 | 72 | 61 | 5990 |
| 15 | 10700 | 29 | 12300 | 16900 | 16200 | 92 | 0 | 0 | 55 | 50 | 5990 |
| 16 | 10600 | 28 | 12500 | 15400 | 16200 | 88 | 0 | 0 | 50 | 48 | 5990 |
| 17 | 10200 | 37 | 12400 | 12600 | 15600 | 78 | 0 | 0 | 50 | 45 | 5990 |
| 18 | 9630 | 43 | 11900 | 13400 | 15600 | 76 | 0 | 0 | 50 | 38 | 5990 |
| 19 | 10600 | 43 | 11200 | 16500 | 16300 | 82 | 0 | 0 | 50 | 34 | 5990 |
| 20 | 9820 | 42 | 12200 | 18500 | 17400 | 94 | 0 | 0 | 50 | 33 | 5240 |
| 21 | 10300 | 40 | 11200 | 13800 | 17800 | 98 | 0 | 0 | 50 | 32 | 5000 |
| 22 | 10600 | 52 | 12000 | 14700 | 17300 | 93 | 0 | 0 | 49 | 31 | 5020 |
| 23 | 10500 | 49 | 12000 | 16700 | 13300 | 52 | 0 | 0 | 48 | 30 | 5040 |
| 24 | 10000 | 35 | 11800 | 12600 | 12400 | 43 | 0 | 0 | 47 | 29 | 4740 |
| 25 | 9530 | 29 | 11300 | 15100 | 13800 | 57 | 0 | 0 | 47 | 28 | 4550 |
| 26 | 10500 | 22 | 10600 | 20100 | 11700 | 36 | 0 | 0 | 46 | 27 | 3890 |
| 27 | 10400 | 24 | 11400 | 17600 | 11700 | 36 | 0 | 0 | 44 | 26 | 3540 |
| 28 | 10000 | 22 | 11200 | 15600 | 11700 | 36 | 0 | 0 | 43 | 25 | 3590 |
| 29 | 10000 | 22 | 10800 | 14500 | 17100 | 91 | 0 | 0 | 42 | 24 | 3280 |
| 30 | 10600 | 24 | 10700 | 17900 | 15800 | 72 | 0 | 151 | 47 | 23 | 3650 |
| TOTAL | 309780 | 1048 | 354500 | 470600 | 479700 | 2547 | 0 | 43496 | 4319 | 3513 | 153140 |
| MEAN | 10326 | 35 | 11817 | 15687 | 15990 | 85 | 0 | | 144 | 117 | |
| ACFT | 614449 | 2079 | 703151 | 933435 | 951485 | 5052 | 0 | | 8567 | 6968 | |

*Data furnished by other agencies

#Data furnished by other agencies in acre-feet

UNITED STATES DEPARTMENT OF THE INTERIOR - GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

Lower Colorado River - Diversions and Return Flows - Provisional Data

Mean Daily Discharge in Cubic feet per second , except as noted by #.

| | Colorado River below Parker Dam | Colorado River Indian Reservation Main Canal | Gardner Lateral Spill near Parker AZ | Upper Main Drain near Poston AZ | CRIR Poston Wasteway near Poston AZ | CRIR Poston Wasteway Spill Gates | Palo Verde Canal near Blythe CA | Palo Verde Drain near Blythe CA | Lower Main Drain near Blythe CA | Colorado River below Palo Verde Dam | PVID Olive Lake Drain near Blythe CA |
|--------------|------------------------------------|---|--|------------------------------------|---|--|------------------------------------|------------------------------------|------------------------------------|---|--|
| Day | 09427520 | 09428500 | 09428505 | 09428508 | 09428510 | *09428511 | 09429000 | 09429030 | 09429060 | 09429100 | *09429130 |
| 1 | 8060 | 1140 | 6.1 | 62 | 140 | 78 | 1070 | 17 | 164 | 7400 | 0 |
| 2 | 15400 | 1180 | 2.2 | 63 | 197 | 134 | 987 | 18 | 158 | 8540 | 0 |
| 3 | 14500 | 1020 | 2.4 | 64 | 228 | 164 | 930 | 18 | 148 | 13600 | 0 |
| 4 | 13600 | 871 | 0.38 | 65 | 149 | 84 | 764 | 18 | 152 | 12400 | 0 |
| 5 | 13400 | 1050 | 0.32 | 66 | 187 | 121 | 1010 | 18 | 155 | 12200 | 0 |
| 6 | 13400 | 1200 | 9.3 | 67 | 154 | 87 | 964 | 19 | 161 | 11600 | 0 |
| 7 | 12600 | 1170 | 4.4 | 67 | 168 | 101 | 1070 | 19 | 161 | 10900 | 0 |
| 8 | 7840 | 1120 | 7.8 | 68 | 169 | 101 | 1000 | 19 | 162 | 9440 | 0 |
| 9 | 12100 | 1110 | 17 | 69 | 152 | 83 | 904 | 19 | 159 | 7190 | 0 |
| 10 | 11400 | 1190 | 14 | 70 | 192 | 122 | 955 | 19 | 162 | 9490 | 0 |
| 11 | 10200 | 1080 | 2 | 71 | 136 | 65 | 731 | 19 | 165 | 8450 | 0 |
| 12 | 11100 | 1210 | 3.4 | 72 | 176 | 104 | 801 | 20 | 167 | 9760 | 0 |
| 13 | 12900 | 1280 | 1.5 | 73 | 197 | 124 | 892 | 20 | 176 | 8850 | 0 |
| 14 | 11600 | 1250 | 6.6 | 74 | 194 | 120 | 966 | 19 | 178 | 9870 | 0 |
| 15 | 8310 | 1200 | 4.3 | 78 | 188 | 110 | 1140 | 18 | 171 | 8760 | 0 |
| 16 | 12500 | 1200 | 9.9 | 72 | 152 | 80 | 1150 | 18 | 170 | 6960 | 0 |
| 17 | 11600 | 1130 | 8.8 | 68 | 159 | 91 | 1040 | 19 | 176 | 9980 | 0 |
| 18 | 12500 | 1080 | 11 | 70 | 205 | 135 | 830 | 19 | 172 | 10500 | 0 |
| 19 | 12600 | 1050 | 11 | 73 | 267 | 194 | 1040 | 19 | 186 | 9940 | 0 |
| 20 | 11100 | 1010 | 6.9 | 63 | 299 | 236 | 1000 | 19 | 180 | 11000 | 0 |
| 21 | 10700 | 1020 | 7.5 | 58 | 239 | 181 | 1150 | 19 | 186 | 8860 | 0 |
| 22 | 8170 | 1100 | 1.1 | 56 | 177 | 121 | 1120 | 19 | 184 | 7750 | 0 |
| 23 | 12000 | 1020 | 8.8 | 63 | 179 | 116 | 1120 | 19 | 176 | 7390 | 0 |
| 24 | 11800 | 1010 | 1.7 | 67 | 209 | 142 | 792 | 20 | 178 | 10000 | 0 |
| 25 | 12200 | 1010 | 2.6 | 82 | 211 | 129 | 530 | 20 | 179 | 10300 | 0 |
| 26 | 13400 | 1010 | 1.2 | 80 | 206 | 126 | 890 | 19 | 180 | 11200 | 0 |
| 27 | 11800 | 1010 | 3.2 | 69 | 274 | 205 | 1080 | 18 | 174 | 11000 | 0 |
| 28 | 12600 | 1010 | 11 | 64 | 166 | 102 | 1220 | 18 | 176 | 10200 | 0 |
| 29 | 5000 | 1110 | 1 | 65 | 159 | 94 | 1210 | 18 | 179 | 8120 | 0 |
| 30 | 12600 | 1220 | 3.8 | 64 | 206 | 142 | 1200 | 18 | 181 | 5530 | 0 |
| TOTAL | 346980 | 33061 | 171.2 | 2043 | 5735 | 3692 | 29556 | 562 | 5116 | 287180 | 0 |
| MEAN | 11566 | 1102 | 6 | 68 | 191 | 123 | 985 | 19 | 171 | 9573 | 0 |
| ACFT | 688235 | 65576 | 340 | 4052 | 11375 | 7323 | 58624 | 1115 | 10148 | 569622 | 0 |

*Data furnished by other agencies

#Data furnished by other agencies in acre-feet

UNITED STATES DEPARTMENT OF THE INTERIOR - GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

Lower Colorado River - Diversions and Return Flows - Provisional Data

Mean Daily Discharge in Cubic feet per second , except as noted by #.

| | PVID F-Canal Spill near Blythe CA | PVID D-10-11-2 Spill near Blythe CA | PVID D-10-11-5 Spill near Blythe Ca | PVID D-23 Spill near Blythe CA | PVID D-23-1 Spill near Blythe CA | PVID C-Canal Spill near Blythe Ca | PVID C-28 Upper Spill near Blythe Ca | PVID Outfall Drain near Blythe CA | PVID C-28 Lower Spill near Blythe Ca | Colorado River above Imperial Dam | Colorado River below Imperial Dam |
|--------------|--------------------------------------|---|---|-----------------------------------|-------------------------------------|--------------------------------------|--|--------------------------------------|--|---|---|
| Day | *09429155 | *09429160 | *09429170 | *09429180 | *09429190 | *09429200 | *09429210 | *09429220 | *09429230 | 09429490 | 09429500 |
| 1 | 42 | 3.4 | 2.6 | 19 | 25 | 38 | 0 | 325 | 8.1 | 10700 | 370 |
| 2 | 31 | 3.7 | 2.6 | 21 | 22 | 52 | 0 | 327 | 7.7 | 10400 | 370 |
| 3 | 42 | 3 | 2.6 | 37 | 29 | 72 | 0 | 325 | 12 | 8980 | 370 |
| 4 | 33 | 12 | 9.1 | 42 | 35 | 66 | 0 | 387 | 28 | 8460 | 372 |
| 5 | 30 | 13 | 2.2 | 25 | 36 | 105 | 0 | 371 | 14 | 10500 | 370 |
| 6 | 24 | 0.34 | 1.1 | 36 | 20 | 59 | 0 | 377 | 12 | 11200 | 370 |
| 7 | 37 | 7.4 | 9.9 | 21 | 21 | 58 | 0 | 358 | 4.5 | 11500 | 370 |
| 8 | 61 | 7.7 | 2.6 | 22 | 24 | 78 | 0 | 364 | 9.9 | 11200 | 370 |
| 9 | 50 | 4.4 | 0.36 | 41 | 20 | 43 | 0 | 364 | 18 | 11000 | 370 |
| 10 | 33 | 6.4 | 2.2 | 35 | 18 | 12 | 0 | 341 | 19 | 9800 | 370 |
| 11 | 37 | 4.4 | 2.9 | 37 | 20 | 34 | 0 | 343 | 24 | 8830 | 370 |
| 12 | 35 | 2.4 | 1.1 | 33 | 19 | 37 | 0 | 345 | 27 | 9740 | 380 |
| 13 | 39 | 2.7 | 1.1 | 32 | 19 | 38 | 0 | 329 | 16 | 9520 | 380 |
| 14 | 42 | 0.34 | 1.1 | 38 | 18 | 51 | 0 | 322 | 18 | 9530 | 380 |
| 15 | 49 | 0.34 | 1.1 | 26 | 21 | 55 | 0 | 364 | 13 | 9830 | 380 |
| 16 | 20 | 1 | 1.1 | 24 | 18 | 44 | 0 | 347 | 4.3 | 9640 | 380 |
| 17 | 20 | 0.34 | 1.1 | 31 | 32 | 47 | 0 | 347 | 12 | 8410 | 380 |
| 18 | 22 | 1 | 5.1 | 28 | 31 | 25 | 0 | 336 | 17 | 8390 | 380 |
| 19 | 38 | 11 | 5.5 | 34 | 22 | 38 | 0 | 338 | 25 | 9170 | 380 |
| 20 | 25 | 7.7 | 3.3 | 45 | 32 | 39 | 0 | 334 | 12 | 9820 | 380 |
| 21 | 29 | 7 | 3.3 | 24 | 24 | 50 | 0 | 351 | 6.6 | 9700 | 380 |
| 22 | 24 | 8.4 | 2.9 | 20 | 22 | 88 | 0 | 354 | 6.6 | 9420 | 472 |
| 23 | 32 | 18 | 2.9 | 32 | 32 | 91 | 0 | 356 | 9.9 | 9250 | 472 |
| 24 | 39 | 3.7 | 7.7 | 21 | 32 | 131 | 0 | 356 | 6.2 | 8040 | 380 |
| 25 | 16 | 4.7 | 2.2 | 16 | 20 | 32 | 0 | 358 | 20 | 8200 | 1100 |
| 26 | 24 | 2.4 | 3.3 | 23 | 21 | 45 | 0 | 301 | 7.7 | 9900 | 1460 |
| 27 | 40 | 3 | 2.6 | 24 | 17 | 31 | 0 | 311 | 10 | 9570 | 380 |
| 28 | 43 | 32 | 7.3 | 26 | 18 | 22 | 0 | 316 | 4 | 10200 | 781 |
| 29 | 28 | 29 | 14 | 12 | 19 | 49 | 0 | 362 | 7.9 | 10400 | 1240 |
| 30 | 23 | 4.7 | 6.2 | 16 | 21 | 51 | 0 | 366 | 29 | 9870 | 1060 |
| TOTAL | 1008 | 205.46 | 111.06 | 841 | 708 | 1581 | 0 | 10375 | 409.4 | 291170 | 15217 |
| MEAN | 34 | 7 | 4 | 28 | 24 | 53 | 0 | 346 | 14 | 9706 | 507 |
| ACFT | 1999 | 408 | 220 | 1668 | 1404 | 3136 | 0 | 20579 | 812 | 577536 | 30183 |

*Data furnished by other agencies

#Data furnished by other agencies in acre-feet

UNITED STATES DEPARTMENT OF THE INTERIOR - GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

Lower Colorado River - Diversions and Return Flows - Provisional Data

Mean Daily Discharge in Cubic feet per second , except as noted by #.

| | Colorado River below Laguna Dam | Gila River below Painted Rock Dam | Gila River near Dateland Arizona | Gila River near Dome AZ | Colorado River below Yuma Main Canal WW | Colorado River at Northerly Boundary | Mittry Lake Diversion at Imperial Dam | Gila Gravity Main Canal at Imperial Dam | North Gila Main Canal Turnout #1 near Yuma Az | North Gila Main Canal Turnout #2 near Yuma AZ | Wellton Mohawk Canal near Yuma AZ |
|--------------|---------------------------------------|--------------------------------------|-------------------------------------|----------------------------|---|--|---|---|---|---|---|
| Day | 09429600 | 09519800 | 09520280 | 09520500 | 09521100 | *09522000 | *09522400 | 09522500 | 09522600 | 09522650 | 09522700 |
| 1 | 420 | 2600 | 1400 | 531 | 1090 | 3740 | 11 | 1230 | 45 | 15 | 604 |
| 2 | 419 | 2640 | 1400 | 600 | 1150 | 3570 | 11 | 1120 | 50 | 6.7 | 687 |
| 3 | 418 | 2610 | 1460 | 657 | 1210 | 3570 | 11 | 744 | 60 | 10 | 489 |
| 4 | 416 | 2550 | 1470 | 701 | 1320 | 4060 | 11 | 509 | 25 | 0 | 309 |
| 5 | 418 | 2580 | 1470 | 741 | 1320 | 5230 | 11 | 1300 | 58 | 17 | 605 |
| 6 | 416 | 2590 | 1470 | 761 | 1340 | 4590 | 9.8 | 1450 | 85 | 17 | 673 |
| 7 | 417 | 2650 | 1490 | 801 | 1400 | 4560 | 9.8 | 1450 | 60 | 22 | 687 |
| 8 | 418 | 2660 | 1510 | 843 | 1450 | 4340 | 9.8 | 1360 | 75 | 6.6 | 801 |
| 9 | 416 | 2610 | 1570 | 900 | 1380 | 3990 | 9.8 | 1350 | 75 | 12 | 807 |
| 10 | 415 | 2600 | 1570 | 927 | 1440 | 3780 | 9.8 | 1010 | 59 | 2.5 | 658 |
| 11 | 414 | 2550 | 1550 | 961 | 1470 | 3570 | 9.8 | 719 | 20 | 6.2 | 506 |
| 12 | 414 | 2630 | 1530 | 1020 | 1490 | 3170 | 9.8 | 1320 | 58 | 19 | 558 |
| 13 | 413 | 2670 | 1520 | 1050 | 1540 | 2770 | 10 | 1450 | 52 | 19 | 668 |
| 14 | 411 | 2670 | 1570 | 1080 | 1590 | 2660 | 10 | 1500 | 41 | 5.7 | 744 |
| 15 | 412 | 2670 | 1560 | 1080 | 1640 | 2550 | 10 | 1630 | 61 | 0 | 748 |
| 16 | 413 | 2650 | 1580 | 1140 | 1670 | 2560 | 10 | 1450 | 72 | 12 | 878 |
| 17 | 413 | 2610 | 1590 | 1160 | 1710 | 2570 | 10 | 1140 | 53 | 15 | 849 |
| 18 | 413 | 2600 | 1570 | 1230 | 1710 | 2560 | 10 | 1010 | 2.6 | 0 | 809 |
| 19 | 416 | 2600 | 1540 | 1260 | 1830 | 2930 | 10 | 1430 | 50 | 11 | 762 |
| 20 | 422 | 2570 | 1530 | 1260 | 1870 | 2950 | 10 | 1590 | 61 | 15 | 765 |
| 21 | 426 | 2560 | 1570 | 1220 | 1830 | 2950 | 10 | 1450 | 43 | 16 | 769 |
| 22 | 440 | 2510 | 1550 | 1230 | 1770 | 3600 | 10 | 1270 | 52 | 19 | 594 |
| 23 | 535 | 2550 | 1530 | 1340 | 1850 | 3110 | 10 | 1340 | 94 | 17 | 718 |
| 24 | 427 | 2590 | 1510 | 1340 | 1810 | 2900 | 10 | 862 | 36 | 2 | 678 |
| 25 | 807 | 2490 | 1570 | 1330 | 1880 | 2920 | 10 | 492 | 16 | 5.6 | 381 |
| 26 | 1410 | 2440 | 1550 | 1280 | 2610 | 3140 | 10 | 1450 | 50 | 12 | 610 |
| 27 | 751 | 2430 | 1520 | 1310 | 2500 | 3180 | 10 | 1830 | 84 | 20 | 798 |
| 28 | 662 | 2310 | 1490 | 1340 | 2000 | 2940 | 10 | 1440 | 89 | 5.8 | 707 |
| 29 | 1040 | 2220 | 1450 | 1310 | 2310 | 2900 | 10 | 1390 | 70 | 0 | 641 |
| 30 | 1210 | 2120 | 1400 | 1270 | 2550 | 3030 | 10 | 1340 | 107 | 2.6 | 729 |
| TOTAL | 16022 | 76530 | 45490 | 31673 | 50730 | 100390 | 303.6 | 37626 | 1703.6 | 311.7 | 20232 |
| MEAN | 534 | 2551 | 1516 | 1056 | 1691 | 3346 | 10 | 1254 | 57 | 10 | 674 |
| ACFT | 31780 | 151797 | 90229 | 62823 | 100623 | 199124 | 602 | 74631 | 3379 | 618 | 40130 |

*Data furnished by other agencies

#Data furnished by other agencies in acre-feet

UNITED STATES DEPARTMENT OF THE INTERIOR - GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

Lower Colorado River - Diversions and Return Flows - Provisional Data

Mean Daily Discharge in Cubic feet per second , except as noted by #.

| | South Gila Main Canal near Yuma AZ | All American Canal near Imperial Dam | Reservation Main Canal near Yuma AZ | Titsink Canal near Yuma AZ | Yaqui Canal near Yuma AZ | Pontiac Canal near Yuma AZ | Yuma Main Canal at Siphon Drop Powerplant | Diversions from YMC below Siphon Drop PP | Yuma Main Canal Wasteway at Yuma AZ | Yuma Main Canal below Colorado River Siphon | Ypislanti Canal near Winterhaven California |
|--------------|--|--|---|-------------------------------|-----------------------------|-------------------------------|---|--|---|---|---|
| Day | *09522800 | *09523000 | 09523200 | 09523400 | 09523600 | 09523800 | *09524000 | *09524500 | 09525000 | 09525500 | 09526200 |
| 1 | 119 | 9110 | 80 | 0 | 17 | 25 | 754 | 25 | 10 | 719 | 23 |
| 2 | 102 | 8880 | 54 | 6.1 | 13 | 17 | 648 | 26 | 10 | 612 | 14 |
| 3 | 60 | 7860 | 42 | 0 | 16 | 16 | 470 | 0 | 18 | 452 | 17 |
| 4 | 26 | 7570 | 37 | 0 | 6.8 | 7.2 | 466 | 0 | 62 | 404 | 0.32 |
| 5 | 78 | 8800 | 57 | 0 | 12 | 12 | 628 | 29 | 25 | 574 | 42 |
| 6 | 113 | 9400 | 91 | 0 | 26 | 30 | 820 | 59 | 35 | 726 | 59 |
| 7 | 39 | 9700 | 112 | 0 | 26 | 32 | 882 | 39 | 55 | 788 | 20 |
| 8 | 50 | 9480 | 134 | 0 | 6.9 | 14 | 850 | 18 | 62 | 770 | 10 |
| 9 | 28 | 9240 | 133 | 0 | 17 | 11 | 872 | 41 | 30 | 801 | 23 |
| 10 | 29 | 8410 | 123 | 0 | 11 | 0.35 | 858 | 43 | 37 | 778 | 19 |
| 11 | 3 | 7730 | 106 | 0 | 0.9 | 11 | 652 | 11 | 9 | 632 | 19 |
| 12 | 41 | 8030 | 96 | 0 | 0.35 | 23 | 631 | 26 | 22 | 583 | 41 |
| 13 | 87 | 7680 | 91 | 0 | 0.01 | 10 | 625 | 11 | 20 | 594 | 41 |
| 14 | 95 | 7640 | 127 | 0 | 11 | 12 | 691 | 19 | 57 | 615 | 38 |
| 15 | 135 | 7810 | 123 | 0 | 24 | 26 | 842 | 45 | 78 | 719 | 34 |
| 16 | 93 | 7800 | 116 | 0 | 28 | 9.4 | 849 | 72 | 47 | 730 | 33 |
| 17 | 56 | 6880 | 74 | 0 | 16 | 4.7 | 795 | 14 | 57 | 724 | 39 |
| 18 | 27 | 6990 | 42 | 5.1 | 22 | 0.33 | 695 | 18 | 58 | 619 | 26 |
| 19 | 81 | 7350 | 93 | 0 | 24 | 24 | 809 | 38 | 144 | 627 | 11 |
| 20 | 121 | 7840 | 95 | 0 | 37 | 39 | 800 | 17 | 161 | 622 | 27 |
| 21 | 109 | 7860 | 65 | 0 | 30 | 20 | 733 | 31 | 139 | 563 | 36 |
| 22 | 119 | 7670 | 88 | 0 | 23 | 14 | 649 | 22 | 63 | 564 | 26 |
| 23 | 124 | 7430 | 106 | 0 | 12 | 26 | 708 | 20 | 52 | 636 | 41 |
| 24 | 109 | 6790 | 107 | 0 | 0.58 | 24 | 879 | 37 | 150 | 692 | 36 |
| 25 | 51 | 6600 | 71 | 0 | 0.46 | 21 | 677 | 36 | 54 | 587 | 11 |
| 26 | 66 | 6980 | 86 | 0 | 4 | 0.35 | 720 | 28 | 61 | 631 | 33 |
| 27 | 109 | 7350 | 89 | 0 | 31 | 11 | 802 | 14 | 55 | 733 | 45 |
| 28 | 92 | 8000 | 96 | 0 | 40 | 15 | 844 | 0 | 70 | 774 | 47 |
| 29 | 85 | 7810 | 90 | 0 | 5.6 | 9.8 | 869 | 8.1 | 68 | 793 | 50 |
| 30 | 83 | 7460 | 106 | 0 | 0.47 | 0.31 | 860 | 29 | 82 | 749 | 45 |
| TOTAL | 2330 | 238150 | 2730 | 11.2 | 462.07 | 465.44 | 22378 | 776.1 | 1791 | 19811 | 906.32 |
| MEAN | 78 | 7938 | 91 | 0 | 15 | 16 | 746 | 26 | 60 | 660 | 30 |
| ACFT | 4622 | 472371 | 5415 | 22 | 917 | 923 | 44387 | 1539 | 3552 | 39295 | 1798 |

*Data furnished by other agencies

#Data furnished by other agencies in acre-feet

UNITED STATES DEPARTMENT OF THE INTERIOR - GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

Lower Colorado River - Diversions and Return Flows - Provisional Data

Mean Daily Discharge in Cubic feet per second , except as noted by #.

| | Pilot Knob Powerplant and Wasteway | All American Canal below Pilot Knob Wasteway | Levee Canal Wasteway near Yuma AZ | North Gila Drain No. 1 near Yuma AZ | North Gila Main Canal Wasteway near Yuma AZ | South Gila Pump Outlet Channel No. 3 near Yuma Az | South Gila Pump Outlet Channel No. 2 near Yuma AZ | Bruce Church Wasteway near Yuma AZ | Wellton Mohawk Main Outlet Drain near Yuma AZ | South Gila Pump Outlet Channel No. 1 near Yuma AZ | South Gila Terminal Canal WW near Yuma AZ |
|--------------|--|--|---|---|---|--|--|--|---|--|---|
| Day | *09527000 | *09527500 | 09528800 | 09529000 | 09529150 | *09529160 | *09529240 | 09529250 | 09529300 | *09529360 | 09529420 |
| 1 | 2410 | 5500 | 0 | 2.2 | 2.3 | 25 | 3.9 | 4.3 | 158 | 36 | 2 |
| 2 | 2250 | 5500 | 0 | 2.5 | 0.91 | 25 | 1.3 | 3.1 | 162 | 38 | 9.4 |
| 3 | 2170 | 4840 | 0 | 2.4 | 0.83 | 25 | 0 | 1.1 | 170 | 38 | 4.8 |
| 4 | 2600 | 4010 | 0 | 2.5 | 1.7 | 25 | 0 | 5.6 | 172 | 38 | 4.3 |
| 5 | 3320 | 4250 | 0.05 | 2.3 | 3.1 | 25 | 2.4 | 3.9 | 154 | 38 | 2.4 |
| 6 | 2890 | 5070 | 0 | 2.8 | 3.5 | 25 | 3.7 | 4.3 | 152 | 38 | 6.8 |
| 7 | 2980 | 5330 | 0 | 2.4 | 6.2 | 24 | 0 | 6.6 | 158 | 38 | 3.4 |
| 8 | 2740 | 5420 | 0 | 2.6 | 4.8 | 7.4 | 0 | 1.9 | 172 | 38 | 5.7 |
| 9 | 2410 | 5450 | 0 | 2.3 | 5.3 | 0 | 0 | 3.2 | 162 | 38 | 5 |
| 10 | 2160 | 5030 | 1.2 | 2.5 | 6.1 | 0 | 0 | 5.2 | 157 | 38 | 1.2 |
| 11 | 1970 | 4490 | 0.98 | 2.6 | 5.8 | 0 | 0 | 2.1 | 155 | 38 | 3 |
| 12 | 1630 | 5390 | 0 | 2.6 | 7.6 | 0 | 0 | 5.9 | 164 | 38 | 7.8 |
| 13 | 1200 | 5480 | 0 | 2.4 | 7.7 | 0 | 0 | 2 | 148 | 36 | 2.8 |
| 14 | 1090 | 5490 | 0 | 2.6 | 7.8 | 12 | 0 | 2.3 | 160 | 38 | 0.82 |
| 15 | 818 | 5700 | 0 | 2.3 | 7.9 | 25 | 0 | 0.14 | 168 | 38 | 5.7 |
| 16 | 816 | 5740 | 0 | 2.2 | 7.9 | 25 | 0 | 0.02 | 157 | 38 | 7.6 |
| 17 | 785 | 5070 | 0 | 2.5 | 7.8 | 25 | 0 | 0.9 | 154 | 38 | 6.5 |
| 18 | 785 | 5190 | 0 | 2.2 | 7.6 | 25 | 0 | 0.62 | 152 | 38 | 3.7 |
| 19 | 1120 | 5340 | 0 | 2.2 | 7.4 | 25 | 0 | 0.89 | 154 | 38 | 7.1 |
| 20 | 1110 | 5700 | 1.1 | 2.2 | 7.2 | 25 | 0 | 1.4 | 155 | 38 | 7.7 |
| 21 | 1090 | 5810 | 0 | 3 | 7.1 | 25 | 0 | 1 | 153 | 38 | 8.1 |
| 22 | 1670 | 5190 | 0 | 2.7 | 7.2 | 12 | 0 | 1.7 | 138 | 32 | 5.7 |
| 23 | 1210 | 5340 | 0 | 2.4 | 7.8 | 11 | 0 | 2.5 | 149 | 38 | 13 |
| 24 | 1090 | 4840 | 0 | 2.6 | 8.2 | 25 | 0 | 0.58 | 156 | 38 | 5.5 |
| 25 | 1090 | 4690 | 0 | 2.4 | 8.1 | 25 | 0 | 3 | 164 | 38 | 1.9 |
| 26 | 809 | 5290 | 0 | 2.2 | 7.9 | 25 | 0 | 2.3 | 151 | 38 | 3.1 |
| 27 | 837 | 5460 | 0 | 2.4 | 7.9 | 25 | 1.1 | 1.2 | 154 | 38 | 5.2 |
| 28 | 1040 | 5790 | 0 | 2.9 | 8.1 | 25 | 0 | 0.28 | 150 | 38 | 5.2 |
| 29 | 829 | 5870 | 0 | 2.9 | 8.1 | 15 | 0 | 0.23 | 159 | 38 | 5.3 |
| 30 | 775 | 5630 | 0 | 2.7 | 7.7 | 0 | 0 | 0.96 | 164 | 38 | 8.2 |
| TOTAL | 47694 | 157900 | 3.33 | 74.5 | 187.54 | 531.4 | 12.4 | 69.22 | 4722 | 1130 | 158.92 |
| MEAN | 1590 | 5263 | 0 | 2 | 6 | 18 | 0 | 2 | 157 | 38 | 5 |
| ACFT | 94601 | 313195 | 7 | 148 | 372 | 1054 | 25 | 137 | 9366 | 2241 | 315 |

*Data furnished by other agencies

#Data furnished by other agencies in acre-feet

UNITED STATES DEPARTMENT OF THE INTERIOR - GEOLOGICAL SURVEY - WATER RESOURCES DIVISION

Lower Colorado River - Diversions and Return Flows - Provisional Data

Mean Daily Discharge in Cubic feet per second , except as noted by #.

| | South Gila Pump Outlet Channel No. 4 near Yuma Az | Reservation Drain No. 7 near Bard CA | Reservation Drain No. 6 near Bard CA | Reservation Drain No. 2 near Bard CA | Reservation Drain No. 3 near Bard CA | Reservation Main Drain No. 4 near Yuma AZ | Yuma Mesa Outlet Drain near Yuma AZ | Reservation Drain No. 11 near Winterhaven | Araz Drain No. 8B near Winterhaven California |
|--------------|--|--|--|--|--|---|---|---|---|
| Day | *09529440 | 09529600 | 09529700 | 09529800 | 09529900 | 09530000 | *09530200 | 09530400 | 09530500 |
| 1 | 5 | 2.7 | 20 | 0.89 | 6 | 66 | 88 | 3 | 8.9 |
| 2 | 5 | 2.7 | 20 | 0.89 | 6 | 66 | 88 | 3 | 9.1 |
| 3 | 5 | 2.7 | 20 | 0.89 | 6 | 67 | 88 | 3 | 9.2 |
| 4 | 5 | 2.7 | 20 | 0.89 | 6 | 67 | 88 | 3 | 9.5 |
| 5 | 5 | 2.7 | 20 | 0.89 | 6 | 67 | 88 | 3 | 9.2 |
| 6 | 5 | 2.7 | 20 | 0.89 | 6 | 68 | 88 | 3 | 9.2 |
| 7 | 5 | 2.7 | 20 | 0.89 | 6 | 69 | 88 | 3 | 9.3 |
| 8 | 5 | 2.7 | 20 | 0.89 | 6 | 70 | 22 | 3 | 9.4 |
| 9 | 5 | 2.7 | 20 | 0.89 | 6 | 69 | 0 | 3 | 9.4 |
| 10 | 5 | 2.7 | 20 | 0.89 | 6 | 70 | 0 | 3 | 9.3 |
| 11 | 5 | 2.7 | 20 | 0.89 | 6 | 70 | 0 | 3 | 9.4 |
| 12 | 5 | 2.7 | 20 | 0.89 | 6 | 71 | 0 | 3 | 9.8 |
| 13 | 5 | 2.7 | 20 | 0.89 | 6 | 72 | 0 | 3 | 11 |
| 14 | 5 | 2.7 | 20 | 0.89 | 6 | 73 | 44 | 3 | 9.8 |
| 15 | 5 | 2.7 | 20 | 0.89 | 6 | 74 | 88 | 3 | 9.2 |
| 16 | 5 | 2.7 | 20 | 0.89 | 6 | 76 | 88 | 3 | 9 |
| 17 | 5 | 2.7 | 20 | 0.89 | 6 | 75 | 88 | 3 | 9.1 |
| 18 | 5 | 2.7 | 20 | 0.89 | 6 | 75 | 88 | 3 | 9.9 |
| 19 | 5 | 2.7 | 20 | 0.89 | 6 | 70 | 80 | 3 | 10 |
| 20 | 5 | 2.7 | 20 | 0.89 | 6 | 68 | 88 | 3 | 9.9 |
| 21 | 5 | 2.7 | 20 | 0.89 | 6 | 70 | 88 | 3 | 9.4 |
| 22 | 5 | 2.7 | 20 | 0.89 | 6 | 71 | 37 | 3 | 9.3 |
| 23 | 5 | 2.7 | 20 | 0.89 | 6 | 68 | 37 | 3 | 9.5 |
| 24 | 5 | 2.7 | 20 | 0.89 | 6 | 69 | 88 | 3 | 9.8 |
| 25 | 5 | 2.7 | 20 | 0.89 | 6 | 66 | 88 | 3 | 9.8 |
| 26 | 5 | 2.7 | 20 | 0.89 | 6 | 58 | 88 | 3 | 9.8 |
| 27 | 5 | 2.7 | 20 | 0.89 | 6 | 59 | 88 | 3 | 9.6 |
| 28 | 5 | 2.7 | 20 | 0.89 | 6 | 60 | 88 | 3 | 9.5 |
| 29 | 5 | 2.7 | 20 | 0.89 | 6 | 50 | 48 | 3 | 9.5 |
| 30 | 5 | 2.7 | 20 | 0.89 | 6 | 55 | 0 | 3 | 9.3 |
| TOTAL | 150 | 81 | 600 | 26.7 | 180 | 2029 | 1852 | 90 | 285.1 |
| MEAN | 5 | 3 | 20 | 1 | 6 | 68 | 62 | 3 | 10 |
| ACFT | 298 | 161 | 1190 | 53 | 357 | 4025 | 3673 | 179 | 565 |

*Data furnished by other agencies

#Data furnished by other agencies in acre-feet

United States Department of the Interior - Geological Survey - Water Resources Division
Lower Colorado River - Diversions and Reservoirs - Provisional Data

DIVERSIONS

| STATION NAME | STATION NUMBER | MONTHLY TOTAL - ACRE-FEET |
|---|----------------|---------------------------|
| #Gila Gravity Main Canal at Pumping Plant | 9522850 | 15690 |
| #Unit B Main Canal | 9522900 | 2080 |
| #City of Yuma Diversions | 9526000 | 1230 |
| Wellton Mohawk MODE # 2 | 9531800 | 0 |

RESERVOIRS

| | #LAKE MEAD | LAKE MOHAVE | LAKE HAVASU | #ALAMO LAKE | #Senator Wash |
|---------------------------------|------------|-------------|-------------|-------------|---------------|
| End of Current Months Contents | 11313000 | 1697000 | 595000 | 169000 | 8888 |
| End of Previous Months Contents | 11550000 | 1678000 | 566400 | 177700 | 8983 |
| Change in Contents | -237000 | 19000 | 28600 | -8700 | -95 |

*Data furnished by other agencies.

#Data furnished by other agencies in acre-feet.