

Figure 7. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled “Other SBRM” species groups; non-SBRM species have been grouped and labeled “Non-SBRM.”

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Longline OPEN all NE all (Row 2)




Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Hand Line OPEN all NE all (Row 4)




Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Otter Trawl OPEN all MA sm (Row 5)




Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Otter Trawl OPEN all MA Ig (Row 6)







Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Otter Trawl OPEN all NE sm (Row 7)



Total

Discards

Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Otter Trawl OPEN all NE Ig (Row 8)




Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Otter Trawl, Ruhle OPEN all NE Ig (Row 13)

SBRM  
2009

SBRM  
2010




Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Otter Trawl, Haddock Separator OPEN all NE Ig (Row 14)

SBRM  
2009

SBRM  
2010






Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Shrimp Trawl OPEN all NE all (Row 16)




Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Gillnet OPEN all MA sm (Row 19)







Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Gillnet OPEN all MA Ig (Row 20)






Total

Discards

Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Gillnet OPEN all MA xlg (Row 21)





Total

Discards

Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Gillnet OPEN all NE sm (Row 22)



SBRM 2011

Total

Discards

Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Gillnet OPEN all NE Ig (Row 23)




Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Gillnet OPEN all NE xlg (Row 24)




Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Purse Seine OPEN all NE all (Row 26)






Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Scallop Dredge AA GEN MA all (Row 27)






Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Scallop Dredge AA GEN NE all (Row 28)



SBRM 2011

Total

Discards

Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Scallop Dredge AA LIM MA all (Row 29)







Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Scallop Dredge AA LIM NE all (Row 30)



Total

Discards

Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Scallop Dredge OPEN GEN MA all (Row 31)






Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Scallop Dredge OPEN GEN NE all (Row 32)



Total

Discards

Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Scallop Dredge OPEN LIM MA all (Row 33)




Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Scallop Dredge OPEN LIM NE all (Row 34)






Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Mid-water Trawl OPEN all MA all (Row 35)




Figure 7, continued. Percentage of Vessel Trip Report landings (kept) and estimated discards (Total, left pie) and the percentage of estimated discards by SBRM species groups, non-SBRM species (Discards, right pie) for 26 selected fleets for SBRM 2009 (July 2007 through June 2008), SBRM 2010 (July 2008 through June 2009), and SBRM 2011 (July 2009 through June 2010). See Table 1 for SBRM species group abbreviations; SBRM species groups that were filtered out through the importance filter have been aggregated and labeled "Other SBRM" species groups; non-SBRM species have been grouped and labeled "Non-SBRM."

*Note: Selected fleets include Rows 2, 4-8, 13, 14, 16, 19-24, and 26-36; these represent fleets where discards were estimated in the majority of years.*

## FLEET: Mid-water Trawl OPEN all NE all (Row 36)

