

Open CAIS Requirements

<i>ReqID</i>	<i>Top 5</i>	<i>Requirement</i>	<i>Requestor</i>	<i>Program</i>	<i>Status</i>
2199	Yes	Add the capability associate Excell templates with specified ad hoc reports. This feature will allow for extensive custom formatting, etc.	Steve Patterson	NNSA	In Progress
2197	Yes	Add the ability to create custom headers in the Ad Hoc Reports.	Steve Patterson	NNSA	Review
2158	Yes	Since the FIMS upload from CAIS only updates the last inspection date in FIMS if there is a date in the Asset table, add a new check to the Upload Exception Report for assets with Inspection Dates in FIMS and no inspection date in the CAIS Export table.	Gene Buck	NNSA	Review
2040	Yes	Add the AS_ESSENTIAL_PO_MSN_CODE field to the CAIS ad hoc reporting tool.	Suzann Smith	NNSA	Review
2079	No	Create a new version of the Project Detail Report that eliminates the following fields: Area ID, Volume, Component, RIC Type. Add a total value to the Official Cost Column. Add Location 2 field immediately to the left of the Official Cost column.	Steve Patterson	NNSA	Review
2027	No	Show the totals for the IUs that make up the project.	Steve Patterson	NNSA	Review
2030	No	Be able to run the Project Summary and Project Detail Reports for multiple selected projects.	Steve Patterson	NNSA	Review
2045	No	Make the Cursor an Hourglass when you are in the middle of saving.	Steve Patterson	NNSA	Review
2054	No	Have the date/time stamp generated for the last updated date and create date for the Inspection Unit reflect the correct time zone. For, example, Nevada Test Site would be three hours earlier than the East Coast.	Steve Patterson	NNSA	Review
2014	No	Have CAIS and Costworks run together as one application.	Steve Patterson	NNSA	Review
2068	No	Create a new project detail report which eliminates the following columns from the existing report: Area ID, Volume, Component, RIC Type. Add location two immediately before official cost. Add a total for the official cost column.	Steve Patterson	NNSA	Review
2026	No	Be able to delete multiple IUs from the IU List.	Steve Patterson	NNSA	Review
2082	No	Add pipe bursting as a cost to the CAIS database.	Steve Patterson	NNSA	Review
2104	No	Have an on-line help document with an alphabetical list of all of the CAIS unit of measure definitions.	Steve Patterson	NNSA	Review

<i>ReqID</i>	<i>Top 5</i>	<i>Requirement</i>	<i>Requestor</i>	<i>Program</i>	<i>Status</i>
819	No	CAIS needs to allow you to identify the baseline for DM to support the TYSP.	Steve Patterson	NNSA	Review
2065	No	Add the following line items from RS Means to CAIS: □G3040110... □G3040210... □G3040310... □G3040410... □D20908106000-6125	Steve Patterson	NNSA	Review
1032	No	Make location fields 1-5 larger on the IU Detail Screen.	Steve Patterson	NNSA	Review
916	No	Add the custom text 2 and custom text 3 to the Project Detail Screen and to the Projects Reports. Note that these fields are already in the CAIS database.	Steve Patterson	NNSA	Review
973	No	Add Headers: Projects, Reports, FIMS Export, Change Password. (SP)	Steve Patterson	NNSA	Review
974	No	At the IU list of an asset, when filtering by discipline, should be able to hit the enter key or select filter button to run. Enter key does not run it right now.	Steve Patterson	NNSA	Review
977	No	Need a one-page print screen option (landscaped) for IU's.	Steve Patterson	NNSA	Review
2029	No	Create an archive folder for completed projects.	Steve Patterson	NNSA	Review
980	No	Need the minimize, maximize, close box button in the upper right corner of each screen.	Steve Patterson	NNSA	Review
2010	No	Allow the project list to be sorted.	Steve Patterson	NNSA	Review
1034	No	Add a Reset button to Type Search.	Steve Patterson	NNSA	Review
1035	No	Make the size of the text in the IU Comment field the same size as the regular text.	Steve Patterson	NNSA	Review
1036	No	Allow double clicking on an Asset to open up the IU List for that asset on the IU List.	Steve Patterson	NNSA	Review
1047	No	Include the count of line items at the top of the Project Inspection Units Tab.	Steve Patterson	NNSA	Review
2001	No	Move the Completion YR field to be right under the Completed Cost field on the IU Detail Screen.	Steve Patterson	NNSA	Review
2004	No	When you delete an IU after filtering the IU List, the IU List should remember the filter.	Steve Patterson	NNSA	Review
2009	No	Allow the project list to be filtered.	Steve Patterson	NNSA	Review

<i>ReqID</i>	<i>Top 5</i>	<i>Requirement</i>	<i>Requestor</i>	<i>Program</i>	<i>Status</i>
979	No	Would like the tabs at the top of the IU Detail to look like the Centralized version ie: IU(s) – Alt 2, IU Detail – Alt 3, Deficiencies – Alt 4, Cost Adders – Alt 5, etc.	Steve Patterson	NNSA	Review
1014	No	The site ID that is located on the webversion is the old #. Can you fix it so the new # is what is viewable? (all NNSA sites) need to figure out a way to identify if a user ID is already in use and handle this situation differently.	Jane Nations	NNSA	Review
2122	No	Allow sites to change the column labels on the IU screen.	Jane Nations	NNSA	Review
2081	No	Add bridges (automobile/truck) to the costing database and to CostWorks.	Jane Nations	NNSA	Review
2034	No	If there is no dollar value for a system, the summary condition report should describe the condition as n/a instead of Excellent, etc.	Jane Nations	NNSA	Review
939	No	IU List Screen - Equipment ID field on IU List screen wraps rather than listing to length of field? (makes list very long).	Jane Nations	NNSA	Review
932	No	IU Detail Screen - If I use the type search tool and choose a new type, I lose the 'Next' capability (no buttons).	Jane Nations	NNSA	Review
929	No	IU Detail Screen - I like the alternate hi-lighting on the adders screen - suggest using something similar on the IU detail screen (maybe to split sections?). Makes viewing the screen easier.	Jane Nations	NNSA	Review
308	No	Add Area ID to the Asset List for Asset Maintenance and make it updateable.	Jane Nations	NNSA	Review
926	No	IU Detail Screen - Use same font for titles and fields	Jane Nations	NNSA	Review
804	No	Add the ability to do mass updates for a group of IU's and other tables.	Jane Nations	NNSA	Review
942	No	Asset Detail Screen - Several fields appear too big - reduce to size (i.e. suffix; year built; expected life; remaining life, etc.)	Jane Nations	NNSA	Review
964	No	Detail Page - 2. Currently when opening new detail page we tab twice to reach Inspector ID box. With this version we have twenty-one key strokes to reach the same box	Billy Johnson	NNSA	Review
2116	No	When you hold the mouse over a field it should show the definition.	Billy Johnson	NNSA	Review
2015	No	Freeze the first couple of columns of the IU List.	Billy Johnson	NNSA	Review
2013	No	Row highlighting should remain in place when you scroll to the right, etc.	Billy Johnson	NNSA	Review

<i>ReqID</i>	<i>Top 5</i>	<i>Requirement</i>	<i>Requestor</i>	<i>Program</i>	<i>Status</i>
1063	No	Lock the headers on screens - eliminate horizontal scrolling (keep vertical scrolling)	Billy Johnson	NNSA	Review
970	No	Complete Survey Detail Report - 4. The Coverage % column and the actual numbers need to align under the proper heading.	Billy Johnson	NNSA	Review
968	No	Complete Survey Detail Report - 2. The margins should line up	Billy Johnson	NNSA	Review
6	No	CAIS needs a help file with field/table origins.	Billy Johnson	NNSA	Review
966	No	Deficiency Page - 1. Will be more efficient and less confusing if grouped into drop down menus similar to the current version	Billy Johnson	NNSA	Review
816	No	Make some graphical reports: summary condition, etc.	Billy Johnson	NNSA	Review
717	No	Create a cost adder report.	Billy Johnson	NNSA	Review
716	No	Provide the Sites with a script to escalate the inspector estimate costs.	Billy Johnson	NNSA	Review
704	No	Make a CAIS lite for inspectors where the inspector can precisely identify the IU.	Billy Johnson	NNSA	Review
967	No	Complete Survey Detail Report - 1. The printed page needs numbers closer to headings	Billy Johnson	NNSA	Review
2018	No	Display the count of records returned on all screens where lists are present.	Gary Horn	MA-50	Review
824	No	Add the RS Means Line number to the Abbreviated Survey Detail, Complete Survey Detail and the Repair Costs Reports.	Ken Rowe	MA-50	Review
B56	No	The Asset Filter was not resetting when you run the Site Asset Report.	Ken Rowe	MA-50	Review
1059	No	Data Definition Dictionary	Ken Rowe	MA-50	Review
851	No	Add an inactive flag to the user customizable lookup tables.	Ken Rowe	MA-50	Review
370	No	Create program to upload new inspections that have been input on a laptop on to the CAIS database residing on the server.	Ken Rowe	MA-50	Review
993	No	Turn on archiving	Ken Rowe	MA-50	Review
1041	No	Add the WBS Cost and the RPV to the Site Asset Costs Report by WBS.	Ken Rowe	MA-50	Review

<i>ReqID</i>	<i>Top 5</i>	<i>Requirement</i>	<i>Requestor</i>	<i>Program</i>	<i>Status</i>
2041	No	The row highlighting of the IUs on the Move/Copy screen sometimes highlights more than one row.	Ruth Ann Smith	MA-50	Review
2073	No	Under Additional/Projects there are white spaces between the columns. This should be added throughout the document to avoid confusion (IU List, Assest List, Asset Level Reports, IU Level Reports, Summary Condition, Geographic Adjusters List, Locations Li	Megan Stimart	MA-50	Review
947	No	Inspection Asset Report Screen - Text on unused tabs on header look double stamped and blurred.	Dan Soper	NNSA	Review
1085	No	Request that CAIS and FIMS be brought up in the same Tree Structure (what's in FIMS, not in CAIS	Dan Soper	NNSA	Review
956	No	Reports - I like the fact we can now choose to get multiple, for example, Complete Survey Detail reports like we could with Summary Condition Reports before, but when you print them it needs to number the pages per building.	Dan Soper	NNSA	Review
294	No	IU Entry Screen - At least move the REPL QTY under QTY and get the Official Cost over with the other costs as well as the Repair Purpose to the right where it was.	Dan Soper	NNSA	Review
951	No	IU List Screen - Since the screen is so spread out being able to relocate columns so you can see what you want on one screen desirable.	Dan Soper	NNSA	Review
949	No	Inspection Asset Report Screen - Seems to take forever to load in the assets. (Gary Hoe - There is no progress bar or "wait a minute" flag to tell you it's loading, only the IE flag waving in the upper corner. You need something more obvious.)	Dan Soper	NNSA	Review
908	No	Freeze the official cost for IUs that are completed. For example, we could make a new field called Final Cost and move the official cost over to the Final Cost when the IU is completed. Another solution would be to add a new Code to the Deferred Mainten	Dan Soper	NNSA	Review
853	No	Make the following fields required if the site decides that they should be: Last Inspection Date, Type Description, Repair Cause. The field should be blue and required.	Dan Soper	NNSA	Review
840	No	Make the Inspection module Alt-2 screen wider or able to be sized.	Dan Soper	NNSA	Review
836	No	Add capability to click or double click on a grayed out IU (i.e.. One that is part of a project.) or the project name (at the end of the screen) from the inspection module alt-2 screen and pop up the project module (preferably the project inspection units	Dan Soper	NNSA	Review
500	No	Add UPS Batteries Costs to the database.	Dan Soper	NNSA	Review

<i>ReqID</i>	<i>Top 5</i>	<i>Requirement</i>	<i>Requestor</i>	<i>Program</i>	<i>Status</i>
950	No	IU List Screen - I miss the double click on the line to select since it requires more mouse moving to get over to the dropdown list.	Dan Soper	NNSA	Review
8	No	CAIS needs to require that the Asset ID suffix be four digits long.	Users Conference	ALL	Review
35	No	Add the ability to do wildcard searches.	Users Conference	ALL	Review
1087	No	Round FCI Conditions in Summary Condition	Users Conference	ALL	Review
1082	No	FIMS ad hoc reporting & CAIS ad hoc reporting - consider combining the two	Users Conference	ALL	Review
841	No	Create life-cycle cost DM projection functionality.	Users Conference	ALL	Review
3	No	Have a version of CAIS that runs on a Palm Pilot/Handspring.	Bruce Scott	NNSA	Review
4	No	We need a breakdown of who is responsible for building maintenance.	Bruce Scott	NNSA	Review
2	No	Add report selectable/sortable by importance.	Bruce Scott	NNSA	Review
365	No	Add ponds, landfills, copper, fiber optics, microwave etc. to the CAIS database (both model type and associated deficiencies). Create new model types for pump houses, outdoor firing range/electrical substations/switch houses.	Chip Walder	EM	Review
810	No	Add a structural all-inclusive type.	Darrell Johnson	EM	Review
2078	No	In the IU Detail Screen, when you input a new IU Number to be retrieved, hitting the enter key should retrieve the new IU.	Debbie Etheredge	EM	Review
2083	No	Remove the Non-CAS Cost column from the Site Asset Costs Report and add the Area Name instead.	Debbie Etheredge	EM	Review
2076	No	Add the design life information from CostWorks to CAIS.	Debbie Etheredge	EM	Review
2075	No	Allow previous inspection dates and the quantity to be stored for the IUs. There can be a new tab or some other method to display the previous dates, etc.	Debbie Etheredge	EM	Review
2124	No	Allow characters to be used when adding new cost adder codes.	Debbie Etheredge	EM	Review
362	No	Add a server field to the log in screen.	Dennis McDermitt	MA-50	Review
1081	No	CAIS User Guide be hyperlinked to corresponding fields on the CAIS website	Dennis McDermitt	MA-50	Review

<i>ReqID</i>	<i>Top 5</i>	<i>Requirement</i>	<i>Requestor</i>	<i>Program</i>	<i>Status</i>
361	No	Make the Phone Number fields wider to allow more characters in the Inspector Maintenance screen.	Dennis McDermitt	MA-50	Review
900	No	Allow for multiple mission essential fields for each asset.	Ed Williams	NNSA	Review
821	No	When Optimum Year is exceeded in the IU, flip the DM flag to Yes. This functionality will have a flag to turn this feature on or off.	Gary Hoe	NNSA	Review
1006	No	Summary Condition Report - when running with no boxes checked, I get a completely blank page. Only the frozen IE flag told me the page was done. CAIS 5.3 at least gave me the headers as a clue I hadn't picked anything.	Gary Hoe	NNSA	Review
1077	No	Use CostWorks for more accurate RPVs - rename after import	Gary Hoe	NNSA	Review
1020	No	Timed out - Many other sites that have a timeout feature send you back to the login page, giving me what looks like an error messag and a long CSV list is not an intuitive indicationI've timed out.	Gary Hoe	NNSA	Review
828	No	Add a RIK (Replacement In Kind) flag to the IU Detail and IU List. Add this to the Abbreviated and Complete Survey Detail Report.	Gary Hoe	NNSA	Review
820	No	Link CAIS to a work order system - Maximo, Passport, etc. Generate work orders in Maximo automatically when you create an IU in CAIS. Load the Maximo master equipment list into CAIS and allow updates.	Gary Hoe	NNSA	Review
812	No	Add a Mission Essential flag to the Assets screen.	Gary Hoe	NNSA	Review
B61	No	The FIMS/CAIS Discrepancies report needs to identify RPV inconsistencies when the RPV in CAIS is blank.	Gene Buck	NNSA	Review
708	No	We need class two lightning protection items.	Gene Buck	NNSA	Review
906	No	Have the project use a specific baseline year and have it map to the FY Baseline costs for that year.	Gene Buck	NNSA	Review
2069	No	Enhance CAIS so that you can add multiple items associated with one IU. For example, when you create an IU to replace a boiler, you should be able to include demolition, a new wall, scaffolding, etc.	Gene Buck	NNSA	Review
901	No	Make the Completion year a completion date. Use January 1for old data.	Gene Buck	NNSA	Review
866	No	Add filtering by FY Baseline year to the Projects Module.	Gene Buck	NNSA	Review

<i>ReqID</i>	<i>Top 5</i>	<i>Requirement</i>	<i>Requestor</i>	<i>Program</i>	<i>Status</i>
865	No	Display the FY03 baseline dollar value for each project.	Gene Buck	NNSA	Review
864	No	Calculate and display the percentage and dollar value of the progress of each project as it approaches completion (as individual IUs DM Flag or RIC Flag is set to No.	Gene Buck	NNSA	Review
859	No	Make the mission lookup site updatable.	Gene Buck	NNSA	Review
857	No	Add a new header to the reports that can be populated with user defined text such as "FY04 Baseline Data", etc.	Gene Buck	NNSA	Review
827	No	Obtain a square foot cost for demolition foot for HVAC, Plumbing, Roofing and Electrical.	Gene Buck	NNSA	Review
2214	No	Create an Archived Asset Summary Report in CAIS that works the same way as the Asset Report.	Gene Buck	NNSA	Review
15	No	Add TMP relief valve as a deficiency for water heaters.	Gene Buck	NNSA	Review
707	No	Delete inspectors/users.	Gene Buck	NNSA	Review
18	No	Add percent of total to the Summary Condition Code report.	Gene Buck	NNSA	Review
20	No	Allow for multiple WBS values to be selected from the report screen.	Gene Buck	NNSA	Review
21	No	Add Return on Investment to the Summary Condition Report for the Asset.	Gene Buck	NNSA	Review
22	No	When you select New from the IU screen, the Inspector and Discipline should be copied.	Gene Buck	NNSA	Review
26	No	Add repair purpose to the two Survey Reports.	Gene Buck	NNSA	Review
27	No	Allow for a building search when running the Summary Condition Code report and Reporting.	Gene Buck	NNSA	Review
401	No	Automate the update of the current RPV with the Future RPV.	Gene Buck	NNSA	Review
24	No	Allow screens to be resized.	Gene Buck	NNSA	Review
1064	No	For CAIS sites with multiple FIMS Sites such as INEEL, display the FIMS Site and FIMS Area where the asset information is displayed.	Jerry Bingham	EM	Review

<i>ReqID</i>	<i>Top 5</i>	<i>Requirement</i>	<i>Requestor</i>	<i>Program</i>	<i>Status</i>
2066	No	Rename the Inspection Date on the Asset Detail screen to CAS Inspection Date.	Jerry Bingham	EM	Review
1053	No	Have a user roll and reporting functionality to support HQ Office Level reporting.	John Bauckman	NNSA	Review
1058	No	add a completed flag - put in - was broken - now fixed. Does that also freeze the cost? Yes, no, & completed flag. Discussed 3 options.	John Bauckman	NNSA	Review
1086	No	Add a new user role to CAIS called Headquarter User. Authorized users of this new role would have the ability to view all data, could filter data b y Program Office	John Bauckman	NNSA	Review
1092	No	Have several people from a CAIS/FIMS brain trust get together and determine which fields to keep or eliminate from CAIS	John Bauckman	NNSA	Review
850	No	Allow users to calculate future DM costs based on the optimum year and an escalation factor.	John Elrod	EM	Review
802	No	Add ADA costs to the database.	Ken Baker	MA-50	Review
1019	No	CAIS Web Front Page - CAS Website should be used for marketing and communications; CAIS internal communications/announcements	Ken Baker	MA-50	Review
801	No	Track inspection dates by discipline.	Paul Reynolds	NNSA	Review
9	No	Default the IU Search to the IU field.	Paul Reynolds	NNSA	Review
33	No	Add demolished and excessed to the status codes. If the status code is set to demolished, for sale, or excesses (?), then set the In Condition Code to 'No'.	Paul Reynolds	NNSA	Review
5	No	We need to assign users to groups where a user from one group may not modify data belonging to users from another group.	Paul Reynolds	NNSA	Review
305	No	Add the Status dropdown to the IU's list so that statuses can be changed without having to go to the detail screen.	Paul Reynolds	NNSA	Review
360	No	Create a FIMS export that takes into account the urgency and the inspection date and report on ones where the date exceeds the urgency. Have a date field that the user can populate for planning purposes.	Bill Poffenberger	FE	Review
314	No	Create a Deferred Maintenance by WBS Report that can be run for the site but that reports on each asset. This report must take into account the urgency and the inspection date and report on ones where the date exceeds the urgency. Have a date field that	Bill Poffenberger	FE	Review

<i>ReqID</i>	<i>Top 5</i>	<i>Requirement</i>	<i>Requestor</i>	<i>Program</i>	<i>Status</i>
313	No	Update the 3.5 to 2000 conversion program to reflect all of the current patches.	Bill Poffenberger	FE	Review
312	No	Update the 3.5 to 2000 conversion program to move over the inspection date.	Bill Poffenberger	FE	Review
306	No	Type in a date and get all repairs that are scheduled after that date. This will be computed by comparing the Urgency, Inspection Date.	Bill Poffenberger	FE	Review
307	No	Create an overdue repair report where the Urgency is compared to the Inspection Date. If the scheduled completion date has been exceeded based on the date input then report the data.	Bill Poffenberger	FE	Review
2020	No	CAIS should be able to run on Apple Safari	Milt West	NNSA	Review
1068	No	Use Section 508 for best practices for web site design	Norm Ayers	MA-50	Review
355	No	Add the Condition Code to the IU List and make it updateable.	Steele Coddington	NNSA	Review
1060	No	add a spell checker to CAIS	Tonya Hinojosa	NNSA	Review
987	No	Are there any "Alt" short cut keys?	Tonya Hinojosa	NNSA	Review
911	No	Make a version of the Project Detail Report that sorts by Area and Asset. The current report sorts by Volume/WBS.	Teri Clayton	NNSA	Review
905	No	Add interior construction to the Bunker model type.	Teri Clayton	NNSA	Review
904	No	Default the Deferred Maintenance Flag to blank for New IUs and when you use the Copy and Copy All buttons. Have the site define how this will work on the Site Maint. Field.	Teri Clayton	NNSA	Review
903	No	Create a new FY Baseline report to roll up the data by Asset.	Teri Clayton	NNSA	Review
36	No	Move NSIP field from the deficiency screen to the IU Detail Screen.	Teri Clayton	NNSA	Review
829	No	Allow sites to choose if they want to include Project Costs with the DM costs in the FIMS Export. If they do, allocate the Projects cost proportionally to the Deferred Maintenance for each building.	Teri Clayton	NNSA	Review
1039	No	Add a copy button to the Site Defined Table Maintenance screen.	Todd Gump	FE	Review
2171	No	Add the RS Means Line Number to the CAIS Ad Hoc Reports.	Bill Buyers	EM	Review

<i>ReqID</i>	<i>Top 5</i>	<i>Requirement</i>	<i>Requestor</i>	<i>Program</i>	<i>Status</i>
2211		Have the tabs for the IU list for Deficiencies, Adders, Cumulative Adders and Attachments include a checkbox when there is data present.	Steve Patterson	NNSA	Review
2132		Create a version of the Summary Condition Report that runs for the entire site from the Site Level Reports screen.	Billy Johnson	NNSA	Review
B80		Photo - When I tried adding a jpeg at the IU level or the asset level with an apostrophe in the title, I received the duplicate message. When I chose to enter it anyway, it added but I couldn't display it	Ruth Ann Smith	MA-50	Review
340		The items selected for the pick lists are now retained after filtering or choosing 'Select All' or 'Unselect All' for the IU Level and Asset Level Reports.	Ruth Ann Smith	MA-50	Review
2215		Create an Archived IU Summary Report in CAIS that works the same way as the IU Complete (Abbreviated) Report.	Gene Buck	NNSA	Review
B58		The IU and Asset Level Reports do not recognize the checked boxes for selected assets after filtering the asset list when using the Chrome and Mozilla Firefox browsers.	Gene Buck	NNSA	Review
2191		Add a field to the IU screen for criticality of the system. Add this field to the IU level reports and IU Level Ad Hoc Reporting.	Paul Reynolds	NNSA	Review
2203		Create a System Level DM Report for Archived Assets.	Steve Mattair	EM	Review
2183		When the site for an asset in FIMS is changed, the asset should be moved to the new site in CAIS.	Jake Hayes	EM	Review