

2007 Minerals Yearbook

VERMICULITE [ADVANCE RELEASE]

VERMICULITE

By Michael J. Potter

Domestic survey data and tables were prepared by Maria Arguelles, statistical assistant, and the world production table was prepared by Lisa D. Miller, international data coordinator.

Production of vermiculite concentrate in the United States was an estimated 100,000 metric tons (t), about the same as in 2006. Worldwide vermiculite production was about 508,000 t in 2007, similar to that of 2006. U.S. exports were estimated to be about 5,000 t, and U.S. imports were an estimated 51,000 t, 22% less than in 2006. The average unit value of U.S. exfoliated vermiculite sold or used by producers was estimated to be \$430 per metric ton, 6% higher than that of 2006.

Production

Flakes of processed raw vermiculite concentrate are mica-like in appearance and contain water molecules within their internal structure. When the flakes are heated rapidly at a temperature of 900° C or higher, the water flashes into steam, and the flakes expand into accordion-like particles. This expansion process is called exfoliation, and the resulting lightweight material is chemically inert, fire resistant, and odorless.

Domestic production (sold or used) data for vermiculite were collected by the U.S. Geological Survey (USGS) from two voluntary canvasses—one for mine-mill (concentrator) operations and the other for exfoliation plants. Production data for nonrespondents were estimated based on production data reports from prior years. The two U.S. producers of vermiculite concentrate were Virginia Vermiculite Ltd. with two operations (near Woodruff, SC, and in Louisa County, VA) and W.R. Grace & Co. from its operation at Enoree, SC.

Vermiculite concentrate was shipped to exfoliating plants for conversion into lightweight material. Output of exfoliated vermiculite sold or used in 2007, using actual and estimated data, was about 85,000 t, which was produced from both domestic and imported vermiculite concentrate (table 1). Exfoliated vermiculite was produced by 13 companies operating 17 plants in 11 States (table 2). Of the 17 exfoliation plants, 8 responded to the annual canvass, representing 56% of the estimated sold or used exfoliated vermiculite tonnages listed in tables 1 and 3. Data for the remaining operations were estimated from previous years' reported production levels. States that produced exfoliated vermiculite were, in descending order of estimated output sold or used, South Carolina, New Jersey, Pennsylvania, Florida, Arizona, Arkansas, Michigan, Massachusetts, Ohio, Illinois, and New Mexico.

Consumption

Vermiculite has a wide range of uses that take advantage of its various attributes of fire resistance, good insulation, high liquid absorption capacity, inertness, and low density (table 3). Vermiculite is used in general building plasters, either in its own formulations or combined with other lightweight aggregates

such as perlite. Special plasters include fire protection and acoustic products in which vermiculite is combined with a binder, such as gypsum or portland cement, and fillers and rheological aids (Roskill Information Services Ltd., 2004, p. 103).

Exfoliated vermiculite, sometimes treated with a water repellent, is used to fill pores and cavities in masonry construction and hollow blockwork to enhance acoustic, fire rating, and insulation performance. Finer grades of exfoliated vermiculite, combined with potassium or sodium silicate, are used to produce insulation shapes. The ability of vermiculite-based insulation shapes to resist attack by molten aluminum makes them especially useful as secondary insulation in the aluminum production process (Roskill Information Services Ltd., 2004, p. 112).

In horticulture, exfoliated vermiculite improves soil aeration and moisture retention. When vermiculite is mixed with peat or other composted materials, such as pine bark, the resulting product provides a good growing medium for plant propagation (increasing the number of plants). As a soil conditioner, exfoliated vermiculite can improve the aeration of "sticky" soils (containing clay) and the water-holding characteristics of sandy soils. This allows for easier watering and reduces the likelihood of compaction, cracking, and crusting of the soil. Vermiculite is used in the fertilizer/pesticide market because of its ability to act as a carrier, bulking agent, and extender (Roskill Information Services Ltd., 2004, p. 108-109).

Other uses include refractory-insulation gunning and castable mixes and vermiculite dispersions. Finer grades of exfoliated vermiculite are used to partially replace asbestos in brake linings, primarily for the automotive market (Roskill Information Services Ltd., 2004, p. 112-113).

Prices

Published prices for vermiculite serve only as a general guide because of variations in application, quantity, source, and other factors. According to Moeller (2008), prices for U.S. vermiculite concentrate, ex-plant, ranged from \$95 to \$180 per metric ton, depending on sized grades.

The average unit value of U.S. exfoliated vermiculite sold or used by producers, using actual and estimated data, was about \$430 per ton, which was a composite value that included exfoliated vermiculite produced from both U.S. and imported concentrate (table 1).

Foreign Trade

Trade data for vermiculite concentrate are not collected as a separate category by the U.S. Census Bureau but are included

within the basket category "vermiculite, perlite, and chlorite, unexpanded" under Harmonized Tariff Schedule of the United States code 2530.10.0000. Total U.S. imports of vermiculite in 2007 (excluding any material from Canada and Mexico) were about 51,000 t. China supplied 67% of the tonnage, and South Africa, 32% (Commonwealth Business Media, Inc., 2008).

World Review

Imerys Group, Paris, France, acquired a 65% share of Xinjiang Yuli Xinlong Vermiculite Co. Ltd. Xinlong is said to have a production capacity of at least 100,000 metric tons per year and is China's leading producer of vermiculite (Industrial Minerals, 2007).

The Rio Tinto Group completed the review of its Namekara, Uganda, deposit and reportedly has decided to sell the deposit in 2008. Rio Tinto had obtained an option to buy the deposit from IBI Corp., Ontario, Canada, in 2006 (Moeller, 2008).

Outlook

Increasing energy costs for mining, milling, and transportation could result in increased prices for vermiculite concentrate in 2008. Likewise for exfoliated vermiculite, increased costs for vermiculite concentrate and natural gas (used to exfoliate the vermiculite in furnaces) are squeezing profit margins and may result in price increases (Moeller, 2008).

References Cited

Commonwealth Business Media, Inc., 2008, Port Import/Export Reporting Service: Newark, NJ, Commonwealth Business Media, Inc. (Accessed August 25, 2008, at URL http://www.piers.com.)

Industrial Minerals, 2007, Imerys growth continues: Industrial Minerals, no. 475, April, p. 12–14.

Moeller, Eric, 2008, Vermiculite: Mining Engineering, v. 60, no. 6, June, p. 64. Roskill Information Services Ltd., 2004, The economics of vermiculite (8th ed.): London, United Kingdom, Roskill Information Services Ltd., 126 p. plus appendix.

GENERAL SOURCES OF INFORMATION

U.S. Geological Survey Publications

Lightweight Aggregates. Ch. in United States Mineral Resources, Professional Paper 820, 1973. Vermiculite. Ch. in Mineral Commodity Summaries, annual.

Other

Vermiculite. Ch. in Industrial Minerals and Rocks (7th ed.),Society for Mining, Metallurgy, and Exploration, Inc., 2006.Vermiculite. Ch. in Mineral Facts and Problems, U.S. Bureau of Mines Bulletin 675, 1985.

Vermiculite Association, The.

 $\label{eq:table 1} \textbf{TABLE 1}$ $\textbf{SALIENT VERMICULITE STATISTICS}^1$

(Thousand metric tons and thousand dollars unless otherwise specified)

| | | 2003 | 2004 | 2005 | 2006 | 2007 |
|---|------------------------|--------|------------------|--------|------------------|--------|
| United States: | | | | | | |
| Production, concentrate ^{e, 2} | | 110 | 100 ³ | 100 | 100 4 | 100 4 |
| Exfoliated: ^e | | | | | | |
| Quantity | | 95 | 90 | 85 | 90 | 85 |
| Value ^e | | 34,800 | 35,400 | 35,100 | 36,500 | 36,500 |
| Average value ^{e, 5, 6} | dollars per metric ton | 370 | 390 | 410 | 410 | 430 |
| Exports ^e | | 15 | 10 | 5 | 5 | 5 |
| Imports for consumption ⁷ | | 37 | 69 ^e | 91 | 65 ^e | 51 |
| World, production ⁸ | | 491 | 513 | 521 | 512 ^r | 508 |
| | | | | | | |

^eEstimated. ^rRevised.

¹Data are rounded to no more than three significant digits.

²Sold or used by producers.

³Dickson, Ted, 2006, Vermiculite, in Countries and Commodities Reports. (Accessed March 17, 2006, via http://www.mining-journal.com.)

⁴Rounded to one significant digit.

⁵Based on rounded data.

⁶Rounded to two significant digits.

⁷Source: Commonwealth Business Media, Inc., 2008.

⁸Excludes production by countries for which data were not available.

 ${\it TABLE~2}$ ACTIVE VERMICULITE EXFOLIATION PLANTS IN THE UNITED STATES IN 2007

| Company | County | State | |
|----------------------------------|--------------|-----------------|--|
| Isolatek International, Inc. | Sussex | New Jersey. | |
| J.P. Austin Associates, Inc. | Beaver | Pennsylvania. | |
| Palmetto Vermiculite Co., Inc. | Spartanburg | South Carolina. | |
| P.V.P. Industries, Inc. | Trumbull | Ohio. | |
| Schundler Co., The | Middlesex | New Jersey. | |
| Southwest Vermiculite Co., Inc. | Bernalillo | New Mexico. | |
| Sun Gro Horticulture Canada Ltd. | Jefferson | Arkansas. | |
| Do. | Branch | Michigan. | |
| Thermal Ceramics Inc. | Macoupin | Illinois. | |
| Therm-O-Rock East, Inc. | Washington | Pennsylvania. | |
| Therm-O-Rock West, Inc. | Maricopa | Arizona. | |
| Verlite Co. | Hillsborough | Florida. | |
| Vermiculite Industrial Corp. | Allegheny | Pennsylvania. | |
| Whittemore Co., Inc. | Essex | Massachusetts. | |
| W.R. Grace & Co. | Maricopa | Arizona. | |
| Do. | Broward | Florida. | |
| Do. | Laurens | South Carolina. | |
| | | | |

Do. Ditto.

TABLE 3
ESTIMATED EXFOLIATED VERMICULITE SOLD OR
USED IN THE UNITED STATES, BY END USE¹

(Metric tons)

| 2006 | 2007 |
|--------|-----------------------|
| | |
| 30,600 | 30,000 |
| 6,800 | 5,640 |
| | |
| 24,100 | 24,200 |
| W | W |
| W | W |
| W | W |
| W | W |
| 90,000 | 85,000 |
| | 24,100 W W W |

rRevised.

W Withheld to avoid disclosing company proprietary data; included in "Grand total."

¹Data rounded to no more than three significant digits; may not add to totals shown.

²Includes concrete, plaster, and premixes (acoustic insulation, fireproofing, and texturizing uses).

³Includes loose-fill, block, and other (high-temperature and packing insulation and sealants).

⁴Includes various industrial and other uses not specified.

⁵Rounded to two significant digits because of estimated data.

 ${\it TABLE~4}$ VERMICULITE: WORLD PRODUCTION, BY COUNTRY $^{1,\,2}$

(Metric tons)

| Country | 2003 | 2004 | 2005 | 2006 | 2007 |
|---|---------|----------------|---------|----------------------|----------------------|
| Argentina | 1,124 | 1,293 | 1,403 | 1,585 ^r | 1,600 e |
| Australia ^e | 12,000 | 12,000 | 12,000 | 13,000 | 13,000 |
| Brazil, concentrate | 26,055 | 25,103 | 24,191 | 19,279 ^r | 18,952 ^p |
| China ^e | 90,000 | 100,000 | 100,000 | 110,000 | 110,000 |
| Egypt ^e | 12,000 | 12,000 | 12,000 | 12,000 | 12,000 |
| India ^e | 4,400 | 4,400 | 4,500 | 4,600 | 4,700 |
| Japan ^e | 6,200 | 6,000 | 6,000 | 6,000 | 6,000 |
| Russia ^e | 25,000 | 25,000 | 25,000 | 25,000 | 25,000 |
| South Africa | 182,802 | 196,893 | 209,801 | 197,765 | 198,526 ^p |
| Uganda | 1,724 | 2,688 | 3,100 | 3,000 e | 3,000 |
| United States, concentrate, sold and used by producers ^e | 110,000 | $100,000^{-3}$ | 100,000 | 100,000 4 | 100,000 4 |
| Zimbabwe | 20,016 | 27,150 | 23,045 | 20,000 e | 15,000 ^e |
| Total | 491,000 | 513,000 | 521,000 | 512,000 ^r | 508,000 |

^eEstimated. ^pPreliminary. ^rRevised.

¹World totals, U.S. data, and estimated data are rounded to no more than three significant digits; may not add to totals shown.

²Excludes production by countries for which data are not available and for which general information is inadequate for formulation of reliable estimates. Table includes data available through July 17, 2008.

³Dickson, Ted, 2006, Vermiculite, in Countries and Commodities Reports. (Accessed March 17, 2006, via http://www.mining-journal.com.)

⁴Rounded to one significant digit.