

Cal-OSHA Permissible Exposure Limits: TSP - 10 mg/m3; Manganese - 200 ug/m3; Lead - 50 ug/m3

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure in (Hg)	AmbientTemperature (C)	Cf	AveMagPressure (in H2O)	MinutesOperated (min)	Vs (m3)	TotalSuspendedParticulate (mg)	ConcTSP (mg/m3)	Manganese (ug)	ConcMang (ug/m3)	Lead (ug)	ConcLead (ug/m3)
1	3-TSP-255	3/23/2007	3	30.14	21.1	1.02	19.6	3,031	3,549.8	158	0.045	45	0.0127	0	0.0000
4	5-TSP-255	3/23/2007	5	30.14	21.1	1.02	18.3	3,022	3,551.7	212	0.060	74	0.0208	26	0.0073
7	3-TSP-256	3/30/2007	3	30.38	15.0	1.05	18.8	3,168	3,792.8	124	0.033	44	0.0116	0	0.0000
10	5-TSP-256	3/30/2007	5	30.38	15.0	1.05	20.3	3,183	3,795.5	180	0.047	86	0.0227	27	0.0071
13	3-TSP-257	4/6/2007	3	30.16	11.7	1.06	18.5	1,585	1,896.8	32	0.017	0	0.0000	0	0.0000
16	3-TSP-258	4/11/2007	3	30.23	15.0	1.05	18.8	3,091	3,681.4	105	0.029	32	0.0087	0	0.0000
19	5-TSP-258	4/11/2007	5	30.23	15.0	1.05	19.9	3,081	3,658.7	226	0.062	140	0.0383	49	0.0134
22	5-TSP-259	4/13/2007	5	30.24	17.8	1.04	20.1	3,013	3,558.3	175	0.049	79	0.0222	0	0.0000
25	3-TSP-260	5/3/2007	3	30.24	14.2	1.05	19.3	6,130	7,304.9	65	0.009	0	0.0000	0	0.0000
31	3-TSP-261	5/5/2007	3	30.21	21.7	1.02	18.7	2,880	3,385.6	66	0.019	0	0.0000	0	0.0000
34	5-TSP-261	5/5/2007	5	30.21	21.7	1.02	20.5	2,874	3,362.3	75	0.022	0	0.0000	0	0.0000
37	3-TSP-262	5/9/2007	3	30.14	22.5	1.02	19.5	2,962	3,460.9	115	0.033	52	0.0150	0	0.0000
40	5-TSP-262	5/9/2007	5	30.14	22.5	1.02	19.9	2,968	3,464.2	138	0.040	76	0.0219	0	0.0000
43	3-TSP-263	5/11/2007	3	30.17	16.4	1.04	19.9	3,066	3,623.6	100	0.028	0	0.0000	0	0.0000
46	5-TSP-263	5/11/2007	5	30.17	16.4	1.04	18.9	3,066	3,633.3	199	0.055	100	0.0275	35	0.0096
49	3-TSP-264	5/12/2007	3	30.22	15.6	1.04	19.8	1,453	1,723.3	52	0.030	0	0.0000	0	0.0000
52	5-TSP-264	5/12/2007	5	30.22	15.6	1.04	19.1	1,474	1,751.5	131	0.075	83	0.0474	34	0.0194
55	3-TSP-265	5/16/2007	3	30.19	15.8	1.04	19.7	3,094	3,665.4	128	0.035	0	0.0000	0	0.0000
58	5-TSP-265	5/16/2007	5	30.19	15.8	1.04	19.9	2,926	3,464.5	344	0.099	230	0.0664	98	0.0283
64	5-TSP-266	5/18/2007	5	30.16	17.4	1.03	17.5	3,121	3,704.1	235	0.063	130	0.0351	45	0.0121
70	5-TSP-267	5/19/2007	5	30.22	18.6	1.03	19.8	1,197	1,411.6	45	0.032	28	0.0198	0	0.0000
73	3-TSP-268	5/23/2007	3	30.10	21.8	1.02	20.7	2,928	3,408.8	214	0.063	98	0.0287	0	0.0000
76	5-TSP-268	5/23/2007	5	30.10	21.8	1.02	18.9	2,929	3,427.6	308	0.090	180	0.0525	46	0.0134
79	3-TSP-269	5/25/2007	3	30.10	22.3	1.02	19.4	3,164	3,694.2	130	0.035	47	0.0127	0	0.0000
82	5-TSP-269	5/25/2007	5	30.10	22.3	1.02	18.6	3,156	3,692.8	208	0.056	110	0.0298	30	0.0081
85	5-TSP-270	6/1/2007	5	30.16	14.1	1.05	19.3	3,162	3,758.3	197	0.052	140	0.0373	42	0.0112
88	5-TSP-271	6/2/2007	5	30.08	14.6	1.04	20.0	1,653	1,953.7	65	0.033	44	0.0225	0	0.0000
91	5-TSP-272	6/6/2007	5	30.17	14.7	1.04	19.5	2,957	3,509.9	135	0.038	100	0.0285	29	0.0083
94	5-TSP-273	6/8/2007	5	30.15	18.5	1.03	20.3	2,945	3,460.6	164	0.047	58	0.0168	0	0.0000
97	5-TSP-275	6/15/2007	5	30.07	22.6	1.01	21.3	2,980	3,455.9	327	0.095	140	0.0405	38	0.0110
100	3-TSP-276	6/16/2007	3	30.05	21.6	1.02	19.4	1,738	2,028.3	92	0.045	31	0.0153	0	0.0000
103	5-TSP-276	6/16/2007	5	30.05	21.6	1.02	17.6	1,685	1,976.0	102	0.052	51	0.0258	0	0.0000
106	5-TSP-277	6/20/2007	5	30.13	17.5	1.03	18.7	2,983	3,524.6	191	0.054	95	0.0270	34	0.0096
109	3-TSP-278	6/22/2007	3	30.21	20.0	1.03	21.5	2,970	3,476.2	111	0.032	36	0.0104	0	0.0000
112	5-TSP-278	6/22/2007	5	30.21	20.0	1.03	17.0	2,930	3,471.1	153	0.044	63	0.0181	0	0.0000
115	3-TSP-279	6/23/2007	3	30.13	21.4	1.02	21.0	1,464	1,706.6	112	0.066	33	0.0193	0	0.0000
118	5-TSP-279	6/23/2007	5	30.13	21.4	1.02	17.0	1,485	1,749.8	153	0.087	70	0.0400	28	0.0160
121	3-TSP-280	6/27/2007	3	30.18	15.5	1.04	21.0	3,063	3,616.8	170	0.047	43	0.0119	0	0.0000
124	5-TSP-280	6/27/2007	5	30.18	15.5	1.04	17.0	3,057	3,648.7	230	0.063	99	0.0271	33	0.0090
127	3-TSP-281	6/29/2007	3	30.21	16.8	1.04	21.3	2,809	3,309.4	64	0.019	34	0.0103	0	0.0000
130	3-TSP-282	6/30/2007	3	30.24	19.0	1.03	20.8	1,625	1,911.1	54	0.028	29	0.0152	0	0.0000
133	5-TSP-282	6/30/2007	5	30.24	19.0	1.03	18.2	1,568	1,857.0	53	0.029	35	0.0188	0	0.0000
136	3-TSP-283	7/3/2007	3	30.22	17.8	1.04	21.9	1,853	2,176.2	58	0.027	41	0.0188	0	0.0000

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	AveMagPressure	MinutesOperated	Vs	TotalSuspendedParticulate	ConcTSP	Manganese	ConcMang	Lead	ConcLead
139	5-TSP-283	7/3/2007	5	30.22	17.8	1.04	21.2	1,844	2,169.7	109	0.050	92	0.0424	26	0.0120
142	3-TSP-284	7/6/2007	3	30.00	18.9	1.02	21.8	1,865	2,169.5	64	0.029	34	0.0157	0	0.0000
145	5-TSP-284	7/6/2007	5	30.00	18.9	1.02	16.3	1,913	2,258.7	138	0.061	130	0.0576	48	0.0213
148	3-TSP-285	7/11/2007	3	30.10	19.3	1.03	22.0	1,582	1,844.4	85	0.046	27	0.0146	0	0.0000
151	5-TSP-285	7/11/2007	5	30.10	19.3	1.03	20.0	3,147	3,688.9	112	0.030	68	0.0184	25	0.0068
154	3-TSP-286	7/13/2007	3	30.18	24.3	1.01	23.2	2,992	3,454.6	83	0.024	41	0.0119	28	0.0081
157	5-TSP-286	7/13/2007	5	30.18	24.3	1.01	16.5	2,984	3,508.1	106	0.030	97	0.0277	35	0.0100
160	2-TSP-287	7/20/2007	2	30.10	21.5	1.02	21.9	1,787	2,075.4	158	0.076	210	0.1012	44	0.0212
163	2-TSP-288	7/25/2007	2	30.10	17.1	1.03	20.8	3,173	3,726.8	240	0.064	190	0.0510	42	0.0113
166	2-TSP-289	7/27/2007	2	30.07	19.3	1.02	21.7	3,110	3,625.0	247	0.068	210	0.0579	42	0.0116
169	1-TSP-290	8/1/2007	1	29.98	19.3	1.02	20.1	3,115	3,635.1	203	0.056	81	0.0223	26	0.0072
172	2-TSP-290	8/1/2007	2	29.98	19.3	1.02	22.0	3,119	3,621.0	230	0.064	140	0.0387	27	0.0075
175	1-TSP-291	8/3/2007	1	30.04	20.6	1.02	20.1	3,134	3,656.1	187	0.051	100	0.0274	33	0.0090
178	2-TSP-291	8/3/2007	2	30.04	20.6	1.02	21.8	3,101	3,600.9	174	0.048	120	0.0333	28	0.0078
181	1-TSP-292	8/8/2007	1	30.13	16.0	1.04	18.9	3,176	3,761.3	195	0.052	140	0.0372	44	0.0117
184	2-TSP-292	8/8/2007	2	30.13	16.0	1.04	20.9	3,172	3,736.4	149	0.040	100	0.0268	0	0.0000
187	1-TSP-293	8/10/2007	1	30.10	18.6	1.03	19.5	3,107	3,651.8	275	0.075	140	0.0383	42	0.0115
190	2-TSP-293	8/10/2007	2	30.10	18.6	1.03	21.4	3,113	3,640.0	169	0.046	120	0.0330	28	0.0077
193	1-TSP-294	8/15/2007	1	30.14	17.9	1.03	20.0	3,185	3,748.6	319	0.085	230	0.0614	59	0.0157
196	1-TSP-295	8/17/2007	1	30.06	20.2	1.02	18.7	3,059	3,587.3	212	0.059	170	0.0474	37	0.0103
199	2-TSP-295	8/17/2007	2	30.06	20.2	1.02	22.1	3,087	3,586.9	136	0.038	85	0.0237	26	0.0072
202	1-TSP-296	8/22/2007	1	30.02	20.4	1.02	20.4	3,166	3,689.2	366	0.099	230	0.0623	53	0.0144
205	2-TSP-296	8/22/2007	2	30.02	20.4	1.02	22.1	3,160	3,665.2	216	0.059	140	0.0382	28	0.0076
208	1-TSP-297	8/24/2007	1	29.91	23.9	1.00	19.7	3,063	3,539.1	440	0.124	280	0.0791	62	0.0175
211	2-TSP-297	8/24/2007	2	29.91	23.9	1.00	22.5	3,077	3,528.3	261	0.074	170	0.0482	41	0.0116
214	1-TSP-298	8/29/2007	1	30.00	21.9	1.01	21.6	3,164	3,662.0	381	0.104	230	0.0628	54	0.0147
217	2-TSP-298	8/29/2007	2	30.00	21.9	1.01	22.5	3,157	3,645.0	172	0.047	100	0.0274	30	0.0082
220	1-TSP-299	8/30/2007	1	30.01	27.9	0.99	20.9	1,698	1,948.3	191	0.098	130	0.0667	30	0.0154
223	2-TSP-299	8/30/2007	2	30.01	27.9	0.99	21.9	1,711	1,957.8	104	0.053	62	0.0317	0	0.0000
226	1-TSP-300	9/6/2007	1	30.03	21.7	1.01	21.2	3,137	3,639.9	167	0.046	220	0.0604	58	0.0159
229	2-TSP-300	9/6/2007	2	30.03	21.7	1.01	22.5	3,112	3,598.2	110	0.031	140	0.0389	46	0.0128
232	1-TSP-301	9/14/2007	1	30.16	20.8	1.02	18.9	3,203	3,763.1	211	0.056	120	0.0319	26	0.0069
235	2-TSP-301	9/14/2007	2	30.16	20.8	1.02	20.9	3,203	3,742.8	136	0.036	87	0.0232	0	0.0000
238	5-TSP-301	9/14/2007	5	30.16	20.8	1.02	21.4	3,199	3,733.1	130	0.035	68	0.0182	0	0.0000
241	1-TSP-303	10/3/2007	1	30.17	19.1	1.03	17.8	3,145	3,718.9	461	0.124	280	0.0753	56	0.0151
244	2-TSP-303	10/3/2007	2	30.17	19.1	1.03	19.5	3,165	3,725.5	319	0.086	270	0.0725	47	0.0126
247	3-TSP-303	10/3/2007	3	30.17	19.1	1.03	23.5	3,160	3,679.6	157	0.043	63	0.0171	26	0.0071
250	5-TSP-303	10/3/2007	5	30.17	19.1	1.03	20.3	3,170	3,723.4	57	0.015	42	0.0113	0	0.0000
253	1-TSP-307	10/24/2007	1	30.33	20.0	1.03	15.6	3,166	3,780.3	462	0.122	250	0.0661	65	0.0172
256	2-TSP-307	10/24/2007	2	30.33	20.0	1.03	19.8	3,167	3,739.4	180	0.048	85	0.0227	27	0.0072
259	1-TSP-308	10/26/2007	1	30.14	22.5	1.02	14.8	3,116	3,687.0	664	0.180	290	0.0787	76	0.0206
265	1-TSP-309	11/7/2007	1	30.19	15.0	1.04	15.4	3,036	3,643.9	400	0.110	150	0.0412	47	0.0129
268	2-TSP-309	11/7/2007	2	30.19	15.0	1.04	15.6	3,041	3,648.0	153	0.042	56	0.0154	27	0.0074
271	1-TSP-310	11/9/2007	1	30.15	17.5	1.03	15.7	3,013	3,591.3	262	0.073	100	0.0278	37	0.0103

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	AveMagPressure	MinutesOperated	Vs	TotalSuspendedParticulate	ConcTSP	Manganese	ConcMang	Lead	ConcLead
274	2-TSP-310	11/9/2007	2	30.15	17.5	1.03	15.5	2,998	3,575.3	106	0.030	42	0.0117	26	0.0073
277	1-TSP-311	11/14/2007	1	30.26	17.2	1.04	15.8	3,159	3,780.7	198	0.052	110	0.0291	37	0.0098
280	2-TSP-311	11/14/2007	2	30.26	17.2	1.04	16.2	3,165	3,783.9	92	0.024	34	0.0090	0	0.0000
283	1-TSP-312	11/15/2007	1	30.19	19.2	1.03	15.5	1,546	1,840.3	292	0.159	150	0.0815	44	0.0239
286	2-TSP-312	11/15/2007	2	30.19	19.2	1.03	16.2	1,544	1,834.5	87	0.047	52	0.0283	30	0.0164
289	1-TSP-313	11/21/2007	1	30.25	14.4	1.05	15.7	3,125	3,759.8	199	0.053	120	0.0319	37	0.0098
292	5-TSP-313	11/21/2007	5	30.25	14.4	1.05	15.4	3,108	3,742.3	139	0.037	56	0.0150	27	0.0072
295	1-TSP-314	11/28/2007	1	30.37	14.4	1.05	15.9	3,195	3,857.9	292	0.076	140	0.0363	43	0.0111
298	5-TSP-314	11/28/2007	5	30.37	14.4	1.05	15.2	3,180	3,846.9	141	0.037	75	0.0195	48	0.0125
301	1-TSP-315	11/30/2007	1	30.17	17.5	1.03	15.9	2,979	3,551.3	287	0.081	120	0.0338	34	0.0096
304	2-TSP-315	11/30/2007	2	30.17	17.5	1.03	16.1	3,019	3,597.1	156	0.043	82	0.0228	0	0.0000
310	1-TSP-316	12/12/2007	1	30.32	11.9	1.06	22.2	3,240	3,858.8	223	0.058	130	0.0337	44	0.0114
313	1-TSP-317	12/14/2007	2	30.40	15.0	1.05	22.0	2,907	3,453.0	304	0.088	170	0.0492	56	0.0162
319	1-TSP-318	1/16/2008	1	30.33	12.5	1.06	9.2	3,195	3,935.5	127	0.032	38	0.0097	45	0.0114
322	2-TSP-318	1/16/2008	2	30.33	12.5	1.06	21.6	3,200	3,814.2	276	0.072	220	0.0577	92	0.0241
325	1-TSP-319	1/17/2008	1	30.24	15.8	1.04	9.6	1,465	1,785.8	91	0.051	48	0.0269	0	0.0000
328	2-TSP-319	1/17/2008	2	30.24	15.8	1.04	21.4	1,450	1,712.9	24	0.014	0	0.0000	0	0.0000
331	1-TSP-320	2/7/2008	1	30.32	13.6	1.05	12.6	3,180	3,872.7	362	0.093	160	0.0413	45	0.0116
334	1-TSP-321	2/8/2008	1	30.40	14.7	1.05	12.6	1,555	1,894.9	199	0.105	110	0.0581	28	0.0148
337	2-TSP-321	2/8/2008	2	30.40	14.7	1.05	21.1	1,556	1,853.8	55	0.030	0	0.0000	0	0.0000
340	1-TSP-322	2/13/2008	1	30.36	12.7	1.06	11.3	3,205	3,928.7	319	0.081	190	0.0484	43	0.0109
343	2-TSP-322	2/13/2008	2	30.36	12.7	1.06	21.2	3,155	3,767.1	148	0.039	52	0.0138	0	0.0000
346	3-TSP-322	2/13/2008	3	30.36	12.7	1.06	23.2	3,135	3,723.1	142	0.038	46	0.0124	0	0.0000
349	5-TSP-322	2/13/2008	5	30.36	12.7	1.06	21.3	3,145	3,754.2	152	0.040	60	0.0160	0	0.0000
352	1-TSP-323	2/15/2008	1	30.14	18.6	1.03	23.0	2,879	3,356.5	334	0.100	150	0.0447	36	0.0107
355	2-TSP-323	2/15/2008	2	30.14	18.6	1.03	22.5	2,875	3,356.4	133	0.040	61	0.0182	0	0.0000
358	3-TSP-323	2/15/2008	3	30.14	18.6	1.03	23.4	2,900	3,377.3	143	0.042	79	0.0234	0	0.0000
361	5-TSP-323	2/15/2008	5	30.14	18.6	1.03	21.5	2,886	3,378.4	112	0.033	46	0.0136	26	0.0077
364	1-TSP-324	2/20/2008	1	30.24	11.9	1.06	22.6	3,020	3,582.9	86	0.024	28	0.0078	0	0.0000
367	3-TSP-324	2/20/2008	3	30.24	11.9	1.06	23.1	3,060	3,625.4	48	0.013	0	0.0000	0	0.0000
370	5-TSP-324	2/20/2008	5	30.24	11.9	1.06	21.6	3,063	3,643.7	60	0.016	0	0.0000	0	0.0000
373	1-TSP-325	2/29/2008	1	30.30	13.6	1.05	23.1	3,180	3,763.1	431	0.115	170	0.0452	41	0.0109
376	1-TSP-326	3/5/2008	1	30.34	18.6	1.04	23.5	3,117	3,654.7	391	0.107	150	0.0410	40	0.0109
379	2-TSP-326	3/5/2008	2	30.34	18.6	1.04	23.2	3,135	3,678.8	187	0.051	64	0.0174	0	0.0000
382	5-TSP-326	3/5/2008	5	30.34	18.6	1.04	23.0	3,140	3,686.7	173	0.047	50	0.0136	0	0.0000
385	1-TSP-327	3/7/2008	1	30.22	23.3	1.02	23.3	2,942	3,406.9	318	0.093	130	0.0382	49	0.0144
388	2-TSP-327	3/7/2008	2	30.22	23.3	1.02	22.5	2,920	3,388.8	182	0.054	67	0.0198	31	0.0091
391	3-TSP-327	3/7/2008	3	30.22	23.3	1.02	24.5	2,910	3,358.9	162	0.048	68	0.0202	43	0.0128
394	5-TSP-327	3/7/2008	5	30.22	23.3	1.02	21.9	2,882	3,350.1	199	0.059	75	0.0224	33	0.0099
397	3-TSP-328	3/12/2008	3	30.37	15.8	1.05	24.4	3,035	3,572.6	147	0.041	41	0.0115	25	0.0070
400	5-TSP-328	3/12/2008	5	30.37	15.8	1.05	22.6	3,032	3,586.4	149	0.042	48	0.0134	0	0.0000
406	2-TSP-329	3/20/2008	2	30.43	16.3	1.05	22.8	3,110	3,680.9	173	0.047	65	0.0177	0	0.0000
409	3-TSP-329	3/20/2008	3	30.43	16.3	1.05	22.9	3,125	3,697.7	95	0.026	28	0.0076	0	0.0000
412	5-TSP-329	3/20/2008	5	30.43	16.3	1.05	22.5	3,120	3,695.7	134	0.036	50	0.0135	0	0.0000

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	AveMagPressure	MinutesOperated	Vs	TotalSuspendedParticulate	ConcTSP	Manganese	ConcMang	Lead	ConcLead
415	1-TSP-330	3/21/2008	1	30.44	15.6	1.05	23.2	1,515	1,794.2	102	0.057	51	0.0284	0	0.0000
418	2-TSP-330	3/21/2008	2	30.44	15.6	1.05	22.5	1,495	1,773.9	62	0.035	34	0.0192	0	0.0000
421	1-TSP-331	3/26/2008	1	30.37	13.3	1.06	23.4	3,175	3,765.5	144	0.038	94	0.0250	0	0.0000
424	2-TSP-331	3/26/2008	2	30.37	13.3	1.06	22.8	3,190	3,789.5	162	0.043	79	0.0208	0	0.0000
430	5-TSP-331	3/26/2008	5	30.37	13.3	1.06	22.6	3,200	3,803.4	104	0.027	54	0.0142	0	0.0000
433	1-TSP-332	3/28/2008	1	30.29	18.0	1.04	23.2	2,895	3,395.1	161	0.047	57	0.0168	0	0.0000
436	2-TSP-332	3/28/2008	2	30.29	18.0	1.04	23.6	2,890	3,385.5	111	0.033	43	0.0127	0	0.0000
442	5-TSP-332	3/28/2008	5	30.29	18.0	1.04	22.9	2,835	3,327.4	104	0.031	34	0.0102	0	0.0000
445	1-TSP-333	4/2/2008	1	30.26	11.9	1.06	22.8	3,165	3,755.5	201	0.054	75	0.0200	0	0.0000
448	2-TSP-333	4/2/2008	2	30.26	11.9	1.06	22.1	3,165	3,762.6	130	0.035	55	0.0146	0	0.0000
451	1-TSP-335	4/26/2008	1	30.10	18.0	1.03	22.9	2,927	3,412.5	207	0.061	71	0.0208	0	0.0000
454	2-TSP-335	4/26/2008	2	30.10	18.0	1.03	23.5	2,918	3,396.4	177	0.052	65	0.0191	0	0.0000
457	2-TSP-336	4/30/2008	2	29.97	11.9	1.05	22.0	2,992	3,521.8	135	0.038	63	0.0179	0	0.0000
460	1-TSP-337	5/2/2008	1	30.17	12.5	1.05	23.9	3,086	3,635.0	241.8	0.067	79	0.0217	25	0.0069
463	2-TSP-337	5/2/2008	2	30.17	12.5	1.05	19.2	3,083	3,678.0	180	0.049	76	0.0207	0	0.0000
466	1-TSP-338	5/3/2008	1	29.94	13.0	1.04	23.2	1,380	1,613.9	107.7	0.067	37	0.0229	0	0.0000
469	2-TSP-338	5/3/2008	2	29.94	13.0	1.04	21.6	1,370	1,609.2	79.5	0.049	37	0.0230	0	0.0000
472	1-TSP-339	5/7/2008	1	29.86	14.1	1.04	23.8	3,158	3,668.8	265.5	0.072	140	0.0382	35	0.0095
475	2-TSP-339	5/7/2008	2	29.86	14.1	1.04	21.5	3,154	3,687.3	181.7	0.049	71	0.0193	0	0.0000
481	1-TSP-340	5/9/2008	1	29.92	15.3	1.03	22.8	2,920	3,401.0	386.6	0.114	140	0.0412	36	0.0106
484	2-TSP-340	5/9/2008	2	29.92	15.3	1.03	21.9	2,913	3,401.3	234.8	0.069	76	0.0223	0	0.0000
487	5-TSP-340	5/9/2008	5	29.92	15.3	1.03	20.9	2,913	3,410.6	267.4	0.078	98	0.0287	26	0.0076
490	1-TSP-341	5/10/2008	1	29.89	14.7	1.03	23.3	1,440	1,675.1	190.2	0.114	74	0.0442	0	0.0000
493	2-TSP-341	5/10/2008	2	29.89	14.7	1.03	21.8	1,435	1,676.1	128.9	0.077	62	0.0370	0	0.0000
499	2-TSP-342	5/14/2008	2	29.88	20.3	1.01	22.8	3,305	3,807.8	236.5	0.062	100	0.0263	27	0.0071
502	5-TSP-342	5/14/2008	5	29.88	20.3	1.01	21.6	3,295	3,808.8	311.4	0.082	170	0.0446	47	0.0123
505	1-TSP-343	5/16/2008	1	29.89	29.7	0.98	23.9	2,870	3,241.7	267	0.082	210	0.0648	44	0.0136
508	2-TSP-343	5/16/2008	2	29.89	29.7	0.98	23.0	2,875	3,255.4	182.1	0.056	98	0.0301	0	0.0000
514	1-TSP-344	5/17/2008	1	29.93	24.6	1.00	24.0	1,396	1,593.2	136.1	0.085	53	0.0333	0	0.0000
517	2-TSP-344	5/17/2008	2	29.93	24.6	1.00	23.0	1,395	1,596.5	92.1	0.058	53	0.0332	0	0.0000
529	1-TSP-346	5/23/2008	1	29.68	16.6	1.02	25.1	2,993	3,425.9	426.3	0.124	170	0.0496	43	0.0126
532	2-TSP-346	5/23/2008	2	29.68	16.6	1.02	23.0	2,982	3,433.2	319.1	0.093	110	0.0320	56	0.0163
535	5-TSP-346	5/23/2008	5	29.68	16.6	1.02	23.6	2,997	3,444.8	311.2	0.090	130	0.0377	65	0.0189
538	1-TSP-347	5/29/2008	1	29.95	13.8	1.04	23.4	3,173	3,704.2	177.8	0.048	140	0.0378	39	0.0105
544	5-TSP-347	5/29/2008	5	29.95	13.8	1.04	21.0	3,171	3,726.3	144.4	0.039	88	0.0236	27	0.0072
547	1-TSP-348	5/31/2008	1	30.02	14.1	1.04	23.7	2,868	3,351.8	191.6	0.057	100	0.0298	71	0.0212
550	2-TSP-348	5/31/2008	2	30.02	14.1	1.04	22.2	2,865	3,362.1	118.3	0.035	67	0.0199	0	0.0000
553	5-TSP-348	5/31/2008	5	30.02	14.1	1.04	20.4	2,870	3,384.5	103.4	0.031	75	0.0222	25	0.0074
556	1-TSP-349	6/4/2008	1	29.89	14.4	1.04	23.1	3,121	3,634.6	265.5	0.073	150	0.0413	48	0.0132
559	2-TSP-349	6/4/2008	2	29.89	14.4	1.04	21.8	3,115	3,640.5	181.5	0.050	92	0.0253	37	0.0102
562	5-TSP-349	6/4/2008	5	29.89	14.4	1.04	21.9	3,116	3,640.7	194.7	0.053	100	0.0275	34	0.0093
565	1-TSP-350	6/6/2008	1	29.83	17.9	1.02	23.6	2,933	3,381.0	253	0.075	93	0.0275	29	0.0086
568	2-TSP-350	6/6/2008	2	29.83	17.9	1.02	22.6	2,954	3,414.6	216	0.063	120	0.0351	64	0.0187
571	1-TSP-351	6/7/2008	1	29.85	18.6	1.02	23.4	1,479	1,704.8	147.8	0.087	55	0.0323	0	0.0000

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	AveMagPressure	MinutesOperated	Vs	TotalSuspendedParticulate	ConcTSP	Manganese	ConcMang	Lead	ConcLead
574	2-TSP-351	6/7/2008	2	29.85	18.6	1.02	22.1	1,466	1,695.9	154.8	0.091	78	0.0460	41	0.0242
577	1-TSP-352	6/11/2008	1	29.84	19.1	1.02	24.8	3,039	3,485.0	309	0.089	93	0.0267	44	0.0126
580	2-TSP-352	6/11/2008	2	29.84	19.1	1.02	23.2	3,040	3,501.5	225	0.064	79	0.0226	61	0.0174
583	1-TSP-353	6/13/2008	1	29.85	18.8	1.02	24.6	3,190	3,663.5	350	0.096	160	0.0437	54	0.0147
586	2-TSP-353	6/13/2008	2	29.85	18.8	1.02	23.8	3,170	3,648.6	256	0.070	120	0.0329	43	0.0118
589	1-TSP-354	6/16/2008	1	29.90	10.2	1.05	23.1	2,880	3,382.6	188	0.056	88	0.0260	37	0.0109
592	2-TSP-354	6/16/2008	2	29.90	10.2	1.05	22.4	2,879	3,387.9	131	0.039	45	0.0133	0	0.0000
595	1-TSP-355	6/18/2008	1	29.94	16.1	1.03	24.0	3,089	3,583.1	239	0.067	100	0.0279	42	0.0117
598	2-TSP-355	6/18/2008	2	29.94	16.1	1.03	23.0	3,186	3,705.8	222	0.060	88	0.0237	73	0.0197
601	1-TSP-356	6/20/2008	1	29.89	28.4	0.99	25.7	3,068	3,456.2	220	0.064	96	0.0278	36	0.0104
604	2-TSP-356	6/20/2008	2	29.89	28.4	0.99	23.8	3,040	3,442.7	168	0.049	82	0.0238	44	0.0128
607	3-TSP-356	6/20/2008	3	29.89	28.4	0.99	21.8	3,048	3,470.8	146	0.042	63	0.0182	35	0.0101
610	5-TSP-356	6/20/2008	5	29.89	28.4	0.99	24.0	3,050	3,452.1	161	0.047	71	0.0206	43	0.0125
616	2-TSP-357	6/23/2008	2	29.92	20.0	1.02	23.0	3,090	3,565.2	151	0.042	69	0.0194	27	0.0076
619	3-TSP-357	6/23/2008	3	29.92	20.0	1.02	21.5	3,100	3,591.5	96	0.027	31	0.0086	0	0.0000
622	5-TSP-357	6/23/2008	5	29.92	20.0	1.02	20.3	3,085	3,585.8	153	0.043	61	0.0170	0	0.0000
625	1-TSP-358	6/25/2008	1	29.90	20.0	1.02	22.4	3,040	3,510.8	275	0.078	81	0.0231	0	0.0000
628	2-TSP-358	6/25/2008	2	29.90	20.0	1.02	22.9	3,037	3,502.5	278	0.079	130	0.0371	26	0.0074
631	3-TSP-358	6/25/2008	3	29.90	20.0	1.02	21.7	3,006	3,478.2	246	0.071	85	0.0244	37	0.0106
634	5-TSP-358	6/25/2008	5	29.90	20.0	1.02	22.0	3,070	3,549.3	274	0.077	110	0.0310	0	0.0000
637	1-TSP-359	6/27/2008	1	29.77	15.0	1.03	23.0	2,750	3,186.0	239	0.075	85	0.0267	0	0.0000
640	2-TSP-359	6/27/2008	2	29.77	15.0	1.03	23.3	2,750	3,183.4	278	0.087	110	0.0346	0	0.0000
643	3-TSP-359	6/27/2008	3	29.77	15.0	1.03	22.4	2,760	3,202.9	201	0.063	61	0.0190	0	0.0000
646	5-TSP-359	6/27/2008	5	29.77	15.0	1.03	22.6	2,715	3,149.0	216	0.069	71	0.0225	25	0.0079
649	1-TSP-360	6/28/2008	1	29.77	15.0	1.03	22.3	1,742	2,022.1	206	0.102	93	0.0460	27	0.0134
652	2-TSP-360	6/28/2008	2	29.77	15.0	1.03	22.1	1,713	1,989.5	169	0.085	98	0.0493	0	0.0000
655	3-TSP-360	6/28/2008	3	29.77	15.0	1.03	21.6	1,663	1,934.1	125	0.065	45	0.0233	0	0.0000
658	5-TSP-360	6/28/2008	5	29.77	15.0	1.03	22.2	1,690	1,962.3	179	0.091	98	0.0499	33	0.0168
661	1-TSP-362	7/9/2008	1	29.31	24.5	0.98	23.5	3,202	3,579.4	307	0.086	60	0.0168	25	0.0070
664	2-TSP-362	7/9/2008	2	29.31	24.5	0.98	23.3	3,178	3,554.6	245	0.069	100	0.0281	33	0.0093
667	1-TSP-363	7/11/2008	1	29.79	21.8	1.01	22.7	2,995	3,431.0	226	0.066	110	0.0321	35	0.0102
670	2-TSP-363	7/11/2008	2	29.79	21.8	1.01	22.9	3,000	3,434.8	234	0.068	160	0.0466	38	0.0111
673	1-TSP-364	7/12/2008	1	29.91	20.0	1.02	22.5	1,435	1,657.4	81	0.049	61	0.0368	0	0.0000
679	1-TSP-365	7/16/2008	1	29.98	16.8	1.03	23.2	3,189	3,707.6	197	0.053	110	0.0297	29	0.0078
682	2-TSP-365	7/16/2008	2	29.98	16.8	1.03	22.2	3,184	3,711.9	197	0.053	120	0.0323	26	0.0070
685	1-TSP-366	7/18/2008	1	29.98	16.8	1.03	22.5	2,795	3,255.7	293	0.090	190	0.0584	59	0.0181
688	2-TSP-366	7/18/2008	2	29.98	16.8	1.03	22.5	2,790	3,249.9	234	0.072	170	0.0523	39	0.0120
691	1-TSP-367	7/19/2008	1	29.92	20.0	1.02	22.5	1,605	1,854.4	104	0.056	55	0.0297	0	0.0000
694	2-TSP-367	7/19/2008	2	29.92	20.0	1.02	23.1	1,605	1,851.3	147	0.079	83	0.0448	0	0.0000
697	1-TSP-368	7/23/2008	1	29.80	18.3	1.02	23.0	3,060	3,526.8	196	0.056	100	0.0284	36	0.0102
700	2-TSP-368	7/23/2008	2	29.80	18.3	1.02	23.7	3,055	3,514.2	366	0.104	390	0.1110	110	0.0313
703	1-TSP-369	7/25/2008	1	29.80	18.3	1.02	22.7	2,900	3,345.2	270	0.081	140	0.0419	52	0.0155
706	2-TSP-369	7/25/2008	2	29.80	18.3	1.02	23.0	2,905	3,348.2	312	0.093	220	0.0657	84	0.0251
709	1-TSP-370	7/30/2008	1	29.89	16.7	1.03	22.1	3,195	3,714.6	158	0.043	100	0.0269	50	0.0135

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	AveMagPressure	MinutesOperated	Vs	TotalSuspendedParticulate	ConcTSP	Manganese	ConcMang	Lead	ConcLead
712	2-TSP-370	7/30/2008	2	29.89	16.7	1.03	22.3	3,195	3,712.6	142	0.038	100	0.0269	29	0.0078
715	1-TSP-371	8/1/2008	1	29.88	17.2	1.03	22.7	2,990	3,466.0	133	0.038	74	0.0214	27	0.0078
718	2-TSP-371	8/1/2008	2	29.88	17.2	1.03	22.8	2,995	3,470.9	147	0.042	75	0.0216	0	0.0000
721	1-TSP-372	8/2/2008	1	29.86	17.7	1.02	22.8	1,445	1,671.8	88	0.053	62	0.0371	0	0.0000
724	2-TSP-372	8/2/2008	2	29.86	17.7	1.02	22.7	1,415	1,637.6	64	0.039	46	0.0281	0	0.0000
727	1-TSP-373	8/6/2008	1	29.92	15.0	1.03	21.8	3,315	3,873.9	113	0.029	67	0.0173	29	0.0075
730	2-TSP-373	8/4/2008	2	29.92	14.4	1.04	22.2	500	584.3	103.2	0.177	75	0.1284	0	0.0000
733	1-TSP-374	8/8/2008	1	29.92	15.8	1.03	22.3	2,890	3,367.5	87.1	0.026	48	0.0143	0	0.0000
736	2-TSP-374	8/8/2008	2	29.92	15.8	1.03	23.0	2,870	3,337.8	74.7	0.022	52	0.0156	0	0.0000
739	1-TSP-375	8/9/2008	1	29.92	16.7	1.03	23.2	1,425	1,653.5	44.7	0.027	27	0.0163	0	0.0000
742	2-TSP-375	8/9/2008	2	29.92	16.7	1.03	22.1	1,425	1,658.5	47.9	0.029	48	0.0289	0	0.0000
745	1-TSP-376	8/13/2008	1	29.92	20.0	1.02	22.3	2,920	3,375.5	200.3	0.059	100	0.0296	37	0.0110
748	2-TSP-376	8/13/2008	2	29.92	20.0	1.02	22.0	2,908	3,364.4	136.6	0.041	82	0.0244	0	0.0000
751	1-TSP-377	8/15/2008	1	29.92	17.2	1.03	23.0	1,350	1,565.9	196.1	0.125	110	0.0702	44	0.0281
754	2-TSP-377	8/15/2008	2	29.92	17.2	1.03	23.1	3,145	3,646.9	138.7	0.038	97	0.0266	27	0.0074
760	2-TSP-378	8/20/2008	2	29.92	18.7	1.02	22.5	3,155	3,654.1	111.2	0.030	72	0.0197	0	0.0000
763	1-TSP-379	8/22/2008	1	29.92	17.8	1.02	23.3	3,115	3,606.0	147.9	0.041	72	0.0200	29	0.0080
766	2-TSP-379	8/22/2008	2	29.92	17.8	1.02	23.6	3,115	3,603.0	169.7	0.047	89	0.0247	31	0.0086
769	1-TSP-380	8/23/2008	1	29.92	18.3	1.02	22.8	1,405	1,627.2	73.9	0.045	28	0.0172	0	0.0000
772	2-TSP-380	8/23/2008	2	29.92	18.3	1.02	22.7	1,410	1,633.4	57.5	0.035	0	0.0000	0	0.0000
778	1-TSP-383	9/5/2008	1	29.74	22.9	1.00	23.8	3,170	3,606.6	280	0.078	130	0.0360	31	0.0086
781	1-TSP-384	9/6/2008	1	29.72	28.6	0.98	23.4	1,500	1,689.7	133	0.079	63	0.0373	0	0.0000
784	1-TSP-385	9/10/2008	1	29.72	15.8	1.02	23.1	3,094	3,571.7	180	0.050	98	0.0274	47	0.0132
787	2-TSP-385	9/10/2008	2	29.72	15.8	1.02	23.3	3,110	3,588.2	147	0.041	80	0.0223	0	0.0000
790	1-TSP-386	9/12/2008	1	29.78	14.4	1.03	22.8	3,039	3,528.1	234	0.066	100	0.0283	42	0.0119
793	2-TSP-386	9/12/2008	2	29.78	14.4	1.03	23.9	3,036	3,514.0	223	0.063	100	0.0285	35	0.0100
796	1-TSP-387	9/13/2008	1	29.72	15.7	1.03	21.9	1,445	1,674.0	73	0.044	34	0.0203	0	0.0000
799	2-TSP-387	9/13/2008	2	29.72	15.7	1.03	24.1	1,435	1,652.3	64	0.039	36	0.0218	0	0.0000
802	1-TSP-388	9/17/2008	1	29.94	14.6	1.04	23.2	3,236	3,772.7	239	0.063	160	0.0424	82	0.0217
805	2-TSP-388	9/17/2008	2	29.94	14.6	1.04	23.5	3,233	3,766.1	173	0.046	75	0.0199	0	0.0000
808	1-TSP-389	9/19/2008	1	29.93	17.8	1.03	22.8	2,895	3,357.1	179	0.053	110	0.0328	42	0.0125
811	2-TSP-389	9/19/2008	2	29.93	17.8	1.03	24.5	2,915	3,364.6	122	0.036	62	0.0184	0	0.0000
814	1-TSP-390	9/20/2008	1	29.93	18.7	1.02	23.2	1,425	1,647.9	49	0.030	28	0.0170	0	0.0000
817	2-TSP-390	9/20/2008	2	29.93	18.7	1.02	23.7	1,420	1,639.8	33	0.020	0	0.0000	0	0.0000
820	1-TSP-391	9/24/2008	1	29.90	17.8	1.02	23.4	3,120	3,608.2	203	0.056	110	0.0305	36	0.0100
823	2-TSP-391	9/24/2008	2	29.90	17.8	1.02	24.2	3,125	3,606.1	182	0.050	71	0.0197	0	0.0000
826	1-TSP-392	9/26/2008	1	29.85	20.6	1.01	23.5	3,033	3,482.1	274	0.079	130	0.0373	38	0.0109
829	2-TSP-392	9/26/2008	2	29.85	20.6	1.01	23.0	3,001	3,450.1	169	0.049	78	0.0226	29	0.0084
832	1-TSP-393	10/1/2008	1	29.87	17.6	1.02	23.3	3,161	3,654.1	203	0.056	91	0.0249	31	0.0085
835	2-TSP-393	10/1/2008	2	29.87	17.6	1.02	23.4	3,160	3,652.0	130	0.036	74	0.0203	26	0.0071
838	1-TSP-394	10/3/2008	1	29.79	20.9	1.01	22.8	2,965	3,401.4	297	0.087	170	0.0500	50	0.0147
841	2-TSP-394	10/3/2008	2	29.79	20.9	1.01	23.4	2,975	3,407.2	93	0.027	49	0.0144	0	0.0000
844	1-TSP-395	10/8/2008	1	29.83	15.8	1.03	23.7	3,195	3,696.7	303	0.082	130	0.0352	41	0.0111
847	2-TSP-395	10/8/2008	2	29.83	15.8	1.03	23.3	3,200	3,706.6	157	0.042	76	0.0205	31	0.0084

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	AveMagPressure	MinutesOperated	Vs	TotalSuspendedParticulate	ConcTSP	Manganese	ConcMang	Lead	ConcLead
850	1-TSP-396	10/10/2008	1	29.79	16.4	1.03	24.0	2,960	3,413.2	298	0.087	130	0.0381	39	0.0114
853	2-TSP-396	10/10/2008	2	29.79	16.4	1.03	24.1	2,950	3,400.7	189	0.056	78	0.0229	0	0.0000
856	1-TSP-397	10/15/2008	1	30.03	20.6	1.02	24.2	3,260	3,759.5	230	0.061	120	0.0319	32	0.0085
862	1-TSP-398	10/17/2008	1	29.90	25.2	1.00	24.8	2,920	3,318.0	350	0.105	120	0.0362	33	0.0099
865	2-TSP-398	10/17/2008	2	29.90	25.2	1.00	23.4	2,920	3,330.9	203	0.061	76	0.0228	0	0.0000
868	1-TSP-399	10/22/2008	1	30.02	18.0	1.03	23.6	3,265	3,788.5	154	0.041	77	0.0203	26	0.0069
871	2-TSP-399	10/22/2008	2	30.02	18.0	1.03	23.2	3,270	3,798.5	260	0.068	130	0.0342	42	0.0111
877	2-TSP-400	10/24/2008	2	29.97	25.0	1.00	24.3	2,935	3,349.2	193	0.058	100	0.0299	0	0.0000
880	1-TSP-401	10/29/2008	1	30.10	10.2	1.06	24.3	3,230	3,808.2	229	0.060	56	0.0147	0	0.0000
883	2-TSP-401	10/29/2008	2	30.10	10.2	1.06	21.9	3,245	3,851.0	100	0.026	49	0.0127	0	0.0000
886	1-TSP-402	10/31/2008	1	30.03	18.9	1.02	24.9	2,910	3,360.1	190	0.057	78	0.0232	28	0.0083
889	2-TSP-402	10/31/2008	2	30.03	18.9	1.02	23.3	2,905	3,369.1	116	0.034	45	0.0134	0	0.0000
892	1-TSP-404	11/12/2008	1	30.07	14.1	1.04	24.5	3,250	3,796.7	234	0.062	95	0.0250	27	0.0071
895	2-TSP-404	11/12/2008	2	30.07	14.1	1.04	22.8	3,240	3,802.6	114	0.030	38	0.0100	0	0.0000
898	1-TSP-405	11/14/2008	1	30.04	20.9	1.02	24.6	2,915	3,357.2	131	0.039	66	0.0197	0	0.0000
901	2-TSP-405	11/14/2008	2	30.04	20.9	1.02	22.7	2,918	3,378.2	103	0.030	58	0.0172	0	0.0000
904	1-TSP-406	11/19/2008	1	30.06	14.9	1.04	24.5	3,024	3,526.0	267	0.076	140	0.0397	46	0.0130
907	2-TSP-406	11/19/2008	2	30.06	14.9	1.04	22.4	3,031	3,554.5	180	0.051	75	0.0211	28	0.0079
910	1-TSP-407	11/21/2008	1	30.05	12.1	1.05	24.4	3,005	3,522.5	185	0.053	72	0.0204	0	0.0000
913	2-TSP-407	11/21/2008	2	30.05	12.1	1.05	22.4	3,000	3,536.0	85	0.024	35	0.0099	0	0.0000
916	1-TSP-408	11/24/2008	1	29.90	16.6	1.03	24.5	2,988	3,453.0	228	0.066	100	0.0290	31	0.0090
919	2-TSP-408	11/24/2008	2	29.90	16.6	1.03	22.6	2,988	3,471.1	130	0.037	35	0.0101	0	0.0000
922	1-TSP-409	11/26/2008	1	29.90	16.6	1.03	24.6	2,895	3,344.6	287	0.086	100	0.0299	36	0.0108
925	2-TSP-409	11/26/2008	2	29.90	16.6	1.03	22.8	2,885	3,349.6	189	0.056	33	0.0099	0	0.0000
928	1-TSP-410	12/3/2008	1	30.05	10.8	1.05	24.2	3,185	3,745.1	234	0.062	92	0.0246	28	0.0075
931	2-TSP-410	12/3/2008	2	30.05	10.8	1.05	22.9	3,185	3,758.4	113	0.030	50	0.0133	0	0.0000
934	1-TSP-411	12/5/2008	1	30.06	13.5	1.04	24.6	3,069	3,587.1	154	0.043	95	0.0265	27	0.0075
937	2-TSP-411	12/5/2008	2	30.06	13.5	1.04	23.1	3,043	3,571.4	123	0.034	35	0.0098	0	0.0000
940	1-TSP-412	12/8/2008	1	30.08	9.7	1.06	24.3	2,856	3,368.1	248	0.074	86	0.0255	27	0.0080
946	1-TSP-413	12/10/2008	1	30.22	13.8	1.05	21.3	3,280	3,888.0	283	0.073	170	0.0437	48	0.0123
952	1-TSP-414	12/12/2008	1	30.22	13.8	1.05	21.0	2,910	3,452.2	276	0.080	140	0.0406	45	0.0130
955	2-TSP-414	12/12/2008	2	30.22	13.8	1.05	19.4	2,911	3,468.3	197	0.057	91	0.0262	34	0.0098
958	1-TSP-416	1/8/2009	1	30.14	9.3	1.06	21.2	3,165	3,775.2	168	0.045	52	0.0138	0	0.0000
961	2-TSP-416	1/8/2009	2	30.14	9.3	1.06	18.4	3,160	3,797.8	112	0.029	0	0.0000	0	0.0000
964	1-TSP-417	1/10/2009	1	30.09	10.9	1.06	21.2	3,010	3,572.7	118	0.033	50	0.0140	0	0.0000
967	2-TSP-417	1/10/2009	2	30.09	10.9	1.06	18.8	3,000	3,584.0	61	0.017	0	0.0000	0	0.0000
970	1-TSP-418	1/14/2009	1	30.19	18.3	1.03	21.0	3,170	3,724.6	249	0.067	100	0.0268	65	0.0175
973	2-TSP-418	1/14/2009	2	30.19	18.3	1.03	19.3	3,180	3,753.5	130	0.035	57	0.0152	26	0.0069
976	1-TSP-419	1/16/2009	1	30.08	18.4	1.03	21.9	2,990	3,490.3	270	0.077	120	0.0344	53	0.0152
979	2-TSP-419	1/16/2009	2	30.08	18.4	1.03	19.8	2,990	3,510.3	157	0.045	52	0.0148	29	0.0083
982	1-TSP-420	1/17/2009	1	30.08	16.6	1.03	21.3	1,385	1,624.9	122	0.075	57	0.0351	0	0.0000
985	2-TSP-420	1/17/2009	2	30.08	16.6	1.03	19.3	1,390	1,639.7	72	0.044	29	0.0177	0	0.0000
988	1-TSP-421	1/21/2009	1	30.08	11.9	1.05	20.8	3,216	3,812.6	295	0.077	170	0.0446	63	0.0165
991	2-TSP-421	1/21/2009	2	30.08	11.9	1.05	19.1	3,214	3,827.8	162	0.042	95	0.0248	32	0.0084

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	AveMagPressure	MinutesOperated	Vs	TotalSuspendedParticulate	ConcTSP	Manganese	ConcMang	Lead	ConcLead
994	1-TSP-422	1/28/2009	1	30.14	9.8	1.06	21.4	3,190	3,799.2	268	0.071	170	0.0447	63	0.0166
997	2-TSP-422	1/28/2009	2	30.14	9.8	1.06	19.1	3,185	3,816.9	96	0.025	47	0.0123	0	0.0000
1000	1-TSP-423	1/30/2009	1	30.20	13.7	1.05	21.4	2,920	3,458.5	243	0.070	110	0.0318	38	0.0110
1003	2-TSP-423	1/30/2009	2	30.20	13.7	1.05	19.4	2,925	3,483.2	107	0.031	36	0.0103	0	0.0000
1006	1-TSP-424	2/4/2009	1	30.01	10.7	1.05	21.1	3,180	3,766.4	335	0.089	170	0.0451	54	0.0143
1009	2-TSP-424	2/4/2009	2	30.01	10.7	1.05	19.1	3,185	3,792.8	185	0.049	59	0.0156	0	0.0000
1012	1-TSP-425	2/6/2009	1	29.80	11.7	1.04	20.4	2,725	3,203.5	88	0.027	37	0.0115	0	0.0000
1015	2-TSP-425	2/6/2009	2	29.80	11.7	1.04	19.1	2,720	3,209.0	58	0.018	0	0.0000	0	0.0000
1018	1-TSP-426	2/12/2009	1	30.09	7.8	1.07	20.0	3,280	3,929.8	84	0.021	26	0.0066	34	0.0087
1021	2-TSP-426	2/12/2009	2	30.09	7.8	1.07	18.6	3,275	3,938.7	67	0.017	0	0.0000	0	0.0000
1024	1-TSP-427	3/11/2009	1	30.05	14.4	1.04	20.8	3,270	3,853.8	252	0.065	88	0.0228	28	0.0073
1027	2-TSP-427	3/11/2009	2	30.05	14.4	1.04	19.3	3,260	3,857.7	115	0.030	52	0.0135	0	0.0000
1030	1-TSP-428	3/13/2009	1	30.01	11.8	1.05	20.8	2,995	3,542.5	180	0.051	99	0.0279	31	0.0088
1033	2-TSP-428	3/13/2009	2	30.01	11.8	1.05	19.3	2,995	3,557.0	183	0.051	100	0.0281	26	0.0073
1036	1-TSP-429	3/16/2009	1	29.96	9.2	1.06	20.6	3,135	3,722.6	76	0.020	37	0.0099	0	0.0000
1039	2-TSP-429	3/16/2009	2	29.96	9.2	1.06	19.2	3,130	3,730.8	89	0.024	51	0.0137	0	0.0000
1042	1-TSP-430	3/18/2009	1	30.16	13.3	1.05	21.0	2,950	3,495.7	131	0.037	62	0.0177	0	0.0000
1045	2-TSP-430	3/18/2009	2	30.16	13.3	1.05	19.5	2,960	3,521.7	90	0.026	44	0.0125	0	0.0000
1048	3-TSP-430	3/18/2009	3	30.16	13.3	1.05	20.9	2,975	3,526.2	123	0.035	52	0.0147	0	0.0000
1051	2-TSP-431	3/20/2009	2	29.98	12.1	1.05	19.4	2,910	3,449.5	241	0.070	110	0.0319	27	0.0078
1054	3-TSP-431	3/20/2009	3	29.98	12.1	1.05	21.4	2,905	3,424.9	410	0.120	200	0.0584	35	0.0102
1057	1-TSP-432	3/25/2009	1	30.16	12.5	1.05	20.1	3,086	3,671.4	192	0.052	96	0.0261	39	0.0106
1060	2-TSP-432	3/25/2009	2	30.16	12.5	1.05	19.5	3,155	3,759.6	206	0.055	130	0.0346	26	0.0069
1063	3-TSP-432	3/25/2009	3	30.16	12.5	1.05	20.6	3,151	3,743.7	243	0.065	150	0.0401	26	0.0069
1066	2-TSP-433	3/27/2009	2	29.96	17.1	1.03	20.0	2,936	3,439.0	224	0.065	140	0.0407	26	0.0076
1069	3-TSP-433	3/27/2009	3	29.96	17.1	1.03	21.2	2,889	3,372.9	392	0.116	230	0.0682	34	0.0101
1072	1-TSP-434	4/1/2009	1	29.94	13.9	1.04	21.1	3,202	3,759.6	257	0.068	130	0.0346	43	0.0114
1075	2-TSP-434	4/1/2009	2	29.94	13.9	1.04	19.7	3,198	3,769.3	262	0.070	140	0.0371	32	0.0085
1078	3-TSP-434	4/1/2009	3	29.94	13.9	1.04	20.5	3,188	3,749.3	259	0.069	170	0.0453	29	0.0077
1081	1-TSP-435	4/3/2009	1	29.89	13.7	1.04	21.4	2,982	3,493.6	373	0.107	200	0.0572	100	0.0286
1084	2-TSP-435	4/3/2009	2	29.89	13.7	1.04	19.9	2,985	3,511.5	389	0.111	270	0.0769	53	0.0151
1087	3-TSP-435	4/3/2009	3	29.89	13.7	1.04	21.6	2,987	3,497.6	401	0.115	210	0.0600	34	0.0097
1090	1-TSP-436	4/8/2009	1	29.97	14.1	1.04	20.6	3,200	3,764.9	154	0.041	32	0.0085	0	0.0000
1093	2-TSP-436	4/8/2009	2	29.97	14.1	1.04	19.2	3,200	3,779.3	137	0.036	27	0.0071	0	0.0000
1096	6-TSP-436	4/8/2009	6	29.97	14.1	1.04	20.4	3,191	3,756.4	220	0.059	63	0.0168	0	0.0000
1099	2-TSP-437	4/10/2009	2	29.90	12.6	1.04	19.4	2,975	3,513.2	64	0.018	0	0.0000	0	0.0000
1105	1-TSP-438	4/15/2009	1	29.89	11.9	1.04	20.4	3,293	3,882.0	434	0.112	96	0.0247	84	0.0216
1111	6-TSP-438	4/15/2009	6	29.89	11.9	1.04	20.9	3,285	3,867.3	346	0.089	92	0.0238	0	0.0000
1114	1-TSP-439	4/17/2009	1	30.05	15.7	1.04	19.8	2,885	3,400.8	176	0.052	68	0.0200	31	0.0091
1117	2-TSP-439	4/17/2009	2	30.05	15.7	1.04	19.6	2,911	3,433.3	162	0.047	70	0.0204	0	0.0000
1120	6-TSP-439	4/17/2009	6	30.05	15.7	1.04	20.4	2,910	3,424.7	182	0.053	77	0.0225	0	0.0000
1123	1-TSP-440	4/22/2009	1	29.89	20.2	1.02	20.3	3,106	3,605.1	201	0.056	86	0.0239	26	0.0072
1126	2-TSP-440	4/22/2009	2	29.89	20.2	1.02	19.9	3,165	3,677.5	194	0.053	95	0.0258	0	0.0000
1129	6-TSP-440	4/22/2009	6	29.89	20.2	1.02	20.9	3,157	3,658.3	168	0.046	79	0.0216	0	0.0000



Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	AveMagPressure	MinutesOperated	Vs	TotalSuspendedParticulate	ConcTSP	Manganese	ConcMang	Lead	ConcLead
1132	1-TSP-441	4/24/2009	1	29.88	15.5	1.03	20.0	2,994	3,507.7	355	0.101	130	0.0371	75	0.0214
1135	2-TSP-441	4/24/2009	2	29.88	15.5	1.03	20.0	2,980	3,491.3	239	0.068	110	0.0315	0	0.0000
1138	6-TSP-441	4/24/2009	6	29.88	15.5	1.03	20.6	2,976	3,480.9	278	0.080	99	0.0284	0	0.0000
1141	1-TSP-442	4/29/2009	1	29.98	10.9	1.05	19.4	3,210	3,814.0	203	0.053	100	0.0262	64	0.0168
1144	2-TSP-442	4/29/2009	2	29.98	10.9	1.05	19.1	3,230	3,840.9	172	0.045	93	0.0242	0	0.0000
1147	6-TSP-442	4/29/2009	6	29.98	10.9	1.05	20.7	3,220	3,812.4	277	0.073	150	0.0393	26	0.0068
1150	1-TSP-443	5/1/2009	1	29.98	12.8	1.04	19.4	2,940	3,480.3	145	0.042	70	0.0201	40	0.0115
1153	2-TSP-443	5/1/2009	2	29.98	12.8	1.04	19.2	2,934	3,475.1	116	0.033	62	0.0178	0	0.0000
1156	6-TSP-443	5/1/2009	6	29.98	12.8	1.04	21.0	2,959	3,487.6	195	0.056	110	0.0315	0	0.0000
1168	1-TSP-445	5/8/2009	1	29.96	18.2	1.02	19.9	3,034	3,547.3	158	0.045	66	0.0186	26	0.0073
1171	2-TSP-445	5/8/2009	2	29.96	18.2	1.02	20.0	3,013	3,521.8	160	0.045	71	0.0202	0	0.0000
1174	6-TSP-445	5/8/2009	6	29.96	18.2	1.02	20.8	2,994	3,492.0	229	0.066	92	0.0263	0	0.0000
1177	1-TSP-446	5/13/2009	1	29.94	15.7	1.03	20.0	3,185	3,737.9	252	0.067	110	0.0294	77	0.0206
1180	2-TSP-446	5/13/2009	2	29.94	15.7	1.03	19.6	3,202	3,762.0	261	0.069	130	0.0346	28	0.0074
1183	6-TSP-446	5/13/2009	6	29.94	15.7	1.03	21.5	3,222	3,766.0	390	0.104	180	0.0478	29	0.0077
1186	1-TSP-447	5/15/2009	1	29.90	16.4	1.03	20.2	2,957	3,459.0	285	0.082	160	0.0463	250	0.0723
1189	2-TSP-447	5/15/2009	2	29.90	16.4	1.03	19.5	2,954	3,462.0	264	0.076	170	0.0491	37	0.0107
1192	6-TSP-447	5/15/2009	6	29.90	16.4	1.03	21.3	2,944	3,433.4	263	0.077	180	0.0524	27	0.0079
1195	1-TSP-448	5/20/2009	1	29.83	12.3	1.04	19.7	3,208	3,778.1	228	0.060	120	0.0318	390	0.1032
1198	2-TSP-448	5/20/2009	2	29.83	12.3	1.04	19.0	3,210	3,787.7	214	0.056	93	0.0246	27	0.0071
1201	6-TSP-448	5/20/2009	6	29.83	12.3	1.04	19.4	3,216	3,790.6	240	0.063	98	0.0259	0	0.0000
1204	1-TSP-449	5/22/2009	1	29.85	14.3	1.03	19.7	3,005	3,527.9	262	0.074	86	0.0244	190	0.0539
1207	2-TSP-449	5/22/2009	2	29.85	14.3	1.03	19.9	3,000	3,520.1	224	0.064	89	0.0253	25	0.0071
1210	6-TSP-449	5/22/2009	6	29.85	14.3	1.03	20.8	2,990	3,499.7	245	0.070	90	0.0257	0	0.0000
1213	1-TSP-450	5/28/2009	1	29.81	13.4	1.04	19.8	3,228	3,789.8	272	0.072	120	0.0317	180	0.0475
1216	2-TSP-450	5/28/2009	2	29.81	13.4	1.04	19.8	3,229	3,791.0	225	0.059	110	0.0290	34	0.0090
1219	6-TSP-450	5/28/2009	6	29.81	13.4	1.04	20.7	3,219	3,770.0	221	0.059	76	0.0202	0	0.0000
1222	1-TSP-451	5/29/2009	1	29.86	16.0	1.03	19.6	1,564	1,831.3	106	0.058	53	0.0289	130	0.0710
1225	2-TSP-451	5/29/2009	2	29.86	16.0	1.03	19.9	1,561	1,826.3	224	0.123	56	0.0307	26	0.0142
1228	6-TSP-451	5/29/2009	6	29.86	16.0	1.03	21.0	1,559	1,818.5	255	0.140	45	0.0247	0	0.0000
1231	1-TSP-452	6/3/2009	1	29.82	14.2	1.03	19.6	3,208	3,763.9	257	0.068	80	0.0213	140	0.0372
1234	2-TSP-452	6/3/2009	2	29.82	14.2	1.03	19.8	3,216	3,771.3	271	0.072	54	0.0143	0	0.0000
1237	6-TSP-452	6/3/2009	6	29.82	14.2	1.03	20.0	3,221	3,775.1	249	0.066	45	0.0119	0	0.0000
1240	1-TSP-453	6/5/2009	1	29.84	17.6	1.02	19.7	2,989	3,485.8	155	0.044	94	0.0270	99	0.0284
1243	2-TSP-453	6/5/2009	2	29.84	17.6	1.02	19.5	2,985	3,483.0	101	0.029	67	0.0192	0	0.0000
1246	6-TSP-453	6/5/2009	6	29.84	17.6	1.02	20.6	2,976	3,462.1	101	0.029	56	0.0162	0	0.0000
1249	1-TSP-454	6/10/2009	1	29.84	14.9	1.03	19.7	3,218	3,772.2	205	0.054	77	0.0204	120	0.0318
1252	2-TSP-454	6/10/2009	2	29.84	14.9	1.03	19.3	3,224	3,783.4	115	0.030	44	0.0116	0	0.0000
1255	6-TSP-454	6/10/2009	6	29.84	14.9	1.03	20.0	3,225	3,777.3	95	0.025	49	0.0130	0	0.0000
1258	1-TSP-455	6/12/2009	1	29.86	16.9	1.03	20.4	3,000	3,499.1	217	0.062	92	0.0263	110	0.0314
1261	2-TSP-455	6/12/2009	2	29.86	16.9	1.03	18.9	2,990	3,501.7	133	0.038	67	0.0191	0	0.0000
1264	6-TSP-455	6/12/2009	6	29.86	16.9	1.03	20.7	2,985	3,478.7	136	0.039	48	0.0138	0	0.0000
1267	1-TSP-456	6/17/2009	1	29.85	15.1	1.03	19.6	3,123	3,661.8	204	0.056	110	0.0300	120	0.0328
1270	2-TSP-456	6/17/2009	2	29.85	15.1	1.03	19.3	3,125	3,667.1	158	0.043	86	0.0235	0	0.0000

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	AveMagPressure	MinutesOperated	Vs	TotalSuspendedParticulate	ConcTSP	Manganese	ConcMang	Lead	ConcLead
1273	6-TSP-456	6/17/2009	6	29.85	15.1	1.03	20.5	3,165	3,701.9	138	0.037	56	0.0151	0	0.0000
1276	1-TSP-457	6/19/2009	1	29.75	16.8	1.02	20.1	3,064	3,563.4	337	0.095	160	0.0449	190	0.0533
1279	2-TSP-457	6/19/2009	2	29.75	16.8	1.02	20.0	3,063	3,563.2	249	0.070	120	0.0337	33	0.0093
1282	6-TSP-457	6/19/2009	6	29.75	16.8	1.02	21.2	3,016	3,497.0	272	0.078	140	0.0400	29	0.0083
1285	1-TSP-458	6/24/2009	1	29.77	16.2	1.03	20.1	3,218	3,749.5	326	0.087	110	0.0293	110	0.0293
1288	2-TSP-458	6/24/2009	2	29.77	16.2	1.03	19.4	3,220	3,759.0	238	0.063	65	0.0173	0	0.0000
1291	6-TSP-458	6/24/2009	6	29.77	16.2	1.03	21.6	3,197	3,709.7	248	0.067	62	0.0167	0	0.0000
1294	1-TSP-459	6/26/2009	1	29.80	19.1	1.02	20.3	2,992	3,468.8	224	0.065	83	0.0239	71	0.0205
1297	2-TSP-459	6/26/2009	2	29.80	19.1	1.02	19.5	2,990	3,474.1	175	0.050	53	0.0153	0	0.0000
1300	6-TSP-459	6/26/2009	6	29.80	19.1	1.02	21.4	2,983	3,448.0	226	0.066	83	0.0241	0	0.0000
1303	1-TSP-460	7/1/2009	1	29.74	15.7	1.03	19.7	3,178	3,706.5	245	0.066	90	0.0243	78	0.0210
1309	6-TSP-460	7/1/2009	6	29.74	15.7	1.03	21.4	2,995	3,476.8	229	0.066	83	0.0239	0	0.0000
1312	1-TSP-461	7/2/2009	1	29.78	18.3	1.02	21.2	1,558	1,803.3	155	0.086	90	0.0499	81	0.0449
1315	2-TSP-461	7/2/2009	2	29.78	18.3	1.02	19.3	1,550	1,803.4	100	0.055	45	0.0250	0	0.0000
1318	1-TSP-462	7/8/2009	1	29.90	16.2	1.03	20.1	3,185	3,728.1	250	0.067	130	0.0349	100	0.0268
1321	2-TSP-462	7/8/2009	2	29.90	16.2	1.03	19.3	3,174	3,723.3	178	0.048	81	0.0218	0	0.0000
1324	1-TSP-463	7/10/2009	1	29.89	17.8	1.02	19.8	2,991	3,492.0	220	0.063	130	0.0372	98	0.0281
1327	2-TSP-463	7/10/2009	2	29.89	17.8	1.02	20.1	2,990	3,488.0	251	0.072	110	0.0315	31	0.0089
1330	1-TSP-464	7/15/2009	1	29.90	15.9	1.03	20.2	3,145	3,682.4	254	0.069	69	0.0187	39	0.0106
1333	2-TSP-464	7/15/2009	2	29.90	15.9	1.03	19.4	3,152	3,698.6	215	0.058	57	0.0154	0	0.0000
1336	6-TSP-464	7/15/2009	6	29.90	15.9	1.03	21.5	3,152	3,677.5	261	0.071	77	0.0209	0	0.0000
1339	1-TSP-465	7/17/2009	1	29.88	18.6	1.02	20.5	3,029	3,523.1	161	0.046	91	0.0258	59	0.0167
1342	2-TSP-465	7/17/2009	2	29.88	18.6	1.02	19.4	3,021	3,524.3	135	0.038	93	0.0264	0	0.0000
1348	1-TSP-466	7/22/2009	1	29.87	12.9	1.04	20.3	3,221	3,788.2	154	0.041	72	0.0190	48	0.0127
1351	2-TSP-466	7/22/2009	2	29.87	12.9	1.04	18.9	3,223	3,805.0	131	0.034	71	0.0187	0	0.0000
1354	6-TSP-466	7/22/2009	6	29.87	12.9	1.04	19.4	3,221	3,797.5	116	0.031	53	0.0140	0	0.0000
1357	1-TSP-467	7/24/2009	1	29.88	13.6	1.04	19.8	2,746	3,230.7	100	0.031	42	0.0130	31	0.0096
1360	2-TSP-467	7/24/2009	2	29.88	13.6	1.04	19.3	2,740	3,228.0	100	0.031	62	0.0192	0	0.0000
1363	6-TSP-467	7/24/2009	6	29.88	13.6	1.04	19.1	2,735	3,223.9	116	0.036	60	0.0186	0	0.0000
1366	1-TSP-468	7/29/2009	1	29.84	14.4	1.03	20.0	3,192	3,742.3	118	0.032	72	0.0192	57	0.0152
1369	2-TSP-468	7/29/2009	2	29.84	14.4	1.03	19.6	3,200	3,755.8	110	0.029	49	0.0130	0	0.0000
1372	6-TSP-468	7/29/2009	6	29.84	14.4	1.03	19.2	3,199	3,758.7	142	0.038	110	0.0293	0	0.0000
1375	1-TSP-469	7/31/2009	1	29.83	17.0	1.02	19.7	2,991	3,490.9	155	0.044	110	0.0315	83	0.0238
1378	2-TSP-469	7/31/2009	2	29.83	17.0	1.02	19.3	2,984	3,486.5	84	0.024	73	0.0209	0	0.0000
1381	6-TSP-469	7/31/2009	6	29.83	17.0	1.02	19.7	2,977	3,474.5	116	0.033	91	0.0262	0	0.0000

Cal-OSHA Permissible Exposure Limit: 5,000 ug/m3

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure in (Hg)	AmbientTemperature (C)	Cf	PM10 (mg)	AveMagPressure (in H2O)	MinutesOperated (min)	Vs (m3)	ConcPM10 (ug/m3)
2	3-PM10-255	3/23/2007	3	30.14	21.1	1.02	128	19.7	3,031	3,527.9	36.3
8	3-PM10-256	3/30/2007	3	30.38	15.0	1.05	100	19.4	3,158	3,752.2	26.7
11	5-PM10-256	3/30/2007	5	30.38	15.0	1.05	122	20.9	3,183	3,766.8	32.4
14	3-PM10-257	4/6/2007	3	30.16	11.7	1.06	26	17.5	1,585	1,890.4	13.8
17	3-PM10-258	4/11/2007	3	30.23	15.0	1.05	77	17.4	3,091	3,673.2	21.0
20	5-PM10-258	4/11/2007	5	30.23	15.0	1.05	86	20.7	3,081	3,629.0	23.7
23	5-PM10-259	4/13/2007	5	30.24	17.8	1.04	90	21.0	3,013	3,528.5	25.5
26	3-PM10-260	5/3/2007	3	30.24	14.2	1.05	57	18.7	3,160	3,749.2	15.2
29	5-PM10-260	5/3/2007	5	30.24	14.2	1.05	63	20.5	3,179	3,753.5	16.8
32	3-PM10-261	5/5/2007	3	30.21	21.7	1.02	53	19.0	2,880	3,362.9	15.8
35	5-PM10-261	5/5/2007	5	30.21	21.7	1.02	46	21.3	2,874	3,335.2	13.8
38	3-PM10-262	5/9/2007	3	30.14	22.5	1.02	75	19.7	2,962	3,438.7	21.8
41	5-PM10-262	5/9/2007	5	30.14	22.5	1.02	69	21.5	2,968	3,428.9	20.1
44	3-PM10-263	5/11/2007	3	30.17	16.4	1.04	88	19.1	3,066	3,609.8	24.4
47	5-PM10-263	5/11/2007	5	30.17	16.4	1.04	99	20.3	3,063	3,594.6	27.5
50	3-PM10-264	5/12/2007	3	30.22	15.6	1.04	43	18.5	1,453	1,719.0	25.0
53	5-PM10-264	5/12/2007	5	30.22	15.6	1.04	52	20.2	1,474	1,735.9	30.0
56	3-PM10-265	5/16/2007	3	30.19	15.8	1.04	100	18.9	3,094	3,651.4	27.4
59	5-PM10-265	5/16/2007	5	30.19	15.8	1.04	137	20.4	2,926	3,439.2	39.8
62	3-PM10-266	5/18/2007	3	30.16	17.4	1.03	75	17.8	3,142	3,703.9	20.2
65	5-PM10-266	5/18/2007	5	30.16	17.4	1.03	123	20.9	3,121	3,648.5	33.7
68	3-PM10-267	5/19/2007	3	30.22	18.6	1.03	22	18.7	1,194	1,403.9	15.7
74	3-PM10-268	5/23/2007	3	30.10	21.8	1.02	129	19.7	2,928	3,398.8	38.0
80	3-PM10-269	5/25/2007	3	30.10	22.3	1.02	93	19.6	3,164	3,670.4	25.3
86	5-PM10-270	6/1/2007	5	30.16	14.1	1.05	75	18.5	3,162	3,743.9	20.0
89	5-PM10-271	6/2/2007	5	30.08	14.6	1.04	25	18.5	1,653	1,949.9	12.8
92	5-PM10-272	6/6/2007	5	30.17	14.7	1.04	58	18.5	2,957	3,498.3	16.6
95	5-PM10-273	6/8/2007	5	30.15	18.5	1.03	82	18.5	2,945	3,456.8	23.7
98	5-PM10-275	6/15/2007	5	30.07	22.6	1.01	174	19.2	2,980	3,455.2	50.4
101	3-PM10-276	6/16/2007	3	30.05	21.6	1.02	73	19.2	1,738	2,017.4	36.2

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	PM10	AveMagPressure	MinutesOperated	Vs	ConcPM10
104	5-PM10-276	6/16/2007	5	30.05	21.6	1.02	61	18.8	1,685	1,958.0	31.2
107	5-PM10-277	6/20/2007	5	30.13	17.5	1.03	101	18.8	2,983	3,502.7	28.8
110	3-PM10-278	6/22/2007	3	30.21	20.0	1.03	64	18.8	2,970	3,480.8	18.4
113	5-PM10-278	6/22/2007	5	30.21	20.0	1.03	70	18.8	2,930	3,433.9	20.4
116	3-PM10-279	6/23/2007	3	30.13	21.4	1.02	61	19.1	1,464	1,705.2	35.8
119	5-PM10-279	6/23/2007	5	30.13	21.4	1.02	64	18.8	1,485	1,731.1	37.0
122	3-PM10-280	6/27/2007	3	30.18	15.5	1.04	106	18.9	3,063	3,615.6	29.3
125	5-PM10-280	6/27/2007	5	30.18	15.5	1.04	123	18.7	3,057	3,610.4	34.1
128	3-PM10-281	6/29/2007	3	30.21	16.8	1.04	36	19.5	2,809	3,305.7	10.9
131	3-PM10-282	6/30/2007	3	30.24	19.0	1.03	34	18.8	1,625	1,910.0	17.8
134	5-PM10-282	6/30/2007	5	30.24	19.0	1.03	27	18.7	1,568	1,843.5	14.6
137	3-PM10-283	7/3/2007	3	30.22	17.8	1.04	32	18.4	1,853	2,183.8	14.7
140	5-PM10-283	7/3/2007	5	30.22	17.8	1.04	40	19.1	1,844	2,169.1	18.4
146	5-PM10-284	7/6/2007	5	30.00	18.9	1.02	92	18.4	1,913	2,232.6	41.2
149	3-PM10-185	7/11/2007	3	30.10	19.3	1.03	44	19.2	3,142	3,669.2	12.0
152	5-PM10-285	7/11/2007	5	30.10	19.3	1.03	44	19.0	3,147	3,677.0	12.0
155	3-PM10-286	7/13/2007	3	30.18	24.3	1.01	46	20.0	2,992	3,464.1	13.3
158	5-PM10-286	7/13/2007	5	30.18	24.3	1.01	54	19.0	2,984	3,464.2	15.6
161	2-PM10-287	7/20/2007	2	30.10	21.5	1.02	58	17.8	1,787	2,086.2	27.8
164	2-PM10-288	7/25/2007	2	30.10	17.1	1.03	72	17.7	3,173	3,735.7	19.3
167	2-PM10-289	7/27/2007	2	30.07	19.3	1.02	80	17.6	3,110	3,643.7	22.0
170	1-PM10-290	8/1/2007	1	29.98	19.3	1.02	135	18.9	3,115	3,625.3	37.2
173	2-PM10-290	8/1/2007	2	29.98	19.3	1.02	102	17.9	3,119	3,639.8	28.0
176	1-PM10-291	8/3/2007	1	30.04	20.6	1.02	58	19.2	3,134	3,643.3	15.9
179	2-PM10-291	8/3/2007	2	30.04	20.6	1.02	84	18.1	3,101	3,615.7	23.2
182	1-PM10-292	8/8/2007	1	30.13	16.0	1.04	96	18.7	3,176	3,740.9	25.7
185	2-PM10-292	8/8/2007	2	30.13	16.0	1.04	56	18.0	3,172	3,743.2	15.0
188	1-PM10-293	8/10/2007	1	30.10	18.6	1.03	137	19.1	3,107	3,634.0	37.7
191	2-PM10-293	8/10/2007	2	30.10	18.6	1.03	70	18.0	3,113	3,651.8	19.2
194	1-PM10-294	8/15/2007	1	30.14	17.9	1.03	150	19.2	3,185	3,734.3	40.2
197	1-PM10-295	8/17/2007	1	30.06	20.2	1.02	325	22.0	3,059	3,534.3	92.0

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	PM10	AveMagPressure	MinutesOperated	Vs	ConcPM10
200	2-PM10-295	8/17/2007	2	30.06	20.2	1.02	87	21.2	3,087	3,574.4	24.3
206	2-PM10-296	8/22/2007	2	30.02	20.4	1.02	94	20.3	3,160	3,661.4	25.7
209	1-PM10-297	8/24/2007	1	29.91	23.9	1.00	181	20.1	3,063	3,514.5	51.5
212	2-PM10-297	8/24/2007	2	29.91	23.9	1.00	117	20.2	3,077	3,529.6	33.1
215	1-PM10-298	8/29/2007	1	30.00	21.9	1.01	156	19.6	3,164	3,660.3	42.6
218	2-PM10-298	8/29/2007	2	30.00	21.9	1.01	69	20.0	3,157	3,648.2	18.9
221	1-PM10-299	8/30/2007	1	30.01	27.9	0.99	95	19.7	1,698	1,943.2	48.9
224	2-PM10-299	8/30/2007	2	30.01	27.9	0.99	44	20.2	1,711	1,955.4	22.5
227	1-PM10-300	9/6/2007	1	30.03	21.7	1.01	167	20.2	3,137	3,628.3	46.0
230	2-PM10-300	9/6/2007	2	30.03	21.7	1.01	110	19.8	3,112	3,603.3	30.5
233	1-PM10-301	9/14/2007	1	30.16	20.8	1.02	101	18.3	3,203	3,746.9	27.0
236	2-PM10-301	9/14/2007	2	30.16	20.8	1.02	66	19.8	3,203	3,731.7	17.7
239	5-PM10-301	9/14/2007	5	30.16	20.8	1.02	61	18.4	3,199	3,741.2	16.3
242	1-PM10-303	10/3/2007	1	30.17	19.1	1.03	102	16.8	3,145	3,707.3	27.5
245	2-PM10-303	10/3/2007	2	30.17	19.1	1.03	119	20.0	3,165	3,698.5	32.2
248	3-PM10-303	10/3/2007	3	30.17	19.1	1.03	83	16.0	3,160	3,732.5	22.2
251	5-PM10-303	10/3/2007	5	30.17	19.1	1.03	19	18.6	3,170	3,718.3	5.1
254	1-PM10-307	10/24/2007	1	30.33	20.0	1.03	238	21.1	3,166	3,703.1	64.3
257	2-PM10-307	10/24/2007	2	30.33	20.0	1.03	106	19.9	3,167	3,716.2	28.5
260	1-PM10-308	10/26/2007	1	30.14	22.5	1.02	221	20.5	3,116	3,609.7	61.2
263	2-PM10-308	10/26/2007	2	30.14	22.5	1.02	120	21.6	3,148	3,635.9	33.0
266	1-PM10-309	11/7/2007	1	30.19	15.0	1.04	221	21.2	3,036	3,566.2	62.0
269	2-PM10-309	11/7/2007	2	30.19	15.0	1.04	93	21.3	3,041	3,571.1	26.0
272	1-PM10-310	11/9/2007	1	30.15	17.5	1.03	106	21.9	3,013	3,510.8	30.2
275	2-PM10-310	11/9/2007	2	30.15	17.5	1.03	68	20.9	2,998	3,502.8	19.4
278	1-PM10-311	11/14/2007	1	30.26	17.2	1.04	91	21.4	3,159	3,702.3	24.6
281	2-PM10-311	11/14/2007	2	30.26	17.2	1.04	60	21.4	3,165	3,709.3	16.2
284	1-PM10-312	11/15/2007	1	30.19	19.2	1.03	191	22.1	1,546	1,797.3	106.3
287	2-PM10-312	11/15/2007	2	30.19	19.2	1.03	46	21.0	1,544	1,800.3	25.6
290	1-PM10-313	11/21/2007	1	30.25	14.4	1.05	107	22.3	3,125	3,671.7	29.1
293	5-PM10-313	11/21/2007	5	30.25	14.4	1.05	63	23.1	3,108	3,643.8	17.3
296	1-PM10-314	11/28/2007	1	30.37	14.4	1.05	126	21.8	3,195	3,774.8	33.4

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	PM10	AveMagPressure	MinutesOperated	Vs	ConcPM10
299	5-PM10-314	11/28/2007	5	30.37	14.4	1.05	85	20.0	3,180	3,775.3	22.5
302	1-PM10-315	11/30/2007	1	30.17	17.5	1.03	124	21.5	2,979	3,477.4	35.7
305	2-PM10-315	11/30/2007	2	30.17	17.5	1.03	88	21.2	3,019	3,527.0	25.0
311	1-PM10-316	12/12/2007	1	30.32	11.9	1.06	183	21.1	3,240	3,847.0	47.6
314	1-PM10-317	12/14/2007	1	30.40	15.0	1.05	139	21.8	2,907	3,434.2	40.5
320	1-PM10-318	1/16/2008	1	30.33	12.5	1.06	96	19.4	3,195	3,807.9	25.2
323	2-PM10-318	1/16/2008	2	30.33	12.5	1.06	165	20.5	3,200	3,802.6	43.4
326	1-PM10-319	1/17/2008	1	30.24	15.8	1.04	55	20.2	1,465	1,725.9	31.9
329	2-PM10-319	1/17/2008	2	30.24	15.8	1.04	17	20.3	1,450	1,707.7	10.0
332	1-PM10-320	2/7/2008	1	30.32	13.6	1.05	163	19.6	3,180	3,778.6	43.1
335	1-PM10-321	2/8/2008	1	30.40	14.7	1.05	67	20.1	1,555	1,846.5	36.3
338	2-PM10-321	2/8/2008	2	30.40	14.7	1.05	42	20.3	1,556	1,846.7	22.7
341	1-PM10-322	2/13/2008	1	30.36	12.7	1.06	206	19.6	3,205	3,820.2	53.9
344	2-PM10-322	2/13/2008	2	30.36	12.7	1.06	84	21.3	3,155	3,743.5	22.4
347	3-PM10-322	2/13/2008	3	30.36	12.7	1.06	57	12.5	3,135	3,807.8	15.0
350	5-PM10-322	2/13/2008	5	30.36	12.7	1.06	59	19.5	3,145	3,749.7	15.7
353	1-PM10-323	2/15/2008	1	30.14	18.6	1.03	159	20.7	2,879	3,357.5	47.4
356	2-PM10-323	2/15/2008	2	30.14	18.6	1.03	71	20.6	2,875	3,353.7	21.2
359	3-PM10-323	2/15/2008	3	30.14	18.6	1.03	87	21.2	2,900	3,377.4	25.8
365	1-PM10-324	2/20/2008	1	30.24	11.9	1.06	46	20.0	3,020	3,586.4	12.8
371	5-PM10-324	2/20/2008	5	30.24	11.9	1.06	42	21.6	3,063	3,621.8	11.6
374	1-PM10-325	2/29/2008	1	30.30	13.6	1.05	201	19.5	3,180	3,777.0	53.2
377	1-PM10-326	3/5/2008	1	30.34	18.6	1.04	215	20.9	3,117	3,658.6	58.8
380	2-PM10-326	3/5/2008	2	30.34	18.6	1.04	108	21.8	3,135	3,670.8	29.4
383	5-PM10-326	3/5/2008	5	30.34	18.6	1.04	103	21.2	3,160	3,706.0	27.8
386	1-PM10-327	3/7/2008	1	30.22	23.3	1.02	191	20.5	2,942	3,412.6	56.0
389	2-PM10-327	3/7/2008	2	30.22	23.3	1.02	105	20.5	2,920	3,387.1	31.0
392	3-PM10-327	3/7/2008	3	30.22	23.3	1.02	117	21.2	2,910	3,369.1	34.7
395	5-PM10-327	3/7/2008	5	30.22	23.3	1.02	109	21.4	2,882	3,334.9	32.7
398	3-PM10-328	3/12/2008	3	30.37	15.8	1.05	101	21.7	3,035	3,577.2	28.2
401	5-PM10-328	3/12/2008	5	30.37	15.8	1.05	165	23.8	3,032	3,553.5	46.4

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	PM10	AveMagPressure	MinutesOperated	Vs	ConcPM10
404	1-PM10-329	3/20/2008	1	30.43	16.3	1.05	119	23.1	3,110	3,656.0	32.5
407	2-TSP-329	3/20/2008	2	30.43	16.3	1.05	80	21.7	3,110	3,669.8	21.8
410	3-TSP-329	3/20/2008	3	30.43	16.3	1.05	69	18.8	3,125	3,716.2	18.6
413	5-PM10-329	3/20/2008	5	30.43	16.3	1.05	96	23.3	3,120	3,665.8	26.2
416	1-PM10-330	3/21/2008	1	30.44	15.6	1.05	67	23.4	1,515	1,782.5	37.6
419	2-PM10-330	3/21/2008	2	30.44	15.6	1.05	36	22.0	1,495	1,765.6	20.4
425	2-PM10-331	3/26/2008	2	30.37	13.3	1.06	69	20.7	3,190	3,788.1	18.2
428	3-PM10-331	3/26/2008	3	30.37	13.3	1.06	58	20.8	3,210	3,810.8	15.2
431	5-PM10-331	3/26/2008	5	30.37	13.3	1.06	74	22.1	3,200	3,785.7	19.5
434	1-PM10-332	3/28/2008	1	30.29	18.0	1.04	88	18.3	2,885	3,407.9	25.8
440	3-PM10-332	3/28/2008	3	30.29	18.0	1.04	67	20.7	2,805	3,292.1	20.4
443	5-PM10-332	3/28/2008	5	30.29	18.0	1.04	70	21.5	2,835	3,320.1	21.1
446	1-PM10-333	4/2/2008	1	30.26	11.9	1.06	97	18.9	3,165	3,772.4	25.7
449	2-PM10-333	4/2/2008	2	30.26	11.9	1.06	69	22.5	3,165	3,735.9	18.5
452	1-PM10-335	4/26/2008	1	30.10	18.0	1.03	96	17.9	2,927	3,438.4	27.9
455	2-PM10-335	4/26/2008	2	30.10	18.0	1.03	106	23.8	2,918	3,373.5	31.4
458	2-PM10-336	4/30/2008	2	29.97	11.9	1.05	97	23.8	2,992	3,483.4	27.8
461	1-PM10-337	5/2/2008	1	30.17	12.5	1.05	126	22.6	3,086	3,626.0	34.9
464	2-PM10-337	5/2/2008	2	30.17	12.5	1.05	117	22.8	3,083	3,620.5	32.3
467	1-PM10-338	5/3/2008	1	29.94	13.0	1.04	57	21.4	1,380	1,612.1	35.2
470	2-PM10-338	5/3/2008	2	29.94	13.0	1.04	50	22.6	1,370	1,595.2	31.2
473	1-PM10-339	5/7/2008	1	29.86	14.1	1.04	207	21.9	3,158	3,665.9	56.4
476	2-PM10-339	5/7/2008	2	29.86	14.1	1.04	118	22.8	3,154	3,652.2	32.2
482	1-PM10-340	5/9/2008	1	29.92	15.3	1.03	231	23.1	2,920	3,377.9	68.3
485	2-PM10-340	5/9/2008	2	29.92	15.3	1.03	167	22.6	2,913	3,374.5	49.5
488	5-PM10-340	5/9/2008	5	29.92	15.3	1.03	181	21.6	2,913	3,383.7	53.6
491	1-PM10-341	5/10/2008	1	29.89	14.7	1.03	91	20.6	1,440	1,677.4	54.4
494	2-PM10-341	5/10/2008	2	29.89	14.7	1.03	75	20.6	1,435	1,671.6	45.1
500	2-PM10-342	5/14/2008	2	29.88	20.3	1.01	182	22.9	3,305	3,784.2	48.0
503	5-PM10-342	5/14/2008	5	29.88	20.3	1.01	188	21.7	3,295	3,785.2	49.6
506	1-PM10-343	5/16/2008	1	29.89	29.7	0.98	191	24.0	2,870	3,222.0	59.4

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	PM10	AveMagPressure	MinutesOperated	Vs	ConcPM10
509	2-PM10-343	5/16/2008	2	29.89	29.7	0.98	115	24.3	2,875	3,224.9	35.7
515	1-PM10-344	5/17/2008	1	29.93	24.6	1.00	70	19.8	1,396	1,602.2	43.4
518	2-PM10-344	5/17/2008	2	29.93	24.6	1.00	57	21.4	1,395	1,594.1	35.9
530	1-PM10-346	5/23/2008	1	29.68	16.6	1.02	210	19.3	2,993	3,460.4	60.7
533	2-PM10-346	5/23/2008	2	29.68	16.6	1.02	185	20.8	2,982	3,433.5	53.9
536	5-PM10-346	5/23/2008	5	29.68	16.6	1.02	178	21.9	2,997	3,440.4	51.6
539	1-PM10-347	5/29/2008	1	29.95	13.8	1.04	90	18.7	3,173	3,729.5	24.1
545	5-PM10-347	5/29/2008	5	29.95	13.8	1.04	56	18.5	3,171	3,729.2	15.0
548	1-PM10-348	5/31/2008	1	30.02	14.1	1.04	93	18.7	2,868	3,377.4	27.5
557	1-PM10-349	6/4/2008	1	29.89	14.4	1.04	143	19.0	3,121	3,653.5	39.2
560	2-PM10-349	6/4/2008	2	29.89	14.4	1.04	89	18.1	3,115	3,655.4	24.4
563	5-PM10-349	6/4/2008	5	29.89	14.4	1.04	90	18.8	3,116	3,649.6	24.6
566	1-PM10-350	6/6/2008	1	29.83	17.9	1.02	155	20.2	2,933	3,392.4	45.6
569	2-PM10-350	6/6/2008	2	29.83	17.9	1.02	138	19.1	2,954	3,427.0	40.3
572	1-PM10-351	6/7/2008	1	29.85	18.6	1.02	88	19.6	1,479	1,712.4	51.5
575	2-PM10-351	6/7/2008	2	29.85	18.6	1.02	96	19.0	1,466	1,700.2	56.6
578	1-PM10-352	6/11/2008	1	29.84	19.1	1.02	181	20.0	3,039	3,510.3	51.6
581	2-PM10-352	6/11/2008	2	29.84	19.1	1.02	142	18.9	3,040	3,522.0	40.3
584	1-TSP-353	6/13/2008	1	29.85	18.8	1.02	197	19.9	3,190	3,689.1	53.4
587	2-PM10-353	6/13/2008	2	29.85	18.8	1.02	161	19.0	3,170	3,674.9	43.8
590	1-PM10-354	6/16/2008	1	29.90	10.2	1.05	106	21.3	2,880	3,378.8	31.4
593	2-PM10-354	6/16/2008	2	29.90	10.2	1.05	78	20.6	2,879	3,384.1	23.0
596	1-PM10-355	6/18/2008	1	29.94	16.1	1.03	164	22.1	3,189	3,696.2	44.4
599	2-PM10-355	6/18/2008	2	29.94	16.1	1.03	132	21.7	3,186	3,696.8	35.7
602	1-PM10-356	6/20/2008	1	29.89	28.4	0.99	141	23.3	3,068	3,458.9	40.8
605	2-PM10-356	6/20/2008	2	29.89	28.4	0.99	114	21.8	3,040	3,441.4	33.1
608	3-PM10-356	6/20/2008	3	29.89	28.4	0.99	109	20.4	3,048	3,463.7	31.5
611	5-PM10-356	6/20/2008	5	29.89	28.4	0.99	110	22.9	3,050	3,442.4	32.0
614	1-PM10-357	6/23/2008	1	29.92	20.0	1.02	113	19.4	3,070	3,555.9	31.8
617	2-PM10-357	6/23/2008	2	29.92	20.0	1.02	93	21.1	3,090	3,562.6	26.1
623	5-PM10-357	6/23/2008	5	29.92	20.0	1.02	94	19.7	3,085	3,570.4	26.3



Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	PM10	AveMagPressure	MinutesOperated	Vs	ConcPM10
626	1-PM10-358	6/25/2008	1	29.90	20.0	1.02	168	21.4	3,040	3,499.6	48.0
629	2-PM10-358	6/25/2008	2	29.90	20.0	1.02	162	21.9	3,037	3,491.3	46.4
632	3-PM10-358	6/25/2008	3	29.90	20.0	1.02	157	18.1	3,006	3,491.7	45.0
635	5-PM10-358	6/25/2008	5	29.90	20.0	1.02	152	21.6	3,070	3,532.2	43.0
638	1-PM10-359	6/27/2008	1	29.77	15.0	1.03	128	21.0	2,750	3,184.5	40.2
641	2-PM10-359	6/27/2008	2	29.77	15.0	1.03	154	21.5	2,750	3,180.1	48.4
644	3-PM10-359	6/27/2008	3	29.77	15.0	1.03	137	20.7	2,760	3,198.7	42.8
647	5-PM10-359	6/27/2008	5	29.77	15.0	1.03	137	21.9	2,715	3,136.2	43.7
650	1-PM10-360	6/28/2008	1	29.77	15.0	1.03	92	18.8	1,742	2,029.4	45.3
653	2-PM10-360	6/28/2008	2	29.77	15.0	1.03	90	21.2	1,713	1,982.5	45.4
656	3-PM10-360	6/28/2008	3	29.77	15.0	1.03	84	20.7	1,663	1,927.3	43.6
659	5-PM10-360	6/28/2008	5	29.77	15.0	1.03	98	21.0	1,690	1,957.0	50.1
662	1-PM10-362	7/9/2008	1	29.31	24.5	0.98	165	20.4	3,202	3,589.3	46.0
665	2-PM10-362	7/9/2008	2	29.31	24.5	0.98	186	23.4	3,178	3,532.7	52.7
668	1-PM10-363	7/11/2008	1	29.79	21.8	1.01	138	19.9	2,995	3,437.0	40.2
671	2-PM10-363	7/11/2008	2	29.79	21.8	1.01	137	22.9	3,000	3,414.5	40.1
674	1-PM10-364	7/12/2008	1	29.91	20.0	1.02	35	20.5	1,435	1,656.6	21.1
680	1-PM10-365	7/16/2008	1	29.98	16.8	1.03	92	20.2	3,189	3,715.8	24.8
683	2-PM10-365	7/16/2008	2	29.98	16.8	1.03	96	23.1	3,184	3,680.7	26.1
686	1-PM10-366	7/18/2008	1	29.98	16.8	1.03	107	19.3	2,795	3,264.7	32.8
689	2-PM10-366	7/18/2008	2	29.98	16.8	1.03	89	22.2	2,790	3,233.2	27.5
692	1-PM10-367	7/19/2008	1	29.92	20.0	1.02	66	20.7	1,605	1,852.5	35.6
695	2-PM10-367	7/19/2008	2	29.92	20.0	1.02	66	22.1	1,605	1,845.4	35.8
698	1-PM10-368	7/23/2008	1	29.80	18.3	1.02	110	20.7	3,060	3,528.1	31.2
701	2-PM10-368	7/23/2008	2	29.80	18.3	1.02	179	22.7	3,055	3,503.0	51.1
704	1-PM10-369	7/25/2008	1	29.80	18.3	1.02	176	21.7	2,900	3,334.4	52.8
707	2-PM10-369	7/25/2008	2	29.80	18.3	1.02	185	22.4	3,005	3,448.5	53.6
710	1-PM10-370	7/30/2008	1	29.89	16.7	1.03	92	20.0	3,195	3,713.7	24.8
713	2-PM10-370	7/30/2008	2	29.89	16.7	1.03	77	22.2	3,195	3,691.4	20.9
716	1-PM10-371	8/1/2008	1	29.88	17.2	1.03	104	19.5	2,990	3,475.6	29.9
719	2-PM10-371	8/1/2008	2	29.88	17.2	1.03	93	22.8	2,995	3,450.2	27.0

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	PM10	AveMagPressure	MinutesOperated	Vs	ConcPM10
722	1-PM10-372	8/2/2008	1	29.86	17.7	1.02	39	20.5	1,445	1,672.4	23.3
725	2-PM10-372	8/2/2008	2	29.86	17.7	1.02	37	22.4	141	162.3	227.9
728	1-PM10-373	8/6/2008	1	29.92	15.0	1.03	73	18.9	3,315	3,881.3	18.7
731	2-PM10-373	8/4/2008	2	29.92	14.4	1.04	62	21.9	500	581.3	106.8
734	1-PM10-374	8/8/2008	1	29.92	15.8	1.03	54	18.2	2,890	3,385.0	16.1
737	2-PM10-374	8/8/2008	2	29.92	15.8	1.03	43	19.2	2,870	3,352.5	12.9
740	1-PM10-375	8/9/2008	1	29.92	16.7	1.03	19	15.9	1,425	1,676.6	11.5
743	2-PM10-375	8/9/2008	2	29.92	16.7	1.03	23	16.7	1,425	1,673.0	13.7
746	1-PM10-376	8/13/2008	1	29.92	20.0	1.02	106	20.1	2,920	3,375.8	31.3
752	1-PM10-377	8/15/2008	1	29.92	17.2	1.03	91	20.0	1,350	1,569.3	58.1
755	2-PM10-377	8/15/2008	2	29.92	17.2	1.03	84	19.3	3,145	3,663.0	22.8
758	1-PM10-378	8/20/2008	1	29.92	18.7	1.02	57	19.6	3,150	3,655.5	15.7
761	2-PM10-378	8/20/2008	2	29.92	18.7	1.02	62	18.9	3,155	3,668.3	16.9
764	1-PM10-379	8/22/2008	1	29.92	17.8	1.02	114	20.1	3,115	3,616.1	31.6
767	2-PM10-379	8/22/2008	2	29.92	17.8	1.02	130	19.3	3,115	3,623.9	35.8
770	1-PM10-380	8/23/2008	1	29.92	18.3	1.02	45	20.1	1,405	1,629.5	27.8
773	2-PM10-380	8/23/2008	2	29.92	18.3	1.02	39	20.0	1,410	1,635.7	23.7
776	2-PM10-381	8/27/2008	2	29.92	20.1	1.02	131	19.6	3,080	3,564.9	36.7
779	1-PM10-383	9/5/2008	1	29.74	22.9	1.00	161	21.5	3,170	3,608.2	44.6
782	1-PM10-384	9/6/2008	1	29.72	28.6	0.98	81	19.2	1,500	1,699.3	47.7
785	1-PM10-385	9/10/2008	1	29.72	15.8	1.02	89	18.7	3,094	3,593.6	24.8
788	2-PM10-385	9/10/2008	2	29.72	15.8	1.02	63	18.6	3,110	3,613.2	17.4
791	1-PM10-386	9/12/2008	1	29.78	14.4	1.03	115	18.7	3,039	3,546.7	32.4
794	2-PM10-386	9/12/2008	2	29.78	14.4	1.03	85	18.9	3,036	3,541.2	24.0
797	1-PM10-387	9/13/2008	1	29.72	15.7	1.03	39	21.7	1,445	1,664.9	23.4
800	2-PM10-387	9/13/2008	2	29.72	15.7	1.03	18	21.3	1,435	1,655.2	10.9
803	1-PM10-388	9/17/2008	1	29.94	14.6	1.04	115	21.8	3,236	3,764.5	30.5
806	2-PM10-388	9/17/2008	2	29.94	14.6	1.04	73	22.2	3,233	3,756.9	19.4
809	1-PM10-389	9/19/2008	1	29.93	17.8	1.03	95	22.7	2,895	3,338.1	28.5
812	2-PM10-389	9/19/2008	2	29.93	17.8	1.03	46	22.6	2,915	3,362.0	13.7
815	1-PM10-390	9/20/2008	1	29.93	18.7	1.02	26	22.6	1,425	1,640.8	15.8

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	PM10	AveMagPressure	MinutesOperated	Vs	ConcPM10
818	2-PM10-390	9/20/2008	2	29.93	18.7	1.02	19	22.6	1,420	1,635.0	11.6
821	1-PM10-391	9/24/2008	1	29.90	17.8	1.02	152	22.3	3,120	3,597.6	42.3
824	2-PM10-391	9/24/2008	2	29.90	17.8	1.02	100	22.7	3,125	3,599.4	27.8
827	1-PM10-392	9/26/2008	1	29.85	20.6	1.01	168	22.5	3,033	3,471.0	48.4
830	2-PM10-392	9/26/2008	2	29.85	20.6	1.01	97	23.2	3,001	3,427.7	28.3
833	1-PM10-393	10/1/2008	1	29.87	17.6	1.02	121	22.6	3,161	3,639.4	33.2
836	2-PM10-393	10/1/2008	2	29.87	17.6	1.02	64	22.6	3,160	3,638.2	17.6
839	1-PM10-394	10/3/2008	1	29.79	20.9	1.01	136	25.5	2,965	3,356.1	40.5
842	2-PM10-394	10/3/2008	2	29.79	20.9	1.01	42	21.6	2,975	3,403.9	12.3
845	1-PM10-395	10/8/2008	1	29.83	15.8	1.03	144	22.4	3,195	3,687.8	39.0
848	2-PM10-395	10/8/2008	2	29.83	15.8	1.03	72	22.2	3,200	3,695.6	19.5
851	1-PM10-396	10/10/2008	1	29.79	16.4	1.03	197	22.6	2,960	3,406.0	57.8
854	2-PM10-396	10/10/2008	2	29.79	16.4	1.03	111	22.6	2,950	3,394.5	32.7
857	1-PM10-397	10/15/2008	1	30.03	20.6	1.02	61	23.1	3,280	3,771.5	16.2
860	2-PM10-397	10/15/2008	2	30.03	20.6	1.02	124	22.2	3,255	3,751.9	33.0
863	1-PM10-398	10/17/2008	1	29.90	25.2	1.00	209	23.7	2,920	3,308.6	63.2
866	2-PM10-398	10/17/2008	2	29.90	25.2	1.00	122	22.9	2,920	3,315.8	36.8
869	1-PM10-399	10/22/2008	1	30.02	18.0	1.03	172	23.1	3,265	3,771.2	45.6
872	2-PM10-399	10/22/2008	2	30.02	18.0	1.03	82	22.2	3,270	3,786.2	21.7
878	2-PM10-400	10/24/2008	2	29.97	25.0	1.00	133	22.9	2,935	3,342.4	39.8
881	1-PM10-401	10/29/2008	1	30.10	10.2	1.06	95	21.3	3,230	3,816.3	24.9
884	2-PM10-401	10/29/2008	2	30.10	10.2	1.06	50	21.8	3,245	3,828.8	13.1
887	1-PM10-402	10/31/2008	1	30.03	18.9	1.02	88	23.2	2,910	3,355.7	26.2
890	2-PM10-402	10/31/2008	2	30.03	18.9	1.02	61	21.7	2,905	3,363.7	18.1
893	1-PM10-404	11/12/2008	1	30.07	14.1	1.04	112	22.3	3,250	3,796.7	29.5
896	2-PM10-404	11/12/2008	2	30.07	14.1	1.04	68	22.0	3,240	3,788.1	18.0
899	1-PM10-405	11/14/2008	1	30.04	20.9	1.02	84	23.2	2,915	3,350.2	25.1
902	2-PM10-405	11/14/2008	2	30.04	20.9	1.02	63	22.2	2,918	3,362.8	18.7
905	1-PM10-406	11/19/2008	1	30.06	14.9	1.04	142	22.6	3,024	3,523.1	40.3
908	2-PM10-406	11/19/2008	2	30.06	14.9	1.04	109	22.0	3,031	3,537.1	30.8
911	1-PM10-407	11/21/2008	1	30.05	12.1	1.05	101	22.3	3,005	3,521.5	28.7
914	2-PM10-407	11/21/2008	2	30.05	12.1	1.05	53	22.1	3,000	3,517.6	15.1

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	PM10	AveMagPressure	MinutesOperated	Vs	ConcPM10
917	1-PM10-408	11/24/2008	1	29.90	16.6	1.03	147	22.0	2,988	3,456.0	42.5
920	2-PM10-408	11/24/2008	2	29.90	16.6	1.03	109	21.3	2,988	3,462.7	31.5
923	1-PM10-409	11/26/2008	1	29.90	16.6	1.03	200	22.6	2,895	3,343.0	59.8
929	1-PM10-410	12/3/2008	1	30.05	10.8	1.05	145	22.2	3,185	3,742.9	38.7
932	2-PM10-410	12/3/2008	2	30.05	10.8	1.05	89	20.8	3,185	3,757.2	23.7
938	2-PM10-411	12/5/2008	2	30.06	13.5	1.04	112	21.7	3,043	3,563.5	31.4
941	1-PM10-412	12/8/2008	1	30.08	9.7	1.06	145	21.8	2,856	3,370.7	43.0
944	2-PM10-412	12/8/2008	2	30.08	9.7	1.06	119	22.1	2,857	3,369.2	35.3
947	1-PM10-413	12/10/2008	1	30.22	13.8	1.05	154	22.4	3,280	3,853.2	40.0
950	2-PM10-413	12/10/2008	2	30.22	13.8	1.05	105	21.2	3,270	3,853.9	27.2
953	1-PM10-414	12/12/2008	1	30.22	13.8	1.05	149	22.5	2,910	3,417.6	43.6
956	2-PM10-414	12/12/2008	2	30.22	13.8	1.05	129	22.4	2,911	3,419.7	37.7
959	1-PM10-416	1/8/2009	1	30.14	9.3	1.06	110	22.0	3,165	3,744.2	29.4
962	2-PM10-416	1/8/2009	2	30.14	9.3	1.06	94	21.6	3,170	3,754.2	25.0
965	1-PM10-417	1/10/2009	1	30.09	10.9	1.06	66	21.5	3,010	3,548.3	18.6
968	2-PM10-417	1/10/2009	2	30.09	10.9	1.06	39	21.7	3,000	3,534.6	11.0
971	1-PM10-418	1/14/2009	1	30.19	18.3	1.03	138	22.4	3,170	3,688.4	37.4
974	2-PM10-418	1/14/2009	2	30.19	18.3	1.03	82	22.0	3,180	3,704.1	22.1
977	1-PM10-419	1/16/2009	1	30.08	18.4	1.03	152	22.2	2,990	3,466.8	43.8
980	2-PM10-419	1/16/2009	2	30.08	18.4	1.03	105	22.2	2,990	3,466.8	30.3
983	1-PM10-420	1/17/2009	1	30.08	16.6	1.03	73	22.6	1,385	1,609.5	45.4
986	2-PM10-420	1/17/2009	2	30.08	16.6	1.03	55	21.6	1,390	1,619.8	34.0
989	1-PM10-421	1/21/2009	1	30.08	11.9	1.05	145	21.5	3,216	3,782.5	38.3
992	2-PM10-421	1/21/2009	2	30.08	11.9	1.05	97	21.2	3,214	3,783.2	25.6
995	1-PM10-422	1/28/2009	1	30.14	9.8	1.06	147	22.1	3,190	3,769.1	39.0
998	2-PM10-422	1/28/2009	2	30.14	9.8	1.06	48	21.9	3,185	3,765.2	12.7
1001	1-PM10-423	1/30/2009	1	30.20	13.7	1.05	143	22.3	2,920	3,429.4	41.7
1004	2-PM10-423	1/30/2009	2	30.20	13.7	1.05	78	21.8	2,925	3,440.0	22.7
1007	1-PM10-424	2/4/2009	1	30.01	10.7	1.05	201	22.1	3,180	3,733.5	53.8
1010	2-PM10-424	2/4/2009	2	30.01	10.7	1.05	123	21.7	3,185	3,743.5	32.9
1013	1-PM10-425	2/6/2009	1	29.80	11.7	1.04	54	22.1	2,725	3,169.4	17.0

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	PM10	AveMagPressure	MinutesOperated	Vs	ConcPM10
1016	2-PM10-425	2/6/2009	2	29.80	11.7	1.04	39	21.6	2,720	3,167.9	12.3
1019	1-PM10-426	2/12/2009	1	30.09	7.8	1.07	65	20.8	3,280	3,897.6	16.7
1022	2-PM10-426	2/12/2009	2	30.09	7.8	1.07	41	21.3	3,275	3,886.4	10.5
1025	1-PM10-427	3/11/2009	1	30.05	14.4	1.04	152	21.6	3,270	3,822.4	39.8
1028	2-PM10-427	3/11/2009	2	30.05	14.4	1.04	64	21.3	3,260	3,813.9	16.8
1031	1-PM10-428	3/13/2009	1	30.01	11.8	1.05	130	21.8	2,995	3,511.7	37.0
1034	2-PM10-428	3/13/2009	2	30.01	11.8	1.05	94	21.3	2,995	3,516.5	26.7
1037	1-PM10-429	3/16/2009	1	29.96	9.2	1.06	61	21.9	3,135	3,687.0	16.5
1040	2-PM10-429	3/16/2009	2	29.96	9.2	1.06	35	21.4	3,130	3,686.1	9.5
1043	1-PM10-430	3/18/2009	1	30.16	13.3	1.05	95	21.9	2,950	3,466.2	27.4
1046	2-PM10-430	3/18/2009	2	30.16	13.3	1.05	39	21.8	2,960	3,478.9	11.2
1049	3-PM10-430	3/18/2009	3	30.16	13.3	1.05	83	20.2	2,975	3,511.7	23.6
1052	2-PM10-431	3/20/2009	2	29.98	12.1	1.05	95	22.2	2,910	3,402.7	27.9
1055	3-PM10-431	3/20/2009	3	29.98	12.1	1.05	158	20.6	2,905	3,411.7	46.3
1058	1-PM10-432	3/25/2009	1	30.16	12.5	1.05	91	21.9	3,086	3,631.6	25.1
1061	2-PM10-432	3/25/2009	2	30.16	12.5	1.05	121	21.7	3,155	3,714.8	32.6
1064	3-PM10-432	3/25/2009	3	30.16	12.5	1.05	196	20.7	3,151	3,720.2	52.7
1067	2-PM10-433	3/27/2009	2	29.96	17.1	1.03	113	21.9	2,936	3,400.8	33.2
1070	3-PM10-433	3/27/2009	3	29.96	17.1	1.03	181	21.0	2,889	3,354.6	54.0
1073	1-PM10-434	4/1/2009	1	29.94	13.9	1.04	166	22.2	3,202	3,725.9	44.6
1079	3-PM10-434	4/1/2009	3	29.94	13.9	1.04	160	20.0	3,188	3,731.9	42.9
1082	1-PM10-435	4/3/2009	1	29.89	13.7	1.04	227	22.7	2,978	3,455.7	65.7
1085	2-PM10-435	4/3/2009	2	29.89	13.7	1.04	212	21.6	2,985	3,474.3	61.0
1088	3-PM10-435	4/3/2009	3	29.89	13.7	1.04	343	22.2	2,987	3,470.9	98.8
1091	1-PM10-436	4/8/2009	1	29.97	14.1	1.04	110	21.6	3,200	3,732.2	29.5
1094	2-PM10-436	4/8/2009	2	29.97	14.1	1.04	76	21.8	3,200	3,730.2	20.4
1097	6-PM10-436	4/8/2009	6	29.97	14.1	1.04	192	20.5	3,191	3,732.9	51.4
1100	2-PM10-437	4/10/2009	2	29.90	12.6	1.04	40	21.8	2,975	3,469.3	11.5
1103	6-PM10-437	4/10/2009	6	29.90	12.6	1.04	81	21.1	2,975	3,476.0	23.3
1109	2-PM10-438	4/15/2009	2	29.89	11.9	1.04	225	21.7	3,295	3,847.4	58.5
1112	6-PM10-438	4/15/2009	6	29.89	11.9	1.04	361	21.4	3,285	3,838.8	94.0


Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	PM10	AveMagPressure	MinutesOperated	Vs	ConcPM10
1118	2-PM10-439	4/17/2009	2	30.05	15.7	1.04	100	22.9	2,911	3,382.4	29.6
1121	6-PM10-439	4/17/2009	6	30.05	15.7	1.04	156	21.4	2,910	3,395.0	45.9
1124	1-PM10-440	4/22/2009	1	29.89	20.2	1.02	116	18.3	3,106	3,603.3	32.2
1127	2-PM10-440	4/22/2009	2	29.89	20.2	1.02	127	22.8	3,165	3,626.9	35.0
1130	6-PM10-440	4/22/2009	6	29.89	20.2	1.02	142	22.0	3,157	3,625.7	39.2
1133	1-PM10-441	4/24/2009	1	29.88	15.5	1.03	232	22.4	2,994	3,464.0	67.0
1136	2-PM10-441	4/24/2009	2	29.88	15.5	1.03	156	22.9	2,980	3,443.0	45.3
1139	6-PM10-441	4/24/2009	6	29.88	15.5	1.03	213	17.6	2,976	3,488.5	61.1
1142	1-PM10-442	4/29/2009	1	29.98	10.9	1.05	162	22.6	3,210	3,758.1	43.1
1145	2-PM10-442	4/29/2009	2	29.98	10.9	1.05	128	22.4	3,230	3,783.6	33.8
1148	6-PM10-442	4/29/2009	6	29.98	10.9	1.05	227	20.4	3,220	3,792.5	59.9
1151	1-PM10-443	5/1/2009	1	29.98	12.8	1.04	78	21.4	2,940	3,440.6	22.7
1154	2-PM10-443	5/1/2009	2	29.98	12.8	1.04	65	22.7	2,934	3,421.4	19.0
1157	6-PM10-443	5/1/2009	6	29.98	12.8	1.04	143	20.1	2,959	3,475.1	41.1
1160	1-PM10-444	5/6/2009	1	30.01	17.8	1.03	20	22.8	3,137	3,626.4	5.5
1163	2-PM10-444	5/6/2009	2	30.01	17.8	1.03	13	23.5	3,146	3,629.8	3.6
1166	6-PM10-444	5/6/2009	6	30.01	17.8	1.03	37	20.0	3,174	3,697.2	10.0
1169	1-PM10-445	5/8/2009	1	29.96	18.2	1.02	110	23.0	3,034	3,496.5	31.5
1172	2-PM10-445	5/8/2009	2	29.96	18.2	1.02	85	22.8	3,013	3,474.2	24.5
1175	6-PM10-445	5/8/2009	6	29.96	18.2	1.02	165	21.1	2,994	3,468.4	47.6
1178	1-PM10-446	5/13/2009	1	29.94	15.7	1.03	205	20.8	3,185	3,707.6	55.3
1181	2-PM10-446	5/13/2009	2	29.94	15.7	1.03	166	20.6	3,202	3,729.4	44.5
1184	6-PM10-446	5/13/2009	6	29.94	15.7	1.03	210	21.9	3,222	3,739.4	56.2
1187	1-PM10-447	5/15/2009	1	29.90	16.4	1.03	182	22.4	2,957	3,417.7	53.3
1190	2-PM10-447	5/15/2009	2	29.90	16.4	1.03	120	23.3	2,954	3,405.8	35.2
1193	6-PM10-447	5/15/2009	6	29.90	16.4	1.03	138	21.1	2,944	3,414.8	40.4
1196	1-PM10-448	5/20/2009	1	29.83	12.3	1.04	146	21.7	3,208	3,734.9	39.1
1199	2-PM10-448	5/20/2009	2	29.83	12.3	1.04	99	22.8	3,220	3,737.6	26.5
1202	6-PM10-448	5/20/2009	6	29.83	12.3	1.04	94	21.9	3,216	3,742.2	25.1
1205	1-PM10-449	5/22/2009	1	29.85	14.3	1.03	153	21.9	3,005	3,485.7	43.9
1208	2-PM10-449	5/22/2009	2	29.85	14.3	1.03	116	22.7	3,000	3,472.3	33.4

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	PM10	AveMagPressure	MinutesOperated	Vs	ConcPM10
1211	6-PM10-449	5/22/2009	6	29.85	14.3	1.03	134	20.6	2,990	3,480.7	38.5
1214	1-PM10-450	5/28/2009	1	29.81	13.4	1.04	174	20.9	3,228	3,755.8	46.3
1217	2-PM10-450	5/28/2009	2	29.81	13.4	1.04	143	20.9	3,229	3,757.0	38.1
1220	6-PM10-450	5/28/2009	6	29.81	13.4	1.04	133	19.9	3,219	3,755.6	35.4
1223	1-PM10-451	5/29/2009	1	29.86	16.0	1.03	59	21.2	1,564	1,812.4	32.6
1226	2-PM10-451	5/29/2009	2	29.86	16.0	1.03	49	21.7	1,561	1,806.5	27.1
1229	6-PM10-451	5/29/2009	6	29.86	16.0	1.03	47	19.4	1,559	1,815.6	25.9
1232	1-PM10-452	6/3/2009	1	29.82	14.2	1.03	98	20.9	3,208	3,728.1	26.3
1235	2-PM10-452	6/3/2009	2	29.82	14.2	1.03	65	21.7	3,216	3,729.3	17.4
1238	6-PM10-452	6/3/2009	6	29.82	14.2	1.03	69	17.4	3,221	3,779.1	18.3
1241	1-PM10-453	6/5/2009	1	29.84	17.6	1.02	90	20.1	2,989	3,461.3	26.0
1244	2-PM10-453	6/5/2009	2	29.84	17.6	1.02	59	21.8	2,985	3,440.6	17.1
1247	6-PM10-453	6/5/2009	6	29.84	17.6	1.02	73	18.5	2,976	3,461.3	21.1
1250	1-PM10-454	6/10/2009	1	29.84	14.9	1.03	90	17.6	3,218	3,771.2	23.9
1253	2-PM10-454	6/10/2009	2	29.84	14.9	1.03	50	20.7	3,224	3,746.4	13.3
1256	6-PM10-454	6/10/2009	6	29.84	14.9	1.03	74	18.4	3,225	3,771.2	19.6
1259	1-PM10-455	6/12/2009	1	29.86	16.9	1.03	120	20.5	3,000	3,477.3	34.5
1262	2-PM10-455	6/12/2009	2	29.86	16.9	1.03	78	20.8	2,990	3,462.9	22.5
1265	6-PM10-455	6/12/2009	6	29.86	16.9	1.03	76	19.1	2,985	3,473.1	21.9
1268	1-PM10-456	6/17/2009	1	29.85	15.1	1.03	118	20.5	3,124	3,632.1	32.5
1271	2-PM10-456	6/17/2009	2	29.85	15.1	1.03	72	20.5	3,125	3,633.3	19.8
1274	6-PM10-456	6/17/2009	6	29.85	15.1	1.03	86	19.4	3,165	3,690.8	23.3
1277	1-PM10-457	6/19/2009	1	29.75	16.8	1.02	232	20.6	3,064	3,537.3	65.6
1280	2-PM10-457	6/19/2009	2	29.75	16.8	1.02	161	24.1	3,063	3,502.2	46.0
1283	6-PM10-457	6/19/2009	6	29.75	16.8	1.02	115	23.2	3,016	3,457.1	33.3
1286	1-PM10-458	6/24/2009	1	29.77	16.2	1.03	214	23.2	3,218	3,695.5	57.9
1289	2-PM10-458	6/24/2009	2	29.77	16.2	1.03	160	23.5	3,220	3,694.7	43.3
1292	6-PM10-458	6/24/2009	6	29.77	16.2	1.03	156	23.2	3,197	3,671.4	42.5
1295	1-PM10-459	6/26/2009	1	29.80	19.1	1.02	142	24.0	2,992	3,413.4	41.6
1298	2-PM10-459	6/26/2009	2	29.80	19.1	1.02	94	23.3	2,990	3,417.7	27.5
1301	6-PM10-459	6/26/2009	6	29.80	19.1	1.02	120	23.2	2,983	3,410.6	35.2

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure	AmbientTemperature	Cf	PM10	AveMagPressure	MinutesOperated	Vs	ConcPM10
1304	1-PM10-460	7/1/2009	1	29.74	15.7	1.03	151	24.0	3,178	3,641.0	41.5
1307	2-PM10-460	7/1/2009	2	29.74	15.7	1.03	138	23.8	3,183	3,648.8	37.8
1310	6-PM10-460	7/1/2009	6	29.74	15.7	1.03	138	22.8	2,995	3,442.8	40.1
1313	1-PM10-461	7/2/2009	1	29.78	18.3	1.02	132	23.9	1,558	1,779.3	74.2
1319	1-PM10-462	7/8/2009	1	29.90	16.2	1.03	130	22.7	3,185	3,679.6	35.3
1322	2-PM10-462	7/8/2009	2	29.90	16.2	1.03	101	22.9	3,174	3,664.9	27.6
1328	2-PM10-463	7/10/2009	2	29.89	17.8	1.02	110	23.6	2,990	3,434.2	32.0
1331	1-PM10-464	7/15/2009	1	29.90	15.9	1.03	145	23.7	3,145	3,625.5	40.0
1334	2-PM10-464	7/15/2009	2	29.90	15.9	1.03	126	22.7	3,152	3,643.6	34.6
1337	6-PM10-464	7/15/2009	6	29.90	15.9	1.03	149	23.2	3,152	3,638.6	41.0
1340	1-PM10-465	7/17/2009	1	29.88	18.6	1.02	76	23.5	3,029	3,473.5	21.9
1343	2-PM10-465	7/17/2009	2	29.88	18.6	1.02	42	23.0	3,021	3,469.1	12.1
1346	6-PM10-465	7/17/2009	6	29.88	18.6	1.02	55	22.8	3,015	3,464.1	15.9
1349	1-PM10-466	7/22/2009	1	29.87	12.9	1.04	60	23.1	3,221	3,736.7	16.1
1352	2-PM10-466	7/22/2009	2	29.87	12.9	1.04	22	21.2	3,223	3,758.5	5.9
1355	6-PM10-466	7/22/2009	6	29.87	12.9	1.04	54	20.5	3,221	3,763.4	14.3
1358	1-PM10-467	7/24/2009	1	29.88	13.6	1.04	43	20.7	2,746	3,203.5	13.4
1361	2-PM10-467	7/24/2009	2	29.88	13.6	1.04	31	21.5	2,740	3,189.5	9.7
1364	6-PM10-467	7/24/2009	6	29.88	13.6	1.04	48	21.4	2,735	3,184.5	15.1
1367	1-PM10-468	7/29/2009	1	29.84	14.4	1.03	73	20.6	3,192	3,713.8	19.7
1370	2-PM10-468	7/29/2009	2	29.84	14.4	1.03	36	21.4	3,200	3,715.0	9.7
1373	6-PM10-468	7/29/2009	6	29.84	14.4	1.03	62	21.1	3,199	3,716.9	16.7
1376	1-PM10-469	7/31/2009	1	29.83	17.0	1.02	74	20.5	2,991	3,462.5	21.4
1379	2-PM10-469	7/31/2009	2	29.83	17.0	1.02	27	21.9	2,984	3,441.2	7.8
1382	6-PM10-469	7/31/2009	6	29.83	17.0	1.02	48	21.2	2,977	3,439.7	14.0



### Hunters Point Shipyard Air Monitoring Static Asbestos Air Monitoring Program



Monitoring was conducted by Navy Contractor TtECI for radiological in support of multiple Radiological Removal Actions, Investigations, and Surveys.

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure in (Hg)	AmbientTemperature (C)	Asbestos Cf	AveFlowRate (l/min)	MinutesOperated (min)	Vs (m3)	ConcAsbestos (fibers/ml)	
0039-0171	1-A-290	01-Aug-07	1	29.98	19.3	1.02	12,488	2.00	3,115	6.36	0.0020
0039-0177	1-A-291	03-Aug-07	1	30.04	20.6	1.02	11,545	2.00	3,134	6.39	0.0018
0039-0183	1-A-292	08-Aug-07	1	30.13	16.0	1.04	10,132	2.00	3,176	6.60	0.0015
0039-0189	1-A-293	10-Aug-07	1	30.10	18.6	1.03	14,844	2.00	3,107	6.39	0.0023
0039-0195	1-A-294	15-Aug-07	1	30.14	17.9	1.03	14,844	2.00	3,185	6.57	0.0023
0039-0198	1-A-295	17-Aug-07	1	30.06	20.2	1.02	12,017	2.00	3,059	6.25	0.0019
0039-0204	1-A-296	22-Aug-07	1	30.02	20.4	1.02	13,666	2.00	3,166	6.45	0.0021
0039-0210	1-A-297	24-Aug-07	1	29.91	23.9	1.00	7,775	2.00	3,063	6.15	0.0013
0039-0216	1-A-298	29-Aug-07	1	30.00	21.9	1.01	0	2.00	3,164	6.41	0.0000
0039-0222	1-A-299	30-Aug-07	1	30.01	27.9	0.99	4,712	2.00	1,698	3.37	0.0014
0039-0228	1-A-300	06-Sep-07	1	30.03	21.7	1.01	13,666	2.00	3,138	6.37	0.0021
0039-0234	1-A-301	14-Sep-07	1	30.16	20.8	1.02	8,718	2.00	3,203	6.55	0.0013
0039-0243	1-A-303	03-Oct-07	1	30.17	19.1	1.03	4,006	2.00	3,145	6.47	0.0006
0039-0255	1-A-307	24-Oct-07	1	30.33	20.0	1.03	10,132	2.00	3,166	6.53	0.0016
0039-0261	1-A-308	26-Oct-07	1	30.14	22.5	1.02	3,770	2.00	3,116	6.33	0.0006
0039-0267	1-A-309	07-Nov-07	1	30.19	15.0	1.04	8,953	2.00	3,036	6.34	0.0014
0039-0273	1-A-310	09-Nov-07	1	30.15	17.5	1.03	0	2.00	3,013	6.23	0.0000
0039-0279	1-A-311	14-Nov-07	1	30.26	17.2	1.04	4,948	2.00	3,159	6.56	0.0008
0039-0285	1-A-312	15-Nov-07	1	30.19	19.2	1.03	6,833	2.00	1,546	3.18	0.0021
0039-0291	1-A-313	21-Nov-07	1	30.25	14.4	1.05	7,069	2.00	3,125	6.55	0.0011
0039-0297	1-A-314	28-Nov-07	1	30.37	14.4	1.05	5,184	2.00	3,195	6.73	0.0008
0039-0303	1-A-315	30-Nov-07	1	30.17	17.5	1.03	8,011	2.00	2,979	6.16	0.0013
0039-0315	1-A-317	14-Dec-07	1	30.40	15.0	1.05	6,362	2.00	2,907	6.11	0.0010

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure in (Hg)	AmbientTemperature (C)	Cf	Asbestos (fibers)	AveFlowRate (l/min)	MinutesOperated (min)	Vs (m3)	ConcAsbestos (fibers/ml)
0039-0321	1-A-318	16-Jan-08	1	30.33	12.5	1.06	0	2.00	3,195	6.76	0.0000
0039-0327	1-A-319	17-Jan-08	1	30.24	15.8	1.04	4,477	2.00	1,465	3.06	0.0015
0039-0333	1-A-320	07-Feb-08	1	30.32	13.6	1.05	4,948	2.00	3,180	6.70	0.0007
0039-0336	1-A-321	08-Feb-08	1	30.40	14.7	1.05	0	2.00	1,555	3.27	0.0000
0039-0342	1-A-322	13-Feb-08	1	30.36	12.7	1.06	5,890	2.00	3,205	6.78	0.0009
0039-0354	1-A-323	15-Feb-08	1	30.14	18.6	1.03	4,006	2.00	2,879	5.93	0.0007
0039-0366	1-A-324	20-Feb-08	1	30.24	11.9	1.06	0	2.00	3,020	6.39	0.0000
0039-0375	1-A-325	29-Feb-08	1	30.30	13.6	1.05	5,890	2.00	3,180	6.70	0.0009
0039-0378	1-A-326	05-Mar-08	1	30.34	18.6	1.04	4,948	2.00	3,117	6.46	0.0008
0039-0387	1-A-327	07-Mar-08	1	30.22	23.3	1.02	7,069	2.00	2,942	5.98	0.0012
0039-0405	1-A-329	20-Mar-08	1	30.43	16.3	1.05	5,184	2.00	3,110	6.52	0.0008
0039-0417	1-A-330	21-Mar-08	1	30.44	15.6	1.05	3,299	2.00	1,515	3.18	0.0010
0039-0423	1-A-331	26-Mar-08	1	30.37	13.3	1.06	5,890	2.00	3,175	6.71	0.0009
0039-0435	1-A-332	28-Mar-08	1	30.29	18.0	1.04	9,896	2.00	2,895	6.00	0.0016
0039-0447	1-A-333	02-Apr-08	1	30.26	11.9	1.06	7,540	2.00	3,165	6.70	0.0011
0039-0453	1-A-335	26-Apr-08	1	30.10	18.0	1.03	5,890	2.00	2,927	6.03	0.0010
0039-0462	1-A-337	02-May-08	1	30.17	12.5	1.05	4,006	2.00	3,086	6.50	0.0006
0039-0468	1-A-338	03-May-08	1	29.94	13.0	1.04	0	2.00	1,380	2.88	0.0000
0039-0474	1-A-339	07-May-08	1	29.86	14.1	1.04	5,655	2.00	3,158	6.54	0.0009
0039-0483	1-A-340	09-May-08	1	29.92	15.3	1.03	3,063	2.00	2,920	6.04	0.0005
0039-0492	1-A-341	10-May-08	1	29.89	14.7	1.03	4,006	2.00	1,440	2.98	0.0013
0039-0507	1-A-343	16-May-08	1	29.89	29.7	0.98	18,378	2.00	2,870	5.65	0.0033
0039-0516	1-A-344	17-May-08	1	29.93	24.6	1.00	5,184	2.00	1,396	2.80	0.0019
0039-0522	1-A-345	21-May-08	1	29.88	14.3	1.04	14,373	2.00	3,142	6.51	0.0022
0039-0531	1-A-346	23-May-08	1	29.68	16.6	1.02	8,953	2.00	2,993	6.11	0.0015
0039-0540	1-A-347	29-May-08	1	29.95	13.8	1.04	7,775	2.00	3,173	6.60	0.0012
0039-0549	1-A-348	31-May-08	1	30.02	14.1	1.04	2,827	2.00	2,868	5.97	0.0005
0039-0558	1-A-349	04-Jun-08	1	29.89	14.4	1.04	7,540	2.00	3,121	6.47	0.0012
0039-0567	1-A-350	06-Jun-08	1	29.83	17.9	1.02	4,241	2.00	2,933	5.99	0.0007
0039-0573	1-A-351	07-Jun-08	1	29.85	18.6	1.02	2,827	2.00	1,479	3.02	0.0009
0039-0579	1-A-352	11-Jun-08	1	29.84	19.1	1.02	4,477	2.00	3,039	6.18	0.0007
0039-0585	1-A-353	13-Jun-08	1	29.85	18.8	1.02	10,132	2.00	3,190	6.50	0.0016
0039-0591	1-A-354	16-Jun-08	1	29.90	10.2	1.05	2,827	2.00	2,880	6.06	0.0005
0039-0597	1-A-355	18-Jun-08	1	29.94	16.1	1.03	5,655	2.00	3,189	6.58	0.0009
0039-0603	1-A-356	20-Jun-08	1	29.89	28.4	0.99	8,718	2.00	3,068	6.06	0.0014
0039-0615	1-A-357	23-Jun-08	1	29.92	20.0	1.02	6,597	2.00	3,070	6.24	0.0011
0039-0627	1-A-358	25-Jun-08	1	29.90	20.0	1.02	5,890	2.00	3,040	6.18	0.0010
0039-0639	1-A-359	27-Jun-08	1	29.77	15.0	1.03	6,362	2.00	2,750	5.66	0.0011

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure in (Hg)	AmbientTemperature (C)	Asbestos Cf	AveFlowRate (l/min)	MinutesOperated (min)	Vs (m3)	ConcAsbestos (fibers/ml)	
0039-0651	1-A-360	28-Jun-08	1	29.77	15.0	1.03	4,712	2.00	1,742	3.59	0.0013
0039-0663	1-A-362	09-Jul-08	1	29.31	24.5	0.98	7,540	2.00	3,202	6.28	0.0012
0039-0669	1-A-363	11-Jul-08	1	29.79	21.8	1.01	12,723	2.00	2,995	6.03	0.0021
0039-0675	1-A-364	12-Jul-08	1	29.91	20.0	1.02	3,534	2.00	1,435	2.92	0.0012
0039-0681	1-A-365	16-Jul-08	1	29.98	16.8	1.03	7,540	2.00	3,189	6.57	0.0011
0039-0687	1-A-366	18-Jul-08	1	29.98	16.8	1.03	9,896	2.00	2,785	5.74	0.0017
0039-0693	1-A-367	19-Jul-08	1	29.92	20.0	1.02	4,241	2.00	1,605	3.26	0.0013
0039-0699	1-A-368	23-Jul-08	1	29.80	18.3	1.02	7,775	2.00	3,060	6.24	0.0012
0039-0705	1-A-369	25-Jul-08	1	29.80	18.3	1.02	9,660	2.00	2,900	5.91	0.0016
0039-0711	1-A-370	30-Jul-08	1	29.89	16.7	1.03	14,608	2.00	3,195	6.57	0.0022
0039-0717	1-A-371	01-Aug-08	1	29.88	17.2	1.03	8,953	2.00	2,990	6.13	0.0015
0039-0723	1-A-372	02-Aug-08	1	29.86	17.7	1.02	4,948	2.00	1,445	2.96	0.0017
0039-0729	1-A-373	06-Aug-08	1	29.92	15.0	1.03	9,425	2.00	3,315	6.86	0.0014
0039-0735	1-A-374	08-Aug-08	1	29.92	15.8	1.03	0	2.00	2,890	5.96	0.0000
0039-0741	1-A-375	09-Aug-08	1	29.92	16.7	1.03	0	2.00	1,425	2.93	0.0000
0039-0747	1-A-376	13-Aug-08	1	29.92	20.0	1.02	7,540	2.00	2,920	5.94	0.0013
0039-0753	1-A-377	15-Aug-08	1	29.92	17.2	1.03	4,241	2.00	1,350	2.77	0.0015
0039-0759	1-A-378	20-Aug-08	1	29.92	18.7	1.02	4,712	2.00	3,150	6.44	0.0007
0039-0765	1-A-379	22-Aug-08	1	29.92	17.8	1.02	6,362	2.00	3,115	6.38	0.0010
0039-0771	1-A-380	23-Aug-08	1	29.92	18.3	1.02	3,534	2.00	1,405	2.87	0.0012
0039-0780	1-A-383	05-Sep-08	1	29.74	22.9	1.00	11,310	2.00	3,170	6.35	0.0018
0039-0783	1-A-384	06-Sep-08	1	29.72	28.6	0.98	5,890	2.00	1,500	2.94	0.0020
0039-0786	1-A-385	10-Sep-08	1	29.72	15.8	1.02	8,953	2.00	3,094	6.34	0.0014
0039-0792	1-A-386	12-Sep-08	1	29.78	14.4	1.03	7,069	2.00	3,039	6.27	0.0011
0039-0798	1-A-387	13-Sep-08	1	29.72	15.7	1.03	0	2.00	1,445	2.96	0.0000
0039-0804	1-A-388	17-Sep-08	1	29.94	14.6	1.04	8,482	2.00	3,236	6.71	0.0013
0039-0810	1-A-389	19-Sep-08	1	29.93	17.8	1.03	5,419	2.00	2,895	5.94	0.0009
0039-0816	1-A-390	20-Sep-08	1	29.93	18.7	1.02	2,827	2.00	1,425	2.91	0.0010
0039-0822	1-A-391	24-Sep-08	1	29.90	17.8	1.02	6,597	2.00	3,120	6.39	0.0010
0039-0828	1-A-392	26-Sep-08	1	29.85	20.6	1.01	11,074	2.00	3,033	6.14	0.0018
0039-0834	1-A-393	01-Oct-08	1	29.87	17.6	1.02	10,838	2.00	3,161	6.47	0.0017
0039-0840	1-A-394	03-Oct-08	1	29.79	20.9	1.01	14,844	2.00	2,965	5.99	0.0025
0039-0846	1-A-395	08-Oct-08	1	29.83	15.8	1.03	4,006	2.00	3,195	6.57	0.0006
0039-0852	1-A-396	10-Oct-08	1	29.79	16.4	1.03	8,247	2.00	2,980	6.11	0.0013
0039-0858	1-A-397	15-Oct-08	1	30.03	20.6	1.02	9,896	2.00	3,260	6.64	0.0015
0039-0864	1-A-398	17-Oct-08	1	29.90	25.2	1.00	8,953	2.00	2,920	5.83	0.0015
0039-0870	1-A-399	22-Oct-08	1	30.02	18.0	1.03	16,729	2.00	3,265	6.71	0.0025
0039-0882	1-A-401	29-Oct-08	1	30.10	10.2	1.06	0	2.00	3,230	6.84	0.0000

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure in (Hg)	AmbientTemperature (C)	Cf	Asbestos (fibers)	AveFlowRate (l/min)	MinutesOperated (min)	Vs (m3)	ConcAsbestos (fibers/ml)
0039-0888	1-A-402	31-Oct-08	1	30.03	18.9	1.02	8,953	2.00	2,910	5.96	0.0015
0039-0894	1-A-404	12-Nov-08	1	30.07	14.1	1.04	6,126	2.00	3,250	6.78	0.0009
0039-0900	1-A-405	14-Nov-08	1	30.04	20.9	1.02	3,534	2.00	2,915	5.93	0.0006
0039-0906	1-A-406	19-Nov-08	1	30.06	14.9	1.04	6,362	2.00	3,024	6.29	0.0010
0039-0912	1-A-407	21-Nov-08	1	30.05	12.1	1.05	0	2.00	3,005	6.31	0.0000
0039-0918	1-A-408	24-Nov-08	1	29.90	16.6	1.03	3,770	2.00	2,988	6.15	0.0006
0039-0924	1-A-409	26-Nov-08	1	29.90	16.6	1.03	0	2.00	2,895	5.95	0.0000
0039-0930	1-A-410	03-Dec-08	1	30.05	10.8	1.05	3,534	2.00	3,185	6.72	0.0005
0039-0960	1-A-416	08-Jan-09	1	30.14	9.3	1.06	5,655	2.75	3,165	9.26	0.0006
0039-0966	1-A-417	10-Jan-09	1	30.09	10.9	1.06	0	2.00	3,010	6.35	0.0000
0039-0972	1-A-418	14-Jan-09	1	30.19	18.3	1.03	5,184	2.00	3,170	6.54	0.0008
0039-0978	1-A-419	16-Jan-09	1	30.08	18.4	1.03	7,540	2.00	2,990	6.15	0.0012
0039-0984	1-A-420	17-Jan-09	1	30.08	16.6	1.03	3,299	2.00	1,385	2.87	0.0012
0039-0990	1-A-421	21-Jan-09	1	30.08	11.9	1.05		2.05	3,216	6.93	
0039-0996	1-A-422	28-Jan-09	1	30.14	9.8	1.06	7,069	2.00	3,190	6.77	0.0010
0039-1002	1-A-423	30-Jan-09	1	30.20	13.7	1.05	4,948	2.00	2,920	6.13	0.0008
0039-1008	1-A-424	04-Feb-09	1	30.01	10.7	1.05		3.00	3,180	10.05	
0039-1014	1-A-425	06-Feb-09	1	29.80	11.7	1.04	0	2.00	2,725	5.68	0.0000
0039-1020	1-A-426	12-Feb-09	1	30.09	7.8	1.07	0	2.00	3,280	7.00	0.0000
0039-1026	1-A-427	11-Mar-09	1	30.05	14.4	1.04	10,367	2.38	3,270	8.10	0.0013
0039-1032	1-A-428	13-Mar-09	1	30.01	11.8	1.05	2,827	2.00	2,995	6.29	0.0004
0039-1038	1-A-429	16-Mar-09	1	29.96	9.2	1.06	0	2.00	3,135	6.63	0.0000
0039-1044	1-A-430	18-Mar-09	1	30.16	13.3	1.05	0	2.00	2,950	6.19	0.0000
0039-1059	1-A-432	25-Mar-09	1	30.16	12.5	1.05	0	2.05	3,086	6.66	0.0000
0039-1074	1-A-434	01-Apr-09	1	29.94	13.9	1.04	0	2.00	3,202	6.66	0.0000
0039-1083	1-A-435	03-Apr-09	1	29.89	13.7	1.04	3,534	2.00	2,992	6.21	0.0006
0039-1092	1-A-436	08-Apr-09	1	29.97	14.1	1.04	0	2.00	3,200	6.65	0.0000
0039-1107	1-A-438	15-Apr-09	1	29.89	11.9	1.04	0	2.00	3,293	6.88	0.0000
0039-1116	1-A-439	17-Apr-09	1	30.05	15.7	1.04	0	1.95	2,885	5.83	0.0000
0039-1125	1-A-440	22-Apr-09	1	29.89	20.2	1.02	0	1.95	3,106	6.15	0.0000
0039-1134	1-A-441	24-Apr-09	1	29.88	15.5	1.03	0	2.10	2,994	6.49	0.0000
0039-1143	1-A-442	29-Apr-09	1	29.98	10.9	1.05	2,827	2.00	3,210	6.75	0.0004
0039-1152	1-A-443	01-May-09	1	29.98	12.8	1.04	0	2.00	2,940	6.14	0.0000
0039-1161	1-A-444	06-May-09	1	30.01	17.8	1.03	0	2.00	3,137	6.45	0.0000
0039-1170	1-A-445	08-May-09	1	29.96	18.2	1.02	0	1.95	3,034	6.06	0.0000
0039-1179	1-A-446	13-May-09	1	29.94	15.7	1.03	3,770	2.00	3,185	6.58	0.0006
0039-1188	1-A-447	15-May-09	1	29.90	16.4	1.03	0	2.00	2,957	6.09	0.0000
0039-1197	1-A-448	20-May-09	1	29.83	12.3	1.04	2,827	1.90	3,208	6.35	0.0004

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure in (Hg)	AmbientTemperature (C)	Asbestos Cf	AveFlowRate (l/min)	MinutesOperated (min)	Vs (m3)	ConcAsbestos (fibers/ml)	
0039-1206	1-A-449	22-May-09	1	29.85	14.3	1.03	0	1.90	3,005	5.91	0.0000
0039-1215	1-A-450	28-May-09	1	29.81	13.4	1.04	0	2.00	3,228	6.69	0.0000
0039-1224	1-A-451	29-May-09	1	29.86	16.0	1.03	0	2.00	1,564	3.22	0.0000
0039-1233	1-A-452	03-Jun-09	1	29.82	14.2	1.03	0	2.00	3,208	6.63	0.0000
0039-1242	1-A-453	05-Jun-09	1	29.84	17.6	1.02	0	1.95	2,989	5.96	0.0000
0039-1251	1-A-454	10-Jun-09	1	29.84	14.9	1.03	0	2.00	3,218	6.64	0.0000
0039-1260	1-A-455	12-Jun-09	1	29.86	16.9	1.03	0	2.00	3,000	6.16	0.0000
0039-1269	1-A-456	17-Jun-09	1	29.85	15.1	1.03	0	2.00	3,123	6.45	0.0000
0039-1278	1-A-457	19-Jun-09	1	29.75	16.8	1.02	0	1.95	3,064	6.11	0.0000
0039-1287	1-A-458	24-Jun-09	1	29.77	16.2	1.03	0	2.00	3,218	6.60	0.0000
0039-1296	1-A-459	26-Jun-09	1	29.80	19.1	1.02	0	2.00	2,992	6.08	0.0000
0039-1305	1-A-460	01-Jul-09	1	29.74	15.7	1.03	0	2.00	3,178	6.52	0.0000
0039-1314	1-A-461	02-Jul-09	1	29.78	18.3	1.02	0	2.00	1,558	3.17	0.0000
0039-1320	1-A-462	08-Jul-09	1	29.90	16.2	1.03	0	2.00	3,185	6.56	0.0000
0039-1326	1-A-463	10-Jul-09	1	29.89	17.8	1.02	0	2.00	2,991	6.12	0.0000
0039-1332	1-A-464	15-Jul-09	1	29.90	15.9	1.03	0	2.00	3,145	6.48	0.0000
0039-1341	1-A-465	17-Jul-09	1	29.88	18.6	1.02	0	2.00	3,029	6.18	0.0000
0039-1350	1-A-466	22-Jul-09	1	29.87	12.9	1.04	0	2.00	3,221	6.70	0.0000
0039-1359	1-A-467	24-Jul-09	1	29.88	13.6	1.04	4,477	2.05	2,746	5.85	0.0008
0039-1368	1-A-468	29-Jul-09	1	29.84	14.4	1.03	0	2.00	3,192	6.60	0.0000
0039-1377	1-A-469	31-Jul-09	1	29.83	17.0	1.02	0	2.00	2,991	6.13	0.0000
0039-0162	2-A-287	20-Jul-07	2	30.10	21.5	1.02	0	2.00	1,787	3.64	0.0000
0039-0165	2-A-288	25-Jul-07	2	30.10	17.1	1.03	4,006	2.00	3,173	6.56	0.0006
0039-0168	2-A-289	27-Jul-07	2	30.07	19.3	1.02	0	2.00	3,110	6.37	0.0000
0039-0174	2-A-290	01-Aug-07	2	29.98	19.3	1.02	2,827	2.00	3,119	6.37	0.0004
0039-0180	2-A-291	03-Aug-07	2	30.04	20.6	1.02	0	2.00	3,101	6.32	0.0000
0039-0186	2-A-292	08-Aug-07	2	30.13	16.0	1.04	4,948	2.00	3,172	6.59	0.0008
0039-0192	2-A-293	10-Aug-07	2	30.10	18.6	1.03	0	2.00	3,113	6.40	0.0000
0039-0201	2-A-295	17-Aug-07	2	30.06	20.2	1.02	5,419	2.10	3,087	6.62	0.0008
0039-0207	2-A-296	22-Aug-07	2	30.02	20.4	1.02	4,241	2.00	3,160	6.44	0.0007
0039-0213	2-A-297	24-Aug-07	2	29.91	23.9	1.00	3,299	2.00	3,077	6.17	0.0005
0039-0219	2-A-298	29-Aug-07	2	30.00	21.9	1.01	9,660	2.00	3,157	6.40	0.0015
0039-0225	2-A-299	30-Aug-07	2	30.01	27.9	0.99	0	2.00	1,711	3.40	0.0000
0039-0231	2-A-300	06-Sep-07	2	30.03	21.7	1.01	3,299	2.00	3,112	6.32	0.0005
0039-0237	2-A-301	14-Sep-07	2	30.16	20.8	1.02	2,827	2.00	3,203	6.55	0.0004
0039-0246	2-A-303	03-Oct-07	2	30.17	19.1	1.03	4,712	2.00	3,105	6.39	0.0007
0039-0258	2-A-307	24-Oct-07	2	30.33	20.0	1.03	5,184	2.00	3,167	6.53	0.0008
0039-0264	2-A-308	26-Oct-07	2	30.14	22.5	1.02	2,827	2.00	3,148	6.40	0.0004

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure in (Hg)	AmbientTemperature (C)	Cf	Asbestos (fibers)	AveFlowRate (l/min)	MinutesOperated (min)	Vs (m3)	ConcAsbestos (fibers/ml)
0039-0270	2-A-309	07-Nov-07	2	30.19	15.0	1.04	0	2.00	3,041	6.35	0.0000
0039-0276	2-A-310	09-Nov-07	2	30.15	17.5	1.03	0	2.00	2,998	6.20	0.0000
0039-0282	2-A-311	14-Nov-07	2	30.26	17.2	1.04	4,006	2.00	3,165	6.57	0.0006
0039-0288	2-A-312	15-Nov-07	2	30.19	19.2	1.03	0	2.00	1,544	3.18	0.0000
0039-0306	2-A-315	30-Nov-07	2	30.17	17.5	1.03	0	2.00	3,019	6.25	0.0000
0039-0318	2-A-317	14-Dec-07	2	30.40	15.0	1.05	5,184	2.00	2,912	6.12	0.0008
0039-0324	2-A-318	16-Jan-08	2	30.33	12.5	1.06	0	2.00	3,200	6.77	0.0000
0039-0330	2-A-319	17-Jan-08	2	30.24	15.8	1.04	4,948	2.00	1,450	3.02	0.0016
0039-0339	2-A-321	08-Feb-08	2	30.40	14.7	1.05	0	2.00	1,556	3.28	0.0000
0039-0345	2-A-322	13-Feb-08	2	30.36	12.7	1.06	0	2.00	3,155	6.68	0.0000
0039-0357	2-A-323	15-Feb-08	2	30.14	18.6	1.03	0	2.00	2,875	5.92	0.0000
0039-0381	2-A-326	05-Mar-08	2	30.34	18.6	1.04	0	2.00	3,135	6.50	0.0000
0039-0390	2-A-327	07-Mar-08	2	30.22	23.3	1.02	0	2.00	2,920	5.93	0.0000
0039-0408	2-A-329	20-Mar-08	2	30.43	16.3	1.05	0	2.00	3,110	6.52	0.0000
0039-0459	2-A-336	30-Apr-08	2	29.97	11.9	1.05	0	2.00	2,992	6.27	0.0000
0039-0465	2-A-337	02-May-08	2	30.17	12.5	1.05	4,006	2.00	3,083	6.49	0.0006
0039-0471	2-A-338	03-May-08	2	29.94	13.0	1.04	0	2.00	1,370	2.86	0.0000
0039-0477	2-A-339	07-May-08	2	29.86	14.1	1.04	0	2.00	3,154	6.53	0.0000
0039-0486	2-A-340	09-May-08	2	29.92	15.3	1.03	0	2.00	2,913	6.02	0.0000
0039-0495	2-A-341	10-May-08	2	29.89	14.7	1.03	0	2.00	1,435	2.97	0.0000
0039-0501	2-A-342	14-May-08	2	29.88	20.3	1.01	6,126	2.00	3,305	6.71	0.0009
0039-0510	2-A-343	16-May-08	2	29.89	29.7	0.98	0	2.00	2,875	5.66	0.0000
0039-0519	2-A-344	17-May-08	2	29.93	24.6	1.00	0	2.00	1,395	2.79	0.0000
0039-0525	2-A-345	21-May-08	2	29.88	14.3	1.04	0	2.00	3,160	6.55	0.0000
0039-0534	2-A-346	23-May-08	2	29.68	16.6	1.02	0	2.00	2,982	6.09	0.0000
0039-0552	2-A-348	31-May-08	2	30.02	14.1	1.04	0	2.00	2,865	5.97	0.0000
0039-0561	2-A-349	04-Jun-08	2	29.89	14.4	1.04	0	2.00	3,115	6.45	0.0000
0039-0570	2-A-350	06-Jun-08	2	29.83	17.9	1.02	0	2.00	2,954	6.03	0.0000
0039-0576	2-A-351	07-Jun-08	2	29.85	18.6	1.02	3,770	2.00	1,466	2.99	0.0013
0039-0582	2-A-352	11-Jun-08	2	29.84	19.1	1.02	0	2.00	3,040	6.19	0.0000
0039-0588	2-A-353	13-Jun-08	2	29.85	18.8	1.02	0	2.00	3,170	6.46	0.0000
0039-0594	2-A-354	16-Jun-08	2	29.90	10.2	1.05	0	2.00	2,879	6.05	0.0000
0039-0600	2-A-355	18-Jun-08	2	29.94	16.1	1.03	3,063	2.00	3,186	6.57	0.0005
0039-0606	2-A-356	20-Jun-08	2	29.89	28.4	0.99	4,006	2.00	3,040	6.01	0.0007
0039-0618	2-A-357	23-Jun-08	2	29.92	20.0	1.02	4,241	2.00	3,090	6.29	0.0007
0039-0630	2-A-358	25-Jun-08	2	29.90	20.0	1.02	3,534	2.00	3,037	6.17	0.0006
0039-0654	2-A--360	28-Jun-08	2	29.77	15.0	1.03	0	2.00	1,713	3.53	0.0000
0039-0666	2-A-362	09-Jul-08	2	29.31	24.5	0.98	0	1.75	3,178	5.46	0.0000

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure in (Hg)	AmbientTemperature (C)	Asbestos Cf (fibers)	AveFlowRate (l/min)	MinutesOperated (min)	Vs (m3)	ConcAsbestos (fibers/ml)	
0039-0672	2-A-363	11-Jul-08	2	29.79	21.8	1.01	0	2.00	3,000	6.04	0.0000
0039-0684	2-A-365	16-Jul-08	2	29.98	16.8	1.03	0	1.88	3,184	6.17	0.0000
0039-0690	2-A-366	18-Jul-08	2	29.98	16.8	1.03	0	1.88	2,790	5.40	0.0000
0039-0696	2-A-367	19-Jul-08	2	29.92	20.0	1.02	0	1.75	1,605	2.86	0.0000
0039-0702	2-A-368	23-Jul-08	2	29.80	18.3	1.02	0	1.75	3,055	5.45	0.0000
0039-0708	2-A-369	25-Jul-08	2	29.80	18.3	1.02	3,299	1.88	2,905	5.56	0.0006
0039-0714	2-A-370	30-Jul-08	2	29.89	16.7	1.03	0	1.88	3,195	6.17	0.0000
0039-0720	2-A-371	01-Aug-08	2	29.88	17.2	1.03	0	1.88	2,995	5.77	0.0000
0039-0726	2-A-372	02-Aug-08	2	29.86	17.7	1.02	0	1.93	1,415	2.79	0.0000
0039-0732	2-A-373	06-Aug-08	2	29.92	15.0	1.03	0	1.90	500	0.98	0.0000
0039-0738	2-A-374	08-Aug-08	2	29.92	15.8	1.03	0	1.90	2,870	5.63	0.0000
0039-0744	2-A-375	09-Aug-08	2	29.92	16.7	1.03	0	2.00	1,425	2.93	0.0000
0039-0750	2-A-376	13-Aug-08	2	29.92	20.0	1.02	0	2.00	2,908	5.92	0.0000
0039-0756	2-A-377	15-Aug-08	2	29.92	17.2	1.03	3,063	1.90	3,145	6.14	0.0005
0039-0762	2-A-378	20-Aug-08	2	29.92	18.7	1.02	0	2.00	3,155	6.45	0.0000
0039-0768	2-A-379	22-Aug-08	2	29.92	17.8	1.02	0	2.00	3,115	6.38	0.0000
0039-0774	2-A-380	23-Aug-08	2	29.92	18.3	1.02	0	2.00	1,410	2.88	0.0000
0039-0777	2-A-381	27-Aug-08	2	29.92	20.1	1.02	0	2.00	3,080	6.26	0.0000
0039-0789	2-A-385	10-Sep-08	2	29.72	15.8	1.02	0	2.00	3,110	6.38	0.0000
0039-0795	2-A-386	12-Sep-08	2	29.78	14.4	1.03	0	2.00	3,036	6.27	0.0000
0039-0801	2-A-387	13-Sep-08	2	29.72	15.7	1.03	0	2.00	1,435	2.94	0.0000
0039-0807	2-A-388	17-Sep-08	2	29.94	14.6	1.04	0	1.88	3,233	6.30	0.0000
0039-0813	2-A-389	19-Sep-08	2	29.93	17.8	1.03	2,827	2.00	2,915	5.98	0.0005
0039-0819	2-A-390	20-Sep-08	2	29.93	18.7	1.02	0	2.00	1,420	2.90	0.0000
0039-0825	2-A-391	24-Sep-08	2	29.90	17.8	1.02	0	2.00	3,125	6.40	0.0000
0039-0831	2-A-392	26-Sep-08	2	29.85	20.6	1.01	3,063	2.00	3,001	6.08	0.0005
0039-0837	2-A-393	01-Oct-08	2	29.87	17.6	1.02	0	2.00	3,160	6.47	0.0000
0039-0843	2-A-394	03-Oct-08	2	29.79	20.9	1.01	0	2.00	2,975	6.01	0.0000
0039-0849	2-A-395	08-Oct-08	2	29.83	15.8	1.03	2,827	2.00	3,200	6.58	0.0004
0039-0855	2-A-396	10-Oct-08	2	29.79	16.4	1.03	5,419	2.00	2,950	6.05	0.0009
0039-0861	2-A-397	15-Oct-08	2	30.03	20.6	1.02	4,948	2.00	3,255	6.63	0.0007
0039-0867	2-A-398	17-Oct-08	2	29.90	25.2	1.00	7,304	2.00	2,920	5.83	0.0013
0039-0873	2-A-399	22-Oct-08	2	30.02	18.0	1.03	0	2.00	3,270	6.72	0.0000
0039-0879	2-A-400	24-Oct-08	2	29.97	25.0	1.00	4,006	2.00	2,935	5.88	0.0007
0039-0885	2-A-401	29-Oct-08	2	30.10	10.2	1.06	2,827	2.00	3,245	6.87	0.0004
0039-0891	2-A-402	31-Oct-08	2	30.03	18.9	1.02	0	2.00	2,905	5.95	0.0000
0039-0897	2-A-404	12-Nov-08	2	30.07	14.1	1.04	0	2.00	3,240	6.76	0.0000
0039-0903	2-A-405	14-Nov-08	2	30.04	20.9	1.02	0	2.00	2,918	5.94	0.0000

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure in (Hg)	AmbientTemperature (C)	Cf	Asbestos (fibers)	AveFlowRate (l/min)	MinutesOperated (min)	Vs (m3)	ConcAsbestos (fibers/ml)
0039-0909	2-A-406	19-Nov-08	2	30.06	14.9	1.04	3,063	2.00	3,031	6.30	0.0005
0039-0915	2-A-407	21-Nov-08	2	30.05	12.1	1.05	0	2.00	3,000	6.30	0.0000
0039-0921	2-A-408	24-Nov-08	2	29.90	16.6	1.03	0	2.00	2,988	6.15	0.0000
0039-0927	2-A-409	26-Nov-08	2	29.90	16.6	1.03	0	2.00	2,885	5.93	0.0000
0039-0933	2-A-410	03-Dec-08	2	30.05	10.8	1.05	2,827	2.00	3,185	6.72	0.0004
0039-0939	2-A-411	05-Dec-08	2	30.06	13.5	1.04	0	2.00	3,043	6.36	0.0000
0039-0945	2-A-412	08-Dec-08	2	30.08	9.7	1.06	3,770	2.00	2,857	6.06	0.0006
0039-0951	2-A-413	10-Dec-08	2	30.22	13.8	1.05	4,948	2.00	3,270	6.86	0.0007
0039-0957	2-A-414	12-Dec-08	2	30.22	13.8	1.05	0	2.00	2,911	6.11	0.0000
0039-0963	2-A-416	08-Jan-09	2	30.14	9.3	1.06	0	2.00	3,160	6.72	0.0000
0039-0969	2-A-417	10-Jan-09	2	30.09	10.9	1.06	2,827	2.00	3,000	6.33	0.0004
0039-0975	2-A-418	14-Jan-09	2	30.19	18.3	1.03	3,299	2.00	3,180	6.56	0.0005
0039-0981	2-A-419	16-Jan-09	2	30.08	18.4	1.03	3,299	2.00	2,990	6.15	0.0005
0039-0987	2-A-420	17-Jan-09	2	30.08	16.6	1.03	2,827	2.00	1,390	2.88	0.0010
0039-0993	2-A-421	21-Jan-09	2	30.08	11.9	1.05	10,132	2.00	3,214	6.76	0.0015
0039-0999	2-A-422	28-Jan-09	2	30.14	9.8	1.06	4,006	2.00	3,185	6.76	0.0006
0039-1005	2-A-423	30-Jan-09	2	30.20	13.7	1.05	0	2.00	2,925	6.14	0.0000
0039-1011	2-A-424	04-Feb-09	2	30.01	10.7	1.05	0	2.00	3,185	6.71	0.0000
0039-1017	2-A-425	06-Feb-09	2	29.80	11.7	1.04	0	2.00	2,720	5.67	0.0000
0039-1023	2-A-426	12-Feb-09	2	30.09	7.8	1.07	0	2.00	3,275	6.99	0.0000
0039-1041	2-A-429	16-Mar-09	2	29.96	9.2	1.06	0	2.00	3,130	6.62	0.0000
0039-1047	2-A-430	18-Mar-09	2	30.16	13.3	1.05	0	2.00	2,960	6.21	0.0000
0039-1053	2-A-431	20-Mar-09	2	29.98	12.1	1.05	0	2.00	2,910	6.10	0.0000
0039-1062	2-A-432	25-Mar-09	2	30.16	12.5	1.05	4,241	2.05	3,150	6.79	0.0006
0039-1068	2-A-433	27-Mar-09	2	29.96	17.1	1.03	0	2.30	2,936	6.95	0.0000
0039-1077	2-A-434	01-Apr-09	2	29.94	13.9	1.04	0	2.00	3,198	6.65	0.0000
0039-1086	2-A-435	03-Apr-09	2	29.89	13.7	1.04	0	2.00	2,985	6.20	0.0000
0039-1095	2-A-436	08-Apr-09	2	29.97	14.1	1.04	0	2.00	3,200	6.65	0.0000
0039-1101	2-A-437	10-Apr-09	2	29.90	12.6	1.04	0	2.00	2,975	6.20	0.0000
0039-1110	2-A-438	15-Apr-09	2	29.89	11.9	1.04	0	2.00	3,295	6.89	0.0000
0039-1119	2-A-439	17-Apr-09	2	30.05	15.7	1.04	0	1.95	2,911	5.88	0.0000
0039-1128	2-A-440	22-Apr-09	2	29.89	20.2	1.02	0	2.00	3,165	6.43	0.0000
0039-1137	2-A-441	24-Apr-09	2	29.88	15.5	1.03	0	2.00	2,990	6.17	0.0000
0039-1146	2-A-442	29-Apr-09	2	29.98	10.9	1.05	0	2.05	3,230	6.96	0.0000
0039-1155	2-A-443	01-May-09	2	29.98	12.8	1.04	0	2.00	2,934	6.13	0.0000
0039-1164	2-A-444	06-May-09	2	30.01	17.8	1.03	0	2.05	3,146	6.63	0.0000
0039-1173	2-A-445	08-May-09	2	29.96	18.2	1.02	0	1.95	3,013	6.02	0.0000
0039-1182	2-A-446	13-May-09	2	29.94	15.7	1.03	5,419	2.00	3,202	6.61	0.0008




Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure in (Hg)	AmbientTemperature (C)	Cf	Asbestos (fibers)	AveFlowRate (l/min)	MinutesOperated (min)	Vs (m3)	ConcAsbestos (fibers/ml)
0039-1191	2-A-447	15-May-09	2	29.90	16.4	1.03	0	2.00	2,954	6.08	0.0000
0039-1200	2-A-448	20-May-09	2	29.83	12.3	1.04	0	2.00	3,210	6.69	0.0000
0039-1209	2-A-449	22-May-09	2	29.85	14.3	1.03	0	2.00	3,000	6.21	0.0000
0039-1218	2-A-450	28-May-09	2	29.81	13.4	1.04	0	2.00	3,229	6.69	0.0000
0039-1227	2-A-451	29-May-09	2	29.86	16.0	1.03	0	2.00	1,561	3.21	0.0000
0039-1245	2-A-453	05-Jun-09	2	29.84	17.6	1.02	0	2.00	2,985	6.11	0.0000
0039-1254	2-A-454	10-Jun-09	2	29.84	14.9	1.03	0	2.00	3,224	6.66	0.0000
0039-1263	2-A-455	12-Jun-09	2	29.86	16.9	1.03	0	2.00	2,990	6.13	0.0000
0039-1272	2-A-456	17-Jun-09	2	29.85	15.1	1.03	0	2.00	3,125	6.45	0.0000
0039-1281	2-A-457	19-Jun-09	2	29.75	16.8	1.02	0	2.00	3,063	6.26	0.0000
0039-1290	2-A-458	24-Jun-09	2	29.77	16.2	1.03	0	2.00	3,220	6.60	0.0000
0039-1299	2-A-459	26-Jun-09	2	29.80	19.1	1.02	0	2.00	2,990	6.08	0.0000
0039-1308	2-A-460	01-Jul-09	2	29.74	15.7	1.03	0	2.00	3,183	6.53	0.0000
0039-1317	2-A-461	02-Jul-09	2	29.78	18.3	1.02	0	2.00	1,550	3.16	0.0000
0039-1323	2-A-462	08-Jul-09	2	29.90	16.2	1.03	0	2.00	3,174	6.54	0.0000
0039-1329	2-A-463	10-Jul-09	2	29.89	17.8	1.02	0	2.00	2,990	6.12	0.0000
0039-1335	2-A-464	15-Jul-09	2	29.90	15.9	1.03	0	2.00	3,152	6.50	0.0000
0039-1344	2-A-465	17-Jul-09	2	29.88	18.6	1.02	0	2.00	3,021	6.17	0.0000
0039-1353	2-A-466	22-Jul-09	2	29.87	12.9	1.04	0	2.00	3,223	6.71	0.0000
0039-1362	2-A-467	24-Jul-09	2	29.88	13.6	1.04	0	2.05	2,740	5.83	0.0000
0039-1371	2-A-468	29-Jul-09	2	29.84	14.4	1.03	0	2.00	3,200	6.62	0.0000
0039-1380	2-A-469	31-Jul-09	2	29.83	17.0	1.02	0	2.00	2,984	6.11	0.0000
0039-0003	3-A-255	23-Mar-07	3	30.14	21.1	1.02	2,827	2.00	3,031	6.19	0.0005
0039-0009	3-A-256	30-Mar-07	3	30.38	15.0	1.05	0	2.00	3,158	6.64	0.0000
0039-0015	3-A-257	06-Apr-07	3	30.16	11.7	1.06	0	2.00	1,585	3.34	0.0000
0039-0018	3-A-258	11-Apr-07	3	30.23	15.0	1.05	3,063	2.00	3,091	6.46	0.0005
0039-0027	3-A-260	03-May-07	3	30.24	14.2	1.05	0	2.00	3,160	6.63	0.0000
0039-0033	3-A-261	05-May-07	3	30.21	21.7	1.02	0	2.00	2,880	5.88	0.0000
0039-0039	3-A-262	09-May-07	3	30.14	22.5	1.02	3,534	2.00	2,962	6.02	0.0006
0039-0045	3-A-263	11-May-07	3	30.17	16.4	1.04	0	2.00	3,066	6.37	0.0000
0039-0051	3-A-264	12-May-07	3	30.22	15.6	1.04	0	2.00	1,453	3.03	0.0000
0039-0057	3-A-265	16-May-07	3	30.19	15.8	1.04	0	2.00	3,094	6.44	0.0000
0039-0063	3-A-266	18-May-07	3	30.16	17.4	1.03	0	2.00	3,142	6.50	0.0000
0039-0069	3-A-267	19-May-07	3	30.22	18.6	1.03	0	2.00	1,194	2.46	0.0000
0039-0075	3-A-268	23-May-07	3	30.10	21.8	1.02	4,241	2.00	2,928	5.96	0.0007
0039-0081	3-A-269	25-May-07	3	30.10	22.3	1.02	0	2.00	3,164	6.42	0.0000
0039-0102	3-A-276	16-Jun-07	3	30.05	21.6	1.02	0	2.00	1,738	3.53	0.0000
0039-0111	3-A-278	22-Jun-07	3	30.21	20.0	1.03	0	2.00	2,970	6.10	0.0000

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure in (Hg)	AmbientTemperature (C)	Asbestos Cf	AveFlowRate (l/min)	MinutesOperated (min)	Vs (m3)	ConcAsbestos (fibers/ml)	
0039-0117	3-A-279	23-Jun-07	3	30.13	21.4	1.02	0	2.00	1,464	2.98	0.0000
0039-0123	3-A-280	27-Jun-07	3	30.18	15.5	1.04	3,770	2.00	3,063	6.38	0.0006
0039-0129	3-A-281	29-Jun-07	3	30.21	16.8	1.04	3,770	2.00	2,809	5.83	0.0006
0039-0132	3-A-282	30-Jun-07	3	30.24	19.0	1.03	5,184	2.00	1,625	3.35	0.0015
0039-0138	3-A-283	03-Jul-07	3	30.22	17.8	1.04	4,948	2.00	1,853	3.84	0.0013
0039-0144	3-A-284	06-Jul-07	3	30.00	18.9	1.02	0	2.00	1,865	3.82	0.0000
0039-0150	3-A-285	11-Jul-07	3	30.10	19.3	1.03	0	2.00	3,142	6.45	0.0000
0039-0156	3-A-286	13-Jul-07	3	30.18	24.3	1.01	0	2.00	2,992	6.05	0.0000
0039-0249	3-A-303	03-Oct-07	3	30.17	19.1	1.03	3,063	2.00	3,160	6.50	0.0005
0039-0348	3-A-322	13-Feb-08	3	30.36	12.7	1.06	0	2.00	3,135	6.64	0.0000
0039-0360	3-A-323	15-Feb-08	3	30.14	18.6	1.03	0	1.50	2,900	4.48	0.0000
0039-0369	3-A-324	20-Feb-08	3	30.24	11.9	1.06	0	1.50	3,060	4.85	0.0000
0039-0393	3-A-327	07-Mar-08	3	30.22	23.3	1.02	2,827	2.00	2,910	5.91	0.0005
0039-0399	3-A-328	12-Mar-08	3	30.37	15.8	1.05	0	2.00	3,035	6.36	0.0000
0039-0411	3-A-329	20-Mar-08	3	30.43	16.3	1.05	0	2.00	3,125	6.55	0.0000
0039-0429	3-A-331	26-Mar-08	3	30.37	13.3	1.06	0	2.00	3,205	6.77	0.0000
0039-0441	3-A-332	28-Mar-08	3	30.29	18.0	1.04	0	2.00	2,805	5.82	0.0000
0039-1050	3-A-430	18-Mar-09	3	30.16	13.3	1.05	0	2.00	2,975	6.24	0.0000
0039-1056	3-A-431	20-Mar-09	3	29.98	12.1	1.05	0	2.00	2,905	6.08	0.0000
0039-1065	3-A-432	25-Mar-09	3	30.16	12.5	1.05	0	1.95	3,151	6.46	0.0000
0039-1071	3-A-433	27-Mar-09	3	29.96	17.1	1.03	5,184	2.05	2,889	6.09	0.0009
0039-1080	3-A-434	01-Apr-09	3	29.94	13.9	1.04	4,006	2.15	3,188	7.12	0.0006
0039-1089	3-A-435	03-Apr-09	3	29.89	13.7	1.04	4,948	2.00	2,987	6.20	0.0008
0039-0006	5-A-255	23-Mar-07	5	30.14	21.1	1.02	3,299	2.00	3,022	6.17	0.0005
0039-0012	5-A-256	30-Mar-07	5	30.38	15.0	1.05	0	2.00	3,183	6.69	0.0000
0039-0021	5-A-258	11-Apr-07	5	30.23	15.0	1.05	5,655	2.00	3,081	6.44	0.0009
0039-0024	5-A-259	13-Apr-07	5	30.24	17.8	1.04	3,063	2.00	3,013	6.24	0.0005
0039-0030	5-A-260	03-May-07	5	30.24	14.2	1.05	0	2.00	3,179	6.67	0.0000
0039-0036	5-A-261	05-May-07	5	30.21	21.7	1.02	0	2.00	2,874	5.87	0.0000
0039-0042	5-A-262	09-May-07	5	30.14	22.5	1.02	4,477	2.00	2,968	6.03	0.0007
0039-0048	5-A-263	11-May-07	5	30.17	16.4	1.04	0	2.00	3,066	6.37	0.0000
0039-0054	5-A-264	12-May-07	5	30.22	15.6	1.04	0	2.00	1,474	3.07	0.0000
0039-0060	5-A-265	16-May-07	5	30.19	15.8	1.04	2,827	2.00	2,926	6.09	0.0005
0039-0066	5-A-266	18-May-07	5	30.16	17.4	1.03	3,770	2.00	3,121	6.46	0.0006
0039-0072	5-A-267	19-May-07	5	30.22	18.6	1.03	0	2.00	1,197	2.47	0.0000
0039-0078	5-A-268	23-May-07	5	30.10	21.8	1.02	5,184	2.00	2,929	5.96	0.0009
0039-0084	5-A-269	25-May-07	5	30.10	22.3	1.02	0	2.00	3,156	6.41	0.0000
0039-0087	5-A-270	01-Jun-07	5	30.16	14.1	1.05	0	2.00	3,162	6.62	0.0000

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure in (Hg)	AmbientTemperature (C)	Cf	Asbestos (fibers)	AveFlowRate (l/min)	MinutesOperated (min)	Vs (m3)	ConcAsbestos (fibers/ml)
0039-0090	5-A-271	02-Jun-07	5	30.08	14.6	1.04	0	2.00	1,653	3.44	0.0000
0039-0093	5-A-272	06-Jun-07	5	30.17	14.7	1.04	0	2.00	2,957	6.18	0.0000
0039-0096	5-A-273	08-Jun-07	5	30.15	18.5	1.03	5,890	2.00	2,945	6.07	0.0010
0039-0099	5-A-275	15-Jun-07	5	30.07	22.6	1.01	8,718	2.00	2,980	6.04	0.0014
0039-0105	5-A-276	16-Jun-07	5	30.05	21.6	1.02	4,006	2.00	1,685	3.42	0.0012
0039-0108	5-A-277	20-Jun-07	5	30.13	17.5	1.03	3,063	2.00	2,983	6.16	0.0005
0039-0114	5-A-278	22-Jun-07	5	30.21	20.0	1.03	4,241	2.00	2,930	6.02	0.0007
0039-0135	5-A-282	30-Jun-07	5	30.24	19.0	1.03	0	2.00	1,568	3.23	0.0000
0039-0141	5-A-283	03-Jul-07	5	30.22	17.8	1.04	3,299	2.00	1,844	3.82	0.0009
0039-0147	5-A-284	06-Jul-07	5	30.00	18.9	1.02	11,310	2.00	1,913	3.92	0.0029
0039-0153	5-A-285	11-Jul-07	5	30.10	19.3	1.03	3,770	2.00	3,147	6.46	0.0006
0039-0159	5-A-286	13-Jul-07	5	30.18	24.3	1.01	0	2.00	2,984	6.03	0.0000
0039-0240	5-A-301	14-Sep-07	5	30.16	20.8	1.02	0	2.00	3,199	6.54	0.0000
0039-0252	5-A-303	03-Oct-07	5	30.17	19.1	1.03	0	2.00	3,170	6.52	0.0000
0039-0294	5-A-313	21-Nov-07	5	30.25	14.4	1.05	2,827	2.00	3,108	6.52	0.0004
0039-0300	5-A-314	28-Nov-07	5	30.37	14.4	1.05	7,069	2.00	3,180	6.69	0.0011
0039-0309	5-A-315	30-Nov-07	5	30.17	17.5	1.03	0	2.00	3,000	6.21	0.0000
0039-0351	5-A-322	13-Feb-08	5	30.36	12.7	1.06	0	2.00	3,145	6.66	0.0000
0039-0363	5-A-323	15-Feb-08	5	30.14	18.6	1.03	0	2.10	2,886	6.24	0.0000
0039-0372	5-A-324	20-Feb-08	5	30.24	11.9	1.06	0	2.00	3,063	6.48	0.0000
0039-0384	5-A-326	05-Mar-08	5	30.34	18.6	1.04	0	2.00	3,140	6.51	0.0000
0039-0396	5-A-327	07-Mar-08	5	30.22	23.3	1.02	0	2.00	2,882	5.86	0.0000
0039-0402	5-A-328	12-Mar-08	5	30.37	15.8	1.05	0	2.00	3,032	6.35	0.0000
0039-0414	5-A-329	20-Mar-08	5	30.43	16.3	1.05	3,063	2.00	3,120	6.54	0.0005
0039-0432	5-A-331	26-Mar-08	5	30.37	13.3	1.06	0	2.00	3,200	6.76	0.0000
0039-0444	5-A-332	28-Mar-08	5	30.29	18.0	1.04	3,063	2.00	2,835	5.88	0.0005
0039-0489	5-A-340	09-May-08	5	29.92	15.3	1.03	0	2.00	2,913	6.02	0.0000
0039-0504	5-A-342	14-May-08	5	29.88	20.3	1.01	3,063	2.00	3,295	6.69	0.0005
0039-0528	5-A-345	21-May-08	5	29.88	14.3	1.04	0	2.00	3,145	6.52	0.0000
0039-0537	5-A-346	23-May-08	5	29.68	16.6	1.02	3,063	2.00	2,997	6.12	0.0005
0039-0546	5-A-347	29-May-08	5	29.95	13.8	1.04	5,184	2.00	3,171	6.60	0.0008
0039-0555	5-A-348	31-May-08	5	30.02	14.1	1.04	3,770	2.00	2,870	5.98	0.0006
0039-0564	5-A-349	04-Jun-08	5	29.89	14.4	1.04	3,299	2.00	3,116	6.46	0.0005
0039-0612	5-A-356	20-Jun-08	5	29.89	28.4	0.99	4,241	2.00	3,050	6.03	0.0007
0039-0624	5-A-357	23-Jun-08	5	29.92	20.0	1.02	0	2.00	3,085	6.28	0.0000
0039-0636	5-A-358	25-Jun-08	5	29.90	20.0	1.02	4,006	2.00	3,070	6.24	0.0006
0039-0648	5-A-359	27-Jun-08	5	29.77	15.0	1.03	0	2.00	2,715	5.59	0.0000
0039-0660	5-A-360	28-Jun-08	5	29.77	15.0	1.03	0	2.00	1,690	3.48	0.0000

Sample ID	SampleFieldID	SampleDate	SamplerLocation	AmbientPressure in (Hg)	AmbientTemperature (C)	Cf	Asbestos (fibers)	AveFlowRate (l/min)	MinutesOperated (min)	Vs (m3)	ConcAsbestos (fibers/ml)
0039-1098	6-A-436	08-Apr-09	6	29.97	14.1	1.04	0	2.00	3,191	6.64	0.0000
0039-1104	6-A-437	10-Apr-09	6	29.90	12.6	1.04	0	2.00	2,975	6.20	0.0000
0039-1113	6-A-438	15-Apr-09	6	29.89	11.9	1.04	0	2.00	3,285	6.87	0.0000
0039-1122	6-A-439	17-Apr-09	6	30.05	15.7	1.04	0	2.00	2,910	6.03	0.0000
0039-1131	6-A-440	22-Apr-09	6	29.89	20.2	1.02	0	2.00	3,157	6.41	0.0000
0039-1140	6-A-441	24-Apr-09	6	29.88	15.5	1.03	0	2.00	2,976	6.14	0.0000
0039-1149	6-A-442	29-Apr-09	6	29.98	10.9	1.05	0	2.00	3,220	6.77	0.0000
0039-1158	6-A-443	01-May-09	6	29.98	12.8	1.04	0	2.00	2,959	6.18	0.0000
0039-1167	6-A-444	06-May-09	6	30.01	17.8	1.03	0	2.00	3,174	6.52	0.0000
0039-1176	6-A-445	08-May-09	6	29.96	18.2	1.02	2,827	2.00	2,994	6.14	0.0005
0039-1185	6-A-446	13-May-09	6	29.94	15.7	1.03	4,006	2.00	3,222	6.66	0.0006
0039-1194	6-A-447	15-May-09	6	29.90	16.4	1.03	0	2.00	2,944	6.06	0.0000
0039-1203	6-A-448	20-May-09	6	29.83	12.3	1.04	0	2.00	3,216	6.70	0.0000
0039-1212	6-A-449	22-May-09	6	29.85	14.3	1.03	0	2.00	2,990	6.19	0.0000
0039-1221	6-A-450	28-May-09	6	29.81	13.4	1.04	0	2.00	3,219	6.67	0.0000
0039-1230	6-A-451	29-May-09	6	29.86	16.0	1.03	0	2.00	1,559	3.21	0.0000
0039-1239	6-A-452	03-Jun-09	6	29.82	14.2	1.03	0	1.90	3,221	6.33	0.0000
0039-1248	6-A-453	05-Jun-09	6	29.84	17.6	1.02	0	2.00	2,976	6.09	0.0000
0039-1257	6-A-454	10-Jun-09	6	29.84	14.9	1.03	0	2.00	3,225	6.66	0.0000
0039-1266	6-A-455	12-Jun-09	6	29.86	16.9	1.03	0	2.00	2,985	6.12	0.0000
0039-1275	6-A-456	17-Jun-09	6	29.85	15.1	1.03	0	2.00	3,165	6.53	0.0000
0039-1284	6-A-457	19-Jun-09	6	29.75	16.8	1.02	0	2.00	3,016	6.17	0.0000
0039-1293	6-A-458	24-Jun-09	6	29.77	16.2	1.03	0	2.00	3,197	6.56	0.0000
0039-1302	6-A-459	26-Jun-09	6	29.80	19.1	1.02	0	2.00	2,983	6.06	0.0000
0039-1311	6-A-460	01-Jul-09	6	29.74	15.7	1.03	0	2.00	2,995	6.15	0.0000
0039-1338	6-A-464	15-Jul-09	6	29.90	15.9	1.03	0	2.00	3,152	6.50	0.0000
0039-1347	6-A-465	17-Jul-09	6	29.88	18.6	1.02	0	1.95	3,015	6.00	0.0000
0039-1356	6-A-466	22-Jul-09	6	29.87	12.9	1.04	5,655	2.00	3,221	6.70	0.0008
0039-1365	6-A-468	24-Jul-09	6	29.88	13.6	1.04	0	2.00	2,735	5.68	0.0000
0039-1374	6-A-468	29-Jul-09	6	29.84	14.4	1.03	2,827	1.95	3,199	6.45	0.0004
0039-1383	6-A-469	31-Jul-09	6	29.83	17.0	1.02	4,241	2.00	2,977	6.10	0.0007

### Hunters Point Shipyard Air Monitoring Personal Asbestos Air Monitoring Program



Cal-OSHA Permissible Exposure Limit: 0.1 fiber/cc

\* base on method detection limit

Sample ID	Date	Location	Volume (L)	Fib/Field	Fib/mm <sup>2</sup>	Fib/cc *
090417-103-BLANK	4/17/09	NA	NA	0.000	< 7.0	NA
090417-104-BLANK	4/17/09	NA	NA	0.010	< 7.0	NA
090417-105-BLANK	4/17/09	NA	NA	0.000	< 7.0	NA
090521-119-Blank	5/21/09	NA	NA	0.015	< 7.0	NA
090601-128-BLANK	6/1/09	NA	NA	0.010	< 7.0	NA
090605-137-BLANK	6/5/09	NA	NA	0.010	< 7.0	NA
090612-146-BLANK	6/12/09	NA	NA	0.010	< 7.0	NA
090618-157-BLANK	6/18/09	NA	NA	0.000	< 7.0	NA
090626-164-BLANK	6/26/09	NA	NA	0.010	< 7.0	NA
090701-171-BLANK	7/1/09	NA	NA	0.010	< 7.0	NA
090413-093-UC1	4/13/09	UC1	1007	0.025	< 7.0	0.003
090413-094-UC1	4/13/09	UC1	560	0.010	< 7.0	0.005
090414-095-UC1	4/14/09	UC1	592	0.025	< 7.0	0.005
090414-096-UC1	4/14/09	UC1	612	0.020	< 7.0	0.004
090415-097-UC1	4/15/09	UC1	974	0.025	< 7.0	0.003
090415-098-UC1	4/15/09	UC1	782	0.010	< 7.0	0.003
090416-099-UC1	4/16/09	UC1	391	0.015	< 7.0	0.007
090416-100-UC1	4/16/09	UC1	634	0.010	< 7.0	0.004
090417-101-UC1	4/17/09	UC1	724	0.020	< 7.0	0.004
090417-102-UC1	4/17/09	UC1	762	0.000	< 7.0	0.004
090514-109-UC1	5/14/09	UC1	768	0.030	< 7.0	0.004
090514-110-UC1	5/14/09	UC1	1112	0.025	< 7.0	0.002
090519-111-UC1	5/19/09	UC1	592	0.035	< 7.0	0.005
090519-112-UC1	5/19/09	UC1	229	0.010	< 7.0	0.012
090521-116-DW1	5/21/09	UC1	795	0.040	< 7.0	0.023
090521-118-DW1	5/21/09	UC1	611	0.010	< 7.0	0.004
090522-118-UW1	5/22/09	UC1	602	0.020	< 7.0	0.004
090624-158-UC1	6/24/09	UC1	591	0.025	< 7.0	0.005

Sample ID	Date	Location	Volume (L)	Fib/Field	Fib/mm <sup>2</sup>	Fib/cc *
090624-159-UC1	6/24/09	UC1	773	0.015	< 7.0	0.003
090625-160-UC1	6/25/09	UC1	432	0.010	< 7.0	0.006
090625-161-UC1	6/25/09	UC1	664	0.010	< 7.0	0.004
090713-183-UC1	7/13/09	UC1	812	0.025	< 7.0	0.003
090713-184-UC1	7/13/09	UC1	725	0.015	< 7.0	0.004
090714-185-UC1	7/14/09	UC1	779	0.070	< 7.0	0.003
090714-186-UC1	7/14/09	UC1	711	0.035	< 7.0	0.004
070729-205-UC1	7/29/09	UC1	648	0.055	< 7.0	0.004
070729-206-UC1	7/29/09	UC1	776	0.060	7	0.003
070730-207-UC1	7/30/09	UC1	379	0.040	< 7.0	0.007
070730-208-UC1	7/30/09	UC1	405	0.035	< 7.0	0.007
070731-209-UC1	7/31/09	UC1	716	0.020	< 7.0	0.004
070731-210-UC1	7/31/09	UC1	766	0.055	< 7.0	0.004
070731-211-BLANK	7/31/09	UC1	NA	0.015	< 7.0	NA
090803-212-UC1	8/3/09	UC1	806	0.020	< 7.0	0.003
090803-213-UC1	8/3/09	UC1	651	0.030	< 7.0	0.004
090804-214-UC1	8/4/09	UC1	663	0.030	< 7.0	0.004
090804-215-UC1	8/4/09	UC1	805	0.040	< 7.0	0.003
090520-114-UC1	5/20/09	UC1	804	0.015	< 7.0	0.003
090527-120-UC2	5/27/09	UC2	779	0.025	< 7.0	0.003
090527-121-UC2	5/27/09	UC2	902	0.045	< 7.0	0.003
090528-122-UC2	5/28/09	UC2	731	0.000	< 7.0	0.004
090528-123-UC2	5/28/09	UC2	640	0.025	< 7.0	0.004
090529-124-UC2	5/29/09	UC2	547	0.010	< 7.0	0.005
090529-125-UC2	5/29/09	UC2	918	0.035	< 7.0	0.003
090601-126-UC2	6/1/09	UC2	827	0.005	< 7.0	0.003
090601-127-UC2	6/1/09	UC2	884	0.005	< 7.0	0.003
090602-129-UC2	6/2/09	UC2	737	0.015	< 7.0	0.004
090602-130-UC2	6/2/09	UC2	848	0.010	< 7.0	0.003
090603-131-UC2	6/3/09	UC2	779	0.005	< 7.0	0.003
090603-132-UC2	6/3/09	UC2	888	0.020	< 7.0	0.003
090604-133-UC2	6/4/09	UC2	787	0.010	< 7.0	0.003
090604-134-UC2	6/4/09	UC2	901	0.025	< 7.0	0.003
090605-135-UC2	6/5/09	UC2	494	0.020	< 7.0	0.005
090605-136-UC2	6/5/09	UC2	697	0.005	< 7.0	0.004
090608-138-UC2	6/8/09	UC2	830	0.020	< 7.0	0.003
090608-139-UC2	6/8/09	UC2	948	0.000	< 7.0	0.003
090609-140-UC2	6/9/09	UC2	807	0.000	< 7.0	0.003
090609-141-UC2	6/9/09	UC2	813	0.010	< 7.0	0.003
090610-142-UC2	6/10/09	UC2	768	0.010	< 7.0	0.004
090610-143-UC2	6/10/09	UC2	780	0.040	< 7.0	0.003
090611-144-UC2	6/11/09	UC2	773	0.010	< 7.0	0.003
090611-145-UC2	6/11/09	UC2	454	0.020	< 7.0	0.006
090612-146-UC2	6/12/09	UC2	585	0.150	< 7.0	0.005
090612-146-UC2	6/12/09	UC2	614	0.000	< 7.0	0.004
090615-149-UC2	6/15/09	UC2	752	0.005	< 7.0	0.004
090615-150-UC2	6/15/09	UC2	351	0.010	< 7.0	0.008
090616-151-UC2	6/16/09	UC2	787	0.010	< 7.0	0.003
090616-152-UC2	6/16/09	UC2	856	0.000	< 7.0	0.003
090617-153-UC2	6/17/09	UC2	737	0.010	< 7.0	0.004
090617-154-UC2	6/17/09	UC2	730	0.020	< 7.0	0.004

Sample ID	Date	Location	Volume (L)	Fib/Field	Fib/mm <sup>2</sup>	Fib/cc *
090618-155-UC2	6/18/09	UC2	575	0.000	< 7.0	0.005
090618-156-UC2	6/18/09	UC2	508	0.000	< 7.0	0.005
090625-162-UC2	6/26/09	UC2	698	0.015	< 7.0	0.004
090626-163-UC21	6/26/09	UC2	663	0.005	< 7.0	0.004
090629-165-UC2	6/29/09	UC2	689	0.015	< 7.0	0.004
090629-166-UC2	6/29/09	UC2	683	0.010	< 7.0	0.004
090630-167-UC2	6/30/09	UC2	718	0.015	< 7.0	0.004
090630-168-UC2	6/30/09	UC2	660	0.025	< 7.0	0.004
090701-169-UC2	7/1/09	UC2	856	0.010	< 7.0	0.003
090701-170-UC2	7/1/09	UC2	759	0.020	< 7.0	0.004
090706-172-UC2	7/6/09	UC2	860	0.010	< 7.0	0.003
090706-173-UC2	7/6/09	UC2	778	0.000	< 7.0	0.003
090707-174-UC2	7/7/09	UC2	831	0.010	< 7.0	0.003
090707-175-UC2	7/7/09	UC2	759	0.015	< 7.0	0.004
090708-176-UC2	7/8/09	UC2	804	0.000	< 7.0	0.003
090708-177-UC2	7/8/09	UC2	728	0.015	< 7.0	0.004
090709-178-UC2	7/9/09	UC2	684	0.025	< 7.0	0.004
090709-179-UC2	7/9/09	UC2	770	0.035	< 7.0	0.004
090710-180-UC2	7/10/09	UC2	773	0.025	< 7.0	0.003
090710-181-UC2	7/10/09	UC2	664	0.005	< 7.0	0.004
090710-182-Blank	7/10/09	UC2	NA	0.000	< 7.0	NA
090715-187-UC2	7/15/09	UC2	651	0.010	< 7.0	0.004
090715-188-UC2	7/15/09	UC2	576	0.020	< 7.0	0.005
090716-189-UC2	7/16/09	UC2	810	0.025	< 7.0	0.003
090716-190-UC2	7/16/09	UC2	679	0.025	< 7.0	0.004
090717-191-UC2	7/18/09	UC2	719	0.010	< 7.0	0.004
090717-192-UC2	7/18/09	UC2	596	0.030	< 7.0	0.005
090717-193-BLANK	7/18/09	UC2	NA	0.000	< 7.0	NA
070921-194-UC2	7/21/09	UC2	795	0.025	< 7.0	0.003
070921-195-UC2	7/21/09	UC2	642	0.020	< 7.0	0.004
070922-196-UC2	7/22/09	UC2	835	0.050	< 7.0	0.003
070922-197-UC2	7/22/09	UC2	698	0.010	< 7.0	0.004
070923-198-UC2	7/23/09	UC2	419	0.020	< 7.0	0.006
070923-199-UC2	7/23/09	UC2	499	0.010	< 7.0	0.005
070923-200-BLANK	7/23/09	UC2	NA	0.000	< 7.0	NA
070727-201-UC2	7/27/09	UC2	727	0.055	< 7.0	0.004
070727-202-UC2	7/27/09	UC2	847	0.040	< 7.0	0.003
070728-203-UC2	7/28/09	UC2	558	0.030	< 7.0	0.005
070728-204-UC2	7/28/09	UC2	675	0.050	< 7.0	0.004
090805-216-UC2	8/5/09	UC2	653	0.040	< 7.0	0.004
090805-217-UC2	8/5/09	UC2	788	0.045	< 7.0	0.003
090806-218-UC2	8/6/09	UC2	657	0.050	< 7.0	0.004
090806-219-UC2	8/6/09	UC2	759	0.010	< 7.0	0.004
090807-220-UC2	8/7/09	UC2	606	0.065	8	0.004
090807-221-UC2	8/7/09	UC2	726	0.030	< 7.0	0.004
090807-222-BLANK	8/7/09	UC2	NA	0.025	< 7.0	0.004
090810-223-UC2	8/10/09	UC2	740	0.040	< 7.0	0.004
090810-224-UC2	8/10/09	UC2	625	0.045	< 7.0	0.004
090811-225-UC2	8/11/09	UC2	736	0.100	12	0.004
090811-226-UC2	8/11/09	UC2	808	0.125	15	0.003
090812-227-UC2	8/12/09	UC2	648	0.030	< 7.0	0.004

Sample ID	Date	Location	Volume (L)	Fib/Field	Fib/mm <sup>2</sup>	Fib/cc *
090812-228-UC2	8/12/09	UC2	780	0.055	< 7.0	0.003
090813-229-UC2	8/13/09	UC2	651	0.095	12	0.004
090813-230-UC2	8/13/09	UC2	760	0.015	< 7.0	0.004
090814-231-UC2	8/14/09	UC2	612	0.025	< 7.0	0.004
090814-232-UC2	8/14/09	UC2	754	0.025	< 7.0	0.004
090814-233-BLANK	8/14/09	UC2	NA	0.000	< 7.0	NA
090818-234-UC2	8/18/09	UC2	840	0.050	< 7.0	0.003
090818-235-UC2	8/18/09	UC2	721	0.040	< 7.0	0.004
090819-236-UC2	8/19/09	UC2	670	0.060	7	0.004
090819-237-UC2	8/19/09	UC2	763	0.035	< 7.0	0.04
090820-238-UC2	8/20/09	UC2	336	0.060	< 7.0	0.008
090820-239-UC2	8/20/09	UC2	401	0.025	< 7.0	0.007
090821-240-UC2	8/21/09	UC2	576	0.055	< 7.0	0.005
090821-241-UC2	8/21/09	UC2	637	0.050	< 7.0	0.004
090821-242-BLANK	8/21/09	UC2	NA	0.005	< 7.0	NA
090824-243-UC2	8/24/09	UC2	648	0.045	< 7.0	0.004
090824-244-UC2	8/24/09	UC2	760	0.030	< 7.0	0.004
090825-245-UC2	8/25/09	UC2	679	0.060	7	0.004
090825-246-UC2	8/25/09	UC2	787	0.065	8	0.003
090826-247-UC2	8/26/09	UC2	622	0.025	< 7.0	0.004
090826-248-UC2	8/26/09	UC2	739	0.035	< 7.0	0.004
090827-249-UC2	8/27/09	UC2	642	0.055	< 7.0	0.004
090827-250-UC2	8/27/09	UC2	772	0.050	< 7.0	0.003
090828-251-UC2	8/28/09	UC2	624	0.040	< 7.0	0.004
090828-252-UC2	8/28/09	UC2	747	0.060	7	0.004
090828-253-BLANK	8/28/09	UC2	NA	0.020	< 7.0	NA