

### Providing a View From the Front Line: How Deployment Effects Reservists

BG Margaret Wilmoth Assistant for Mobilization & Reserve Affairs Force Health Protection & Readiness Office of Deputy Assistant Secretary of Defense (Health Affairs)

#### December 10, 2009



#### Who are the Reserves?

- 1.1 million men and WOMEN from the Army, Air Force, Navy and Coast Guard Reserve, the Army National Guard and Army Air Guard
- Gender: 888,892 Males; 192,453 Females
- Race:
  - White: 817,843
  - Black: 152,802
  - AI/NA: 0,979
  - A: 29,382
  - NH/PI: 5457
  - UNK: 12,918
  - O: 51,984

#### • Ethnicity:

- A 33,176
- H 102,659
- NA 11,160
- O 499,876
- NONE 410,153
- UNK 24,341
- Average age: 38 years old



# How Long Have They Been Deployed?

#### Percentage Deployed<sup>1</sup>

_	Army National Guard:	46%
_	Army Reserve:	55%
_	Navy Reserve:	25%
_	Marine Corps Reserve:	39%
_	Air National Guard:	13%
_	Air Force Reserve:	22%
_	Coast Guard Reserve:	0.2%

• Average length of deployment since 2001\*2

414 days or 14 months
324 days or 11 months
356 days or 12 months
248 days or 8 months

\*Note: since January 2007 Deployments have been limited to 12 months

- 1. Reserve Components Common Personnel Data System
- 2. Defense Manpower Data Center



# Who Are The Families?

- Reservists
  - Married: ~50%<sup>1</sup>
  - Dependents: 1,618,041<sup>2</sup>
- Location
  - Most live in communities far from military installations
  - Communities have little understanding of, and experience, with the military

- 1. Defense Enrollment Eligibility Reporting System /Reserve Components Common Personnel Data System
- 2. Defense Manpower Data Center



# **Effects of Chronic Deployment**

- Multiple deployments and returns can amplify family problems and stress strained relationships and financial resources.
- Even a single deployment can create problems with civilian employers. Deployment often leads to an increase in substance dependence and abuse.<sup>1</sup>
- No direct link between deployment and suicide has been found.<sup>2</sup>
  - 1. Jacobson, I.G., et al (2008). Alcohol use and alcohol-related problems before and after military combat deployment. *JAMA*, *300*(6), 663-675.
  - 2. Kang, & Bullman (2008). Risk of suicide among US veterans after returning from the Irag or Afghanistan war zones. *JAMA, 300* (6), 652-653.



# Substance Abuse in the Reserve Component (RC)

- Tobacco:
  - General smoking rates: 8-9 % across all Reserve Components
  - Higher rates of heavy smoking in ARNG, USMCR and USAR<sup>1</sup>
- Alcohol:
  - Lower daily alcohol consumption rates in USAFR, ANG and USNR than ARNG, USAR and USMCR<sup>1</sup>
- Illegal Substances:
  - Highest Rates in ARNG
  - Lowest in USNR
  - All illegal drug users are outprocessed from the RC<sup>1</sup>



### Stress and the RC

- Source:
  - Family
  - Civilian employment
  - Reserve employment
- Result:
  - 36% reported military work demands interfere with family life;
  - Highest level of family-work conflict: USMCR
  - Lowest level of family-work conflict: ANG<sup>1</sup>
  - History of SH/SA leads to poorer physical and mental
  - Health: depression, PTSD & somatic symptoms<sup>2</sup>

<sup>1</sup>DoD Survey of Health Related Behaviors Among Guard and Reserve Force, 2007 by RTI International <sup>2</sup> Street, et al., (2008). Sexual harassment and assault experienced by reservists during military service: Prevalence and health correlates, *Jnl Rehab Rsch & Dev, 45* (3), 409-420.



# Women and Stress in the RC

- DoD Survey Indications
  - Women reported significantly more stress than men<sup>1</sup>
  - 25% reported a 'great deal' of stress related to being a female in a male-dominated, combat-oriented environment<sup>1</sup>
  - More than 50% of females and 37% of males reported some type of physical or sexual harassment or abuse<sup>1, 2</sup>

1DoD Survey of Health Related Behaviors Among Guard and Reserve Force, 2007 by RTI International 2 Street, et a., (2008). Sexual harassment and assault experienced by reservists during Military service: Prevalence and health correlates, *Jnl Rehab Rsch & Dev, 45* (3), 409-420.



# Women and Stress in the RC

- Most studies on women are descriptive & observational, clustered in areas related to PTSD:
  - Stress of military life
  - Health & performance
  - Health services research
  - Psychiatric conditions<sup>4</sup>
- There is much less research on evaluation of treatment or prevention
  programs<sup>4</sup>

<sup>&</sup>lt;sup>4</sup> Goldzweig, et al. (2006). The state of women veterans' health research: Results of a systematic Literature review. *J Gen Intern Med 21*, S82-92.



#### **Children of Deployed RC Members**

- Little research on children of deployed RC
- 400,000 DOD adolescent family members
- Number of school-age children of RC-deployed personnel unknown
- Evidence indicates the Gulf War (1990-1991) families were still experiencing difficulties one year after reunion<sup>2</sup>

<sup>1</sup> DOD, 2007). 2005 Demographics Report. Arlington, Va: Office of the Deputy Under Secretary of Defense (Military Community and Family Policy
 <sup>2</sup> Peebles-Kleiger & Kleiger (1994). Re-integration stress for Desert Storm families: Wartime deployments and family trauma. Jnl of Traumatic Stress, 7, 173-194.



What We Don't Know

- Effective ways to reduce tobacco and alcohol use in RC
- Effective ways to teach gender-appropriate stress-reduction behaviors in RC
- If there are varying responses to deployment by gender and component
- Effective ways to help families and children cope with deployment
- Ways to provide effective services to a geographically-dispersed force



#### Conclusion

#### Reserve Component vs. Active Duty

- The Reserves are now an <u>operational force</u> comprised of 82% men and 18% women.<sup>1</sup>
- The Reserves are an ethnically diverse force.
- RC Members are unique in that they juggle a civilian career in addition to military career and family-which *may* mean greater stress prior to and after deployment.
- RC Members may have unique needs yet to be identified within the paradigm of being an <u>operational force</u>.



#### **Contact Information:**

BG Margaret Wilmoth: <u>margaret.wilmoth@us.army.mil</u> COL Randall Schwallie, Director, Reserve Programs, FHP&R: 703.578.8520

