

**Literature References - Final Listing Rule for the Gulf of Maine,
New York Bight, and Chesapeake Bay DPSs of Atlantic Sturgeon**

77 FR 5880, February 6, 2012

Angelo, W.J. 2005. East River's strong tides power submerged turbines. *Engineering News-Record*. January 24, 2005. <http://www.enr.com/news/powerIndus/archives/050124.asp>

ASMFC. 1998. Amendment 1 to the interstate fishery management plan for Atlantic sturgeon. Management Report No. 31, 43 pp.

ASMFC. 2007. Special Report to the Atlantic Sturgeon Management Board: Estimation of Atlantic sturgeon bycatch in coastal Atlantic commercial fisheries of New England and the Mid-Atlantic. August 2007. 95 pp.

ASMFC. 2009. Atlantic Sturgeon. Pages 19-20. *In* Atlantic States Marine Fisheries Commission 2009 Annual Report. 68 pp.

ASMFC. 2010. Atlantic Sturgeon. Pages 19-20. *In* Atlantic States Marine Fisheries Commission 2010 Annual Report. 68 pp.

ASSRT (Atlantic Sturgeon Status Review Team). 2007. Status review of Atlantic sturgeon (*Acipenser oxyrinchus oxyrinchus*). National Marine Fisheries Service. February 23, 2007. 188 pp.

ASSRT. 2009 - should be ASMFC, 2009 (see above).

ASSRT. 2010 - should be ASMFC, 2010 (see above).

Bain, M.B. 1997. Atlantic and shortnose sturgeons of the Hudson River: Common and divergent life history attributes. *Environmental Biology of Fishes* 48:347-358.

Barbour, H. 2000. Lower New England-Northern Piedmont ecoregional conservation plan: First iteration. The Nature Conservancy, Northeast and Caribbean Division, Boston, MA. 79 pp.

Bigelow, H.B. and W.C. Schroeder. 1953. Sea Sturgeon. *In* Fishes of the Gulf of Maine. Fishery Bulletin 74. Fishery Bulletin of the Fish and Wildlife Service, vol. 53.

Boreman, J. 1997. Sensitivity of North American sturgeons and paddlefish to fishing mortality. *Environmental Biology of Fishes* 48:399-405.

Bowen, B.W. and J.C. Avise. 1990. Genetic structure of Atlantic and Gulf of Mexico populations of sea bass, menhaden, and sturgeon: Influence of zoogeographic factors and life-history patterns. *Marine Biology* 107:371-381.

Brown, J.J. and G.W. Murphy. 2010. Atlantic sturgeon vessel strike mortalities in the Delaware River. *Fisheries* 35(2):72-83.

Brown, J.J., J. Perillo, T.J. Kwak, and R.J. Horwitz. 2005. Implications of *Plyodictis olivaris* (flathead Catfish) introduction into the Delaware and Susquehanna drainages. *Northeastern Naturalist* 12:473-484.

Bushnoe, T.M., J.A. Musick, D.S. Ha. 2005 (Draft). Essential spawning and nursery habitat of Atlantic sturgeon (*Acipenser oxyrinchus*) in Virginia. Provided by Jack Musick, Virginia Institute of Marine Science, Gloucester Point, Virigina.

Caron, F., D. Hatin, and R. Fortin. 2002. Biological characteristics of adult Atlantic sturgeon (*Acipenser oxyrinchus*) in the Saint Lawrence River estuary and the effectiveness of management rules. *Journal of Applied Ichthyology* 18:580-585.

Chytalo, K. 1996. Summary of Long Island Sound dredging windows strategy workshop. In Management of Atlantic Coastal Marine Fish Habitat: Proceedings of a Workshop for Habitat Managers. ASMFC Habitat Management Series #2.

Collins, M.R., T.I.J. Smith, W.C. Post, and O. Pashuk. 2000. Habitat utilization and biological characteristics of adult Atlantic sturgeon in two South Carolina rivers. *Transactions of the American Fisheries Society* 129:982–988.

Cooper, S.R. and G.S. Brush. 1993. A 2,500 year history of anoxia and eutrophication in Chesapeake Bay. *Estuaries* 16:617-626.

Damon-Randall, K., R. Bohl, S. Bolden, D. Fox, C. Hager, B. Hickson, E. Hilton, J. Mohler, E. Robbins, T. Savoy, and A. Spells. 2010. Atlantic sturgeon research techniques. NOAA Tech. Memo. NMFS-NE -215. 74pp.

Dwyer, F.J., D.K. Hardesty, C.G. Ingersoll, J.L. Kunz, and D.W. Whites. 2000. Assessing contaminant sensitivity of American shad, Atlantic sturgeon and shortnose sturgeon. Final Report to New York Department of Environmental Conservation, Albany, NY.

Erickson, D.L., A. Kahnle, M.J. Millard, E.A. Mora, M. Bryja, A. Higgs, J. Mohler, M. DuFour, G. Kenney, J. Sweka, and E.K. Pikitch. 2011. Use of pop-up satellite archival tags to identify oceanic-migratory patterns for adult Atlantic sturgeon, *Acipenser oxyrinchus oxyrinchus* Mitchell, 1815. *J. Appl. Ichthyology* 27:356–365.

Eyler, S. 2006. Atlantic sturgeon migratory movements and bycatch in commercial fisheries based on tagging data. Unpublished Report, prepared February 28, 2006. 32 pp.

Eyler, S. 2011. Cooperative Atlantic coast sturgeon tagging database. Powerpoint presentation at the National Marine Fisheries Service Sturgeon Workshop, Alexandria, VA, February 8-10, 2011.

Fernandes, S. 2008. Population demography, distribution and movement patterns of Atlantic and shortnose sturgeons in the Penobscot River Estuary, Maine. M.Sc. Thesis. University of Maine. 100 pp.

Gadomski, D.M. and M.J. Parsley. 2005. Laboratory studies on the vulnerability of young white sturgeon to predation. North American Journal of Fisheries Management 25:667-674.

Garman, G. and M. Balazik. Unpublished. In Richardson, B., C. Hager, E. Hilton, G. Garman, S. McIninch, A. Lazur, C. Palinkas, E. Markin, L. Curry Woods, R. Harrell, S. Minkinen, D. Secor, S. Giordano. 2009. Project Proposal for Section 6 funds: Chesapeake Bay Atlantic Sturgeon Conservation Program. 17pp.

Grunwald, C., L. Maceda, J. Waldman, J. Stabile, and I. Wirgin. 2008. Conservation of Atlantic sturgeon *Acipenser oxyrinchus oxyrinchus*: Delineation of stock structure and distinct population segments. Conservation Genetics 9(5):1111-1124.

Hager, C. 2006. Atlantic sturgeon bycatch in the Chesapeake Bay. Presentation at the Atlantic States Marine Fisheries Commission, Atlantic Sturgeon Technical Committee By-Catch Workshop, Norfolk, VA, February 1-3, 2006.

Hanski, 1996 – should be Hanski, 1994 (see below)

Hanski, I. 1994. A practical model of metapopulation dynamics. Journal of Animal Ecology 63: 151-162.

Hatin, D.R., S. Lachance, and D. Fournier. 2007. Effect of dredged sediment deposition on use by Atlantic sturgeon (*Acipenser oxyrinchus*) and Lake sturgeon (*Acipenser fulvescens*) at an open-water disposal site in the St. Lawrence Estuarine Transition Zone. American Fisheries Society Symposium 53:235-255.

Holton, J.W., Jr., and J.B. Walsh. 1995. Long-term dredged material management plan for the upper James River, Virginia. Virginia Beach, Waterway Surveys and Engineering, Ltd. 94 pp.

Horwitz, R.J., T.K. O'Donnell, P.F. Overbeck, A. Kindt, J. Perillo, J. Teeter, L. Butler, A. Faulds, and S. Currey. 2004. Introduced flathead catfish pilot study. Pennsylvania Coastal Zone Management Program Technical Report. Project Number 2002-PD.08. 29 pp.

IPCC. 2007. Climate Change 2007: Synthesis Report. Contribution of Working Groups I, II and III to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change [Core Writing Team, Pachauri, R.K and Reisinger, A.(eds.)]. IPCC, Geneva, Switzerland, 104 pp.

Jenkins, D. and J. Bowers-Altmann. 2007. Status determination process for New Jersey's marine fishes. Report to the National Fish and Wildlife Foundation. State of New Jersey, Department of Environmental Protection, Division of Fish and Wildlife.

- Judd, S. 1905. History of Hadley including the early history of Hatfield, South Hadley, Amherst and Granby, Massachusetts. H.R. Hunting and Company. Springfield, MA.
- Kahn, J. and M. Mohead. 2010. A Protocol for Use of Shortnose, Atlantic, Gulf, and Green sturgeons. U.S. Dep. Commerce, NOAA Tech. Memo. NMFS-OPR-45, 62pp.
- Kahnle, A.W., K.A. Hattala, and K.A. McKown. 2007. Status of Atlantic sturgeon of the Hudson River Estuary, New York, USA. American Fisheries Society Symposium 56:347-363.
- Kahnle, A.W., R.W. Laney, and B.J. Spear. 2005. Proceedings of the workshop on status and management of Atlantic sturgeon. Raleigh, NC, 3-4 November 2003. Special Report No. 84 of the Atlantic States Marine Fisheries Commission.
- Kemp, W.M., P.A. Sampou, J. Garber, J. Tuttle, and W.R. Boynton. 1992. Seasonal depletion of oxygen from bottom waters of Chesapeake Bay: Roles of benthic and planktonic respiration and physical exchange processes. Marine Ecology Progress Series 85:137-152.
- Kennebec River Resource Management Plan. 1993. Kennebec River resource management plan: Balancing hydropower generation and other uses. Final Report to the Maine State Planning Office, Augusta, ME. 196 pp.
- King, T. 2006. Supplemental genetics sampling data submitted to the Atlantic Sturgeon Status Review Team.
- King, T. 2011. Supplemental genetics sampling data submitted to the National Marine Fisheries Service.
- King, T.L., B.A. Lubinski, and A.P. Spidle. 2001. Microsatellite DNA variation in Atlantic sturgeon (*Acipenser oxyrinchus oxyrinchus*) and cross-species amplification in the Acipenseridae. Conservation Genetics 2:103-119.
- Kocan, R.M., M.B. Matta, and S. Salazar. 1993. A laboratory evaluation of Connecticut River coal tar toxicity to shortnose sturgeon (*Acipenser brevirostrum*) embryos and larvae. Final Report, December 20, 1993. 23 pp.
- Kocan, R.M., M.B. Matta, and S.M. Salazar. 1996. Toxicity of weathered coal tar for shortnose sturgeon (*Acipenser brevirostrum*) embryos and larvae. Archives of Environmental Contamination and Toxicology 31: 161-165.
- Levins, R. 1969. Some demographic and genetic consequence of environmental heterogeneity for biological control. Bulletin of the Entomological Society of America 15:237-240.
- Mackiernan, G.B. 1987. DO in the Chesapeake Bay: Processes and effects. Maryland Sea Grant, College Park, MD. 177 pp.

- McQuinn, I.H. and P. Nellis. 2007. An acoustic-trawl survey of middle St. Lawrence estuary demersal fisheries to investigate the effects of dredged sediment disposal on Atlantic and lake sturgeon distribution. Pp. 257-271. In J. Munro, D. Hatin, K. McKown, J. Hightower, K. Sulak, A. Kahnle, and F. Caron (eds.). Proceedings of the Symposium on anadromous sturgeon: Status and trend, anthropogenic impact and essential habitat. American Fisheries Society, Bethesda, Maryland.
- Mohler, J.W. 2004. Culture manual for the Atlantic sturgeon, *Acipenser oxyrinchus oxyrinchus*. U.S. Fish and Wildlife Service, Hadley, Massachusetts. 70 pp.
- Mohler, J.W., K. Fynn-Aikens, and R. Barrows. 1996. Feeding trials with juvenile Atlantic sturgeons propagated from wild broodstock. The Progressive Fish-Culturist 58:173-177.
- Moser M.L., J.B. Bichy, and S.B. Roberts. 1998. Sturgeon distribution in North Carolina. Center for Marine Science Research. Final Report to U.S. ACOE, Wilmington District, NC.
- Moser, M.L., M. Bain, M.R. Collins, N. Haley, B. Kynard, J.C. O'Herron II, G. Rogers, and T.S. Squiers. 2000. A protocol for use of shortnose and Atlantic sturgeon. NOAA Technical Memorandum NOAA Fisheries Service-OPR-18.
- Murawski, S.A. and A.L. Pacheco. 1977. Biological and fisheries data on Atlantic sturgeon, *Acipenser oxyrhynchus* (Mitchill). National Marine Fisheries Service Technical Series Report 10:1-69.
- Murphy, G. 2006. State of Delaware summary of Atlantic sturgeon by-catch. Summary report prepared for the Atlantic States Marine Fisheries Commission, Atlantic Sturgeon Technical Committee By-catch Workshop, Norfolk, VA, February 1-3, 2006.
- Musick, J.A., R.E. Jenkins, and N.B. Burkhead. 1994. Sturgeons, Family Acipenseridae. Pp. 183-190. In Freshwater Fishes of Virginia, Jenkins, R.E., and N.B. Burkhead (eds.). American Fisheries Society, Bethesda MD.
- Nellis, P., J. Munro, D. Hatin, G. Desrosiers, R.D. Simons, and F. Guilbardi. 2007. Macrobenthos assemblages in the St. Lawrence Estuarine Transition Zone and their potential as food for Atlantic sturgeon and Lake sturgeon. American Fisheries Society Symposium 56:105–128.
- Niklitschek, E.J. and D.H. Secor. 2005. Modeling spatial and temporal variation of suitable nursery habitats for Atlantic sturgeon in the Chesapeake Bay. Estuarine, Coastal and Shelf Science 64:135-148.
- NYSDEC (New York State Department of Environmental Conservation). 2005. New York State's Atlantic sturgeon Annual Report for 2004, compliance report for amendment 1 to the

interstate fishery management plan for Atlantic sturgeon, to the Atlantic States Marine Fisheries Commission, Washington, D.C.

Oakley, N.C. 2003. Status of shortnose sturgeon, *Acipenser brevirostrum*, in the Neuse River, North Carolina. M.Sc. Thesis. North Carolina State University. 100 pp.

Officer, C.B., B.B. Biggs, J.L. Taft, L.E. Cronin, M.A. Tyler and W.R. Boynton. 1984. Chesapeake Bay anoxia: Origin, development, and significance. *Science* 223:22-27.

Ong, T.L., J. Stabile, I.I. Wirgin, and J.R. Waldman. 1996. Genetic divergence between *Acipenser oxyrinchus oxyrinchus* and *A. o. desotoi* as assessed by mitochondrial DNA sequencing analysis. *Copeia* (2):464-469.

Patrick, W.S. and K. Damon-Randall. 2008. Using a five-factored structured decision analysis to evaluate the extinction risk of Atlantic sturgeon (*Acipenser oxyrinchus oxyrinchus*). *Biol. Cons.* 141:2906-2911.

Pyzik, L., J. Caddick, and P. Marx. 2004. Chesapeake Bay: Introduction to an ecosystem. EPA 903-R-04-003, CBP/TRS 232/00. 35 pp.

Rogers, S.G., and W. Weber. 1995. Status and restoration of Atlantic and shortnose sturgeons in Georgia. Final report to NMFS for grant NA46FA102-01.

Schueller, P. and D.L. Peterson. 2006. Population status and spawning movements of Atlantic sturgeon in the Altamaha River, Georgia. Presentation to the 14th American Fisheries Society Southern Division Meeting, San Antonio, February 8-12, 2006.

Scott, W.B. and E.J. Crossman. 1973. Freshwater fishes of Canada. Fisheries Research Board of Canada. Bulletin 184. pp. 80-82.

Secor, D.H. 2002. Atlantic sturgeon fisheries and stock abundances during the late nineteenth century. *American Fisheries Society Symposium* 28:89-98.

Sloan, R.J., M.W. Kane, and L.C. Skinner. 2005. Of time, PCBs, and the fish of the Hudson River. New York State Department of Environmental Conservation. Albany, New York. 287 pp.

Smith, T.I.J. 1985. The fishery, biology, and management of Atlantic sturgeon, *Acipenser oxyrhynchus*, in North America. *Environmental Biology of Fishes* 14(1):61-72.

Smith, T.I.J., D.E. Marchette and R.A. Smiley. 1982. Life history, ecology, culture and management of Atlantic sturgeon, *Acipenser oxyrhynchus oxyrhynchus*, Mitchell, in South Carolina. South Carolina Wildlife Marine Resources. Resources Department, Final Report to U.S. Fish and Wildlife Service Project AFS-9. 75 pp.

- Smith, T.I.J. and J.P. Clugston. 1997. Status and management of Atlantic sturgeon, *Acipenser oxyrinchus*, in North America. Environmental Biology of Fishes 48:335-346.
- Spells, A.J. 1998. Atlantic sturgeon population evaluation utilizing a fishery dependent reward program in Virginia's major western shore tributaries to the Chesapeake Bay. Atlantic Coastal Fisheries Cooperative Management Act Report for the National Marine Fisheries Service. 6 pp.
- Stein, A.B., K.D. Friedland, and M. Sutherland. 2004. Atlantic sturgeon marine by-catch and mortality on the continental shelf of the Northeast United States. North American Journal of Fisheries Management 24:171-183.
- Stein, A.B., K.D. Friedland, and M. Sutherland. 2004a. Atlantic sturgeon marine distribution and habitat use along the Northeastern coast of the United States. Transactions of the American Fisheries Society 133:527–537.
- Stevenson, J.T., and D.H. Secor. 1999. Age determination and growth of Hudson River Atlantic sturgeon, *Acipenser oxyrinchus*. Fishery Bulletin 97:153-166.
- Sweka, J.A., J. Mohler, and M.J. Millard. 2006. Relative abundance sampling of juvenile Atlantic sturgeon in the Hudson River. Final Study Report for NY State Department of Environmental Conservation, Hudson River Fisheries Unit. 45 pp.
- Sweka, J.A., J. Mohler, M.J. Millard, T. Kehler, A. Kahnle, K. Hattala, G. Kenney, and A. Higgs. 2007. Juvenile Atlantic sturgeon habitat use in Newburgh and Haverstraw Bays of the Hudson River: Implications for Population Monitoring. North American Journal of Fisheries Management 27:1058–1067.
- Taub, S.H. 1990. Interstate fishery management plan for Atlantic sturgeon. Fisheries Management Report No. 17. Atlantic States Marine Fisheries Commission, Washington, D.C. 73 pp.
- Taunton River Journal. 2006. Historical review of Taunton River water quality issues related to American shad. <http://www.glooskapandthefrog.org/A%20Shad.htm>
- Thomas, C.D. 1994. Extinction, colonization, and metapopulations: Environmental tracking by rare species. Conservation Biology 8:373-378.
- TNC (The Nature Conservancy). 2002. Chesapeake Bay Lowlands Ecoregional Plan. 180 pp.
- TNC, 2008. The Northern Appalachian/Acadian Ecoregion: Conservation assessment status and trends: 2006. M. G. Anderson, B. Vickery, M. Gorman, L. Gratton, M. Morrison, J. Maillet, A. Olivero, C. Ferree, D. Morse, G. Kehm, and K. Rosalska (collaborators). The Nature Conservancy: Eastern Regional Science in collaboration with The Nature Conservancy of Canada: Atlantic and Quebec regions. 298 pp.

US EPA (United States Environmental Protection Agency). 2008. National Coastal Condition Report III. EPA/842-R-08-002. 329 pp.

US EPA. 2010. Chesapeake Bay Total Maximum Daily Load for Nitrogen, Phosphorus and Sediment. December 29, 2010. 93 pp.

VA MRC (Virginia Marine Resources Commission). 2009. Summary of gill net laws and regulations for Virginia tidal waters.

Van Eenennaam, J.P., S.I. Doroshov, G.P. Moberg, J.G. Watson, D.S. Moore and J. Linares. 1996. Reproductive conditions of the Atlantic sturgeon (*Acipenser oxyrinchus*) in the Hudson River. *Estuaries* 19:769-777.

Vladykov, V.D. and J.R. Greeley. 1963. Order Acipenseroidei. Pp. 24-60. *In* Fishes of Western North Atlantic. Memoir Sears Foundation for Marine Research, Number 1. 630 pp.

Waldman, J.R., C. Grunwald, J. Stabile, and I. Wirgin. 2002. Impacts of life history and biogeography on the genetic stock structure of Atlantic sturgeon *Acipenser oxyrinchus oxyrinchus*, Gulf sturgeon *A. oxyrinchus desotoi*, and shortnose sturgeon *A. brevirostrum*. *Journal of Applied Ichthyology* 18:509-518.

Waldman, J.R., and I.I. Wirgin. 1998. Status and restoration options for Atlantic sturgeon in North America. *Conservation Biology* 12:631-638.

Waldman, J.R., J.T. Hart, and I.I. Wirgin. 1996a. Stock composition of the New York Bight Atlantic sturgeon fishery based on analysis of mitochondrial DNA. *Transactions of the American Fisheries Society* 125:364-371.

Waldman, J.R., K. Nolan, J. Hart, and I.I. Wirgin. 1996b. Genetic differentiation of three key anadromous fish populations of the Hudson River. *Estuaries* 19:759-768.

Weber, W. and C.A. Jennings. 1996. Endangered species management plan for the shortnose sturgeon, *Acipenser brevirostrum*. Final Report to Port Stewart Military Reservation, Fort Stewart, GA.

Winger, P.V., P.J. Lasier, D.H. White, J.T. Seginak. 2000. Effects of contaminants in dredge material from the lower Savannah River. *Archives of Environmental Contamination and Toxicology* 38:128-136.

Wirgin, I., C. Grunwald, E. Carlson, J. Stabile, D.L. Peterson, J. Waldman. 2005. Range-wide population structure of shortnose sturgeon, *Acipenser brevirostrum*, based on sequence analysis of the mitochondrial DNA control region. *Estuaries* 28(3):406-421.

Wirgin, I., C. Grunwald, J. Stabile, and J. Waldman. 2007. Genetic evidence for relict Atlantic sturgeon stocks along the Mid-Atlantic coast of the USA. North American Journal of Fisheries Management 27(4):1214-1229.

Wirgin, I., J. Waldman, J. Stabile, B. Lubinski, and T. King. 2002. Comparison of mitochondrial DNA control region sequence and microsatellite DNA analyses in estimating population structure and gene flow rates in Atlantic sturgeon, *Acipenser oxyrinchus*. Journal of Applied Ichthyology 18:313-319.

Wirgin, I., J.R. Waldman, J. Rosko, R. Gross, M.R. Collins, S.G. Rogers, and J. Stabile. 2000. Genetic structure of Atlantic sturgeon populations based on mitochondrial DNA control region sequences. Transactions of the American Fisheries Society 129:476-486.

Wirgin, I., L. Maceda, J.R. Waldman, S. Wehrell, M. Dadswell, and T. King. Draft. Stock origin of migratory Atlantic sturgeon in the Minas Basin, Inner Bay of Fundy, Canada, determined by microsatellite and mitochondrial DNA analyses.

Wirgin, I. and T. King. 2006. Supplemental genetics sampling data submitted to the Atlantic Sturgeon Status Review Team.

Wirgin, I., and T. King. 2011. Mixed stock analysis of Atlantic sturgeon from coastal locales and a non-spawning river. National Marine Fisheries Service Sturgeon Workshop, Alexandria, VA, February 8-10, 2011.

Young *et al.*, 1998 – should be Young *et al.*, 1988 (see below)

Young, J.R., T.B. Hoff, W.P. Dey, and J.G. Hoff. 1988. Management recommendations for a Hudson River Atlantic sturgeon fishery based on an age-structured population model. Pp. 353-365. In C.L. Smith, (editor) Fisheries Research in the Hudson River. State University of New York Press. Albany.

