

Table I-10

AGE DISTRIBUTION (%) OF INCIDENCE CASES BY SITE, 2000-2003

All Races, Both Sexes

Site	Age								All Ages	Cases
	<20	20-34	35-44	45-54	55-64	65-74	75-84	85+		
All Sites	1.1	2.7	6.0	13.5	20.8	26.0	22.6	7.3	100.0%	1,327,804
Oral Cavity & Pharynx:	0.5	2.4	7.3	20.5	24.3	22.2	17.0	5.7	100.0%	29,790
Lip	0.1	1.8	8.2	12.2	17.9	23.2	25.4	11.2	100.0%	2,494
Tongue	0.1	2.2	7.2	23.2	25.9	21.8	15.3	4.4	100.0%	7,715
Salivary gland	1.8	6.9	9.0	15.1	17.9	20.1	20.3	8.9	100.0%	3,351
Floor of mouth	0.1	0.4	4.1	20.9	29.4	25.5	14.8	4.7	100.0%	2,014
Gum & other oral cavity	0.6	2.0	5.8	14.6	21.3	23.0	23.5	9.2	100.0%	4,449
Nasopharynx	2.8	6.8	14.3	23.8	22.7	18.1	9.0	2.4	100.0%	1,939
Tonsil	0.0	0.9	8.8	32.2	29.8	18.1	8.8	1.4	100.0%	4,126
Oropharynx	0.1	0.5	3.4	20.2	30.9	24.9	15.0	5.1	100.0%	881
Hypopharynx	0.0	0.1	3.3	17.0	25.2	30.7	19.8	3.9	100.0%	2,091
Other oral cavity & pharynx	0.5	0.5	3.4	16.7	26.2	27.3	18.8	6.6	100.0%	730
Digestive System:	0.2	1.0	3.7	11.6	18.2	26.2	27.8	11.4	100.0%	251,329
Esophagus	0.0	0.5	2.6	12.5	22.9	29.5	24.2	7.9	100.0%	12,687
Stomach	0.1	1.6	4.6	10.8	17.1	25.6	28.2	12.0	100.0%	22,626
Small intestine	0.2	1.8	6.5	14.8	21.5	25.5	22.6	7.1	100.0%	4,945
Colon & Rectum:	0.0	0.9	3.5	10.9	17.6	25.9	28.8	12.3	100.0%	146,401
Colon	0.0	0.8	3.0	9.4	16.1	26.1	30.9	13.7	100.0%	105,607
Rectum	0.0	1.2	5.0	14.8	21.3	25.6	23.5	8.6	100.0%	40,794
Colon & Rectum (Male)	0.0	1.0	3.7	11.8	20.0	28.2	26.7	8.6	100.0%	74,111
Colon & Rectum (Female)	0.0	0.9	3.4	9.9	15.0	23.7	30.9	16.1	100.0%	72,290
Anus, anal canal & anorectum	0.0	1.7	12.0	22.3	20.8	20.5	16.3	6.4	100.0%	4,175
Liver & Intrahep:	1.2	1.1	4.0	19.3	21.5	25.5	20.9	6.5	100.0%	17,051
Liver	1.3	1.1	4.2	20.4	22.0	25.4	20.0	5.7	100.0%	15,340
Intrahep bile duct	0.0	1.1	3.0	10.2	16.7	26.4	28.8	13.9	100.0%	1,711
Gallbladder	0.0	0.5	2.8	8.4	16.5	26.3	32.6	12.9	100.0%	3,290
Other biliary	0.1	0.7	2.8	8.6	16.1	26.1	30.9	14.8	100.0%	4,623
Pancreas	0.1	0.4	2.5	9.6	17.7	27.7	29.8	12.2	100.0%	31,318
Retroperitoneum	8.9	5.6	8.2	15.9	17.5	21.6	18.0	4.5	100.0%	1,186
Peritoneum, omentum & mesentery	0.5	0.9	4.9	10.9	23.3	31.5	23.8	4.3	100.0%	1,688
Other digestive system	0.1	1.5	2.7	10.8	15.5	25.4	28.1	15.9	100.0%	1,339
Respiratory System:	0.1	0.4	2.3	9.3	21.5	32.3	27.5	6.7	100.0%	192,800
Nose, nasal cavity & middle ear	2.9	3.8	8.1	17.0	19.8	20.8	21.2	6.5	100.0%	1,875
Larynx	0.0	0.5	4.0	15.9	28.5	29.7	17.6	3.9	100.0%	10,607
Lung & bronchus	0.0	0.3	2.1	8.8	21.1	32.6	28.2	6.9	100.0%	179,660
Lung & bronchus (Male)	0.0	0.2	1.9	8.9	21.7	33.4	27.7	6.2	100.0%	98,380
Lung & bronchus (Female)	0.0	0.3	2.3	8.8	20.3	31.8	28.7	7.8	100.0%	81,280
Pleura	3.9	5.9	4.9	8.8	20.6	26.5	18.6	10.8	100.0%	102
Trachea & other respiratory organs	17.8	18.5	10.4	11.3	11.7	12.4	13.5	4.3	100.0%	556
Bones & joints	28.4	16.4	11.9	13.2	10.0	8.9	7.7	3.5	100.0%	2,691
Soft tissue (incl heart)	10.7	10.7	11.8	14.9	14.9	15.4	15.8	5.8	100.0%	8,755
Skin (ex basal & squam):	1.0	8.3	13.3	18.4	18.0	18.4	16.7	5.9	100.0%	57,447
Melanoma of the skin	0.9	8.5	13.8	19.1	18.5	18.2	15.8	5.3	100.0%	52,445
Other non-epithelial skin	1.5	6.9	8.1	11.9	13.5	20.1	25.7	12.3	100.0%	5,002
Breast (Female)	0.0	1.9	10.6	22.1	22.8	20.4	16.8	5.4	100.0%	199,479
Breast (Female <i>-in situ</i>)	0.0	0.8	11.5	27.6	25.0	20.3	12.5	2.2	100.0%	44,913

Source: SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey).

Table I-10 - continued

AGE DISTRIBUTION (%) OF INCIDENCE CASES BY SITE, 2000-2003

All Races, Both Sexes

Site	<20	20-34	35-44	45-54	55-64	65-74	75-84	85+	All Ages	Cases
Female Genital System:	0.4	4.6	10.6	19.1	22.7	20.2	16.6	5.7	100.0%	76,273
Cervix uteri	0.1	15.4	26.4	23.3	14.9	10.4	6.9	2.6	100.0%	13,435
Corpus uteri	0.0	1.4	6.5	18.5	27.5	23.7	17.4	4.9	100.0%	35,045
Uterus, NOS	0.4	2.6	6.2	15.9	19.4	18.1	20.9	16.5	100.0%	908
Ovary ^a	1.2	3.5	8.1	18.6	21.4	20.8	19.4	7.0	100.0%	21,223
Vagina	1.5	1.1	5.9	15.3	18.6	21.2	23.0	13.5	100.0%	1,124
Vulva	0.2	2.7	9.0	15.0	15.6	18.7	25.2	13.7	100.0%	3,470
Other female genital system	1.7	10.5	8.7	17.4	20.7	19.9	16.6	4.5	100.0%	1,068
Male Genital System:	0.2	1.7	1.7	8.5	25.9	35.6	21.8	4.6	100.0%	216,884
Prostate	0.0	0.0	0.5	8.3	26.9	37.0	22.6	4.7	100.0%	207,370
Testis	5.4	45.8	30.9	13.1	2.9	1.1	0.6	0.2	100.0%	8,136
Penis	0.0	2.0	7.2	12.3	19.7	25.7	23.7	9.4	100.0%	1,051
Other male genital system	4.3	2.4	4.3	12.5	16.5	25.7	25.4	8.9	100.0%	327
Urinary System:	0.6	0.9	3.7	11.0	19.4	27.4	27.6	9.3	100.0%	96,064
Urinary bladder	0.1	0.6	2.2	7.9	17.2	28.7	31.9	11.6	100.0%	58,103
Kidney & renal pelvis	1.5	1.5	6.4	16.4	23.3	25.3	20.3	5.3	100.0%	35,652
Ureter	0.0	0.1	0.7	4.8	14.7	31.3	37.6	10.8	100.0%	1,519
Other urinary system	0.3	0.9	3.4	9.6	16.8	24.4	30.4	14.2	100.0%	790
Eye & Orbit	14.0	3.4	7.0	14.5	18.1	19.5	17.6	5.8	100.0%	2,296
Brain & Nervous System:	13.8	9.5	10.8	15.1	16.1	16.7	14.1	3.8	100.0%	18,542
Brain	13.3	9.3	10.6	15.0	16.3	17.1	14.4	3.9	100.0%	17,329
Cranial nerves & other nervous system	21.2	11.4	12.8	16.8	13.3	12.0	9.8	2.8	100.0%	1,213
Endocrine System:	3.8	17.5	22.4	22.3	15.2	11.1	6.3	1.4	100.0%	26,171
Thyroid	2.1	18.2	23.3	22.9	15.2	10.7	6.1	1.3	100.0%	24,215
Other endocrine & thymus	24.1	8.7	10.6	14.7	15.5	15.1	8.8	2.4	100.0%	1,956
Lymphoma:	3.1	8.0	9.1	13.8	16.7	20.9	21.0	7.3	100.0%	62,126
Hodgkin lymphoma	12.3	32.9	18.2	12.1	8.6	8.5	5.8	1.6	100.0%	7,997
Non-Hodgkin lymphoma	1.8	4.3	7.8	14.1	17.9	22.7	23.3	8.1	100.0%	54,129
Myeloma	0.0	0.6	3.4	11.5	19.5	27.5	28.1	9.3	100.0%	15,356
Leukemia:	10.9	4.8	5.8	9.9	14.5	20.4	23.8	10.0	100.0%	34,625
Lymphocytic:	17.4	3.3	3.9	9.0	15.2	20.0	21.9	9.3	100.0%	16,326
Acute lymphocytic	61.1	10.1	6.3	6.2	5.5	5.3	3.8	1.8	100.0%	4,636
Chronic lymphocytic	0.0	0.3	2.1	8.9	19.1	26.7	30.2	12.7	100.0%	10,483
Other lymphocytic	0.7	3.1	11.0	20.6	18.8	18.2	19.6	8.0	100.0%	1,207
Myeloid & Monocytic:	5.1	6.6	7.9	11.3	14.3	21.0	24.7	9.1	100.0%	16,069
Acute myeloid	5.9	6.4	7.1	10.7	14.6	21.8	24.7	8.9	100.0%	10,464
Chronic myeloid	2.7	7.4	10.0	12.7	13.8	19.3	24.4	9.7	100.0%	4,299
Acute monocytic	9.5	6.7	8.4	13.4	14.6	19.4	20.5	7.5	100.0%	830
Other myeloid & monocytic	2.9	4.4	4.8	8.4	12.8	21.8	33.2	11.6	100.0%	476
Other:	4.6	3.5	3.9	5.9	9.9	18.9	30.8	22.5	100.0%	2,230
Other acute	6.6	4.7	3.4	6.2	8.3	19.9	29.9	21.0	100.0%	1,030
Aleukemic, subleuk & NOS	2.8	2.5	4.4	5.6	11.3	18.1	31.6	23.8	100.0%	1,200
Kaposi Sarcoma	0.1	19.8	36.7	16.7	6.0	6.5	8.4	5.8	100.0%	2,029
Mesothelioma	0.1	0.7	2.0	7.1	15.7	28.3	37.5	8.7	100.0%	3,026
Ill-defined & unspecified	0.5	1.0	3.1	10.1	16.1	23.6	29.8	15.9	100.0%	30,580

Source: SEER 17 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana and New Jersey).

^a Ovary excludes borderline cases or histologies 8442, 8451, 8462, 8472, and 8473.

Table I-12

AGE DISTRIBUTION (%) OF DEATHS BY SITE, 2000-2003

All Races, Both Sexes

Site	Age								All Ages	Cases
	<20	20-34	35-44	45-54	55-64	65-74	75-84	85+		
All Sites	0.4	0.9	2.9	8.9	16.6	26.3	30.0	14.1	100.0%	2,220,994
Oral Cavity & Pharynx:	0.2	0.9	3.6	14.3	22.9	24.9	22.2	11.0	100.0%	30,707
Lip	0.3	1.0	4.5	7.2	13.8	17.9	31.0	24.1	100.0%	290
Tongue	0.1	1.5	4.4	15.4	23.7	23.8	21.6	9.5	100.0%	7,347
Salivary gland	0.1	0.9	3.6	9.9	16.4	22.0	28.3	18.7	100.0%	2,766
Floor of mouth	0.0	0.0	3.3	15.9	25.7	28.4	18.8	7.9	100.0%	584
Gum & other oral cavity	0.6	0.6	2.2	10.3	17.5	23.6	26.1	19.2	100.0%	4,720
Nasopharynx	1.2	3.6	8.2	19.0	23.3	21.3	16.9	6.4	100.0%	2,497
Tonsil	0.0	0.4	4.6	21.6	27.8	24.9	16.2	4.5	100.0%	2,376
Oropharynx	0.0	0.2	2.4	16.3	26.2	26.4	20.3	8.3	100.0%	2,371
Hypopharynx	0.0	0.2	2.3	13.1	28.1	31.1	19.4	5.8	100.0%	1,348
Other oral cavity & pharynx	0.0	0.2	2.3	12.9	24.4	27.9	23.0	9.3	100.0%	6,408
Digestive System:	0.1	0.5	2.5	9.0	16.0	25.3	30.3	16.3	100.0%	529,051
Esophagus	0.0	0.3	2.4	11.0	21.6	29.3	26.3	9.0	100.0%	50,321
Stomach	0.0	1.2	3.8	9.2	14.8	23.7	30.1	17.2	100.0%	49,272
Small intestine	0.0	0.9	4.1	10.9	17.9	24.5	29.0	12.7	100.0%	4,226
Colon & Rectum:	0.0	0.6	2.4	7.7	14.3	23.9	31.1	20.0	100.0%	226,628
Colon & Rectum (Male)	0.0	0.6	2.6	8.7	16.8	27.1	30.3	13.8	100.0%	113,174
Colon & Rectum (Female)	0.0	0.5	2.1	6.8	11.8	20.7	31.9	26.2	100.0%	113,454
Anus, anal canal & anorectum	0.0	1.1	8.2	18.0	20.1	20.2	21.3	11.1	100.0%	2,097
Liver & Intrahep:	0.4	0.8	3.0	14.1	18.0	25.6	27.1	11.0	100.0%	55,020
Liver	0.5	0.8	3.1	15.5	18.4	25.7	26.1	10.1	100.0%	43,152
Intrahep bile duct	0.0	0.7	2.7	9.1	16.9	25.4	30.5	14.6	100.0%	11,868
Gallbladder	0.0	0.2	1.8	7.7	14.6	25.9	33.2	16.5	100.0%	7,742
Other biliary	0.0	0.3	1.5	5.8	11.4	23.1	35.3	22.6	100.0%	6,339
Pancreas	0.0	0.2	1.9	8.1	16.6	27.1	31.7	14.4	100.0%	120,173
Retroperitoneum	0.7	1.8	4.8	9.3	18.2	24.8	30.3	10.2	100.0%	892
Peritoneum, omentum & mesentery	0.2	0.7	2.7	7.3	20.5	32.0	29.2	7.4	100.0%	2,583
Other digestive system	0.1	0.7	1.9	5.8	12.7	22.5	32.1	24.3	100.0%	3,758
Respiratory System:	0.0	0.1	1.7	7.8	19.4	32.3	30.0	8.6	100.0%	646,226
Nose, nasal cavity & middle ear	0.4	1.3	6.6	13.2	18.3	22.0	25.1	13.0	100.0%	1,805
Larynx	0.0	0.1	2.0	11.1	24.0	30.4	24.8	7.5	100.0%	15,171
Lung & bronchus	0.0	0.1	1.7	7.7	19.3	32.4	30.2	8.6	100.0%	627,015
Lung & bronchus (Male)	0.0	0.1	1.6	8.0	20.1	33.4	29.4	7.4	100.0%	360,800
Lung & bronchus (Female)	0.0	0.1	1.9	7.4	18.2	31.0	31.2	10.2	100.0%	266,215
Pleura	0.1	0.1	1.0	4.5	14.8	28.8	38.3	12.4	100.0%	1,145
Trachea & other respiratory organs	1.5	5.7	6.1	12.0	15.8	24.3	25.1	9.5	100.0%	1,090
Bones & joints	14.8	14.1	7.3	8.9	11.2	13.7	18.6	11.3	100.0%	4,966
Soft tissue (incl heart)	4.1	6.8	7.9	13.5	16.7	19.8	21.6	9.7	100.0%	14,556
Skin (ex basal & squam):	0.1	2.4	6.6	13.8	17.4	21.5	24.1	14.0	100.0%	39,993
Melanoma of the skin	0.1	2.9	8.0	15.6	18.3	21.6	22.9	10.7	100.0%	30,293
Other non-epithelial skin	0.1	0.7	2.2	8.3	14.8	21.3	28.1	24.5	100.0%	9,700
Breast (Female)	0.0	1.1	6.6	15.4	18.6	20.5	23.1	14.7	100.0%	166,399

Source: NCHS public use data file for the total US.

Table I-12 - continued

AGE DISTRIBUTION (%) OF DEATHS BY SITE, 2000-2003

All Races, Both Sexes

Site	Age								All Ages	Cases
	<20	20-34	35-44	45-54	55-64	65-74	75-84	85+		
Female Genital System:	0.0	1.4	5.0	12.0	17.8	23.7	26.9	13.2	100.0%	107,351
Cervix uteri	0.0	5.6	16.7	22.6	18.5	15.3	14.0	7.3	100.0%	16,163
Corpus uteri	0.0	0.3	1.7	6.9	17.8	29.2	29.5	14.7	100.0%	12,772
Uterus, NOS	0.0	0.5	2.6	9.0	17.1	24.6	29.0	17.2	100.0%	14,348
Ovary	0.1	0.8	3.2	11.3	18.5	25.0	28.9	12.2	100.0%	57,813
Vagina	0.0	0.6	3.9	9.6	12.3	20.4	27.2	26.0	100.0%	1,556
Vulva	0.0	0.6	2.5	5.8	8.8	17.4	34.7	30.2	100.0%	3,086
Other female genital system	0.0	2.0	3.7	10.2	17.5	24.7	28.3	13.6	100.0%	1,613
Male Genital System:	0.0	0.4	0.4	1.6	6.6	20.9	41.4	28.6	100.0%	124,235
Prostate	0.0	0.0	0.1	1.3	6.5	21.1	41.9	29.1	100.0%	121,797
Testis	2.6	32.8	27.3	17.2	7.2	5.9	4.7	2.3	100.0%	1,410
Penis	0.0	1.0	5.8	12.1	19.4	24.4	24.9	12.4	100.0%	881
Other male genital system	0.0	2.7	4.8	8.8	11.6	16.3	41.5	14.3	100.0%	147
Urinary System:	0.2	0.3	1.8	7.1	14.8	24.6	32.6	18.5	100.0%	100,119
Urinary bladder	0.0	0.1	0.9	3.9	10.5	22.9	37.1	24.5	100.0%	49,337
Kidney & renal pelvis	0.5	0.5	2.7	10.5	19.4	26.3	27.8	12.3	100.0%	48,265
Ureter	0.0	0.2	0.5	4.4	10.3	28.7	35.9	20.1	100.0%	1,216
Other urinary system	0.0	0.2	1.6	6.6	10.7	22.1	37.7	21.2	100.0%	1,301
Eye & Orbit	5.1	1.6	4.2	11.4	18.8	20.3	25.2	13.5	100.0%	933
Brain & Nervous System:	4.3	4.1	8.3	15.5	19.7	22.8	19.6	5.7	100.0%	50,995
Endocrine System:	8.3	2.6	4.9	10.7	15.9	21.7	24.5	11.4	100.0%	8,895
Thyroid	0.1	0.8	3.0	8.8	16.7	24.0	30.9	15.6	100.0%	5,361
Other endocrine & thymus	20.7	5.4	7.8	13.6	14.6	18.2	14.8	4.9	100.0%	3,534
Lymphoma:	0.6	2.5	3.7	7.8	13.9	23.5	32.5	15.6	100.0%	93,728
Hodgkin lymphoma	2.1	15.9	11.8	12.7	12.6	16.8	19.9	8.3	100.0%	5,309
Non-Hodgkin lymphoma	0.5	1.7	3.2	7.5	13.9	23.9	33.3	16.0	100.0%	88,419
Myeloma	0.0	0.1	1.3	6.3	14.7	28.2	35.0	14.4	100.0%	43,075
Leukemia:	3.3	3.3	3.7	6.7	11.9	22.6	31.6	17.0	100.0%	86,118
Lymphocytic:	5.3	3.6	2.7	5.1	10.0	20.2	30.9	22.1	100.0%	24,848
Acute lymphocytic	22.8	15.5	9.7	11.1	11.4	12.5	11.4	5.7	100.0%	5,689
Chronic lymphocytic	0.0	0.1	0.5	3.1	9.6	22.8	36.7	27.3	100.0%	17,628
Other lymphocytic	1.1	0.6	1.8	5.4	10.3	19.9	36.9	24.1	100.0%	1,531
Myeloid & Monocytic:	2.4	3.5	4.8	8.4	14.0	24.8	30.5	11.7	100.0%	40,222
Acute myeloid	2.8	3.5	4.6	8.3	14.2	25.6	30.4	10.6	100.0%	31,202
Chronic myeloid	1.1	4.6	7.0	11.1	14.5	20.6	27.0	14.1	100.0%	6,051
Acute monocytic	2.8	2.3	4.5	4.9	13.0	21.0	32.7	18.9	100.0%	471
Other myeloid & monocytic	1.2	0.9	1.4	3.8	9.6	25.3	39.3	18.6	100.0%	2,498
Other:	2.5	2.5	2.7	5.3	10.0	21.5	34.5	21.0	100.0%	21,048
Other acute	1.5	2.6	3.0	5.7	10.7	23.3	35.6	17.6	100.0%	9,527
Aleukemic, subleuk & NOS	3.4	2.3	2.4	5.1	9.5	19.9	33.6	23.8	100.0%	11,521
Ill-defined & unspecified	0.3	0.7	2.6	8.3	15.4	24.7	31.1	16.9	100.0%	172,056

Source: NCHS public use data file for the total US.