

-excerpted from Table I

Result Name	Result Interface Code	Minimum of Reference Range	Maximum of Reference Range	Unit of Measure
SGOT	AST	8	35	U/L
CPK MB	CKMB	0	3	ng/mL
Potassium	K	3.5	5.1	mEq/L or mmol/L
Sodium	Na	135	145	mEq/L or mmol/L
Troponin I	TnT		<0.10	ng/ml
pH	pH	7.35	7.45	
PO2.sat	PO2	80	90	mmHg
pCO2	pCO2	35	45	mmHg
Prothrombin time- International Normalized Ratio	PT	11	13	seconds
Albumin	ALB	35	50	g/L
Base Excess		-3	3	
Total bilirubin fractions	Tbil	2	14	umol/L
Calcium (total)	Ca	8.6	10.1	mg/dl or mmol/L
Calcium (ionized)	Ical	1.15	1.29	mEq/L
Creatinine	CREAT	0.7	1.3	mg/dL
Glucose	GLUC	70	105	mg/dL
Alkaline phosphatase	ALP	40	130	U/L
Blood urea nitrogen	BUN	7	18	mg/dL
Hematocrit (Indices - MCV MCH) HCT	HCT			
Hematocrit (male)	HCT	38	52	%
Hematocrit (female)	HCT	35	47	%
Mean cell Hemoglobin	MCH	26	34	pg
Mean Cell volume	MCV	80	98	fL
Platelets	Plt	150	400	x10 ⁹ /L or K/mm ³
White blood cell count	WBC	4	11	x10 ⁹ /L or K/mm ³
Chloride	Cl	95	108	mEq/L or mmol/L
Bicarbonate	HCO3	22	26	mEq/L
Gamma glutamyl transferase	GGT		50	U/L
SGPT	ALT	8	40	U/L
Phosphorous	PO4	1.9	4.7	mg/dL
Total Hemoglobin (male)	HGB	14	18	g/dL
Total Hemoglobin (female)	HGB	12	16	g/dL
Partial thromboplastin time	PTT	29	41	seconds
Blood/Lymph Culture-Positive				