

Department of Treasury Financial Management Service

Secure Payment System (SPS) Schedule Upload 440 File Format For Government-wide Accounting (GWA) Reporter Only

Version 1.0 February 25, 2011

Table of Contents

I	GENERAL SPECIFICATIONS	4
A B C D E	CHANGES FOR GWA REPORTER ALCS SCHEDULE TYPES/PAYMENT TYPES. DATA ELEMENT FIELD VALUES.	5 8 11
II	CHECK PAYMENT SCHEDULE FILE FORMAT	12
A B C D E F G O	RECORD "04" - CHECK PAYMENT RECORD (REQUIRED)	13 15 17 18
Ш	ACH PAYMENT SCHEDULE FILE FORMAT	38
A B C D E	RECORD "04" - ACH PAYMENT RECORD (REQUIRED)	40 42 59
IV	SAME DAY PAYMENT (SDP) SCHEDULE FILE FORMAT	62
A B C D E	RECORD "04" - SDP SCHEDULE HEADER RECORD (REQUIRED)	63 65 68
٧	SUMMARY TOTALS SCHEDULE FILE FORMAT	86
A B C D	RECORD "04" - SUMMARY TOTALS RECORD (REQUIRED)	88 90 91

2 of 107

VI	ACRONYMS	103
VII	STATE CODES	104
APP	PENDIX 1	107
А. В.	FORMAT REQUIREMENTS	107
	URE 1 - SCHEDULE TYPES/PAYMENT TYPES/SEC/AMOUNT RESTRICTIONS CHART URE 2 - VALID CHARACTERS FOR DATA FIELDS	10 11

General Specifications

A. Introduction

This document represents the data specification for uploading schedules for GWA Reporter Agency Location Codes (ALCs) only. This specification is not to be used for non-GWA Reporter ALC schedules. There is a separate specification for Non-GWA Reporters. See the SPS Website at www.fms.treas.gov/sps.

GWA Reporter ALCs for Payments shall provide Common Government-wide Accounting Classification Structure (CGAC) formatted Treasury Account Symbol/Business Event Type Code(s) (TAS/BETCs) on ACH, Check, Manual Check, Same Day Payment and Summary schedules in order to classify transactions when they are initiated and thereby streamline central accounting reporting. TAS/BETCs shall include the Debit/Credit Type indicator. The Shared Accounting Module (SAM) shall provide a list of Payment TAS/BETCs as GWA Reference Data on the SAM Public Website (https://www.sam.fms.treas.gov/sampublic/).

For GWA Reporter ALCs that enter Summary Schedules certifications in SPS, the corresponding bulk payment file shall use the Payment Application Modernization (PAM) Standard Request Format when transmitting the bulk payment files to FMS. PAM information is available on the PAM Website www.fms.treas.gov/pam.

The Government-wide Accounting Management Project (GWAMP) shall coordinate with the agency, SAM and Payment Management (PM) when an ALC is to be a Payment GWA Reporter ALC. Late 2012, Payment GWA Reporter ALCs, will have to use the GWA Reporter format in SPS. (See SPS website http://fms.treas.gov/sps/index.html.) It is planned that all ALCs shall become GWA Reporter ALCs by 2014. Shared Accounting Module (SAM) shall provide valid 8-digit Treasury Disbursing Office ALCs to SPS and identify them as GWA Reporter ALCs or Non-GWA Reporter ALCs.

See the GWA Website for information on component-based GWA TAS/BETC formats and GWA Reporter ALCs for Payments. The GWA Website, www.fms.treas.gov/gwa, also links to the www.fsio.gov/fsio for the Financial Systems Integration Office (FSIO) Common Government-wide Accounting Classification Structure (CGAC) document which describes the TAS/BETC format.

In addition, other changes have been incorporated for ACH Payee Address for International ACH Transactions (IAT) or domestic letters, ACH garnishment indicator, additional check address fields, standardized amount size to a maximum of 10 digits at the payment level for Check and ACH, and various changes listed in the change section.

B. Changes for GWA Reporter ALCs

- 1. The File Format Version "GWA001" shall be required. (Record "01", positions 3-8).
- 2. All Schedule Numbers can be a maximum of 14 positions. (Record "01", positions 9-22)
- 3. Fields that do not apply shall be listed as filler.
- 4. Certain records and fields that were required, but empty, are now optional.
- 5. "AFC" is not valid for Regional Financial Center (RFC). Only "KFC", "PFC" and "SFC" are valid RFCs. (Record 01, positions 43-45 for Manual Check and Summary)
- 6. A schedule can have a maximum of 1,000 TAS/BETCs per schedule. The Schedule Upload 440 File Format for GWA Reporter ALCs does not have Total Schedule Amount field or Total Count field for Type A schedules for ACH, ACH Prenote, Check, Manual Check, and Same Day Payment (SDP). The Schedule Upload 440 File Format for GWA Reporter does not have summarization of TAS/BETC at the schedule level for Type A schedules for ACH, ACH Prenote, Check, Manual Check, and Same Day Payment (SDP). SPS computes this based on payment information.
- 7. Specific changes for GWA Reporters by Check, ACH, Same Day Payment (SDP) and Summary are below.
 - a. Check
 - i. New optional procurement fields for Vendor schedules at the payment level: Procurement Instrument Identifier, Procurement Agency Identifier, Contracting Office Procurement Agency Identifier, Indefinite Delivery Vehicle Procurement Instrument Identifier, and Indefinite Delivery Vehicle Procurement Agency Identifier. (Record "08")
 - ii. Check Payment Payee Address Information has been moved to a separate Record "10" and fields have been added.
 - (1) Changes to Payee Address Domestic
 - (a) New Is Non Domestic (International Address Indicator) value = "0" for Domestic,
 - (b) New Optional City Name,
 - (c) New Optional State Code Text,
 - (d) New Optional Postal Code, and
 - (e) New Optional Postal Code Extension.
 - (2) Changes to Payee Address International/Foreign
 - (a) New Is Non Domestic (International Address Indicator) value = "1" for International/Foreign,
 - (b) Payee Address Line 4 not allowed for International/Foreign Addresses,
 - (c) New Optional City Name,
 - (d) New Optional State Name,
 - (e) New Required Country Name,
 - (f) New Optional Postal Code,
 - (g) New Optional Postal Code Extension, and
 - (h) New Optional Consular Code (It is a three position code to indicate the code for mailing bulk check shipments to foreign countries via the consulate. These Consular Codes, also known as GEO Codes, can be obtained from the servicing RFC.).

- iii. All check schedule payment amounts can be a maximum of 10 digits including cents. (Record "04", positions 32-41)
- b. Automated Clearing House (ACH)
 - i. Added Schedule Level Garnishment Indicator for ACH schedules. (Record "01", position 422)
 - ii. Removed "P" Preauthorized Debit PPD and "Q" Preauthorized Debit CCD as ACH Payment Type Codes. (Record "01", position 418)
 - iii. Removed value "F" for "Miscellaneous PPD" Payment Type Code. Use value "M" for "Miscellaneous" and specify Standard Entry Class Code (SEC) of "IAT", "PPD" or "CCD". (Record "01", position 418)
 - iv. SEC was formerly called Addendum Code. SEC will be at the schedule level. All payments on the schedule must be the same SEC. The SEC values are "PPD", "CCD" and the new "IAT" for International ACH Transactions. IAT is available for all ACH schedule payment types. (Record "01", positions 419-421)
 - v. New optional procurement fields for Vendor schedules at the payment level: Procurement Instrument Identifier, Procurement Agency Identifier, Contracting Office Procurement Agency Identifier, Indefinite Delivery Vehicle Procurement Instrument Identifier, and Indefinite Delivery Vehicle Procurement Agency Identifier. (Record "08")
 - vi. ACH with SEC = "IAT" allows two optional Payment Related Information fields for IAT Addenda Record for Remittance Information. (Record "04", 113-192 and 284-363)
 - vii. New ACH Payee Address (Record "10"):
 - (1) International Address (SEC = "IAT")
 - (a) New Is Non Domestic (International/Foreign Payee Address Indicator) field = "1" if SEC = "IAT",
 - (b) New Required Payee Address Line 1,
 - (c) New Required City Name,
 - (d) New Optional State Name,
 - (e) New Optional Postal Code,
 - (f) New Optional Postal Code Extension, and
 - (g) New Required Country Code Text.
 - (2) Domestic Address (SEC = "PPD" or "CCD")
 - (a) New Is Non Domestic (International/Foreign Payee Address Indicator) field = "0" if SEC = "PPD" or "CCD",
 - (b) New Optional Payee Address Line 1,
 - (c) New Optional Payee Address Line 2,
 - (d) New Optional City Name,
 - (e) New Optional State Code Text,
 - (f) New Optional Postal Code, and
 - (g) New Optional Postal Code Extension.
 - viii. All ACH schedule payment amounts can be a maximum of 10 digits including cents. (Record "04", positions 47-56)

c. Same Day Payment

i. New optional procurement fields at the payment level: Procurement Instrument Identifier, Procurement Agency Identifier, Contracting Office Procurement Agency Identifier, Indefinite Delivery Vehicle Procurement Identifier, and Indefinite Delivery Vehicle Procurement Agency Identifier. (Record "08")

d. Summary

- i. Removed Summary Payment Type B Codes: "P" Preauthorized Debits (PADs) and "R" RedrawSchedulesTOP. (Record "04", position 35)
- ii. Removed Mixed Check and ACH ("M") from Summary and Summary Prenote payment method. (Record "04", position 36)

8. TAS/BETC Changes for GWA Reporters

- a. There must be at least 1 TAS/BETC with debit/credit type per payment for non-Prenotes. (Record "07")
- b. TAS must be in the CGAC format. (Record "07")
- c. Each TAS/BETC must have an Is Credit Indicator (debit/credit type) where "0" is Debit and "1" is Credit. The Is Credit Indicator corresponds to the BETC Type. The TAS/BETC and Is Credit Indicator must be valid. (Record "07")
- d. There can be a maximum of 100 unique TAS/BETCs per non-Prenote payment for ACH, Check and Same Day Payment Schedules. (Record "07")
- e. Each TAS/BETC must have an amount. TAS/BETC amounts must follow current amount requirements to be right justified, zero padded, and valid characters are "0-9". The last two digits are cents. (Record "07")
- f. TAS/BETC Amounts cannot be \$0.00. ACH Prenotes and Summary Prenotes do not have TAS/BETCs. (Record "07")
- g. For ACH, Check and Same Day Payment, the Total TAS/BETC Amount (Debit minus Credit) for a payment must equal the Payment Amount. (Check and ACH Total TAS/BETC amount for a payment can be from \$0.01 to \$99,999,999.99.) (Record "07"s and Record "04")
- h. For ACH, Check and Same Day Payment, each TAS/BETC Amount has the same length restrictions as the Payment Amount. (Each Check and ACH TAS/BETC can be from \$0.01 to \$99,999,999.99. Each Same Day Payment TAS/BETC can be from \$0.01 to \$9,999,999,999.99.) (Record "07")
- i. For Summary schedules, the Total TAS/BETC Amount (Debit minus Credit) must be the schedule Total Amount from \$0.01 to \$9,999,999,999.99. (Record "07")
- j. Individual Summary Schedule TAS/BETC Amounts can be from \$0.01 to \$99,999,999,999.99 (Record "07")
- k. There can be a maximum of 1,000 unique TAS/BETCs at the schedule level per non-Prenote schedule. (Record "07")
- I. On a Record "07", after the first TAS/BETC Amount combination, all other TAS/BETC Amount combinations are optional and only entered if needed.
- m. On a Record "07", the TAS/BETC Amount combinations must be contiguous and sequential. Do not have blank TAS/BETC-Amount combinations between actual TAS/BETC Amount combinations. (Do not skip.)

C. Schedule Types/Payment Types

1. The Schedule Types/Payment Types/SEC/Amount Restrictions Chart defines schedule types and payment types for all schedules, as well as, the valid SEC (formerly called addendum code) for ACH schedules and payment amount restrictions. There are seven main schedule types: Regular Check, Manual Check, ACH, ACH Prenotes, Same Day Payment, Summary, and Summary Prenotes.

No	Payment	Schedule Type	Payment Type	Standard Entry Class Code (SEC)	Amount per Payment and/or TAS/BETC
1	Check Vendor	С	V	N/A	\$0.01-\$99,999.999.99
2	Check Miscellaneous	С	М	N/A	\$0.01-\$99,999.999.99
3	Check Tax	С	X	N/A	\$0.01-\$99,999.999.99
4	Check OPM Benefit	С	0	N/A	\$0.01-\$99,999.999.99
5	Check RRB Benefit	С	R	N/A	\$0.01-\$99,999.999.99
6	Check SSA Benefit	С	В	N/A	\$0.01-\$99,999.999.99
7	Check SSI Benefit	С	D	N/A	\$0.01-\$99,999.999.99
8	Check VA Benefit	С	С	N/A	\$0.01-\$99,999.999.99
9	Manual Check Vendor	N	V	N/A	\$0.01-\$99,999,999.99
10	Manual Check Miscellaneous	N	М	N/A	\$0.01-\$99,999,999.99
11	Manual Check Tax	N	Х	N/A	\$0.01-\$99,999,999.99
12	ACH Vendor	Α	V	CCD/IAT	\$0.01-\$99,999,999.99
13	ACH Salary	Α	S	PPD/IAT	\$0.01-\$99,999,999.99
14	ACH Travel	Α	Т	PPD/IAT	\$0.01-\$99,999,999.99
15	ACH Miscellaneous	Α	М	PPD/CCD/IAT	\$0.01-\$99,999,999.99
16	ACH Tax	Α	Х	PPD/IAT	\$0.01-\$99,999,999.99
17	ACH OPM Benefit	Α	0	PPD/IAT	\$0.01-\$99,999,999.99
18	ACH SSA Benefit	Α	В	PPD/IAT	\$0.01-\$99,999,999.99
19	ACH SSI Benefit	Α	D	PPD/IAT	\$0.01-\$99,999,999.99
20	ACH VA Benefit	Α	С	PPD/IAT	\$0.01-\$99,999,999.99
21	ACH Prenotes Vendor	Р	V	CCD/IAT	\$0
22	ACH Prenotes Salary	Р	S	PPD/IAT	\$0
23	ACH Prenotes Travel	Р	Т	PPD/IAT	\$0
24	ACH Prenotes Miscellaneous	Р	М	PPD/CCD/IAT	\$0
25	ACH Prenotes Tax	Р	Х	PPD/IAT	\$0
26	ACH Prenotes OPM Benefit	Р	0	PPD/IAT	\$0
27	ACH Prenotes SSA Benefit	Р	В	PPD/IAT	\$0
28	ACH Prenotes SSI Benefit	Р	D	PPD/IAT	\$0
29	ACH Prenotes VA Benefit	Р	С	PPD/IAT	\$0

No	Payment	Schedule Type	Payment Type	Standard Entry Class Code (SEC)	Amount per Payment and/or TAS/BETC
30	SDP	D	Blank	N/A	\$0.01-\$9,999,999,999.99
31	Summary Allotments	M	Α	N/A	\$0.01-\$99,999,999,999.99
32	Summary Benefit (Monthly: SSA, SSI, VA, OPM and RRB)	M	В	N/A	\$0.01-\$99,999,999,999.99
33	Summary Daily Benefit (such as PMA)	M	D	N/A	\$0.01-\$99,999,999,999.99
34	Summary Foreign Mailing	M	F	N/A	\$0.01-\$99,999,999,999.99
35	Summary International Direct Deposit (IDD)	M	Н	N/A	\$0.01-\$99,999,999,999.99
36	Summary IDRS Daily Tax	M	1	N/A	\$0.01-\$99,999,999,999.99
37	Summary Miscellaneous	M	М	N/A	\$0.01-\$99,999,999,999.99
38	Summary VAINS (VA Insurance)	M	N	N/A	\$0.01-\$99,999,999,999.99
39	Summary Salary	M	S	N/A	\$0.01-\$99,999,999,999.99
40	Summary Travel	M	Т	N/A	\$0.01-\$99,999,999,999.99
41	Summary Vendor	M	V	N/A	\$0.01-\$99,999,999,999.99
42	Summary Tax Refunds (IMF, BMF)	M	Х	N/A	\$0.01-\$99,999,999,999.99
43	Summary EDI/EFT/CTX Files	M	Z	N/A	\$0.01-\$99,999,999,999.99
44	Summary Prenote Allotments	Υ	Α	N/A	\$0.00
45	Summary Prenote Benefit (Monthly: VA, OPM and RRB)	Y	В	N/A	\$0.00
46	Summary Prenote Daily Benefit (PMA)	Y	D	N/A	\$0.00
47	Summary Prenote Foreign Mailing	Y	F	N/A	\$0.00
48	Summary Prenote International Direct Deposit (IDD)	Y	Н	N/A	\$0.00
49	Summary Prenote IDRS Daily Tax	Y	1	N/A	\$0.00
50	Summary Prenote Miscellaneous	Y	М	N/A	\$0.00
51	Summary Prenote VAINS (VA Insurance)	Y	N	N/A	\$0.00
52	Summary Prenote Salary	Y	S	N/A	\$0.00
53	Summary Prenote Travel	Y	Т	N/A	\$0.00
54	Summary Prenote Vendor	Y	V	N/A	\$0.00
55	Summary Prenote Tax Refunds (IMF, BMF)	Υ	X	N/A	\$0.00
56	Summary Prenote EDI/EFT/CTX Files	Y	Z	N/A	\$0.00

Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart

D. Data Element Field Values

- 1. In the file formats "A/N" means alpha-numeric and "N" means numeric.
- 2. Legal field values will consist of characters from the "Keyboard ASCII Character Set" as defined by the following regular expression: [A-Z0-9&'><!#\$%\(\)\+*,\./:;=?@\[\]\\\^_`{}\|~\-] All alphabetical characters in the character set are upper case. This character set is printed in the table below. Additional field restrictions are defined in the validation criteria for each field.

Space	Ŀ	••	#	\$		છ		()	*	+	,	_	-	/
0	1	2	3	4	5	6	7	8	9	:	;	<	_	>	?
@	A	В	C	D	E	F		Н	I	J	K	L	M	7	0
Р	Q	R	S	T	U	IJ	Ш	X	Y	Z	I	`\	1	^	
`	{	ı	}	~											

Figure 2 - Valid Characters for Data Fields

- 3. Unless otherwise specified, alpha-numeric fields are to be left justified with trailing blanks.
- 4. Unless otherwise specified, numeric fields are right justified with leading zeros.
- 5. Filler fields are currently not validated for content. Implementers are expected to blank fill (0x20) fields so that the current fields are compatible with future format changes if any.
- 6. Amount fields do not have decimal points, commas, dollar signs or positive/negative sign. The last two digits are cents. For example: Check Payment Amount of \$50.00 would be "0000005000".

E. FMS XML Schema

FMS is moving towards allowing agencies to transmit file messages using XML. FMS Enterprise Data Architecture (EDA) publishes the FMS Business Transaction XML Schema on their website, www.fms.treas.gov/eda under Transmission Message. SPS has changed some field naming conventions in the "Field" column of this document to be similar to the FMS XML Schema convention which is reference in the "FMS XML Schema Transmission" column. Although the FMS XML Schema will provide basic format, additional more specific field requirements will be contained in SPS documentation for certain fields. As of February 2011, the FMS Transmission Message XML Schema is version 4.5.1 using urn:us:gov:treas:fms:BusinessTransaction:v4.5.1.

II Check Payment Schedule File Format

Record Order Notation: 01, (04, [05, [06]], 07{1, 12}, [08], [10]) {1, 60}

Description: 01 record followed by one to sixty "Payment record(s)". Each Payment record(s) has a 04 record followed by "Payment ID record(s)", followed by one to twelve 07 records, followed by an optional 08 record, and followed by an optional 10 record. Payment ID record(s) can be just a single 05 record, or, 05 record followed by 06 record.

A. Record "01" - Check Header Record (Required)

Field	Length	<u>Positions</u>	Type	<u>Field</u>	<u>Validations/Notes</u>	FMS XML Schema
<u>No</u>			<u>A/N</u>			Transmission (1)
1	2	1-2	N	Record Type	Value = "01".	
2	6	3-8	A/N	File Format Version	Required. Value = "GWA001".	
					(Formerly Transmission Number X(6) 3-8)	
3	14	9-22	A/N	Schedule Number	Required. Valid characters are "0-9", "A-Z", or dash (-). Cannot be all zeroes. Shall not be reused by ALC for one fiscal year. Right justify and zero pad.	/Transmission/Schedule/@ ScheduleNumber
4	20	23-42		Filler	No validation. (Formerly Date/Time X(12) positions 23-34) (Formerly FPAID X(4) positions 35-38) (Formerly FPA PC# X(2) positions 39-40 (Formerly Filler X(2) positions 41-42)	
5	3	43-45	A/N	Regional Financial Center Code (RFC) (Formerly RFC Identifier)	Required for Manual Check only. If it is a Manual Check Schedule, this field must have a valid RFC, otherwise blank fill no validation. Values = "KFC", "PFC", or "SFC"	/Transmission/Schedule/@ RegionalFinancialCenterCo de
6	8	46-53	N	Agency Location Code (ALC)	Required. Must be valid 8-digit Treasury Disbursed ALC.	/Transmission/Schedule/Ori ginatingAgency/@AgencyL ocationCode
7	363	54-416		Filler	No validation. (Formerly DOS File Name x(12) 54-65) (Formerly Filler X(351) 66-416)	
8	1	417-417	A/N	Schedule Type (formerly Payment Type)	Required. See Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/@IsManualCheck

9	1	418-418	A/N	Payment Type Code (formerly Payment Sub-Type)	Required. See Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/@PaymentTypeCode
10	22	419-440		Filler	No validation.	

⁽¹⁾ See Section IE, FMS XML Schema

B. Record "04" - Check Payment Record (Required)

Field No	<u>Length</u>	<u>Positions</u>	Type A/N	Field	Validations/Notes	FMS XML Schema Transmission
1	2	1-2	N	Record Type	Value = "04".	
2	20	3-22		Filler	No validation. (Formerly Payment Number 9(6) positions 3-8) (Formerly Schedule Number 9(14) positions 9- 22)	
3	1	23-23	N	Check Payment	Required.	/Transmission/Schedule/Ty
				Enclosure Code (formerly Check	Values are: "0" – Name Only, "1" – Direct Mail, "2" - Stub, or "5" – Foreign Mail.	peA_Details/CheckPaymen ts/CheckPayment/@Check
				Enclosure Code)	If Schedule Type in "01" record equals "N" for Manual Check or Payment Type Code equals "X" Tax, "O" OPM Benefit, "R" RRB Benefit, "B" SSA Benefit, "D" SSI Benefit or "C" VA Benefit; the Check Payment Enclosure Code must be "1".	PaymentEnclosureCode
4	8	24-31		Filler	No validation. (Formerly Filler X(7) positions 24-30) (Formerly Zero Constant 9(1) positions 31-31)	
5	10	32-41	N	Payment Amount	Required. Valid characters are "0-9". Right justify and zero pad. The last two digits are cents. See Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Payment /@Amount
6	10	42-51	A/N	Agency Check Text (formerly Agency ID)	Optional. Blank fill if not used. Valid characters are "0-9", "A-Z", dash (-), or blanks.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/@Agenc yCheckText

7	1	52-52		Filler	No validation. (Formerly Record Code "B" X(1) positions 52-52)	
8	35	53-87	A/N	Party Name (formerly Payee Name)	Required. First position cannot be a space.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/@PartyN ame
9	130	88-217		Filler	No validation. Address moved to record "10". (Formerly Address 1 X(35) positions 88-122) (Formerly Address 2 X(35) positions 123-157) (Formerly Address 3 X(30) positions 158-187) (Formerly Address 4 X(30) positions 188-217)	
10	1	218-218	A/N	Agency Payment Type Code (formerly Type of Payment)	Optional. For agency use to further classify payment type. Blank fill if not used. If used, valid characters are "0-9" or "A-Z".	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/@Agenc yPaymentTypeCode
11	16	219-234		Filler	No validation. (Formerly Account Symbol X(16) positions 219- 234)	
12	9	235-243	A/N	Payee Identifier (formerly Payee ID/TIN)	Required. Shall be valid Payee's Taxpayer Identification Number, Vendor ID, SSN or other valid Payee ID. This field is required for Treasury Debt Offset.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/@Payeel dentifier
					First position shall be = "0-9", "A-Z", or "-". For positions 2-9, valid characters are "0-9", "A-Z", dash (-) or blanks.	
13	40	244-283		Filler	No validation.	
14	2	284-285	N	Number of Payment	Required.	
				Identification Lines	Value = "00"-"14", representing the number of Payment ID Lines in the file.	
					If Value > "02" record "05" is required, otherwise optional.	
					If Value > "08" record "06" is required, otherwise optional.	
					Enclosure Code = "0", "1", or "5" can have from 0 to 2 Payment ID Lines.	

					Enclosure Code = "2" can have from 1 to 14 Payment ID Lines.	
15	55	286-340	A/N	Payment Identification Line 1 (formerly Payment ID Line 1)	Optional and limited to first 40 characters if Check Payment Enclosure Code = "0", "1" or "5". Required and shall be up to 55 characters if Check Payment Enclosure Code = "2". Blank fill if not used.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Payment IdentificationLines/Payment IdentificationLine
16	55	341-395	A/N	Payment Identification Line 2 (formerly Payment ID Line 2)	Optional and limited to first 40 characters if Check Payment Enclosure Code = "0", "1", or "5". Optional and can be up to 55 characters if Check Payment Enclosure Code = "2". Blank fill if not used. Must be blank filled if the number of Payment ID Lines are less than 2.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Payment IdentificationLines/Payment IdentificationLine
17	19	396-414		Filler	No validation. (Formerly Filler X(18) positions 396-413) (Formerly 1099 Reporting Eligibility X(1) 414- 414)	
18	1	415-415	A/N	Is TOP Offset (formerly TOP Offset Eligibility)	Required. Values are "Y" (payment is eligible for Treasury Offset) or "N" (not eligible for offset).	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/@IsTOP Offset
19	25	416-440		Filler	No validation. (Formerly ASAID length 8 positions 416-423) (Formerly ACOID length 8 positions 424-431) (Formerly MAC length 9 positions 432-440)	

C. Record "05" - Check Stub Enclosure Record (Required if Payment ID Lines > 2, Otherwise Optional)

Field No	<u>Length</u>	<u>Positions</u>	Type A/N	<u>Field</u>	<u>Validations/Notes</u>	FMS XML Schema Transmission
1	2	1-2	N	Record Type	Value = "05". This record is provided for Check Payment Enclosure Code 2.	

2	20	3-22		Filler	No validation. (Formerly Payment Number length 6 positions 3-8) (Formerly Schedule Number length 14 positions 9-22)	
3	55	23-77	A/N	Payment Identification Line 3 (formerly Payment ID Line 3)	Optional, blank fill if not used. Must be blank filled if the number of Payment ID Lines are less than 3.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Payment IdentificationLines/Payment IdentificationLine
4	55	78-132	A/N	Payment Identification Line 4 (formerly Payment ID Line 4)	Optional, blank fill if not used. Must be blank filled if the number of Payment ID Lines are less than 4.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Payment IdentificationLines/Payment IdentificationLine
5	55	133-187	A/N	Payment Identification Line 5 (formerly Payment ID Line 5)	Optional, blank fill if not used. Must be blank filled if the number of Payment ID Lines are less than 5.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Payment IdentificationLines/Payment IdentificationLine
6	55	188-242	A/N	Payment Identification Line 6 (formerly Payment ID Line 6)	Optional, blank fill if not used. Must be blank filled if the number of Payment ID Lines are less than 6.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Payment IdentificationLines/Payment IdentificationLine
7	55	243-297	A/N	Payment Identification Line 7 (formerly Payment ID Line 7)	Optional, blank fill if not used. Must be blank filled if the number of Payment ID Lines are less than 7.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Payment IdentificationLines/Payment IdentificationLine
8	55	298-352	A/N	Payment Identification Line 8 (formerly Payment ID Line 8)	Optional, blank fill if not used. Must be blank filled if the number of Payment ID Lines are less than 8.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Payment IdentificationLines/Payment IdentificationLine

9	88	353-440	Filler	No validation. (Formerly Filler length 63 positions 353-415) (Formerly ASAID length 8 positions 416-423)	
				(Formerly ACOID length 8 positions 424-431) (Formerly MAC length 9 positions 432-440)	

D. Record "06" - Check Stub Enclosure (Continued) Record (Required if Payment ID Lines > 8, Otherwise Optional)

Field No	<u>Length</u>	<u>Positions</u>	Type A/N	<u>Field</u>	<u>Validations/Notes</u>	FMS XML Schema Transmission
1	2	1-2	N	Record Type	Value = "06". This record is provided for Check Payment Enclosure Code 2.	
2	20	3-22		Filler	No validation. (Formerly Payment Number length 6 positions 3-8) (Formerly Schedule Number length 14 positions 9-22)	
3	55	23-77	A/N	Payment Identification Line 9 (formerly Payment ID Line 9)	Optional, blank fill if not used. Must be blank filled if the number of Payment ID Lines are less than 9.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Paymentl dentificationLines/Paymentl dentificationLine
4	55	78-132	A/N	Payment Identification Line 10 (formerly Payment ID Line 10)	Optional, blank fill if not used. Must be blank filled if the number of Payment ID Lines are less than 10.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Paymentl dentificationLines/Paymentl dentificationLine
5	55	133-187	A/N	Payment Identification Line 11 (formerly Payment ID Line 11)	Optional, blank fill if not used. Must be blank filled if the number of Payment ID Lines are less than 11.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/PaymentI dentificationLines/PaymentI dentificationLine
6	55	188-242	A/N	Payment Identification Line 12 (formerly	Optional, blank fill if not used.	/Transmission/Schedule/Ty peA_Details/CheckPaymen

				Payment ID Line 12)	Must be blank filled if the number of Payment ID Lines are less than 12.	ts/CheckPayment/PaymentI dentificationLines/PaymentI dentificationLine
7	55	243-297	A/N	Payment Identification Line 13 (formerly Payment ID Line 13)	Optional, blank fill if not used. Must be blank filled if the number of Payment ID Lines are less than 13.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/PaymentI dentificationLines/PaymentI dentificationLine
8	55	298-352	A/N	Payment Identification Line 14 (formerly Payment ID Line 14)	Optional, blank fill if not used. Must be blank filled if the number of Payment ID Lines are less than 14.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/PaymentI dentificationLines/PaymentI dentificationLine
9	88	353-440		Filler	No validation. (Formerly Filler length 63 positions 353-415) (Formerly ASAID length 8 positions 416-423) (Formerly ACOID length 8 positions 424-431) (Formerly MAC length 9 positions 432-440)	

E. Record "07" - Check Payment Level TAS/BETCs Record (Required)

The first TAS/BETC-TYPE is required. Every entered TAS/BETC-TYPE must be valid per SAM. There cannot be non-blank TAS/BETC-TYPEs after a blank TAS/BETC-TYPE. Unused TAS/BETC-TYPE entries must be blank filled. Cannot be more than 12 consecutive "07" records for Check.

Fi No	<u>eld</u> <u>0</u>	<u>Length</u>	<u>Positions</u>	Type A/N	<u>Field</u>	Validations/Notes	FMS XML Schema Transmission
	1	2	1-2	N	Record Type	Value = "07".	
	2	2	3-4	A/N	TAS (a) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@Sub- levelPrefixCode
	3	3	5-7	A/N	TAS (a) Allocation	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty

				Transfer Agency Identifier (ATA)		peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AllocationTra nsferAgencyIdentifier
4	3	8-10	A/N	TAS (a) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AgencyIdentifi er
5	4	11-14	A/N	TAS (a) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@BeginningPeri odOfAvailability
6	4	15-18	A/N	TAS (a) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@EndingPeriod OfAvailability
7	1	19-19	A/N	TAS (a) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AvailabilityTy peCode
8	4	20-23	A/N	TAS (a) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@MainAccount Code
9	3	24-26	A/N	TAS (a) Sub-Account	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty

				Code (SUB)		peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@Sub- accountCode
10	8	27-34	A/N	BETC (a)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/BusinessEve ntType/@BusinessEventTy peCode
11	1	35-35	N	Is Credit (DEBIT/CREDIT TYPE) (a)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/@IsCredit
12	15	36-50	N	TAS/BETC-Amount (a)	Must be a valid amount. See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/Classification/ @Amount
13	2	51-52	A/N	TAS (b) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@Sub- levelPrefixCode
14	3	53-55	A/N	TAS (b) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AllocationTra nsferAgencyIdentifier
15	3	56-58	A/N	TAS (b) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco

						untSymbol/@Agencyldentifi er
16	4	59-62	A/N	TAS (b) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@BeginningPeri odOfAvailability
17	4	63-66	A/N	TAS (b) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@EndingPeriod OfAvailability
18	1	67-67	A/N	TAS (b) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AvailabilityTy peCode
19	4	68-71	A/N	TAS (b) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@MainAccount Code
20	3	72-74	A/N	TAS (b) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@Sub- accountCode
21	8	75-82	A/N	BETC (b)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/BusinessEve

						ntType/@BusinessEventTy peCode
22	1	83-83	N	Is Credit (DEBIT/CREDIT TYPE) (b)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/@IsCredit
23	15	84-98	N	TAS/BETC-Amount (b)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/Classification/ @Amount
24	2	99-100	A/N	TAS (c) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@Sub- levelPrefixCode
25	3	101-103	A/N	TAS (c) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AllocationTra nsferAgencyIdentifier
26	3	104-106	A/N	TAS (c) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AgencyIdentifi er
27	4	107-110	A/N	TAS (c) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@BeginningPeri odOfAvailability

28	4	111-114	A/N	TAS (c) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@EndingPeriod OfAvailability
29	1	115-115	A/N	TAS (c) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AvailabilityTy peCode
30	4	116-119	A/N	TAS (c) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@MainAccount Code
31	3	120-122	A/N	TAS (c) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@Sub- accountCode
32	8	123-130	A/N	BETC (c)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/BusinessEve ntType/@BusinessEventTy peCode
33	1	131-131	N	Is Credit (DEBIT/CREDIT TYPE) (c)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/@IsCredit
34	15	132-146	N	TAS/BETC-Amount (c)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount	/Transmission/Schedule/Ty peA_Details/CheckPaymen

					Restrictions Chart)	ts/CheckPayment/Account Classification/Classification/ @Amount
35	2	147-148	A/N	TAS (d) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAccountSymbol/@SublevelPrefixCode
36	3	149-151	A/N	TAS (d) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAccountSymbol/@AllocationTransferAgencyIdentifier
37	3	152-154	A/N	TAS (d) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AgencyIdentifi er
38	4	155-158	A/N	TAS (d) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAccountSymbol/@BeginningPeri odOfAvailability
39	4	159-162	A/N	TAS (d) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAccountSymbol/@EndingPeriod OfAvailability
40	1	163-163	A/N	TAS (d) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account

						Classification/TreasuryAcco untSymbol/@AvailabilityTy peCode
41	4	164-167	A/N	TAS (d) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@MainAccount Code
42	3	168-170	A/N	TAS (d) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@Sub- accountCode
43	8	171-178	A/N	BETC (d)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/BusinessEve ntType/@BusinessEventTy peCode
44	1	179-179	N	Is Credit (DEBIT/CREDIT TYPE) (d)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/@IsCredit
45	15	180-194	N	TAS/BETC-Amount (d)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/Classification/ @Amount
46	2	195-196	A/N	TAS (e) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@Sub- levelPrefixCode

47	3	197-199	A/N	TAS (e) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AllocationTra nsferAgencyIdentifier
48	3	200-202	A/N	TAS (e) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AgencyIdentifi er
49	4	203-206	A/N	TAS (e) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@BeginningPeri odOfAvailability
50	4	207-210	A/N	TAS (e) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@EndingPeriod OfAvailability
51	1	211-211	A/N	TAS (e) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AvailabilityTy peCode
52	4	212-215	A/N	TAS (e) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@MainAccount Code

53	3	216-218	A/N	TAS (e) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@Sub- accountCode
54	8	219-226	A/N	BETC (e)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/BusinessEve ntType/@BusinessEventTy peCode
55	1	227-227	N	Is Credit (DEBIT/CREDIT TYPE) (e)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/@IsCredit
56	15	228-242	N	TAS/BETC-Amount (e)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/Classification/ @Amount
57	2	243-244	A/N	TAS (f) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@Sub- levelPrefixCode
58	3	245-247	A/N	TAS (f) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AllocationTra nsferAgencyIdentifier
59	3	248-250	A/N	TAS (f) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account

					Classification/TreasuryAcco untSymbol/@AgencyIdentifi er
60 4	251-254	A/N	TAS (f) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAccountSymbol/@BeginningPeriodOfAvailability
61 4	255-258	A/N	TAS (f) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@EndingPeriod OfAvailability
62 1	259-259	A/N	TAS (f) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AvailabilityTy peCode
63 4	260-263	A/N	TAS (f) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@MainAccount Code
64 3	264-266	A/N	TAS (f) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@Sub- accountCode
65 8	267-274	A/N	BETC (f)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account

						Classification/BusinessEve ntType/@BusinessEventTy peCode
66	1	275-275	N	Is Credit (DEBIT/CREDIT TYPE) (f)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/@IsCredit
67	15	276-290	N	TAS/BETC-Amount (f)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/Classification/ @Amount
68	2	291-292	A/N	TAS (g) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@Sub- levelPrefixCode
69	3	293-295	A/N	TAS (g) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AllocationTra nsferAgencyIdentifier
70	3	296-298	A/N	TAS (g) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AgencyIdentifi er
71	4	299-302	A/N	TAS (g) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@BeginningPeri odOfAvailability

72	4	303-306	A/N	TAS (g) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@EndingPeriod OfAvailability
73	1	307-307	A/N	TAS (g) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AvailabilityTy peCode
74	4	308-311	A/N	TAS (g) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@MainAccount Code
75	3	312-314	A/N	TAS (g) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@Sub- accountCode
76	8	315-322	A/N	BETC (g)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/BusinessEve ntType/@BusinessEventTy peCode
77	1	323-323	N	Is Credit (DEBIT/CREDIT TYPE) (g)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/@IsCredit
78	15	324-338	N	TAS/BETC-Amount (g)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount	/Transmission/Schedule/Ty peA_Details/CheckPaymen

					Restrictions Chart)	ts/CheckPayment/Account Classification/Classification/ @Amount
79	2	339-340	A/N	TAS (h) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAccountSymbol/@SublevelPrefixCode
80	3	341-343	A/N	TAS (h) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAccountSymbol/@AllocationTransferAgencyIdentifier
81	3	344-346	A/N	TAS (h) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AgencyIdentifi er
82	4	347-350	A/N	TAS (h) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAccountSymbol/@BeginningPeri odOfAvailability
83	4	351-354	A/N	TAS (h) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAccountSymbol/@EndingPeriod OfAvailability
84	1	355-355	A/N	TAS (h) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account

31 of 107

						Classification/TreasuryAcco untSymbol/@AvailabilityTy peCode
85	4	356-359	A/N	TAS (h) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@MainAccount Code
86	3	360-362	A/N	TAS (h) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@Sub- accountCode
87	8	363-370	A/N	BETC (h)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/BusinessEve ntType/@BusinessEventTy peCode
88	1	371-371	N	Is Credit (DEBIT/CREDIT TYPE) (h)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/@IsCredit
89	15	372-386	N	TAS/BETC-Amount (h)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/Classification/ @Amount
90	2	387-388	A/N	TAS (i) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@Sub- levelPrefixCode

91	3	389-391	A/N	TAS (i) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AllocationTra nsferAgencyIdentifier
92	3	392-394	A/N	TAS (i) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AgencyIdentifi er
93	4	395-398	A/N	TAS (i) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@BeginningPeri odOfAvailability
94	4	399-402	A/N	TAS (i) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@EndingPeriod OfAvailability
95	1	403-403	A/N	TAS (i) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@AvailabilityTy peCode
96	4	404-407	A/N	TAS (i) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@MainAccount Code

97	3	408-410	A/N	TAS (i) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/TreasuryAcco untSymbol/@Sub- accountCode
98	8	411-418	A/N	BETC (i)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/BusinessEve ntType/@BusinessEventTy peCode
99	1	419-419	N	Is Credit (DEBIT/CREDIT TYPE) (i)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/@IsCredit
100	15	420-434	N	TAS/BETC-Amount (i)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/CheckPaymen ts/CheckPayment/Account Classification/Classification/ @Amount
101	6	435-440		Filler	No validation.	

F. Record "08" - Check Payment Level Payment Information Repository Record (Optional for Vendor, Otherwise Disallowed)

Field No	<u>Length</u>	<u>Positions</u>	Type A/N	<u>Field</u>	Validations/Notes	FMS XML Schema Transmission
1	2	1-2	N	Record Type	Value = "08".	
2	50	3-52	A/N	Procurement Instrument Identifier	Optional.	/Transmission/Schedule/Ty peA_Details/CheckPayment s/CheckPayment/Procurem entDetail/@ProcurementIns trumentIdentifier
3	4	53-56	A/N	Procurement Agency	Optional.	/Transmission/Schedule/Ty

				Identifier		peA_Details/CheckPayment s/CheckPayment/Procurem entDetail/@ProcurementAg encyldentifier
4	4	57-60	A/N	Contracting Office Procurement Agency Identifier	Optional.	/Transmission/Schedule/Ty peA_Details/CheckPayment s/CheckPayment/Procurem entDetail/@ContractingOffic eProcurementAgencyIdentif ier
5	50	61-110	A/N	Indefinite Delivery Vehicle Procurement Instrument Identifier	Optional.	/Transmission/Schedule/Ty peA_Details/CheckPayment s/CheckPayment/Procurem entDetail/IndefiniteDelivery VehicleDetail/@Procureme ntInstrumentIdentifier
6	4	111-114	A/N	Indefinite Delivery Vehicle Procurement Agency Identifier	Optional.	/Transmission/Schedule/Ty peA_Details/CheckPayment s/CheckPayment/Procurem entDetail/IndefiniteDelivery VehicleDetail/@Procureme ntAgencyIdentifier
7	326	115-440		Filler	No validation.	

G. Record "10" - Check Payment Payee Address Information Record (Required When Enclosure Code is Non-Zero, Otherwise Optional)

Field No	<u>Length</u>	<u>Positions</u>	Type A/N	Field	Validations/Notes	FMS XML Schema Transmission
1	2	1-2	N	Record Type	Value = "10".	
2	1	3-3	N	Is Non Domestic (International/Foreign Address Indicator)	Values = "1" (International/Foreign) or "0" (Domestic). For Check Payment Enclosure Code = Foreign Mail (5), Is Non Domestic value = "1".	/Transmission/Schedule/Ty peA_Details/CheckPayment s/CheckPayment/CheckPay eeAddress/@IsNonDomesti

					For Check Payment Enclosure Code = Name Only (0), Is Non Domestic value = "0".	С
3	35	4-38	A/N	Payee Address Line 1	Optional if Check Payment Enclosure Code = "0". Blank fill if not used. Required if Check Payment Enclosure Code = "1", "2" or "5", and cannot be all blanks.	/Transmission/Schedule/Ty peA_Details/CheckPayment s/CheckPayment/PayeeAdd ress/PayeeAddressLine
4	35	39-73	A/N	Payee Address Line 2	Optional if Check Payment Enclosure Code = "1", "2" or "5". Blank fill if not used. Shall be blank if Check Payment Enclosure Code = "0"	/Transmission/Schedule/Ty peA_Details/CheckPayment s/CheckPayment/PayeeAdd ress/PayeeAddressLine
5	30	74-103	A/N	Payee Address Line 3	Optional if Check Payment Enclosure Code = "1", "2" or "5". Blank fill if not used. Shall be blank if Check Payment Enclosure Code = "0".	/Transmission/Schedule/Ty peA_Details/CheckPayment s/CheckPayment/PayeeAdd ress/PayeeAddressLine
6	30	104-133	A/N	Payee Address Line 4	Optional if Check Payment Enclosure Code = "1", "2" or "5". Blank fill if not used. Shall be blank if Check Payment Enclosure Code = "0". If Is Non Domestic = "1", Payee Address Line 4 shall be blank.	/Transmission/Schedule/Ty peA_Details/CheckPayment s/CheckPayment/PayeeAdd ress/PayeeAddressLine
7	27	134-160	A/N	City Name	Optional.	/Transmission/Schedule/Ty peA_Details/CheckPayment s/CheckPayment/CheckPay eeAddress/@CityName
8	2	161-162	A	State Code Text	Optional if Is Non Domestic = "0", otherwise not allowed. See Section VII State Codes. Blank fill if not used.	/Transmission/Schedule/Ty peA_Details/Check_Payme nts/Check_Payment/Check PayeeAddress/@StateCod eText
9	50	163-212	A/N	State Name	Optional if Is Non Domestic = "1", otherwise not allowed. Blank fill if not used. Only first 10 positions allowed for State Name.	/Transmission/Schedule/Ty peA_Details/CheckPayment s/CheckPayment/CheckPay eeAddress/@StateName
10	5	213-217	A/N	Postal Code	Optional. If entered for Is Non Domestic = "0", must be 5 digits. (zip code) If entered for Is Non Domestic = "1", can be up to	/Transmission/Schedule/Ty peA_Details/CheckPayment s/CheckPayment/CheckPay

					5 characters. (universal postal code)	eeAddress/@PostalCode
11	5	218-222	A/N	Postal Code Extension	Optional. If entered for Is Non Domestic = "0", must be 4 numeric and left justified.	/Transmission/Schedule/Ty peA Details/CheckPayment
					If entered for Is Non Domestic = "1" can be up to 5 characters. (remainder of universal postal code)	s/CheckPayment/CheckPay eeAddress/@PostalCodeEx
					Must have Postal Code if there is a Postal Code Extension.	tension
12	40	223-262	A/N	Country Name	For Is Non Domestic = "1", Country Name is required. For Is Non Domestic = "0", Country Name is not allowed.	/Transmission/Schedule/Ty peA_Details/CheckPayment s/CheckPayment/CheckPay eeAddress/@CountryName
13	3	263-265	A/N	Consular Code	Optional. Contact your servicing RFC for a list of consular/geo codes.	/Transmission/Schedule/Ty peA_Details/CheckPayment s/CheckPayment/@Consul arCode
14	175	266-440	A/N	Filler	No validation.	

III ACH Payment Schedule File Format

Record Order Notation: 01, (04, 07{1, 12}, [08], [10]) {1, 60}
Description: 01 record followed by one to sixty "Payment record(s)". Each Payment record(s) has a 04 record followed by one to twelve 07 records, followed by an optional 08 record, and followed by an optional 10 record.

A. Record "01" - ACH Header Record (Required)

Field No	<u>Length</u>	Positions	Type A/N	Field	Validations/Notes	FMS XML Schema Transmission (1)
1	2	1-2	N	Record Type	Value = "01".	
2	6	3-8	A/N	File Format Version	Required. Value = "GWA001". (Formerly Transmission Number X(6) 3-8)	
3	14	9-22	A/N	Schedule Number	Required. Valid characters are "0-9", "A-Z", or dash (-). Cannot be all zeroes. Shall not be reused by ALC for one fiscal year. Right justify and zero pad.	/Transmission/Schedule/@ ScheduleNumber
4	23	23-45		Filler	No validation. (Formerly Date/Time X(12) positions 23-34) (Formerly FPAID X(4) positions 35-38 (Formerly FPA PC# X(2) positions 39-40 (Formerly Filler X(2) positions 41-42) (Formerly RFC Identifier X(8) positions 43-45)	
5	8	46-53	N	Agency Location Code (ALC)	Required. Must be valid 8-digit Treasury Disbursed ALC.	/Transmission/Schedule/Or iginatingAgency/@Agency LocationCode
6	363	54-416		Filler	No validation. (Formerly DOS File Name x(12) 54-65) (Formerly Filler X(351) 66-416)	
7	1	417-417	A/N	Schedule Type (formerly Payment Type)	Required. See Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart.	/Transmission/Schedule/Ty peA_Details/ACH_Paymen ts Prenote is determined by schedule amount, with \$0 schedule being interpreted as a prenote.

8	1	418-418	A/N	Payment Type Code (formerly Payment Sub-Type)	Required. See Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart	/Transmission/Schedule/Ty peA_Details/ACH_Paymen ts/@PaymentTypeCode
9	3	419-421	A	Standard Entry Class Code (SEC) (formerly Filler)	Required. Values = "PPD", "CCD" or "IAT". See Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart	/Transmission/Schedule/Ty peA_Details/ACH_Paymen ts/@StandardEntryClassC ode
10	1	422-422	N	Garnishment Indicator (formerly Filler)	Values = "1" eligible for garnishment and "0" not eligible for garnishment.	/Transmission/Schedule/Ty peA_Details/ACH_Paymen ts/@GarnishmentIndicator
11	18	423-440		Filler	No validation.	

⁽¹⁾ See Section IE, FMS XML Schema.

B. Record "04" - ACH Payment Record (Required)

Field No	Length	Positions	Type A/N	Field	<u>Validations/Notes</u>	FMS XML Schema Transmission
1	2	1-2	N	Record Type	Value = "04".	
2	20	3-22		Filler	No validation. (Formerly Payment Number 9(6) positions 3-8) (Formerly Schedule Number 9(14) positions 9- 22)	
3	1	23-23	A/N	Bank Account Type (formerly Account Type)	Required. Value = "C" (Checking Account), "S" (Savings Account), "G" (General Ledger), or "L" (Loan Account).	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/ACH_Pay eeBankInfo/@BankAccount Type
4	9	24-32	A/N	Payee Identifier (formerly Payee ID/TIN)	Required. Payee's Taxpayer Identification Number, Vendor ID, SSN, or other valid Payee ID. This field is required for Treasury Debt Offset. If Payment Type Code in "01" record equals "S" or "T", all 9 positions shall be numeric ("0-9"). Otherwise, first position shall be equal to "0-9", "A-Z", or dash (-) and for positions 2-9, valid characters are "0-9", "A-Z", dash (-), or blanks.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/@Payeel dentifier
5	14	33-46		Filler	No validation. (Formerly Filler X(3) positions 33-35) (Formerly Zero Constant 9(11) positions 36-46)	
6	10	47-56	N	Payment Amount	Required. Valid characters are "0-9". Right justify and zero pad. The last two digits are cents. See Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/Payment/ @Amount
7	1	57-57		Filler	No validation. (Formerly Record Code "B" X(1) positions 57-57)	

9 1 80-80 A/N Is Salary Allotment (formerly Allotment Code) Required if Payment Type Code in "01" record = "S". Values are "Y" (Salary Allotment Payment) or "N" (Regular Salary Payment). Shall be blank if Payment Type Code is not equal to "S". //Transmission/Schedule/TypeA_Details/ACH_Payment yAllotment 10 6 81-86 Filler No validation. //Transmission/Schedule/TypeA_Details/ACH_Payment/ACH_Payment (formerly Routing Transit Number) Required. Valid characters are "0-9". Shall be a valid Routing Number for ACH transactions. //Transmission/Schedule/TypeA_Details/ACH_Payment/ACH_PayeeBankInfo/@RoutingNumber 12 17 96-112 A/N Account Number (formerly Depositor Account Number) Required. Payee's account number at Financial Institution. //Transmission/Schedule/TypeA_Details/ACH_Payment/ACH_PayeeBankInfo/@RoutingNumber 13 80 113-192 A/N Payment Related Information (1) (formerly filler) Optional. Used for providing addendum information for payment. If SEC = "PDP" or "CCD" this is for the one and only optional addendum record. If used, then the field shall meet format requirements of the Federal Reserve Bank NACHA rules. If SEC = "IAT" this is optional Payment Related Information for addendum 1. There are no validations on this field for IAT. (Note: The optional second Payment Related Information for addendum 1 in positions 284-363) //Transmission/Schedule/TypeA_Details/ACH_Payment Acdendum/PaymentRelated Information for addendum 1 in positions 284-363) 14 91 193-	8	22	58-79	A/N	Party Name (formerly Payee Name)	Required. First position shall not be a space.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/@PartyN ame
11 9 87-95 N Routing Number (formerly Routing Transit Number) Required. Valid characters are "0-9". Shall be a valid Routing Number for ACH transactions. Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/ACH_Pay eeBankInfo/@RoutingNumber (formerly Depositor Account Number) Required. Payee's account number at Financial Institution. Valid characters are "A-Z", "0-9", or dash (-). Trailing blanks are valid. Leading or embedded blanks are not valid. Left justify. Optional. Used for providing addendum information for payment. If SEC = "PPD" or "CCD" this is for the one and only optional addendum record. If used, then the field shall meet format requirements of the Federal Reserve Bank NACHA rules. If SEC = "IAT" this is optional Payment Related Information for addendum 1. There are no validations on this field for IAT. (Note: The optional second Payment Related Information for addendum 2 is in positions 284-363) Blank fill if not used.	9	1	80-80	A/N	(formerly Allotment	"S". Values are "Y" (Salary Allotment Payment) or "N" (Regular Salary Payment). Shall be blank if Payment Type Code is not equal	peA_Details/ACH_Payment s/ACH_Payment/@IsSalar
Shall be a valid Routing Number for ACH transactions. Shall be a valid Routing Number for ACH transactions. Shall be a valid Routing Number for ACH transactions. Shall be a valid Routing Number for ACH transactions. Shall be a valid Routing Number for ACH transactions. Shall be a valid Routing Number for ACH transactions. Shall be a valid Routing Number for ACH transactions. Shall be a valid Routing Number for ACH transactions. Shall be a valid Routing Number for ACH payment si/ACH_Payment/ACH_Pay eeBankInfo/@RoutingNumber A/N	10	6	81-86		Filler	No validation.	
Institution. Valid characters are "A-Z", "0-9", or dash (-). Trailing blanks are valid. Leading or embedded blanks are not valid. Left justify. Department s/ACH_Payment/ACH_Pay eeBankInfo/@AccountNum ber	11	9	87-95	N	(formerly Routing	Shall be a valid Routing Number for ACH	peA_Details/ACH_Payment s/ACH_Payment/ACH_Pay eeBankInfo/@RoutingNum
Information (1) (formerly filler) If SEC = "PPD" or "CCD" this is for the one and only optional addendum record. If used, then the field shall meet format requirements of the Federal Reserve Bank NACHA rules. If SEC = "IAT" this is optional Payment Related Information for addendum 1. There are no validations on this field for IAT. (Note: The optional second Payment Related Information for addendum 2 is in positions 284-363) Blank fill if not used.	12	17	96-112	A/N	(formerly Depositor	Institution. Valid characters are "A-Z", "0-9", or dash (-). Trailing blanks are valid. Leading or embedded	peA_Details/ACH_Payment s/ACH_Payment/ACH_Pay eeBankInfo/@AccountNum
14 91 193-283 Filler <i>No validation.</i>	13	80	113-192	A/N	Information (1)	information for payment. If SEC = "PPD" or "CCD" this is for the one and only optional addendum record. If used, then the field shall meet format requirements of the Federal Reserve Bank NACHA rules. If SEC = "IAT" this is optional Payment Related Information for addendum 1. There are no validations on this field for IAT. (Note: The optional second Payment Related Information for addendum 2 is in positions 284-363)	peA_Details/ACH_Payment s/ACH_Payment/PaymentA ddendum/PaymentRelatedI
	14	91	193-283		Filler		

					(Formerly Filler X(91) positions 193-216) (Formerly Payment Type X(1) positions 217-217) (Formerly Account Symbol X(16) positions 218- 233) (Formerly Filler X(50) positions 234-282)	
15	80	284-363	A/N	Payment Related Information (2) (formerly Payment ID Line)	Optional. Can only be used if SEC = "IAT". Blank fill if not used. There are no validations on this field.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/PaymentA ddendum/PaymentRelatedI nformation
16	51	364-414		Filler	No validation. (Formerly Filler X(47) positions 364-410) (Formerly Addendum Code X(3) positions 411-413) (Formerly 1099 Reporting Eligibility X(1) 414-414)	
17	1	415-415	A/N	Is TOP Offset (formerly TOP Offset Eligibility)	Required. Values are "Y" (payment is eligible for Treasury Offset) or "N" (not eligible for Treasury offset).	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/@IsTOP_ Offset
18	25	416-440		Filler	No validation. (Formerly ASAID length 8 positions 416-423) (Formerly ACOID length 8 positions 424-431) (Formerly MAC length 9 positions 432-440)	

C. Record "07" - ACH Payment Level TAS/BETCs for Non-Prenotes Record (Required)

The first TAS/BETC-TYPE is required. Every entered TAS/BETC-TYPE must be valid per SAM. There cannot be non-blank TAS/BETC-TYPEs after a blank TAS/BETC-TYPE. Unused TAS/BETC-TYPE entries must be blank filled. Cannot be more than 12 consecutive "07" records for ACH.

Field No	<u>Length</u>	<u>Positions</u>	Type A/N	<u>Field</u>	<u>Validations/Notes</u>	FMS XML Schema Transmission
1	2	1-2	N	Record Type	Value = "07".	
2	2	3-4	A/N	TAS (a) Sub-level	Must be a valid value for this field per GWA.	Transmission/Schedule/Ty peA_Details/ACH_Payment

				Prefix Code (SP)		s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@Sub- levelPrefixCode
3	3	5-7	A/N	TAS (a) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AllocationTran sferAgencyIdentifier
4	3	8-10	A/N	TAS (a) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@Agencyldentifi er
5	4	11-14	A/N	TAS (a) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@BeginningPerio dOfAvailability
6	4	15-18	A/N	TAS (a) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@EndingPeriodO fAvailability
7	1	19-19	A/N	TAS (a) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AvailabilityTyp eCode
8	4	20-23	A/N	TAS (a) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment

						s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@MainAccountC ode
9	3	24-26	A/N	TAS (a) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@Sub- accountCode
10	8	27-34	A/N	BETC (a)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/BusinessEvent Type/@BusinessEventTyp eCode
11	1	35-35	N	Is Credit (DEBIT/CREDIT TYPE) (a)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/@IsCredit
12	15	36-50	N	TAS/BETC-Amount (a)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/Classification/ @Amount
13	2	51-52	A/N	TAS (b) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@Sub- levelPrefixCode
14	3	53-55	A/N	TAS (b) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AllocationTran

						sferAgencyIdentifier
15	3	56-58	A/N	TAS (b) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AgencyIdentifi er
16	4	59-62	A/N	TAS (b) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@BeginningPerio dOfAvailability
17	4	63-66	A/N	TAS (b) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@EndingPeriodO fAvailability
18	1	67-67	A/N	TAS (b) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AvailabilityTyp eCode
19	4	68-71	A/N	TAS (b) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@MainAccountC ode
20	3	72-74	A/N	TAS (b) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@Sub-

						accountCode
21	8	75-82	A/N	BETC (b)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/BusinessEvent Type/@BusinessEventTyp eCode
22	1	83-83	N	Is Credit (DEBIT/CREDIT TYPE) (b)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/@IsCredit
23	15	84-98	N	TAS/BETC-Amount (b)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/Classification/ @Amount
24	2	99-100	A/N	TAS (c) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccountSymbol/@SublevelPrefixCode
25	3	101-103	A/N	TAS (c) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AllocationTran sferAgencyIdentifier
26	3	104-106	A/N	TAS (c) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AgencyIdentifi er
27	4	107-110	A/N	TAS (c) Beginning	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty

				Period of Availability (BPOA)		peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@BeginningPerio dOfAvailability
28	4	111-114	A/N	TAS (c) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@EndingPeriodO fAvailability
29	1	115-115	A/N	TAS (c) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AvailabilityTyp eCode
30	4	116-119	A/N	TAS (c) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@MainAccountC ode
31	3	120-122	A/N	TAS (c) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@Sub- accountCode
32	8	123-130	A/N	BETC (c)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/BusinessEvent Type/@BusinessEventTyp eCode
33	1	131-131	N	Is Credit	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty

				(DEBIT/CREDIT TYPE) (c)		peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/@IsCredit
34	15	132-146	N	TAS/BETC-Amount (c)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/Classification/ @Amount
35	2	147-148	A/N	TAS (d) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccountSymbol/@SublevelPrefixCode
36	3	149-151	A/N	TAS (d) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AllocationTran sferAgencyIdentifier
37	3	152-154	A/N	TAS (d) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AgencyIdentifi er
38	4	155-158	A/N	TAS (d) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@BeginningPerio dOfAvailability
39	4	159-162	A/N	TAS (d) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou

						ntSymbol/@EndingPeriodO fAvailability
40	1	163-163	A/N	TAS (d) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AvailabilityTyp eCode
41	4	164-167	A/N	TAS (d) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@MainAccountC ode
42	3	168-170	A/N	TAS (d) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@Sub- accountCode
43	8	171-178	A/N	BETC (d)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/BusinessEvent Type/@BusinessEventTyp eCode
44	1	179-179	N	Is Credit (DEBIT/CREDIT TYPE) (d)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/@IsCredit
45	15	180-194	N	TAS/BETC-Amount (d)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/Classification/

						@Amount
46	2	195-196	A/N	TAS (e) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccountSymbol/@SublevelPrefixCode
47	3	197-199	A/N	TAS (e) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccountSymbol/@AllocationTran sferAgencyIdentifier
48	3	200-202	A/N	TAS (e) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AgencyIdentifi er
49	4	203-206	A/N	TAS (e) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@BeginningPerio dOfAvailability
50	4	207-210	A/N	TAS (e) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@EndingPeriodO fAvailability
51	1	211-211	A/N	TAS (e) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AvailabilityTyp

						eCode
52	4	212-215	A/N	TAS (e) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@MainAccountC ode
53	3	216-218	A/N	TAS (e) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@Sub- accountCode
54	8	219-226	A/N	BETC (e)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/BusinessEvent Type/@BusinessEventTyp eCode
55	1	227-227	N	Is Credit (DEBIT/CREDIT TYPE) (e)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/@IsCredit
56	15	228-242	N	TAS/BETC-Amount (e)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/Classification/ @Amount
57	2	243-244	A/N	TAS (f) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@Sub- levelPrefixCode
58	3	245-247	A/N	TAS (f) Allocation	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty

				Transfer Agency Identifier (ATA)		peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AllocationTran sferAgencyIdentifier
59	3	248-250	A/N	TAS (f) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AgencyIdentifi er
60	4	251-254	A/N	TAS (f) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@BeginningPerio dOfAvailability
61	4	255-258	A/N	TAS (f) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@EndingPeriodO fAvailability
62	1	259-259	A/N	TAS (f) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AvailabilityTyp eCode
63	4	260-263	A/N	TAS (f) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@MainAccountC ode
64	3	264-266	A/N	TAS (f) Sub-Account	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty

				Code (SUB)		peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@Sub- accountCode
65	8	267-274	A/N	BETC (f)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/BusinessEvent Type/@BusinessEventTyp eCode
66	1	275-275	N	Is Credit (DEBIT/CREDIT TYPE) (f)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/@IsCredit
67	15	276-290	N	TAS/BETC-Amount (f)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/Classification/ @Amount
68	2	291-292	A/N	TAS (g) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccountSymbol/@SublevelPrefixCode
69	3	293-295	A/N	TAS (g) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AllocationTran sferAgencyIdentifier
70	3	296-298	A/N	TAS (g) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou

						ntSymbol/@Agencyldentifi er
71	4	299-302	A/N	TAS (g) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@BeginningPerio dOfAvailability
72	4	303-306	A/N	TAS (g) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@EndingPeriodO fAvailability
73	1	307-307	A/N	TAS (g) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AvailabilityTyp eCode
74	4	308-311	A/N	TAS (g) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@MainAccountC ode
75	3	312-314	A/N	TAS (g) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccountSymbol/@SubaccountCode
76	8	315-322	A/N	BETC (g)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/BusinessEvent

						Type/@BusinessEventTyp eCode
77	1	323-323	N	Is Credit (DEBIT/CREDIT TYPE) (g)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/@IsCredit
78	15	324-338	N	TAS/BETC-Amount (g)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/Classification/ @Amount
79	2	339-340	A/N	TAS (h) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccountSymbol/@SublevelPrefixCode
80	3	341-343	A/N	TAS (h) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AllocationTran sferAgencyIdentifier
81	3	344-346	A/N	TAS (h) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AgencyIdentifi er
82	4	347-350	A/N	TAS (h) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@BeginningPerio dOfAvailability

	,					
83	4	351-354	A/N	TAS (h) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@EndingPeriodO fAvailability
84	1	355-355	A/N	TAS (h) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AvailabilityTyp eCode
85	4	356-359	A/N	TAS (h) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@MainAccountC ode
86	3	360-362	A/N	TAS (h) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@Sub- accountCode
87	8	363-370	A/N	BETC (h)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/BusinessEvent Type/@BusinessEventTyp eCode
88	1	371-371	N	Is Credit (DEBIT/CREDIT TYPE) (h)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/@IsCredit
89	15	372-386	N	TAS/BETC-Amount (h)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount	/Transmission/Schedule/Ty peA_Details/ACH_Payment

					Restrictions Chart)	s/ACH_Payment/AccountCl assification/Classification/ @Amount
90	2	387-388	A/N	TAS (i) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccountSymbol/@SublevelPrefixCode
91	3	389-391	A/N	TAS (i) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AllocationTran sferAgencyIdentifier
92	3	392-394	A/N	TAS (i) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@AgencyIdentifi er
93	4	395-398	A/N	TAS (i) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@BeginningPerio dOfAvailability
94	4	399-402	A/N	TAS (i) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@EndingPeriodO fAvailability
95	1	403-403	A/N	TAS (i) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl

						assification/TreasuryAccou ntSymbol/@AvailabilityTyp eCode
96	4	404-407	A/N	TAS (i) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@MainAccountC ode
97	3	408-410	A/N	TAS (i) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/TreasuryAccou ntSymbol/@Sub- accountCode
98	8	411-418	A/N	BETC (i)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/BusinessEvent Type/@BusinessEventTyp eCode
99	1	419-419	N	Is Credit (DEBIT/CREDIT TYPE) (i)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/@IsCredit
100	15	420-434	N	TAS/BETC-Amount (i)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/AccountCl assification/Classification/ @Amount
101	6	435-440		Filler	No validation.	

D. Record "08" - ACH Payment Level Payment Information Repository Record (Optional for Vendor Only, Otherwise Disallowed)

Field No	<u>Length</u>	Positions	Type A/N	Field	Validations/Notes	FMS XML Schema Transmission
1	2	1-2	N	Record Type	Value = "08"	
2	50	3-52	A/N	Procurement Instrument Identifier	Optional.	/Transmission/Schedule/Ty peA_Details/ACH_Paymen ts/ACH_Payment/Procure mentDetail/@ProcurementI nstrumentIdentifier
3	4	53-56	A/N	Procurement Agency Identifier	Optional.	/Transmission/Schedule/Ty peA_Details/ACH_Paymen ts/ACH_Payment/Procure mentDetail/@Procurement AgencyIdentifier
4	4	57-60	A/N	Contracting Office Procurement Agency Identifier	Optional.	/Transmission/Schedule/Ty peA_Details/ACH_Paymen ts/ACH_Payment/Procure mentDetail/@ContractingO fficeProcurementAgencyId entifier
5	50	61-110	A/N	Indefinite Delivery Vehicle Procurement Instrument Identifier	Optional.	/Transmission/Schedule/Ty peA_Details/ACH_Paymen ts/ACH_Payment/Procure mentDetail/IndefiniteDelive ryVehicleDetail/@Procure mentInstrumentIdentifier
6	4	111-114	A/N	Indefinite Delivery Vehicle Procurement Agency Identifier	Optional.	/Transmission/Schedule/Ty peA_Details/ACH_Paymen ts/ACH_Payment/Procure mentDetail/IndefiniteDelive ryVehicleDetail/@Procure

					mentAgencyldentifier
7	326	115-440	Filler	No validation.	

E. Record "10" - ACH Payment Payee Address Record (Required for Non-Domestic, Otherwise Optional)

Field No	<u>Length</u>	<u>Positions</u>	Type A/N	Field	<u>Validations/Notes</u>	FMS XML Schema Transmission
1	2	1-2	N	Record Type	Value = "10".	
3	1	3-3	N	Is Non Domestic (International/Foreign Address Indicator)	Values = "1" or "0". If SEC = "IAT", this field must equal "1". If SEC = "PPD" or "CCD", this field must equal "0".	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/ACH_Pay eeAddress/@IsNonDomesti c
4	35	4-38	A/N	Payee Address Line 1	Required if Is Non Domestic = "1" and cannot be blank, otherwise optional.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/ACH_Pay eeAddress/PayeeAddressLi ne
5	35	39-73	A/N	Payee Address Line 2	Optional. Must be blank if Is Non Domestic = "1".	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/ACH_Pay eeAddress/PayeeAddressLi ne
6	27	74-100	A/N	City Name	Required if Is Non Domestic = "1" and cannot be blank, otherwise optional.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/ACH_Pay eeAddress/@CityName
7	2	101-102	A/N	State Code Text	Optional. Must be blank if Is Non Domestic = "1". See Section VII State Codes.	/Transmission/Schedule/Ty peA_Details/ACH_Payment

8	50	103-152	A/N	State Name	Optional if Is Non Domestic = "1", otherwise must blank fill. Last 40 characters must be blanks.	s/ACH_Payment/ACH_Pay eeAddress/@StateCodeTe xt /Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/ACH_Pay eeAddress/@StateName
9	5	153-157	A/N	Postal Code	Optional. If entered for Is Non Domestic = "0", must be 5 digits. (zip code) If entered for Is Non Domestic = "1", can be up to 5 characters. (universal postal code)	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/ACH_Pay eeAddress/@PostalCode
10	5	158-162	A/N	Postal Code Extension	Optional. If entered for Is Non Domestic = "0", must be 4 numeric and left justified. If entered for Is Non Domestic = "1" can be up to 5 characters. (remainder of universal postal code) Must have Postal Code if there is a Postal Code Extension.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/ACH_Pay eeAddress/@PostalCodeE xtension
11	2	163-164	A/N	Country Code Text	Required if Is Non Domestic = "1", must have two alpha characters. (See the ISO3166-1 Alpha 2 Country Codes. Example: http://www.iso.org/iso/english_country_names_an d_code_elements). If Is Non Domestic = "0", must be blank filled.	/Transmission/Schedule/Ty peA_Details/ACH_Payment s/ACH_Payment/ACH_Pay eeAddress/@CountryCode Text
12	276	165-440		Filler	Filler	

Same Day Payment (SDP) Schedule File Format

Record Order Notation: 01, 04, (05, 07{1, 12}, [08]) {1, 60} Description: 01 record followed by 04, followed by one to sixty "Payment record(s)". Each Payment record(s) has a 05 record followed by one to twelve 07 records, followed by an optional 08 record.

See DEO User Manual for foreign payment requirements (SWIFT codes).

A. Record "01"- SDP Header Record (Required)

Field No	<u>Length</u>	<u>Positions</u>	Type A/N	Field	Validations/Notes	FMS XML Schema Transmission (1)
1	2	1-2	N	Record Type	Required. Value = "01".	
2	6	3-8	A/N	File Format Version	Required. Value = "GWA001". (Formerly Transmission Number X(6) 3-8)	
3	14	9-22	A/N	Schedule Number	Required. Valid characters are "0-9", "A-Z", or dash (-). Cannot be all zeroes. Shall not be reused by ALC for one fiscal year. Right justify and zero pad.	/Transmission/Schedule/@ ScheduleNumber
4	23	23-45		Filler	No validation. (Formerly Date/Time X(12) positions 23-34) (Formerly FPAID X(4) positions 35-38 (Formerly FPA PC# X(2) positions 39-40 (Formerly Filler X(2) positions 41-42) (Formerly RFC Identifier X(3) positions 43-45)	
5	8	46-53	N	Agency Location Code (ALC)	Required. Must be valid 8-digit Treasury Disbursed ALC.	/Transmission/Schedule/Ori ginatingAgency/@AgencyL ocationCode
6	363	54-416		Filler	No validation. (Formerly DOS File Name x(12) 54-65) (Formerly Filler X(351) 66-416)	
7	1	417-417	A/N	Schedule Type (formerly Payment Type)	Required. See Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart	
8	23	418-440		Filler	No validation. (Formerly Payment Sub-Type X(1) positions 418-418) (Formerly Filler X(22) positions 419-440)	

⁽¹⁾ See Section IE, FMS XML Schema.

B. Record "04" - SDP Schedule Header Record (Required)

Field	Length	Positions	Туре	Field	Validations/Notes	FMS XML Schema

<u>No</u>			<u>A/N</u>			<u>Transmission</u>
1	2	1-2	N	Record Type	Value = "04".	
2	20	3-22		Filler	No validation. (Formerly Sequence Number 9(6) positions 3-8) (Formerly Schedule Number 9(14) positions 9-22)	
3	8	23-30	N	Requested Payment Date (formerly Same Day Payment Date)	Required. Valid format is MMDDYYYY. Shall be a valid date.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/@RequestedPayme ntDate
4	58	31-88		Filler	No validation. (Formerly ALC 9(8) positions 31-38) (Formerly CO Phone NO. X(10) positions 64-73) (Formerly Grand Total 9(13) positions 74-86) (Formerly Number of Payments 9(2) positions 87-88)	
5	40	89-128	A/N	Appropriation Payment Remark 1 (formerly Appropriation Remarks Line 1)	Optional. Blank fill if not used.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/AppropriationPayme ntRemarks/AppropriationPa ymentRemark
6	40	129-168	A/N	Appropriation Payment Remark 2 (formerly Appropriation Remarks Line 2)	Optional. Blank fill if not used.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/AppropriationPayme ntRemarks/AppropriationPa ymentRemark
7	40	169-208	A/N	Appropriation Payment Remark 3 (formerly Appropriation Remarks Line 3)	Optional. Blank fill if not used.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/AppropriationPayme ntRemarks/AppropriationPa ymentRemark
8	40	209-248	A/N	Appropriation Payment Remark 4 (formerly Appropriation Remarks Line 4)	Optional. Blank fill if not used.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/AppropriationPayme ntRemarks/AppropriationPa ymentRemark

10	192	249-440	Filler	No validation	
'	. • =		1	(Formerly Filler X(166) positions 250-415)	
				(Formerly Record Code "B" X(1) positions 249-	
				249)	
				(Formerly ASAID X(8) positions 416-423)	
				(Formerly ACOID X(8) positions 424-431)	
				(Formerly MAC X(9) positions 432-440)	

C. Record "05" - SDP Payment Record (Required)

Field No	<u>Length</u>	<u>Positions</u>	Type A/N	<u>Field</u>	<u>Validations/Notes</u>	FMS XML Schema Transmission
1	2	1-2	N	Record Type	Value = "05"	
2	20	3-22		Filler	No validation. (Formerly Payment Number 9(6) positions 3-8) (Formerly Schedule Number 9(14) positions 9-22)	
3	9	23-31	N	Routing Number (formerly Receiving ABA Number)	Required. Shall be valid Fedwire Routing Number (ABA /RTN) of receiving financial institution. Valid characters are "0-9".	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/S ameDayPaymentPayeeBan kInfo/@RoutingNumber
4	35	32-66		Filler	No validation. (Formerly Receiving ABA Name X(18) positions 32-49) (Formerly Receiving ABA City X(15) positions 50-64) (Formerly Receiving ABA State X(2) positions 65-66)	
5	2	67-68	N	Fedwire Type Code (formerly Type Code)	Required. Funds Transfer type. Valid values are: "10" – Standard Funds Transfer "15" – Foreign Funds Transfer	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/ @FedwireTypeCode
6	4	69-72	A/N	Fedwire Product Code (Formerly Product	Required. Identifies payment recipient as customer or bank.	/Transmission/Schedule/Ty peA_Details/SameDayPay

				Code)	Valid values are: "CTR/" – Recipient is a customer "BTR/" – Recipient is a bank	ments/SameDayPayment/ @FedwireProductCode
7	51	73-123	A/N	Bank Name (formerly Beneficiary Bank (BBK))	Name of Beneficiary Bank. Required if Product Code equals "BTR/". Optional if Product Code equals "CTR/". Valid characters are "A-Z", "0-9", "&", "=", ",",",", "?", "-", "\$", "(", ")" or space. First position shall not be a space. Blank fill if not used.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/S ameDayPaymentPayeeBan kInfo/@BankName
8	9	124-132		Filler	No validation (Formerly BBK ABA Number 9(9) positions 124- 132)	
9	47	133-179	A/N	Party Name (formerly BNF)	Name of Customer or Bank recipient. Required if Product Code equals "CTR/" or Depositor Account Number is not blank. Blank fill if not used. Valid characters are "A-Z", "0-9", "&", "=", ",", ":", "?", "-","\$", or space. First position shall not be a space.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/ @PartyName
10	17	180-196	A/N	Account Number (formerly Depositor Account Number)	Optional. Blank fill if not used. Valid characters are "A-Z", "0-9", or dash "-". Trailing blanks are valid. Leading or embedded blanks are not valid.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/S ameDayPaymentPayee/Sa meDayPaymentPayeeBank Info/@AccountNumber
11	72	197-268	A/N	Beneficiary Bank Remarks (BBK Remarks)	Remarks field used to convey payment information to receiving customer or bank. Optional. Blank fill if not used. If used and Product Code equals "BTR/", then first four characters shall be "BBI=". If used and Product Code equals "CTR/", then first four characters shall be "OBI=".	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/B eneficiaryBankRemarks

					Valid characters for positions 5-72 are: "A-Z", "0-9", "&", "=", ",",",", "?", "-", "\$", "(", ")", or space.	
12	16	269-284	A/N	Payment Reference (formerly RFB)	Reference for payment information. Optional. Blank fill if not used. Valid characters are "A-Z", "0-9", "-", or space.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/ @PaymentReference
13	50	285-334	A/N	Payment Remark 1	Additional field used to convey payment information to receiving customer or bank. Optional. Blank fill if not used. Valid characters are: "A-Z", "0-9", "&", "=", ",",",", "?", "-", "\$", "(", ")", or space.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/P aymentRemarks/PaymentR emark
14	50	335-384	A/N	Payment Remark 2	Additional field used to convey payment information to receiving customer or bank. Optional. Blank fill if not used. Valid characters are: "A-Z", "0-9", "&", "=", ",",",", "?", "-", "\$", "(", ")", or space. Payment Remarks 2 shall be blank if no data exists in Payment Remarks 1.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/P aymentRemarks/PaymentR emark
15	12	385-396	N	Payment Amount	Required. Valid characters are "0-9". Right justify, zero pad. The last two digits are cents. See Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/P ayment@Amount
16	8	397-404		Filler	No validation.	
17	9	405-413	A/N	Payee Identifier (formerly Payee ID/TIN)	Required. Payee's Taxpayer Identification Number, Vendor ID, SSN, or other valid Payee ID. This field is required for Treasury Debt Offset. First position shall be equal to "0-9", "A-Z", or dash "-" and for positions 2 thru 9, valid characters are "0-9", "A-Z", dash (-), or blanks.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/ @Payeeldentifier
18	1	414-414		Filler	No validation.	
19	1	415-415	A/N	Is TOP Offset (formerly TOP Offset Eligibility)	Required. Values are "Y" (payment is eligible for Treasury Offset) or "N" (not eligible for offset).	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/

					@IsTOP_Offset
20	25	416-440	Filler	No validation. (Formerly ASAID X(8) positions 416-423) (Formerly ACOID X(8) positions 424-431) (Formerly MAC X(9) positions 432-440)	

D. Record "07" - SDP Payment Level TAS/BETCs Record (Required)

The first TAS/BETC-TYPE is required. Every entered TAS/BETC-TYPE must be valid per SAM. There cannot be non-blank TAS/BETC-TYPEs after a blank TAS/BETC-TYPE. Unused TAS/BETC-TYPE entries must be blank filled. Cannot be more than 12 consecutive "07" records for Same Day Payment.

Field No	<u>Length</u>	<u>Positions</u>	Type A/N	Field	Validations/Notes	FMS XML Schema Transmission
1	2	1-2	N	Record Type	Value = "07".	
2	2	3-4	A/N	TAS (a) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Sub- levelPrefixCode
3	3	5-7	A/N	TAS (a) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Allocati onTransferAgencyIdentifier
4	3	8-10	A/N	TAS (a) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Agenc yldentifier
5	4	11-14	A/N	TAS (a) Beginning Period of Availability	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A

				(BPOA)		ccountClassification/Treasu ryAccountSymbol/@Beginn ingPeriodOfAvailability
6	4	15-18	A/N	TAS (a) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Ending PeriodOfAvailability
7	1	19-19	A/N	TAS (a) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Availab ilityTypeCode
8	4	20-23	A/N	TAS (a) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@MainA ccountCode
9	3	24-26	A/N	TAS (a) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Sub- accountCode
10	8	27-34	A/N	BETC (a)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Busine ssEventType/@BusinessEv entTypeCode
11	1	35-35	N	Is Credit (DEBIT/CREDIT TYPE) (a)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayement/

						AccountClassification/@IsC redit
12	15	36-50	N	TAS/BETC-Amount (a)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Classifi cation/@Amount
13	2	51-52	A/N	TAS (b) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Sub- levelPrefixCode
14	3	53-55	A/N	TAS (b) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Allocati onTransferAgencyIdentifier
15	3	56-58	A/N	TAS (b) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Agenc yldentifier
16	4	59-62	A/N	TAS (b) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Beginn ingPeriodOfAvailability
17	4	63-66	A/N	TAS (b) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Ending

						PeriodOfAvailability
18	1	67-67	A/N	TAS (b) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Availab ilityTypeCode
19	4	68-71	A/N	TAS (b) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@MainA ccountCode
20	3	72-74	A/N	TAS (b) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Sub- accountCode
21	8	75-82	A/N	BETC (b)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Busine ssEventType/@BusinessEv entTypeCode
22	1	83-83	N	Is Credit (DEBIT/CREDIT TYPE) (b)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayement/ AccountClassification/@IsC redit
23	15	84-98	N	TAS/BETC-Amount (b)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Classifi cation/@Amount

24	2	99-100	A/N	TAS (c) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Sub- levelPrefixCode
25	3	101-103	A/N	TAS (c) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Allocati onTransferAgencyIdentifier
26	3	104-106	A/N	TAS (c) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Agenc yIdentifier
27	4	107-110	A/N	TAS (c) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Beginn ingPeriodOfAvailability
28	4	111-114	A/N	TAS (c) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Ending PeriodOfAvailability
29	1	115-115	A/N	TAS (c) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Availab ilityTypeCode

30	4	116-119	A/N	TAS (c) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@MainA ccountCode
31	3	120-122	A/N	TAS (c) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Sub- accountCode
32	8	123-130	A/N	BETC (c)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Busine ssEventType/@BusinessEv entTypeCode
33	1	131-131	N	Is Credit (DEBIT/CREDIT TYPE) (c)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayement/ AccountClassification/@IsC redit
34	15	132-146	N	TAS/BETC-Amount (c)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Classifi cation/@Amount
35	2	147-148	A/N	TAS (d) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Sub- levelPrefixCode
36	3	149-151	A/N	TAS (d) Allocation Transfer Agency	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay

				Identifier (ATA)		ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Allocati onTransferAgencyIdentifier
37	3	152-154	A/N	TAS (d) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Agenc yldentifier
38	4	155-158	A/N	TAS (d) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Beginn ingPeriodOfAvailability
39	4	159-162	A/N	TAS (d) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Ending PeriodOfAvailability
40	1	163-163	A/N	TAS (d) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Availab ilityTypeCode
41	4	164-167	A/N	TAS (d) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@MainA ccountCode
42	3	168-170	A/N	TAS (d) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay

						ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Sub- accountCode
43	8	171-178	A/N	BETC (d)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Busine ssEventType/@BusinessEv entTypeCode
44	1	179-179	N	Is Credit (DEBIT/CREDIT TYPE) (d)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayement/ AccountClassification/@IsC redit
45	15	180-194	N	TAS/BETC-Amount (d)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Classifi cation/@Amount
46	2	195-196	A/N	TAS (e) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Sub- levelPrefixCode
47	3	197-199	A/N	TAS (e) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Allocati onTransferAgencyIdentifier
48	3	200-202	A/N	TAS (e) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu

						ryAccountSymbol/@Agenc yIdentifier
49	4	203-206	A/N	TAS (e) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Beginn ingPeriodOfAvailability
50	4	207-210	A/N	TAS (e) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Ending PeriodOfAvailability
51	1	211-211	A/N	TAS (e) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Availab ilityTypeCode
52	4	212-215	A/N	TAS (e) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@MainA ccountCode
53	3	216-218	A/N	TAS (e) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Sub- accountCode
54	8	219-226	A/N	BETC (e)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Busine

						ssEventType/@BusinessEv entTypeCode
55	1	227-227	N	Is Credit (DEBIT/CREDIT TYPE) (e)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayement/ AccountClassification/@IsC redit
56	15	228-242	N	TAS/BETC-Amount (e)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Classifi cation/@Amount
57	2	243-244	A/N	TAS (f) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Sub- levelPrefixCode
58	3	245-247	A/N	TAS (f) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Allocati onTransferAgencyIdentifier
59	3	248-250	A/N	TAS (f) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Agenc yldentifier
60	4	251-254	A/N	TAS (f) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Beginn ingPeriodOfAvailability

61	4	255-258	A/N	TAS (f) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Ending PeriodOfAvailability
62	1	259-259	A/N	TAS (f) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Availab ilityTypeCode
63	4	260-263	A/N	TAS (f) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@MainA ccountCode
64	3	264-266	A/N	TAS (f) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Sub- accountCode
65	8	267-274	A/N	BETC (f)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Busine ssEventType/@BusinessEv entTypeCode
66	1	275-275	N	Is Credit (DEBIT/CREDIT TYPE) (f)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayement/ AccountClassification/@IsC redit

67	15	276-290	N	TAS/BETC-Amount (f)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Classifi cation/@Amount
68	2	291-292	A/N	TAS (g) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Sub- levelPrefixCode
69	3	293-295	A/N	TAS (g) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Allocati onTransferAgencyIdentifier
70	3	296-298	A/N	TAS (g) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Agenc yIdentifier
71	4	299-302	A/N	TAS (g) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Beginn ingPeriodOfAvailability
72	4	303-306	A/N	TAS (g) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Ending PeriodOfAvailability

73	1	307-307	A/N	TAS (g) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Availab ilityTypeCode
74	4	308-311	A/N	TAS (g) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@MainA ccountCode
75	3	312-314	A/N	TAS (g) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Sub- accountCode
76	8	315-322	A/N	BETC (g)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Busine ssEventType/@BusinessEv entTypeCode
77	1	323-323	N	Is Credit (DEBIT/CREDIT TYPE) (g)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayement/ AccountClassification/@IsC redit
78	15	324-338	N	TAS/BETC-Amount (g)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Classifi cation/@Amount
79	2	339-340	A/N	TAS (h) Sub-level	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay

				Prefix Code (SP)		ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Sub- levelPrefixCode
80	3	341-343	A/N	TAS (h) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Allocati onTransferAgencyIdentifier
81	3	344-346	A/N	TAS (h) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Agenc yldentifier
82	4	347-350	A/N	TAS (h) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Beginn ingPeriodOfAvailability
83	4	351-354	A/N	TAS (h) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Ending PeriodOfAvailability
84	1	355-355	A/N	TAS (h) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Availab ilityTypeCode
85	4	356-359	A/N	TAS (h) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay

						ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@MainA ccountCode
86	3	360-362	A/N	TAS (h) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Sub- accountCode
87	8	363-370	A/N	BETC (h)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Busine ssEventType/@BusinessEv entTypeCode
88	1	371-371	N	Is Credit (DEBIT/CREDIT TYPE) (h)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayement/ AccountClassification/@IsC redit
89	15	372-386	N	TAS/BETC-Amount (h)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Classifi cation/@Amount
90	2	387-388	A/N	TAS (i) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Sub- levelPrefixCode
91	3	389-391	A/N	TAS (i) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu

						ryAccountSymbol/@Allocati
						on Transfer Ägencyldentifier
92	3	392-394	A/N	TAS (i) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Agenc yIdentifier
93	4	395-398	A/N	TAS (i) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Beginn ingPeriodOfAvailability
94	4	399-402	A/N	TAS (i) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Ending PeriodOfAvailability
95	1	403-403	A/N	TAS (i) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@Availab ilityTypeCode
96	4	404-407	A/N	TAS (i) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu ryAccountSymbol/@MainA ccountCode
97	3	408-410	A/N	TAS (i) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Treasu

						ryAccountSymbol/@Sub- accountCode
98	8	411-418	A/N	BETC (i)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Busine ssEventType/@BusinessEv entTypeCode
99	1	419-419	N	Is Credit (DEBIT/CREDIT TYPE) (i)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayement/ AccountClassification/@IsC redit
100	15	420-434	N	TAS/BETC-Amount (i)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/A ccountClassification/Classifi cation/@Amount
101	6	435-440		Filler	No validation.	

E. Record "08" – SDP Payment Level Payment Information Repository Record (Required)

Field No	<u>Length</u>	<u>Positions</u>	Type A/N	<u>Field</u>	Validations/Notes	FMS XML Schema Transmission
1	2	1-2	N	Record Type	Value = "08".	
2	50	3-52	A/N	Procurement Instrument Identifier	Optional.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/P rocurementDetail/@Procur ementInstrumentIdentifier
3	4	53-56	A/N	Procurement Agency Identifier	Optional.	/Transmission/Schedule/Ty peA_Details/SameDayPay

						ments/SameDayPayment/P rocurementDetail/@ProcurementAgencyIdentifier
4	4	57-60	A/N	Contracting Office Procurement Agency Identifier	Optional.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/P rocurementDetail/@Contra ctingOfficeProcurementAge ncyIdentifier
5	50	61-110	A/N	Indefinite Delivery Vehicle Procurement Instrument Identifier	Optional.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/P rocurementDetail/Indefinite DeliveryVehicleDetail/@Pro curementInstrumentIdentifi er
6	4	111-114	A/N	Indefinite Delivery Vehicle Procurement Agency Identifier	Optional.	/Transmission/Schedule/Ty peA_Details/SameDayPay ments/SameDayPayment/P rocurementDetail/Indefinite DeliveryVehicleDetail/@Pro curementAgencyIdentifier
7	326	115-440		Filler	No validation.	

Summary Totals Schedule File Format

Record Order Notation: 01, 04, [05, [06]], 07{1,112}
Description: 01 record followed by 04, followed by optional "Remark record(s)", followed by one to one hundred and twelve 07 records.
Remark record(s) can be just a single 05 record, or, 05 record followed by 06 record.

A. Record "01" - Summary Totals Header Record (Required)

Field No	Length	Positions	Type A/N	Field	Validations/Notes	FMS XML Schema Transmission (1)
1	2	1-2	N	Record Type	Value = "01".	
2	6	3-8	A/N	File Format Version	Required. Value = "GWA001". (Formerly Transmission Number X(6) 3-8)	
3	14	9-22	A/N	Schedule Number	Required. Valid characters are "0-9", "A-Z", or dash (-). Cannot be all zeroes. Shall not be reused by ALC for one fiscal year. Right justify and zero pad.	/Transmission/Schedule/@ ScheduleNumber
4	20	23-42		Filler	No validation. (Formerly Date/Time X(12) positions 23-34) (Formerly FPAID X(4) positions 35-38 (Formerly FPA PC# X(2) positions 39-40 (Formerly Filler X(2) positions 41-42)	
5	3	43-45	A/N	Regional Financial Center Code (RFC) (Formerly RFC Identifier)	Required. Values = "KFC", "PFC", or "SFC"	/Transmission/Schedule/@ RegionalFinancialCenterCo de
6	8	46-53	N	Agency Location Code (ALC)	Required. Must be valid 8-digit Treasury Disbursed ALC.	/Transmission/Schedule/Ori ginatingAgency/@AgencyL ocationCode
7	363	54-416		Filler	No validation. (Formerly DOS File Name x(12) 54-65) (Formerly Filler X(351) 66-416)	
8	1	417-417	A/N	Schedule Type (formerly Payment	Required. See Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions	

			Type)	Chart	
9	23	418-440	Filler	No validation. (Formerly Payment Sub-Type X(1) positions 418-418) (Formerly Filler X(22) positions 419-440)	

⁽¹⁾ See Section IE, FMS XML Schema.

B. Record "04" - Summary Totals Record (Required)

Field No	Length	Positions	Type A/N	<u>Field</u>	<u>Validations/Notes</u>	FMS XML Schema Transmission
1	2	1-2	N	Record Type	Value = "04".	
2	24	3-26		Filler	No validation. (Formerly Payment Number 9(6) positions 3-8) (Formerly Schedule Number 9(14) positions 9- 22) (Formerly Filler X(4) positions 23-26)	
3	8	27-34	N	Requested Payment Date	Required. Valid format is MMDDYYYY. Shall be valid date. Requested Payment Date shall be between the current date and up to 25 days in the future.	/Transmission/Schedule/Ty peB_Details/@Requested PaymentDate
4	2	35-35	A/N	Payment Type B Code (formerly Summary Payment Codes)	Required. See Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart.	/Transmission/Schedule/Ty peB_Details/@PaymentTy peB_Code
5	1	36-36	A/N	Payment Method	Required. See Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart Required Value "C" for sheet or "F" for	
					Required Value = "C" for check or "E" for EFT/ACH	
					For Payment Type B Code of "F" for Foreign Mail, the Payment Method must equal "C" for check. For Payment Type B Code of "H" for International Direct Deposit must be "E" for EFT/ACH.	
5	10	37-46		Filler	No validation.	
6	7	47-53	A/N	Control Number	Required. Position 1 shall be characters "A-Z". Position 2 – 7 shall be numeric "0-9". Note: The Control Number field is assigned by	/Transmission/Schedule/Ty peB_Details/@ControlNum ber

					the processing RFC and is sent to the agency upon successful pre-validation editing of the corresponding bulk payment file.	
7	79	54-132		Filler	No validation. (Formerly Reel Number 2 X(7) positions 54-60) (Formerly Reel Number 3 X(7) positions 61-67) (Formerly Reel Number 4 X(7) positions 68-74) (Formerly Reel Number 5 X(7) positions 75-81) (Formerly Filler X(35) positions 82-116) (Formerly MAC for Payment Data X(8) positions 117-124) (Formerly ALC X(8) positions 125-132)	
8	8	133-140	Z	Total Count (formerly Total Number of Payments)	Required. Total number of payments on corresponding Bulk Payment Standard Request File. Right justified, zero padded and shall be greater than zero. Valid characters are "0-9".	/Transmission/Schedule/@ TotalCount /Transmission/Schedule/Ty peB_Details/TypeB_ACH_ Schedule/@TotalCount
9	15	141-155	N	Total Schedule Amount	Required. Total dollar amount of payments on corresponding Bulk Payment Standard Request File. Valid characters are "0-9". Right justify and zero pad. The last two digits are cents. If Schedule Type in "01" record = "Y", then amount shall equal zero. Shall equal Total TAS/BETC Amount (Debits-Credits) for non-Prenotes.	/Transmission/Schedule/@ TotalAmount /Transmission/Schedule/Ty peB_Details/TypeB_ACH_ Schedule/@TotalAmount /Transmission/Schedule/Ty peB_Details/TypeB_Check Schedule/@TotalAmount
10	285	156-440		Filler	No validation. (Formerly Filler X(5) positions 156-160) (Formerly Account Symbol 1 X(16) positions 161-176) (Formerly Total Amt Sym 1 9(13) positions 177-189) (Formerly Account Symbol 2 X(16) positions	

(40) (4)
(13) positions 206-
X(16) positions
13) positions 206-
X(16) positions
(13) positions 206-
10)
X(16) positions
A(10) pooluono
(13) positions 206-
10) positions 200
X(16) positions
A(10) positions
(12) positions 206
(13) positions 206-
V/4C) manifican
X(16) positions
(40)
(13) positions 206-
X(16) positions
13) positions 206-
s 393-415)
ns 416-423)
ns 424-431)
423-440)

C. Record "05" - Summary Totals Comments Record (Remarks) (Optional)

Field No	<u>Length</u>	Positions	Type A/N	<u>Field</u>	Validations/Notes	FMS XML Schema Transmission
1	2	1-2	N	Record Type	Value = "05".	

2	101	3-103		Filler	No validation. (Formerly Payment Number 9(6) positions 3-8) (Formerly Schedule Number 9(14) positions 9-22) (Formerly Account Symbol 9 X(16) positions 23-38) (Formerly Total Amt Sym 9 9(13) positions 39-51) (Formerly Account Symbol 10 X(16) positions 52-67) (Formerly Total Amt Sym 10 9(13) positions 68-80) (Formerly Non-Check Total 9(13) positions 81-93) (Formerly Filler X(10) positions 94-103)	
3	72	104-175	A/N	Comment 1 (formerly Remarks 1)	Optional. Blank fill if not used.	/Transmission/Schedule/Ty peB_Details/Comment
4	72	176-247	A/N	Comment 2 (formerly Remarks 2)	Optional. Blank fill if not used.	/Transmission/Schedule/Ty peB_Details/Comment
5	72	248-319	A/N	Comment 3 (formerly Remarks 3)	Optional. Blank fill if not used.	/Transmission/Schedule/Ty peB_Details/Comment
6	121	320-440		Filler	No validation. (Formerly Filler X(96) positions 320-415) (Formerly ASAID X(8) positions 416-423) (Formerly ACOID X(8) positions 424-431) (Formerly MAC X(9) positions 423-440).	

D. Record "06" - Summary Totals Comments (Continued) Record (Remarks - Continued) (Optional)

Field No	<u>Length</u>	<u>Positions</u>	Type A/N	<u>Field</u>	<u>Validations/Notes</u>	FMS XML Schema Transmission
1	2	1-2	N	Record Type	Value = "06".	
2	20	3-22		Filler	No validation. (Formerly Payment Number 9(6) positions 3-8) (Formerly Schedule Number 9(14) positions 9-22)	
3	72	23-94	A/N	Comment 4 (formerly	Optional. Blank fill if not used.	/Transmission/Schedule/Ty

				Remarks 4)		peB_Details/Comment
4	72	95-166	A/N	Comment 5(formerly Remarks 5	Optional. Blank fill if not used.	/Transmission/Schedule/Ty peB_Details/Comment
5	72	167-238	A/N	Comment 6(formerly Remarks 6	Optional. Blank fill if not used.	/Transmission/Schedule/Ty peB_Details/Comment
6	72	239-310	A/N	Comment 7(formerly Remarks 7)	Optional. Blank fill if not used.	/Transmission/Schedule/Ty peB_Details/Comment
7	130	311-440		Filler	No validation. (Formerly CO Name X(16) positions 311-326) (Formerly Filler X(89) positions 327-415) (Formerly ASAID X(8) positions 416-423) (Formerly ACOID X(8) positions 424-431) (Formerly MAC X(9) positions 432-440)	

E. Record "07" – Summary Totals TAS/BETCs for Non-Prenotes Record (Required)

The first TAS/BETC-TYPE is required. Every entered TAS/BETC-TYPE must be valid per SAM. There cannot be non-blank TAS/BETC-TYPEs after a blank TAS/BETC-TYPE. Unused TAS/BETC-TYPE entries must be blank filled. Cannot be more than 112 consecutive "07" records for Summary.

Field No	<u>Length</u>	<u>Positions</u>	Type A/N	Field	Validations/Notes	FMS XML Schema Transmission
1	2	1-2	N	Record Type	Value = "07".	
2	2	3-4	A/N	TAS (a) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Sub- levelPrefixCode
3	3	5-7	A/N	TAS (a) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Allocati onTransferAgencyIdentifier
4	3	8-10	A/N	TAS (a) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Agency

						Identifier
5	4	11-14	A/N	TAS (a) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Beginni ngPeriodOfAvailability
6	4	15-18	A/N	TAS (a) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Ending PeriodOfAvailability
7	1	19-19	A/N	TAS (a) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Availabi lityTypeCode
8	4	20-23	A/N	TAS (a) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@MainAc countCode
9	3	24-26	A/N	TAS (a) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Sub- accountCode
10	8	27-34	A/N	BETC (a)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Busines sEventType/@BusinessEv entTypeCode
11	1	35-35	N	Is Credit (DEBIT/CREDIT TYPE) (a)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ac countClassification/@IsCre dit
12	15	36-50	N	TAS/BETC-Amount (a)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ac countClassification/Classifi cation/@ Amount
13	2	51-52	A/N	TAS (b) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Sub-

						levelPrefixCode
14	3	53-55	A/N	TAS (b) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Allocati onTransferAgencyIdentifier
15	3	56-58	A/N	TAS (b) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Agency Identifier
16	4	59-62	A/N	TAS (b) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Beginni ngPeriodOfAvailability
17	4	63-66	A/N	TAS (b) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Ending PeriodOfAvailability
18	1	67-67	A/N	TAS (b) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Availabi lityTypeCode
19	4	68-71	A/N	TAS (b) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@MainAc countCode
20	3	72-74	A/N	TAS (b) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Sub- accountCode
21	8	75-82	A/N	BETC (b)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Busines sEventType/@BusinessEv entTypeCode
22	1	83-83	N	Is Credit	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ac

				(DEBIT/CREDIT TYPE) (b)		countClassification/@lsCre dit
23	15	84-98	N	TAS/BETC-Amount (b)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ac countClassification/Classifi cation/@Amount
24	2	99-100	A/N	TAS (c) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Sub- levelPrefixCode
25	3	101-103	A/N	TAS (c) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Allocati onTransferAgencyIdentifier
26	3	104-106	A/N	TAS (c) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Agency Identifier
27	4	107-110	A/N	TAS (c) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Beginni ngPeriodOfAvailability
28	4	111-114	A/N	TAS (c) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Ending PeriodOfAvailability
29	1	115-115	A/N	TAS (c) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Availabi lityTypeCode
30	4	116-119	A/N	TAS (c) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@MainAc countCode
31	3	120-122	A/N	TAS (c) Sub-Account	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac

				Code (SUB)		countClassification/Treasur yAccountSymbol/@Sub- accountCode
32	8	123-130	A/N	BETC (c)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Busines sEventType/@BusinessEv entTypeCode
33	1	131-131	N	Is Credit (DEBIT/CREDIT TYPE) (c)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ac countClassification/@IsCre dit
34	15	132-146	N	TAS/BETC-Amount (c)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ac countClassification/Classifi cation/@Amount
35	2	147-148	A/N	TAS (d) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Sub- levelPrefixCode
36	3	149-151	A/N	TAS (d) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Allocati onTransferAgencyIdentifier
37	3	152-154	A/N	TAS (d) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Agency Identifier
38	4	155-158	A/N	TAS (d) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Beginni ngPeriodOfAvailability
39	4	159-162	A/N	TAS (d) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Ending PeriodOfAvailability
40	1	163-163	A/N	TAS (d) Availability	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac

				Type Code (A)		countClassification/Treasur yAccountSymbol/@Availabi lityTypeCode
41	4	164-167	A/N	TAS (d) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@MainAc countCode
42	3	168-170	A/N	TAS (d) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Sub- accountCode
43	8	171-178	A/N	BETC (d)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Busines sEventType/@BusinessEv entTypeCode
44	1	179-179	N	Is Credit (DEBIT/CREDIT TYPE) (d)	Must be "1" for Credit and "0" for Debit	/Transmission/Schedule/Ac countClassification/@IsCre dit
45	15	180-194	N	TAS/BETC-Amount (d)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ac countClassification/Classifi cation/@Amount
46	2	195-196	A/N	TAS (e) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Sub- levelPrefixCode
47	3	197-199	A/N	TAS (e) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Allocati onTransferAgencyIdentifier
48	3	200-202	A/N	TAS (e) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Agency Identifier
49	4	203-206	A/N	TAS (e) Beginning	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac

				Period of Availability (BPOA)		countClassification/Treasur yAccountSymbol/@Beginni ngPeriodOfAvailability
50	4	207-210	A/N	TAS (e) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Ending PeriodOfAvailability
51	1	211-211	A/N	TAS (e) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Availabi lityTypeCode
52	4	212-215	A/N	TAS (e) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@MainAc countCode
53	3	216-218	A/N	TAS (e) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Sub- accountCode
54	8	219-226	A/N	BETC (e)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Busines sEventType/@BusinessEv entTypeCode
55	1	227-227	N	Is Credit (DEBIT/CREDIT TYPE) (e)	Must be "1" for Credit and "0" for Debit	/Transmission/Schedule/Ac countClassification/@IsCre dit
56	15	228-242	N	TAS/BETC-Amount (e)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ac countClassification/Classifi cation/@ Amount
57	2	243-244	A/N	TAS (f) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Sub- levelPrefixCode
58	3	245-247	A/N	TAS (f) Allocation	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac

				Transfer Agency Identifier (ATA)		countClassification/Treasur yAccountSymbol/@Allocati onTransferAgencyIdentifier
59	3	248-250	A/N	TAS (f) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Agency Identifier
60	4	251-254	A/N	TAS (f) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Beginni ngPeriodOfAvailability
61	4	255-258	A/N	TAS (f) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Ending PeriodOfAvailability
62	1	259-259	A/N	TAS (f) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Availabi lityTypeCode
63	4	260-263	A/N	TAS (f) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@MainAc countCode
64	3	264-266	A/N	TAS (f) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Sub- accountCode
65	8	267-274	A/N	BETC (f)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Busines sEventType/@BusinessEv entTypeCode
66	1	275-275	N	Is Credit (DEBIT/CREDIT TYPE) (f)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ac countClassification/@IsCre dit

67	15	276-290	N	TAS/BETC-Amount (f)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ac countClassification/Classifi cation/@Amount
68	2	291-292	A/N	TAS (g) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Sub- levelPrefixCode
69	3	293-295	A/N	TAS (g) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Allocati onTransferAgencyIdentifier
70	3	296-298	A/N	TAS (g) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Agency Identifier
71	4	299-302	A/N	TAS (g) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Beginni ngPeriodOfAvailability
72	4	303-306	A/N	TAS (g) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Ending PeriodOfAvailability
73	1	307-307	A/N	TAS (g) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Availabi lityTypeCode
74	4	308-311	A/N	TAS (g) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@MainAc countCode
75	3	312-314	A/N	TAS (g) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Sub-

						accountCode
76	8	315-322	A/N	BETC (g)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Busines sEventType/@BusinessEv entTypeCode
77	1	323-323	N	Is Credit (DEBIT/CREDIT TYPE) (g)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ac countClassification/@IsCre dit
78	15	324-338	N	TAS/BETC-Amount (g)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ac countClassification/Classifi cation/@Amount
79	2	339-340	A/N	TAS (h) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Sub- levelPrefixCode
80	3	341-343	A/N	TAS (h) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Allocati onTransferAgencyIdentifier
81	3	344-346	A/N	TAS (h) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Agency Identifier
82	4	347-350	A/N	TAS (h) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Beginni ngPeriodOfAvailability
83	4	351-354	A/N	TAS (h) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Ending PeriodOfAvailability
84	1	355-355	A/N	TAS (h) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Availabi

						lityTypeCode
85	4	356-359	A/N	TAS (h) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@MainAc countCode
86	3	360-362	A/N	TAS (h) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Sub- accountCode
87	8	363-370	A/N	BETC (h)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Busines sEventType/@BusinessEv entTypeCode
88	1	371-371	N	Is Credit (DEBIT/CREDIT TYPE) (h)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ac countClassification/@IsCre dit
89	15	372-386	N	TAS/BETC-Amount (h)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ac countClassification/Classifi cation/@Amount
90	2	387-388	A/N	TAS (i) Sub-level Prefix Code (SP)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Sub- levelPrefixCode
91	3	389-391	A/N	TAS (i) Allocation Transfer Agency Identifier (ATA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Allocati onTransferAgencyIdentifier
92	3	392-394	A/N	TAS (i) Agency Identifier (AID)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Agency Identifier
93	4	395-398	A/N	TAS (i) Beginning Period of Availability (BPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Beginni

						ngPeriodOfAvailability
94	4	399-402	A/N	TAS (i) Ending Period of Availability (EPOA)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Ending PeriodOfAvailability
95	1	403-403	A/N	TAS (i) Availability Type Code (A)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Availabi lityTypeCode
96	4	404-407	A/N	TAS (i) Main Account Code (MAIN)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@MainAc countCode
97	3	408-410	A/N	TAS (i) Sub-Account Code (SUB)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Treasur yAccountSymbol/@Sub- accountCode
98	8	411-418	A/N	BETC (i)	Must be a valid value for this field per GWA.	/Transmission/Schedule/Ac countClassification/Busines sEventType/@BusinessEv entTypeCode
99	1	419-419	N	Is Credit (DEBIT/CREDIT TYPE) (i)	Must be "1" for Credit and "0" for Debit.	/Transmission/Schedule/Ac countClassification/@IsCre dit
100	15	420-434	N	TAS/BETC-Amount (i)	Must be a valid amount. (See IB.8 and Figure 1 - Schedule Types/Payment Types/SEC/Amount Restrictions Chart)	/Transmission/Schedule/Ac countClassification/Classifi cation/@Amount
101	6	435-440		Filler	No validation.	

∨I Acronyms

A/N – Alpha-numeric

ACH – Automated Clearing House (or EFT – Electronic funds Transfer)

AFC - Austin Financial Center

ALC – Agency Location Code

BETC – Business Event Type Code

CCD - Cash Concentration or Disbursement for Standard Entry Class Code

CGAC - Common Government-wide Accounting Classification Structure

EFT – Electronic Funds Transfer (see ACH)

FMS - United States Treasury, Financial Management Service

FPA – Federal Program Agency

GWA - Government-wide Accounting

GWAMP - Government-wide Accounting and Modernization Project

IAT – International ACH Transactions for Standard Entry Class Code

KFC - Kansas City Financial Center (FMS RFC)

N - Numeric

NACHA - National Automated Clearing House - The Electronic Payments Association

PAM – Payment Application Modernization

PFC - Philadelphia Financial Center (FMS RFC)

PM – Payment Management (formerly FMS Regional Operations)

PPD - Prearranged Payment and Deposit Entry for Standard Entry Class Code

RFC - FMS Regional Financial Center

RO – FMS Regional Operations now FMS Payment Management as of 10/01/2007

RTN - Routing Transit Number/Routing Number/American Bankers Association Number

SAM – FMS Shared Accounting Module/ Financial Reference Data

SDP – Same Day Payment (SDP) (Fedwire)

SEC – Standard Entry Class Code (formerly addendum code)

SFC – San Francisco Financial Center (FMS RFC)

SPS – Secure Payment System

TAS - Treasury Account Symbol

SP - Sub-level Prefix Code

ATA - Allocation Transfer Agency Identifier

AID - Agency Identifier

BPOA – Beginning Period of Availability

EPOA - Ending Period of Availability

A - Availability Type Code

MAIN - Main Account Code

SUB - Sub-Account Code

TDO – Treasury Disbursing Office

TIN - Tax Identification Number

VII State Codes

State Codes per /www.usps.com/ncsc/lookups/usps_abbreviations.html

State Abbreviations

State/Possession	<u>Abbreviation</u>
ALABAMA	AL
ALASKA	AK
AMERICAN SAMOA	AS
ARIZONA	AZ
ARKANSAS	AR
CALIFORNIA	CA
COLORADO	CO
CONNECTICUT	CT
DELAWARE	DE
DISTRICT OF COLUMBIA	DC
FEDERATED STATES OF MICRONESIA	FM
FLORIDA	FL
GEORGIA	GA
GUAM	GU
HAWAII	HI
IDAHO	ID
ILLINOIS	IL
INDIANA	IN
IOWA	IA
KANSAS	KS
KENTUCKY	KY
LOUISIANA	LA
MAINE	ME
MARSHALL ISLANDS	MH
MARYLAND	MD
MASSACHUSETTS	MA
MICHIGAN	MI
MINNESOTA	MN
MISSISSIPPI	MS
MISSOURI	MO
MONTANA	MT
NEBRASKA	NE
NEVADA	NV

NEW HAMPSHIRE	NH
NEW JERSEY	NJ
NEW MEXICO	NM
NEW YORK	NY
NORTH CAROLINA	NC
NORTH DAKOTA	ND
NORTHERN MARIANA ISLANDS	MP
OHIO	ОН
OKLAHOMA	OK
OREGON	OR
PALAU	PW
PENNSYLVANIA	PA
PUERTO RICO	PR
RHODE ISLAND	RI
SOUTH CAROLINA	SC
SOUTH DAKOTA	SD
TENNESSEE	TN
TEXAS	TX
UTAH	UT
VERMONT	VT
VIRGIN ISLANDS	VI
VIRGINIA	VA
WASHINGTON	WA
WEST VIRGINIA	WV
WISCONSIN	WI
WYOMING	WY

Military "State"	Abbreviation
Armed Forces Africa	AE
Armed Forces Americas (except Canada)	AA
Armed Forces Canada	AE
Armed Forces Europe	AE
Armed Forces Middle East	AE
Armed Forces Pacific	AP

Appendix 1

A. Format Requirements

- 1. The basic format requirements are stated below.
 - a. File must have first record starting with Record Type "01".
 - b. File must have valid File Format Version "GWA001" in record "01" positions (3-8).
 - c. Legacy 440 File must not have "GWA001" in record "01" positions (3-8).
 - d. File must have records in record number order specified.
 - e. File must have required records.
- 2. If a file meets basic format requirements, but does not meet field level validations as defined in this document, the file will be rejected.

B. File Structure

- 1. Each schedule to be certified in SPS shall be a separate file.
- 2. Type A Schedules of Regular Check, Manual Check, ACH, ACH Prenotes and SDP schedules are still limited to 60 payments per schedule.
- 3. Type B Schedules of Summary and Summary Prenote schedules have only the summary totals information on the certified schedule and the individual payment information is transmitted to FMS in a Bulk Standard Payment Request File processed by PAM.
- 4. Individual records shall be in 440 byte contiguous segments.