

30807

**Table 7.21A Tobacco and Alcohol Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Numbers in Thousands, 2002**

Drug	CIGARETTE USE IN PAST MONTH	
	Any Use	No Use
Any Tobacco <sup>1</sup>	N/A	10,363
Cigarettes	N/A	N/A
Smokeless Tobacco	2,946	4,841
Cigars	7,358	5,394
Pipes	902	915
Alcohol	40,688	79,133
Binge Alcohol Use <sup>2</sup>	26,323	27,464
Heavy Alcohol Use <sup>2</sup>	9,722	6,138

\*Low precision; no estimate reported.

N/A: Not applicable.

<sup>1</sup> Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 7.21B Tobacco and Alcohol Use in the Past Month among Persons Aged 12 or Older, by Past Month Cigarette Use: Percentages, 2002**

Drug	CIGARETTE USE IN PAST MONTH	
	Any Use	No Use
Any Tobacco <sup>1</sup>	N/A	6.0
Cigarettes	N/A	N/A
Smokeless Tobacco	4.8	2.8
Cigars	12.0	3.1
Pipes	1.5	0.5
Alcohol	66.6	45.5
Binge Alcohol Use <sup>2</sup>	43.1	15.8
Heavy Alcohol Use <sup>2</sup>	15.9	3.5

\*Low precision; no estimate reported.

N/A: Not applicable.

<sup>1</sup> Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 7.22A Tobacco and Alcohol Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Numbers in Thousands, 2002**

Drug	CIGARETTE USE IN PAST MONTH	
	Any Use	No Use
Any Tobacco <sup>1</sup>	N/A	558
Cigarettes	N/A	N/A
Smokeless Tobacco	273	215
Cigars	773	344
Pipes	91	46
Alcohol	1,893	2,472
Binge Alcohol Use <sup>2</sup>	1,435	1,206
Heavy Alcohol Use <sup>2</sup>	449	181

\*Low precision; no estimate reported.

N/A: Not applicable.

<sup>1</sup> Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 7.22B Tobacco and Alcohol Use in the Past Month among Persons Aged 12 to 17, by Past Month Cigarette Use: Percentages, 2002**

Drug	CIGARETTE USE IN PAST MONTH	
	Any Use	No Use
Any Tobacco <sup>1</sup>	N/A	2.6
Cigarettes	N/A	N/A
Smokeless Tobacco	8.5	1.0
Cigars	24.1	1.6
Pipes	2.8	0.2
Alcohol	59.0	11.5
Binge Alcohol Use <sup>2</sup>	44.7	5.6
Heavy Alcohol Use <sup>2</sup>	14.0	0.8

\*Low precision; no estimate reported.

N/A: Not applicable.

<sup>1</sup> Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 7.23A Tobacco and Alcohol Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Numbers in Thousands, 2002**

Drug	CIGARETTE USE IN PAST MONTH	
	Any Use	No Use
Any Tobacco <sup>1</sup>	N/A	1,399
Cigarettes	N/A	N/A
Smokeless Tobacco	1,009	493
Cigars	2,479	938
Pipes	271	61
Alcohol	9,896	8,863
Binge Alcohol Use <sup>2</sup>	7,776	4,923
Heavy Alcohol Use <sup>2</sup>	3,293	1,332

\*Low precision; no estimate reported.

N/A: Not applicable.

<sup>1</sup> Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 7.23B Tobacco and Alcohol Use in the Past Month among Persons Aged 18 to 25, by Past Month Cigarette Use: Percentages, 2002**

Drug	CIGARETTE USE IN PAST MONTH	
	Any Use	No Use
Any Tobacco <sup>1</sup>	N/A	7.6
Cigarettes	N/A	N/A
Smokeless Tobacco	8.0	2.7
Cigars	19.6	5.1
Pipes	2.1	0.3
Alcohol	78.2	48.2
Binge Alcohol Use <sup>2</sup>	61.5	26.8
Heavy Alcohol Use <sup>2</sup>	26.0	7.3

\*Low precision; no estimate reported.

N/A: Not applicable.

<sup>1</sup> Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30807

**Table 7.24A Tobacco and Alcohol Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Numbers in Thousands, 2002**

Drug	CIGARETTE USE IN PAST MONTH	
	Any Use	No Use
Any Tobacco <sup>1</sup>	N/A	8,405
Cigarettes	N/A	N/A
Smokeless Tobacco	1,664	4,133
Cigars	4,105	4,112
Pipes	540	808
Alcohol	28,898	67,798
Binge Alcohol Use <sup>2</sup>	17,112	21,335
Heavy Alcohol Use <sup>2</sup>	5,981	4,624

\*Low precision; no estimate reported.

N/A: Not applicable.

<sup>1</sup> Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 7.24B Tobacco and Alcohol Use in the Past Month among Persons Aged 26 or Older, by Past Month Cigarette Use: Percentages, 2002**

Drug	CIGARETTE USE IN PAST MONTH	
	Any Use	No Use
Any Tobacco <sup>1</sup>	N/A	6.3
Cigarettes	N/A	N/A
Smokeless Tobacco	3.7	3.1
Cigars	9.1	3.1
Pipes	1.2	0.6
Alcohol	63.8	50.6
Binge Alcohol Use <sup>2</sup>	37.8	15.9
Heavy Alcohol Use <sup>2</sup>	13.2	3.4

\*Low precision; no estimate reported.

N/A: Not applicable.

<sup>1</sup> Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

<sup>2</sup> Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.