

**Table 7.74A Drove Under the Influence of Any Illicit Drug or Alcohol in the Past Year, by Detailed Age Categories: Numbers in Thousands, 2002**

Age Category	DROVE UNDER THE INFLUENCE IN PAST YEAR		
	Any Illicit Drug	Alcohol	Any Illicit Drug or Alcohol
Total	10,962	33,481	35,781
12	5	2	6
13	13	15	20
14	25	35	44
15	83	88	113
16	284	315	410
17	524	544	734
18	655	809	987
19	667	928	1,091
20	652	970	1,136
21	730	1,313	1,434
22	562	1,194	1,272
23	534	1,141	1,222
24	430	1,045	1,111
25	332	861	918
26-29	1,365	3,773	3,936
30-34	1,114	4,174	4,372
35-39	1,039	4,222	4,454
40-44	916	3,757	3,981
45-49	720	3,168	3,362
50-54	213	2,374	2,424
55-59	33	1,077	1,081
60-64	58	772	772
65 or Older	10	902	902

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 7.74B Drove Under the Influence of Any Illicit Drug or Alcohol in the Past Year, by Detailed Age Categories: Percentages, 2002**

Age Category	DROVE UNDER THE INFLUENCE IN PAST YEAR		
	Any Illicit Drug	Alcohol	Any Illicit Drug or Alcohol
Total	4.7	14.2	15.2
12	0.1	0.1	0.2
13	0.3	0.4	0.5
14	0.6	0.8	1.0
15	2.0	2.1	2.8
16	7.0	7.8	10.1
17	13.3	13.8	18.6
18	15.0	18.5	22.6
19	16.3	22.7	26.7
20	16.3	24.3	28.4
21	18.0	32.4	35.4
22	14.5	30.9	32.9
23	14.0	29.9	32.1
24	12.2	29.7	31.5
25	10.0	25.9	27.6
26-29	8.9	24.7	25.8
30-34	5.6	21.0	22.0
35-39	4.7	19.2	20.2
40-44	4.2	17.1	18.1
45-49	3.4	15.0	15.9
50-54	1.1	12.6	12.9
55-59	0.2	7.3	7.4
60-64	0.5	6.6	6.6
65 or Older	0.0	2.7	2.7

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 7.75A Drove Under the Influence of Any Illicit Drug or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Numbers in Thousands, 2002**

Demographic Characteristic	DROVE UNDER THE INFLUENCE IN PAST YEAR		
	Any Illicit Drug	Alcohol	Any Illicit Drug or Alcohol
<b>TOTAL</b>	10,962	33,481	35,781
<b>AGE</b>			
12-17	934	1,000	1,327
18-25	4,562	8,262	9,170
26 or Older	5,467	24,218	25,284
<b>GENDER</b>			
Male	7,206	21,407	22,696
Female	3,757	12,074	13,085
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	9,884	30,424	32,539
White	8,285	26,752	28,547
Black or African American	1,219	2,586	2,828
American Indian or Alaska Native	93	226	242
Native Hawaiian or Other Pacific Islander	25	90	91
Asian	116	514	530
Two or More Races	146	256	300
Hispanic or Latino	1,078	3,057	3,243

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 7.75B Drove Under the Influence of Any Illicit Drug or Alcohol in the Past Year among Persons Aged 12 or Older, by Demographic Characteristics: Percentages, 2002**

Demographic Characteristic	DROVE UNDER THE INFLUENCE IN PAST YEAR		
	Any Illicit Drug	Alcohol	Any Illicit Drug or Alcohol
<b>TOTAL</b>	4.7	14.2	15.2
<b>AGE</b>			
12-17	3.8	4.0	5.4
18-25	14.7	26.6	29.6
26 or Older	3.0	13.5	14.1
<b>GENDER</b>			
Male	6.3	18.8	20.0
Female	3.1	9.9	10.8
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	4.8	14.8	15.8
White	5.0	16.2	17.3
Black or African American	4.5	9.6	10.5
American Indian or Alaska Native	6.3	15.3	16.4
Native Hawaiian or Other Pacific Islander	3.1	11.1	11.2
Asian	1.3	5.7	5.9
Two or More Races	5.8	10.2	11.9
Hispanic or Latino	3.7	10.5	11.2

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 7.76A Drove Under the Influence of Any Illicit Drug or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Numbers in Thousands, 2002**

Demographic Characteristic	DROVE UNDER THE INFLUENCE IN PAST YEAR		
	Any Illicit Drug	Alcohol	Any Illicit Drug or Alcohol
<b>TOTAL</b>	10,029	32,481	34,454
<b>GENDER</b>			
Male	6,674	20,889	21,982
Female	3,355	11,592	12,472
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	9,060	29,541	31,367
White	7,576	25,965	27,521
Black or African American	1,144	2,528	2,735
American Indian or Alaska Native	73	210	220
Native Hawaiian or Other Pacific Islander	24	90	90
Asian	110	502	519
Two or More Races	132	245	283
Hispanic or Latino	969	2,940	3,086
<b>EDUCATION</b>			
< High School	1,605	2,935	3,397
High School Graduate	3,315	9,551	10,283
Some College	3,401	10,053	10,596
College Graduate	1,708	9,942	10,178
<b>CURRENT EMPLOYMENT</b>			
Full-Time	5,908	23,180	24,265
Part-Time	1,937	4,315	4,719
Unemployed	849	1,497	1,647
Other <sup>1</sup>	1,335	3,489	3,822

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 7.76B Drove Under the Influence of Any Illicit Drug or Alcohol in the Past Year among Persons Aged 18 or Older, by Demographic Characteristics: Percentages, 2002**

Demographic Characteristic	DROVE UNDER THE INFLUENCE IN PAST YEAR		
	Any Illicit Drug	Alcohol	Any Illicit Drug or Alcohol
<b>TOTAL</b>	4.8	15.4	16.4
<b>GENDER</b>			
Male	6.6	20.7	21.8
Female	3.1	10.6	11.4
<b>HISPANIC ORIGIN AND RACE</b>			
Not Hispanic or Latino	4.9	15.9	16.9
White	5.1	17.3	18.4
Black or African American	4.9	10.9	11.8
American Indian or Alaska Native	5.7	16.3	17.1
Native Hawaiian or Other Pacific Islander	3.3	12.3	12.3
Asian	1.4	6.2	6.4
Two or More Races	6.2	11.6	13.3
Hispanic or Latino	3.9	11.7	12.3
<b>EDUCATION</b>			
< High School	4.3	7.9	9.1
High School Graduate	4.9	14.0	15.1
Some College	6.5	19.1	20.2
College Graduate	3.2	18.9	19.3
<b>CURRENT EMPLOYMENT</b>			
Full-Time	5.1	19.9	20.8
Part-Time	7.1	15.7	17.2
Unemployed	11.2	19.7	21.7
Other <sup>1</sup>	2.3	5.9	6.5

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

<sup>1</sup> Retired person, disabled person, homemaker, student, or other person not in the labor force.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 7.77A Drove Under the Influence of Any Illicit Drug or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Numbers in Thousands, 2002**

Geographic Characteristic	DROVE UNDER THE INFLUENCE IN PAST YEAR		
	Any Illicit Drug	Alcohol	Any Illicit Drug or Alcohol
<b>TOTAL</b>	10,029	32,481	34,454
<b>GEOGRAPHIC DIVISION</b>			
Northeast	1,842	5,769	6,127
New England	557	1,925	2,038
Middle Atlantic	1,285	3,844	4,088
Midwest	2,468	9,342	9,774
East North Central	1,763	6,338	6,663
West North Central	705	3,004	3,110
South	3,140	10,155	10,835
South Atlantic	1,634	5,020	5,363
East South Central	552	1,434	1,603
West South Central	954	3,700	3,869
West	2,578	7,215	7,719
Mountain	746	2,333	2,472
Pacific	1,832	4,882	5,248
<b>COUNTY TYPE</b>			
Large Metro	5,015	16,184	17,024
Small Metro	3,493	10,972	11,694
250K – 1 Mil. Pop.	2,464	7,629	8,137
<250K Pop.	1,029	3,343	3,557
Nonmetro	1,521	5,325	5,736
Urbanized	517	1,975	2,088
Less Urbanized	858	2,871	3,136
Completely Rural	146	479	511

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 7.77B Drove Under the Influence of Any Illicit Drug or Alcohol in the Past Year among Persons Aged 18 or Older, by Geographic Characteristics: Percentages, 2002**

Geographic Characteristic	DROVE UNDER THE INFLUENCE IN PAST YEAR		
	Any Illicit Drug	Alcohol	Any Illicit Drug or Alcohol
<b>TOTAL</b>	4.8	15.4	16.4
<b>GEOGRAPHIC DIVISION</b>			
Northeast	4.5	14.2	15.1
New England	5.2	18.1	19.1
Middle Atlantic	4.3	12.8	13.6
Midwest	5.2	19.6	20.5
East North Central	5.3	19.0	19.9
West North Central	4.9	21.0	21.7
South	4.2	13.5	14.4
South Atlantic	4.2	12.8	13.6
East South Central	4.3	11.3	12.6
West South Central	4.2	16.2	16.9
West	5.5	15.3	16.4
Mountain	5.5	17.1	18.2
Pacific	5.5	14.6	15.7
<b>COUNTY TYPE</b>			
Large Metro	4.8	15.4	16.2
Small Metro	5.5	17.3	18.4
250K – 1 Mil. Pop.	5.3	16.5	17.6
<250K Pop.	6.0	19.4	20.6
Nonmetro	3.6	12.7	13.6
Urbanized	3.9	14.8	15.7
Less Urbanized	3.6	11.9	13.0
Completely Rural	3.1	10.3	11.0

\*Low precision; no estimate reported.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.