

Operation Enduring Freedom Combat Stress Control 26 May 2011

Col Christopher Robinson

Deputy Director, Psychological Health

Defense Centers of Excellence for Psychological Health

and Traumatic Brain Injury











Combat Stress Control Overview

- Similar to traditional Chaplain model
 - Forward deployed and attached
 - Focus is on keeping Service Members in the fight
 - Provide outreach to combat platoons with highest levels of combat
 - Require all providers to be qualified to travel throughout the theater
- Two types of diagnoses
 - Combat Operational Stress Reactions (COSR)
 - Developed in theater in reaction to combat exposure
 - Behavioral Health Diagnoses
 - Existed prior to deployment or more severe reactions
- Means:
 - Education and command support
 - Clinical care
 - Combat operational stress control

Services

- Evaluation/Treatment of Behavioral Health Disorders (BHD)
- Intervention with Combat & Operational Stress Reactions (COSR)
- mTBI screening (Mild Acute Concussive Evaluation [MACE])
- Command Consultation
- Traumatic Event Management
- Outreach/Prevention throughout AOR
- Briefings/Classes (Anger/Stress, Communications & Relationship)











Common Problems

- PTSD
- Depression and Anxiety Disorders
- Suicidal/Homicidal Ideation/Intent/Gestures/Attempts
 - More urgent in deployed setting due to easy access to weapons
- Marital/family problems
- Sleep problems
- Adjustment disorders
- Consultation and education with leaders
- Traumatic Event Management
 - Debriefings following trauma or loss


Total Contacts from 11 Forward Operating Bases




New COSR Factors Dec 07 – Dec 09



BH Diagnoses Dec 07 – Dec 09




Dispositions Dec 07 – Dec 09



- □RTD w/o limitations
- ■RTD w/limitations
- Rest w/ Unit
- Refered for higher care
- Evacuated out of Theater




Walk-About Contacts: Contacts vs Referred



□ Total Contacts ■ Referred to CSC







Specific Challenges

- Privacy/confidentiality
- Leadership over-sensitivity to MH issues
- Being an "outsider"
- Continued exposure to traumatic stimuli
 - Mortars, small arms fire, artillery, etc
- Everyone is armed
- Overuse of caffeine, nicotine, performance enhancement stimulants, supplements
- Boredom vs terror





Col Christopher Robinson Deputy Director, Psychological Health Defense Centers of Excellence for Psychological Health and Traumatic Brain Injury

Christopher.robinson@tma.osd.mil 301-295-3455









