

References and Bibliography

- American Psychiatric Association. (1995). *Diagnostic and statistical manual of mental disorders: Primary care version*. (4th ed.). Washington, DC: Author.
- American Psychiatric Association. (2000). *Diagnostic and statistical manual of mental disorders*. (4th ed.). Washington, DC: Author.
- American Society of Addiction Medicine. (1996). *Patient placement criteria for the treatment of substance-related disorders*. (2nd ed.). (ASAM PPC-2). Chevy Chase, MD: Author.
- Anglin, M., Burke, C., Perrochet, B., Stamper, E., and Dawud-Noursi, S. (2000). History of the methamphetamine problem. *Journal of Psychoactive Drugs*, 32(2), 137-141.
- Annis, H.M. (1990). Relapse to substance abuse: Empirical findings within a cognitive-social learning approach. *Journal of Psychoactive Drugs*, 22(2), 117-124.
- Arria, A. M., Derauf, C., LaGasse, L. L., Grant, P., Shah, R., Smith, L., et al. (2006, May). Methamphetamine and other substance use during pregnancy. Preliminary estimates from the Infant Development, Environment, and Lifestyle (IDEAL) study. *Maternal and Child Health Journal*, 10(3), 293-302.
- Bavolek, S. J. (1999). *Nurturing program for parents and their school-aged children 5 to 11 years*. Park City, UT: Family Development Resources.
- Bernstein, D. P. (2000). Childhood trauma and drug addiction: Assessment, diagnosis and treatment. *Alcoholism Treatment Quarterly*, 18, 19-30.
- Bertrand, J., Floyd, R.L., Weber, M.K., O'Connor, M., Riley, E.P., Johnson, K.A., Cohen, D.E., National Task Force on FAS/FAE (2004). *Fetal Alcohol Syndrome: Guidelines for Referral and Diagnosis*. Atlanta, GA: Centers for Disease Control and Prevention.
- Besinger, B., Garland, A., Litrownik, A., and Landsverk, J. (1999). Caregiver substance abuse among maltreated children placed in out-of-home care. *Child Welfare*, 78(2), 221-239.
- Blanchard, D.C. (1998). Stress-related psychopathology as a vulnerability factor in drug-taking: The role of sex. In: Weatherington, C. L. & Roman, A. B. (Eds.). *Drug addiction research and the health of women*. (pp. 151-164). Rockville, MD: National Institute on Drug Abuse.
- Brady, K.T., Killeen, T.K., Brewerton, T., and Lucerini, S. (2000). Comorbidity of psychiatric disorders and posttraumatic stress disorder. *Journal of Clinical Psychiatry*, 61(Supplement 7), 22-32.
- Brady, K. T., Kileen, T., Saladin, M., Dansky, B. S., & Becker, S. (1994). Comorbid substance abuse and PTSD: Characteristics of women in treatment. *American Journal on Addiction*, 3, 160-164.
- Brady, T. M., & Ashley, O. S. (Eds.). (2005). *Women in substance abuse treatment: Results from the Alcohol and Drug Services Study (ADSS)* (DHHS Publication No. SMA 04-3968, Analytic Series A-26). Rockville, MD: Substance Abuse and Mental Health Services Administration, Office of Applied Studies.

- Brown, T.A., Campbell, L.A., Lehman, C.L., Grisham, J.R., and Mancill, R.B. (2002). Current and lifetime comorbidity of the DSM-IV anxiety and mood disorders in a large clinical sample. *Journal of Abnormal Psychology, 110*(4), 585–599.
- Brown, R.L., Leonard, T., Saunders, L., and Papasouliotis, O. (1997). A two-item test for alcohol and other drug problems. *The Journal of Family Practice, 44*(2), 151-160.
- Brown, V.B., Melchior, L.A., Panter, A.T., Slaughter, R., and Huba, G.J. (2000). Women's steps of change and entry into drug abuse treatment. A multidimensional stages of change model. *Journal of Substance Abuse Treatment, 18*(3), 231-240.
- Bureau of Indian Affairs. (1979). Guidelines for State courts: Indian child custody proceedings, 67584. *Federal Register, 44*(228), 1-26.
- Campbell, S.B., Cohn, J.F., Meyers, T. (1995). Depression in first-time mothers: Mother-infant interaction and depression chronicity. *Developmental Psychology, 31*, 349-57.
- Campbell, T.C., Hoffmann, N.G., Hoffmann, T.D. and Gillaspay, J.A. (2005). UNCOPE: A Screen for Substance Dependence among State Prison Inmates. *The Prison Journal, 85*(1), 7-17.
- Carroll, J.F., and McGinley, J.J. (2000). *Guidelines for Using the Mental Health Screening Form III*. New York, NY: Project Return Foundation.
- Carta, J.J., Atwater, J.B., Greenwood, C.R., McConnell, S.R., McEvoy, M.A. and Williams, R. (2001). Effects of Cumulative Prenatal Substance Exposure and Environmental Risks on Children's Developmental Trajectories. *Journal of Clinical Child Psychology, 30*(3), 327-337.
- Center for Substance Abuse Treatment. (1997). *The National Treatment Improvement Evaluation Study (NTIES)*. Rockville, MD: Author.
- Center for Substance Abuse Treatment. (1997a). *Substance Abuse Treatment and Domestic Violence*. Treatment Improvement Protocol (TIP) Series Number 25. Rockville, MD: Author.
- Center for Substance Abuse Treatment. (1997). *A Guide to Substance Abuse Services for Primary Care Physicians*. Treatment Improvement Protocol (TIP) Series Number 24. DHHS Publication No. (SMA) 97-3139. Rockville, MD: Center for Substance Abuse Treatment.
- Center for Substance Abuse Treatment. (1999). *Substance abuse treatment and the state children's health insurance program*. TIE Communiqué special issue. DHHS Pub. No. (SMA) 00-3370. Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Center for Substance Abuse Treatment. (1999). *Brief Interventions and Brief Therapies*. Treatment Improvement Protocol (TIP) Series No. 34. DHHS Publication No. (SMA) 99-3353. Rockville, MD: Center for Substance Abuse Treatment.
- Center for Substance Abuse Treatment. (2000). *Substance abuse treatment for persons with child abuse and neglect issues*. Treatment Improvement Protocol (TIP) Series, No. 36. DHHS Pub. No. (SMA) 00-3357. Washington, DC: U.S. Government Printing Office.

Center for Substance Abuse Treatment. (2001). *Effectiveness of women's substance abuse treatment programs: A meta analysis*. National Evaluation Data Services. NEDS Analytic Summary.

Center for Substance Abuse Treatment. (2001). *Telling Their Stories: Reflections of the 11 Original Grantees that Piloted Residential Treatment for Women and Children for CSAT*. Rockville, MD: Center for Substance Abuse Treatment.

Center for Substance Abuse Treatment. (2005). *Substance Abuse Treatment for Persons with Co-Occurring Disorders*. Treatment Improvement Protocol (TIP) Series 42. DHHS Publication No. (SMA) 05-3922. Rockville, MD: Substance Abuse and Mental Health Services Administration.

Center for Substance Abuse Treatment. (2006). *Enhancing Motivation for Change Inservice Training*. DHHS Publication No. (SMA) 06-4190. Rockville, MD: Substance Abuse and Mental Health Services Administration.

Center for the Study of Social Policy. (2005). *Criteria and Procedures for Determining a "Compelling Reason" not to file a TPR: Discussion Paper and Approved Recommendations*. Washington, DC: Center for the Study of Social Policy.

Chasnoff, I.J. (1997). Prenatal Exposure to Cocaine and Other Drugs: Is there a Profile? In: Accardo, P.J., Shapiro, B.K., & Capute, A.J. (Eds.), *Behavior Belongs in the Brain*. Baltimore, MD: York Press, 147-163.

Chasnoff, I.J., Griffith, D.R., Freier, C., and Murray, J. (1992). Cocaine/polydrug use in pregnancy: Two-year follow-up. *Pediatrics*, 89(2), 284-289.

Chasnoff, I.J., Landress, H.J., and Barrett, M.E. (1990). The prevalence of illicit-drug or alcohol use during pregnancy and discrepancies in mandatory reporting in Pinellas County, Florida. *New England Journal of Medicine*, 322(17), 1202-1206.

Child Welfare League of America. (1999). *Child abuse and neglect, a look at the States: 1999*. Washington, DC: Author.

Child Welfare Policy and Practice Group. (1999). *Handbook for Family Team Conferencing: Promoting Safe and Stable Families*. Montgomery, AL: Enda McConnell Clark Foundation. Retrieved August 1, 2006 from http://www.cssp.org/uploadFiles/Family_Team_Conferencing_Handbook.pdf

Chiriboga, C.A. Fetal Alcohol and Drug Effects. (2003; review). *Neurologist*, 9(6): 267-279.

Connecticut Department of Mental Health and Addiction Services. *Proposed Model of Mental Health Recovery and Recovery-Oriented Services*. Stanford, CT: Author. Retrieved July 30, 2006 from <http://www.dmhas.state.ct.us/recovery/MHmodel.pdf>

Connecticut Department of Mental Health and Addiction Services (2002). *Recovery Resource Guide*. Stanford, CT: Author. Retrieved July 30, 2006 from <http://www.dmhas.state.ct.us/recovery/resourceguide.pdf>

Corsini, R.J. and Wedding, D. (1995). *Current Psychotherapies* (5th ed.). Itasca, IL: Peacock.

Covington, S. S., and Kohen, J. (1984). Women, alcohol, and sexuality. *Advances in Substance Abuse*, 4(1), 41-56.

Cross, T. (1997). Understanding the Relational Worldview in Indian Families. *Pathways Practice Digest*, 12(4): 6-7.

Crowell, D. J., and Webber, J. R. (2001). Project strengthening supervision: A training program for child welfare supervisors: Signs of client methamphetamine use and caseworker safety procedures. Normal, IL: Illinois State University, School of Social Work.

Curtis, P., & McCullough, C. (1993). The impact of alcohol and other drugs on the child welfare system. *Child Welfare*, 72(6), 533-542.

Davis, C. (2002). *KidCare Institute Training Curriculum*. Hartford, CT: Connecticut Department of Child & Family Services.

DeHart, S.S., & Hoffmann, N.G. (1995). Screening and diagnosis of "alcohol abuse and dependence" in older adults. *The International Journal of the Addictions*, 30, 1717-1747.

DeHart, S.S., & Hoffmann, N.G. (1997). Screening and diagnosis: Alcohol use disorders in older adults. In A.M. Gurnack (Ed.), *Older adults? Misuse of alcohol, medicines, and other drugs* (pp. 25-53). New York: Springer Publishing Company.

Dennis, M. Adolescent Substance Abuse System Building and SAMHSA 5-Step Planning Process. Presented during the June 5-7, 2006 Utah CAN Local Academy 2006: Celebration, Integration and Painting the Vision. Retrieved August 4, 2006 from [http://www.chestnut.org/LI/Posters/Dennis_\(short\)_Adolescent_substance_abuse_system_building_and_SAMHSA_5_Step_Planning_Process_6-5-06.pps#371,1,Adolescent substance abuse system building and SAMHSA 5 Step Planning Process](http://www.chestnut.org/LI/Posters/Dennis_(short)_Adolescent_substance_abuse_system_building_and_SAMHSA_5_Step_Planning_Process_6-5-06.pps#371,1,Adolescent_substance_abuse_system_building_and_SAMHSA_5_Step_Planning_Process)

Denver Family Crisis Center *Medical Protocols for Children Found at Methamphetamine Labs*. Denver Family Crisis Center. N.d. Retrieved August 3, 2006 from www.colodec.org/decpapers/Documents/DEC%20Medical%20Protocol.pdf

Di Chiara, G., Bassareo, V., Fenu, S., De Luca, M.A., Spina, L., Cadoni, C., Acquas, E., Carboni, E., Valentini, V., Lecca, D. (2004). Dopamine and drug addiction: the nucleus accumbens shell connection. *Neuropharmacology*, 47(Suppl 1): 227-241.

Di Chiara, G. and Imperto, A. (1988). Drugs abused by humans preferentially increase synaptic dopamine concentrations in the mesolimbic system of freely moving rats. *Proceeds of the National Academy of Sciences*, 85, 5274-5278.

Dixon, S.D., and Bejar, R. (1989). Echoencephalographic findings in neonates associated with maternal cocaine and methamphetamine use: Incidence and clinical correlates. *Journal of Pediatrics*, 115, 770-778.

Dore, M. M. (1998). *Impact and relationship of substance abuse and child maltreatment: Risk and resiliency factors: What research tells us*. Presentation at "Protecting Children in Substance Abusing Families," Center for Advanced Studies in Child Welfare, University of Minnesota School of Social Work, Minneapolis, MN.

Ebrahim, S. H., & Gfroerer, J. (2003). Pregnancy-related substance use in the United States during 1996-1998. *Obstetrics & Gynecology*, 101(2), 374-379.

Essex, Marilyn J.; Klein, Marjorie H.; Miech, Richard; Smider, Nancy A. (2001). Timing of Initial Exposure to Maternal Major Depression and Children's Mental Health Symptoms in Kindergarten. *British Journal of Psychiatry* 179(2), 151-156.

Ewing, J.A. (1984). Detecting alcoholism: The CAGE questionnaire. *Journal of the American Medical Association*, 252, 1905-1907.

Fiorino, D. and Phillips, A. (1999). Facilitation of Sexual Behavior and Enhanced Dopamine Efflux in the Nucleus Accumbens of Male Rats after D-Amphetamine-Induced Behavioral Sensitization. *The Journal of Neuroscience*, 19(1), 456-463.

Gallagher, L.J., Gallagher, M., Perese, K., Schreiber, S., and Watson, K. (1998). *Temporary Assistance for Needy Families (TANF) One Year after Federal Welfare Reform: A Description of State TANF Decisions as of October 1997*. Washington, DC: The Urban Institute.

Gardner, S. L. (1998). *Beyond collaboration to results: Hard choices in the future of services to children and families*. Phoenix, AZ: Arizona Prevention Resource Center.

Gardner, S. L., & Young, N. K. (1996). *The implications of alcohol and other drug-related problems for community-wide family support systems*. Irvine, CA: Children and Family Futures. Retrieved July 28, 2008, from http://www.cffutures.com/AOD_Policy/AOD_Policy_Publications/cpsaod.pdf

Gibbons, C.B., Barth, R.P., & Martin, S.L. Substance abuse among caregivers of maltreated children. *Child Abuse & Neglect*, in press.

Gold, M. S. & Jacobs, W. S. (1992). Cocaine and crack: Clinical aspects. In: Lowinson, J. H., Ruiz, P., & Millman, R. B. (Eds.). *Substance abuse: A comprehensive text*. 2nd Edition. (pp. 218-251). Baltimore: Lippincott Williams & Wilkins.

Goldsmith, S.K., Pellmar, T.C., Kleinmann, A.M., & Bunney, W.E. (Eds). (2002). *Reducing Suicide: A National Imperative*. Washington, D.C.: The National Academies Press.

Gorski, T. T., & Kelley, J. M. (1996). *Counselor's manual for relapse prevention with chemically dependent criminal offenders*. Technical Assistance Publication (TAP) Series, No. 19. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration. NCJ 182824. Retrieved August 28, 2008 from <http://www.treatment.org/TAPS/TAP19/TAP19.html>

Gray, D., Achilles, J., Keller, T., Tate, D., Haggard, L., Rolfs, R., Cazier, C., Workman, J. and McMahon, W. (2002). Utah Youth Suicide Study, Phase I: Government Agency Contact Before Death. *Journal of the American Academy of Child and Adolescent Psychiatry*, 41, 4.

Hall W.D. (2006). How have the SSRI antidepressants affected suicide risk? *Lancet*, 367(9527), 1959-62.

Hampton, R.L., Senatore, V., & Gullota, T.P. (1998). *Substance Abuse, Family Violence, and Child Welfare: Bridging Perspectives*. Thousand Oaks, CA: Sage Publications.

- Hester, R., & Miller, W. R. (1989). *Handbook of alcoholism treatment approaches*. New York: Plenum Press.
- Hien, D., & Levin, F. R. (1994). Trauma and trauma-related disorders for women on methadone: Prevalence and treatment considerations. *Journal of Psychoactive Drugs*, 26(4), 421-429.
- Hien, D.A., Nunes, E., Levin, F.R., and Fraser, D. (2000). Posttraumatic stress disorder and short-term outcome in early methadone treatment. *Journal of Substance Abuse Treatment*, 19(1), 31-37.
- Hien, D., & Scheier, J. (1996). Trauma and short-term outcome for women in detoxification. *Journal of Substance Abuse Treatment*, 13, 227-231.
- Hoffman, N.G. UNCOPE. Smithfield, RI: Evince Clinical Assessments. Retrieved July 28, 2006 from http://www.evinceassessment.com/UNCOPE_for_web.pdf
- Hoffmann, N.G., Hunt, D.E., Rhodes, W.M., & Riley, K.J. (2003). UNCOPE: A Brief Substance Dependence Screen for Use with Arrestees. *Journal of Drug Issues*, 33(1), 29-44.
- Hser, Y. I., Huang, D., Teruya, C., & Anglin, D. M. (2003). Gender comparisons of drug abuse treatment outcomes and predictors. *Drug and Alcohol Dependence*, 72, 255-264.
- Huang, Larke N.; Freed, Rachel. (2006). *The Spiraling Effects of Maternal Depression on Mothers, Children, Families and Communities*. Issue Brief #2. Annie E. Casey Foundation.
- Hudson, C.G. (2005). Socioeconomic Status and Mental Illness: Tests of the Social Causation and Selection Hypotheses. *American Journal of Orthopsychiatry*, 75(1), 3-18.
- Ira, S. and Lourie, M.D. (1994). *Principles of local system development for children, adolescents, and their families*. Chicago, IL: Kaleidoscope.
- James Bell Associates. (1993). *Report to the Congress: National estimates on the number of boarder babies, the cost of their care, and the number of abandoned infants*. Washington, DC: U.S. Department of Health and Human Services, Children's Bureau.
- Johnson, J.L. and Leff, M. (1999). Children of substance abusers: Overview of research findings. *Pediatrics*, 103(5), 1085-1099.
- Jones, L. (2005). The prevalence and characteristics of substance abusers in a child protective service sample. *Journal of Social Work Practice in Addictions*, 4(2), 33-50.
- Karr-Morse, R. and Wiley, M. (1997). *Ghosts from the Nursery: Tracing the Roots of Violence*. New York: The Atlantic Monthly Press.
- Kassebaum, P. (1999). *Substance abuse treatment for women offenders: Guide to promising practices*. Treatment Assistance Publication (TAP) Series, Number 23. Rockville, Maryland: Center for Substance Abuse Treatment.
- Kochanska G, Kuczynski L, Radke-Yarrow M, Welsh JD. (1987). Resolutions of control episodes between well and affectively ill mothers and their young children. *Journal of Abnormal Child Psychology*, 15, 441-56.

Kronstadt, D. (1991). Complex Developmental Issues of Prenatal Drug Exposure. *Drug-Exposed Infants*, 1(1), 36-49.

Kuczynski, L. and Kochanska, G. (1990). Development of children's non-compliance strategies from toddlerhood to age 5. *Developmental Psychology*, 26, 398-408.

Landry, M. J. (1995). *Overview of addiction treatment effectiveness*. DHHS Publication No. (SMA) 96-3081. Rockville, MD: Office of Applied Studies, Substance Abuse and Mental Health Services Administration.

Langeland, W., & Hartgers, C. (1998). Child sexual and physical abuse and alcoholism: A review. *Journal of Studies on Alcohol*, 59(3), 336-348.

Larimer, M.E., R.S. Palmer, and G.A. Marlatt. (1999). Relapse prevention: An overview of Marlatt's cognitive-behavioral model. *Alcohol Research and Health*, 23(2), 51-160.

Leshner, A. (1994). A comprehensive strategy for improving drug abuse treatment. *Journal of Substance Abuse Treatment*, 11(6), 483-486.

Lester, B.M., Andreozzi, L., & Appiah, L. (2004). Substance Use During Pregnancy: Time For Policy to Catch Up With Research. *Harm Reduction Journal*, 1(5).

Lester, B.M., LaGasse, L., Freier, K., and Brunner, S. (1996). Studies of Cocaine-Exposed Human Infants. In: Wetherington, C.L., Smeriglio, V.L., and Finnegan, L.P., eds. *Behavioral Studies of Drug-Exposed Offspring: Methodological Issues in Human and Animal Research*. NIDA Research Monograph 164. NIH Publication No. 96-4105. Rockville, MD: National Institute on Drug Abuse, 175-210.

Libby, A. M., Orton, H.D., Barth, R.P., Webb, M.B., Burns, B.J., Wood, P., & Spicer, P. (2006). Alcohol, drug and mental health specialty treatment services by race/ethnicity: A national study of children and families involved with child welfare. *American Journal of Public Health*, 96, 628-631.

Lupton, C., Burd, L., & Harwood, R. (2004). Cost of fetal alcohol spectrum disorders. *American Journal of Medical Genetics*, 127C, 42-50.

Magura, S., & Laudet, A. B. (1996). Parental substance abuse and child maltreatment: Review and implications for intervention. *Children and Youth Services Review*, 18(3), 193-220.

Malanga, C.J. and Kosofsky, B.E. (2003). Does drug abuse beget drug abuse? Behavioral analysis of addiction liability in animal models of prenatal exposure. (review). *Developmental Brain Research* 147(1-2), 47-57.

Mathis, R. (1998). Prenatal Exposure to Drugs of Abuse May Affect Later Behavior and Learning. *NIDA Notes*, 13(4).

May, P. A., & Gossage, J. P. (2001). Estimating the prevalence of fetal alcohol syndrome: A summary. *Alcohol Research and Health*, 25(3), 159-167.

McKeon, R. (2005). Suicide Risk and Interventions. Presented during the March 21-23, 2005 Joint Meeting on Adolescent Treatment Effectiveness. Retrieved August 4, 2006 from <http://www.mayatech.com/cti/csatsasatpost/pdfs1/RichardMcKeonSuicideandSubstanceAbuse.pdf>

- McNichol, T. and Tash, C. (2001). Parental substance abuse and the development of children in family foster care. *Child Welfare*, 80(2):239-256.
- Miller, B. A., Downs, W. R., & Gondoli, D. M. (1989). Spousal violence among alcoholic women as compared to a random household sample of women. *Journal of Studies on Alcoholism*, 50(6), 533–540.
- Miller, B. A., Downs, W. R., & Testa, M. (1993). Interrelationships between victimization experiences and women's alcohol use. *Journal of Studies on Alcohol*, 11(Suppl.), 109–117.
- Miller W.R. (1995). *Motivational Enhancement Therapy with Drug Abusers*. Albuquerque, NM: University of Albuquerque Department of Psychology and CASAA. Retrieved January 19, 2008 from <http://motivationalinterview.org/clinical/METDrugAbuse.PDF>
- Miller W.R. and Rollnick S. (1991). *Motivational Interviewing: Preparing People to Change Addictive Behavior*. New York: Guilford Press.
- Miller, W. (1995). Increasing motivation for change. In R. Hester, & W. Miller (Eds.), *Handbook of alcoholism treatment approaches: Effective alternatives* 2nd ed. (pp. 89-104). Boston: Allyn & Bacon.
- Moore, J., & Finkelstein, N. (2001). Parenting services for families affected by substance abuse. *Child Welfare*, 80(2), 221–238.
- Murphy, J. M., Jellinek, M., Quinn, D., Smith, G., Poitras, F. G., & Goshok, M. (1991). Substance abuse and serious child mistreatment: Prevalence, risk, and outcome in a court sample. *Child Abuse and Neglect*, 15(3), 197-211.
- National Center on Addiction and Substance Abuse. (1999). *No safe haven: Children of substance-abusing parents*. New York: Author.
- National Center on Substance Abuse and Child Welfare. (2004). *New CAPTA Requirements Concerning Infants Identified as Affected by Illegal Substance Abuse*. Irvine, CA: National Center on Substance Abuse and Child Welfare.
- National Child Abuse and Neglect Data System (NCANDS). (2002). *Summary of key findings from calendar year 2002*. Retrieved June 13, 2003, from <http://nccanch.acf.hhs.gov/pubs/factsheets/canstats.cfm>
- National Council of Juvenile and Family Court Judges. (2000). *Resource guidelines: Improving court practice in child abuse and neglect cases*. Reno, NV: Author. Retrieved July 28, 2008, from <http://www.ncjrs.gov/pdffiles/resguid.pdf>
- National Institute on Alcohol Abuse and Alcoholism. (2004). *National Advisory Council on Alcohol Abuse and Alcoholism, Summary of the 105th Meeting*, February 4–5, 2004, Washington, D.C. Retrieved August 28, 2008 at <http://www.niaaa.nih.gov/AboutNIAAA/AdvisoryCouncil/CouncilMinutes/min2-04.htm>
- National Institute on Drug Abuse. (1999). *Principles of drug addiction treatment: A research based guide*. Rockville, MD: Author.
- National Institute on Drug Abuse. (2000). Gender differences in drug abuse risks and treatment. *NIDA Notes*, 15(4). Rockville, MD: Author.

National Institute on Drug Abuse. (2001). Biochemical brain abnormality found in school-age children prenatally exposed to cocaine. *NIDA Notes Research Findings*, 16(4). Rockville, MD: Author.

National Institute on Drug Abuse. (2001). *Research report series: Prescription drugs/abuse and addiction*. Rockville, MD: Author.

National Institute on Drug Abuse. (2003). *Research report series: Methamphetamine*. Rockville, MD: Author.

National Institute on Drug Abuse. *Commonly Abused Drugs*. Rockville, MD: National Institute on Drug Abuse, 2004. Retrieved July 31, 2006 from <http://www.nida.nih.gov/DrugPages/DrugsofAbuse.html>

National Resource Center on Child Maltreatment. *Curriculum for Multidisciplinary Training in Child Maltreatment and Alcohol and Other Drug Abuse*. Aurora, CO: National Resource Center on Child Maltreatment, n.d.

Neggers, Yasmin; Goldenberg, Robert; Cliver, Suzanne; Hauth, John. 2006. The Relationship between Psychosocial Profile, Health Practices, and Pregnancy Outcomes. *Acta Obstetrica et Gynecologica Scandinavica* 85(3): 277-285.

New Freedom Commission on Mental Health. *Achieving the Promise: Transforming Mental Health Care in America. Final Report*. DHHS Pub. No. SMA-03-3832. Rockville, MD: 2003.

Office of Applied Studies. (2002). Results from the 2001 National Household Survey on Drug Abuse: Volume I. Summary of national findings (DHHS Publication No. SMA 02-3758, NHSDA Series H-17). Rockville, MD: Substance Abuse and Mental Health Services Administration.

Office of Applied Studies. (2003). The NHSDA report: Children living with substance-abusing or substance-dependent parents. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved June 31, 2006 from <http://www.oas.samhsa.gov/2k3/children/children.cfm>

Office of Applied Studies. Treatment Episode Data Set [data file]. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved June 31, 2006 from, <http://www.dasis.samhsa.gov/webt/quicklink/US04.htm>

Office of Justice Programs. (2000). Drug Testing in a Drug Court Environment: Common Issues to Address. Washington, DC: Author. Retrieved July 30, 2006 from <http://www.ncjrs.gov/pdffiles1/ojp/181103.pdf>

Office of National Drug Control Policy. (2003). Drug Endangered Children. Washington, DC: Author. Retrieved July 20, 2006 from http://www.whitehousedrugpolicy.gov/enforce/dr_endangered_child.html

Ondresma, S.J., Simpson, S.M., Brestan, E.V. and Ward, M. (2000). Prenatal Drug Exposure and Social Policy: The Search for an Appropriate Response. *Child Maltreatment*, 5(2): 93-108.

Oro, A.S., and Dixon, S.D. (1987). Perinatal cocaine and methamphetamine exposure: Maternal and neonatal correlates. *Journal of Pediatrics*, 111, 571-578.

Ostrea, E. M., Jr., Brady, M., Gause, S., Raymundo, A. L., & Stevens, M. (1992). Drug screening of newborns by meconium analysis: A large-scale, prospective, epidemiologic study. *Pediatrics*, 89(1), 107–113.

Pandina, R. J. (1996). *Risk and protective factor models in adolescent drug use: Putting them to work for prevention*. Paper presented at the National Conference on Drug Abuse Prevention Research: Presentations, Papers, and Recommendations. Washington, DC: National Institute on Drug Abuse.

Pennsylvania CASSP Training and Technical Assistance Institute. (1995). *Core principles: Child and adolescent service system program (CASSP)*. Harrisburg, PA: PA Department of Public Welfare, Office of Mental Health and Substance Abuse Services.

Petterson, S.M. and Albers, A.B. (2001). Effects of poverty and maternal depression on early child development. *Child Development*, 72(6):1794-813.

Prochaska, J. O. and DiClemente, C. C. (1982). Transtheoretical therapy: Toward a more integrative model of change. *Psychotherapy: Theory, Research, & Practice*, 19(2), 276-288.

Rawson, R. and Anglin, M.D. (1999). *Methamphetamine: New knowledge, new treatments*. Retrieved April 17, 2006 from <http://www.uclaisap.org/slides/Index46/index.htm>

Riley, E.P. and McGee, C.L. (2005). Fetal alcohol spectrum disorders: An overview with emphasis on changes in brain and behavior. *Experimental Biology and Medicine*, 230(6), 357–365.

Rittner, B. and Dozier, C.D. (2000). Effects of court-ordered substance abuse treatment in Child Protective Services cases. *Social Work*, 45(2): 131-140, 2000.

Rohsenow, D. J., Corbett, R. and Devine, D. (1988). Molested as children: A hidden contribution to substance abuse? *Journal of Substance Abuse Treatment*, 5, 13-18.

Rosas, A. (2003a). Child Sexual Abuse. In *Child Abuse and Neglect: Guidelines for the Identification, Assessment, and Case Management*, Durfee, M. and Peterson, M. (Eds.). Volcano, CA: Volcano Press.

Rosas, A. Sexually transmitted diseases. (2003b). In *Child Abuse and Neglect: Guidelines for the Identification, Assessment, and Case Management*, Durfee, M. and Peterson, M. (Eds.). Volcano, CA: Volcano Press.

Sameroff, A.J., Seifer, R., Baldwin, A., Baldwin, C. (1993). Stability of intelligence from preschool to adolescence: The influence of social and family risk factors. *Child Development*, 64, 80-97.

Sampson, P. D., Streissguth, A. P., Bookstein, F. L., Little, R. E., Clarren, S. K., Dehaene, P., et al. (1997). Incidence of fetal alcohol syndrome and prevalence of alcohol-related neurodevelopmental disorder. *Teratology*, 56(5), 317–326.

Schuckit, M.A. (1994). Goals of treatment. In: Galanter, M., & Kleber, H. D. (Eds.). *The American Psychiatric Press textbook of substance abuse treatment*. (pp. 3-10). Washington, DC: American Psychiatric Press.

Shah, R. (2006). Infants Exposed Prenatally to Methamphetamines: Developmental Effects and Effective Interventions. Presented during the February 21, 2006 National Abandoned Infants Assistance Resource Center 2006 Teleconference Series. Retrieved April 17, 2006 from http://aia.berkeley.edu/training/teleconference/teleconference_series.html

Shillington, A., Hohman, M. and Jones, L. (2001). Women in Substance Use Treatment: Are Those Involved in the Child Welfare System Different? *Journal of Social Work Practice in the Addictions*, 1(4), 25-46.

Shonkoff, J. P. and Phillips, D. A. (Eds). (2000). *From neurons to neighborhoods: The science of early childhood development*. Washington, DC: National Academies Press.

Silverman, M.M. and Felner, R.D. (1995). Suicide prevention programs: issues of design, implementation, feasibility, and developmental appropriateness. *Suicide Life Threatening Behaviors*, 25, 92-104.

Smith, L., Yonekura, M.L., Wallace, T., Berman, N., Kuo, J., and Berkowitz, C. (2003). Effects of prenatal methamphetamine exposure on fetal growth and drug withdrawal symptoms in infants born at term. *Journal of Developmental and Behavioral Pediatrics*, 24(1), 17-23.

Stark, E. and Flitcraft, A. (1988). Violence among intimates: An epidemiological review. In: Van Hasselt, V. B., & Morrison, R. L. (Eds.), *Handbook of family violence*. (pp. 293-317). New York: Plenum Press.

Stroul, B.A., and Friedman, R.M. (1994). *A system of care for children and youth with severe emotional disturbances*, (revised edition) Washington, DC: National Technical Assistance Center for Children's Mental Health, Georgetown University Child Development Center.

Substance Abuse and Mental Health Services Administration, Office of Applied Studies. (2004). *The NSDUH report: Alcohol dependence or abuse and age at first use*. Rockville, MD: Office of Applied Studies.

Substance Abuse and Mental Health Services Administration. (2002). *Characteristics of Primary Alcohol Admissions by Age of First Use of Alcohol: 2002*. Rockville, MD: Office of Applied Studies

Substance Abuse and Mental Health Services Administration. (2004). *Understanding substance abuse and facilitating recovery: A guide for child welfare workers*. DHHS Publication No. (SMA) 05-3981. Rockville, MD: Office of Program Analysis and Coordination, Center for Substance Abuse Treatment, SAMHSA.

Substance Abuse and Mental Health Services Administration. (2005). *Results from the 2004 National Survey on Drug Use and Health: National Findings*. Office of Applied Studies, NSDUH Series H-28, DHHS Publication No. SMA 05-4062. Rockville, MD:

Substance Abuse and Mental Health Services Administration. (2005, September). *Results from the 2004 National Survey on Drug Use and Health: Detailed tables on pregnancy*. Rockville, MD: Office of Applied Studies. Retrieved August 31, 2006, from Author. <http://www.oas.samhsa.gov/nsduh/2k4nsduh/2k4tabs/Sect7peTabs70to77.pdf>

Substance Abuse and Mental Health Services Administration. (2003). *Assertive Community Treatment Implementation Resource Kit*. Center for Mental Health Services, Rockville, MD. Retrieved July 30, 2006 from http://www.mentalhealth.samhsa.gov/media/ken/pdf/toolkits/community/06.ACTfamily_info.pdf

Substance Abuse and Mental Health Services Administration. (2001). *Benefits of Residential Substance Abuse Treatment for Pregnant and Parenting Women: Highlights from a Study of 50 Demonstration Programs of the Center for Substance Abuse Treatment*. Rockville, MD: Center for Substance Abuse Treatment. Retrieved July 20, 2006 from http://www.csat.samhsa.gov/publications/residential/residential_home_toc.aspx

Substance Abuse and Mental Health Services Administration. (1994). *Following Specific Guidelines Will Help You Assess Cultural Competence in Program Design, Application, and Management*. National Clearinghouse for Alcohol and Drug Information, Rockville, MD. Retrieved July 25, 2006 from <http://www.health.org/govpubs/MS500/>

Substance Abuse and Mental Health Services Administration. (1997). *National Treatment Improvement Evaluation Study 1997 Highlights*. Center for Substance Abuse Treatment, Washington, D.C. Retrieved June 30, 2006 from <http://www.health.org/nties97/costs.htm>

Substance Abuse and Mental Health Services Administration. (2002). *Report to Congress on the Prevention and Treatment of Co-Occurring Substance Abuse Disorders and Mental Disorders*. Rockville, MD.

Sun, A.P., Shillington, A.M., Hohman, M. and Jones, L. (2001). Caregiver AOD use, case substantiation, and AOD treatment: Studies based on two southwestern counties. *Child Welfare*, 80(2), 151-178.

Tannen, N. (1996). *Families at the Center of the Development of a System of Care*. Washington, DC: Georgetown University Child Development Center.

Tims, F.M., Leukefeld, C.G. and Platt J.J. (2001). Relapse and recovery. In *Relapse and Recovery in Addictions*, ed. F.M. Tims, C.G. Leukefeld, and J.J. Platt, 3–17. New Haven: Yale University Press.

U. S. Department of Health and Human Services. (2005). *Mental health transformation trends: A periodic briefing*. Rockville, MD: Substance Abuse and Mental Health Services Administration, Center for Mental Health Services, 1(3), 4.

U. S. General Accounting Office. (1991). *Drug Abuse: The Crack Cocaine Epidemic: Health Consequences and Treatment* (GAO/HRD-91-55FS, Jan. 30, 1991). Retrieved April 22, 2006, from <http://www.gao.gov/archive/1998/he98040t.pdf>

U. S. General Accounting Office. (1994). *Foster care: Parental drug abuse has alarming impact on young children* (GAO/ HEHS-94-89, April 4, 1994). Washington, DC: General Accounting Office.

U.S. Department of Health and Human Services, National Center on Child Abuse and Neglect. (1993). *A report to Congress: Study of child maltreatment in alcohol abusing families*. Washington, DC: Author.

U.S. Department of Health and Human Services. (1997). *1997 final report: National study of protective, preventive and reunification services delivered to children and their families*. Washington, DC: DHHS Children's Bureau.

U.S. Department of Health and Human Services. (1999). *Blending perspectives and building common ground. A report to Congress on substance abuse and child protection*. Washington, DC: Author.

U.S. Department of Health and Human Services. (1999). *Current trends in child maltreatment reporting laws*. Child Abuse and Neglect State Statutes Series. Washington, DC: DHHS Children's Bureau.

U.S. Department of Health and Human Services. (1999). *Welfare reform and substance abuse treatment confidentiality: General guidance for reconciling need to know and privacy*. Technical Assistance Publication (TAP) Series, No. 24. DHHS Pub. No. (SMA) 99-3332. Rockville, MD: Substance Abuse and Mental Health Services Administration.

U.S. Department of Health and Human Services. (1999a). *Mental Health: A Report of the Surgeon General*. Rockville, MD: U.S. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Center for Mental Health Services, National Institutes of Health, National Institute of Mental Health. Retrieved August 4, 2006, from <http://www.surgeongeneral.gov/library/mentalhealth/home.html>

U.S. Department of Health and Human Services. (2000). *Child abuse and neglect national statistics*. Washington, DC: DHHS Children's Bureau.

U.S. Department of Health and Human Services. (2001). *The AFCARS report (8)*. Washington, DC: Author.

U.S. Department of Justice. (2003). Children at clandestine methamphetamine labs: Helping meth's youngest victims. *OVC Bulletin*. Office of Justice Programs, Office for Victims of Crime. Retrieved April 17, 2006 from <http://www.ojp.usdoj.gov/ovc/publications/bulletins/children/welcome.html>

United States General Accounting Office. (1998). Report to the Chairman, Committee on Finance, U.S. Senate. Foster Care Agencies Face Challenges Securing Stable Homes for Children of Substance Abusers. Washington, DC: GAO/HEHS-98-182.

University of Southern Maine, Edmund S. Muskie School of Public Service. *Bringing together the child welfare team*. Developed as part of a project funded by the Children's Bureau, Administration for Children and Families, U.S. Department of Health and Human Services, under Section 426 of the Social Security Act. Retrieved September 23, 2003, from <http://www.muskie.usm.maine.edu/asfa>

Volkow, N.D., Fowler, J.S., Wang, G-J., Hitzemann, R., Logan, J., Schlyer, D., Dewey, S., and Wolf, A.P. (1993). Decreased dopamine D2 receptor availability is associated with reduced frontal metabolism in cocaine abusers. *Synapse*, 14, 169-177.

Volkow, N.D., Hitzemann, R., Wang, G-J, Fowler, J.S., Wolf, A.P., Dewey, S.L.. (1992). Long-term frontal brain metabolic changes in cocaine abusers. *Synapse*, 11, 184-190.

Webber, R. (2006). *Working with Methamphetamine Abusers: Personal Safety Recommendations and Procedures*. Bloomington, IL: Chestnut Health Systems

Lighthouse Institute. Retrieved July 25, 2006 from <http://www.drugfreeinfo.org/PDFs/strengthensupervision.PDF>.

Werner, D., Young, N.K., Dennis, K., & Amatetti, S. (2007). *Family-Centered Treatment for Women with Substance Use Disorders – History, Key Elements and Challenges*. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration.

Wells, K. and Shafran, R. (2005). The Mental Health Needs of Biological Mothers of Children in Foster Care in *New Research in Mental Health, 2002-2003 Biennium*, (Eds. Roth, D. and Lutz, W.), Ohio Department of Mental Health.

Wisconsin Department of Health and Family Services and Bureau of Community Mental Health. (2001). *2001 Annual Report for Integrated Services Projects*. Madison, WI: The Children Come First Advisory Committee.

Young, N. K. (1996). *Alcohol and other drug treatment: Policy choices in welfare reform*. Rockville, MD: Substance Abuse and Mental Health Services Administration.

Young, N. K. (1997). Effects of alcohol and other drugs on children. *Journal of Psychoactive Drugs*, 29(1), 23-40.

Young, N. K., & Gardner, S. L. (1997). *Implementing welfare reform: Solutions to the substance abuse problem*. Irvine, CA: Children and Family Futures.

Young, N. K., & Gardner, S. L. (2002). *Navigating the pathways: Lessons and promising practices in linking alcohol and drug services with child welfare. Technical Assistance Publication (TAP) 27*. Rockville, MD: Substance Abuse and Mental Health Services Administration, Center for Substance Abuse Treatment. Retrieved August 28, 2008 from http://www.cffutures.org/Children_Family_Policy/CW/TAP/TAP_description.pdf

Young, N. K., Boles, S., and Otero, C. (2007). Parental substance use disorders and child maltreatment: overlaps, gaps, and opportunities. *Child Maltreatment*, 12(2), 137-149.

Young, N. K., Gardner, S. L., and Dennis, K. (1998). *Responding to alcohol and other drug problems in child welfare: Weaving together practice and policy*. Washington, DC: Child Welfare League of America Press.

Young, N. (2006). *The Social and Economic Effects of the Methamphetamine Epidemic on America's Child Welfare System*. Paper presented at the April 25, 2006 hearing of the Before the United States Senate Committee on Finance, Washington, DC. Retrieved April 28, 2006 from <http://finance.senate.gov/hearings/testimony/2005test/042506nytest.pdf>

Zuckerman, B. (1991). Drug-exposed infants: Understanding the medical risk. In: Behrman, R.E. ed. *The future of children, drug exposed infants*. Los Altos, CA: Center for the Future of Children, The David and Lucile Packard Foundation.