

Table RCA 4.1 The catch of pollock, Pacific cod, Atka mackerel, and arrowtooth flounder by critical habitat zone, 1991-2008 in RCA 1. There is no critical habitat foraging zone designated for this Area.

Pollock Catch by Zones 1991-2008 in Area 1										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	% from CH
1991	0	13	0	13	0	12	1	13	13	100.0
1992	0	1	5	7	0	7	2	7	8	83.3
1993	1	2	53	56	0	37	24	56	110	50.9
1994	0	0	115	115	0	115	108	115	121	95.0
1995	0	0	80	80	0	80	17	80	97	82.7
1996	0	0	205	205	0	205	101	205	271	75.8
1997	0	684	75	759	0	43	743	759	772	98.4
1998	491	9,425	2,514	12,429	0	158	12,370	12,429	17,666	70.4
1999	0	6	78	84	0	78	38	84	112	75.2
2000	1	85	50	135	0	50	114	135	151	89.4
2001	0	15	87	102	0	81	78	102	117	87.5
2002	0	1	87	88	0	61	64	88	182	48.5
2003	0	51	99	150	0	92	65	150	355	42.1
2004	0	86	79	165	0	74	112	165	273	60.4
2005	0	239	72	311	0	118	216	311	550	56.6
2006	0	51	37	88	0	83	22	88	216	40.8
2007	0	7	50	57	0	41	52	57	122	46.7
2008	0	36	34	70	0	68	8	70	114	61.2

Pacific Cod Catch by Zones 1991-2008 in Area 1										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	% from CH
1991	361	1,413	2,281	4,056	0	2,475	2,014	4,056	4,195	96.7
1992	541	4,191	7,368	12,099	0	8,540	5,238	12,099	13,630	88.8
1993	170	2,785	2,616	5,572	0	3,403	3,064	5,572	6,155	90.5
1994	2	249	2,291	2,541	0	2,505	1,682	2,541	2,660	95.5
1995	0	0	1,545	1,545	0	1,545	296	1,545	1,616	95.6
1996	0	359	3,367	3,727	0	3,507	1,933	3,727	4,197	88.8
1997	0	0	1,014	1,014	0	1,000	724	1,014	1,100	92.2
1998	6	269	3,564	3,839	0	2,989	2,441	3,839	4,209	91.2
1999	4	422	1,507	1,933	0	1,635	419	1,933	2,232	86.6
2000	81	1,246	5,813	7,139	0	4,130	4,300	7,139	7,775	91.8
2001	178	5,702	6,299	12,180	0	8,120	6,929	12,180	13,436	90.7
2002	5	310	2,222	2,537	0	774	2,246	2,537	3,152	80.5
2003	0	1,460	1,211	2,670	0	1,922	2,524	2,670	3,323	80.4
2004	2	1,135	1,706	2,843	0	2,241	2,371	2,843	3,228	88.1
2005	0	363	2,960	3,323	0	2,413	3,152	3,323	4,225	78.7
2006	118	1,950	2,521	4,588	0	2,765	4,085	4,588	4,774	96.1
2007	37	1,445	3,691	5,172	0	3,372	3,773	5,172	5,446	95.0
2008	0	2,917	5,793	8,709	0	6,694	5,776	8,709	9,151	95.2

Table RCA Catch Area 1. (Continued).

Atka Mackerel Catch by Zones 1991-2008 in Area 1										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	% from CH
1991	0	13	1	14	0	14	1	14	14	100.0
1992	0	1	452	453	0	453	8	453	453	100.0
1993	0	13	1,505	1,518	0	1,502	31	1,518	2,322	65.4
1994	0	0	12,212	12,212	0	12,212	8,233	12,212	12,306	99.2
1995	0	0	17,254	17,254	0	17,254	4,444	17,254	20,621	83.7
1996	0	4	32,698	32,702	0	32,370	13,491	32,702	41,861	78.1
1997	0	29	25,258	25,287	0	24,980	13,873	25,287	30,408	83.2
1998	0	0	20,738	20,738	0	20,672	9,693	20,738	24,634	84.2
1999	0	0	11,803	11,803	0	11,507	2,960	11,803	16,388	72.0
2000	0	106	9,297	9,403	0	9,284	749	9,403	11,406	82.4
2001	3	257	11,405	11,665	0	9,022	5,624	11,665	19,516	59.8
2002	0	2	7,510	7,512	0	4,601	3,250	7,512	17,751	42.3
2003	0	21	5,357	5,379	0	1,580	3,925	5,379	19,077	28.2
2004	0	9	727	736	0	85	670	736	18,375	4.0
2005	0	2	3,543	3,545	0	3,494	2,437	3,545	19,130	18.5
2006	0	10	3,669	3,679	0	3,679	2,045	3,679	14,962	24.6
2007	0	3	3904	3907	0	3,514	2,930	3,907	9,401	41.6
2008	0	15	5,940	5,955	0	5,949	4,329	5,955	16,509	36.1

Arrowtooth Flounder Catch by Zones 1991-2008, Analysis Area 1										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	% from CH
1991	5	66	7	78	0	4	75	78	83	94.4
1992	1	29	48	78	0	63	17	78	105	74.8
1993	0	8	15	23	0	13	11	23	119	19.3
1994	0	2	5	7	0	6	3	7	22	31.6
1995	0	0	11	11	0	11	0	11	22	49.5
1996	0	2	80	82	0	77	39	82	119	69.0
1997	0	0	60	60	0	54	30	60	107	56.3
1998	0	2	93	95	0	83	64	95	158	60.0
1999	0	0	52	52	0	52	10	52	92	57.0
2000	2	18	92	112	0	83	52	112	155	72.2
2001	3	112	121	236	0	121	130	236	312	75.6
2002	0	9	82	91	0	71	31	91	350	26.0
2003	0	7	44	51	0	35	18	51	141	36.5
2004	0	11	20	31	0	23	11	31	128	24.4
2005	1	7	20	28	0	20	10	28	178	15.5
2006	0	22	42	65	0	63	4	65	170	37.9
2007	0	10	15	25	0	16	15	25	106	24.0
2008	0	21	25	47	0	40	11	47	200	23.3

Table RCA 4.2. The catch of pollock, Pacific cod, Atka mackerel, and arrowtooth flounder by critical habitat zone, 1991-2008 in RCA 2. There is no critical habitat foraging zone designated for this Area.

Pollock Catch by Zones 1991-2008 in Area 2										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	2	32	127	161	0	161	94	161	163	99.0
1992	0	2	8	9	0	8	2	9	82	11.1
1993	0	4	171	174	0	174	71	174	243	71.6
1994	0	140	213	353	0	339	276	353	391	90.4
1995	0	2,344	194	2,538	0	2,266	2,454	2,538	2,643	96.0
1996	0	152	170	321	0	321	158	321	324	99.1
1997	0	339	40	379	0	379	327	379	423	89.5
1998	0	9	141	150	0	149	52	150	160	93.7
1999	3	71	90	165	0	165	124	165	259	63.6
2000	0	25	70	96	0	96	66	96	374	25.6
2001	0	115	69	184	0	184	116	184	253	72.7
2002	0	2	86	89	0	88	11	89	156	56.7
2003	0	263	70	332	0	332	264	332	437	76.0
2004	0	40	97	138	0	138	48	138	286	48.2
2005	0	54	46	100	0	99	61	100	166	60.2
2006	0	0	67	67	0	67	4	67	198	33.9
2007	0	34	44	78	0	78	29	78	209	37.3
2008	0	2	31	33	0	33	12	33	123	26.8

Pacific Cod Catch by Zones 1991-2008 in Area 2										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	3	148	73	224	0	224	161	224	230	97.3
1992	78	5,484	2,380	7,942	0	7,933	4,661	7,942	9,169	86.6
1993	51	1,844	1,115	3,010	0	2,987	1,454	3,010	7,018	42.9
1994	28	1,412	2,931	4,372	0	4,286	3,031	4,372	5,393	81.1
1995	283	669	2,164	3,116	0	2,857	1,884	3,116	3,693	84.4
1996	0	283	723	1,006	0	1,006	308	1,006	1,525	66.0
1997	2	605	952	1,560	0	1,560	560	1,560	2,986	52.2
1998	66	3,233	2,433	5,732	0	5,560	3,223	5,732	7,290	78.6
1999	32	2,761	886	3,680	0	3,622	2,432	3,680	3,811	96.6
2000	169	3,589	988	4,746	0	4,530	3,759	4,746	6,924	68.5
2001	27	2,174	911	3,113	0	3,049	1,998	3,113	4,868	63.9
2002	8	822	2,345	3,175	0	3,109	1,538	3,175	7,838	40.5
2003	14	287	1,457	1,758	0	1,745	241	1,758	4,645	37.8
2004	42	1,195	2,152	3,388	0	3,379	1,437	3,388	5,008	67.7
2005	0	793	743	1,536	0	1,492	986	1,536	2,779	55.3
2006	0	253	831	1,084	0	1,082	286	1,084	1,647	65.8
2007	5	565	889	1,459	0	1,404	685	1,459	2,247	64.9
2008	50	1,894	585	2,529	0	2,508	1,941	2,529	2,870	88.1

Table RCA 4.2 (Continued).

Atka Mackerel Catch by Zones 1991-2008 in Area 2										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	8	232	168	409	0	409	222	409	502	81.4
1992	0	2	764	766	0	766	36	766	8,112	9.4
1993	0	7	1,122	1,129	0	1,033	167	1,129	23,468	4.8
1994	0	1,882	16,069	17,951	0	17,926	16,480	17,952	31,060	57.8
1995	104	1,514	37,938	39,556	0	39,143	25,608	39,556	40,298	98.2
1996	0	942	15,587	16,529	0	16,490	4,293	16,529	21,465	77.0
1997	0	700	10,617	11,318	0	11,318	2,930	11,318	12,092	93.6
1998	0	80	13,236	13,316	0	13,314	2,780	13,316	13,453	99.0
1999	0	98	3,918	4,016	0	4,016	1,769	4,016	14,269	28.1
2000	2	217	4,609	4,828	0	4,828	1,237	4,828	17,903	27.0
2001	0	617	7,597	8,214	0	8,214	2,816	8,214	27,385	30.0
2002	0	30	11,003	11,033	0	11,026	442	11,033	20,369	54.2
2003	0	105	12,629	12,734	0	12,734	385	12,734	26,086	48.8
2004	30	1	12,907	12,938	0	12,938	110	12,938	27,899	46.4
2005	0	225	15,707	15,932	0	15,931	6,710	15,932	31,648	50.3
2006	0	9	16,024	16,033	0	16,030	111	16,033	36,602	43.8
2007	0	10	7572	7583	0	7,583	954	7,583	21,461	35.3
2008	0	167	8,404	8,571	0	8,571	2,171	8,571	17,917	47.8

Arrowtooth Flounder Catch by Zones 1991-2008, Analysis Area 2										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	0	9	25	34	0	33	1	34	41	81.75
1992	0	12	16	28	0	27	9	28	53	52.06
1993	0	4	36	41	0	40	4	41	152	26.65
1994	0	3	54	57	0	55	17	57	151	37.61
1995	6	2	16	24	0	17	19	24	68	35.44
1996	0	3	20	23	0	23	5	23	99	23.12
1997	0	1	31	32	0	32	5	32	51	63.67
1998	0	6	28	34	0	32	9	34	125	27.04
1999	1	7	40	48	0	48	22	48	146	33.03
2000	1	26	28	56	0	55	39	56	270	20.67
2001	0	26	61	87	0	87	39	87	302	28.96
2002	0	19	230	248	0	248	19	248	377	65.86
2003	0	8	19	26	0	26	4	26	102	25.78
2004	1	10	73	84	0	84	8	84	156	53.72
2005	0	5	13	18	0	18	5	18	65	28.00
2006	0	2	13	15	0	15	0	15	522	2.86
2007	0	13	32	45	0	45	6	45	171	26.11
2008	0	3	34	37	0	37	3	37	91	40.7

Table RCA 4.3. The catch of pollock, Pacific cod, Atka mackerel, and arrowtooth flounder by critical habitat zone, 1991-2008 in RCA 3. There is no critical habitat foraging zone designated for this Area.

Pollock Catch by Zones 1991-2008 in Area 3										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	35	308	20	363	0	362	363	363	442	82.1
1992	14	116	8	138	0	105	138	138	139	99.1
1993	31	2,312	2	2,345	0	1,155	2,345	2,345	2,345	100.0
1994	3	25	11	39	0	39	39	39	39	99.9
1995	2,972	34,056	169	37,197	0	17,974	37,197	37,197	37,404	99.4
1996	1,730	19,579	1	21,310	0	9,895	21,062	21,310	21,481	99.2
1997	3,248	14,095	107	17,451	0	8,930	17,402	17,451	17,451	100.0
1998	327	3,184	13	3,524	0	1,503	3,524	3,524	3,698	95.3
1999	10	291	67	368	0	107	368	368	371	99.2
2000	168	272	5	444	0	306	444	444	447	99.5
2001	0	149	5	155	0	153	155	155	161	96.1
2002	0	21	9	30	0	23	30	30	31	96.1
2003	59	124	7	191	0	186	191	191	191	99.5
2004	82	53	2	137	0	135	137	137	139	98.9
2005	41	59	13	112	0	112	112	112	113	99.6
2006	10	65	1	76	0	76	76	76	76	100.0
2007	14	184	36	235	0	231	235	235	235	99.9
2008	7	125	36	168	0	141	168	168	168	100.0

Pacific Cod Catch by Zones 1991-2008 in Area 3										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	43	657	38	739	0	699	732	739	739	99.9
1992	195	499	314	1,008	0	886	987	1,008	1,022	98.6
1993	51	196	232	479	0	406	470	479	479	100.0
1994	150	954	784	1,889	0	1,674	1,866	1,889	1,892	99.8
1995	128	765	635	1,528	0	669	1,525	1,528	1,607	95.0
1996	126	936	367	1,429	0	617	1,427	1,429	1,490	95.9
1997	145	1,236	331	1,713	0	1,086	1,710	1,713	1,753	97.7
1998	82	1,235	354	1,670	0	961	1,652	1,670	1,713	97.5
1999	52	1,513	262	1,828	0	662	1,807	1,828	1,876	97.4
2000	95	1,187	791	2,073	0	1,210	1,941	2,073	2,253	92.0
2001	48	932	839	1,819	0	1,072	1,717	1,819	1,899	95.8
2002	9	1,301	250	1,559	0	452	1,559	1,559	1,583	98.5
2003	1	716	457	1,173	0	675	1,169	1,173	1,175	99.8
2004	7	718	843	1,568	0	770	1,568	1,568	1,569	99.9
2005	1	650	454	1,104	0	485	1,104	1,104	1,104	100.0
2006	2	384	581	967	0	832	967	967	967	100.0
2007	7	514	1,071	1,592	0	570	1,590	1,592	1,610	98.9
2008	0	1,100	340	1,440	0	743	1,371	1,440	1,441	99.9

Table RCA 4.3 (Continued).

Atka Mackerel Catch by Zones 1991-2008 in Area 3										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	291	6,858	63	7,212	0	7,079	7,209	7,212	7,212	100.0
1992	760	4,349	805	5,914	0	5,559	5,907	5,914	5,914	100.0
1993	191	539	865	1,595	0	1,585	1,585	1,595	1,595	100.0
1994	1,032	2,995	2,387	6,414	0	6,347	6,352	6,414	6,438	99.6
1995	2	4,143	3,114	7,259	0	6,036	7,259	7,259	7,269	99.9
1996	1,002	8,509	1,706	11,218	0	10,832	11,215	11,218	11,218	100.0
1997	2,159	3,371	306	5,836	0	5,354	5,715	5,836	5,910	98.8
1998	190	2,559	2,925	5,673	0	5,272	5,550	5,673	5,937	95.6
1999	231	6,864	932	8,027	0	7,782	8,027	8,027	8,040	99.8
2000	674	2,041	471	3,186	0	3,092	3,186	3,186	3,284	97.0
2001	358	3,421	2,707	6,486	0	6,200	6,200	6,486	6,516	99.5
2002	41	1,037	965	2,043	0	2,012	2,043	2,043	2,048	99.8
2003	7	362	799	1,167	0	1,160	1,167	1,167	1,189	98.2
2004	39	143	2,216	2,398	0	2,385	2,398	2,398	2,405	99.7
2005	15	439	3,784	4,238	0	4,238	4,238	4,238	4,244	99.9
2006	0	357	2,311	2,668	0	2,665	2,668	2,668	2,668	100.0
2007	85	243	4054	4381	0	4,380	4,381	4,381	4,381	100.0
2008	0	113	4,447	4,560	0	4,558	4,559	4,560	4,560	100.0

Arrowtooth Flounder Catch by Zones 1991-2008, Analysis Area 3										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	3	90	57	150	0	85	150	150	168	89.5
1992	3	34	41	77	0	34	77	77	83	93.1
1993	10	66	15	92	0	75	90	92	95	96.7
1994	3	48	13	64	0	50	64	64	65	98.0
1995	2	79	10	91	0	75	90	91	94	97.3
1996	5	85	11	102	0	92	102	102	103	98.9
1997	10	219	58	286	0	258	285	286	288	99.3
1998	0	41	9	49	0	45	48	49	52	94.0
1999	3	138	22	163	0	139	159	163	169	96.1
2000	9	103	38	150	0	139	149	150	156	96.6
2001	0	149	37	187	0	173	187	187	188	99.7
2002	3	73	140	216	0	206	216	216	218	99.0
2003	18	52	29	99	0	74	99	99	100	99.0
2004	16	36	21	73	0	60	73	73	79	92.4
2005	10	64	39	113	0	109	113	113	113	99.9
2006	13	130	53	195	0	175	194	195	195	100.0
2007	10	39	39	88	0	69	88	88	92	96.0
2008	3	87	54	145	0	138	145	145	148	98.1

Table RCA 4.4. The catch of pollock, Pacific cod, Atka mackerel, and arrowtooth flounder by critical habitat zone, 1991-2008 in RCA 4. There is no critical habitat foraging zone designated for this Area.

Pollock Catch by Zones 1991-2008 in Area 4										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	0	6	14	20	0	9	12	20	170	11.7
1992	0	1,044	4,583	5,628	0	486	5,145	5,628	8,158	69.0
1993	0	4,259	8,010	12,270	0	4,388	7,900	12,270	13,933	88.1
1994	484	3,376	994	4,855	0	385	4,471	4,855	5,301	91.6
1995	1,675	9,336	6,183	17,193	0	4,225	13,425	17,193	18,915	90.9
1996	339	1,756	135	2,231	0	329	2,215	2,231	2,476	90.1
1997	129	2,338	4,046	6,513	0	911	6,157	6,513	7,186	90.6
1998	0	381	1,111	1,492	0	338	1,158	1,492	1,727	86.4
1999	0	89	105	194	0	36	191	194	202	95.7
2000	0	99	92	191	0	20	191	191	193	98.8
2001	0	16	78	94	0	58	70	94	133	70.5
2002	0	71	5	76	0	70	76	76	78	98.3
2003	0	9	280	289	0	28	272	289	398	72.6
2004	0	9	124	133	0	27	132	133	150	88.6
2005	0	6	17	23	0	3	22	23	212	10.8
2006	0	105	11	116	0	12	111	116	122	95.0
2007	0	11	3	14	0	3	13	14	919	1.5
2008	0	22	47	68	0	2	68	68	470	14.5

Pacific Cod Catch by Zones 1991-2008 in Area 4										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	65	462	690	1,217	0	595	775	1,217	1,381	88.1
1992	223	3,147	1,648	5,018	0	1,211	4,388	5,018	5,956	84.2
1993	66	2,306	2,215	4,588	0	1,877	4,389	4,588	7,481	61.3
1994	103	2,583	2,223	4,909	0	2,470	4,473	4,909	5,109	96.1
1995	881	2,500	1,409	4,790	0	1,612	4,725	4,790	5,167	92.7
1996	288	5,059	3,560	8,907	0	4,588	7,511	8,907	9,968	89.4
1997	215	5,377	2,720	8,311	0	3,978	7,497	8,311	10,864	76.5
1998	529	4,435	4,604	9,567	0	5,153	7,922	9,567	12,273	78.0
1999	262	4,676	5,990	10,928	0	4,976	10,066	10,928	11,905	91.8
2000	435	3,801	3,174	7,410	0	2,221	6,512	7,410	10,034	73.8
2001	6	2,546	4,063	6,615	0	4,055	6,250	6,615	8,215	80.5
2002	0	2,995	4,521	7,516	0	3,712	6,803	7,516	9,594	78.3
2003	0	4,489	6,101	10,590	0	7,185	10,132	10,590	14,437	73.4
2004	21	5,268	5,883	11,173	0	6,557	10,380	11,173	12,556	89.0
2005	0	3,845	2,118	5,963	0	3,700	5,697	5,963	6,795	87.8
2006	74	3,112	1,804	4,990	0	1,974	4,359	4,990	6,042	82.6
2007	6	5,000	3,623	8,629	0	2,869	8,308	8,629	10,501	82.2
2008	0	3,616	2,092	5,708	0	3,076	5,107	5,708	6,910	82.6

Table RCA 4.4 (Continued).

Atka Mackerel Catch by Zones 1991-2008 in Area 4										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	0	0	0	0	0	0	0	0	0	0.0
1992	0	1	5	6	0	0	6	6	12	50.0
1993	0	11	1	12	0	1	12	12	12	100.0
1994	0	79	67	146	0	123	146	146	146	100.0
1995	98	268	10	376	0	101	376	376	384	98.1
1996	0	502	22	524	0	71	524	524	525	99.9
1997	0	341	22	363	0	39	363	363	364	99.8
1998	4	32	3	38	0	21	33	38	41	94.2
1999	1	517	34	552	0	42	549	552	554	99.6
2000	0	25	12	37	0	25	37	37	37	100.0
2001	31	83	124	238	0	114	207	238	238	100.0
2002	0	8	8	16	0	15	16	16	16	100.0
2003	0	190	196	387	0	356	386	387	411	94.1
2004	0	160	125	285	0	283	285	285	285	100.0
2005	0	27	4	32	0	30	32	32	32	99.9
2006	0	36	21	58	0	52	57	58	58	99.6
2007	0	20	4	24	0	15	24	24	26	92.5
2008	0	51	1	52	0	48	52	52	53	97.6

Arrowtooth Flounder Catch by Zones 1991-2008, Analysis Area 4										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	2	22	39	63	0	28	48	63	85	74.3
1992	0	40	74	114	0	20	101	114	163	70.0
1993	2	40	64	107	0	38	85	107	151	70.9
1994	0	30	40	70	0	28	53	70	81	86.0
1995	1	33	49	83	0	46	60	83	129	64.5
1996	1	39	39	79	0	26	68	79	98	81.0
1997	2	69	62	132	0	56	96	132	146	91.0
1998	2	25	32	59	0	22	45	59	76	77.8
1999	2	46	54	102	0	61	72	102	119	85.5
2000	1	82	81	164	0	83	132	164	194	84.4
2001	0	36	56	93	0	61	61	93	102	91.0
2002	1	28	19	48	0	32	40	48	58	83.6
2003	0	38	50	88	0	52	81	88	109	81.4
2004	1	34	28	63	0	41	55	63	69	91.4
2005	0	43	10	54	0	42	50	54	63	85.8
2006	0	82	45	127	0	79	101	127	144	88.5
2007	0	36	25	61	0	26	54	61	71	85.6
2008	0	28	21	49	0	29	39	49	78	63.0

Table RCA 4.5. The catch of pollock, Pacific cod, Atka mackerel, and arrowtooth flounder by critical habitat zone, 1991-2008 in RCA 5. The Seguam critical habitat foraging area is included in this Area.

Pollock Catch by Zones 1991-2008 in Area 5										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	1	7,296	51,666	58,963	1	1,724	58,941	58,964	79,716	74.0
1992	0	5,665	15,636	21,301	464	5,882	20,819	21,765	42,875	50.8
1993	0	3,287	8,647	11,933	152	3,881	11,207	12,085	40,061	30.2
1994	0	4,842	15,554	20,397	5,676	8,435	17,661	26,072	52,526	49.6
1995	0	7	3,261	3,268	1	292	2,997	3,269	5,865	55.7
1996	0	3	1,427	1,431	1	208	1,430	1,431	4,504	31.8
1997	0	4	61	65	1	6	65	66	104	63.7
1998	0	80	22	102	0	94	102	103	568	18.1
1999	0	2	44	47	0	4	47	47	66	71.3
2000	0	1	59	61	3	4	61	63	75	84.3
2001	0	55	65	119	1	59	119	121	151	79.6
2002	0	65	75	140	1	92	140	142	160	88.9
2003	0	19	191	210	11	39	214	221	269	82.1
2004	0	38	116	155	0	39	154	155	301	51.4
2005	0	11	484	495	11	484	490	506	580	87.3
2006	0	0	1,073	1,074	2	2	1,072	1,075	1,115	96.5
2007	0	30	548	579	5	39	582	584	1,038	56.2
2008	0	14	328	342	0	161	326	343	404	84.8

Pacific Cod Catch by Zones 1991-2008 in Area 5										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	63	1,956	1,056	3,075	16	2,378	3,074	3,091	3,251	95.1
1992	4	1,208	7,312	8,525	19	2,178	8,518	8,543	13,124	65.1
1993	7	2,408	7,844	10,259	1	3,462	10,261	10,259	13,019	78.8
1994	29	1,624	3,195	4,847	3	2,032	4,856	4,850	6,333	76.6
1995	24	1,589	2,185	3,798	17	2,371	3,797	3,814	4,451	85.7
1996	80	2,173	6,408	8,660	3	3,502	8,414	8,663	12,305	70.4
1997	40	1,974	4,151	6,165	49	2,499	6,165	6,214	8,358	74.3
1998	137	2,452	4,670	7,259	4	3,033	7,370	7,263	9,416	77.1
1999	102	864	4,568	5,534	1	1,570	5,515	5,535	7,341	75.4
2000	48	1,565	6,224	7,837	5	2,053	7,837	7,842	11,335	69.2
2001	14	730	2,900	3,645	10	768	3,645	3,655	5,662	64.5
2002	0	24	11,239	11,263	2	15	11,243	11,265	15,435	73.0
2003	0	10	6,325	6,334	1	102	6,330	6,335	8,871	71.4
2004	0	88	3,993	4,081	0	142	4,079	4,081	6,491	62.9
2005	0	229	5,926	6,155	0	626	5,701	6,155	7,475	82.3
2006	0	115	8,170	8,285	3	239	8,140	8,288	10,369	79.9
2007	8	135	9,557	9,699	1	184	9,686	9,701	13,317	72.8
2008	0	366	8,569	8,935	0	149	8,935	8,935	11,821	75.6

Table RCA 4.5 (Continued).

Atka Mackerel Catch by Zones 1991-2008 in Area 5										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	0	13,976	1,018	14,994	3	14,868	14,994	14,997	16,411	91.4
1992	0	27	5,014	5,041	0	362	5,041	5,041	30,612	16.5
1993	0	221	22,726	22,947	0	1,174	22,944	22,947	37,537	61.1
1994	0	4	7,282	7,286	0	19	7,286	7,286	14,507	50.2
1995	0	215	3,709	3,925	0	221	3,925	3,925	12,642	31.0
1996	2	26	14,475	14,503	1	63	14,480	14,504	28,078	51.7
1997	1	18	9,689	9,708	0	26	9,708	9,709	16,884	57.5
1998	4	264	5,655	5,924	0	329	5,924	5,924	12,131	48.8
1999	5	5	3,650	3,660	0	7	3,660	3,660	14,677	24.9
2000	0	4	1,743	1,747	0	4	1,747	1,747	13,773	12.7
2001	129	85	188	402	0	214	402	402	6,890	5.8
2002	0	226	0	226	0	226	226	226	4,147	5.4
2003	0	56	336	392	1	240	392	392	6,149	6.4
2004	0	50	61	111	0	83	111	111	3,559	3.1
2005	0	135	272	407	1	345	305	408	3,421	11.9
2006	0	7	350	357	0	223	224	357	4,280	8.3
2007	0	94	315	409	0	156	409	409	20,298	2.0
2008	0	2	194	196	0	2	195	196	18,650	1.0

Arrowtooth Flounder Catch by Zones 1991-2008, Analysis Area 5										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	2	273	880	1,155	1	1,110	296	1,177	1,298	90.7
1992	0	1	214	215	22	124	151	237	535	44.3
1993	0	5	626	631	10	463	262	640	819	78.2
1994	0	15	770	784	33	635	460	817	981	83.3
1995	0	5	504	508	14	427	442	522	689	75.9
1996	0	13	834	847	14	800	71	861	921	93.5
1997	0	13	475	488	3	411	97	491	645	76.2
1998	0	10	101	111	14	72	109	125	283	44.3
1999	0	8	142	150	5	30	146	155	255	60.7
2000	0	3	185	188	3	116	94	192	373	51.4
2001	1	31	183	215	20	85	214	235	307	76.6
2002	0	56	319	375	33	151	376	408	599	68.2
2003	0	17	325	342	45	202	325	388	533	72.7
2004	0	79	117	196	14	94	194	210	369	57.1
2005	0	59	263	323	37	260	178	359	413	87.1
2006	0	59	214	272	36	235	109	309	420	73.6
2007	0	30	109	139	32	68	142	171	360	47.5
2008	0	838	1,036	1,874	8	1,782	686	1,882	1,998	94.2

Table RCA 4.6. The catch of pollock, Pacific cod, Atka mackerel, and arrowtooth flounder by critical habitat zone, 1991-2008 in RCA 6. The SSLCZ critical habitat foraging area is included in this Area.

Pollock Catch by Zones 1991-2008 in Area 6										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	394	48,875	316,913	366,182	408,503	240,704	279,374	774,685	1,543,509	50.2
1992	0	8,695	132,442	141,137	437,431	59,599	103,928	578,568	1,399,239	41.3
1993	362	10,043	103,691	114,096	539,653	55,050	73,721	653,750	1,327,960	49.2
1994	414	11,542	114,004	125,961	597,813	98,028	66,263	723,774	1,333,405	54.3
1995	289	12,045	132,150	144,484	587,917	142,887	55,420	732,401	1,268,115	57.8
1996	75	10,111	101,098	111,284	402,444	102,385	52,036	513,727	1,194,911	43.0
1997	118	7,395	66,439	73,951	437,863	62,113	44,471	511,814	1,126,862	45.4
1998	108	9,147	88,985	98,241	430,290	67,112	65,185	528,531	1,102,225	48.0
1999	0	476	5,564	6,040	314,205	1,921	5,267	320,246	994,545	32.2
2000	8	1,947	25,533	27,488	165,979	1,827	26,611	193,467	1,133,686	17.1
2001	227	10,752	226,128	237,107	342,318	176,300	138,380	579,425	1,389,959	41.7
2002	129	12,148	168,663	180,940	541,991	143,232	110,592	722,931	1,481,865	48.8
2003	126	14,365	185,766	200,258	468,478	134,578	158,692	668,735	1,492,079	44.8
2004	0	10,561	105,710	116,271	492,337	68,146	95,211	608,609	1,482,910	41.0
2005	0	9,004	80,915	89,919	365,081	54,063	74,488	455,000	1,486,963	30.6
2006	0	7,110	117,441	124,551	276,173	83,201	87,422	400,724	1,494,547	26.8
2007	0	2,653	120,356	123,009	300,327	92,532	84,130	423,336	1,352,127	31.3
2008	0	5,708	67,120	72,829	196,359	49,670	45,254	246,522	992,601	24.8

Pacific Cod Catch by Zones 1991-2008 in Area 6										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	335	7,368	13,679	21,382	35,634	14,807	19,144	57,016	211,567	26.9
1992	220	4,100	9,671	13,991	18,808	8,233	10,893	32,800	167,004	19.6
1993	335	2,789	6,743	9,867	32,193	5,174	8,601	42,060	134,356	31.3
1994	27	6,361	10,660	17,049	43,098	11,475	15,547	60,147	173,739	34.6
1995	306	7,275	16,660	24,241	51,318	18,433	21,266	75,559	230,016	32.8
1996	454	8,142	19,380	27,976	45,198	22,345	23,930	73,174	207,645	35.2
1997	97	6,340	21,553	27,991	48,265	19,333	24,912	76,256	232,144	32.8
1998	409	5,751	16,480	22,640	24,461	12,827	20,698	47,101	161,037	29.2
1999	44	3,906	15,805	19,756	25,002	12,618	17,452	44,758	149,538	29.9
2000	51	5,658	16,368	22,077	29,446	12,989	20,081	51,523	176,600	29.2
2001	26	3,652	16,247	19,926	22,097	11,960	18,583	42,023	141,858	29.6
2002	49	3,382	12,890	16,321	24,179	11,816	14,412	40,499	158,508	25.6
2003	112	9,178	15,070	24,360	25,983	18,341	22,202	50,342	179,472	28.1
2004	22	7,739	14,863	22,625	29,517	16,514	20,462	52,142	184,002	28.3
2005	0	5,327	9,882	15,209	30,729	9,771	13,704	45,938	186,827	24.6
2006	8	4,953	8,365	13,326	24,188	8,608	12,091	37,514	175,226	21.4
2007	3	1,470	9,241	10,715	24,089	6,521	9,505	34,804	141,879	24.5
2008	24	2,457	7,732	10,213	22,659	5,468	9,176	32,872	140,492	23.4

Table RCA 4.6 (Continued).

Atka Mackerel Catch by Zones 1991-2008 in Area 6										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	0	1,071	4,480	5,552	10	5,469	2,125	5,562	5,703	97.5
1992	0	7	14,979	14,986	128	14,917	2,963	15,114	16,206	93.3
1993	0	131	2,783	2,914	9	2,878	82	2,923	3,156	92.6
1994	0	59	2,347	2,406	98	2,401	23	2,504	2,562	97.7
1995	1	125	225	351	72	343	227	422	438	96.5
1996	0	326	1,474	1,799	89	1,775	610	1,888	1,957	96.5
1997	0	40	421	461	14	404	250	475	490	97.0
1998	0	112	894	1,007	39	1,004	741	1,045	1,065	98.1
1999	0	6	2,107	2,113	62	2,113	1,963	2,175	2,314	94.0
2000	0	0	110	110	0	107	24	110	216	51.1
2001	1	3	195	199	1	195	126	200	215	93.1
2002	0	29	224	253	9	252	129	262	315	83.3
2003	6	419	4,440	4,865	374	4,840	3,747	5,239	5,462	95.9
2004	0	504	5,009	5,513	623	5,508	4,584	6,136	6,535	93.9
2005	0	694	2,444	3,138	95	3,089	2,760	3,233	3,523	91.8
2006	0	410	2,009	2,418	124	2,296	2,176	2,543	3,142	80.9
2007	0	402	2080	2482	484	2,479	2,320	2,966	3,025	98.0
2008	0	49	353	402	6	385	389	408	447	91.2

Arrowtooth Flounder Catch by Zones 1991-2008, Analysis Area 6										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	5	821	1,155	1,980	1,539	1,712	1,550	5,367	18,860	28.5
1992	0	66	957	1,023	678	588	740	1,701	11,229	15.1
1993	0	86	826	912	1,492	719	360	2,405	8,143	29.5
1994	14	443	1,862	2,319	2,598	1,806	1,881	4,917	12,933	38.0
1995	1	151	1,496	1,648	2,652	1,403	896	4,300	8,424	51.0
1996	0	261	2,061	2,322	4,204	2,087	952	6,526	13,415	48.6
1997	2	141	807	950	2,589	608	515	3,538	9,673	36.6
1998	0	237	2,634	2,871	3,156	2,568	1,297	6,027	15,897	37.9
1999	3	276	2,371	2,650	2,211	2,493	1,390	4,862	11,330	42.9
2000	1	66	1,362	1,429	2,911	1,215	853	4,340	15,556	27.9
2001	0	82	1,694	1,777	4,253	1,258	1,088	6,030	14,937	40.4
2002	3	113	1,756	1,872	4,147	1,616	1,010	6,018	13,986	43.0
2003	0	74	2,255	2,329	3,550	1,904	1,432	5,879	11,187	52.6
2004	1	236	3,507	3,744	7,183	3,546	2,432	10,927	17,575	62.2
2005	0	204	1,690	1,894	3,911	1,752	1,260	5,805	13,524	42.9
2006	0	127	1,268	1,395	3,237	1,141	875	4,632	11,936	38.8
2007	0	108	2,028	2,136	2,820	1,711	1,537	4,956	11,248	44.1
2008	1	4,110	3,284	7,396	3,113	7,075	6,103	10,509	19,387	54.2

Table RCA 4.7. The catch of pollock, Pacific cod, Atka mackerel, and arrowtooth flounder by critical habitat zone, 1991-2008 in RCA 7. There is no foraging zone designated for this area.

Pollock Catch by Zones 1991-2008 in Area 7										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	164	3,251	6,228	9,643	0	6,131	6,105	9,643	26,985	35.7
1992	231	1,030	3,851	5,112	0	2,602	3,203	5,112	11,758	43.5
1993	1,537	4,049	9,966	15,553	0	8,833	11,001	15,553	20,935	74.3
1994	20	2,066	5,715	7,801	0	3,084	6,511	7,801	13,845	56.3
1995	86	2,764	11,945	14,796	0	9,172	8,333	14,796	26,771	55.3
1996	614	4,544	8,993	14,151	0	1,372	13,462	14,151	22,237	63.6
1997	819	7,475	3,107	11,400	0	1,225	10,891	11,400	22,964	49.6
1998	7,786	11,317	3,558	22,661	0	616	22,743	22,661	28,243	80.2
1999	1,656	8,952	6,970	17,579	0	719	17,578	17,579	18,370	95.7
2000	4	137	6,345	6,486	0	1,365	6,462	6,486	20,996	30.9
2001	38	888	9,774	10,700	0	1,783	10,698	10,700	27,726	38.6
2002	0	4,509	3,216	7,725	0	2,123	7,723	7,725	16,944	45.6
2003	0	5,961	5,329	11,290	0	1,653	11,253	11,290	14,528	77.7
2004	0	3,728	9,469	13,197	0	5	13,192	13,197	20,860	63.3
2005	920	9,274	6,439	16,633	0	3	16,633	16,633	26,945	61.7
2006	0	2,643	7,087	9,730	0	1,700	9,730	9,730	16,577	58.7
2007	709	2,166	4,716	7,591	0	13	7,584	7,591	16,708	45.4
2008	0	6,020	3,751	9,771	0	184	9,724	9,771	13,986	69.9

Pacific Cod Catch by Zones 1991-2008 in Area 7										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	633	10,743	14,230	25,606	0	16,915	21,234	25,606	30,146	84.9
1992	228	5,583	21,796	27,606	0	12,620	21,210	27,606	35,168	78.5
1993	73	6,843	7,855	14,771	0	1,172	14,692	14,771	17,109	86.3
1994	1,292	4,804	5,854	11,950	0	4,075	11,570	11,950	13,049	91.6
1995	153	6,159	9,196	15,508	0	7,974	11,336	15,508	19,954	77.7
1996	317	7,322	6,785	14,423	0	7,656	13,311	14,423	18,179	79.3
1997	2,857	9,765	7,068	19,689	0	11,634	17,835	19,689	21,717	90.7
1998	297	7,809	9,609	17,714	0	7,687	17,374	17,714	18,649	95.0
1999	687	9,494	7,053	17,234	0	7,902	16,846	17,234	19,884	86.7
2000	64	8,393	6,241	14,697	0	7,953	14,069	14,697	17,811	82.5
2001	131	2,467	5,961	8,559	0	2,236	8,464	8,559	13,012	65.8
2002	9	4,554	6,008	10,571	0	2,720	9,747	10,571	16,508	64.0
2003	18	8,662	4,877	13,557	0	5,740	9,019	13,557	20,274	66.9
2004	0	3,604	7,938	11,542	0	2,079	9,792	11,542	20,261	57.0
2005	0	5,973	3,857	9,831	0	843	9,814	9,831	18,070	54.4
2006	0	2,491	6,831	9,322	0	1,457	9,256	9,322	15,842	58.8
2007	0	1,514	13,566	15,080	0	3,689	11,425	15,080	21,860	69.0
2008	26	4,831	7,173	12,030	0	5,191	9,939	12,030	18,661	64.5

Table RCA 4.7 (Continued).

Atka Mackerel Catch by Zones 1991-2008 in Area 7										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	0	51	5	56	0	5	52	56	70	80.2
1992	0	0	0	0	0	0	0	0	96	0.0
1993	0	0	87	87	0	78	9	87	115	75.5
1994	3	12	167	182	0	174	9	182	234	77.9
1995	0	19	106	126	0	96	33	126	228	55.3
1996	0	0	113	113	0	108	7	113	400	28.2
1997	0	1	0	1	0	0	1	1	5	25.0
1998	1	0	112	113	0	112	113	113	114	99.2
1999	106	12	0	118	0	0	118	118	255	46.5
2000	0	0	0	0	0	0	0	0	166	0.1
2001	0	0	21	22	0	11	10	22	48	44.5
2002	0	1	15	15	0	0	15	15	54	28.5
2003	0	100	42	141	0	112	129	141	417	33.9
2004	0	69	93	162	0	88	75	162	777	20.9
2005	0	0	120	120	0	27	92	120	410	29.2
2006	0	0	81	81	0	2	79	81	556	14.5
2007	0	0	510	510	0	501	9	510	1,274	40.0
2008	0	174	459	633	0	502	327	633	1,734	36.5

Arrowtooth Flounder Catch by Zones 1991-2008, Analysis Area 7										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	7	124	197	328	0	123	310	328	2,294	14.3
1992	16	266	643	925	0	292	808	925	1,553	59.6
1993	4	127	204	336	0	20	329	336	1,532	21.9
1994	123	202	535	860	0	363	764	860	1,152	74.7
1995	6	78	224	307	0	36	292	307	1,204	25.5
1996	3	96	190	289	0	59	282	289	1,795	16.1
1997	2	52	206	260	0	68	221	260	2,109	12.3
1998	25	282	116	424	0	72	409	424	2,083	20.3
1999	38	607	733	1,378	0	46	1,365	1,378	2,917	47.3
2000	2	73	214	289	0	85	277	289	2,641	10.9
2001	5	229	632	866	0	79	847	866	3,948	21.9
2002	0	108	200	307	0	11	304	307	2,377	12.9
2003	0	447	1,872	2,320	0	270	2,209	2,320	6,497	35.7
2004	0	535	610	1,146	0	102	1,084	1,146	2,573	44.5
2005	31	768	293	1,092	0	23	1,089	1,092	2,299	47.5
2006	0	245	194	439	0	8	432	439	1,765	24.9
2007	95	270	542	908	0	35	887	908	2,723	33.3
2008	0	616	383	999	0	200	837	999	2,919	34.2

Table RCA 4.8. The catch of pollock, Pacific cod, Atka mackerel, and arrowtooth flounder by critical habitat zone, 1991-2008 in RCA 8.

Pollock Catch by Zones 1991-2008 in Area 8										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	53	867	3,745	4,665	2,130	120	4,581	6,795	7,705	88.2
1992	2	2,446	7,424	9,872	4,873	2,607	9,825	14,745	17,237	85.5
1993	1,006	6,532	6,337	13,874	1,614	407	13,864	15,489	23,788	65.1
1994	0	1,368	7,567	8,935	6,604	365	8,714	15,539	22,237	69.9
1995	18	379	5,667	6,064	6,197	391	5,791	12,261	13,080	93.7
1996	13	1,463	5,269	6,745	4,718	616	6,424	11,463	12,297	93.2
1997	1,403	7,042	12,147	20,592	9,348	154	20,582	29,940	32,812	91.2
1998	2,081	7,538	13,269	22,888	12,155	4	22,885	35,043	48,891	71.7
1999	0	787	15,060	15,848	14,941	46	15,731	30,789	38,312	80.4
2000	198	7,911	3,355	11,464	149	18	11,456	11,614	11,722	99.1
2001	0	456	13,974	14,429	783	7	14,427	15,212	15,404	98.8
2002	0	1,548	3,892	5,440	2,424	1	5,439	7,863	18,337	42.9
2003	0	292	13,559	13,851	341	7	13,850	14,192	19,455	72.9
2004	0	299	14,741	15,041	2,287	1	15,040	17,328	19,646	88.2
2005	0	2,020	16,953	18,973	467	1	18,972	19,440	27,370	71.0
2006	0	1,227	18,751	19,979	476	11	19,979	20,455	25,831	79.2
2007	0	5,550	8,179	13,729	407	4	13,729	14,136	17,381	81.3
2008	0	513	6,922	7,434	10,766	34	7,432	10,194	17,225	59.2

Pacific Cod Catch by Zones 1991-2008 in Area 8										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	2,226	3,237	8,117	13,580	731	6,477	7,398	14,311	16,871	84.8
1992	15	1,012	8,452	9,480	694	6,070	3,625	10,174	15,076	67.5
1993	92	1,067	3,065	4,224	1,993	1,239	3,250	6,217	9,096	68.3
1994	0	69	6,675	6,744	480	5,153	1,897	7,224	9,182	78.7
1995	279	886	7,683	8,849	1,124	6,046	2,826	9,973	12,021	83.0
1996	109	590	9,463	10,161	2,833	7,670	2,890	12,995	19,692	66.0
1997	141	734	6,582	7,458	1,433	4,082	4,473	8,891	10,613	83.8
1998	47	443	6,319	6,809	2,314	3,426	3,507	9,123	10,772	84.7
1999	82	442	1,974	2,498	2,682	253	2,380	5,180	11,965	43.3
2000	12	388	1,119	1,519	699	82	1,454	2,218	5,702	38.9
2001	0	1	1,191	1,192	696	360	1,054	1,888	4,428	42.6
2002	57	84	679	820	842	237	760	1,662	6,524	25.5
2003	0	72	3,994	4,066	172	411	3,715	4,238	6,983	60.7
2004	160	1,220	2,085	3,465	1,155	61	3,462	4,620	7,346	62.9
2005	0	23	904	927	488	73	925	1,415	1,630	86.8
2006	0	8	792	800	1,766	175	782	2,566	3,935	65.2
2007	0	15	36	52	2,175	21	51	2,226	4,063	54.8
2008	0	35	550	585	8,006	35	573	8,591	11,481	74.8

Table RCA 4.8 (Continued).

Atka Mackerel Catch by Zones 1991-2008 in Area 8										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	0	13	1	14	0	1	13	14	14	100.0
1992	0	0	0	0	0	0	0	0	14	0.0
1993	0	0	1,074	1,074	0	1,119	0	1,074	2,017	53.2
1994	0	0	619	619	0	619	0	619	875	70.8
1995	2	0	36	38	0	36	2	38	332	11.4
1996	0	0	4	4	0	4	0	4	4	99.2
1997	0	2	1	4	0	1	2	4	5	75.2
1998	0	0	6	6	0	6	6	6	6	100.0
1999	0	0	0	0	0	0	0	0	0	5.4
2000	0	0	0	0	1	0	0	1	1	100.0
2001	0	0	4	4	0	4	2	4	6	61.4
2002	0	0	0	0	0	0	0	0	5	7.1
2003	0	0	3	3	0	2	1	3	138	1.9
2004	0	0	2	2	0	2	0	2	28	7.7
2005	0	0	2	2	0	2	0	2	379	0.5
2006	0	0	3	3	0	0	3	3	269	1.0
2007	0	0	0	0	0	0	0	0	154	0.1
2008	0	0	0	0	0	0	0	0	316	0.1

Arrowtooth Flounder Catch by Zones 1991-2008, Analysis Area 8										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	2	29	1,019	1,050	4	736	830	1,055	2,117	49.8
1992	1	110	1,149	1,260	139	990	971	1,400	3,524	39.7
1993	0	23	1,040	1,063	37	1,032	661	1,101	3,185	34.5
1994	0	86	3,602	3,687	1,482	3,068	3,462	5,169	8,418	61.4
1995	24	36	980	1,039	1,155	815	741	2,194	4,773	46.0
1996	32	794	2,605	3,431	1,824	2,097	3,254	5,255	9,224	57.0
1997	66	390	950	1,406	676	600	1,164	2,082	4,448	46.8
1998	2	223	862	1,086	499	311	922	1,585	3,280	48.3
1999	1	18	1,284	1,304	1,084	1,004	972	2,388	4,360	54.8
2000	0	189	1,324	1,513	58	957	1,134	1,571	4,591	34.2
2001	0	11	1,256	1,267	54	396	1,003	1,321	3,873	34.1
2002	0	115	1,503	1,618	632	1,016	1,452	2,250	5,083	44.3
2003	0	336	3,609	3,944	532	1,056	3,850	4,476	8,747	51.2
2004	0	44	723	768	651	188	765	1,419	2,266	62.6
2005	0	570	3,502	4,071	250	384	4,048	4,322	5,645	76.6
2006	0	166	5,880	6,046	1,024	1,015	6,020	7,070	8,397	84.2
2007	0	75	1,535	1,610	2,272	294	1,607	3,882	5,295	73.3
2008	0	248	1,721	1,969	477	27	1,963	2,446	4,253	57.5

Table RCA 4.9. The catch of pollock, Pacific cod, Atka mackerel, and arrowtooth flounder by critical habitat zone, 1991-2008 in RCA 9.

Pollock Catch by Zones 1991-2008 in Area 9										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	2,616	14,928	20,825	38,369	1,064	1,347	37,873	39,433	46,287	85.2
1992	1,763	8,629	32,806	43,197	621	91	43,181	43,818	53,850	81.4
1993	4,690	19,049	32,884	56,623	5,270	10,950	55,837	61,893	63,221	97.9
1994	1,836	20,114	34,108	56,058	2,509	15,663	55,524	58,567	60,933	96.1
1995	19	2,114	19,610	21,743	172	1,756	21,738	21,915	23,255	94.2
1996	103	1,768	7,798	9,668	7	2,281	9,668	9,675	11,803	82.0
1997	303	5,121	13,067	18,491	415	1,103	18,490	18,906	20,405	92.7
1998	521	10,182	19,690	30,393	478	3,114	30,128	30,871	33,348	92.6
1999	200	5,021	22,366	27,587	62	2,931	27,587	27,650	28,876	95.8
2000	2	3,252	15,345	18,599	3,982	8,340	18,553	22,581	35,074	64.4
2001	23	4,996	15,431	20,450	697	6,589	20,436	21,147	22,258	95.0
2002	0	252	10,991	11,244	351	1,251	11,233	11,595	12,951	89.5
2003	0	1,668	8,964	10,631	202	2,534	10,631	10,833	11,229	96.5
2004	1	849	17,832	18,682	66	6,147	18,715	18,748	19,296	97.2
2005	0	2,589	15,995	18,584	308	6,221	18,580	18,892	19,147	98.7
2006	164	2,517	12,972	15,653	53	2,417	15,653	15,707	17,110	91.8
2007	0	1,446	13,473	14,920	43	6,504	15,046	14,963	16,184	92.5
2008	162	1,205	11,710	13,077	20	4,456	13,073	13,084	16,314	80.2

Pacific Cod Catch by Zones 1991-2008 in Area 9										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	71	4,604	7,894	12,569	801	3,416	11,789	13,370	24,458	54.7
1992	167	5,142	8,977	14,286	30	3,399	13,564	14,316	21,154	67.7
1993	84	2,982	4,536	7,602	49	1,297	6,547	7,650	22,809	33.5
1994	28	1,734	5,699	7,461	210	620	7,336	7,671	15,750	48.7
1995	135	3,367	8,423	11,925	1,210	2,320	11,139	13,135	27,837	47.2
1996	26	2,492	7,444	9,961	12	2,242	9,612	9,974	19,413	51.4
1997	169	7,141	9,367	16,677	75	910	16,147	16,751	29,899	56.0
1998	24	4,484	8,273	12,781	33	2,515	12,227	12,814	29,904	42.9
1999	40	4,751	7,566	12,357	0	1,811	11,930	12,357	30,377	40.7
2000	19	8,794	3,661	12,475	27	4,906	12,336	12,502	25,856	48.4
2001	202	3,042	7,800	11,045	398	3,974	7,906	11,442	21,895	52.3
2002	3	508	3,790	4,300	47	226	4,179	4,347	15,487	28.1
2003	0	4,565	4,096	8,660	236	337	8,577	8,897	22,761	39.1
2004	87	7,214	7,031	14,332	129	1,113	14,289	14,461	27,111	53.3
2005	163	7,489	4,098	11,751	198	5,290	11,327	11,948	24,380	49.0
2006	127	1,817	4,410	6,355	37	910	6,210	6,392	19,968	32.0
2007	13	3,426	8,283	11,721	0	1,449	11,553	11,721	21,968	53.4
2008	24	2,971	8,721	11,716	13	2,546	11,447	11,728	24,226	48.4

Table RCA 4.9 (Continued).

Atka Mackerel Catch by Zones 1991-2008 in Area 9										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	0	0	0	0	0	0	0	0	0	0.0
1992	0	0	0	0	0	0	0	0	4	0.0
1993	0	8	0	8	0	0	8	8	8	97.2
1994	0	0	1	1	0	0	1	1	2	38.1
1995	0	21	1	23	0	0	23	23	38	59.9
1996	0	0	0	0	0	0	0	0	4	0.0
1997	0	3	0	3	0	0	3	3	3	100.0
1998	0	0	24	24	0	0	24	24	32	74.7
1999	0	0	0	0	0	0	0	0	1	0.0
2000	0	0	0	0	0	0	0	0	0	0.0
2001	0	0	1	1	0	0	1	1	6	13.1
2002	0	0	0	0	0	0	0	0	24	0.0
2003	0	0	1	1	0	0	1	1	21	3.7
2004	0	1	1	1	0	0	1	1	9	15.7
2005	0	1	1	1	0	0	1	1	5	25.2
2006	0	8	12	20	0	0	20	20	45	43.8
2007	0	12	3	15	0	0	15	15	21	69.5
2008	0	0	0	1	0	0	1	1	4	14.8

Arrowtooth Flounder Catch by Zones 1991-2008, Analysis Area 9										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	7	207	764	979	0	81	955	1,076	11,417	9.4
1992	96	928	2,687	3,710	48	222	3,668	3,758	14,876	25.3
1993	39	788	1,659	2,487	8	343	2,393	2,494	13,101	19.0
1994	14	758	2,356	3,128	88	266	3,100	3,217	12,341	26.1
1995	12	908	1,719	2,639	20	306	2,572	2,659	11,065	24.0
1996	25	596	1,437	2,059	6	188	2,034	2,065	10,239	20.2
1997	21	1,047	2,496	3,563	326	238	3,481	3,890	7,987	48.7
1998	7	417	1,006	1,430	99	352	1,196	1,529	6,175	24.8
1999	8	336	929	1,272	0	267	1,271	1,272	7,192	17.7
2000	4	1,274	1,970	3,248	41	483	3,034	3,289	12,762	25.8
2001	3	1,390	3,096	4,488	50	672	4,459	4,537	9,521	47.7
2002	0	245	2,114	2,359	77	1,063	1,914	2,436	9,785	24.9
2003	0	910	5,740	6,650	702	2,625	5,826	7,351	13,355	55.0
2004	0	287	5,333	5,620	276	1,244	4,923	5,895	10,054	58.6
2005	0	1,434	6,484	7,918	959	872	7,524	8,877	11,486	77.3
2006	59	3,784	6,720	10,563	1,235	190	10,570	11,798	17,087	69.0
2007	19	3,733	6,128	9,880	0	531	9,867	9,880	16,764	58.9
2008	0	1,560	4,639	6,199	454	406	6,125	6,653	22,043	30.2

Table RCA 4.10. The catch of pollock, Pacific cod, Atka mackerel, and arrowtooth flounder by critical habitat zone, 1991-2008 in RCA 10. There is no SSL foraging CH in this area.

Pollock Catch by Zones 1991-2008 in Area 10										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	0	0	193	193	0	0	193	193	5,704	3.4
1992	0	9	19	28	0	1	27	28	254	10.8
1993	0	21	46	67	0	5	67	67	689	9.8
1994	1	346	2,826	3,173	0	17	3,172	3,173	6,880	46.1
1995	0	1,700	844	2,545	0	2	2,544	2,545	5,857	43.4
1996	0	924	1,372	2,296	0	2	2,179	2,296	2,961	77.5
1997	0	841	4,984	5,825	0	0	5,691	5,825	10,451	55.7
1998	0	2,229	8,688	10,917	0	0	10,917	10,917	13,672	79.8
1999	0	481	1,566	2,047	0	0	2,047	2,047	5,418	37.8
2000	0	414	1,561	1,975	0	0	1,975	1,975	4,048	48.8
2001	0	0	0	0	0	0	0	0	3,943	0.0
2002	0	1	726	727	0	0	727	727	3,180	22.9
2003	0	768	2,155	2,924	0	0	2,924	2,924	3,484	83.9
2004	0	0	748	748	0	0	748	748	1,353	55.3
2005	0	412	1,954	2,366	0	0	2,366	2,366	3,391	69.8
2006	0	576	626	1,202	0	0	1,202	1,202	4,237	28.4
2007	0	41	386	427	0	0	427	427	596	71.6
2008	0	0	701	701	0	1	700	701	1,166	60.1

Pacific Cod Catch by Zones 1991-2008 in Area 10										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	0	0	507	507	0	2	505	507	1,063	47.7
1992	123	2,182	1,744	4,049	0	1,319	3,389	4,049	5,345	75.7
1993	0	1,219	2,992	4,211	0	0	4,211	4,211	5,708	73.8
1994	104	2,055	3,036	5,195	0	1,020	5,142	5,195	5,828	89.1
1995	29	3,742	1,827	5,598	0	45	5,675	5,598	6,466	86.6
1996	52	4,855	3,409	8,315	0	3,571	8,315	8,315	9,112	91.3
1997	3	1,371	662	2,036	0	18	2,036	2,036	4,206	48.4
1998	0	629	331	960	0	33	927	960	1,248	76.9
1999	0	490	1,324	1,813	0	94	1,719	1,813	2,399	75.6
2000	0	88	46	134	0	0	134	134	362	37.0
2001	0	158	828	986	0	947	981	986	1,021	96.6
2002	0	1,286	1,655	2,942	0	754	2,942	2,942	3,220	91.4
2003	0	357	494	852	0	24	852	852	968	88.0
2004	0	24	11	35	0	0	35	35	164	21.5
2005	0	0	0	0	0	0	0	0	85	0.0
2006	0	327	65	392	0	0	392	392	402	97.5
2007	0	54	284	338	0	124	338	338	433	78.2
2008	248	574	1,038	1,860	0	822	1,860	1,860	2,109	88.2

Table RCA 4.10 (Continued).

Atka Mackerel Catch by Zones 1991-2008 in Area 10										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	0	0	0	0	0	0	0	0	0	0.0
1992	0	0	0	0	0	0	0	0	0	0.0
1993	0	0	0	0	0	0	0	0	0	0.0
1994	0	0	0	0	0	0	0	0	0	0.0
1995	0	0	0	0	0	0	0	0	0	0.0
1996	0	0	0	0	0	0	0	0	0	0.0
1997	0	0	0	0	0	0	0	0	0	0.0
1998	0	0	0	0	0	0	0	0	0	0.0
1999	0	0	0	0	0	0	0	0	0	0.0
2000	0	0	0	0	0	0	0	0	0	0.0
2001	0	0	0	0	0	0	0	0	0	0.0
2002	0	0	0	0	0	0	0	0	0	0.0
2003	0	0	0	0	0	0	0	0	0	0.0
2004	0	0	0	0	0	0	0	0	1	0.0
2005	0	0	0	0	0	0	0	0	0	0.0
2006	0	0	0	0	0	0	0	0	0	0.0
2007	0	0	0	0	0	0	0	0	0	0.0
2008	0	0	0	0	0	0	0	0	0	0.0

Arrowtooth Flounder Catch by Zones 1991-2008, Analysis Area 10										
Year	0-3	3-10	10-20	0-20	Foraging	Rookery	Haulout	Total CH	Total Catch	CH %
1991	0	1	29	30	0	3	27	30	396	7.5
1992	1	29	346	375	0	23	364	375	1,225	30.6
1993	0	21	43	64	0	4	64	64	750	8.5
1994	0	42	59	101	0	24	99	101	816	12.4
1995	0	76	216	292	0	2	292	292	1,028	28.4
1996	0	128	155	283	0	13	283	283	865	32.7
1997	0	23	95	118	0	1	118	118	526	22.4
1998	0	29	140	168	0	6	162	168	487	34.5
1999	0	19	195	214	0	7	207	214	752	28.5
2000	0	34	83	117	0	0	117	117	621	18.8
2001	0	7	36	43	0	1	42	43	345	12.5
2002	0	5	44	49	0	0	49	49	159	31.1
2003	0	0	39	39	0	0	39	39	144	27.3
2004	0	0	17	17	0	0	17	17	137	12.4
2005	0	1	12	13	0	0	13	13	82	16.1
2006	0	1	24	25	0	0	25	25	85	29.2
2007	0	0	24	24	0	0	24	24	149	16.4
2008	0	0	22	22	0	5	18	22	130	17.3

Table RCA 4.11. The catch (mt) of pollock, Pacific cod, Atka mackerel, and arrowtooth flounder, 1991-2008 in the SEAK area. Since there is no critical habitat designated for either dps of Steller sea lions in this area, there are no zones displayed.

Year	Total Catch by Species this Area			
	Pollock	Pacific cod	Atka Mackerel	Arrow Tooth Flounder
1991	4	171	0	80
1992	18	4	0	495
1993	0	392	0	383
1994	12	104	0	204
1995	0	148	0	161
1996	3	296	0	204
1997	94	122	0	829
1998	0	200	0	68
1999	0	414	0	113
2000	7	109	0	91
2001	0	77	0	105
2002	0	12	0	41
2003	0	95	0	21
2004	0	142	0	24
2005	0	40	0	19
2006	0	54	0	43
2007	1	33	0	29
2008	1	52	0	58