		OMB Control No. 2900-0779 Respondent Burden: 45 minutes				
Department of Veterans Affairs		(Not Including Diabetic Sensory- Motor Peripheral Disability Benefits Questionnaire				
IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) WILL NOT PAY OR REIMBURSE ANY EXPENSES OR COST INCURRED IN THE PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM. PLEASE READ THE PRIVACY ACT AND RESPONDENT BURDEN INFORMATION BEFORE COMPLETING FORM.						
NAME OF PATIENT/VETERAN		PATIENT/VETERAN'S SOCIAL SECURITY NUMBER				
	NOTE TO PHYSICIAN - Your patient is applying to the U. S. Department of Veterans Affairs (VA) for disability benefits. VA will consider the information you provide on this questionnaire as part of their evaluation in processing the veteran's claim.					
	SECTION I - DIAGNOSIS					
1A. DOES THE VETERAN HAVE A PERIPHERAL NERVE CO.  Yes No If "Yes," complete Item 1B)	ONDITION OR PERIPHERAL NEURO	PATHY?				
1B. PROVIDE ONLY DIAGNOSES THAT PERTAIN TO A PER	RIPHERAL NERVE CONDITION AND/	OR PERIPHERAL NEUROPATHY:				
Diagnosis # 1:	ICD Code:	Date of diagnosis:				
Diagnosis # 2:	ICD Code:	Date of diagnosis:				
Diagnosis # 3:	ICD Code:	Date of diagnosis:				
<b>DEFINITIONS</b> : For VA purposes, neuralgia indicates a condition characterized by a dull and intermittent pain of typical distribution so as to identify						
the nerve, while neuritis is characterized by loss of reflexes,	muscle atrophy, sensory disturbances  SECTION II - MEDICAL HI					
2A. DESCRIBE THE HISTORY (including onset and course)						
2B. DOMINANT HAND						
Right Left Ambidextrous						
SECTION III - SYMPTOMS  3A. Does the veteran have any symptoms attributable to any peripheral nerve conditions?						
Yes No  If yes, indicate symptoms' location and severity (check all that apply):  Constant pain (may be excruciating at times)  Right upper extremity: None Mild Moderate Severe						
Left upper extremity: None M Right lower extremity: None M	liid Moderate Sevel	re re				

VA FORM DEC 2010 Page 1 21-0960C-10

Severe

Severe

Severe

Severe

Severe

Severe

Severe

Severe

None

None

None

None

None

None

None

None

Mild

Mild

Mild

Mild

Mild

Mild

Mild

Mild

Moderate

Moderate

Moderate

Moderate

Moderate

Moderate

Moderate

Moderate

Right upper extremity:

Left upper extremity:

Right lower extremity:

Left lower extremity: Paresthesias and/or dysesthesias Right upper extremity:

Left upper extremity:

Right lower extremity:

Left lower extremity:

				SECTIO	N III - SYN	IPTOMS (	Continued)		
3A. Does the veteran have ar	ny symptoms	attributabl	e to any per	ripheral ner	ve condition	ns? (Continu	red)		
Numbness  Pight upper extremity:	Г	None	Mile	-	Moderate		evere		
Right upper extremity:	L F	None	Mile	=	Moderate Moderate	=	evere evere		
Left upper extremity:	F	None	Mile	=	Moderate	=	evere		
Right lower extremity: Left lower extremity:	F	None	Mile	=	Moderate	=	evere		
3B. Other symptoms (describ	ne symptoms,				- HOGOIGE				
ов. отто. суттрие с (	, ,	1000	na 30.5 .,,						
				SECTION	IV - MUS	CLE STRE	NGTH TES	TING	
4A. Rate strength according t	to the followir	ng scale:		<u>/LU11511</u>	14	<u> </u>		THE	
0/5 No muscle	movement								
1/5 Palpable o	r visible musc	cle contrac	tion, but no	joint move	ment				
2/5 Active mov	_		inated						
3/5 Active mov									
4/5 Active mov		st some re	sistance						
5/5 Normal stre	ength								
All normal Elbow flexion:	Diaht	□ <sub>5/5</sub>		□ 3/5	□ 2/5	□ <sub>1/5</sub>	0/5		
EIDOW TIEXIOTI.	Right: Left:	5/5	4/5	3/5	2/5 2/5	1/5	0/5		
Elbow extension:	Right:	5/5	4/5	3/5	2/5	1/5	0/5		
LIDOW GALCITOTOTT.	Left:	5/5	4/5	3/5	2/5	1/5	0/5		
Wrist flexion:	Right:	5/5	4/5	3/5	2/5	1/5	0/5		
	Left:	5/5	4/5	3/5	2/5	1/5	0/5		
Wrist extension:	Right:	5/5	4/5	3/5	2/5	1/5	0/5		
	Left:	5/5	4/5	3/5	2/5	1/5	0/5		
Grip:	Right:	5/5	4/5	3/5	2/5	1/5	0/5		
	Left:	5/5	4/5	3/5	2/5	1/5	0/5		
Pinch	Right:	5/5	4/5	3/5	2/5	1/5	0/5		
(thumb to index finger):	Left:	5/5	4/5	3/5	2/5	1/5	0/5		
Knee extension:	Right:	5/5	4/5	3/5	2/5	1/5	0/5		
l	Left: Right:	5/5	4/5	3/5	2/5 2/5	1/5	0/5 0/5		
Ankle plantar flexion:	Left:	5/5	4/5	3/5	2/5	1/5	0/5		
Ankle dorsiflexion:	Right:	5/5	4/5	3/5	2/5	1/5	0/5		
	Left:	5/5	4/5	3/5	2/5	1/5	0/5		
4B. Does the veteran have m	nuscle atroph	iy?							
Yes No									
If muscle atrophy is present	t indicate loc	ation:							
		_	surements in	n centimete	ers of norma	al side and a	trophied side,	measured at maximum muscle b	— vulk:
	Normal sid			cm		Atrophie	·	cm	
					FCTION V	/ - REFLEX			
5. Rate deep tendon reflexes	(DTRs) acco	ordina to th	ne following			- 11-1	LAAM		
0 - Absent	, ,	714	0.0	Jun 1					
1+ Hypoactive	!								
2+ Normal	*** - 4 alaa								
3+ Hyperactive									
4+ Hyperactive All normal	e with cionus								
Biceps	Right:	По	1+	2+	3+	4+			
· .	Left:	0	1+	2+	3+	4+			
Triceps	Right:	o	1+	2+	3+	4+			
	Left:	O	1+	2+	3+	4+			
Brachioradialis	Right:	o	1+	2+	<u> </u>	4+			
	Left:	o	1+	2+	3+	4+			
Knee	Right:	0	1+	2+	3+	4+			
<b>l</b>	Left:	0	∐ 1+ □ 4:	2+	☐ 3+	<u></u> 4+			
Ankle	Right:		☐ 1+	2+	☐ 3+	4+ 4+			
	Left:	0	1+	2+	3+	4+			

		SEC	TION VI - SENSC	DRY EXAM		
6. Indicate results for sensation testing	ng for light touch	:				
All normal						
Shoulder area (C5):	Right:	Normal	Decreased	Absent		
, ,	Left:	Normal	Decreased	Absent		
Inner/outer forearm (C6/T1):	Right:	Normal	Decreased	Absent		
,	Left:	Normal	Decreased	Absent		
Hand/fingers (C6-8):	Right:	Normal	Decreased	Absent		
	Left:	☐ Normal	Decreased	Absent		
Upper anterior thigh (L2):	Right:	Normal	Decreased	Absent		
Thigh/knee (L3/4):	Left: Right:	Normal Normal	Decreased  Decreased	Absent		
1111g1#11100 (20/1).	Left:	Normal	Decreased	Absent		
Lower leg/ankle (L4/L5/S1):	Right:	Normal	Decreased	Absent		
	Left:	Normal	Decreased	Absent		
Foot/toes (L5):	Right:	Normal	Decreased	Absent		
	Left:	Normal	Decreased	Absent		
Other sensory findings, if any:						
		SECTION	I VII - TROPHIC	CHANGES		
7. DOES THE VETERAN HAVE TRO	PHIC CHANGES				a, shiny skin, etc.) ATTRIBUTABLE TO PERIPHERAL NEUROPATHY?	
		,	,	,	•	
Yes No						
If yes, describe:						
		SE	CTION VIII - GA	.IT		
8. IS THE VETERAN'S GAIT NORMA	L?					
Yes No						
If no, describe abnormal gait:						
Provide etiology of abnormal	gait:					
	•					
SECTION IX - SPECIAL TESTS FOR MEDIAN NERVE						
9. WERE SPECIAL TESTS INDICATE						
Yes No	.571151	TAMED TOTAL		LO/THOTT.		
If yes, indicate results:	Danition.	□ Na				
Phalen's sign: Right:	Positive		gative			
Left:	Positive	Ne	gative			
Tinel's sign: Right:	Positive	Ne	gative			
Left:	Positive	Ne	gative			
	<u>—</u>	_				
SECTION X - NERVES AFFECTED: Severity Evaluation for Upper Extremity Nerves and Radicular Groups						
Based on symptoms and findings from this exam, complete the following section to provide an estimation of the severity of the veteran's peripheral neuropathy. This summary provides useful information for VA purposes.						
NOTE: For VA purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete paralysis that is given with each nerve.						
If the nerve is completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete paralysis" and indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.						

		SECTION X - NERVES AFFECTED: Severity Evaluation for Upper Extremity Nerves and Radicular Groups (Continued)
		TE THE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.
10/		ve (musculospiral nerve) uplete paralysis (hand and fingers drop, wrist and fingers flexed; cannot extend hand at wrist, extend proximal phalanges of fingers, extend thumb or
		al movement of wrist; supination of hand, elbow extension and flexion weak, hand grip impaired)
	Right:	Normal Incomplete paralysis Complete paralysis
		If Incomplete paralysis is checked, indicate severity:
		Mild Moderate Severe
	Left:	Normal Incomplete paralysis Complete paralysis
		If Incomplete paralysis is checked, indicate severity:  Mild Moderate Severe
10B	. Median ne	rye
		aplete paralysis (hand inclined to the ulnar side, index and middle fingers extended, atrophy of thenar eminence, cannot make fist, defective opposition cannot flex distal phalanx of thumb; wrist flexion weak)
	Right:	☐ Normal ☐ Incomplete paralysis ☐ Complete paralysis
		If Incomplete paralysis is checked, indicate severity:
		Mild Moderate Severe
	Left:	Normal Incomplete paralysis Complete paralysis
		If Incomplete paralysis is checked, indicate severity:  Mild Moderate Severe
100	C. Ulnar nerv	
100	Note: Com	eplete paralysis ("griffin claw" deformity, atrophy in dorsal interspaces, thenar and hypothenar eminences; cannot extend ring and little finger, ead fingers, cannot adduct the thumb; wrist flexion weakened)
	Right:	Normal Incomplete paralysis Complete paralysis
	rugiii.	If Incomplete paralysis is checked, indicate severity:
		Mild Moderate Severe
	Left:	Normal Incomplete paralysis Complete paralysis
		If Incomplete paralysis is checked, indicate severity:
		Mild Moderate Severe
100	Musculoci	ataneous nerve
		plete paralysis (weakened flexion of elbow and supination of forearm)
	Right:	Normal Incomplete paralysis Complete paralysis
	ragni.	If Incomplete paralysis is checked, indicate severity:
		Mild Moderate Severe
	Left:	Normal Incomplete paralysis Complete paralysis
		If Incomplete paralysis is checked, indicate severity:
		Mild Moderate Severe
10E	. Circumflex	nerve
	Note: Com	plete paralysis (innervates deltoid and teres minor; cannot abduct arm, outward rotation is weakened)
	Right:	Normal Incomplete paralysis Complete paralysis
		If Incomplete paralysis is checked, indicate severity:
		Mild Moderate Severe
	Left:	Normal Incomplete paralysis Complete paralysis
		If Incomplete paralysis is checked, indicate severity:  Mild Moderate Severe
10F	. Long thora	cic nerve
	Note: Com	plete paralysis (inability to raise arm above shoulder level, winged scapula deformity)
	Right:	☐ Normal ☐ Incomplete paralysis ☐ Complete paralysis
		If Incomplete paralysis is checked, indicate severity:
		Mild Moderate Severe
	Left:	☐ Normal ☐ Incomplete paralysis ☐ Complete paralysis
		If Incomplete paralysis is checked, indicate severity:
		☐ Mild ☐ Moderate ☐ Severe
I		

	SECTION X - NERVES AFFECTED: Severity Evaluation for Upper Extremity Nerves and Radicular Groups (Continued)
10G. Upper rad	icular group (5 <sup>th</sup> & 6 <sup>th</sup> cervicals)
Note: Com	aplete paralysis (all shoulder and elbow movements lost; hand and wrist movements not affected)
Right:	Normal Incomplete paralysis Complete paralysis
i dgila	If Incomplete paralysis is checked, indicate severity:
	Mild Moderate Severe
Left:	Normal Incomplete paralysis Complete paralysis
	If Incomplete paralysis is checked, indicate severity:
	Mild Moderate Severe
10H. Middle rad	
Note: Comp	plete paralysis (adduction, abduction, rotation of arm, flexion of elbow and extension of wrist lost)
Right:	Normal Incomplete paralysis Complete paralysis
	If Incomplete paralysis is checked, indicate severity:
	Mild Moderate Severe
Left:	Normal Incomplete paralysis Complete paralysis
Len.	
	If Incomplete paralysis is checked, indicate severity:
	Mild Moderate Severe
10I. Lower radic	cular group
Note: Com	plete paralysis (intrinsic hand muscles, wrist and finger flexors paralyzed; substantial loss of use of hand)
Right:	Normal Incomplete paralysis Complete paralysis
ragit.	If Incomplete paralysis is checked, indicate severity:
	Mild Moderate Severe
Left:	Normal Incomplete paralysis Complete paralysis
	If Incomplete paralysis is checked, indicate severity:
	Mild Moderate Severe
	SECTION XI - NERVES AFFECTED: Severity Evaluation for Lower Extremity Nerves
	nptoms and findings from this exam, complete the following section to provide an estimation of the severity of the veteran's peripheral
neuropatny. I	his summary provides useful information for VA purposes.
	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete
NOTE: For VA	
NOTE: For VA paralysis that	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.
NOTE: For VA paralysis that	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete
NOTE: For VA paralysis that	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.
NOTE: For VA paralysis that If the nerve is paralysis" and	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.
NOTE: For VA paralysis that  If the nerve is paralysis" and	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.
NOTE: For VA paralysis that  If the nerve is paralysis" and  NOTE: INDICA  11A. Sciatic nerve	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.
NOTE: For VA paralysis that  If the nerve is paralysis" and  NOTE: INDICA  11A. Sciatic nerve	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.
NOTE: For VA paralysis that  If the nerve is paralysis" and  NOTE: INDICA  11A. Sciatic nerve	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.
NOTE: For VA paralysis that If the nerve is paralysis" and NOTE: INDICA 11A. Sciatic nerv Note: Com	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete I indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  The property of the paralysis (foot dangles and drops, no active movement of muscles below the knee, flexion of knee weakened or lost)  Normal
NOTE: For VA paralysis that If the nerve is paralysis" and NOTE: INDICA 11A. Sciatic nerv Note: Com	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete I indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  The plete paralysis (foot dangles and drops, no active movement of muscles below the knee, flexion of knee weakened or lost)  Normal Incomplete paralysis Complete paralysis  If incomplete paralysis is checked, indicate severity:
NOTE: For VA paralysis that  If the nerve is paralysis" and  NOTE: INDICA  11A. Sciatic nerve Note: Comparity Right:	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete I indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  The paralysis (foot dangles and drops, no active movement of muscles below the knee, flexion of knee weakened or lost)  Normal
NOTE: For VA paralysis that If the nerve is paralysis" and NOTE: INDICA 11A. Sciatic nerv Note: Com	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete I indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  we plete paralysis (foot dangles and drops, no active movement of muscles below the knee, flexion of knee weakened or lost)  Normal
NOTE: For VA paralysis that  If the nerve is paralysis" and  NOTE: INDICA  11A. Sciatic nerve Note: Comparity Right:	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete I indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  vereplete paralysis (foot dangles and drops, no active movement of muscles below the knee, flexion of knee weakened or lost)  Normal   Incomplete paralysis   Complete paralysis   Mild   Moderate   Moderately Severe   Severe, with marked muscular atrophy   Normal   Incomplete paralysis   Complete paralysis   If incomplete paralysis is checked, indicate severity:
NOTE: For VA paralysis that  If the nerve is paralysis" and  NOTE: INDICA  11A. Sciatic nerve Note: Comparity Right:	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete I indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  we plete paralysis (foot dangles and drops, no active movement of muscles below the knee, flexion of knee weakened or lost)  Normal
NOTE: For VA paralysis that  If the nerve is paralysis" and  NOTE: INDICA  11A. Sciatic nerve Note: Common Right:  Left:	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete I indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  vereplete paralysis (foot dangles and drops, no active movement of muscles below the knee, flexion of knee weakened or lost)  Normal   Incomplete paralysis   Complete paralysis   Mild   Moderate   Moderately Severe   Severe, with marked muscular atrophy   Normal   Incomplete paralysis   Complete paralysis   If incomplete paralysis is checked, indicate severity:
NOTE: For VA paralysis that If the nerve is paralysis" and NOTE: INDICA 11A. Sciatic nervo Note: Comparish:  Left:  11B. External poor in the paralysis that Indicate the paralysis and the paralysis and the paralysis that Indicate the paralysis is the paralysis and the paralysis that Indicate the Indicate	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete lindicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  verelete paralysis (foot dangles and drops, no active movement of muscles below the knee, flexion of knee weakened or lost)  Normal   Incomplete paralysis   Complete paralysis   If incomplete paralysis is checked, indicate severity:   Mild   Moderate   Moderately Severe   Severe, with marked muscular atrophy     Normal   Incomplete paralysis   Complete paralysis   If incomplete paralysis is checked, indicate severity:   Mild   Moderate   Moderately Severe   Severe, with marked muscular atrophy     Mild   Moderate   Moderately Severe   Severe, with marked muscular atrophy
NOTE: For VA paralysis that  If the nerve is paralysis" and  NOTE: INDICA  11A. Sciatic nerve Note: Comparity Right:  Left:  11B. External portion Note: Comparity Note: Comparity Note: Comparity Note: Comparity Note: Comp	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete Indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  The applete paralysis (foot dangles and drops, no active movement of muscles below the knee, flexion of knee weakened or lost)  Normal
NOTE: For VA paralysis that If the nerve is paralysis" and NOTE: INDICA 11A. Sciatic nervo Note: Comparish:  Left:  11B. External poor in the paralysis that Indicate the paralysis and the paralysis and the paralysis that Indicate the paralysis is the paralysis and the paralysis that Indicate the Indicate	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete lindicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  we plete paralysis (foot dangles and drops, no active movement of muscles below the knee, flexion of knee weakened or lost)  Normal   Incomplete paralysis   Complete paralysis  If incomplete paralysis is checked, indicate severity:  Mild   Moderate   Moderately Severe   Severe, with marked muscular atrophy  Normal   Incomplete paralysis is checked, indicate severity:  Mild   Moderate   Moderately Severe   Severe, with marked muscular atrophy  politeal (common peroneal) nerve  the paralysis (foot drop, cannot dorsiflex foot or extend toes; dorsum of foot and toes are numb)  Normal   Incomplete paralysis   Complete paralysis
NOTE: For VA paralysis that  If the nerve is paralysis" and  NOTE: INDICA  11A. Sciatic nerve Note: Comparity Right:  Left:  11B. External portion Note: Comparity Note: Comparity Note: Comparity Note: Comparity Note: Comp	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete I indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO SEPPORT O
NOTE: For VA paralysis that  If the nerve is paralysis" and  NOTE: INDICA  11A. Sciatic nerve Note: Comparity Right:  Left:  11B. External portion Note: Comparity Note: Comparity Note: Comparity Note: Comparity Note: Comp	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete Indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  vereplete paralysis (foot dangles and drops, no active movement of muscles below the knee, flexion of knee weakened or lost)  Normal   Incomplete paralysis   Complete paralysis    If incomplete paralysis is checked, indicate severity:   Mild   Moderate   Moderately Severe   Severe, with marked muscular atrophy  politeal (common peroneal) nerve    lete paralysis (foot drop, cannot dorsiflex foot or extend toes; dorsum of foot and toes are numb)   Normal   Incomplete paralysis   Complete paralysis    If Incomplete paralysis is checked, indicate severity:   Mild   Moderate   Severe   Severe   Severe numb)   Normal   Incomplete paralysis   Complete paralysis    If Incomplete paralysis is checked, indicate severity:     Mild   Moderate   Severe   Severe     Severe   Severe   Severe     Mild   Moderate   Severe   Severe
NOTE: For VA paralysis that  If the nerve is paralysis" and  NOTE: INDICA  11A. Sciatic nerve Note: Comparity Right:  Left:  11B. External portion Note: Comparity Note: Comparity Note: Comparity Note: Comparity Note: Comp	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete I indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO SEPPORT O
NOTE: For VA paralysis that If the nerve is paralysis" and NOTE: INDICA 11A. Sciatic nervo Note: Comparish:  Left:  11B. External por Note: Comparish:	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete Indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  vereplete paralysis (foot dangles and drops, no active movement of muscles below the knee, flexion of knee weakened or lost)  Normal   Incomplete paralysis   Complete paralysis    If incomplete paralysis is checked, indicate severity:   Mild   Moderate   Moderately Severe   Severe, with marked muscular atrophy  politeal (common peroneal) nerve    lete paralysis (foot drop, cannot dorsiflex foot or extend toes; dorsum of foot and toes are numb)   Normal   Incomplete paralysis   Complete paralysis    If Incomplete paralysis is checked, indicate severity:   Mild   Moderate   Severe   Severe   Severe numb)   Normal   Incomplete paralysis   Complete paralysis    If Incomplete paralysis is checked, indicate severity:     Mild   Moderate   Severe   Severe     Severe   Severe   Severe     Mild   Moderate   Severe   Severe
NOTE: For VA paralysis that If the nerve is paralysis" and NOTE: INDICA 11A. Sciatic nervo Note: Comparish:  Left:  11B. External por Note: Comparish:	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  vere plete paralysis (foot dangles and drops, no active movement of muscles below the knee, flexion of knee weakened or lost)  Normal   Incomplete paralysis   Complete paralysis   Mild   Moderate   Moderately Severe   Severe, with marked muscular atrophy   Normal   Incomplete paralysis is checked, indicate severity:   Mild   Moderate   Moderately Severe   Severe, with marked muscular atrophy   Popliteal (common peroneal) nerve
NOTE: For VA paralysis that If the nerve is paralysis" and NOTE: INDICA 11A. Sciatic nervo Note: Comparish:  Left:  11B. External por Note: Comparish:	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete Indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  The application of the several paralysis is checked, indicate severity:  Mild Moderate Moderately Severe Severe, with marked muscular atrophy  Politeal (common peroneal) nerve  Interparalysis (foot drop, cannot dorsiflex foot or extend toes; dorsum of foot and toes are numb)  Normal Incomplete paralysis is checked, indicate severity:  Mild Moderate Severe Complete paralysis  If incomplete paralysis is checked, indicate severity:  Mild Moderately Severe Severe, with marked muscular atrophy  Complete paralysis (foot drop, cannot dorsiflex foot or extend toes; dorsum of foot and toes are numb)  Normal Incomplete paralysis Complete paralysis  If Incomplete paralysis is checked, indicate severity:  Mild Moderate Severe  Normal Incomplete paralysis Complete paralysis  Complete paralysis  Complete paralysis  Complete paralysis  Complete paralysis  Complete paralysis  Complete paralysis
NOTE: For VA paralysis that  If the nerve is paralysis" and  NOTE: INDICA  11A. Sciatic nerve Note: Comparity Right:  Left:  11B. External portion Note: Comparity Right:  Left:	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  vere plete paralysis (foot dangles and drops, no active movement of muscles below the knee, flexion of knee weakened or lost)  Normal   Incomplete paralysis   Complete paralysis   Mild   Moderate   Moderately Severe   Severe, with marked muscular atrophy   Normal   Incomplete paralysis is checked, indicate severity:   Mild   Moderate   Moderately Severe   Severe, with marked muscular atrophy   Popliteal (common peroneal) nerve
NOTE: For VA paralysis that If the nerve is paralysis" and NOTE: INDICA 11A. Sciatic nervo Note: Comparish:  Left:  11B. External por Note: Comparish:  Left:  Left:  11C. Musculocu	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete lindicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  vereplete paralysis (foot dangles and drops, no active movement of muscles below the knee, flexion of knee weakened or lost)  Normal   Incomplete paralysis   Complete paralysis   If incomplete paralysis is checked, indicate severity:   Mild   Moderate   Moderately Severe   Severe, with marked muscular atrophy   Normal   Incomplete paralysis   Complete paralysis   If incomplete paralysis is checked, indicate severity:   Mild   Moderate   Moderately Severe   Severe, with marked muscular atrophy   Politeal (common peroneal) nerve   Normal   Incomplete paralysis   Complete paralysis   If Incomplete paralysis is checked, indicate severity:   Mild   Moderate   Severe     Normal   Incomplete paralysis   Complete paralysis     If Incomplete paralysis is checked, indicate severity:   Mild   Moderate   Severe     Normal   Incomplete paralysis   Complete paralysis     If Incomplete paralysis is checked, indicate severity:   Mild   Moderate   Severe     Normal   Incomplete paralysis   Complete paralysis     If Incomplete paralysis is checked, indicate severity:   Mild   Moderate   Severe
NOTE: For VA paralysis that If the nerve is paralysis" and NOTE: INDICA 11A. Sciatic nervo Note: Comparish Right:  11B. External por Note: Comparish Right:  Left:  Left:  11C. Musculocur Note: Comparish Right:	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete Indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO VALUE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO VALUE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO VALUE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO VALUE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO VALUE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO VALUE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY
NOTE: For VA paralysis that If the nerve is paralysis" and NOTE: INDICA 11A. Sciatic nervo Note: Comparish:  Left:  11B. External por Note: Comparish:  Left:  Left:  11C. Musculocu	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete Indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  Vereplete paralysis (foot dangles and drops, no active movement of muscles below the knee, flexion of knee weakened or lost)  Normal   Incomplete paralysis   Complete paralysis    If incomplete paralysis is checked, indicate severity:    Mild   Moderate   Moderately Severe   Severe, with marked muscular atrophy    If incomplete paralysis is checked, indicate severity:    Mild   Moderate   Moderately Severe   Severe, with marked muscular atrophy    Popliteal (common peroneal) nerve    Idet paralysis (foot drop, cannot dorsiflex foot or extend toes; dorsum of foot and toes are numb)    Normal   Incomplete paralysis   Complete paralysis    If Incomplete paralysis is checked, indicate severity:    Mild   Moderate   Severe    Normal   Incomplete paralysis   Complete paralysis    If Incomplete paralysis is checked, indicate severity:    Mild   Moderate   Severe    Normal   Incomplete paralysis   Complete paralysis    If Incomplete paralysis is checked, indicate severity:    Mild   Moderate   Severe    Normal   Incomplete paralysis   Complete paralysis    If Incomplete paralysis is checked, indicate severity:    Mild   Moderate   Severe    Normal   Incomplete paralysis   Complete paralysis    If Incomplete paralysis is checked, indicate severity:    Mild   Moderate   Severe    Normal   Incomplete paralysis   Complete paralysis    If Incomplete paralysis   Complete paralysis   Complete paralysis    Normal   Incomplete paralysis   Complete paralysis   Complete paralysis
NOTE: For VA paralysis that If the nerve is paralysis" and NOTE: INDICA 11A. Sciatic nervo Note: Comparish Right:  11B. External por Note: Comparish Right:  Left:  Left:  11C. Musculocur Note: Comparish Right:	A purposes, the term "incomplete paralysis" indicates a degree of lost or impaired function substantially less than the description of complete is given with each nerve.  completely paralyzed, check the box for "complete paralysis." If the nerve is not completely paralyzed, check the box for "incomplete Indicate severity. For VA purposes, when nerve impairment is wholly sensory, the evaluation should be mild, or at most, moderate.  TE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO STATE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO VALUE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO VALUE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO VALUE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO VALUE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO VALUE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY OF CONDITION.  TO VALUE AFFECTED NERVES, SIDE AFFECTED AND SEVERITY

SECTION XI - NERVES AFFECTED: Severity Evaluation for Lower Extremity Nerves (Continued)					
11C. Musculocu	utaneous (superficial peroneal) nerve (continued)				
Left:	Normal Incomplete paralysis Complete paralysis				
	If Incomplete paralysis is checked, indicate severity:  Mild Moderate Severe				
11D. Anterior tib	ial (deep peroneal) nerve				
Note: Com	plete paralysis (dorsiflexion of foot lost)				
Right:	Normal Incomplete paralysis Complete paralysis				
	If Incomplete paralysis is checked, indicate severity:				
	Mild Moderate Severe				
Left:	Normal Incomplete paralysis Complete paralysis				
	If Incomplete paralysis is checked, indicate severity:  Mild Moderate Severe				
11E. Internal pop	oliteal (tibial) nerve				
	plete paralysis (plantar flexion lost, frank adduction of foot impossible, flexion and separation of toes abolished; no muscle in sole can move; in he nerve high in popliteal fossa, plantar flexion of foot is lost)				
Right:	Normal Incomplete paralysis Complete paralysis				
	If Incomplete paralysis is checked, indicate severity:  Mild Moderate Severe				
Left:	Normal Incomplete paralysis Complete paralysis				
Leit.	If Incomplete paralysis is checked, indicate severity:				
	Mild Moderate Severe				
11F. Posterior tib	pial nerve				
	olete paralysis (paralysis of all muscles of sole of foot, frequently with painful paralysis of a causalgic nature; loss of toe flexion; adduction weakened; ion impaired)				
Right:	□ Normal   □ Incomplete paralysis   □ Complete paralysis				
	If Incomplete paralysis is checked, indicate severity:  Mild Moderate Severe				
Left:	□ Normal   □ Incomplete paralysis   □ Complete paralysis				
	If Incomplete paralysis is checked, indicate severity:  Mild Moderate Severe				
11G. Anterior cru	ural (femoral) nerve				
Note: Com	plete paralysis (paralysis of quadriceps extensor muscles)				
Right:	Normal Incomplete paralysis Complete paralysis				
	If Incomplete paralysis is checked, indicate severity:				
	Mild Moderate Severe				
Left:	Normal Incomplete paralysis Complete paralysis  If Incomplete paralysis is checked, indicate severity:				
	Mild Moderate Severe				
11H. Internal saphenous nerve					
Right:	Normal ☐ Incomplete paralysis ☐ Complete paralysis				
	If Incomplete paralysis is checked, indicate severity:				
	Mild Moderate Severe				
Left:	Normal Incomplete paralysis Complete paralysis  If Incomplete paralysis is checked, indicate severity:				
	Mild Moderate Severe				
11I. Obturator ne					
Right:	□ Normal   □ Incomplete paralysis   □ Complete paralysis				
	If Incomplete paralysis is checked, indicate severity:				
	Mild Moderate Severe				
Left:	Normal Incomplete paralysis Complete paralysis  If Incomplete paralysis is checked, indicate severity:				
	Mild Moderate Severe				

441 = 1 1	SECTION XI - NERVES AFFECTED: Severity Evaluation for Lower Extremity Nerves (Continued)					
11J. External cut	11J. External cutaneous nerve of the thigh					
Right:	Normal Incomplete paralysis Complete paralysis					
1	If Incomplete paralysis is checked, indicate severity:					
	Mild Moderate Severe					
Left:	Normal Incomplete paralysis Complete paralysis					
	If Incomplete paralysis is checked, indicate severity:					
	☐ Mild ☐ Moderate ☐ Severe					
11K. Illio-inguina	nd nonvo					
I -						
Right:	Normal Incomplete paralysis Complete paralysis					
	If Incomplete paralysis is checked, indicate severity:					
	Mild Moderate Severe					
Left:	Normal Incomplete paralysis Complete paralysis					
	If Incomplete paralysis is checked, indicate severity:					
	Mild Moderate Severe					
	SECTION XII - ASSISTIVE DEVICES					
	EVETERAN USE ANY ASSISTIVE DEVICES AS A NORMAL MODE OF LOCOMOTION ALTHOUGH OCCASIONAL LOCOMOTION BY OTHER METHODS					
MAY BE PO						
YES L	NO					
	assistive device(s) used (check all that apply and indicate frequency):					
Wheelchai	ir Frequency of use:  Occasional  Regular  Constant					
Brace(s)	Frequency of use: Occasional Regular Constant					
Crutch(es)	Frequency of use: Occasional Regular Constant					
Cane(s)	Frequency of use: Occasional Regular Constant					
Walker	Frequency of use: Occasional Regular Constant					
Other:						
-	For the Constant C Party C October					
	Frequency of use: Occasional Constant Constant					
12B. IF THE VET	TERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION:					
	SECTION XIII - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES					
13. Due to peripheral nerve conditions, is there functional impairment of an extremity such that no effective function remains other than that which would be equally well served by an amputation with prosthesis? (Functions of the upper extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.)						
│	tioning is no dissiplated that appropriation with prosthesis would equally converted vectors.					
1 =	tioning is so diminished that amputation with prosthesis would equally serve the veteran					
│						
If yes, ind	dicate extremity(ies) (check all extremities for which this applies):					
Righ	ht upper Left upper Right lower Left lower					
For each checke	ed extremity, describe loss of effective function, identify the condition causing loss of function, and provide specific examples (brief summary):					
	SECTION XIV - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS					
14A. DOES THE	SECTION XIV - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS E VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN					
SECTION I	E VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN I, DIAGNOSIS?					
	E VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN					
SECTION I	E VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN I, DIAGNOSIS?					
SECTION I	E VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN I, DIAGNOSIS?  No  ny of the scars painful and/or unstable, or is the total area of all related scars greater than 39 square cm (6 square inches)?					
SECTION I. Yes  If yes, are an Yes	E VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN I, DIAGNOSIS?  No  ny of the scars painful and/or unstable, or is the total area of all related scars greater than 39 square cm (6 square inches)?					
SECTION I. Yes  If yes, are an Yes	E VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN I, DIAGNOSIS?  No  ny of the scars painful and/or unstable, or is the total area of all related scars greater than 39 square cm (6 square inches)?					
SECTION I.  Yes [  If yes, are an  Yes [  If "Yes, also	E VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN I, DIAGNOSIS?  No  ny of the scars painful and/or unstable, or is the total area of all related scars greater than 39 square cm (6 square inches)?					
SECTION I.  Yes  If yes, are an  Yes  If "Yes, also	E VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN I, DIAGNOSIS?  No  ny of the scars painful and/or unstable, or is the total area of all related scars greater than 39 square cm (6 square inches)?  No so complete VA Form 21-0960F-1, Scars/Disfigurement Disability Benefits Questionnaire.					
SECTION I Yes [ If yes, are an Yes [ If "Yes, also  14B. DOES THE	E VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN I, DIAGNOSIS?  No  ny of the scars painful and/or unstable, or is the total area of all related scars greater than 39 square cm (6 square inches)?  No  so complete VA Form 21-0960F-1, Scars/Disfigurement Disability Benefits Questionnaire.  E VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDTIONS, SIGNS OR SYMPTOMS?					
SECTION I Yes [ If yes, are an Yes [ If "Yes, also  14B. DOES THE	E VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN I, DIAGNOSIS?  No  ny of the scars painful and/or unstable, or is the total area of all related scars greater than 39 square cm (6 square inches)?  No  so complete VA Form 21-0960F-1, Scars/Disfigurement Disability Benefits Questionnaire.  E VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDTIONS, SIGNS OR SYMPTOMS?					
SECTION I Yes [ If yes, are an Yes [ If "Yes, also  14B. DOES THE	E VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN I, DIAGNOSIS?  No  ny of the scars painful and/or unstable, or is the total area of all related scars greater than 39 square cm (6 square inches)?  No  so complete VA Form 21-0960F-1, Scars/Disfigurement Disability Benefits Questionnaire.  E VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDTIONS, SIGNS OR SYMPTOMS?					

SECTION XV - <u>DIAGNOSTIC TESTING</u>					
NOTE: For the purpose of this examination, electromyography (EMG) studies are usually rarely required to diagnose specific peripheral nerve conditions in the appropriate clinical setting. If EMG studies are in the medical record and reflect the veteran's current condition, repeat studies are not indicated.					
15A. HAVE EMG STUDIES BEEN PERFORMED?   Yes					
SECTION XVI - FUNCTIONAL IMPACT					
16. DOES THE VETERAN'S PERIPHERAL NERVE CONDITION AND/OR PERIPHERAL NEUROPATHY IMPACT HIS OR HER ABILITY TO WORK?  Yes No If yes, describe impact of each of the veteran's peripheral nerve and/or peripheral neuropathy condition(s), providing one or more examples:					
SECTION XVII - REMARKS					
17. REMARKS (If any)					
SECTION XVIII - PHYSICIAN'S CERTIFICATION AND SIGNATURE					
CERTIFICATION - To the best of my knowledge, the information contained herein is ac 18A. PHYSICIAN'S SIGNATURE 18B. PHYSICIAN'S PRINTED NAME	18C. DATE SIGNED				
18D. PHYSICIAN'S PHONE AND FAX NUMBER 18E. PHYSICIAN'S MEDICAL LICENSE NUMBER 18	BF. PHYSICIAN'S ADDRESS				
NOTE - VA may request additional medical information, including additional examinations, if necessary to com-	pplete VA's review of the veteran's application.				
IMPORTANT - Physician please fax the completed form to					
NOTE - A list of VA Regional Office FAX Numbers can be found at <a href="https://www.vba.va.gov/disabilityexams">www.vba.va.gov/disabilityexams</a> or obtained by calling 1-800-827-1000.					
PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than wha	at has been authorized under the Privacy Act of 1974 or				

PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38, Code of Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel administration) as identified in the VA system of records, 58VA21/22/28, Compensation, Pension, Education and Vocational Rehabilitation and Employment Records - VA, published in the Federal Register. Your obligation to respond is voluntary. VA uses your SSN will help ensure that your records are properly associated with your claim file. Giving us your SSN account information is voluntary. Refusal to provide your SSN by itself will not result in the denial of benefits. VA will not deny an individual benefits for refusing to provide his or her SSN unless the disclosure of the SSN is required by a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The requested information is considered relevant and necessary to determine maximum benefits under the law. The responses you submit are considered confidential (38 U.S.C. 5701). Information submitted is subject to verification through computer matching programs with other agencies.

**RESPONDENT BURDEN:** We need this information to determine entitlement to benefits (38 U.S.C. 501). Title 38, United States Code, allows us to ask for this information. We estimate that you will need an average of 45 minutes to review the instructions, find the information, and complete a form. VA cannot conduct or sponsor a collection of information unless a valid OMB control number is displayed. You are not required to respond to a collection of information if this number is not displayed. Valid OMB control numbers can be located on the OMB Internet Page at <a href="https://www.reginfo.gov/public/do/PRAMain">www.reginfo.gov/public/do/PRAMain</a>. If desired, you can call 1-800-827-1000 to get information on where to send comments or suggestions about this form.