OMB Approved No. 2900-0776 Respondent Burden: 30 minutes

Department of V	eterans Affairs HIP AN	D THIGH CONDITIONS DI	SABILITY BENEFITS QUESTIONNAIRE			
IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) WILL NOT PAY OR REIMBURSE ANY EXPENSES OR COST INCURRED IN THE PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM. PLEASE READ THE PRIVACY ACT AND RESPONDENT BURDEN INFORMATION BEFORE COMPLETING FORM.						
NAME OF PATIENT/VETERAN			PATIENT/VETERAN'S SOCIAL SECURITY NUMBER			
	SEC	CTION I - DIAGNOSIS				
		nt of Veterans Affairs (VA) for disabi	lity benefits. VA will consider the information you			
	VE OR HAS HE/SHE EVER HAD A HIP	AND/OR THIGH CONDITION?				
<u> </u>	THAT PERTAIN TO HIP/THIGH CONDIT	TIONS:				
Diagnosis #1-	ICD code -	Date of diagnosis -	SIDE AFFECTED  RIGHT LEFT BOTH			
Diagnosis # 2 -	ICD code -	Date of diagnosis -	SIDE AFFECTED  RIGHT LEFT BOTH			
Diagnosis # 3 -	ICD code -	Date of diagnosis -	SIDE AFFECTED  RIGHT LEFT BOTH			
1C. IF THERE ARE ADDITIONAL D	IAGNOSES PERTAINING TO HIP/THIG	H CONDITIONS, LIST USING ABOVE	FORMAT:			
	SECTIO	N II - MEDICAL HISTORY				
2. DESCRIBE THE HISTORY (including onset and course) OF THE VETERAN'S CURRENT HIP/THIGH CONDITION(S) (Brief summary):						
2 DOEC THE VETERAN DEPORT		TION III - FLARE-UPS				
3. DOES THE VETERAN REPORT THAT FLARE-UPS IMPACT THE FUNCTION OF THE HIP AND/OR THIGH?  YES NO (If "Yes," document the veteran's description of the impact of flare-ups in his or her own words):						
	SECTION IV - INITIAL RAN	NGE OF MOTION (ROM) MEASU	REMENTS			
	ETER, ROUNDING EACH MEASUREME	NT TO THE NEAREST 5 DEGREES. [	DURING THE MEASUREMENTS, DOCUMENT THE POINT MINCING, ETC. REPORT INITIAL MEASUREMENTS			
FOLLOWING THE INITIAL ASSESSMENT OF ROM, PERFORM REPETITIVE USE TESTING. FOR VA PURPOSES, REPETITIVE USE TESTING MUST BE INCLUDED IN ALL JOINT EXAMS. THE VA HAS DETERMINED THAT 3 REPETITIONS OF ROM (at a minimum) CAN SERVE AS A REPRESENTATIVE TEST OF THE EFFECT OF REPETITIVE USE. AFTER THE INITIAL MEASUREMENT, REASSESS ROM AFTER 3 REPTITIONS. REPORT POST-TEST MEASUREMENTS IN SECTION 5.						
4A. Right hip flexion						
Select where flexion ends (normal endpoint is 125 degrees):  0 5 70 10 15 20 25 30 35 40 45 50 55 60 65 70  75 80 85 90 95 100 105 110 115 120 125 or greater						
Select where objective evidence of painful motion begins:						
No objective evidence of painful motion    No objective evidence of painful motion   0						
75 80 85 90  4B. Right hip extension	95 100 105 110	115 120 125 or greater				
Select where extension ends:						
U 0 U 5 U Greater than 5 Select where objective evidence of pain motion begins:						
Select where objective evidence of pain motion begins:  No objective evidence of painful motion						
0 5 Greater than 5						
Is abduction lost beyond 10 degrees?						
☐ YES ☐ NO						
Is adduction limited such that the Veteran cannot cross legs?  YES NO						
Is rotation limited such that the Veteran cannot toe-out more than 15 degrees?  TES NO						

21-0960M-8

4C. Left hip flexion				
Select where flexion ends (normal endpoint is 125 degrees):				
75 80 85 90 95 100 105 110 115 120 125 or greater				
Select where objective evidence of painful motion begins:				
No objective evidence of painful motion				
75 80 85 90 95 100 105 110 115 120 125 or greater				
4D. Left hip extension				
Select where extension ends:				
0 5 Greater than 5				
Select where objective evidence of painful motion begins:				
│ No objective evidence of painful motion │ 0				
Is abduction lost beyond 10 degrees?				
YES NO				
Is adduction limited such that the Veteran cannot cross legs?				
YES NO				
Is rotation limited such that the Veteran cannot toe-out more than 15 degrees?				
YES NO				
4E. If ROM does not conform to the normal range of motion identified above but is normal for this veteran (for reasons other than a hip condition, such as age, body				
habitus, neurologic disease), explain:				
SECTION V - ROM MEASUREMENTS AFTER REPETITIVE USE TESTING				
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS?				
☐ YES ☐ NO				
(If unable, provide reason):				
(If veteran is unable to perform repetitive-use testing, skip to Section VI)				
(If veteran is unable to perform repetitive-use testing, skip to Section VI)  (If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)				
(If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)  5B. RIGHT HIP POST-TEST ROM				
(If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)  5B. RIGHT HIP POST-TEST ROM  Select where post-test flexion ends:				
(If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)  5B. RIGHT HIP POST-TEST ROM  Select where post-test flexion ends: 0510152025303540455055606570				
(If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)         5B. RIGHT HIP POST-TEST ROM         Select where post-test flexion ends:         0       5       10       15       20       25       30       35       40       45       50       60       65       70         75       80       85       90       95       100       105       110       115       120       125 or greater				
(If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)  5B. RIGHT HIP POST-TEST ROM  Select where post-test flexion ends:				
(If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)  5B. RIGHT HIP POST-TEST ROM  Select where post-test flexion ends:				
(If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)  5B. RIGHT HIP POST-TEST ROM  Select where post-test flexion ends:  0 5 10 15 20 25 30 35 40 45 50 55 60 65 70  75 80 85 90 95 100 105 110 115 120 125 or greater  Select where post-test flexion ends:  0 5 or greater  Is post-test adduction lost beyond 10 degrees?				
(If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)  5B. RIGHT HIP POST-TEST ROM  Select where post-test flexion ends:  \[ \begin{array}{c c c c c c c c c c c c c c c c c c c				
(If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)  5B. RIGHT HIP POST-TEST ROM  Select where post-test flexion ends:  0 5 10 15 20 25 30 35 40 45 50 55 60 65 70  75 80 85 90 95 100 105 110 115 120 125 or greater  Select where post-test flexion ends:  0 5 or greater  Is post-test adduction lost beyond 10 degrees?				
(If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)  5B. RIGHT HIP POST-TEST ROM  Select where post-test flexion ends:				
(If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)  5B. RIGHT HIP POST-TEST ROM  Select where post-test flexion ends:  \[ \begin{array}{c c c c c c c c c c c c c c c c c c c				
(If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)  5B. RIGHT HIP POST-TEST ROM  Select where post-test flexion ends:				
(If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)  5B. RIGHT HIP POST-TEST ROM  Select where post-test flexion ends:  0 5 10 15 20 25 30 35 40 45 50 55 60 65 70  75 80 85 90 95 100 105 110 115 120 125 or greater  Select where post-test flexion ends:  0 5 or greater  Is post-test adduction lost beyond 10 degrees?  YES NO  Is post-test adduction limited such that the veteran cannot cross legs?  YES NO  Is post-test rotation limited such that the veteran cannot toe-out more than 15 degrees?  YES NO				
(If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)  5B. RIGHT HIP POST-TEST ROM  Select where post-test flexion ends:				
(If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)  5B. RIGHT HIP POST-TEST ROM  Select where post-test flexion ends:				
(If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)  5B. RIGHT HIP POST-TEST ROM  Select where post-test flexion ends:				
(If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)    Select where post-test flexion ends:   O				
(				
(If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)    SB. RIGHT HIP POST-TEST ROM				
(If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)    Select where post-test flexion ends:   O				
(If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)    Select where post-test flexion ends:   O				
If veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions.)    Select where post-test flexion ends:   O				

SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION IN ROM						
<b>NOTE</b> : THE FOLLOWING SECTION ADDRESSES REASONS FOR FUNCTIONAL LOSS, IF PRESENT, AND ADDITIONAL LOSS OF ROM AFTER REPETITIVE-USE TESTING, IF PRESENT. THE VA DEFINES FUNCTIONAL LOSS AS THE INABLILITY TO PERFORM NORMAL WORKING MOVEMENTS OF THE BODY WITH NORMAL EXCURSION, STRENGTH, SPEED, COORDINATION AND/OR ENDURANCE.						
6A. DOES THE VETERAN HAVE ADDITIONAL LIMITATION IN ROM OF THE HIP AND THIGH FOLLOWING REPETITIVE-USE TESTING?						
YES   NO   6B. DOES THE VETERAN HAVE ANY FUNCTIONAL LOSS AND/OR FUNCTIONAL IMPAIRMENT OF THE HIP AND THIGH?						
YES NO						
6C. IF THE VETERAN HAS FUNCTIONAL LOSS, FUNCTIONAL IMPAIRMENT AND/OR ADDITIONAL LIMITATION OF ROM OF THE HIP AND THIGH AFTER REPETITIVE USE, INDICATE THE CONTRIBUTING FACTORS OF DISABILITY BELOW (check all that apply and indicate side affected):						
NO FUNCTIONAL LOSS FOR RIGHT LOWER EXTREMITY						
NO FUNCTIONAL LOSS FOR LEFT LOWER EXTREMITY						
LESS MOVEMENT THAN NORMAL Right Left Both  MORE MOVEMENT THAN NORMAL Right Left Both						
WEAKENED MOVEMENT Right Left Both						
EXCESS FATIGABILITY Right Left Both						
INCOORDINATION, IMPAIRED ABILITY Right Left Both TO EXECUTE SKILLED MOVEMENTS SMOOTHLY						
PAIN ON MOVEMENT Right Left Both						
SWELLING Right Left Both						
DEFORMITY Right Left Both						
ATROPHY OF DISUSE Right Left Both						
INSTABILITY OF STATION Right Left Both						
I ☐ DISTURBANCE OF LOCOMOTION     ☐ Right     ☐ Left     ☐ Both       I ☐ INTERFERENCE WITH SITTING,     ☐ Right     ☐ Left     ☐ Both						
STANDING AND OR WEIGHT-BEARING						
SECTION VII - PAIN (PAIN ON PALPATION)						
7. DOES THE VETERAN HAVE LOCALIZED TENDERNESS OR PAIN TO PALPATION FOR JOINTS/SOFT TISSUE OF EITHER HIP?  YES NO If "Yes." side affected: Right Left Both						
YES NO If "Yes," side affected: Right Both  SECTION VIII - MUSCLE STRENGTH TESTING						
8. RATE STRENGTH ACCORDING TO THE FOLLOWING SCALE:						
0/5 No muscle movement  1/5 Palpable or visible muscle contraction, but no joint movement						
2/5 Active movement with gravity eliminated						
3/5 Active movement against gravity						
4/5 Active movement against some resistance						
5/5 Normal strength						
Hip flexion: Right: 5/5 4/5 3/5 2/5 1/5 0/5						
Left: 5/5 4/5 3/5 2/5 1/5 0/5						
Hip abduction: Right: 5/5 4/5 3/5 2/5 1/5 0/5						
Left: 5/5 4/5 3/5 2/5 1/5 0/5						
Hip extension: Right: 5/5 4/5 3/5 2/5 1/5 0/5  Left: 5/5 4/5 3/5 2/5 1/5 0/5						
SECTION IX - ANKYLOSIS						
9A. DOES THE VETERAN HAVE ANKYLOSIS OF EITHER HIP JOINT?						
YES NO If "Yes," complete Item 9B)						
9B. INDICATE SEVERITY AND SIDE AFFECTED:						
FAVORABLE, IN FLEXION AT AN ANGLE BETWEEN 20 AND 40 DEGREES, AND SLIGHT ADDUCTION OR ABDUCTION						
Right Left Both						
INTERMEDIATE, BETWEEN FAVORABLE AND UNFAVORABLE						
Right Left Both						
UNFAVORABLE, EXTREMELY UNFAVORABLE ANKYLOSIS, FOOT NOT REACHING GROUND, CRUTCHES NEEDED						
Right Left Both						

SECTION X - ADDITIONAL CONDITIONS						
10A. DOES THE VETERAN HAVE MALUNION OR NONUNION OF FEMUR, FLAIL HIP JOINT OR LEG LENGTH DISCREPANCY?						
YES NO (If "Yes," indicate condition and complete the appropriate sections below):						
10B. MALUNION OR NONUNION OF THE FEMUR						
If Checked, indicate condition and complete the appropriate sections below.						
Malunion with slight hip disability Right Left Both						
Malunion with moderate hip disability Right Left Both						
Malunion with marked hip disability Right Left Both						
Fracture of surgical neck with false joint Right Left Both  ———————————————————————————————————						
Fracture of shaft or neck (anatomical), Right Both resulting in nonunion without loose motion; weight-bearing preserved with aid of a brace						
Fracture of shaft or neck <i>(anatomical)</i> , with Right Both nonunion with loose motion; <i>(spiral or oblique fracture)</i>						
NOTE: If impairment of the femur causes knee disability, also complete VA Form 21-0960M-9, Knee and Lower Leg Conditions Disability Benefits Questionnaire.						
10C. FLAIL HIP JOINT						
10D. LEG LENGTH DISCREPANCY (shortening of any bones of the lower extremity)						
If checked, provide length of each lower extremity in inches (to the nearest 1/4 inch) or centimeters, measuring from the anterior superior iliac spine to the internal malleolus of the tibia.						
Measurements: Right leg: Cm inches Left leg: Cm inches						
SECTION XI - JOINT REPLACEMENT AND OTHER SURGICAL PROCEDURES						
11A. HAS THE VETERAN HAD A TOTAL HIP JOINT REPLACEMENT?						
YES NO If "Yes," indicate side and severity of residuals						
Right hip						
Date of surgery:						
Residuals:						
None						
Intermediate degrees of residual weakness, pain and/or limitation of motion						
Chronic residuals consisting of severe painful motion and/or weakness						
Other, describe:						
Left hip						
Date of surgery:						
Residuals:						
None						
Intermediate degrees of residual weakness, pain and/or limitation of motion						
Chronic residuals consisting of severe painful motion and/or weakness						
Other, describe:						
11B. HAS THE VETERAN HAD ARTHROSCOPIC OR OTHER HIP SURGERY?						
YES NO (If "Yes," indicate side affected): Right Left Both						
Date and type of surgery:						
11C. DOES THE VETERAN HAVE ANY RESIDUAL SIGNS AND/OR SYMPTOMS DUE TO ARTHROSCOPIC OR OTHER HIP SURGERY?						
YES NO (If "Yes," indicate side affected): Right Left Both						
120   NO (1) 1es, maicule sule alfecteu).   Night   20th   20th						
(If "Yes," describe residuals):						
SECTION XII - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS						
12A. DOES THE VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN SECTION I, DIAGNOSIS?						
☐ YES ☐ NO						
(If "Yes," are any of the scars painful and/or unstable, or is the total area of all related scars greater than 39 square cm (6 square inches?)						
☐ YES ☐ NO						
(If "Yes," also complete VA Form 21-0960F-1, Scars/Disfigurement Disability Benefits Questionnaire)						

12B. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS RELATED TO ANY CONDITIONS LISTED IN SECTION I, DIAGNOSIS?							
YES NO If "Yes," describe (brief summary):							
SECTION XIII - ASSISTIVE DEVICES							
13A. DOES THE VETERAN USE ANY ASSISTIVE DEVICE(S) AS A NORMAL MODE OF LOCOMOTION, ALTHOUGH OCCASIONAL LOCOMOTION BY OTHER METHO MAY BE POSSIBLE?							
YES NO							
(If "Yes," identify assistive device(s) used (check all that apply and indicate frequency):							
☐ Wheelchair Frequency of use: ☐ Occasional ☐ Regular ☐ Constant							
Brace(s) Frequency of use: Occasional Regular Constant							
Crutch(es) Frequency of use: Occasional Regular Constant							
Cane(s) Frequency of use: Occasional Regular Constant							
Frequency of use: Occasional Regular Constant							
13B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION:							
136. IF THE VETERAN OSES ANT ASSISTIVE DEVICES, SPECIFF THE CONDITION AND IDENTIFF THE ASSISTIVE DEVICE OSED FOR EACH CONDITION.							
OFOTION VIV. DEMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES							
SECTION XIV - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES  14A. DUE TO THE VETERAN'S HIP AND/OR THIGH CONDITION(S) IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE							
FUNCTION REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROTHESES? (Functions for the lower							
extremities include balance and propulsion, etc.)							
Yes, functioning is so diminished that amputation with prosthesis would equally serve the veteran  No							
If "Yes," indicate extremities for which this applies:							
Right lower Left lower							
For each checked extremity, identify the condition causing loss of function, describe loss of effective function and provide specific examples (brief summary):							
SECTION XV - DIAGNOSTIC TESTING							
THE DIAGNOSIS OF DEGENERATIVE ARTHRITIS (osteoarthritis) OR TRAUMATIC ARTHRITIS MUST BE CONFIRMED BY IMAGING STUDIES. ONCE SUCH ARTHRIT HAS BEEN DOCUMENTED, NO FURTHER IMAGING STUDIES ARE INDICATED, EVEN IF ARTHRITIS HAS WORSENED.							
15A. HAVE IMAGING STUDIES OF THE HIP BEEN PERFORMED AND ARE THE RESULTS AVAILABLE?							
☐ YES ☐ NO  If "Yes." is degenerative or traumatic arthritis documented?							
YES NO							
If "Yes," indicate hip: Right Left Both							
15B. ARE THERE ANY OTHER SIGNIFICANT DIAGNOSTIC TEST FINDINGS AND/OR RESULTS?							
YES NO							
(If "Yes," provide type of test or procedure, date and results (brief summary)):							

SECTION XVI - FUNCTIONAL IMPACT						
16. DOES THE VETERAN'S HIP AND/OR THIGH CONDITION IMPACT HIS OR HER ABILITY TO WORK?						
YES NO If "Yes," describe the impact of ea	ch of the veteran's hip and/or thigh conditions providing	g one or more ex	amples:			
17. REMARKS (If any)	SECTION XVII - REMARKS					
Tr. NEMANNO (I) uny)						
	XVIII - PHYSICIAN'S CERTIFICATION AND SIGN					
CERTIFICATION - To the best of my knowledge, the information contained herein is accurate, complete and current.						
18A. PHYSICIAN'S SIGNATURE	18B. PHYSICIAN'S PRINTED NAME		18C. DATE SIGNED			
18D. PHYSICIAN'S PHONE AND FAX NUMBER	18E. PHYSICIAN'S MEDICAL LICENSE NUMBER	18F. PHYSICIA	AN'S ADDRESS			
NOTE - VA may request additional medical information, including additional examinations, if necessary to complete VA's review of the veteran's application.						
IMPORTANT - Physician please fax the completed form to:						
(VA Regional Office FAX No.)  NOTE - A list of VA Regional Office FAX Numbers can be found at <a href="https://www.vba.va.gov/disabilityexams">www.vba.va.gov/disabilityexams</a> or obtained by calling 1-800-827-1000.						
PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38. Code of						

PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38, Code of Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel administration) as identified in the VA system of records, 58/VA21/22/28, Compensation, Pension, Education and Vocational Rehabilitation and Employment Records - VA, published in the Federal Register. Your obligation to respond is voluntary. VA uses your SSN to identify your claim file. Providing your SSN will help ensure that your records are properly associated with your claim file. Giving us your SSN account information is voluntary. Refusal to provide your SSN by itself will not result in the denial of benefits. VA will not deny an individual benefits for refusing to provide his or her SSN unless the disclosure of the SSN is required by a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The requested information is considered relevant and necessary to determine maximum benefits under the law. The responses you submit are considered confidential (38 U.S.C. 5701). Information submitted is subject to verification through computer matching programs with other agencies.

**RESPONDENT BURDEN:** We need this information to determine entitlement to benefits (38 U.S.C. 501). Title 38, United States Code, allows us to ask for this information. We estimate that you will need an average of 30 minutes to review the instructions, find the information, and complete the form. VA cannot conduct or sponsor a collection of information unless a valid OMB control number is displayed. You are not required to respond to a collection of information if this number is not displayed. Valid OMB control numbers can be located on the OMB Internet Page at <a href="www.reginfo.gov/public/do/PRAMain">www.reginfo.gov/public/do/PRAMain</a>. If desired, you can call 1-800-827-1000 to get information on where to send comments or suggestions about this form.