			OMB Approved No. 2900-0776 Respondent Burden: 30 minutes
Department of V	eterans Affairs KNEE AND LOV	WER LEG CONDITIONS DISABILITY	'
	T OF VETERANS AFFAIRS (VA) <i>WILL NOT PAY</i> ING THIS FORM. PLEASE READ THE PRIVACY		
NAME OF PATIENT/VETERAN		PATIENT/VETER	AN'S SOCIAL SECURITY NUMBER
	patient is applying to the U.S. Department of Ve art of their evaluation in processing the veteran's		will consider the information you
	SECTION	I - DIAGNOSIS	
1A. DOES THE VETERAN NOW H	AVE OR HAS HE/SHE EVER HAD A KNEE AND/	OR LOWER LEG CONDITION?	
YES NO (If "Ye	es," complete Item 1B)		
1B. PROVIDE ONLY DIAGNOSES	THAT PERTAIN TO KNEE AND/OR LOWER LEG	G CONDITIONS:	
DIAGNOSIS # 1 -	ICD CODE -	DATE OF DIAGNOSIS -	SIDE AFFECTED
			RIGHT LEFT BOTH
DIAGNOSIS # 2 -	ICD CODE -	DATE OF DIAGNOSIS -	SIDE AFFECTED
			RIGHT LEFT BOTH
DIAGNOSIS # 3 -	ICD CODE -	DATE OF DIAGNOSIS -	SIDE AFFECTED
			RIGHT LEFT BOTH
1C IF THERE ARE ADDITIONAL I	DIAGNOSES THAT PERTAIN TO KNEE AND/OR	LOWER LEG CONDITIONS LIST USING ABOV	/F FORMAT
2. DESCRIBE THE HISTORY (inc.	luding onset and course) OF THE VETERAN'S K	NEE AND/OR LOWER LEG CONDITION (Brief s	summary)
	SECTION I	III - FLARE-UPS	
3. DOES THE VETERAN REPORT	THAT FLARE-UPS IMPACT THE FUNCTION O	F THE KNEE AND/OR LOWER LEG CONDITION	N(S)?
YES NO			
(If "Yes," document the veteran's	description of the impact of flare-ups in his or h	er own words):	
	SECTION IV INITIAL BANGE O	OF MOTION (ROM) MEASUREMENTS	
	METER, ROUNDING EACH MEASUREMENT TO ON BEGINS, EVIDENCED BY VISIBLE BEHAVIO	THE NEAREST 5 DEGREES. DURING THE ME.	
FOLLOWING THE INITIAL ASSES	SMENT OF ROM, PERFORM REPETITIVE USE DETERMINED THAT 3 REPETITIONS OF ROM	the state of the s	
REPETITIVE USE. AFTER THE IN	ITIAL MEASUREMENT, REASSESS ROM AFTE	R 3 REPETITIONS. REPORT POST-TEST MEAS	SUREMENTS IN SECTION 5.
4A. RIGHT KNEE FLEXION			
	6 (normal endpoint is 140 degrees): 20		er
	IDENCE OF PAINFUL MOTION BEGINS:		
No objective evidence of pai	nful motion		
0 5 10 15 75 80 85 90 90 90 90 90 90 90 90 90 90 90 90 90	20 25 30 35 40 45 50 95 100 105 110 115 12	0	er

4B. RIGHT KNEE EXTENSION

Select where extension ends:

0 or any degree of hyperextension (check this box if there is no limitation of extension)

Unable to fully extend; extension ends at:

5 10 15 20 25 30 35 40 45 or greater

VA FORM **21-0960M-9**

SECTION IV - INITIAL RANGE OF MOTION (ROM) MEASUREMENTS (Continued)
4B. RIGHT KNEE EXTENSION (Continued)
Select where objective evidence of painful motion begins:
No objective evidence of painful motion
0 or any degree of hyperextension (check this box if there is no limitation of extension)
Unable to fully extend; extension ends at:
5 10 15 20 25 30 35 40 45 or greater
4C. LEFT KNEE FLEXION
SELECT WHERE FLEXION ENDS (normal endpoint is 140 degrees): 0
75 00 00 00 00 00 00 00 00 00 00 00 00 00
SELECT WHERE OBJECTIVE EVIDENCE OF PAINFUL MOTION BEGINS:
No objective evidence of painful motion
75 80 85 90 95 100 105 110 115 120 125 130 135 140 or greater
4D. LEFT KNEE EXTENSION
Select where extension ends:
0 or any degree of hyperextension (check this box if there is no limitation of extension)
Unable to fully extend; extension ends at:
5 10 15 20 25 30 35 40 45 or greater
Select where objective evidence of painful motion begins:
No objective evidence of painful motion
0 or any degree of hyperextension (check this box if there is no limitation of extension)
Unable to fully extend; extension ends at:
5 10 15 20 25 30 35 40 45 or greater
4E. If ROM does not conform to the normal range of motion identified above but is normal for this Veteran (for reasons other than a knee and/or leg condition, such as
age, body habitus, neurologic disease), explain:
SECTION V - ROM MEASUREMENTS AFTER REPETITIVE USE TESTING
SECTION V - ROM MEASUREMENTS AFTER REPETITIVE USE TESTING 5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS?
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS?
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES NO
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES NO
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES NO
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES NO
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES NO (If unable, provide reason):
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES NO (If unable, provide reason): (If Veteran is unable to perform repetitive-use testing, skip to section 6)
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES NO (If unable, provide reason): (If Veteran is unable to perform repetitive-use testing, skip to section 6) (If Veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions):
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES NO (If unable, provide reason): (If Veteran is unable to perform repetitive-use testing, skip to section 6) (If Veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions): 5B. RIGHT KNEE POST-TEST ROM Select where post-test flexion ends:
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES NO (If unable, provide reason): (If Veteran is unable to perform repetitive-use testing, skip to section 6) (If Veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions): 5B. RIGHT KNEE POST-TEST ROM Select where post-test flexion ends: 0 5 10 15 20 25 30 35 40 45 50 55 60 65 70
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES NO (If unable, provide reason): (If Veteran is unable to perform repetitive-use testing, skip to section 6) (If Veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions): 5B. RIGHT KNEE POST-TEST ROM Select where post-test flexion ends:
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES NO (If unable, provide reason): (If Veteran is unable to perform repetitive-use testing, skip to section 6) (If Veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions): 5B. RIGHT KNEE POST-TEST ROM Select where post-test flexion ends: 0 5 10 15 20 25 30 35 40 45 50 55 60 65 70
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES NO (If unable, provide reason): (If Veteran is unable to perform repetitive-use testing, skip to section 6) (If Veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions): 5B. RIGHT KNEE POST-TEST ROM Select where post-test flexion ends: 0 5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 105 110 115 120 125 130 135 140 or greater
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES NO (If Veteran is unable to perform repetitive-use testing, skip to section 6) (If Veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions): 5B. RIGHT KNEE POST-TEST ROM Select where post-lest flexion ends: 0 15 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 105 110 115 120 125 130 135 140 or greater Select where post-test extension ends: 0 0 or any degree of hyperextension (check this box if there is no limitation of extension) Unable to fully extend; extension ends at: 5 10 15 20 25 30 35 40 45 or greater SC. LEFT KNEE POST-TEST ROM Select where post-test flexion ends: 0 0 5 10 15 20 25 30 35 40 45 or greater
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES
5A. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES NO (If Veteran is unable to perform repetitive-use testing, skip to section 6) (If Veteran is able to perform repetitive-use testing, measure and report ROM after a minimum of 3 repetitions): 5B. RIGHT KNEE POST-TEST ROM Select where post-lest flexion ends: 0 15 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 105 110 115 120 125 130 135 140 or greater Select where post-test extension ends: 0 0 or any degree of hyperextension (check this box if there is no limitation of extension) Unable to fully extend; extension ends at: 5 10 15 20 25 30 35 40 45 or greater SC. LEFT KNEE POST-TEST ROM Select where post-test flexion ends: 0 0 5 10 15 20 25 30 35 40 45 or greater
SA. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES
SA. IS VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS? YES

SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION IN ROM					
The following section addresses reasons for functional loss, if present, and additional loss of ROM after repetitive-use testing, if present. The VA defines functional loss as the inability to perform normal working movements of the body with normal excursion, strength, speed, coordination and/ or endurance.					
6A. DOES THE VETERAN HAVE ADDITIONAL LIMITATION IN ROM OF THE KNEE AND LOWER LEG FOLLOWING REPETITIVE-USE TESTING? YES NO					
6B. DOES THE VETERAN HAVE ANY FUNCTIONAL LOSS AND/OR FUNCTIONAL IMPAIRMENT OF THE KNEE AND LOWER LEG? YES NO					
6C. IF THE VETERAN HAS FUNCTIONAL LOSS, FUNCTIONAL IMPAIRMENT OR ADDITIONAL LIMITATION OF ROM OF THE KNEE AND LOWER LEG AFTER REPETITIVE USE, INDICATE THE CONTRIBUTING FACTORS OF DISABILITYBELOW (check all that apply and indicate side affected): NO FUNCTIONAL LOSS FOR RIGHT LOWER EXTREMITY NO FUNCTIONAL LOSS FOR LEFT LOWER EXTREMITY					
LESS MOVEMENT THAN NORMAL Right Left Both MORE MOVEMENT THAN NORMAL Right Left Both WEAKENED MOVEMENT Right Left Both EXCESS FATIGABILITY Right Left Both INCOORDINATION, IMPAIRED ABILITY Right Left Both TO EXECUTE SKILLED MOVEMENTS					
SMOOTHLY PAIN ON MOVEMENT					
SECTION VII - PAIN (PAIN ON PALPATION) 7. DOES THE VETERAN HAVE TENDERNESS OR PAIN TO PALPATION FOR JOINT LINE OR SOFT TISSUES OF EITHER KNEE?					
YES NO (If "Yes," indicate side affected): Right Left Both					
SECTION VIII - PAINFUL MOTION, TENDERNESS AND STRENGTH TESTING					
8. STRENGTH TESTING - RATE STRENGTH ACCORDING TO THE FOLLOWING SCALE: 0/5 No muscle movement 1/5 Palpable or visible muscle contraction, but no joint movement 2/5 Active movement with gravity eliminated 3/5 Active movement against gravity 4/5 Active movement against some resistance 5/5 Normal strength					
Knee flexion: Right 5/5 4/5 3/5 2/5 1/5 0/5 Left 5/5 4/5 3/5 2/5 1/5 0/5 Knee extension: Right 5/5 4/5 3/5 2/5 1/5 0/5 Left 5/5 4/5 3/5 2/5 1/5 0/5					
SECTION IX - JOINT STABILITY TESTS					
9A. ANTERIOR INSTABILITY (Lachman test): Unable to test: Right Left Both Right: Normal 1+(0-5 millimeters) 2+(5-10 millimeters) 3+(10-15 millimeters) Left: Normal 1+(0-5 millimeters) 2+(5-10 millimeters) 3+(10-15 millimeters)					
9B. POSTERIOR INSTABILITY (Posterior drawer test): Unable to test: Right Left Both Right: Normal 1+(0-5 millimeters) 2+(5-10 millimeters) 3+(10-15 millimeters) Left: Normal 1+(0-5 millimeters) 2+(5-10 millimeters) 3+(10-15 millimeters)					
9C. MEDIAL-LATERAL INSTABILITY (Apply valgus/varus pressure to knee in extension and 30 degrees of flexion): Unable to test: Right Left Both Right: Normal 1+(0-5 millimeters) 2+(5-10 millimeters) 3+(10-15 millimeters) Left: Normal 1+(0-5 millimeters) 2+(5-10 millimeters) 3+(10-15 millimeters)					

SECTION X - PATELLAR SUBLUXATION/DISLOCATION				
10. IS THERE EVIDENCE OR HISTORY OF RECURRENT PATELLAR SUBLUXATION/DISLOCATION?				
YES NO (If "Yes," indicate severity and side affected):				
Right: None Slight Moderate Severe				
Left: None Slight Moderate Severe				
SECTION XI - ADDITIONAL CONDITIONS				
11. DOES THE VETERAN NOW HAVE OR HAS HE OR SHE EVER HAD "SHIN SPLINTS" (medial tibial stress syndrome), STRESS FRACTURES, CHRONIC EXERTIONAL COMPARTMENT SYNDROME OR ANY OTHER TIBIAL AND/OR FIBULAR IMPAIRMENT?				
☐ YES ☐ NO				
(If "Yes," indicate condition and complete the appropriate sections below):				
"SHIN SPLINTS" (medial tibial stress syndrome)				
(If checked, indicate side affected): Right Left Both				
Describe current symptoms:				
STRESS FRACTURE OF THE LOWER EXTREMITY				
(If checked, indicate side affected): Right Left Both				
Describe current symptoms:				
☐ CHRONIC EXERTIONAL COMPARTMENT SYNDROME				
(If checked, indicate side affected):				
Describe current symptoms:				
EVIDENCE OF ACQUIRED, TRAUMATIC GENU RECURVATUM WITH WEAKNESS AND INSECURITY IN WEIGHT-BEARING				
(If checked, indicate side affected): Right Left Both				
LECTENCT LDISCREPANCY (aboutoning of any boxes of the larger outromity)				
LEG LENGTH DISCREPANCY (shortening of any bones of the lower extremity) (If checked, provide length of each lower extremity in inches (to the nearest 1/4 inch) or centimeters measuring from the anterior superior iliac spine				
to the internal malleolus of the tibia.				
Measurements: Right leg:				
SECTION XII - MENISCAL CONDITIONS AND MENISCAL SURGERY				
12. HAS THE VETERAN HAD ANY MENISCAL CONDITIONS OR SURGICAL PROCEDURES FOR A MENISCAL CONDITION?				
YES NO				
(If "Yes," complete the following section):				
A. DOES THE VETERAN NOW HAVE OR HAS HE OR SHE EVER HAD A MENISCUS (semilunar cartilage) CONDITION?				
☐ YES ☐ NO				
(If "Yes," indicate severity and frequency of symptoms, and side affected):				
☐ No symptoms ☐ Right ☐ Left ☐ Both				
☐ Meniscal dislocation ☐ Right ☐ Left ☐ Both				
☐ Meniscal tear ☐ Right ☐ Left ☐ Both				
Frequent episodes of joint "locking" Right Left Both				
Frequent episodes of joint pain Right Left Both				
Frequent episodes of joint effusion Right Left Both				
B. HAS THE VETERAN HAD A MENISCECTOMY?				
YES NO (If "Yes," indicate side affected): Right Left Both				
120 Me (4) 105, intercent appeared). In regint I continue to the continue appeared in the contin				
Date of surgery:				
C. DOES THE VETERAN HAVE ANY RESIDUAL SIGNS AND/OR SYMPTOMS DUE TO A MENISCECTOMY?				
YES NO (If "Yes," indicate side affected): Right Left Both				
(If "Yes," describe residuals):				
SECTION XIII - JOINT REPLACEMENT AND OTHER SURGICAL PROCEDURES				
13A. HAS THE VETERAN HAD A TOTAL KNEE JOINT REPLACEMENT?				
YES NO (If "Yes," indicate side and severity of residuals)				
Right knee				
Date of surgery:				
Residuals:				
None				
Intermediate degrees of residual weakness, pain and/or limitation of motion				
Chronic residuals consisting of severe painful motion and/or weakness				
Other, describe:				

SECTION XIII - JOINT REPLACEMENT AND OTHER SURGICAL PROCEDURES (Continued)				
13A. HAS THE VETERAN HAD A TOTAL KNEE JOINT REPLACEMENT? (Continued)				
Left knee				
Date of surgery:				
Residuals:				
None				
Intermediate degrees of residual weakness, pain and/or limitation of motion				
Chronic residuals consisting of severe painful motion and/or weakness				
Other, describe:				
13B. HAS THE VETERAN HAD ARTHROSCOPIC OR OTHER KNEE SURGERY NOT DESCRIBED ABOVE? YES NO (If "Yes," indicate side affected) Right Left Both				
Date and type of surgery:				
13C. DOES THE VETERAN HAVE ANY RESIDUAL SIGNS AND/OR SYMPTOMS DUE TO ARTHROSCOPIC OR OTHER KNEE SURGERY NOT DESCRIBED ABOVE?				
☐ YES ☐ NO (If "Yes," indicate side affected): ☐ Right ☐ Left ☐ Both				
(If "Yes," describe symptoms):				
SECTION XIV - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS				
14A. DOES THE VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITIONS OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN SECTION I, DIAGNOSIS?				
YES NO				
(If "Yes," are any of the scars painful and/or unstable, or is the total area of all related scars greater than 39 square cm (6 square inches)?)				
☐ YES ☐ NO				
(If "Yes," also complete VA Form 21-0960F-1, Scars/Disfigurement Questionnaire)				
14B. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS AND/OR SYMPTOMS RELATED TO ANY				
CONDITIONS LISTED IN SECTION I, DIAGNOSIS?				
YES NO If "Yes," describe (brief summary):				
OFOTION VIV. ACCIOTIVE DEVICES				
SECTION XV - ASSISTIVE DEVICES				
15A. DOES THE VETERAN USE ANY ASSISTIVE DEVICE(S) AS A NORMAL MODE OF LOCOMOTION, ALTHOUGH OCCASIONAL LOCOMOTION BY OTHER METHODS MAY BE POSSIBLE?				
☐ YES ☐ NO				
(If "Yes," identify assistive device(s) used (check all that apply and indicate frequency):				
Wheelchair Frequency of use: Occasional Regular Constant				
Brace(s) Frequency of use: Occasional Regular Constant				
Crutch(es) Frequency of use: Occasional Regular Constant Cane(s) Frequency of use: Occasional Regular Constant				
Cane(s) Frequency of use: Cocasional Regular Constant Walker Frequency of use: Occasional Regular Constant				
Other				
Frequency of use: Occasional Regular Constant				
15B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION:				

SECTION XVI - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES
16. DUE TO THE VETERANS KNEE AND/OR LOWER LEG CONDITION(S), IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTION REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions for the lower extremity include balance and propulsion, etc.)
Yes, functioning is so diminished that amputation with prosthesis would equally serve the veteran No
(If "Yes," indicate extremity(ies) for which this applies):
Right lower Left lower
(For each checked extremity, identify the condition causing loss of function, describe loss of effective function and provide specific examples (brief summary):
SECTION XVII - DIAGNOSTIC TESTING
NOTE: THE DIAGNOSIS OF DEGENERATIVE ARTHRITIS (osteoarthritis) OR TRAUMATIC ARTHRITIS MUST BE CONFIRMED BY IMAGING STUDIES. ONCE SUCH
ARTHRITIS HAS BEEN DOCUMENTED, NO FURTHER IMAGING STUDIÉS ARE REQUIRED BY VA, EVEN IF ARTHRITIS HAS WORSENED.
17A. HAVE IMAGING STUDIES OF THE KNEE BEEN PERFORMED AND ARE THE RESULTS AVAILABLE?
☐ YES ☐ NO (If "Yes," is degenerative or traumatic arthritis documented?)
YES NO
(If "Yes," indicate knee) Right Left Both
17B. DOES THE VETERAN HAVE X-RAY EVIDENCE OF PATELLAR SUBLUXATION?
│
17C. ARE THERE ANY OTHER SIGNIFICANT DIAGNOSTIC TEST FINDINGS AND/OR RESULTS?
YES NO
(If "Yes," provide type of test or procedure, date and results (brief summary)):
SECTION XVIII - FUNCTIONAL IMPACT
18. DOES THE VETERAN'S KNEE AND/OR LOWER LEG CONDITION(S) IMPACT HIS OR HER ABILITY TO WORK?
YES NO (If "Yes," describe the impact of each of the veteran's knee and/or lower leg conditions providing one or more examples):

SECTION XIX - REMARKS						
19. REMARKS (If any)						
SECTION X	X - PHYSICIAN'S CERTIFICATION AND SIGNAT	URE				
CERTIFICATION - To the best of my knowled	dge, the information contained herein is accu	rate, complete ar	nd current.			
20A. PHYSICIAN'S SIGNATURE	20B. PHYSICIAN'S PRINTED NAME		20C. DATE SIGNED			
20D. PHYSICIAN'S PHONE AND FAX NUMBER	20E. PHYSICIAN'S MEDICAL LICENSE NUMBER	20F. PHYSICIAN'S	ADDRESS			
NOTE - VA may request additional medical information, including additional examinations, if necessary to complete VA's review of the veteran's application.						
IMPORTANT - Physician please fax the completed form to						
	(VA Regional Office					
NOTE - A list of VA Regional Office FAX Numbers can be found at www.vba.va.gov/disabilityexams or obtained by calling 1-800-827-1000.						
DDWAGWAGTNOTTOD VA 'II a life of the distance of the late of the l						

PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38, Code of Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel administration) as identified in the VA system of records, 58/VA21/22/28, Compensation, Pension, Education and Vocational Rehabilitation and Employment Records - VA, published in the Federal Register. Your obligation to respond is voluntary. VA uses your SSN to identify your claim file. Providing your SSN will help ensure that your records are properly associated with your claim file. Giving us your SSN account information is voluntary. Refusal to provide your SSN by itself will not result in the denial of benefits. VA will not deny an individual benefits for refusing to provide his or her SSN unless the disclosure of the SSN is required by a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The requested information is considered relevant and necessary to determine maximum benefits under the law. The responses you submit are considered confidential (38 U.S.C. 5701). Information submitted is subject to verification through computer matching programs with other agencies.

RESPONDENT BURDEN: We need this information to determine entitlement to benefits (38 U.S.C. 501). Title 38, United States Code, allows us to ask for this information. We estimate that you will need an average of 30 minutes to review the instructions, find the information, and complete the form. VA cannot conduct or sponsor a collection of information unless a valid OMB control number is displayed. You are not required to respond to a collection of information if this number is not displayed. Valid OMB control numbers can be located on the OMB Internet Page at www.reginfo.gov/public/do/PRAMain. If desired, you can call 1-800-827-1000 to get information on where to send comments or suggestions about this form.