


WATER SUPPLY OUTLOOK

for the

EASTERN GREAT BASIN

COLORADO BASIN RIVER FORECAST CENTER

NATIONAL WEATHER SERVICE, SALT LAKE CITY, UT




FEBRUARY 1, 2003

SUMMARY

As of February 1 much below average April-July runoff is expected throughout the Eastern Great Basin. Forecasts are expected to range from 30 to 65 percent of the 1971-2000 average in the Great Salt Lake Basin and 40 to 60 percent in the Sevier Lake Basin. Much below average January precipitation resulted in a 10 percent decrease in the snowpack overall and a subsequent decrease in the spring runoff forecasts from last month. February 1 snowpack ranges mostly from 30 to 90 percent of average throughout the Great Basin.

APRIL - JULY VOLUME FORECASTS



	INSIDE
Summary	1
Great Salt Lake Basin	2
Sevier Basin	3
Specific Site Forecasts	4,5
EOM Reservoir Contents	6
Monthly Streamflows	7
Precipitation Maps	8,9
Additional Information	10

GREAT SALT LAKE BASIN

The February 1 water supply outlook is for much below average runoff in the Great Salt Lake Basin.

April-July streamflow forecasts for the Great Salt Lake Basin are as follows:

Bear River:

Much Below Average

Weber River:


Much Below Average

Utah Lake:


Much Below Average

Six Creeks:

Much Below Average



BASIN CONDITIONS - FEBRUARY 1, 2003



^{*} Percent usable capacity, not percent average contents.


Specific site forecasts are listed beginning on page 4.

SEVIER LAKE BASIN


The February 1 water supply outlook is for much below average April-July runoff volumes in the Sevier Lake Basin.

April-July streamflow forecasts for the Sevier Lake Basin are as follows:

Sevier River: Much Below Average



BASIN CONDITIONS - February 1, 2003



^{*} Percent usable capacity, not percent average contents.

Specific site forecasts are listed beginning on page 5.

SPECIFIC SITE FORECASTS

Great Salt Lake Basin: April through July volume (kaf) forecasts (except where noted).

Stream	Station	Most	Percent	Reas.	Reas.
		Probable	Avg.	Max	Min
BEAR	UTAH-WYOMING STATE LINE, NR	70	60	97	51
	WOODRUFF NARROWS RES	53	39	91	25
	MONTPELIER, NR, STEWART DAM, B	93	32	198	58
BIG CK	RANDOLPH, NR	2.1	43	5.9	0.49
SMITHS FORK	BORDER, NR	58	56	88	38
LOGAN	LOGAN, NR, STATE DAM, ABV	67	55	103	43
BLACKSMITH FORK	HYRUM, NR, UP&L DAM, ABV	25	52	39	16.2
SMITH AND MOREHOUSE CK	OAKLEY, NR	22	65	31	13.1
WEBER	OAKLEY, NR	77	63	109	45
	ROCKPORT RES, WANSHIP, NR	72	54	114	30
	COALVILLE, NR	72	53	116	28
	ECHO RES, ECHO, AT	91	51	149	33
	GATEWAY	166	47	280	51
CHALK CK	COALVILLE	17	38	36	9.6
LOST CK	LOST CK RES, CROYDON, NR	5.5	31	12.2	1.4
EAST CANYON CK	EAST CANYON RES, MORGAN, NR	14.5	47	23	7.8
SF OGDEN	HUNTSVILLE, NR	31	48	56	5.8
OGDEN	PINEVIEW RES, OGDEN, NR	60	45	110	10
WHEELER CK	HUNTSVILLE, NR	3.7	59	6	1.4
SPANISH FORK	CASTILLA, NR	36	47	86	7
PROVO	WOODLAND, NR	55	53	88	22
	HAILSTONE, NR	52	48	94	10
	DEER CK RES	70	56	134	6.5
AMERICAN FORK	AMERICAN FORK, NR, UP PWRPLNT,	14	44	26	3.6
JORDAN	UTAH LAKE, PROVO, NR	155	48	325	44
LITTLE COTTONWOOD CK	SALT LAKE CITY, NR	23	57	34	12.5
BIG COTTONWOOD CK	SALT LAKE CITY, NR	18	47	30	6.3
CITY CK	SALT LAKE CITY, NR	3.6	41	7.8	1
EMIGRATION CK	SALT LAKE CITY, NR	1.5	33	4.8	0
MILL CK	SALT LAKE CITY, NR	2.8	40	5.8	1
DELL FK	LITTLE DELL RES	2.9	43	7	0
PARLEYS CK	SALT LAKE CITY, NR	7.7	46	16.7	1
VERNON CK	VERNON, NR	0.6	41	1.09	0.33
S WILLOW CK	GRANTSVILLE, NR	2	62	4.4	0.5
SETTLEMENT CK	TOOELE, NR	0.8	41	2.3	0.28

Sevier Lake Basin: April through July volume (kaf) forecasts (except where noted).

Stream	Station	Most	Percent	Reas.	Reas.
		Probable	Avg.	Max	Min
SEVIER	HATCH	28	51	57	10
	KINGSTON, NR	44	49	83	5.4
	PIUTE RES, MARYSVALE, NR	58	46	122	5.8
	VERMILLION DAM	83	48	152	14
	GUNNISON, NR, SAN PITCH, BLO	126	45	340	40
EF SEVIER	KINGSTON, NR	19	50	43	2.2
CLEAR CK	SEVIER, NR, DIV, ABV	11	50	24	2.1
SALINA CK *	SALINA	MB	0	0	0
CHICKEN CK	LEVAN, NR	1.9	42	4.8	0.76
OAK CK	OAK CITY, NR, LITTLE CK, ABV	0.7	43	1.28	0.38
BEAVER	BEAVER, NR	15	58	21	10.9
	MINERSVILLE RES, MINERSVILLE,	6.5	39	14.6	2.9
COAL CK	CEDAR CITY, NR	8.5	44	16	4

MA - much above normal (greater than 130 percent of normal)

AN - above normal (111– 130 percent of normal)

NN - near normal (90-110 percent of normal)


BN - below normal (70-89 percent of normal)

MB - much below normal (less than 70 percent of normal)

^{*} Categorical Forecast - Current regulations allow for discontinuance of a streamflow volume forecast when observations at the point have not been taken or recorded for 5 years or longer. Recognizing the importance to the user, the NWS and NRCS have often continued to provide forecasts long after observations have ceased. Forecasters will now have the option to express these forecasts categorically (e.g. instead of issuing a forecast of 77 percent of average, the forecast would simply be "below average"). Specifically, the categories are:

END OF MONTH RESERVOIR CONTENTS

Percent of Usable Capacity



RESERVOIR	Usable	EOM Usable	Percent Usable
(vol. in 1000 ac-ft)	Capacity	Contents	Capacity (%)
Bear Lake	1421	358.2	25
Causey	7.1	2	28
Jordanelle	311	228.3	73
Deer Creek	149.7	74.7	50
East Canyon	49.5	missing	missing
Echo	73.9	30.7	42
Gunnison	20.3	1.2	6
Hyrum	15.3	6.7	44
Lost Creek	22.5	6.5	29
Minersville	23.3	4.6	20
Otter Creek	52.5	22.4	43
Pine View	110.1	42.5	39
Piute	71.8	2.5	3
Rockport	60.9	32.9	54
Sevier bridge	236	76.3	32
* Utah Lake	870.9	10.4	1
Willard	215	101	47
Woodruff Narrows	55.8	7	13
TOTAL	3766.6	1007.9	32
Flaming Gorge	3749	2626.6	70
Lake Powell	24322	13269.1	55
Moon Lake	36	18.9	52
Red Fleet	25.7	11.1	43
Scofield	65.8	13.6	21
Starvation	165.3	129.6	78
Steinaker	34.4	6	17
Strawberry	1105.9	810.4	73
Upper Stillwater	32.5	9.3	29


^{*} Usable capacity taken at compromise

Total does not include missing site usable capacities


MONTHLY STREAMFLOWS

 \blacksquare 2003 Water Year $\; \blacksquare$ 2002 Water Year $\; \square$ 30 Year Average $\; \square$ 2003 Forecast


Weber Oakley, nr:



Logan - Logan, nr, State Dam, abv:




Sevier - Hatch:




^{*} observed data unavailable

Monthly Precipitation for January 2003



Seasonal Precipitation, October 2002 - January 2003



ADDITIONAL INFORMATION

Water supply forecasts take into consideration present hydrometeorological conditions and use average basin temperatures and precipitation for the forecast period. As the forecast season progresses, a greater portion of the future hydrologic and climatic uncertainty becomes known and monthly forecasts become more accurate.

Volume forecasts represent adjusted flows; that is, observed flows with upstream water use taken into account. Adjusted flows will closely approximate natural or unimpaired flows. However, not all upstream diversions or impoundments are measured or quantifiable. For specific adjustments used with each forecast point, consult the Guide to Water Supply Forecasting.

The Water Supply Outlook is issued monthly January through May by the Colorado Basin River Forecast Center, National Weather Service. It represents a coordinated effort between the National Weather Service, Natural Resources Conservation Service, Bureau of Reclamation, U.S. Geological Survey and local water district managers.

DEFINITIONS:

Acre-Foot:

The volume equal to one acre covered one foot deep (43,560 cubic feet).

Average:

The arithmetic mean. The sum of the values divided by the number of values.

Categories:

Much above Average Above Average Near Average Below Average Much Below Average Greater than 130% 111-130% 90-110% 70-89% Less than 70% Forecast Period:

The period from April 1 through July 31.

Median:

The middle value. One half of the observed values are higher and half of the values are lower than this.

Most Probable Forecast:

Given the current hydrometeorological conditions to date, this is the best estimate of what the runoff volume will be this season.

Reasonable Maximum Forecast:

Given the current hydrometeorological conditions, the seasonal runoff that has a ten percent (10%) chance of being exceeded.

Reasonable Minimum Forecast:

Given the current hydrometeorological conditions, the seasonal runoff that has a ninety percent (90%) chance of being exceeded.

Water Year:

The period from October 1 through September 30.

NOTE: Data used in this report are provisional and are subject to revision.

For more information, or to be included on the mailing list, please contact: Colorado Basin River Forecast Center, National Weather Service

2242 W. North Temple · Salt Lake City, UT 84116 · (801) 524-5130 · http://www.cbrfc.gov