


JUNE 1, 2006

SUMMARY

Very warm temperatures and dry conditions during May resulted in rapid snowmelt during the latter half of the month. Consequently, May streamflow volumes ranged from 90 to 170 percent of average across the Great Basin. Snowpack remains only at the highest elevations or in protected north facing areas. Below average June-July runoff volumes are anticipated throughout the Great Basin. Volume forecasts for the overall April-July period were reduced slightly and range from 100 to 150 percent in the Great Basin and 45 to 90 percent in the Sevier Basin.




APRIL - JULY VOLUME FORECASTS

	INSIDE
Summary	1
Great Salt Lake Basin	2
Sevier Basin	3
Specific Site Forecasts	4,5
EOM Reservoir Contents	6
Monthly Streamflows	7
Precipitation Maps	8,9
Additional Information	10


GREAT SALT LAKE BASIN

Below average runoff volumes are expected during the remaining June-July period. However due to high streamflow volumes observed in May, April-July period volumes are expected to range from near 100 to 150 percent of average.

April-July streamflow forecasts for the Great Salt Lake Basin are as follows:



BASIN CONDITIONS - JUNE 1, 2006



* Percent usable capacity, not percent average contents.

Specific site forecasts are listed beginning on page 4.


SEVIER LAKE BASIN

The snowpack has been depleted in the Sevier River Basin. April-July runoff volumes are expected to range from near 40 to 90 percent of average.

April-July streamflow forecasts for the Sevier Lake Basin are as follows:

Sevier River: Below Average

BASIN CONDITIONS - JUNE 1, 2006



* Percent usable capacity, not percent average contents.

Specific site forecasts are listed beginning on page 5.

Specific Site Forecasts

Great Salt Lake Basin: April through July volume (kaf) forecasts (except where noted).

Stream	Station	Most	Percent		
		Probable	Avg.	Max	Min
BEAR	UTAH-WYOMING STATE LINE, NR	116	103	130	102
	WOODRUFF NARROWS RES	120	88	151	89
	MONTPELIER, NR, STEWART DAM, B	205	88	255	159
BIGCK	RANDOLPH, NR	4.7	96	5	4.4
SMITHS FORK	BORDER, NR	105	102	111	99
LOGAN	LOGAN, NR, STATE DAM, ABV	160	127	171	149
BLACKSMITH FORK	HYRUM, NR, UP&L DAM, ABV	65	135	70	60
SMITH AND MOREHOUSE CK	OAKLEY, NR	34	100	37	31
WEBER	OAKLEY, NR	125	102	137	113
	ROCKPORT RES, WANSHIP, NR	136	101	150	122
	COALVILLE, NR	140	102	155	125
	ECHO RES, ECHO, AT	173	97	200	144
	GATEWAY	405	114	460	350
CHALK CK	COALVILLE	38	84	49	27
LOST CK	LOST CK RES, CROYDON, NR	18	102	21	16
EAST CANYON CK	EAST CANYON RES, MORGAN, NR	43	139	49	37
SF OGDEN	HUNTSVILLE, NR	79	123	88	69
OGDEN	PINEVIEW RES, OGDEN, NR	185	139	205	165
WHEELER CK	HUNTSVILLE, NR	10.6	168	15.8	6.4
SPANISH FORK	CASTILLA, NR	90	117	137	43
PROVO	WOODLAND, NR	120	117	143	97
	HAILSTONE, NR	135	124	164	106
	DEER CK RES	145	115	187	103
AMERICAN FORK	AMERICAN FORK, NR, UP PWRPLNT,	43	134	49	38
JORDAN	UTAH LAKE, PROVO, NR	340	105	495	184
LITTLE COTTONWOOD CK	SALT LAKE CITY, NR	49	122	54	44
BIG COTTONWOOD CK	SALT LAKE CITY, NR	45	118	51	39
СІТҮ СК	SALT LAKE CITY, NR	10.8	124	13.9	7.8
EMIGRATION CK	SALT LAKE CITY, NR	6.3	140	8.8	3.8
MILL CK	SALT LAKE CITY, NR	8.4	120	10.7	
DELL FK	LITTLE DELL RES	8.3	122	9.6	7
PARLEYS CK	SALT LAKE CITY, NR	23	138	29	16.7
VERNON CK	VERNON, NR	1.39	94	1.93	10.7
S WILLOW CK	GRANTSVILLE, NR	4.8	150	5.2	4.4
SETTLEMENT CK	TOOELE, NR	3.1	130	4.2	2.2

For more detailed information about each forecast visit www.wrh.noaa.gov/cbrfc/westernwater


Stream	Station	Most	Percent	Reas.	Reas.
		Probable	Avg.	Max	Min
SEVIER	HATCH	51	93	65	37
	KINGSTON, NR	69	78	92	46
	PIUTE RES, MARYSVALE, NR	80	63	127	33
	VERMILLION DAM	130	76	200	59
	SIGURD, NR	143	77	240	48
	GUNNISON, NR, SAN PITCH, BLO	190	68	370	66
EF SEVIER	KINGSTON, NR	27	71	46	8.2
CLEAR CK	SEVIER, NR, DIV, ABV	13.1	60	19.1	7.1
SALINA CK	SALINA	8.5	43	24	1.8
CHICKEN CK	LEVAN, NR	3.3	73	4.1	2.6
OAK CK	OAK CITY, NR, LITTLE CK, ABV	1.36	82	1.8	1
BEAVER	BEAVER, NR	18.2	67	21	15.7
	MINERSVILLE RES, MINERSVILLE,	9.2	55	16.8	3.9
COAL CK #	CEDAR CITY, NR	21	109	23	20

Sevier Lake Basin: April through July volume (kaf) forecasts (except where noted).

For more detailed information about each forecast visit www.wrh.noaa.gov/cbrfc/westernwater

END OF MONTH RESERVOIR CONTENTS

Percent of Usable Capacity



RESERVOIR	Usable	EOM Usable	Percent Usable
(vol. in 1000 ac-ft)	Capacity	Contents	Capacity (%)
Bear Lake	1302	467.5	36
Causey	7.1	7.1	100
Jordanelle	311	303.9	98
Deer Creek	149.7	139.2	93
East Canyon	49.5	49.8	101
Echo	73.9	75	101
Gunnison	20.3	20.3	100
Hyrum	15.3	15.3	100
Lost Creek	22.5	22.7	101
Minersville	23.3	23.3	100
Otter Creek	52.5	48	91
Pine View	110.1	110.9	101
Piute	71.8	60.5	84
Rockport	60.9	57.7	95
Sevier bridge	236	199.8	85
* Utah Lake	870.9	950.8	109
Willard	215	185.3	86
Woodruff Narrows	55.8	57.3	103
TOTAL	3648	2794.5	77
Flaming Gorge	3749	3008.3	80
Lake Powell	24322	12258	50
Moon Lake	36	49.5	137
Red Fleet	25.7	24.8	96
Scofield	65.8	54.1	82
Starvation	165.3	165.9	100
Steinaker	34.4	35.2	102
Strawberry	1105.9	918.5	83
Upper Stillwater	32.5	29.5	91


* Usable capacity taken at compromise Total does not include missing site usable capacities

Colorado Basin River Forecast Center - National Weather Service


MONTHLY STREAMFLOWS


■ 2006 Water Year ■ 2005 Water Year □ 30 Year Average ■ 2006 Forecast


Weber Oakley, nr:



Logan - Logan, nr, State Dam, abv:









* observed data unavailable

Colorado Basin River Forecast Center - National Weather Service



Monthly Precipitation for May 2006



Seasonal Precipitation, October 2005 - May 2006

Additional Information

Water supply forecasts take into consideration present hydrometeorological conditions and use average basin temperatures and precipitation for the forecast period. As the forecast season progresses, a greater portion of the future hydrologic and climatic uncertainty becomes known and monthly forecasts become more accurate.

Volume forecasts represent adjusted flows; that is, observed flows with upstream water use taken into account. Adjusted flows will closely approximate natural or unimpaired flows. However, not all upstream diversions or impoundments are measured or quantifiable. For specific adjustments used with each forecast point, consult the Guide to Water Supply Forecasting.

The Water Supply Outlook is issued monthly January through May by the Colorado Basin River Forecast Center, National Weather Service. It represents a coordinated effort between the National Weather Service, Natural Resources Conservation Service, Bureau of Reclamation, U.S. Geological Survey and local water district managers.

DEFINITIONS:

Acre-Foot:

The volume equal to one acre covered one foot deep (43,560 cubic feet). Average:

The arithmetic mean. The sum of the values divided by the number of values. Categories:

The period from April 1 through July 31. Median:

The middle value. One half of the observed values are higher and half of the values are lower than this.

Most Probable Forecast:

Given the current hydrometeorological conditions to date, this is the best estimate of what the runoff volume will be this season. Reasonable Maximum Forecast:

Given the current hydrometeorological conditions, the seasonal runoff that has a ten percent (10%) chance of being exceeded. Reasonable Minimum Forecast:

Given the current hydrometeorological conditions, the seasonal runoff that has a ninety percent (90%) chance of being exceeded. Water Year:

The period from October 1 through September 30.

NOTE: Data used in this report are provisional and are subject to revision.

For more information, or to be included on the mailing list, please contact: Colorado Basin River Forecast Center, National Weather Service

2242 W. North Temple · Salt Lake City, UT 84116 · (801) 524-5130 · http://www.cbrfc.gov