

UNITED STATES DEPARTMENT OF COMMERCE National Oceanic and Atmospheric Administration NATIONAL MARINE FISHERIES SERVICE SOUTHWEST FISHERIES SCIENCE CENTER P.O. BOX 271 LA JOLLA, CA 92038-0271

March 31, 2006

F/SWC1:DAG

CRUISE ANNOUNCEMENT

VESSEL: NOAA Vessel Oscar Dyson, 0604-OD, OD 06-05.

CRUISE DATES: April 6 - May 8, 2006.

PROJECT: Coast-wide sardine survey, Fisheries Resources Division.

ITINERARY: Leg I: Depart from Bellingham, Washington on the afternoon of April 6, 2006. Transit to the first station (50° 15.0'N; 127° 51.0'W) off of Vancouver Island, Canada and begin occupation of the survey grid (see attached cruise track). Once the survey off of Vancouver Island has been completed, Canadian scientists will disembark in Ucluelet, BC on or around April 12. The vessel will stop on April 21 to exchange scientific personnel in Coos Bay, Oregon.

Leg II: Once personnel exchanges are complete, the *Dyson* will depart Coos Bay on April 23 and continue to occupy stations until completion. The *Dyson* will finish the survey in San Francisco, California on May 8, 2006.

- OBJECTIVES: 1. To describe the spatial distribution of eggs, larvae and adult sardine (*Sardinops sagax*).
 - 2. To obtain measurements of instantaneous egg production and adult fecundity required for an estimate of spawning biomass.
 - 3. To collect environmental data to describe the coastal and offshore habitats.
 - 4. To record current profiles throughout the duration of the cruise with the Acoustic Doppler Current Profiler.
 - 5. To make continuous observations of sea birds and marine mammals.
 - 6. To collect specimens throughout the survey pattern for genetics, micro chemistry, maturity, age and fecundity determination.
 - 7. To acoustically identify and quantify pelagic fish schools during transit between stations with the Simrad EK-60 scientific sounder.
- PROCEDURES: 1. Each coast-wide survey station will include the following:
 - a. A CTD/Rosette consisting of twelve 1.2-liter hydrographic bottles will be lowered to 500 meters (depth permitting) to measure physical parameters and collect water at discrete depths for analysis of: salinity, nutrients and chlorophyll.
 - b. A CalBOBL (CalCOFI Bongo) standard oblique plankton tow with 300 meters of wire out, depth permitting, using paired 505 µm mesh nets with 71 cm diameter openings. The technical requirements for this tow are:



Descent wire rate of 50 meters per minute, held at terminal depth for 30 seconds and retrieved at a wire rate of 20 meters per minute. All tows with ascending wire angles lower than 38° or higher than 51° in the final 100 meters of wire will be repeated. Additionally, a 45° wire angle should be closely maintained during the ascent and descent of the net frame.

- c. A Manta net (neuston) tow, using a 505 µm mesh net on a frame with a mouth area of 0.1333 m². The frame will be towed for 15 minutes at a target speed of 60 70 cm/sec or an angle of stray between 20 25 degrees.
- d. Weather observations.
- e. A Pairovet (vertical) plankton tow will be taken at all stations out to 80 nautical miles . The Pairovet net will be fished from 70 meters to the surface (depth permitting) using paired 25 cm diameter 150 µm mesh nets. The technical requirements for Pairovet tows are: Descent rate of 70 meters per minute, held at depth for a 10 second duration then an ascent rate of 70 meters per minute. All tows with wire angles exceeding 15° during the ascent will be repeated.
- f. A surface tow using a Nordic 264 pelagic trawl will be conducted during nighttime operations. Each tow will be fished for a 30 minute duration at a towing speed of approximately 3.5 knots. The catch of each tow will be processed in the following manner: Sardines collected in each trawl will be randomly subsampled. Standard length and body weight will be measured, otoliths will be collected, and ovaries preserved in buffered formalin. These fish are assigned a maturity code based on a four stage system developed during a previous Trinational Sardine Forum.
- 2. While underway during the coast-wide sardine survey, the following operations will be conducted:
 - a. The Dyson will conduct directed adaptive sampling of pelagic fish eggs using the following protocol: Water will be continuously sampled using the CUFES (Continuous Underway Fish Egg Sampler) from a depth of three meters. Approximately 640 liters/minute is sent through a concentrator which filters all material larger than 505 µm. The sieved material is then collected and identified. All fish eggs are identified to lowest taxa, counted and entered into the data acquisition software. Each sample entry is coupled with sea surface temperature, geographical position, wind speed and direction, date and time, and surface salinity.

Sampling intervals will vary in length, depending on the number of fish eggs seen, from five to 30 minutes. If two consecutive samples have a concentration of Pacific sardine eggs equal to or greater than 1 egg per minute, the ship will stop to conduct a Pairovet tow. Pairovet tows will continue at four mile intervals until a concentration of less than one egg per minute is observed in two consecutive samples. If possible, all Pairovet samples will be taken concurrently with CUFES samples in addition to sampling continuously between Pairovet samples.

- b. Once underway, the *Dyson's* Acoustic Doppler Current Profiler (ADCP, RDI 75 kHz model Ocean Surveyor) will be sampling at all times. Data will be periodically backed up to a writable DVD.
- c. Once underway, the *Dyson's* scientific sounder (Simrad EK-60, 38, 120 and 200 kHz split beam transducer) will be sampling at all times. Data will be periodically backed up to a writable DVD.

EQUIPMENT:	1.	Supplied by scientific party:			
		_	37% Formalin (SWFSC)		
		-	Ethanol (SWFSC)		
		_	Tris buffer (SWFSC)		
		_	Sodium borate (SWFSC)		
		_	30 cc and 50 cc syringes (SWFSC)		
		_	Canulas (SWFSC)		
		_	Pint, quart and gallon jars (SWFSC)		
		_	Inside and outside labels (SWFSC)		
		_	CalCOFI net tow data sheets (SWFSC)		
		_	71 cm CalCOFI Bongo frames (SWFSC)		
			71 cm CalCOFI 505 µm mesh nets (SWFSC)		
		_	CalCOFI 150 µm Calvet nets and codends (SWFSC)		
		_	CalCOFI Pairovet frames (SWFSC)		
		_	333 µm mesh codends (SWFSC)		
		-	Inclinometer for bongo tows (SWFSC)		
		-	Digital flowmeters (SWFSC)		
		_	75 lb Bongo weight (SWFSC)		
		_	100 lb hydro weights (SWFSC)		
		-	CalCOFI Manta net frames (SWFSC)		
		-	60 cm CalCOFI 505 μm mesh Manta nets (SWFSC)		
		-	Standard CalCOFI tool boxes (SWFSC)		
		-	Bucket thermometers and holders (SWFSC)		
		-	Hand held inclinometer (SWFSC)		
		-	Salinity bottles (SWFSC)		
		-	Sling psychrometer (SWFSC)		
		-	Standard sea water (SWFSC)		
		-	Data sheets for scheduled hydrographic work (SWFSC)		
		-	Weather observation sheets (SWFSC)		
		-	Bigeye binoculars (25 x 150)(SWFSC)		
		-	Observer chairs on flying bridge (SWFSC)		
		-	Nordic 264 pelagic trawl (SWFSC)		
		-	Motion compensated balance (SWFSC)		
		_	3.0 m ² XL-Lite midwater trawl doors (NWFSC)		
		_	Rigging for Nordic 264 trawls (NWFSC)		
	2.	Supplie	d by Oscar Dyson:		
		_	Starboard oceo winches with .375" cable for CTD casts		
			and standard Bongo, Pairovet, Manta tows		
		_	Trawl winches with 11/8" cable on port and starboard		
			drums		
		_	Constant temperature room set at 22°C ±1°C (71.5°F		
			±2°F)		
		_	Winch monitoring system		
		_	Seabird thermosalinometer		
		_	-80°C scientific freezer		
		_	EK-60 Simrad scientific sounder		
		_	Knudsen 12 kHz depth recorder or comparable		
		_	Acoustic Doppler Current Profiler w/writeable CD drive		
		_	SBE 9/11+ CTD w/rosette and sampling bottles		
		_	CUFES		
		_	SCS with ability to send polled message to a serial		
			bes wren ability to bend polled message to a sellal		

output comprising position, SST, surface salinity, wind speed and wind direction.

MISCELLANEOUS:

1.

- The disposal of fish caught will be in accordance with NOAA Administrative order 202-735B dated January 25, 1989.
- 2. At the completion of the cruise an inspection will be made of scientific working and berthing spaces by the Commanding Officer or his designated representative. The Scientific party is responsible for the condition and cleanliness of spaces assigned to the scientific party.
- 3. The Cruise Leader will hold a pre-cruise meeting aboard the vessel before departure.
- 4. The Cruise Leader will hold a post-cruise meeting upon termination of the cruise.
- 5. NOAA Fleet Medical Policy requires that all scientific personnel embarking on NOAA vessels complete an SF-93 form, Report of Medical History.
- 6. All dates and times recorded will be in Pacific Standard Time.
- 7. It is requested that the constant temperature room be set at the required temperature prior to the installation of the Portasal unit.
- 8. A stop will be made at Coos Bay, Oregon to exchange scientific personnel.
- 9. Any adult salmon caught in the trawl will be immediately returned to the sea and assumed to have survived. Any juvenile salmon caught incidentally will be frozen and turned over to the NWFSC for further study.

HAZARDOUS MATERIALS:

The Chief Scientist shall be responsible for complying with MOCDOC 15, Fleet Environmental Compliance #07, Hazardous Material and Hazardous Waste Management Requirements for Visiting Scientists, released July 2002. The MOCDOC web site address is:

http://205.156.48.106/

By Federal regulations and NOAA Marine and Aviation Operations policy, the ship may not sail without a complete inventory of all hazardous materials by name and the anticipated quantity brought aboard, MSDS and appropriate neutralizing agents, buffers, and/or absorbents in amounts adequate to address spills of a size equal to the amount of chemicals brought aboard and a chemical hygiene plan. The amount of hazardous material arriving and leaving the vessel shall be accounted for by the Chief Scientist.

PERSONNEL:	Leg I					
	Dave Griffith, Chief Scientist	SWFSC				
	Noelle Bowlin	SWFSC				
	Sherri Charter					
	Roger Hewitt	SWFSC				
	Jim Cotton	SWFSC				
	Fernando Ramirez	SIO				

Paul Chri Vane Dere	Paul Peterson Paul Bentley Christa Hrabok* Vanessa Hodes* Derek Needham Dawn Breese				
Noel Sher Dave Fern Bob Carr Eric Jim Barb Rand Dere Jill Dawn	II Griffith, Chief Scientist le Bowlin ri Charter Demer ando Ramirez Emmett ie Johnson Bjorkstadt Cotton wara Javor by Cutter k Needham Smith Breese membarking in Ucluelet, BC C personnel authorized per diem at the rate of	SWFSC SWFSC SWFSC SIO NWFSC NWFSC SWFSC SWFSC AF AF AF STS ODFW PRBO			
	be paid via the Imprest Fund at the termination				
WATCH HOURS:	0000-1159 Charge to acco 1200-2359 1800-0600	unt 28LEF01-P15			
OVERTIME: NIGHT DIFF:	848 hours (Authorized total for NMFS personn 990 hours (Authorized total for NMFS personn				

Date:_____

Prepared by:_____ D.A. Griffith

Approved by: William W. Fox Ph.D Science & Research Director Southwest Region

