

## APPENDIX D

### *References Cited*

**References:**

- Abernathy, K., and D. B. Siniff. 1998. Investigations of Hawaiian monk seal, *Monachus schauinslandi*, pelagic habitat use: Range and diving behavior. Saltonstall Kennedy Grant Report No. NA67FD0058. 30 pp.
- Aguilar, R., Mas, J., and X. Pastor. 1995. Impact of Spanish swordfish longline fisheries on the loggerhead sea turtle (*Caretta caretta*) population in the western Mediterranean. In: Richardson, J. I. ,Richardson, T. H. (eds.), *Proceedings of the 12<sup>th</sup> Annual Workshop on Sea Turtle Biology and Conservation*; NOAA Technical Memorandum NMFS-SEFSC-361. pp 1-6.
- Aguirre, A. A., J.S. Reif, and G.A. Antonelis. 1999. Hawaiian monk seal epidemiology plan: Health assessment and disease status studies. NOAA Technical Memorandum. NOAA-TM-NMFS-SWFSC-280.
- Almengor M., C., Morera Avila, R,A. 1994.Ingested plastic implicated in death of juvenile hawksbill. Marine Turtle Newsletter No. 64, p. 13.
- Anderson D. and P. Fernandez. 1998. Movements of Laysan and Black-footed Albatrosses at sea, Jan-August 1998. Abstract to the Black-footed Albatross Population Biology Workshop, Honolulu, HI, 8-10 October 1998.
- Anon. 1998. National Marine Fisheries Service and U.S. Fish and Wildlife Service Recovery Plan for U.S. Pacific Populations of the Leatherback Turtle (*Dermochelys coriacea*). Silver Spring, MD: National Marine Fisheries Service.
- Arauz, R. in prep. Dead without a TED. Turtles drowning in US “certified” shrimp nets. Presented at the 23<sup>rd</sup> Annual Symposium on Sea Turtle Biology and Conservation. March 17-21, 2003. Kuala Lumpur, Malaysia.
- Arauz, R. 2001. Impact of high seas longline fishery operations on sea turtle populations in the Exclusive Economic Zone (EEZ) of Costa Rica – A second look. In Proceedings of the Twenty First annual symposium on sea turtle biology and conservation, February 24-28, 2001, Philadelphia, PA.
- Arauz, R.M, Naranjo, I., Rojas, R., and R. Vargas. 1998. Preliminary results: Evaluation and Technology Transfer of the Turtle Excluder Device(TED) in the Pacific Shrimp Fishery of Costa Rica. In: *Proceedings of the 16<sup>th</sup> Annual Symposium on Sea Turtle Biology and Conservation* Byles, R. and Y. Fernandez (eds.) NOAA Tech. Memo. NMFS-SWFSC-412
- Arauz, R., O. Rodriguez, R. Vargas, and A. Segura. 2000. Incidental capture of sea turtles by

Costa Rica's longline fleet. *In* Proceedings of the nineteenth annual sea turtle symposium, March 2-6, 1999, South Padre Island, Texas.

Arenas, P. and M. Hall. 1992. The association of sea turtles and other pelagic fauna with floating objects in the eastern tropical Pacific Ocean. *In* Salmon, M., and J. Wyneken (compilers), Proc. Eleventh Annual Workshop on Sea Turtle Biology and Conservation. U.S. Dept. Commerce, NOAA Tech. Memo. NMFS-SEFSC-302, p. 7-10.

Arenas P., L. Sarti, P. Ulloa. 1998. Conservation and management of sea turtles in Mexico. *In* F. Abreu-Grobois, R. Briseño-Ducnas, R. Millan, L. Martinez, ed. Proceeding of the 18<sup>th</sup> International Symposium on sea turtle biology and conservation. Oral presentation, Mazatlán, Sinaloa. 6-7.

Arenas, P., L. Sarti, and P. Ulloa. 2000. Conservation and management of sea turtles in Mexico. Pg. 6-7 *in* Proceedings of the Eighteenth International Sea Turtle Symposium, 3-7 March, 1998, Mazatlán, Sinaloa Mexico.

Asilomar Resolution. April 25, 2002. Pacific Leatherback Survival Conference. Call to institute a moratorium on pelagic longline fishing. *Sea Turtle Restoration Project.*  
[http://www.seaturtles.org/press\\_release2.cfm?pressID=162](http://www.seaturtles.org/press_release2.cfm?pressID=162)  
<http://www.seaturtles.org/pdf/Resolution5-6.pdf>

Aureggi, M., G. Gerosa, and S. Chantrapornsy. 1999. Marine turtle survey at Phra Thong Island, South Thailand. Marine Turtle Newsletter. No. 85:4-5.

Bailey K., Williams P., Itano, d. 1996. By-catch and discards in western Pacific tuna fisheries: a review of SPC data holding and literature. Oceanic fisheries Programme, South Pacific commission, Tech. Rep.No.34.

Baker, C. S. 1985. The behavioral ecology and populations structure of the Humpback Whale (*Megaptera novaeangliae*) in the central and eastern Pacific. Dissertation for the University of Hawaii at Manoa.

Baker, C. S. and L. M. Herman. 1981. Migration and local movement of humpback whales through Hawaiian waters. Can. J. Zool. 59:460-469.

Bakun A. 1996. Patterns in the ocean. California Sea Grant College/CIB. 323p.

Balazs, G.H. 1982. Status of sea turtles in the central Pacific Ocean. In Biology and conservation of sea turtles (Ed. K.A. Bjorndal). Smithsonian Institute Press, Washington, D.C. Pp. 243-252.

Balazs. G.H. 1985. Impact of ocean debris on marine turtles: entanglement and ingestion. IN:

Shomura, R. S. , Yoshida, H. O. (eds.). *Proceedings of the Workshop on the Fate and Impact of Marine Debris, 26-29 November 1984, Honolulu, Hawaii*. NOAA Tech. Memo. NMFS, NOAA-TM-NMFS-SWFC-54; p. 387-429.

Balazs, G.H. 1994. Homeward bound: satellite tracking of Hawaiian green turtles from nesting beaches to foraging pastures. Pg.205, 13<sup>th</sup> Ann. Symp. Sea Turtle Biol. and Conserv, Feb. 23-27, 1993, Jekyll Island, Georgia.

Balazs, G.H. 1995. Status of Sea Turtles in the Central Pacific Ocean. In: *Biology and Conservation of Sea Turtles: Revised Edition*. K.A. Bjorndal (ed.). Smithsonian Institute Press. 243-252pp.

Balazs, G.H. 1996. Behavioral changes within the recovering Hawaiian green turtle population. Pg.16, 15<sup>th</sup> Annual Symposium, Sea Turtle Biology. and Conservation, Feb. 20-25, 1995, Hilton Head, South Carolina.

Balazs, G. & M. Chaloupka. 2003. *in press*. Thirty-year recovery trend in the once depleted Hawaiian green sea turtle stock.

Balazs G and M Chaloupka. *In press*. 30-year recovery trend in the once depleted Hawaiian green sea turtle stock.

Balazs, G.H. and S. Hau. 1986. Geographic distribution: *Lepidochelys olivacea* in Hawaii. Herpetological Review. 17(2):51.

Balazs, G.H. and J.A. Wetherall. 1991. Assessing impacts of North Pacific high-seas driftnet fisheries on marine turtles: progress and problems. Unpublished paper prepared for the North Pacific Driftnet Scientific Review Meeting, Sidney, British Columbia, Canada, 11-14 June 1991.

Balazs, G.H. and D. Ellis. 1996. Satellite telemetry of migrant male and female green turtles breeding in the Hawaiian Islands. Page 19 in abstr. 16<sup>th</sup> Ann. Symp. Sea Turtle Conser. Biol. Feb.28-Mar.2, 1996; Hilton Head, S.C.

Balazs, G.H., R. Forsyth, A.Kam. 1987. Preliminary assessment of habitat utilization by Hawaii green turtles in their resident foraging pastures. NOAA Technical memorandum. NOAA-TM-NMFS, SWFC-71.

Balazs, G.H., P.Craig, B.R. Winton and R.K. Miya. 1994. Satellite telemetry of green turtles nesting at French Frigate Shoals, Hawaii and Rose Atoll, American Samoa. Pg.184, 14<sup>th</sup> Annual Symposium, Sea Turtle Biology. and Conservation, Mar. 1-5, 1994, Hilton Head, South Carolina.

Balazs, G.H., P.Siu, and J. Landret. 1995. Ecological aspects of green turtles nesting at Scilli Atoll in French Polynesia. In Twelfth Annual Sea Turtle Symposium. NOAA Technical memorandum NMFS-SEFSC-361; p. 7-10

Balazs, G.H., W. Puleloa, E. Medeiros, S.K.K. Murakawa, and D.M. Ellis. 1998. Growth rates and incidence of fibropapillomatosis in Hawaiian green turtles utilizing coastal foraging pastures at Palaau, Molokai. NOAA Tech. Memo. NMFS-SEFSC-415.

Balcomb, K. C. 1987. The whales of Hawaii, including all species of marine mammals in Hawaiian and adjacent waters. Mar. Mam. Fund Pub., San Francisco, CA. 99 pp.

Ballesteros, J., R.M. Arauz, and R. Rojas. 2000. Management, conservation, and sustained use of olive ridley sea turtle eggs (*Lepidochelys olivacea*) in the Ostional Wildlife Refuge, Costa Rica: an 11 year review. Pp. 4-5 in Proceedings of the Eighteenth International Sea Turtle Symposium, 3-7 March, 1998, Mazatlán, Sinaloa, Mexico.

Bannister, J.L. and E. Mitchell. 1980. North Pacific sperm whale stock identity: distributional evidence from Maury and Townsend charts. Reports of the International Whaling Commission Special Issue No. 2: 219-223

Barbieri, M.A., C. Canales, V. Correa, M. Donoso. 1998. Development and present state of the swordfish fishery in Chile. In Biology and fisheries of swordfish, Papers from the international symposium on Pacific swordfish, Ensenada, Mexico, 11-14 December, 1994. Edited by I. Barrett, O. Sosa-Nishizaki, and N. Bartoo.

Barlow J., P. Boveng, M. Lowry, B. Stewart, B. Le Boeuf, W. Sydeman, R. Jameson, S. Allen, C. Oliver. 1993. Status of the northern elephant seal population along the U.S. West coast in 1992. Admin. Rept. LJ-93-01. NMFS Southwest Fisheries Science Center, La Jolla.

Barr, C. 1991. Current Status of Trade and Legal Protection for Sea Turtles in Indonesia. *Marine Turtle Newsletter*. 54:4-7.

Bartlet, G. 1989. Juvenile Caretta Off Pacific Coast of Baja California. Sea Turtle Center Newsletter; 3(3): 1-2.

Basintal P. 2002. Sea turtle conservation at the Sabah's Turtle Island Park, Malaysia. IN: Kinan, I. (Ed.), Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop. February 5-8, 2002, Honolulu, Hawaii, USA. Western Pacific Regional Fishery Management Council: Honolulu, HI. p. 151-160.

Batibasaga, A. 2002. Sea turtle status and conservation initiatives in Fiji. In: *Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop*. Feb 5-8, 2002. I. Kinan (ed.). The Western Pacific Regional Fishery Management Council, Honolulu, Hawaii technical report. Pp 115-118.

Bauer, G.B. 1986. The behavior of humpback whales in Hawaii and modification of behavior

- induced by human interventions. Ph.D. dissertation, University of Hawaii, Honolulu.
- Berzin, A. A. 1971. "Kashalot [The sperm whale]". Izdat. "Pishevaya Promyshelennost." Moscow. English translation, 1972, Israel Program for Scientific Translations, Jerusalem.
- Berzin, A.A., and A.A. Rovnin. 1966. The distribution and migrations of whales in the northeastern part of the Pacific, Chukchi and Bering Seas. *Izvestia TINRO* 58:179-207.
- Bhaskar, S. 1984. Sea turtles in North Andaman and other islands. Report to the WWF-Indonesia; 46 pp.
- Bigg M. 1990. Migration of northern fur seals (*Callorhinus ursinus*) off western North America. Canadian Technical Report of Fisheries and Aquatic Sciences No. 1764. 64 pp.
- Bjorndal K.A., 1997. Foraging Ecology and Nutrition of Sea Turtles. In P. Lutz, J. Musick, eds. *The Biology of Sea Turtles*. CRC Press, Inc: Boca Raton. 199-231.
- Bjorndal, K.A., Bolten, A.B. and C.J. Lagueux. 1994. Ingestion of marine debris by juvenile sea turtles in coastal Florida habitats. *Marine Pollution Bulletin*. 28:154-158.
- Bjorndal K., Wetherall, J., Bolten, A. & J. Mortimer. 1999. Twenty-six years of green turtle nesting at Tortuguero, Costa Rica: an encouraging trend. *Conservation Biology*; 13(1): 126-134.
- Boggs C. 1992. Depth, capture time, and hooked longevity of longline-caught pelagic fish – timing bites of fish with chips. *Fish Bull* 90 (4). 642-658.
- Boggs, C.H. 2001. Deterring albatross from taking baits during swordfish longline sets. In, *Seabird Bycatch: Trends, Roadblocks, and Solutions* (E.F. Melvin and J.K. Parrish, Eds.), University of Alaska Sea Grant, AK-SG-01-01, Fairbanks, pp. 79-94.
- Boggs C. and B. Kikkawa. 1993. The development and decline of Hawaii's skipjack tuna fishery. NOAA-NMFS Marine Fisheries Review 55 (2). 61-68.
- Boggs C, P. Dalzell, T. Essington, M. Labelle, M. Mason, R. Skillman, J. Wetherall. 2000. Recommended overfishing definitions and control rules for the Western Pacific Management Council's pelagic fisheries management plan. NMFS-SWFC Administrative Report H
- Bolten, A.B., Bjorndal, K.A., Martins, H.R. 1994. Biology of pelagic-stage loggerheads in the Atlantic Bjorndal, K. A. ,Bolten, A. B. ,Johnson, D. A. ,Eliazar, P. J. Compilers, Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-351, p. 19-20.
- Bolten, A.B., J.A. Wetherall, G.H. Balazs, and S.G. Pooley (compilers). 1996. Status of marine turtles in the Pacific Ocean relevant to incidental take in the Hawaii-based pelagic longline fishery. U.S. Dept. of Commerce, NOAA Technical Memorandum, NOAA-TM-NMFS-SWFSC-230.

- Bonfil R. 1994. Overview of world Elasmobranch fisheries. Food and Agriculture Organization: Rome. FAO Fish Tech Paper nr 341. 119p.
- Boulon, R.H., JR. 1994. Growth rates of wild juvenile hawksbill turtles, *Eretmochelys imbricata*, in St. Thomas, United States Virgin Islands. Copeia 1994:811-814.
- Boulon, R.H., Dutton, P.H. and McDonald.1996. Leatherback turtles (*Dermochelys coriacea*) on St. Croix, U.S. Virgin Islands: fifteen years of conservation. Chelonian Conservation and Biology. 2. 141-147.
- Bowen B., F. Abreu-Grobios, G. Balazs, N. Kamiezaki, C. Limpus, R. Ferl. 1995. Trans-pacific migrations of the loggerhead turtle (*caretta caretta*) demonstrated with mitochondrial DNA markers. Proceedings of the National Academy of Sciences 92. 3731-3734.
- Bowen, B.W., Bass, A.L., Garcia-Rodriguez, A., Diez, C.E., VanDam, R., Bolten, A.B., Bjorndal, K.A., Miyamoto, M.M., Ferl, R.J. 1996. Origin of hawksbill turtles in a Caribbean feeding area as indicated by genetic markers. *Ecological Applications* ; 6(2): 566-572.
- Brothers, N. 1991. Albatross mortality and associated bait loss in the Japanese longline fishery in the Southern Ocean. Biol. Conserv. 55 :255-268.
- Brown, C.H. and W.M. Brown. 1982. Status of sea turtles in the Southeastern Pacific: Emphasis on Peru. In Bjorndal, K.A. (ed.) Biology and conservation of sea turtles (1st edition). Smithsonian Inst. Press, Wash., D.C. Pgs. 235-240.
- Caldwell, D. K. and M. C. Caldwell. 1983. Whales and Dolphins. Pages 767-812. In: Alfred A. Knopf (ed.). The Audubon Society Field Guide to North American Fishes, Whales and Dolphins. Alfred A. Knopf, Inc., New York, NY.
- Caldwell D. and M. Caldwell. 1989. Pygmy sperm whale *Kogia breviceps* (de Blainville, 1838). In S. Ridgway, R. Harrison, eds. Handbook of Marine Mammals, Vol. 4: The River Dolphins and Larger Toothed Whales. Academic Press, San Diego.
- Cameron, G.A. and K.A. Forney. 1999. Preliminary Estimates of Cetacean Mortality in the California Gillnet Fisheries for 1997 and 1998. IWC working paper SC/51/04.
- Cameron, G.A. and K.A. Forney. 2000. Preliminary estimates of cetacean mortality in California/Oregon gillnet fisheries for 1999. International Whaling Commission working paper. SC/52/024.
- Campbell, L.M. 2003. Contemporary Culture, Use and Conservation of Sea Turtles. In: *The Biology of Sea Turtles, Volume II*. Lutz, P.L., Musick, J.A., and J. Wyneken (eds.). CRC Press. Pp 307-338.

- Canin, J. 1991. International Trade Aspects of the Japanese Hawksbill Shell ('Bekko') Industry. *Marine Turtle Newsletter* 54:17-21.
- Carder, D.A. and S.H. Ridgway. 1990. Auditory brainstem response in a neonatal sperm whale *Physeter* spp. *J. Acoust. Soc. Am. Suppl.* 1:88.
- Carr A. 1978. The ecology and migrations of sea turtles, 7. The west Caribbean green turtle colony. *Bull. Am. Mus. Nat. Hist.* 162(1): 1-46.
- Carr, A. 1987. Impact of nondegradable marine debris on the ecology and survival outlook of sea turtles. *Marine Pollution Bulletin*. 18:352-356.
- Carretta, J.V. 2001. Preliminary estimates of cetacean, pinniped, turtle, and seabird mortality in California gillnet fisheries for 2000. International Whaling Commission working paper.
- Carretta, J.V. 2002. Preliminary estimates of cetacean mortality in California gillnet fisheries for 2001. International Whaling Commission working paper. SC /54/SM12.
- Ceron, J.A.J., Rocha, A.R.B., and H.G Ruiz. 2000. Contamination by phthalate ester plasticizers in two marine turtle species. IN: Abreu-Grobois, F. A., Briseno-Duenas, R., Marquez, R., Sarti, L. (eds.). *Proceedings of the 18<sup>th</sup> International Sea Turtle Symposium*. NOAA Tech. Memo. NMFS-SEFSC-436. p.118-119.
- Chaloupka, M. and C. Limpus. 1997. Robust statistical modeling of hawksbill sea turtle growth rates (southern Great Barrier Reef). *Marine Ecology Progress Series* 146:1-8.
- Chaloupka, M. and C. Limpus. 2001. Trends in the abundance of sea turtles resident in southern Great Barrier Reef waters. *Biological Conservation* 102:235-249.
- Chan, E.H and H.C. Liew. 1996. Decline of the Leatherback population in Terengganu, Malaysia, 1956-1995. *Chelonian Conservation and Biology*. 2(2):196-203.
- Chan, E.H., Liew, H.C., and A.G. Mazlan. 1988. The incidental capture of sea turtle in fishing gear in Terengganu, Malaysia. *Biological Conservation*. 43: 1-7.
- Chatto, R. 1995. Sea Turtles killed by flotsam in northern Australia. *Marine Turtle Newsletter*. 69:17-18.
- Chaves, A., G. Serrano, G. Marin, E. Arguedas, A. Jimenez, and J.R. Spotilla. 1996. Biology and conservation of leatherback turtles, *Dermochelys coriacea*, at Playa Langosta, Costa Rica. *Chelonian Conservation and Biology* 2(2): 184-189.
- Cheng, I.J. 2002. Current sea turtle research and conservation in Taiwan. IN: Kinan, I. (Ed.).

Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop. February 5-8, 2002, Honolulu, Hawaii, USA. Western Pacific Regional Fishery Management Council: Honolulu, HI. p. 185-190

Cheng, I. and T. Chen. 1996. Green turtle research in Taiwan. Pg.70, 15<sup>th</sup> Annual. Symposium, Sea Turtle Biology and Conservation, Feb. 20-25, 1995, Hilton Head, South Carolina.

Cheng, I. and Chen, T. 1997. The incidental capture of five species of sea turtles of coastal setnet fisheries in the eastern waters of Taiwan. Biological Conservation 82: 235-239.

Chevalier, J. and M. Girondot. 1998. Nesting dynamics of marine turtles in French Guiana during the 1997 nesting season. Bulletin de la Societe Herpetologique de France, v. 85-86, p. 5-19.

Chittleborough, R.G. 1965. Dynamics of two populations of humpback whale, *Megaptera Novaeangliae* (Borowski). Aust. J. Mar. Freshwater Res. 16:33-128.

Calambokidis, J., G. H. Steiger, J. M. Straley, L. M. Herman, S. Cerchio, D. R. Salden, M. Yamaguchi, F. Sato, J. Urbán, J. Jacobsen, O. V. Ziegesar, K.C. Balcomb, C. M. Gabriele, M. E. Dalheim, N. Higashi, S. Uchida, J. K. B. Ford, Y. Miyamura, P. L. Guevara, S. A. Mizroch, L. Schlender, and K. Rasumssen. 1997. Abundance and population structure of humpback whales in the North Pacific basin. National Marine Fisheries Services, Southwest Fisheries Science Center, La Jolla, CA

Clapham, P.J. 1994. Maturational changes in patterns of association among male and female humpback whales. J Zool 71: 440-443.

Clapham, P.J. 1996. The social and reproductive biology of humpback whales: an ecological perspective. Mammal Rev 26: 27-49.

Clapham, P.J. and C.A. Mayo. 1987. Reproduction and recruitment of individually identified humpback whales, *Megaptera novaeangliae*, observed in Massachusetts Bay, 1979-1985. Can. J. Zool. 65(12):2853-2863.

Clarke, R. 1956. Sperm whales of the Azores. Discovery Rep. 28, 237-298.

Clarke, M.R. 1976. Observation on sperm whale diving. J Mar Biol Assoc UK 56: 809-810.

Clark, C. W., C. J. Gagnon and D. K. Mellinger. 1993. Whales '93: Application of the Navy IUSS for low-frequency marine mammal research. Invited paper, abstract published in Tenth Biennial conference on the Biology of Marine Mammals abstracts, 11-15 Nov. 1993., Galveston, TX. (Abstract)

Clifton, K., D. Cornejo, R. Felger. 1982. Sea turtles of the Pacific coast of Mexico. In K. Bjorndal, ed. Biology and Conservation of sea turtles. Smithsonian Inst. Press: Washington, D.C. 199-209.

Coan, A.L., G.T. Sakagawa, D. Prescott, and G. Yamasaki. 1997. The 1996 U.S. purse seine fishery for tropical tunas in the Central-Western Pacific Ocean. Marine Fisheries Review. 59(3), 1997.

- Cochrane, J.F. and Starfield, A.M. In preparation. A simulated Assessment of Incidental Take Effects on Short-tailed Albatrosses. Project report to NMFS and USFWS, Alaska. 44 pp.
- Coggins G. 1975. Conserving wildlife resources: an overview of the Endangered Species Act, 51 N.D.L. Rev. 315, 321.
- Compagno L. 1984. FAO Species Catalogue. Volume 4, Parts 1-2, Sharks of the world: an annotated and illustrated catalogue of shark species known to date. Food and Agriculture Organization: Rome. Report nr FIR/S12. 655p.
- Cornelius, S. 1982. Status of sea turtles along the Pacific coast of middle America. In K. Bjorndal, ed. Biology and Conservation of sea turtles. Smithsonian Inst. Press: Washington, D.C. 211-220.
- Cousins, K.L. 2001. The Black-footed Albatross Population Biology Workshop: a step to understanding the impacts of longline fishing on seabird populations. In, Seabird Bycatch: Trends, Roadblocks, and Solutions (E.F. Melvin and J.K. Parrish, Eds.), University of Alaska Sea Grant, AK-SG-01-01, Fairbanks, pp. 95 -114.
- Cousins K., P. Dalzell, E. Gilman. 2000. Managing pelagic longline-albatross interactions in the North Pacific Ocean. Second International Albatross Conference. 8-12 May 2000. Honolulu.
- Craig, M. P., and T. J. Ragen. 1999. Body size, survival, and decline of juvenile Hawaiian monk seals, *Monachus schauinslandi*. Marine Mammal Science, 15(3):786-809.
- Crouse, D.T. 1999b. The consequences of delayed maturity in a human-dominated world. American Fisheries Society Symposium 23:195-202.
- Crouse, D.T. 1999. The consequences of delayed maturity in human-dominated world. *American Fisheries Society Symposium*. 23:195-202.
- Crouse, D. 1999a. Population modeling and implications for Caribbean hawksbill sea turtle management. Chelonian Conservation and Biology 3(2):185-188.
- Crouse, D. 1999b. The consequences of delayed maturity in a human-dominated world. Musick, J. A. Editor, Life in the Slow Lane: Ecology and Conservation of Long-Lived Marine Animals, American Fisheries Society Symposium 23. American Fisheries Society, Bethesda, MD. p. 195-202
- Crouse, D.T., L.B. Crowder, and H. Caswell. 1987. A stage-based population model for loggerhead sea turtles and implications for conservation. Ecol. 68:1412-1423.
- Crowder L., D. Crouse, S. Heppell, T. Martin. 1994. Predicting the impact of turtle excluder devices on loggerhead sea turtle populations. Ecological Applications 4. 437-445.
- Croxall, J.P. and R. Gales. 1998. An assessment of the conservation status of albatrosses. In, Albatross Biology and Conservation (G. Robertson and R. Gales, Eds.), Surrey Beatty and Sons Pty Limited, Chipping Norton, Australia, pp. 46-65.
- Cruz, J.C., I.P. Ramirez, and D.V. Flores . 1991. Distribucion y abundancia de la tortuga perica, *Caretta caretta* Linnaeus (1758), en la costa occidental e baja California Sur, Mexico.

*Archelon* 1, 1-4.

- Dam, R. and C. Diez. 1997b. Predation by hawksbill turtles on sponges at Mona Island, Puerto Rico. Proceedings of 8<sup>th</sup> International Coral Reef Symposium, 2:1412-1426.
- Dang, Minh. 2000. Personal Communication with Northern Economics, Inc. October, 2000.
- Davenport J. and G. Balazs. 1991. 'Fiery bodies' - are pyrosomas an important component of the diet of leatherback turtles? Brit. Herp. Soc. Bull. 31. 33-38.
- Delgado, C. and J. Alvarado. 1999. Recovery of the black sea turtle (*Chelonia agassizi*) of Michoacan, Mexico. Final report 1998-1999, submitted to U.S. Fish and Wildlife Service.
- DeLong, R. L., G. L. Kooyman, W.G. Gilmartin, and T.R. Loughlin. 1984. Hawaiian Monk Seal Diving Behavior. Acta Zoologica Fennica 172:129-131.
- DeMartini, E. E., F. A. Parrish, and J. D. Parrish. 1996. Interdecadal change in reef fish populations at French Frigate Shoals and Midway Atoll, Northwestern Hawaiian Islands: statistical power in retrospect. Bulletin of Marine Science, 58(3): 804-825.
- Division of Fish and Wildlife. 2002. Turtle monitor report for the CNMI. Presented at the Western Pacific Sea Turtle Cooperative Research & Management Workshop, Honolulu, Hawaii, February 5-8, 2002.
- Dizon, A., W. Perrin and P. Akin, 1994. Stocks of dolphins (*Stenella* spp. and *Delphinus delphis*) in the eastern tropical Pacific: a phylogeographic classification. NOAA Rech. Rep. NMFS 119. 20 pp.
- Dobbs, K. 2001. Marine turtles in the Great Barrier Reef World Heritage Area. A compendium of information and basis for the development of policies and strategies for the conservation of marine turtles. First Edition. January, 2001.
- Dobbs K. 2002. Australia Great Barrier Reef World Heritage Area. In: *Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop*. February 5-8, 2002, Honolulu, HI. I. Kinan (ed.). Western Pacific Fishery Management Council. Pp. 79 - 85.
- Dodd C. Jr. 1988. Synopsis of the biological data on the loggerhead sea turtle, *Caretta caretta* (Linnaeus 1758). U.S. Fish and Wildlife Service Biol. Rept. 88 (14). 110p.
- Dolphin, W.F. 1987. Ventilation and dive patterns of humpback whales *Megaptera novaeangliae*, on their Alaskan feeding grounds. Can. J. Zool. 65(1):83-90.
- Donovan, G.P. 1991. A review of IWC stock boundaries. Rep. Int. Whal. Comm., Special Issue 13:39- 68.
- Dutton, P.H., S.A. Eckert. In press. Tracking leatherback turtles from Pacific forage grounds in Monterey Bay, California. in Proceedings of the 21<sup>st</sup> Annual Symposium on Sea Turtle Conservation and Biology.
- Dutton, D.L., P.H. Dutton, R. Boulon, W.C. Coles, and M.Y. Chaloupka. In press. New insights

into population biology of leatherbacks from 20 years of research: Profile of a Caribbean nesting population in recovery. Proceedings 22<sup>nd</sup> Annual Symposium of Sea Turtle Biology and Conservation.

Dutton P., Boulon, R. & D. McDonald. 1996. Leatherback turtles (*Dermochelys coriacea*) on St. Croix, U.S. Virgin Islands: fifteen years of conservation. *Chelonian Conservation and Biology*; 2(2): 141-147

Dutton, P.H., B.W. Bowen, D.W. Owens, A. Barragan, and S.K. Davis. 1999. Global phylogeography of the leatherback turtle (*Dermochelys coriacea*). *Journal of Zoology*, London. 248, 397-409.

Dutton, P. H., Donoso, M.P., Serra, R., and J.L. Montero. 1999b. Sea turtles found in waters off Chile. IN: *Proceedings of the 19<sup>th</sup> Annual Symposium on Sea Turtle Biology and Conservation*. NOAA Technical Memorandum NMFS-SEFSC-443. pp. 219 – 220.

Dutton, P.H., Bixby, E., LeRoux, R., Balazs, G.H., 2000. Genetic stock origin of sea turtles caught in the Hawaii-based longline fishery. IN: Kalb, H. J. ,Wibbels, T. Compilers, *Proceedings of the 19<sup>th</sup> Annual Symposium on Sea Turtle Biology and Conservation*. NOAA Tech. Memo. NMFS-SEFSC-443. p. 120-121

Dutton, P.H., L. Sarti, R. Marquez, and D. Squires. 2002. Both sides of the border: Transboundary environmental management issues facing Mexico and the United States (eds Fernandez, L. and R.T. Carson). Kluwer Academic Publishers, Dordrecht. Pp. 429-453.

Eckert K. 1993. The biology and population status of marine turtles in the north Pacific Ocean. Final report to NOAA-NMFS, P.O. 40ABNF002067. 119p.

Eckert, S.A. 1997. Distant fisheries implicated in the loss of the world's largest leatherback nesting population. *Marine Turtle Newsletter*. No 78. p.2-7.

Eckert S. 1998. Perspectives on the use of satellite telemetry and other electronic technologies for the study of marine turtles, with reference to the first year long tracking of leatherback sea turtles. In S. Epperly. J. Braum, ed. Seventeenth Annual Sea Turtle Symposium, vol. NOAA Tech Memo NMFS-SEFSC-415. U.S. Department of Commerce, NOAA-NMFS, NOAA Tech Memo NMFS-SEFSC-415. Orlando, Florida. 294p.

Eckert S. 1999a. Global distribution of juvenile leatherback turtles. Hubbs Sea World Research Institute: San Diego. 1-13.

Eckert K. and S. Eckert. 1988. Pre-reproductive Movements of Leatherback Sea Turtles (*Dermochelys Coriacea*) Nesting in the Caribbean. *Copeia* 2. 400-406.

Eckert, S.A. and Sarti, L.M. (1997). Distant fisheries implicated in the loss of the worlds largest leatherback nesting population. *Marine Turtle Newsletter* 78:2-7.

Eckert S., D. Nellis, K. Eckert, G. Kooyman. 1986. Diving patterns of two leatherback sea turtles (*Dermochelys coriacea*) during interesting intervals at Sandy Point, St. Croix, U.S. Virgin Islands. *Herpetologica* 42. 381-388.

Eckert S., K. Eckert, P. Ponganis, G. Kooyman. 1989. Diving and Foraging Behavior of

- Leatherback Sea Turtles (*Dermochelys Coriacea*). Canadian Journal of Zoology 67. 2834-2840.
- Eckert, S.A., Sarti, L.M., N.T. Garcia, and A.R. Barragan. 1996. Decline of the world's largest nesting assemblage of leatherback turtles. Marine Turtle Newsletter. Number 74. July 1996.
- Eisenberg J. and J. Frazier. 1983. A leatherback turtle (*Dermochelys coriacea*) feeding in the wild. J. Herpetol vol. 17 (1). 81-82.
- Epperly, S.P. 2003. Fisheries-related mortality and Turtle Excluder Devices (TEDs). Lutz, P. L., Musick, J. A., Wyneken, J. Editors, *The Biology of Sea Turtles. Volume II*. CRC Marine Biology Series, CRC Press, Inc.: Boca Raton, London., p. 339-353.
- Ferrero, R.C., D.P. DeMaster, P.S. Hill and M. Muto. 2000. Alaska marine mammal stock assessments. U.S. Dept. of Commer., NOAA Tech. Memo. NMFS-AFSC-119, 191 p.
- [FWS] U.S. Fish and Wildlife Service. 2000. Biological Opinion of the United States Fish and Wildlife Service for the Effects of the Hawai'i-based Domestic Longline Fleet on the Short-tailed Albatross (*Phoebastria albatrus*). November 2000. Note: Excerpts are included as Appendix P to this EIS..
- [FDA] Food and Drug Administration. 2000. Agency Response Letter to GRAS Notice No. GRN 000015. Center for Food Safety and Applied Nutrition, U.S. Food and Drug Administration. 10 March 2000.
- Forney, K. A., J. Barlow, M. M. Muto, M. Lowry, J. Baker, G. Cameron, J. Mobley, C. Stinchcomb, and J. V. Carretta. 2000. U.S. Pacific Marine Mammal Stock Assessments: 2000. U.S. Dept. of Commer. NOAA Tech. Memo. NMFS-SWFSC-300, 276 p.
- Forum Fisheries Agency. 1998. Summary of observer comments extracted from the 10<sup>th</sup> licensing period. Forum Fisheries Agency U.S. treaty observer program trip reports.
- Frankel, A. S. and C. W. Clark. 1998. Results of low-frequency playback of M-sequence noise to humpback whales, *Megaptera novaeangliae*, in Hawaii. Can. J. Zool. 76:521-535.
- Frazier, J. Prehistoric and Ancient Historic Interactions. 2003. In: *The Biology of Sea Turtles, Volume II*. Lutz, P.L., Musick, J.A., and J. Wyneken (eds.). CRC Press. 1-38pp.
- Frazier, J.G., and J.L. Brito-Montero. 1990. Incidental capture of marine turtles by the swordfish fishery at San Antonio, Chile. *Marine Turtle Newsletter*. 49:8-13.
- Fretey, J. 2001. Biogeography and conservation of marine turtles of Atlantic coast of Africa. Convention of Migratory Species of Technical Series publications. UNEP/CMS Secretariat, Bonn, Germany. Vol. 6. 429 pp.
- Fritts, T. M. Stinson, R. Marquez. 1982. Status of sea turtle nesting in southern Baja California, Mexico. Bull. South. Calif. Acad. Sci. 81:51-60.
- Garcia-Martinez, S. and W.J. Nichols. 2000. Sea turtles of Bahia Magdalena, Baja California

Sur, Mexico: demand and supply of an endangered species. Presented at the International Institute of Fisheries Economics and Trade, Tenth Biennial Conference, July 10-15, 2000, Oregon State University, Corvallis, Oregon.

Glockner, D. A. and S. Venus. 1983. Determining the sex of humpback whales (*Megaptera novaeangliae*) in their natural environment. In: Communication and behavior of whales, R.S. Payne (ed.), pp 447-464, AAAS Selected Symposia Series, Boulder, CO. Westview Press.

Glockner-Ferrari, D. A., and M. J. Ferrari. 1990. Reproduction in the humpback whale (*Megaptera novaeangliae*) in Hawaiian waters 1975-1988: The life history, reproductive rates and behavior of known individuals identified through surface and underwater photography. In: Individual Recognition of Cetaceans: Use of Photo-Identification and other Techniques to estimate population parameters. Edited by P. S. Hammond, S. A. Mizroch and G. P. Donovan. International Whaling Commission, Cambridge. pp. 161-170.

Godley B., Broderick A., & G Hayes. 2001. Nesting of green turtle (*Chelonia mydas*) at Ascension Island, South Atlantic. *Biological Conservation*. 97: 151-158.

Goodman-Lowe, G. D. 1998. Diet of the Hawaiian monk seal (*Monachus schauinslandi*) from the Northwestern Hawaiian Islands during 1991-1994. *Marine Biology* 132: 535-546.

Goold, J.C. and S.E. Jones. 1995. Time and frequency domain characteristics of sperm whale clicks. *J Acoust Soc Am* 98: 1279-1291.

Gordon, J.C.D. 1987. Behaviour and ecology of sperm whales off Sri Lanka. Ph.D. dissertation, University of Cambridge, Cambridge, England.

Gosho, M.E., D.W. Rice, and J.M. Breiwick. 1984. Sperm whale interactions with longline vessels in Alaska waters during 1997. Unpubl. rep. Available Alaska Fisheries Science Center, 7600 Sand Point Way NE, Seattle, WA 98115.

Green, D. and F. Ortiz-Crespo. 1982. Status of sea turtle populations in the central eastern Pacific. In *Biology and conservation of sea turtles*. Edited by K.A. Bjorndal. Smithsonian Institution Press, Washington, D.C.

Gewe P. and J. Hampton. 1998. An Assessment of bigeye (*Thunus obesus*) population structure in the Pacific Ocean, based on mitochondrial DNA and DNA microsatellite analysis. PFRP report 98-05, JIMAR contribution 98-320. University of Hawaii.

Girondot M. & J. Fretey. 1996. Leatherback turtles, *Dermochelys coriacea*, nesting in French Guiana, 1978-1995. *Chelonian Conservation and Biology*; 2(2): 204-208

Groombridge, B. and R. Luxmoore. 1989. The Green Turtle and Hawksbill (Reptilia: Cheloniidae): World Status, Exploitation and Trade. CITES Secretariat, Lausanne, Switzerland. 601 pp in K.A. Eckert. 1993. The biology and population status of marine turtles in the north Pacific Ocean. Final report to NOAA-NMFS, P.O. 40ABNF002067. 119p.

Groombridge, B. (Compiler). 1982. The IUCN Amphibia-Reptilia Red Data Book. Part 1: Testudines, Crocodylia, Rhynchocephalia. International Union for the Conservation of

- Nature and Natural Resources, Gland, Switzerland *in* K.A. Eckert. 1993. The biology and population status of marine turtles in the north Pacific Ocean. Final report to NOAA-NMFS, P.O. 40ABNF002067. 119p.
- Guzman, V., Garduno Andrade, M., Miranda E., Briseno-Duenas, R. & A. Abreu-Grobois 1999. Increases in hawksbill turtle (*Eretmochelys imbricata*) nesting in the Yucatan Peninsula, Mexico, 1977-1996: Data in support of successful conservation? *Chelonian Conservation and Biology*; 3(2): 286-295.
- Hall, M.A. 1998. An ecological view of the tuna-dolphin problem: impacts and trade-offs. *Reviews in Fish Biology and Fisheries*. 8(1): 1-34.
- Hamm D. 2000. NMFS SWSFC-HL. Personal Communication. November 3, 2000.
- Hamm David. 2000. NMFS, Honolulu Laboratory. Personal Communication: email with Northern Economics, Inc. October 31, 2000.
- Hamilton M.. 1999. Thalassorama – System for Classifying Small Boat Fishermen in Hawaii. *Marine Resource Economics*, Vol. 13. 289-291.
- Hamilton, P. K., G. S. Stone, and S. M. Martin. 1997. Note on a deep humpback whale (*Megaptera novaeangliae*) dive near Bermuda. *Bulletin of Marine Science*. 61:491-494.
- Hampton J and P Kleiber. 2003. Stock assessment of yellowfin tuna in the western and central Pacific Ocean. 16<sup>th</sup> Standing Committee on Tuna and Billfish, Oceanic Fisheries Program, Secretariat of the Pacific Community, Noumea, New Caledonia.
- Hampton J. and P Kleiber, Y Takeuchi, H Kurota and M Maunder. 2003. Stock assessment of bigeye tuna in the western and central Pacific Ocean. 16<sup>th</sup> Standing Committee on Tuna and Billfish, Oceanic Fisheries Programme, Secretariat of the Pacific Community, Noumea, New Caledonia.
- Hanamoto E. 1976. Swimming depth of bigeye tuna. *Bull Jap Soc Fish Oceanogr* 29. 41-44.
- Hanan D.A., Holts D.B., and A.L. Coan Jr. 1993. The California drift gillnet fishery for sharks and swordfish, 1981-82 through 1990-91. *Fish Bulletin* 175. Cal. Dept. of Fish and Game. Long Beach CA. 95p.
- Harrison C., T. Hida, M. Seki. 1983. Hawaiian seabird feeding ecology. *Wildl. Monogr.* 85. 1-71.
- Hasegawa, H. 1982. The breeding status of the short-tailed albatross *Diomedea albatrus*, on Torishima, 1979/80 - 1980/81. *J. Yamashina Instit. Ornithol.* 14:16-24.
- Hatase, H, M. Kinoshita, T. Bando, N. Kamezaki, K. Sato, Y. Matsuzawa, K. Goto, K.

- Omura, Y., Nakashima, H., Takeshita, and W. Sakamoto. 2002. Population structure of loggerhead turtles, *Caretta caretta*, nesting in Japan: bottlenecks on the Pacific population. *Marine Biology* 141:299-305.
- Heberer, C.F. 1997. Estimation of bycatch and discard rates for pelagic fish species captured in the tuna longline fishery of the Federated States of Micronesia. Masters Thesis, University of Puerto Rico.
- Heppell S. 1997. On the importance of eggs. *Marine Turtle Newsletter* 76, 6-8.
- Herman, L. M. and R. C. Antinoja. 1977. Humpback whales in Hawaiian waters: Population and pod characteristics. *Sci. Rep. Whales Res. Inst. (Tokyo)* 29:59-85.
- Herman, L. M., C. S. Baker, P. H. Forestell and R. C. Antinoja. 1980. Right whale *Balaena glacialis* - sightings near Hawaii: a clue to the wintering grounds? 2:271-275.
- Heyning J. 1989. Cuvier's beaked whale *Ziphius cavirostris* (Cuvier, 1823). In S. Ridgway, R. Harrison, eds. *Handbook of Marine Mammals*, Vol. 4: The River Dolphins and Larger Toothed Whales. Academic Press. San Diego.
- Hien, T.M. 2002. Brief on the status of marine turtles and the conservation activities in Vietnam. Presented at the Western Pacific Sea Turtle Cooperative Research & Management Workshop, Honolulu, Hawaii, February 5-8, 2002.
- Hill P. and D. DeMaster. 1999. Alaska marine mammal stock assessments 1999. National Marine Mammal Laboratory, NMFS Alaska Fisheries Science Center. Seattle.
- Hillis-Starr, Z. & B. Phillips. 2000. Buck Island Reef National Monument hawksbill nesting beach study - Could conservation be working? IN: Abreu-Grobois, F. A., Briseno-Duenas, R., Marquez, R., Sarti, L. Compilers, Proceedings of the Eighteenth International Sea Turtle Symposium. U.S. Dept. of Commerce. NOAA Technical Memorandum NMFS-SEFSC-436, p. 11-14.
- Hinton M. and H. Nakano. 1996. Standardizing catch and effort statistics using physiological, ecological or environmental constraints and environmental data, with an application to blue marlin (*Makaira nigricans*) catch and effort data from the Japanese longline fisheries in the Pacific. *Bulletin of the Inter-American Tropical Tuna Commission* 21. 171-200.
- Hirth, H. 1997. Synopsis of biological data on the green turtle *Chelonia mydas*. U.S. Dept. of the Interior, Fish and Wildlife Service, Biological Report 97(1): 120 pp.
- Hirth, H., J. Kasu and T. Mala. 1993. Observations on a leatherback turtle nesting population near Pigua, Papua New Guinea. *Biological Conservation* 65:77- 82.

Hitipeuw, C. and J. Maturbongs. 2002. Marine turtle conservation program Jamurba-Medi nesting beach, northcoast of The Bird's Head Peninsula, Papua. IN: Kinan, I. (Ed.), Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop. February 5-8, 2002, Honolulu, Hawaii, USA. Western Pacific Regional Fishery Management Council: Honolulu, HI. p. 161-175

Hodge R. and B.L. Wing. 2000. Occurrence of marine turtles in Alaska Waters: 1960-1998. Herpetological Review 31, 148-151.

Holts D. 1998. Review of U.S. west coast commercial shark fisheries. Mar. Fish. Rev. 50(1):1-8.

Horikoshi, K., H. Suganuma, H. Tachikawa, F. Sato, and M. Yamaguchi. 1994. Decline of Ogasawara green turtle population in Japan. Page 235 in Proceedings of the fourteenth annual symposium on sea turtle biology and conservation, 1-5 March 1994, Hilton Head, South Carolina. August, 1994.

Horikoshi, K., Suganuma, H., Tachikawa, H., Sato, F., and M. Yamaguchi. 1995. Decline of Ogasawara green turtle population in Japan. IN: Bjorndal, K. A. ,Bolten, A. B. ,Johnson, D. A., Eliazar, P. J. (eds.). *Proceedings of the 14<sup>th</sup> Annual Symposium on Sea Turtle Biology and Conservation*. NOAA Technical Memorandum NMFS-SEFSC-351. 235-236 pgs.

Hughes, G. 1982. Conservation of sea turtles in the southern Africa region. IN: Bjorndal, K.A. (ED.). *Biology and Conservation of sea turtles*. Smithsonian Institution Press, Washington D.C. p. 397-404.

Hughes, G. 1996. Nesting of leatherback turtle (*Dermochelys coriacea*) in Tongaland, KwaZulu-Natal, South Africa, 1963-1995. *Chelonian Conservation and Biology*, 2(2): 153-158.

Huppert D. and T. Mittleman. 1993. Economic effects of the United Nations moratorium on high seas driftnet fishing. NOAA-TM-NMFS-SWFSC-194, Honolulu Laboratory, SWFSC, NOAA/National Marine Fisheries Service, Honolulu.

[IATTC] Inter-American Tropical Tuna Commission. 1998. 1996 Annual Report of the Inter-American Tropical Tuna Commission. ISSN:0074-1000.

IATTC. 1999. The quarterly report of the Inter-American Tropical Tuna Commission. April-June 1999. Inter-American Tropical Tuna Commission: La Jolla, CA. 66p.

IATTC. 1999b. 1997 Annual Report of the Inter-American Tropical Tuna Commission. ISSN:0074-1000.

Itano D.G. 2000. The reproductive biology of yellowfin tuna (*Thunnus albacares*) in Hawaiian

waters and the western tropical Pacific ocean: Project summary. Pelagic Fisheries Research Program Report SOEST 00-01. JIMAR Contribution 00-328 University of Hawaii. 69p.

Ito R. and W. Machado. 1999. Annual report of the Hawaii based longline fishery for 1998. National Marine Fisheries Service, SWSFC Honolulu Laboratory Admin. RE. H-99-06. 62p.

Johanos, T.C. and J.D. Baker, 2002. The Hawaiian monk seal in the Northwestern Hawaiian Islands, 2000. NOAA Technical Memorandum. NMFS. NOAA-TM-NMFS-SWFSC-340. pp. 100.

Juarez, R. and C. Muccio. 1997. Sea turtle conservation in Guatemala. Marine Turtle Newsletter 77:15-17.

Julian, F. 1997. Cetacean mortality in California gill net fisheries: Preliminary estimates for 1996. International Whaling Commission SC/49/SM.

Julian, F. and M. Beeson. 1998. Estimates of marine mammal, turtle, and seabird mortality for two California gillnet fisheries: 1990 - 1995. Fishery Bulletin 96(2):271-284.

Kalb, H.J., J.A. Kureen, P.A. Mayor, J. Peskin, R.L. Phyliky. 1996. Conservation concerns for the Nancite Olive Ridleys. Pg.141, 15<sup>th</sup> Annual Symposium Sea Turtle Biology and Conservation, Feb. 20-25, 1995, Hilton Head, South Carolina.

Kamezaki, N. Matsuzawa, Y., Abe, O., Asakawa, H., fujii, T., Kiyoshi, G., Shinya, H., Hayami, M., Ishii, M., Iwamoto, T., Kamata, T., Kato, H., Kodama, J., Kondo, Y., Miyawaki, I., Mizobuchi, K., Nakamura, Y., Nakashima, Y., Naruse, H., Kazuyoshi, O., Samejima, M., Suganuma, H., Takeshita, H., Tanaka, T., Toji, T., Uematsu, M., Yamamoto, A., Yamato, T., and I. Wakabayashi. 2003. Chapter 13: Loggerhead Turtles Nesting in Japan. In: *Loggerhead Sea Turtles*. A. B. Bolten and B.E. Witherington (eds.), Smithsonian Books. Pp. 210 - 217.

Kasuya, T. 1991. Density dependent growth in North Pacific sperm whales. Mar. Mamm. Sci. 7(3):230-257.

Katona, S.K., and J.A. Beard. 1990. Population size, migrations, and feeding aggregations of the humpback whale (*Megaptera novaeangliae*) in the Western North Atlantic Ocean. Rep. Int. Whal. Comm., Special Issue 12: 295-306.

Kikukawa, A., N. Kamezaki, and H. Ota. 1999. Current status of the sea turtles nesting on Okinawajima and adjacent islands of the central Ryukyus, Japan. Biological Conservation 87: 149-153.

Kleiber, P. 1999. Very preliminary North Pacific swordfish assessment. Presented at second meeting of Interim Scientific Community for Tuna and Tuna like species in the North Pacific Ocean (ISC), January 15 - 23, 1999, Honolulu, Hawaii. 8 pp.

Kleiber P., Y. Takeuchi, H. Nakano. 2001. Calculation of a Plausible Maximum Sustainable Yield (msy) for Blue Sharks (*Prionace glauca*) in the North Pacific. SWFSC ADM REPT H-01-02, February 2001.

Kleiber P, MG Hinton and Y Uozumi. 2003. Stock assessment of Pacific blue marlin (*Makaira nigricans*) in the Pacific with MULTIFAN-CL. Marine & Freshwater Research 54 (4) (in press).

Kobayashi, D.R. 2002. Hawaii-based longline fishing effort, fish catch, and sea turtle take in last two quarters of 2001 and first two quarters of 2002. NMFS-Honolulu Laboratory. October 11, 2002.

Kolinski, S.P. 2001. Sea turtles and their marine habitats at Tinian and Aguijan, with projections on resident turtle demographics in the southern arc of the Commonwealth of the Northern Mariana Islands. A report prepared for NMFS, SWFSC, Honolulu, Hawaii. June, 2001.

Kruse S., D. Caldwell and M. Caldwell. 1999. Risso's dolphin *Grampus griseus*. In S. Ridgway, R. Harrison, eds. Handbook of Marine Mammals, Vol. 6. Academic Press. San Diego.

Labelle M and J Hampton. 2003. Stock assessment of albacore tuna in the western and central Pacific Ocean. 16<sup>th</sup> Standing Committee on Tuna and Billfish, Oceanic Fisheries Program, Secretariat of the Pacific Community, Noumea, New Caledonia.

Lande, R. and G.F. Barrowclough. 1987. Effective population size, genetic variation and their use in population management. Pp. 87-124 in: M. Soule (ed.) Conservation Biology: An Evolutionary-Ecological Perspective. Sinauer Assoc. Sunderland MA.

Landsberg, J.H., G.H. Balazs, K.A. Steidinger, D.G. Baden, T.M. Work, D.J. Russell. 1999. The potential role of natural tumor promoters in marine turtle fibropapillomatosis. Journal of Aquatic Animal Health 11:199-210.

Langley A, M Ogura and J Hampton. 2003. Stock assessment of skipjack tuna in the western and central Pacific Ocean. 16<sup>th</sup> Standing Committee on Tuna and Billfish, Oceanic Fisheries Program, Secretariat of the Pacific Community, Noumea, New Caledonia.

Las Baulas Leatherback Turtle Project, 2003.  
[http://www.leatherback.org/lasbaulas/costa-rica/Las\\_Baulas/Project/Index.html](http://www.leatherback.org/lasbaulas/costa-rica/Las_Baulas/Project/Index.html)

- Laurs, R. M.. 2000. 2000 External Program Review. NOAA NMFS SWFSC HL.
- Lehodey P., M. Bertignac, J. Hampton, A. Lewis, J. Picaut. 1997. El Nino Southern Oscillation and tuna in the western Pacific. *Nature* 389. 715-718.
- Leatherwood, S., R. R. Reeves, W. F. Perrin, and W. E. Evans. 1988. Whales, dolphins and porpoises of the eastern North Pacific and adjacent Arctic waters. Dover Publication, New York, NY. p. 245.
- Liew, H. 2002. Status of marine turtle conservation and research in Malaysia. IN: Kinan, I. (Ed.), Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop. February 5-8, 2002, Honolulu, Hawaii, USA. Western Pacific Regional Fishery Management Council: Honolulu, HI. p.51-56.
- Liew, H-C And E-H Chan. 1994. Biotelemetric studies on the green turtles of Pulau Redang, Malaysia. Pg.75, 14<sup>th</sup> Ann. Symp. Sea Turtle Biol. and Conserv, Mar. 1-5, 1994, Hilton Head, South Carolina.
- Limpus, Colin. Queensland Parks Authority. Personal communication. July 29, 2003.
- Limpus, C.J. 1982. The status of Australian sea turtle populations, p. 297-303. In Bjorndal, K.A. (ed.), Biology and conservation of sea turtles. Smithsonian Inst. Press, Wash., D.C.
- Limpus, C. 1992. The hawksbill turtle, *Eretmochelys imbricata*, in Queensland: population structure within a southern Great Barrier Reef feeding ground. *Wildl. Res.* 19: 489-506.
- Limpus, C.J. 1994. Current declines in South East Asian turtle populations. In: Schroeder, B. A., Witherington, B. E. (eds.) *Proceedings of the 13<sup>th</sup> Annual Symposium on Sea Turtle Biology and Conservation*. NOAA Tech. Memo. NMFS-SEFSC-341. p. 89-92.
- Limpus, C., 2002. Conservation and research of sea turtles in the Western Pacific Region - an overview. IN: Kinan, I. (Ed.), Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop. February 5-8, 2002, Honolulu, Hawaii, USA. Western Pacific Regional Fishery Management Council: Honolulu, HI. p. 41-49
- Limpus, C.J. and D. Reimer. 1994. The loggerhead turtle, *Caretta caretta*, in Queensland: a population in decline. Pp 39-59. In R. James (compiler). Proceedings of the Australian Marine Turtle Conservation Workshop: Sea World Nara Resort, Gold Coast, 14-17 November 1990. Australian Nature Conservation Agency, Australia.
- Loop, K.A., Miller, J.D., Limpus, C.L. 1995. Nesting by the hawksbill turtle (*Eretmochelys imbricata*) on Milman Island, Great Barrier Reef, Australia. *Wildlife Research*; 22(2): 241-

Lutcavage, M.E. and P.L. Lutz. 1997. Diving physiology. In *The biology of sea turtles*. Edited by P.L. Lutz and J.A. Musick. CRC Press, Boca Raton, Florida.

Lutcavage, M.E., Plotkin, P., Witherington, B., and P.L. Lutz. 1997. Human Impacts on Sea Turtle Survival. In: *The Biology of Sea Turtles, Volume I*. Lutz, P.L. and A. Musick, (eds.). CRC Press. 387-409pp.

MacDonald, C. D. 1982. Predation by Hawaiian monk seals on spiny lobsters. *Journal of Mammalogy* 63:700

Magnan, A. 1925. *Le Vol a Voile. Roche d' Estrez*, Paris.

Marcovaldi, M. & G. Marcovaldi. 1999. Marine Turtles of Brazil: the history and structure of Projeto TAMAR-IBAMA. *Biological Conservation* 91:35-41.

Marquez, R.M. 2002. The Marine Turtles of Mexico: An Update. In: *Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop*. February 5-8, 2002, Honolulu, HI. I. Kinan (ed.). Western Pacific Fishery Management Council. Pp. 281-286.

Márquez, M.R. and A. Villanueva. 1993. First reports of leatherback turtles tagged in Mexico and recaptured in Chile. *Marine Turtle Newsletter* 61:9.

Márquez, M.R., C.S. Peñaflores, A.O. Villanueva, and J.F. Diaz. 1995. A model for diagnosis of populations of olive ridleys and green turtles of west Pacific tropical coasts. In *Biology and Conservation of Sea Turtles* (revised edition). Edited by K. A. Bjorndal.

Marquez, R., Diaz, J., Sanchez, M., Burchfield, P., Leo, A., Carrasco, M., Pena J., Jimenez C. & R. Bravo. 1999. Results of the Kemp's ridley nesting beach conservation efforts in Mexico. *Marine Turtle Newsletter*. 85:2-4.

Marquez, R., Penaflores, S., Vasconcelos P. and A. Padilla. 2000. Twenty five years nesting of olive ridley sea turtle *Lepidochelys olivacea* in Escobilla Beach, Oaxaca, Mexico. IN: Abreu-Grobois, F. A. ,Briseno-Duenas, R., Marquez, R. ,Sarti, L. Compilers, Proceedings of the Eighteenth International Sea Turtle Symposium. U.S. Dept. of Commerce. NOAA Technical Memorandum NMFS-SEFSC-436, p. 27-29

Marquez, R.M., Carrasco, M.A., and M.C. Jimenez. 2002. The marine turtles of Mexico: An update. In: *Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop*. Feb 5-8, 2002. I. Kinan (ed.). The Western Pacific Regional Fishery Management Council, Honolulu, Hawaii technical report. Pp 281-285.

Matsunaga H. and H. Nakano. 1999. Species composition and CPUE of pelagic sharks caught by Japanese longline research and training vessels in the Pacific ocean. *Fish. Sci.*, 65(1): 16-22.

McCoy, M.A. 1995. Subsistence hunting of turtle in the Western Pacific: The Caroline Islands. In: K.A. Bjorndal (ed.). *Biology and Conservation of Sea Turtles*. Smithsonian Institute Press. 275 – 280 pp.

McCoy, M.A. 1997. The traditional and ceremonial use of the Green sea turtle in the Northern Mariana Islands: With recommendations for its use in cultural events and education. *A report prepared for the Western Pacific Regional Fishery Management Council & University of Hawaii, Sea Grant College Program*. 82pp.

McCracken, M. L. 2000. Estimation of sea turtle take and mortality in the Hawaiian longline fisheries. NOAA-NMFS-SWFSC Administrative Report H-00-06.

McCracken, M.L. 2000a. Estimates of albatross takes in Hawaii longline fishery. Memorandum to R. M. Laurs, October 20, 2000. 3 pp.

McDonald, D., P. Dutton, D. Mayer and K. Merkel. 1994. Review of the green turtles of South San Diego Bay in relation to the operations of the SDG&E South Bay Power Plant. Doc 94-045-01. Prepared for San Diego Gas & Electric Co., C941210311. San Diego, CA.

McKeown, A. 1977. Marine Turtles of the Solomon Islands. Ministry of Natural Resources, Fisheries Division: Honiara. 47p *In* National Marine Fisheries Service and United States Fish and Wildlife Service. 1998. Recovery Plan for U.S. Pacific Populations of the Hawksbill Turtle (*Eretmochelys imbricata*). National Marine Fisheries Service, Silver Spring, MD.

Mead J. 1989. Beaked whales of the genus *Mesoplodon*. *In* S. Ridgway R. Harrison, eds. Handbook of Marine Mammals, Vol. 4: The River Dolphins and Larger Toothed Whales. Academic Press. San Diego.

Meylan, A. 1985. The role of sponge collagens in the diet of the hawksbill turtle, *Eretmochelys imbricata*. *In* Bairati and Garrone, eds. Biology of Invertebrates and Lower Vertebrate Collagens. Plenum Pub. Corp.

Meylan, A. 1988. Spongivory in hawksbill turtles: a diet of glass. *In* Science 239:393-395.

Meylan, A. 1989. Status Report of the Hawksbill Turtle. Pp. 101-115. *In* L. Ogren (ed.). Proceedings of the Second Western Atlantic Turtle Symposium. NOAA Tech. Memo. NMFS-SEFC-226. U.S. Dept. Commerce. 401 p.

Meylan, A. 1999. International movements of immature and adult hawksbill turtles (*Eretmochelys imbricata*) in the Caribbean Region. Chelonian Conservation and Biology 3:189-194.

Meylan, A. B., and M. Donnelly. 1999. Status justification for listing the hawksbill turtle (*Eretmochelys imbricata*) as critically endangered in the 1996 *IUCN Red List of Threatened Animals*. Chelonian Conservation and Biology 3:200-224.

Meylan, A., Schroeder, B. & A. Mosier. 1994. Marine turtle nesting activity in the State of Florida, 1979-1992. IN: Bjorndal, K. A., Bolten, A. B., Johnson, D. A., Eliazar, P. J. Compilers, Proceedings of the Fourteenth Annual Symposium on Sea Turtle Biology and Conservation. NOAA Technical Memorandum NMFS-SEFSC-351, p. 83

Maragos, J.E. 1991. Assessment and recommendations for the conservation of hawksbill turtles in the Rock Islands of Palau. The Nature Conservancy, Pacific Region, Honolulu. 13p *in* K.A. Eckert. 1993. The biology and population status of marine turtles in the north Pacific Ocean. Final report to NOAA-NMFS, P.O. 40ABNF002067. 119p.

Millán, R.M. 2000. The ridley sea turtle populations in Mexico. Page 19 *in* Proceedings of the Eighteenth International Sea Turtle Symposium, 3-7 March, 1998, Mazatlán, Sinaloa Mexico.

Milton, S.L., Leone-Kabler, S., Schulmann, A., and P.L. Lutz. 1994. The effects of Hurricane Andrew on the sea turtle nesting beaches of South Florida. IN: Bjorndal, K. A., Bolten, A. B., Johnson, D. A., Eliazar, P. J. (eds.), Proceedings of the 14<sup>th</sup> Annual Symposium on Sea Turtle Biology and Conservation. NOAA Tech. Memo. NMFS-SEFSC-351, p. 84.

Mitchell, J.C. and M.W. Klemens. 2000. Chapter 1: Primary and secondary effects of habitat alteration. IN: M.W. Klemens (ed.). *Turtle Conservation*. Smithsonian Institution Press.

Miyazaki N. and W. Perrin. 1994. Rough-toothed dolphin *Steno bredanensis* (Lesson, 1828). In S. Ridgway R. Harrison, eds. Handbook of Marine Mammals, Vol. 4: The River Dolphins and Larger Toothed Whales. Academic Press. San Diego.

Mobley, J. R., R. A. Grotfendt, P. H. Forestell, and A. S. Frankel. 1999a. Results of Aerial Surveys of Marine Mammals in the Major Hawaiian Islands (1993-1998): Report to the Acoustic Thermometry of Ocean Climate Marine Mammal Research Program. Cornell University Bioacoustics Research Program, Ithaca, NY

Mobley, J. R., R. A. Grotfendt, P. H. Forestell, S. S. Spitz, E. Brown, G. B. Bauer, and A. S. Frankel. 1999b. Population estimate for Hawaiian humpback whales: results of 1993-198 aerial surveys. 13th Biennial Conf. on Biol. of Mar. Mam., Wailea, Hawaii. Nov 28 B Dec 3, 1999.

Mohanty-Hejmadi, P. 2000. Agonies and ecstacies of 25 years of sea turtle research and conservation in India. IN: Kalb, H. J. ,Wibbels, T. (eds.), *Proceedings of the 19<sup>th</sup> Annual Symposium on Sea Turtle Biology and Conservation*. NOAA Tech. Memo. NMFS-SEFSC-443. pp. 83 – 85.

Morreale, S., E. Standora, F. Paladino and J. Spotila. 1994. Leatherback migrations along deepwater bathymetric contours. Pg.109, 13<sup>th</sup> Ann. Symp. Sea Turtle Biol. and Conserv, Feb. 23-27, 1993, Jekyll Island, Georgia.

Morreale S., E. Standora, A. Spotila, F. Paladino. 1996. Migration Corridor for Sea Turtles. *Nature* 384. 319-320.

Mortimer, J. & R. Bresson. 1999. Temporal distribution and periodicity in hawksbill turtles (*Eretmochelys imbricata*) nesting a Cousin Island, Republic of Seychelles, 1971-1997. *Conservation Biology*; 3(2): 318-325.

Mortimer, J. 2000. Sea turtles in the Republic of Seychelles: an emerging conservation success story. IN: Abreu-Grobois, F. A. ,Briseno-Duenas, R., Marquez, R. ,Sarti, L. Compilers, Proceedings of the Eighteenth International Sea Turtle Symposium. U.S. Dept. of Commerce. NOAA Technical Memorandum NMFS-SEFSC-436. p. 24-27.

Mortimer, J.A., 2002. Sea Turtle Biology and Conservation in the Arnavon Marine Conservation Area (AMCA) of the Solomon Islands. The Nature Conservancy, Technical Report. 19 pgs.

Mosier, A.E. and B.E. Witherington. 2002. Documented effects of coastal armoring structures on sea turtle nesting behavior. IN: Mosier, A. ,Foley, A. ,Brost, B. (eds.), *Proceedings of the 20<sup>th</sup> Annual Symposium on Sea Turtle Biology and Conservation*. NOAA Tech. Memo. NMFS-SEFSC-477. pp. 304-306.

Mrosovsky, N. 1981. Plastic Jellyfish. *Marine Turtle Newsletter*. 17:5-7.

Mrosovsky, N. 1997. A General Strategy for Conservation Through Use of Sea Turtles. *Journal of Sustainable Use*. 1(1): 42-46.

Mrosovsky, N.A., A. Bass, L.A. Corliss, and J.I. Richardson. 1995. Pivotal and beach temperatures for hawksbill turtles nesting in Antigua. P. 87 in K.A. Eckert. 1993. The biology and population status of marine turtles in the north Pacific Ocean. Final report to NOAA-NMFS, P.O. 40ABNF002067. 119p.

Muccio, C. 1998. National sea turtle conservation report for Guatemala. August, 1998.

Murakawa, S.K.K., G.H. Balazs, D.M. Ellis, S. Hau, and S.M. Eames. 2000. Trends in

fibropapillomatosis among green turtles stranded in the Hawaiian Islands, 1982-98. Pages 239-241 in Proceedings of the nineteenth annual symposium on sea turtle biology and conservation, March 2-6, 1999, South Padre Island, Texas. U.S. Department of Commerce, NOAA Technical Memorandum, NMFS-SEFSC-433.

Musick, J.A., Rybitski, M.J. and R.C. Hale. 1995. Distribution of Organochlorine pollutants in Atlantic sea turtles. *Copeia*: 2:379-390.

Nagorsen D. 1985. *Kogia simus*. Mammalian Species 239.1-6.

[NMFS] National Marine and Fisheries Service. 1991. Formal Section 7 Consultation on the Fishery Management Plan for the Pelagic Fisheries of the Western Pacific Region: Hawaii Central North Pacific Longline Fishery Impacts of the Hawaii-based longline fishery on listed sea turtles. National Marine Fisheries Service. 15 May 1998. 19p.

NMFS. 1997b. Environmental Assessment of final rule to implement the Pacific Offshore Cetacean Take Reduction Plan, under section 118 of the Marine Mammal Protection Act. September 1997.

NMFS. 1999. Biological opinion on the interim final rule for the continued authorization of the United States tuna purse seine fishery in the eastern tropical Pacific Ocean under the Marine Mammal Protection Act and the Tuna Conventions Act as revised by the International Dolphin Conservation Program Act. December 8, 1999.

NMFS. 2000. Section 7 Consultation on Authorization to take Listed Marine Mammals Incidental to Commercial Fishing Operations under Fishery Section 101(a)(5)(E) of the Marine Mammal Protection Act for the California/Oregon Drift Gillnet Fishery. National Marine Fishery Service, Office of Protected Resources, Silver Spring, 127 pp.

NMFS. 2000a. Basis for National Marine Fisheries Service Recommendation on Time and Area Closures of the Pacific Domestic Pelagic Longline Fishery off Hawaii. Revised on April 21, 2000. Unpublished Document. 11p +appendices.

NMFS. 2000b. Fisheries off West Coast States and in the Western Pacific; Western Pacific Pelagic Fisheries; Hawaii-based Pelagic Longline Area Closure. In Federal Register, Vol. 65, No. 166. Rules and Regulations. 25 August 2000.

NMFS. 2000c. Biological Opinion on Issuance of Permit to the CA/OR Drift Gillnet Fishery.

NMFS. 2000e. Draft Environmental Impact Statement on the Fishery Management Plan for the Pelagic Fisheries of the Western Pacific Region. December 4, 2000.

NMFS. 2000j. Pelagic Fisheries of the Western Pacific Region, Environmental Assessment for an Interim Period Pending Completion of an Environmental Impact Statement. NOAA-NMFS-SWFSC-Honolulu-Laboratory. Honolulu, HI. 129p.

NMFS. 2001. Final Environment Impact Statement for the Pelagic Fisheries of the Western Pacific region. National Marine Fisheries Service, Pacific Islands Are Office, Hawaii.

NMFS. 2001a. Draft Biological Opinion on the Authorization of Pelagic Fisheries under the Fishery Management Plan for the Pelagic Fisheries of the Western Pacific Region. National Marine Fisheries Service. March 2001. Note: Excerpts are included as Appendix Q to this EIS.

NMFS. 2002. Biological Opinion on the Authorization of Pelagic Fisheries under the Fishery Management Plan for the Pelagic Fisheries of the Western Pacific Region. National Marine Fisheries Service.

NMFS. 2002b. Record of Decision for Fishery Management Plan, Pelagic Fisheries of the Western Pacific Region. National Marine Fisheries Service. May 30, 2002.

NMFS [SEFSC] Southeast Fisheries Science Center. 2001. Stock assessments of loggerhead and leatherback sea turtles and an assessment of the impact of the pelagic longline fishery on the loggerhead and leatherback sea turtles of the Western North Atlantic. U.S. Department of Commerce, National Marine Fisheries Service, Miami, FL, SEFSC Contribution PRD-00/01-08; Parts I-III and Appendices I-V1.

NMFS and [USFWS] U.S. Fish and Wildlife Service. 1998a. Recovery Plan for U.S. Pacific Populations of the Green Turtle. Prepared by the Pacific Sea Turtle Recovery Team.

NMFS and USFWS. 1998b. Recovery Plan for U.S. Pacific Populations of the Hawksbill Turtle (*Eretmochelys imbricata*). National Marine Fisheries Service, Silver Spring, MD.

NMFS and USFWS. 1998c. Recovery Plan for U.S. Pacific Populations of the Leatherback Turtle. Prepared by the Pacific Sea Turtle Recovery Team.

NMFS and USFWS. 1998d. Recovery Plan for U.S. Pacific Populations of the Loggerhead Turtle. Prepared by the Pacific Sea Turtle Recovery Team.

NMFS and USFWS. 1998e. Recovery Plan for U.S. Pacific Populations of the Olive Ridley Turtle. Prepared by the Pacific Sea Turtle Recovery Team.

NMFS and USFWS. 1998f. Recovery plan for U.S. Pacific populations of the olive ridley turtle (*Lepidochelys olivacea*). National Marine Fisheries Service: Silver Spring, MD.

Nemoto, T. 1957. Foods of baleen whales in the northern Pacific. Sci. Rep. Whales Res. Inst. 12:33-89.

Nichols, W.J. 2002. Biology and conservation of sea turtles in Baja California, Mexico. Unpublished doctoral dissertation. School of renewable natural resources, the University of Arizona.

Nichols, W.J. 2002b. Biology and conservation of sea turtles in Baja California, Mexico. Unpublished doctoral dissertation. School of Renewable Natural Resources, University of Arizona.

Nichols W. and S. Gardner. In press. Mortality rates of sea turtle species in the Bahia Magdalena region. Proceedings of the 20<sup>th</sup> Symposium of Sea turtle Biology and Conservation. Orlando, Fl. 1-4 March 2000.

Nichols, W.J. and S. Garcia-Martinez. 2002a. Sea turtle conservation and the assessment of the demand and supply of sea turtles in Bahia Magdalena, Baja California Sur, Mexico. IN: Mosier, A. ,Foley, A. ,Brost, B. (eds.) *Proceedings of the 20<sup>th</sup> Annual Symposium on Sea Turtle Biology and Conservation*. NOAA Technical Memorandum NMFS-SEFSC-477. pgs. 226-228.

Nichols, W.J., Resendiz, A., and C. Mayoral-Russeau. 2000. Biology and Conservation of Loggerhead turtles in Baja, California, Mexico. IN: Kalb, H. J. ,Wibbels, T. (eds.), *Proceedings of the 19<sup>th</sup> Annual Symposium on Sea Turtle Biology and Conservation*. NOAA Tech. Memo. NMFS-SEFSC-443. pp.169-171.

Nietschmann, B. 1973. *Between Land and Water: The Subsistence Ecology of the Miskito Indians, Eastern Nicaragua*. Seminar Press, New York. 279pp.

Nietschmann, B. 1979. *Caribbean Edge: The Coming of Modern Times to Isolated People and Wildlife*. Bobbs-Merrill, Indianapolis, IN. 280pp.

Niiler P. and R. Reynolds. 1984. Habitat utilization and migration of juvenile seaturtles. In P. Lutz, J. Musick, eds. *Biology of Sea Turtles*. CRC Press: Boca Raton, FL. 137-163.

Nikulin, P.G. 1946. Distribution of cetaceans in seas surrounding the Chukchi Peninsula. Trudy Inst. Okeanol. Akad. Sci. USSR 22:255-257.

Nishimura, W. and S. Nakahigashi. 1990. Incidental capture of sea turtles by Japanese research and training vessels: results of a questionnaire. *Marine Turtle Newsletter*. 51:1-4

Nishiwaki, M. 1966. Distribution and migration of the larger cetaceans in the North Pacific as shown by Japanese whaling results. Pp. 171-191 in Norris, K.S., (ed.), Whales, Dolphins and Porpoises. University of California Press, Berkeley.

Nitta, Gene, NMFS, personal communication December 1, 2003.

Nitta E. 1991. The marine mammal stranding network for Hawaii: an overview. In J. Reynolds III, D. Odell, eds. Marine Mammal Strandings in the United States. NOAA Tech. Rep. NMFS 98. 56-62.

Nitta E. and J. Henderson. 1993. A review of interactions between Hawaii's fisheries and protected species. NOAA-NMFS Marine Fisheries Review. 55(2). 83-92.

Noronha, F. 1999. Olive ridleys return to Orissa beaches. Environmental News Service, April 14, 1999.

Norris K., B. Wursig, R. Wells, M. Wursig. 1994. The Hawaiian Spinner Dolphin. University of California Press. 408p.

(NRC) National Research Council, Committee on Sea Turtle Conservation. 1990 Decline of the Sea Turtles: Causes and Prevention. National Academy Press. Washington, D.C. 259 pp.

Olson D., A. Hitchcock, C. Mariano, G. Ashjian, G. Peng, R. Nero, G. Podesta. 1994. Life on the edge: marine life and fronts. Oceanogr. 7(2). 52-59.

Pandav, B. and B.C. Choudhury. 1999. An update on the mortality of olive ridley sea turtles in Orissa, India. Marine Turtle Newsletter 83:10-12.

Pandav, B. and C.S. Kar. 2000. Reproductive span of olive ridley turtles at Gahirmatha rookery, Orissa, India. Marine Turtle Newsletter 87:8-9.

Parker, D.M., W. Cooke, and G.H. Balazs. In press. Dietary components of pelagic loggerhead turtles in the North Pacific Ocean. In Proceedings of the twentieth annual symposium on sea turtle biology and conservation, February 28 - March 4, 2000, Orlando, Florida.

Parker, D.M., P.H. Dutton, K. Kopitsky, and R.L. Pitman. In press. Proceedings of the Twenty-second Annual Symposium on Sea Turtle Biology and Conservation, April 4-7, 2002, Miami, Florida.

Parmenter, C.J. 1983. Reproductive migration in the hawksbill turtle, *Eretmochelys imbricata*. Copeia 1983:271-273 in K.A. Eckert. 1993. The biology and population status of marine

turtles in the north Pacific Ocean. Final report to NOAA-NMFS, P.O. 40ABNF002067. 119p.

Parrish, F. A., M. P. Craig, T. J. Ragen, G. J. Marshall, B.M. Buhleier. 2000. Identifying Diurnal Foraging Habitat of Endangered Hawaiian Monk Seals Using a Seal-Mounted Video Camera. *Marine Mammal Science*, 16(2): 392-412 (April 2000).

Parrish, F.A., K. Abernathy, G.J. Marshall, B.M. Buhleier, 2002. Hawaiian Monk Seals (*Monachus schauinslandi*) Foraging in Deepwater Coral Beds. *Mar. Mamm. Sci.* 18(1):244-258.

Peixoto, J.P. and Oort, A. H. 1992. Physics of Climate. American Institute of Physics. New York. 520 pp.

[PFRP] Pelagic Fisheries Research Program.1999. Pelagic Fisheries Research Program Newsletter 4(4). JIMAR/SOEST University of Hawaii.

Perez, M.A. 1990. Review of marine mammal population and prey information for Bering Sea ecosystem studies. U.S. Dep. Commer., NOAA Tech. Memo. NMFS F/NWC-186. 81 pp.

Perrin W. and J. Gilpatrick. 1994. Spinner dolphin *Stenella longirostris* (Gray, 1828). In S. Ridgway R. Harrison, eds. *Handbook of Marine Mammals*, Vol. 4: The River Dolphins and Larger Toothed Whales. Academic Press. San Diego.

Perrin W. and A. Hohn. 1994. Pantropical spotted dolphin *Stenella attenuata*. In S. Ridgway R. Harrison, eds. *Handbook of Marine Mammals*, Vol. 4: The River Dolphins and Larger Toothed Whales. Academic Press. San Diego.

Perrin W., C. Wilson, F. Archer. 1994. Striped dolphin *Stenella coeruleoalba* (Meyen, 1833). In S. Ridgway R. Harrison, eds. *Handbook of Marine Mammals*, Vol. 4: The River Dolphins and Larger Toothed Whales. Academic Press. San Diego.

Perryman W., D. Au, S. Leatherwood, T. Jefferson. 1994. Melon-headed whale *Peponocephala electra* (Gray, 1846). In S. Ridgway R. Harrison, eds. *Handbook of Marine Mammals*, Vol. 4: The River Dolphins and Larger Toothed Whales. Academic Press. San Diego.

Philips, M. 2002. Marine Turtle Conservation in Papua New Guinea. In: *Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop*. February 5-8, 2002, Honolulu, HI. I. Kinan (ed.). Western Pacific Fishery Management Council. Pp. 143-146.

Pitman, K.L. 1990. Pelagic distribution and biology of sea turtles in the eastern tropical Pacific. Pages 143-148 in E.H. Richardson, J.A. Richardson, and M. Donnell (compilers), Proc. Tenth Annual Workshop on Sea Turtles Biology and Conservation. U.S. Dep. Commerce, NOAA Technical Memo. NMFS-SEC-278.

Pitman R. 1990. Pelagic distribution and biology of sea turtles in the eastern tropical Pacific. In T. Richardson, J. Richardson M. Donnelly, eds. Proceedings from the Tenth Annual Workshop on Sea Turtle Biology and Conservation. U.S. Dep. Commerce, NOAA Tech. Memo. NMFS-SEFC-278. 143-148.

Plotkin, P.T., R.A. Byles and D.W. Owens. 1994. Post-breeding movements of male olive ridley sea turtles *Lepidochelys olivacea* from a nearshore breeding area. Pg.119, 14<sup>th</sup> Annual Symposium, Sea Turtle Biology and Conservation, Mar. 1-5, 1994, Hilton Head, South Carolina.

Plotkin, P.T., R.A. Bales, and D.C. Owens. 1993. Migratory and reproductive behavior of *Lepidochelys olivacea* in the eastern Pacific Ocean. Schroeder, B.A. and B.E. Witherington (Compilers). Proc. of the Thirteenth Annual Symp. on Sea Turtle Biology and Conservation. NOAA, Natl. Mar. Fish. Serv., Southeast Fish. Sci. Cent. NOAA Tech. Mem. NMFS-SEFSC-31.

Polovina J. 1996. Decadal variation in the trans-Pacific migration of northern bluefin tuna (*Thunnus thynnus*) coherent with climate-induced change in prey abundance. Fish. Oceanogr. 5(2). 114-119.

Polovina, J.J., G.T. Mitchum, N.E. Graham, M.P. Craig, E.E. DeMartini and E.N. Flint. 1994. Physical and biological consequences of a climate event in the central North Pacific. Fish. Oceanogr. 3: 15-21.

Polovina, J., G. Mitchum, G. Evans. 1995. Decadal and basin-scale variation in mixed layer depth and the impact on biological production in the Central and North Pacific 1960-1988. Deep-Sea Research 42(10). 1701-1716.

Polovina, J., Kobayashi, D., Parker, D., Seki, M., and G. Balazs. 2000. Turtles on the edge: movement of loggerhead turtles along oceanic fronts, spanning longline fishing grounds in the central North Pacific, 1997-1998. *Fisheries Oceanography*. 9(1): 71-82.

Polovina, J., Kobayashi, D., Parker, D., Seki, M., and G. Balazs. 2000b. Turtles on the edge: movement of loggerhead turtles along oceanic fronts, spanning longline fishing grounds in the central North Pacific, 1997-1998. *Fisheries Oceanography*. 9(1): 71-82.

Polovina, J., Howell, E., Kobayashi, D., Seki, M. 2001. The transition zone chlorophyll front, a dynamic global feature defining migration and forage habitat for marine resources. *Progress in Oceanography*; 49(1-4): 469-483.

Polovina, J.J., G.H. Balazs, E.A. Howell, D.M. Parker, M.P. Seki and P.H. Dutton. In press. Dive depth distribution of loggerhead (*Caretta caretta*) and olive ridley (*Lepidochelys olivacea*) turtles in the central North Pacific: Might deep longline sets catch fewer turtles?. Fishery Bulletin 10(1) to be published January 2003.

Pooley S. 1993. Hawaii's marine fisheries: some history, long-term trends, and recent developments. NOAA-NMFS Marine Fisheries Review 55 (2). 7-19.

Pradel, R. 1996. Utilization of capture-recapture for the study of recruitment and population growth rate. *Biometrics* 52: 703-709.

Pritchard, P. 1982. Recovered sea turtle populations and U.S. Recovery team efforts. IN: Bjorndal, K.A. (ED.). *Biology and Conservation of sea turtles*. Smithsonian Institution Press, Washington D.C. p. 503-511.

Pritchard, P.C.H. 1982a. Marine turtles of the South Pacific. Pages 253-262 In K.A. Bjorndal (ed.), *Biology and Conservation of Sea Turtles*. Smithsonian Institution Press, Washington, DC. 583 pp.

Pritchard, P.C.H. 1982b. Nesting of the leatherback turtle (*Dermochelys coriacea*) in Pacific Mexico, with a new estimate of the world population status. *Copeia* 1982:741-747.

Pritchard, P.C.H. and P. Trebbau. 1984. The Turtles of Venezuela. Society for the Study of Amphibians and Reptiles in K.A. Eckert. 1993. The biology and population status of marine turtles in the north Pacific Ocean. Final report to NOAA-NMFS, P.O. 40ABNF002067. 119p.

Pritchard, P.C.H. 1996. Are leatherbacks really threatened with extinction? *Chelonian Conservation and Biology*, Volume 2, Number 2, pp. 303-305.

Pryor T., K. Pryor, K. Norris. 1965. Observations on a pygmy killer whale (*Feresa attenuata* Gray) from Hawaii. *J. Mamm.* 46. 450-461.

Putrawidjaja, M. 2000. Marine turtles in Irian Jaya, Indonesia. *Marine Turtle Newsletter* 90:8-10.

Ramirez-Cruz, J., I. Pena-Ramirez, D. Villanueva-Flores. 1991. Distribucion y abundancia de la tortuga perica, *Caretta caretta*. Linneaus (1758), en la costa occidental de Baja California Sur Mexico. *Archelon* 1(2): 1-4.

Reeves, R.R. and Whitehead, H. 1997. Status of the sperm whale, *Physeter macrocephalus*, in Canada. *Canadian Field-Naturalist* 111(2): 293-307.

Reeves R., S. Leatherwood, G. Stone , L. Eldridge. 1999. Marine mammals in the area served by the South Pacific Regional Environment Programme (SPREP). South Pacific Regional Environment Programme: Apia, Samoa. 48p.

Reichart, H. A. and J. Fretey. 1993. WIDECAST Sea Turtle Recovery Action Plan for Suriname (K. L. Eckert, Editor). CEP Technical Report No. 24. UNEP Caribbean Environment Programme, Kingston, Jamaica. xiv + 65 pp. IN: Hoekert, W., Schouten, A., Van Tienen, L. and M. Weijerman. 1996. Is the Surinam Olive Ridley on the Eve of Extinction? First Census Data for Olive Ridleys, Green Turtles and Leatherbacks Since 1989. Marine Turtle Newsletter. 75:1-4.

Resendiz A., W. Nichols, J. Seminoff, N. Kamezaki. 1998a. One-way transpacific migration of loggerhead sea turtles (*Caretta caretta*) as determined through flipper tag recovery and satellite tracking. In S. Epperly, J. Braun, eds. Proceeding of the 17<sup>th</sup> Annual Sea Turtle Symposium, vol. NMFS-SEFSC-415. U.S. Depart. Commer., NOAA Tech Memo. 294.

Resendiz A., B. Resendiz, J. Nichols, J. Seminoff, N. Kamezaki. 1998b. First confirmed east-west transpacific movement of a loggerhead sea turtle, *Caretta caretta*, released in Baja California, Mexico. Pacific Science 52. 151-153.

Rice, D. W. 1989. Sperm whale, *Physeter macrocephalus* (Linneaus, 1758). In: Ridgway, S. H. and R. Harrison (eds.). Handbook of marine mammals. Vol. 4. River dolphins and the larger toothed whales.

Richardson, J.I., Hillestad, H.O., McVea, C., and J.M. Watson. 1995. Worldwide Incidental Capture of Sea Turtles. In: *Biology and Conservation of Sea Turtles: Revised Edition*. K.A. Bjorndal (ed.). Smithsonian Institute Press. 489-495pp.

Robins, J.B., Campbell, M.J., and J.G. McGilvray. 1999. Reducing prawn-trawl bycatch in Australia: An overview and an example from Queensland. *Marine Fisheries Review*. 61(3): 46-55.

Roden G. 1980. On the subtropical frontal zone north of Hawaii during winter. *J. Phys. Oceanogr.* 10. 342-362.

Ross G. and S. Leatherwood. 1994. Pygmy killer whale *Feresa attenuata* (Gray, 1874). In S. Ridgway R. Harrison, eds. Handbook of Marine Mammals, Vol. 4: The River Dolphins and Larger Toothed Whales. Academic Press. San Diego.

Rupeni, E., S. Mangubhai, K. Tabunakawai and B. Blumel. 2002. Establishing replicable community-based turtle conservation reserves in Fiji. Presented at the Western Pacific Sea Turtle Cooperative Research & Management Workshop, Honolulu, Hawaii, February 5-8, 2002.

Sakai, H., Ichihashi, H., Suganuma, H., and R. Tatsudawa. 1995. Heavy metal monitoring in sea turtles using eggs. *Marine Pollution Bulletin*; 30(5): 347-353.

Sakai, H., Saeki, K., Ichihashi, H., Suganuma, H., Tanabe, S., and R. Tatsukawa. 2000. Species-specific distribution of heavy metals in tissues and organs of loggerhead turtle and green turtle from Japanese coastal waters. *Marine Pollution Bulletin*; 40(8): 701-709

Sakamoto W., I. Uchida, Y. Naito, K. Kureha, M. Tujimura, K. Sato. 1990. Deep diving behavior of the loggerhead turtle near the frontal zone. *Nippon Suisan Gakkaishi* 56. 1435-1443.

Salazar, C.P., J.F. Prez, E.A. Padilla, and R. Marquez-Millan. 1998. Nesting of olive ridley sea turtle *Lepidochelys olivacea* during twenty four years at La Escobilla Beach, Oaxaca, Mexico. In Proc. 18<sup>th</sup> International Symposium on Biology and Conservation of Sea Turtles, Mazatlan, Mexico, March. 1998. NOAA Tech. Memo in press.

Salden, D. R. 1987. An observation of apparent feeding by a sub-adult humpback whale off Maui. Eighth Biennial Conference on the Biology of Marine Mammals. Pacific Grove, CA. p. 58.

Salden, D. R. 1988. Humpback whale encounter rates offshore of Maui, Hawaii. J. Manage. 52: 301-304.

Salm, R. 1984. Sea Turtle Trade. IUCN WWF Project 3108, Field Report No. 5. Marine Conservation.

Sarti, L.M., S.A. Eckert, N.T. Garcia, and A.R. Barragan. 1996. Decline of the world's largest nesting assemblage of leatherback turtles. *Marine Turtle Newsletter*. Number 74. July 1996.

Sarti, L. Karam, S., Barragan, A.R., Herrera, M., Zarate, R., and C. Gomez. Presence and relative abundance of debris on Mexican nesting beaches. 1996b. IN: Keinath, J. A., Barnard, D. E., Musick, J. A., Bell, B. A. (eds.). *Proceedings of the 15<sup>th</sup> Annual Symposium on Sea Turtle Biology and Conservation*. NOAA Tech. Memo. NMFS-SEFSC-387. p. 279-282.

Sarti, L., S.A. Eckert, and N.T. Garcia. 1997. Results of the 1996-97 Mexican leatherback nesting beach census. NOAA/NMFS Final Report for Contract: 43AANF604301.

Sarti, L., S.A. Eckert, and N.T. Garcia. 1998. Estimation of the nesting population size of the leatherback sea turtle, *Dermochelys coriacea*, in the Mexican Pacific during the 1997-98 nesting season. Final Contract Report to National Marine Fisheries Service; La Jolla, California.

Sarti, L., S.Eckert, P.Dutton, A. Barragán, and N. García. 2000. The current situation of the leatherback population on the Pacific coast of Mexico and central America, abundance and distribution of the nestings: an update. Pp. 85-87 in Proceedings of the Nineteenth Annual Symposium on Sea Turtle Conservation and Biology, 2-6 March, 1999, South Padre Island, Texas.

Sarti, L., Eckert, S. Dutton, P., Garcia, N., & A. Barragan. 2000a. The Current situation of the leatherback population on the Pacific coast of Mexico and Central America, Abundance, distribution of the nestings: an update. IN: Kalb, H. J., Wibbels, T. Compilers, Proceedings of the 19th Annual Symposium on Sea Turtle Biology and Conservation. NOAA Tech. Memo. NMFS-SEFSC-443. p. 85-87.

Sarti, L., Arenas Fuentes, P. & P. Ulloa. 2000a. Conservation and management of sea turtles in Mexico. IN: Abreu-Grobois, F. A. ,Briseno-Duenas, R., Marquez, R., Sarti, L. Compilers, Proceedings of the Eighteenth International Sea Turtle Symposium. U.S. Dept. of Commerce. NOAA Technical Memorandum NMFS-SEFSC-436. p. 6-7.

Sarti, L.M., Eckert, S.A., Garcia, N.T. and A.R. Barragan. 2000. Decline of the world's largest nesting assemblage of leatherback turtles. *Marine Turtle Newsletter*. 74:2-5.

Sarti M., L., A. Barragán, P. Huerta, F. Vargas, A. Tavera, E. Ocampo, A. Escudero, O. Pérez, M.A. Licea, M. Morisson, D. Vasconcelos, M.A. Angeles, and P. Dutton. 2002. Distriución y estimación del tamaño de la población anidadora de la tortuga laúd *Dermochelys coriacea* en el Pacífico Mexicano y centroamericano. Temporada 2001-2002. Informe final de investigación. DGVS-SEMARNAT, NMFS, CI-México, US Geological

Schlexer, F.V. 1984. Diving patterns of the Hawaiian monk seal, Lisianski Island, 1982. National Marine Fisheries Service technical Memorandum NOAA-TM-NMFS-SWFSC -41.

Schroeder, B.A. and Mosier, A.E. 2000. Between a rock and a hard place: coastal armoring and marine turtle nesting habitat in Florida. IN: Abreu-Grobois, F. A. ,Briseno-Duenas, R. ,Marquez, R. ,Sarti, L. (eds.). *Proceedings of the 18<sup>th</sup> International Sea Turtle Symposium*. NOAA Tech. Memo. NMFS-SEFSC-436. p. 290-292. Survey. 53 pp.

Schwandt, A.J., K.L. Williams, A.C. Steyermark, J.R. Spotila, F.V. Paladino. 1996. Hatching success of the Leatherback turtle (*Dermochelys coriacea*) in natural nests at Playa Grande, Costa Rica. Pg.290, 15<sup>th</sup> Ann. Symp. Sea Turtle Biol. and Conserv, Feb. 20-25, 1995, Hilton Head, South Carolina.

Scott M. and S. Chivers. 1990. Distribution and herd structure of bottlenose dolphins in the eastern tropical Pacific Ocean. In S. Ridgway R. Harrison, eds. *Handbook of Marine Mammals*, Vol. 4: The River Dolphins and Larger Toothed Whales. Academic Press. San Diego.

Sea Turtle Association of Japan. 2002. Population trends and mortality of Japanese loggerhead turtles, *Caretta caretta* in Japan. Presented at the Western Pacific Sea Turtle Cooperative Research & Management Workshop, Honolulu, Hawaii, February 5-8, 2002.

Seki M., J. Polovina, D. Kobayashi, R. Bidigare, G. Mitchum. In press. An oceanographic characterization of swordfish longline fishing grounds in the subtropical North Pacific. *Fish. Oceanogr.*

Seminoff, J. 2002. Global status of the green sea turtle (*Chelonia mydas*): A summary of the 2001 status assessment for the IUCN Red List Programme. IN: Kinan, I. (Ed.), Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop. February 5-8, 2002, Honolulu, Hawaii, USA. Western Pacific Regional Fishery Management Council: Honolulu, HI. p.197-211.

Seminof, J. A., Presti, S.M., Hidalgo, A.R.S., and A.E. Sollod. 1999. Mercury concentration in the scutes of black sea turtles in the Gulf of California. *Chelonian Research Foundation*. 3(3): 531-533.

Shallenberger E. 1981. The status of Hawaiian cetaceans. Final report to U.S. Marine Mammal Commission. MMC-77/23. 79p.

Shankar, K. and B. Mohanty. 1999. Guest editorial: Operation Kachhapa: In search for a solution for the olive ridleys at Orissa. *Marine Turtle Newsletter* 86:1-3.

Sharma K, A Peterson, S Pooley, S Nakamoto and P Leung. 1999. Economic contributions of Hawaii's fisheries. Pelagic Fisheries Research Program-SOEST-99-08. JIMAR Contribution 99-327. 40p.

Shomura R., J. Majkowski, S. Langi, eds. 1994. Interactions of Pacific tuna fisheries. Proc. of the 1<sup>st</sup> FAO Expert Consultation on Interactions of Pacific Tuna Fisheries. 3-11 December 1991. Noumea, New Caledonia. FAO Fisheries Tech. Paper 336. Rome.

Silva-Batiz, F.A., E. Godinez-Dominguez, J.A. Trejo-Robles. 1996. Status of the olive ridley nesting population in Playon de Mismaloya, Mexico: 13 years of data. Pg.302, 15<sup>th</sup> Annual Symposium, Sea Turtle Biology and Conservation, Feb. 20-25, 1995, Hilton Head, South Carolina.

Skillman R.A. and P.K. Kleiber. 1998. Estimation of sea turtle take and mortality in the Hawaii-based longline fishery 1994 - 1996. NOAA Technical Memorandum NMFS SWFSC-257. 52 pp.

Smulcea, M. A. 1989. Habitat utilization patterns of humpback whales off West Hawaii. Report to the Marine Mammal Commission, Contract No. T6223925-9.

[SPC] South Pacific Commission. 2000. 13<sup>th</sup> Tuna and Billfish Technical Standing Committee report.

Spotila, J.R., A.E. Dunham, A.J. Leslie, A.C. Steyermark, P.T. Plotkin, and F.V. Paladino. 1996. Worldwide population decline of *Dermochelys coriacea*: Are leatherback turtles going extinct? *Chelonian Cons. and Biol.* 2(2):209-222.

Spotila, J.R., Steyermark, A.C., Williams, K., Paladino, F.V., Rostal, D.C., Morreale, S.J., Koberg, M.T., and R. Arauz. 1996a. Nesting leatherback turtles at Las Baulas national Park, Costa Rica. *Chelonian Conservation and Biology*. 2(2): 173-183.

Spotila, J.R., R.D. Reina, A.C. Steyermark, P.T. Plotkin, and F.V. Paladino. 2000. Pacific leatherback turtles face extinction. *Nature*. Vol. 45. June 1, 2000.

Stacey P., S. Leatherwood, R. Baird. 1994. *Pseudorca crassidens*. Mammalian Species 456. 1-6.

Stancyk, S.E. 1995. Non-human predators of sea turtle and their control. In: In: *Biology and Conservation of Sea Turtles: Revised Edition*. K.A. Bjorndal (ed.). Smithsonian Institute Press: 139-152pp.

Starbird, C.H. and M.M. Suarez. 1994. Leatherback sea turtle nesting on the north Vogelkop coast of Irian Jaya and the discovery of a leatherback sea turtle fishery on Kei Kecil Island. Pg.143, 14<sup>th</sup> Ann. Symp. Sea Turtle Biol. and Conserv, Mar. 1-5, 1994, Hilton Head, South Carolina.

Stevens J. 1996. The population status of highly migratory oceanic sharks in the Pacific Ocean. Symposium on Managing Highly Migratory Fish of the Pacific Ocean. Monterey, CA.  
Strasburg D. 1958. Distribution, abundance, and habits of pelagic sharks in the central Pacific Ocean. *Fish Bull* 138. 335-361.

Stewart, B. S. 1998. Foraging ecology of Hawaiian monk seals (*Monachus schauinslandi*) at Pearl and Hermes Reef, Northwestern Hawaiian islands: 1997-1998. NOAA, NMFS, SWFSC, HSWRI Tech Report No. 98-281.

Stewart B. and R. DeLong. 1995. Double migration of the northern elephant seal, *Mirounga angustirostris*. *Journal of Mammalogy* 76 (1). 196-205.

Steyermark A., K. Williams, J. Spotila, F. Paladino, D. Rostal, S. Morreale, M. Koberg, R. Arauz. 1996. Nesting leatherback turtles at Las Baulas National Park, Costa Rica. *Chelonian Cons. Biol.* 2. 173-183.

Stinson, M. 1984. Biology of sea turtles in San Diego Bay, California and the Northeastern Pacific Ocean. Master's Thesis, San Diego State University.

Strong, C. S. 1990. Ventilation patterns and behavior of balaenopterid whales in the Gulf of California, Mexico. MS thesis, San Francisco State University, CA.

Suarez, A. 1999. Preliminary data on sea turtle harvest in the Kai Archipelago, Indonesia. Abstract appears in the 2<sup>nd</sup> ASEAN Symposium and Workshop on Sea Turtle Biology and Conservation, held from July 15-17, 1999, in Sabah, Malaysia.

Suárez, A. and C.H. Starbird. 1996. Subsistence hunting of leatherback turtles, *Dermochelys coriacea*, in the Kai Islands, Indonesia. Chelonian Conservation and Biology 2(2): 190-195.

Suárez, A., P.H. Dutton, and J. Bakarbessy. In press. Leatherback (*Dermochelys coriacea*) nesting on the north Vogelkop coast of Irian Jaya, Indonesia. Proceedings of the 19<sup>th</sup> Annual Sea Turtle Symposium. In press.

Suganuma, H., K. Horikoshi, H. Tachikawa, F. Sato, M. Yamaguchi. 1996. Reproductive characteristics of the Ogasawara green turtles. Pg. 318 in Proceedings of the fifteenth annual symposium on sea turtle biology and conservation, 20-25 February, 1995, Hilton Head, South Carolina, June, 1996.

Suganuma, H., 2002. Population trends and mortality of Japanese loggerhead turtles, *Caretta caretta*, in Japan. IN: Kinan, I. (Ed.), Proceedings of the Western Pacific Sea Turtle Cooperative Research and Management Workshop. February 5-8, 2002, Honolulu, Hawaii, USA. Western Pacific Regional Fishery Management Council: Honolulu, HI. p. 77-78

Suwelo, I.S. 1999. Olive ridley turtle records from South Banyuwangi, East Java. Marine Turtle Newsletter 85:9.

Swingle, W. M., S. G. Barco, and T. D. Pitchford. 1993. Appearance of juvenile humpback whales feeding in the nearshore waters of Virginia. Mar. Mamm. Sci. 9:309-315.

TAC. 2003. Meeting of the Western Pacific Regional Fishery Management Council's Turtle Advisory Committee (TAC). July 29, 2003. WPRFMC unpublished meeting final report.

Takahashi M. and K. Yokawa. 1999. Brief description of Japanese swordfish fisheries and statistics in the Pacific Ocean. Document ISC2/99SWO1 presented at the meeting of the Swordfish Working Group of the Interim Scientific Committee for Tuna and Tuna-like Species in the North Pacific Ocean. 15-16 January 1999.

Tambiah, C. 1995. Integrated management of sea turtles among the indigenous people of Guyana: planning beyond recovery and towards sustainability. IN: Richardson, J. I., Richardson, T. H. Compilers, Proceedings of the Twelfth Annual Workshop on Sea Turtle Biology and Conservation; NOAA Technical Memorandum NMFS-SEFSC-361, p. 138-141

Tarasevich, M.N. 1968. Pishchevye svyazi kasholotov v severnoi chasti Tikhogo Okeana. [Food connections of the sperm whales of the Northern Pacific.] [In Russian.] Zool. Zhur. 47:595-601. (Transl. by K. Coyle, univ. Alaska, Fairbanks, 1982, 11 pp.)

Thomas, P. 1989. Report of the Northern Marshall Islands Natural Diversity and Protected Areas Survey, 7B 24 September, 1988. South Pacific Regional Environment Programme, Noumeau, New Caledonia and East-West Center, Honolulu, Hawaii.

Thompson PO, Friedl WA (1982) A long term study of low frequency sounds from several species of whales off Oahu, Hawaii. Cetology 45: 1-19.

Thunberg E. and J. Seale. 1992. Economic analysis of the United Satates demand for swordfish and the economic effectes of effort reduction on the gulf of Mexico swordfish fishery final project report. MARFIN. Dept of Food and Resource Economics, Univ. of Florida: Gainsville, Fl. 29p.

Travis. 1999. Entry and exit in Hawaii's longline fishery, 1988-96: a preliminary view of explanatory factors. In Ocean-Scale Management of Pelagic Fisheries: Economic and Regulatory Issues. Pelagic Fisheries Research Program. SOEST 99-01. Honolulu.

Tuato'o-Bartley, N., T. Morrell, P. Craig. 1993. Status of sea turtles in American Samoa in 1991. Pacific Science 47(3): 215-221.

Turtle Foundation. 2002. White paper summarizing a green turtle project on Sangalaki Island, East Kalimantan, Indoneisa, presented at the Western Pacific Sea Turtle Cooperative Research & Management Workshop, Honolulu, Hawaii, February 5-8, 2002.

Tyack, P. 1981. Interactions between singing Hawaiian humpback whales and conspecifics nearby. Behav Ecol Sociobiol 8: 105-116.

U.S. Fish and Wildlife Service. 2001.. Biological Opinion for the effects on the short-tailed albatross (*Phoebastria albatrus*) of NMFS Research on Sea Turtles. Issued December 2001, pp. 72.

van Eijck, T. J. W & N. Valkering. 2000. The Sea Turtle Club Bonaire: Ideas for creating awareness. IN: Abreu-Grobois, F. A. ,Briseno-Duenas, R. ,Marquez, R. ,Sarti, L. Compilers, Proceedings of the Eighteenth International Sea Turtle Symposium. U.S. Dept. of Commerce. NOAA Technical Memorandum NMFS-SEFSC-436, p. 89-91

Waite, J.M. and R. C. Hobbs. 1999. Small cetacean aerial survey of Prince William Sound and the western Gulf of Alaska in 1998 and preliminary abundance harbor porpoise estimates for the southeast Alaska and the Gulf of Alaska stocks. Ann Rept 1998, Office of Protected Resources, NMFS, Silver Spring, Md. 15 pp.

Wallace, N. 1985. Debris entanglement in the marine environment: a review. Shomura, R. S., Yoshida, H. O. Eds., *Proceedings of the Workshop on the Fate and Impact of Marine Debris. 26- 29 November 1984, Honolulu, Hawaii*. NOAA Tech. Memo. NOAA-TM-NMFS-SWFC-54; p. 259-277

Ward P. and S. Elscot. 2000. Broadbill Swordfish. Status of world fisheries. Bureau of Rural Science. Canberra, Australia.

Ward R.D., N.G. Elliot, Grewe, P.M. and A.J. Smolenski .1994. Allozyme and mitochondrial DNA variation in yellowfin tuna (*Thunnus albacares*) from the Pacific Ocean. *Mar. Biol.* 118:531- 539.

Watkins, W.A. and W.E. Schevill. 1977. Spatial distribution of Physeter catodon (sperm whales) underwater. *Deep-Sea Res.* 24:693-699.

Watkins, W.A., K.E. Moore, and P. Tyack. 1985. Sperm whale acoustic behaviors in the southeast Caribbean. *Cetology* 49:1-15.

Watkins, W. A., M. A. Dahr, K. M. Fristrup and T. J. Howald 1993. Sperm whales tagged with transponders and tracked underwater by sonar. *Mar, Mamm. Sci.* 9(1):55-67.

Watson J., B. Hataway & C. Bergman. 2003. Effect of Hook Size on the Ingestion of Hooks by Loggerhead Sea Turtles

Weidner D. and F. Arocha. 1999. World Swordfish Fisheries: An analysis of swordfish fisheries, market trends and trade patterns. Volume IV: Latin America. Part A: South America. Section 2: Atlantic. Segment B: Brazil. NOAA Tech Memo. NMFS-F/SPO-35. U.S. Dept. of Commerce, NOAA-NMFS: Silver Springs, MD. 237-628.

Weidner, D. and J. Serrano. 1997. South America: Pacific, Part A, Section 1 (Segments A and B) in Latin America, World swordfish fisheries: an analysis of swordfish fisheries, market trends and trade patterns, Vol. IV. NMFS: Silver Spring, Maryland, November, 1997.

Weidner D., F. Fontes, J. Serrano. 1999. World Swordfish Fisheries: An analysis of swordfish fisheries, market trends and trade patterns. Volume IV: Latin America. Part A: South America. Section 2: Atlantic. Segment C: Uruguay, Parauay and Argentina. NOAA Tech Memo. NMFS-F/SPO-36. U.S. Dept. of Commerce, NOAA-NMFS, Silver Spring, MD. 631-916.

Weilgart L, and Whitehead H. 1997. Group-specific dialects and geographical variation in coda repertoire in South Pacific sperm whales. *Behav Ecol Sociobiol* 40: 277-285.

Wetherall JA. 1997. Mortality of sea turtles in the Hawaii longline fishery: a preliminary assessment of population impacts. NMFS SWFSC Admin. Rep. h-97-07, 51 pp.

Wetherall, J.A. and G.H. Balazs. 1993. Bycatch of Marine Turtles in North Pacific High-seas Driftnet fisheries and Impacts on the Stocks. *Int. North Pac. Fish Comm.* No. 53: 519-538.

Wetherall, J.A., G.H. Balazs, R.A. Tokunaga, and M.Y.Y. Yong. 1993. Bycatch of marine turtles in North Pacific high-seas driftnet fisheries and impacts on the stocks. In: Ito, J. *et al.* (eds.) INPFC Symposium on biology, distribution, and stock assessment of species caught in the high seas driftnet fisheries in the North Pacific Ocean. Bulletin 53(III):519-538. Inter. North Pacific Fish. Comm., Vancouver, Canada.

Whitehead, H. 1982. Populations of humpback whales in the northwest Atlantic. *Rep. Int. Whal. Comm.* 32:345-353.

Whitehead H. 1996. Babysitting, dive synchrony, and indications of alloparental care in sperm whales. *Behav Ecol Sociobiol* 38: 237-244.

WILDCOAST 2003 unpublished progress report to NMFS. Reducing mortality of North Pacific Loggerhead turtles, Baja California Sur, Mexico. WiLDCOAST Progress Report and Action Update to National Marine Fisheries Service, Southwest Fishery Science Center, November, 2003.

Witherington, B.E. 2000. Habitats and bad habits of young loggerhead turtles in the open ocean. IN: Abreu-Grobois, F. A. ,Briseno-Duenas, R. ,Marquez, R. ,Sarti, L. (eds.) *Proceedings of the 18<sup>th</sup> International Sea Turtle Symposium*. NOAA Technical Memorandum NMFS-SEFSC-436. pp 34-35.

Witherington, B.E. 2002. Ecology of neonate loggerhead turtles inhabiting lines of downwelling near a Gulf Stream front. *Marine Biology*; 140(4): 843-853.

Witherington, B.E. and K.A. Bjorndal. 1991. Influences of artificial lighting on the seaward orientation of hatchlings loggerhead turtles. *Biol. Conserve.* 55:139.

Witzell, W.N. 1984. The incidental capture of sea turtles in the Atlantic U.S. fishery conservation zone by the Japanese tuna longline fleet, 1978-81. *Marine Fisheries Review* 46(3): 56-58.

Wolman, A. A. and C. M. Jurasz. 1977. Humpback whales in Hawaii: Vessel census, 1976. Mar. Fish. Rev. 39(7):1-5.

Woodrom-Luna, R. 2003a. The merging of archaeological evidence and marine turtle ecology: A case study approach to the importance of including archaeological data in marine science. *SPC Traditional Marine Resource Management and Knowledge Information Bulletin*. No. 15. July 2003: pg 26-30.

Woodrom-Luna, R. 2003b. Traditional food prohibitions (tapu) on marine turtles among Pacific Islanders. *SPC Traditional Marine Resource Management and Knowledge Information Bulletin*. No. 15. July 2003: pg. 31-33.

Woodworth, G. 1992. Sea turtles in the Comoros Islands. *Marine Turtle Newsletter*. 59: 4-5

Work, T.M. 2000. Synopsis of necropsy findings of sea turtles caught by the Hawaii-based pelagic longline fishery. November, 2000.

Work, T.M. and G. H. Balazs. In press. - Necropsy findings in sea turtles taken as bycatch in the North-Pacific longline fishery. January, 2001.

Work, T.M. and G.H. Balazs. 1998. Causes of green turtle morbidity and mortality in Hawaii. IN: Epperly, S. P. ,Braun, J. (eds.). *Proceedings of the 17<sup>th</sup> Annual Sea Turtle Symposium*. NOAA Tech Memo. NMFS-SEFSC-415. p. 291-292.

Wright, B., & B. Mohanty. 2002. Olive ridley mortality in Orissa. *Kachhapa*. 6: 18.

[WPacFIN] Western Pacific Fisheries Information Network, NMFS Honolulu Laboratory.

[WPRFMC] Western Pacific Regional Fishery Management Council. 1998a. Pelagic Fisheries of the Western Pacific Region 1998 Annual Report. November 1998. 23p. + Appendices.

WPRFMC. 1999d. Pelagic Fisheries of the Western Pacific Region.1998 Annual Report (Draft). November 5, 1999. WPRFMC: Honolulu.

WPRFMC 2000. The population biology of the Black-footed Albatross in relation to mortality caused by longline fishing (Cousins, K. and J. Cooper, Eds.). Proceedings of a workshop held in Honolulu, HI by the Western Pacific Regional Fishery Management Council. 117 pp.

WPRFMC, 2001 - Pelagic Fisheries of the Western Pacific Region 1999 Annual Report. Western Pacific Regional Fishery Management Council

WPRFMC. 2001b. Amendment 9 (revised) to the Fishery Management Plan for the Pelagic Fisheries of the Western Pacific Region. Western Pacific Regional Fishery Management Council. Honolulu, HI.

WPRFMC, 2002 - Pelagic Fisheries of the Western Pacific Region 2000 Annual Report. Western Pacific Regional Fishery Management Council

WPRFMC. In prep. Report of the first meeting of the Western Pacific Council's Turtle Advisory Committee, July 29-30, 2003. Honolulu: WPRFMC.

Wyneken, J. 1997. Sea turtle locomotion: mechanisms, behavior, and energetics. *In* The biology of sea turtles. Edited by P.L. Lutz and J.A. Musick. CRC Press, Boca Raton, Florida.

Zug, G.R., G.H. Balazs and J.A. Wetherall. 1995. Growth in juvenile loggerhead sea turtles (*Caretta caretta*) in the North Pacific pelagic habitat. *Copeia* 1995(2):484-487.

Zug, G.R., G.H. Balazs, J.A. Wetherall, D.M. Parker, S.K.K. Murakawa. 2002. Age and growth of Hawaiian green turtles (*Chelonia mydas*): an analysis based on skeletochronology. *Fish. Bulletin* 100:117-127.