

ACKNOWLEDGEMENTS

The authors would like to express their sincere appreciation to Mr. Khamis Y. Haramy, COTR of the FHWA-CFLHD, for his guidance, valuable technical assistance, and review during the course of this investigation. The authors would also like to thank Mr. Roger Surdahl and Mr. Linden Snyder of the FHWA-CFLHD for their technical advice and review of this report.

The authors would also like to express their appreciation to Mr. Khalid Mohamed of the FHWA-EFLHD for guiding, directing, and providing valuable technical assistance and review during the course of the Natchez, Mississippi EMI investigation of clay seams.

REFERENCES

1. Windowed USGS Geological Map Aztec 1° x 2° Quadrangle.
2. Advanced Draft Soil Maps prepared by USDI-BIA Jicarilla Agency Soils Office. Cement Lake Quad T29N R2W. Jicarilla Apache Nation, Parts of Rio Arriba and Sandoval County Sol Survey, New Mexico. Dulce, NM. May, 2002.
3. Retrieved from <http://sis.agr.gc.ca/cansis/glossary> on August 16, 2005.
4. Retrieved from http://www.gsn.gov.na/soil_rock_lag.htm on August 16, 2005.
5. Retrieved from <http://fbe.uwe.ac.uk/public/geocal/SoilMech/classification/soilclas.htm> on August 16, 2005.
6. Verbal communication with Neil Gilbert, Senior Technical Engineer, ZapataEngineering.
7. Voth, Michael D. Jicarilla Indian Reservation NM PLH 1352 (17), SR 537, Pavement and Subgrade Investigation. Report 02-02, page 6. U.S. Department of Transportation, Federal Highway Administration, Central Federal Lands Highway Division, Technical Services Branch. March 2002.

